

OBG

2016 SEMIANNUAL REPORT – FINAL REPORT

**Post-Closure Groundwater Monitoring Report
Coldwater Road Landfill
Flint, Michigan
MID 005 356 860**

**RACER TRUST
Detroit, Michigan**

August 2016




AUGUST 2016 | CLIENT # 15388 | PROJECT # 62658


Post-Closure Groundwater Monitoring Coldwater Road Landfill MID 005 356 860

Flint, Michigan

Prepared for: RACER Trust
Detroit, Michigan



BRIAN E. WHITE, PE
SENIOR VICE PRESIDENT
O'BRIEN & GERE ENGINEERS, INC.



August 29, 2016

Mr. Richard Conforti, P.E.
Environmental Engineer
Michigan Department of Environmental Quality
Office of Waste Management and Radiological Protection
P.O. Box 30473
Lansing, Michigan 48909-7973

RE: Post-Closure Groundwater Monitoring 2016 Semiannual Report
Coldwater Road Landfill, Flint, Michigan
MID 005 356 860
FILE: 15388 /62658/rep

Dear **Mr. Conforti**

On behalf of Revitalizing Auto Communities Environmental Response (RACER) Trust, O'Brien & Gere is pleased to present the results of the semiannual groundwater sampling event conducted in June 2016 for the Coldwater Road Landfill site (Figure 1).

The groundwater samples were analyzed for specific conductivity (Method 120.1), chloride (Method 300.0), cyanide (CN, Method 335.4), sulfate (Method 300.0), phenols (Method 420.1), volatile organic compounds (VOCs, Method 8260B), dissolved metals (chromium (Cr), copper (Cu), nickel (Ni), zinc (Zn), iron (Fe), manganese (Mn), Method 200.8), and total sodium ((Na), Method 200.8).

The event also included field measurements for pH, specific conductivity, dissolved oxygen, oxidation reduction potential, temperature, and turbidity. Groundwater samples were collected using a bladder or peristaltic pump, and low-flow sampling techniques in accordance with O'Brien & Gere procedures and the site-specific Field Method Guide (Appendix A). Samples to be analyzed for dissolved metals were field filtered. Groundwater sampling logs are included in Appendix B.

Gauging and sampling were conducted on June 22, 2016 through June 27, 2016. The results are presented in three separate tables: Table 1 - Depth to Groundwater Levels in Monitoring Wells; Table 2 - Post-Closure Monitoring - Historical Analytical Results (Physical Parameters, TOC, TOX, and Metals); Table 3 - Post-Closure Monitoring - Analytical Results (Volatile Organics). Laboratory analytical reports are included in Appendix C.

A site location map (Figure 1) and monitoring well location (*i.e.*, site layout) map (Figure 2) are also included. A groundwater elevation map was completed for the shallow wells (Figure 3) and a groundwater potentiometric surface map was completed for the deeper drift aquifer (Figure 4).

Contours were not plotted for groundwater in the shallow wells because the water level elevations exhibited no pattern and groundwater is discontinuous in the perched zones.

The drift aquifer static water elevations, which were calculated from depth to water measurements collected on June 22, 2016, were consistent with historical data. Groundwater in the drift aquifer flows in a southerly direction as shown on (Figure 4).



Groundwater samples were collected from six monitoring wells screened in perched zones and six monitoring wells screened in the drift aquifer during this sampling event.

A review of the analytical data presented in the attached tables indicates analytical results similar to previous sampling events, a summary of the data is provided below:

- Chromium concentrations were not detected above the method detection limit of 5 µg/L.
- Copper concentrations were not detected above the method detection limit of 5 µg/L.
- Nickel concentrations were not detected above the method detection limit of 5 µg/L; except in monitoring well B-9 where the concentration was 10 µg/L.
- Zinc concentrations were not detected above the method detection limit of 5 µg/L.
- TOC concentrations ranged from 1.4 mg/L in monitoring wells B-18A and B-21D to 3.9 mg/L in monitoring well B-7; and were comparable to historical concentrations.
- TOX concentrations ranged from 29 µg/L in monitoring well B-22D to 150 µg/L in monitoring well B-9; and were higher than last semiannual event, but comparable to historical concentrations with the exception of monitoring wells B-9 (150 µg/L) and B-22D (100 µg/L) that detected TOX at a new high concentrations from previous high concentrations of 127 µg/L and 76 µg/L (and <100 µg/L during numerous sampling events), respectively. However, the duplicate sample from monitoring well B-22D detected TOX at a concentration of 29 µg/L, showing poor reproducibility and a high degree of variability. Furthermore, no VOCs were detected in the monitoring wells this sampling event. Therefore, the elevated TOX results do not appear to indicate a leak from the landfill.
- pH concentrations ranged from 6.42 in monitoring well B-2D to 8.13 in monitoring well B-19Ar; and were comparable to historical concentrations.
- Specific conductivity ranged from 640 µs/cm in monitoring well B-27D to 2,190 µs/cm in monitoring well B-9; and were comparable to historical concentrations.
- VOCs concentrations were not detected above their respective method detection limits.

The duplicate sample results collected from monitoring well B-22D were comparable to the original sample; except for TOX with an original sample concentration of 100 µg/L and a duplicate sample concentration of 29 µg/L, which is outside of the acceptable relative percent difference (RPD) for duplicate samples. Therefore, the TOX results for monitoring well B-22D should be considered as estimated values.

A QA/QC review of the field and analytical data indicates that the data is useable for the intended purpose without deviations from quality assurance standards that would require rejection or further qualification of the data with the exception of the TOX results for monitoring well B-22D that were qualified as estimated (J) values. Details of the data verification results for the groundwater monitoring data are included in Appendix D.


There were no exceedances of the Shewart control limits (SCL) during this sampling event. There was a spike for pH in monitoring well B-19Ar and a spike for specific conductivity in monitoring well B-21D. There was a negative (decreasing) trend for pH in monitoring wells B-21D and B-23Dr, and a negative (decreasing) trend for nickel in monitoring well B-24r. The trends were calculated using regression analysis over the last four sampling events per the Post Closure Care Plan, January 2014.

The spikes and negative trends were not confirmed by the concentrations of metals, which were either not detected or stable. The spikes and negative trends do not suggest there was a release from the landfill and they will continue to be evaluated during future sampling events. No other trends or spikes were observed during this monitoring event. The Shewart control charts are included as Appendix E.

The next sampling event (semi-annual event) is currently scheduled for November 2016. If you have any questions, please feel free to contact either of us at (248) 477-5701.

Very truly yours,

O'BRIEN & GERE ENGINEERS, INC.



Brian E. White, PE
Senior Vice President

Very truly yours,

O'BRIEN & GERE ENGINEERS, INC.



Clifford S. Yantz
Scientist-3


ENCLOSURES:

- Table 1 – Depth to Groundwater Levels
- Table 2 – Historical Analytical Results
- Figure 1 – Site Location Map
- Figure 2 – Site Layout
- Figure 3 – Shallow Groundwater Elevation Map
- Figure 4 – Drift Aquifer Groundwater Potentiometric Surface Map
- Appendix A – Sampling Procedures
- Appendix B – Groundwater Sampling Logs
- Appendix C – Analytical Laboratory Results
- Appendix D – Groundwater Sampling Program QA/QC Summary
- Appendix E – Monitoring Well Control Charts

cc: David Favero – RACER Trust
Kevin Schneider – O'Brien & Gere

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

On Behalf of RACER Trust



Brian E. White, PE
Senior Vice President – O'Brien & Gere Engineers, Inc.

Agent for RACER Trust

Date: August 29, 2016

cc: file



TABLES



TABLE 1
RACER Trust - Coldwater Road Landfill Facility
Depth to Groundwater Levels in Monitoring Wells

June 22, 2016

<i>Well</i>	<i>Top of Casing Elev. (ft)*</i>	<i>Depth to Water(ft)</i>	<i>Static Water Elev. (ft)</i>
B-2D	805.18	53.75	751.43
B-7	815.20	22.65	792.55
B-9	809.16	9.03	800.13
B-18A	812.25	24.08	788.17
B-19AR	813.15	37.81	775.34
B-20D	816.61	69.49	747.12
B-21D	822.60	80.52	742.08
B-22D	823.73	84.44	739.29
B-23DR	813.72	81.13	732.59
B-24R	817.37	14.41	802.96
B-27D**	814.36	75.90	738.46
B-28	818.07	7.48	810.59

Notes

Casing elevations were provided by Bartow & King Engineers and are in feet relative to National Geodetic Vertical Datum

NA - Not available

NG - No ground water detected

* - Top of casing elevations were resurveyed in May 2005 after the installation of the replacement wells.

R - Indicates a replacement well location.

** - Top of casing elevation was surveyed in December 2005 after the installation of the new well.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters						Dissolved Metals (µg/L)						Inorganics (mg/L)			
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>					<i>100 (A)</i>	<i>1,000 (E)</i>	<i>100 (A)</i>	<i>2,400</i>							
B-2D	6/21/1995	5.3	<10	9.01	434	15.0	<20	<20	<30	<20	--	--	--	--	--	--	--
	8/31/1995	6.3	130	8.27	479	14.4	<20	<20	<40	<20	--	--	--	--	--	--	--
	2/9/1996	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	6/19/1996	5.2	<100	7.52	580	12.4	<20	<20	<20	<20	--	--	--	--	--	--	--
	8/21/1996	7.4	<5	7.69	641	13.9	<20	<20	<20	50	--	--	--	--	--	--	--
	11/13/1996	11.0	<5	7.26	769	7.6	<20	<20	<20	30	--	--	--	--	--	--	--
	5/6/1997	26.0	<100	6.30	1500	7.0	10	<10	28	30	--	--	--	--	--	--	--
	11/6/1997	15.0	<100	6.90	660	9.0	<10	<10	39	<10	280	577	--	12	<0.005	<0.020	79
	5/4/1998	29.0	12	6.68	549	12.4	<10	<10	<5	<10	--	--	--	--	--	--	--
	11/5/1998	52.0	18	4.70	498	8.6	<10	<10	<5	10	<10	17	33,600	--	--	--	--
	12/23/1998	--	--	--	--	--	--	--	--	--	--	--	--	13	<0.005	<0.020	40
	4/26/1999	52.0	<100	8.50	523	14.5	<10	<10	<5	<10	--	--	--	--	--	--	--
	11/5/1999	6.4	<100	7.40	405	12.8	<10	<10	<5	40	70	21	35,100	4	<0.005	<0.020	42
	4/26/2000	5.4	<100	7.96	770	17.4	<10	<10	<5	<10	--	--	--	--	--	--	--
	12/8/2000	5.5	<10	6.68	610	9.7	<10	<10	9	<10	40	--	22,900	7	<0.005	<0.020	81
	5/15/2001	5.5	<100	7.79	890	13.2	<10	<10	<5	<10	--	--	--	--	--	--	--
	10/18/2001	4.1	<100	7.43	1830	9.4	<10	<10	<5	<10	230	--	12,900	2	<0.005	<0.020	32
	Duplicate 10/18/2001	3.6	<100	7.39	1780	7.8	<10	<10	<5	<10	210	--	12,700	1	<0.005	<0.020	32
	5/16/2002	4.0	<100	7.19	1000	11.6	<10	<10	<5	<10	--	--	--	--	--	--	--
	11/7/2002	2.6	<30	7.38	490	9.5	<5	<5	<5	<5	140	8	11,900	2	<0.005	<0.020	32
Duplicate 11/7/2002	2.7	<30	--	--	--	<5	<5	<5	<5	140	6	11,200	2	<0.005	<0.020	30	
6/3/2003	4.4	<30	6.91	530	12.9	<5	<5	<5	<5	--	--	--	--	--	--	--	
11/13/2003	2.8	<30	7.97	630	7.7	<5	<5	<5	<5	110	7	--	2	<0.005	<0.010	31	
6/30/2004	4.2	<30	6.28	570	15.8	<5	<5	<5	7	--	--	--	--	--	--	--	
12/10/2004	2.0	<30	6.83	550	10.2	<5	<5	<5	10	760	145	10,700	2	<0.005	<0.010	35	
6/8/2005	2.0	<30	7.95	620	11.5	<5	<5	<5	<5	660	199	10,900	<5	<0.005	<0.010	34	
12/8/2005	3.0	<30	6.89	642	10.2	9	<4	<5	<10	140	120	13,300	--	--	--	--	
6/28/2006	6.3	<30	7.41	671	12.2	<5	<4	<5	8	110	70	15,000	2	<0.005	<0.010	50	
Duplicate 6/28/2006	5.1	<30	7.41	682	12.2	<5	<4	<5	8	120	70	15,200	3	<0.005	<0.010	50	
11/30/2006	5.1	43.3	7.21	677	8.4	<5	<4	<5	18	--	--	--	--	--	--	--	
6/8/2007	2.4	69.1	6.78	644	14.1	8	2	1	6	110	104	14,800	4	<0.005	<0.010	44	
11/14/2007	5.2	<30	7.06	783	14.9	1	1	4	9	--	--	--	--	--	--	--	
6/25/2008	5.7	<60	6.90	920	18.4	<5	1	5	7	350	32	26,100	10	<0.005	<0.010	98	
11/20/2008	4.5	<30	6.84	806	9.1	<5	<1	<5	<5	--	--	--	--	--	--	--	
6/25/2009	5.6	<30	6.95	924	23.7	<5	203	<5	113	22	77	29,700	10	<0.005	<0.010	104	
11/16/2009	4	<30	7.17	835	10.2	<5	<4	<5	6	--	--	--	--	--	--	--	
6/16/2010	5	<30	7.09	841	13.9	<5	<4	<5	<5	40	83	19,000	7	<0.005	<0.020	75	
11/10/2010	4	<30	7.17	779	11.3	11	<4	<5	<5	--	--	--	--	--	--	--	
6/21/2011	2.9	<30	6.99	742	19.3	9	<4	<5	<5	250	55	16,900	6	<0.005	<0.010	57	
Replicate 6/21/2011	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--	--	
11/15/2011	3	16	7.05	751	11.3	<5	<4	<5	<5	--	--	--	--	--	--	--	
6/27/2012	2.2	16	7.00	714	12.7	<5	<4	<5	<5	<20	25	17,300	<5	<0.005	<0.02	43	
12/6/2012	2.6	<40	7.47	714	10.2	<5	<4	<5	<5	--	--	--	--	--	--	--	
6/6/2013	1.6	<10	6.78	742	12.5	<5	<4	<5	26	990	31	24,400	<5	<0.005	<0.02	68	
11/6/2013	2.6	<10	7.34	726	11.8	<5	<4	<5	<5	--	--	--	--	--	--	--	
6/25/2014	2.6	<30	7.27	717	12.8	<5	<5	11	7	<20	26	7,280	<5	<0.005	<0.02	48	
6/24/2015	2.2	<30	7.12	621	12.4	<5	<5	<5	<5	<20	11	15,100	<5	<0.005	<0.02	41	
6/27/2016	2.6	55	6.42	730	17.2	<5	<5	<5	<5	40	<5	16,100	<5	<0.005	<0.02	50	

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters						Dissolved Metals (µg/L)						Inorganics (mg/L)			
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>						100 (A)	1,000 (E)	100 (A)	2,400						
B-7	6/21/1995	8.7	23	7.48	1509	13.8	<20	<20	<30	<20	--	--	--	--	--	--	--
	8/31/1995	--	--	--	--	--	<20	<20	<40	<20	--	--	--	--	--	--	--
	2/9/1996	14.0	120	--	--	--	<20	<20	<40	22	--	--	--	--	--	--	--
	6/19/1996	20.0	<100	6.91	1,508	13.2	<20	<20	<20	20	--	--	--	--	--	--	--
	8/21/1996	55.0	26	7.59	1,567	17.1	<20	<20	<20	60	--	--	--	--	--	--	--
	11/13/1996	27.0	<5	7.95	1,960	7.2	<20	<20	<20	50	--	--	--	--	--	--	--
	5/6/1997	16.0	<100	7.20	780	11.0	<10	10	14	10	--	--	--	--	--	--	--
	11/6/1997	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5/4/1998	6.0	<5	6.61	1,270	10.7	<10	<10	<5	20	--	--	--	--	--	--	--
	11/5/1998	4.0	<10	4.60	1,240	11.2	<10	<10	8	30	10	424	31,000	--	--	--	--
	12/23/1998	--	--	--	--	--	--	--	--	--	--	--	--	58	<0.005	<0.020	161
	4/26/1999	3.9	<100	7.50	1,413	14.2	<10	<10	10	<10	--	--	--	--	--	--	--
	11/5/1999	5.1	<100	6.50	1,230	14.2	<10	<10	8	30	260	313	41,800	64	<0.005	<0.020	301
	4/26/2000	4.8	<100	7.58	1,450	10.2	<10	<10	<5	<10	--	--	--	--	--	--	--
	4/26/2000	5.9	<100	NS	NS	NS	<10	<10	6	10	--	--	--	--	--	--	--
	12/8/2000	4.2	<10	7.05	1,180	9.5	<10	<10	20	10	50	--	58,900	79	<0.005	<0.020	227
	5/16/2001	5.0	<100	7.30	1,330	13.0	<10	<10	7	<10	--	--	--	--	--	--	--
	10/18/2001	5.3	<100	7.19	1,210	12.5	<10	<10	5	<10	330	--	60,800	81	<0.005	NA	205
	5/16/2002	3.9	<100	7.19	1,850	11.9	<10	<10	<5	10	--	--	--	--	--	--	--
	11/7/2002	NR	NR	7.35	1,120	10.3	<5	<5	5	5	250	<5	65,500	NA	NA	NA	NA
6/4/2003	3.3	<30	6.90	1,460	12.6	<5	<5	<5	<5	--	--	--	--	--	--	--	
11/13/2003	3.9	<30	6.90	1,590	9.6	<5	<5	<5	5	190	<5	--	85	<0.005	<0.010	279	
6/30/2004	4.3	43	7.13	1,353	16.0	<5	<5	9	7	--	--	--	--	--	--	--	
12/9/2004	4.0	<30	5.32	1,290	10.8	<5	<5	7	14	180	74	71,200	78	<0.005	<0.010	251	
6/8/2005	7.0	86	7.36	1,121	10.9	5	<5	9	13	170	31	81,900	80	<0.005	<0.010	254	
12/7/2005	7.5	<30	8.70	1,430	12.2	10	<4	6	20	150	50	85,300	--	--	--	--	
6/29/2006	4.3	<30	7.19	1,470	11.7	5	<4	9	18	190	150	76,900	73	<0.005	<0.010	270	
11/29/2006	4.4	<30	6.88	1,380	15.3	<5	<4	9	11	--	--	--	--	--	--	--	
6/7/2007	3.9	23.7	6.87	1,400	13.4	11	27	5	14	130	42	87,300	72	<0.005	<0.010	208	
11/14/2007	3.5	<30	6.85	1,350	13.4	14	6	16	20	--	--	--	--	--	--	--	
6/25/2008	3.8	72.9	6.90	1,410	20.7	<5	3	6	<5	350	10	94,800	68	<0.005	<0.010	222	
11/17/2008	4.6	20.5	6.80	1,258	5.5	<5	3	5	17	--	--	--	--	--	--	--	
6/24/2009	4.5	<30	6.90	1,184	20.0	<5	3	<5	14	67	36	84,500	40	<0.005	<0.010	154	
11/17/2009	8	25.3	7.31	1,090	10.3	<5	<4	<5	<5	--	--	--	--	--	--	--	
6/17/2010	5	<30	7.04	1,290	16.3	<5	<4	<5	<5	<20	47	86,000	61	<0.005	<0.020	160	
11/8/2010	8	103	7.16	997	13.9	17	<4	<5	<5	--	--	--	--	--	--	--	
6/22/2011	4.3	25	7.25	910	13.7	10	<4	5	6	220	6	55,200	26	<0.005	<0.010	88	
6/22/2011	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--	--	
11/16/2011	5	28	7.04	974	12.8	<5	6	8	11	--	--	--	--	--	--	--	
6/27/2012	3.7	97	6.77	1,082	15.0	<5	<4	<5	<5	<20	58	64,900	40	<0.005	<0.02	134	
12/6/2012	7.9	<40	7.12	825	8.7	<5	4	<5	9	--	--	--	--	--	--	--	
6/5/2013	4.5	6	7.24	921	14.0	<5	<4	<5	24	30	13	27,500	32	<0.005	<0.02	106	
11/4/2013	8.7	16	7.10	733	11.6	14	6	<5	<5	--	--	--	--	--	--	--	
6/25/2014	--	--	7.10	--	13.3	--	--	--	--	--	--	--	--	--	--	--	
11/18/2014	6.5	28	7.31	896	4.8	<5	6	6	6	--	--	--	--	--	--	--	
6/24/2015	4.2	<30	6.98	1,019	16.3	<5	<5	<5	<5	<20	69	58,900	36	<0.005	<0.02	122	
11/18/2015	3.7	16	7.06	1,231	14.7	<5	<5	7	7	--	--	--	--	--	--	--	
6/23/2016	3.9	77	7.14	852	15.1	<5	<5	<5	<5	30	41	41,700	22	<0.005	<0.02	82	

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters						Dissolved Metals (µg/L)						Inorganics (mg/L)			
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>						<i>100 (A)</i>	<i>1,000 (E)</i>	<i>100 (A)</i>	<i>2,400</i>						
B-9	6/21/1995	3.5	34	7.68	2,400	14.6	<20	<20	<30	<20	--	--	--	--	--	--	--
	8/31/1995	3.9	<10	7.72	1,829	14.8	37	43	<40	<20	--	--	--	--	--	--	--
	2/9/1996	3.1	<10	7.34	2,860	8.0	<20	<20	<40	<20	--	--	--	--	--	--	--
	6/19/1996	2.1	<100	6.81	2,550	11.5	<20	<20	<20	<20	--	--	--	--	--	--	--
	8/21/1996	2.3	<5	8.04	2,310	16.4	<20	<20	<20	70	--	--	--	--	--	--	--
	11/13/1996	71.0	<5	6.79	3,280	9.2	<20	<20	<20	40	--	--	--	--	--	--	--
	5/6/1997	3.0	<100	6.80	2,600	10.0	<10	<10	51	20	--	--	--	--	--	--	--
	11/6/1997	2.0	<100	6.50	2,800	11.0	<10	<10	183	40	650	741	--	141	<0.005	<0.020	1,178
	5/4/1998	3.0	<5	6.58	2,400	14.5	10	10	18	40	--	--	--	--	--	--	--
	11/5/1998	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12/23/1998	--	--	--	--	--	--	--	--	--	--	--	--	NS	NS	NS	NS
	4/26/1999	4.0	<100	7.69	1,860	12.2	<10	<10	19	20	--	--	--	--	--	--	--
	11/5/1999	2.5	<100	6.75	2,340	15.4	<10	<10	20	30	610	1280	47,100	128	<0.005	<0.020	1,222
	4/26/2000	5.5	<100	7.56	2,780	9.5	<10	<10	12	30	--	--	--	--	--	--	--
	12/8/2000	5.0	<10	7.56	2,400	7.8	<10	<10	46	<10	50	--	69,500	142	<0.005	<0.020	1,246
	5/16/2001	4.8	<100	7.41	1,070	12.6	<10	<10	7	10	--	--	--	--	--	--	--
	10/17/2001	4.0	<100	7.54	2,130	10.8	<10	<10	8	20	940	--	66,000	122	<0.005	NA	1,150
	5/16/2002	1.9	<100	7.19	2,470	11.6	<10	<10	7	10	--	--	--	--	--	--	--
	11/7/2002	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6/4/2003	2.2	57	6.78	2,690	10.7	<5	<5	15	13	--	--	--	--	--	--	--
	11/13/2003	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6/30/2004	3.8	NS	6.91	2,379	12.7	<5	8	19	28	--	--	--	--	--	--	--
	12/9/2004	3.0	<30	5.88	2,480	11.4	<5	<5	11	19	570	248	55,900	149	<0.005	<0.010	1,350
	6/8/2005	4.0	<30	7.09	2,116	10.3	6	6	12	17	480	701	58,300	128	<0.005	<0.010	1,160
	12/7/2005	5.0	<30	8.58	2,830	11.9	11	5	12	40	320	410	58,500	--	--	--	--
	6/29/2006	1.9	<30	6.82	2,820	12.4	6	6	13	19	390	330	63,600	125	<0.005	<0.010	1,150
	11/30/2006	2.7	36.7	7.15	2,830	12.5	<5	6	<5	14	--	--	--	--	--	--	--
6/5/2007	2.1	<30	6.70	2,770	11.0	12	6	24	21	320	1,900	67,300	112	<0.005	<0.010	1,120	
11/16/2007	2.0	27.4	6.67	3,000	9.4	2	6	24	18	--	--	--	--	--	--	--	
7/2/2008	1.8	36.4	6.44	3,060	19.7	<5	4	13	19	780	812	64,200	133	<0.005	<0.010	1,280	
11/20/2008	2.2	15.9	6.35	3,290	8.1	<5	<1	13	<5	--	--	--	--	--	--	--	
Duplicate	11/20/2008	2.0	127	6.35	3,280	8.1	<5	<1	13	<5	--	--	--	--	--	--	
6/25/2009	1.6	<30	6.67	2,700	19.8	<5	<1	<5	<5	59	173	65,300	107	<0.005	<0.010	1,120	
11/16/2009	3	84.1	6.71	3,030	12.7	<5	<4	16	8	--	--	--	--	--	--	--	
6/15/2010	3	27.5	6.69	3,030	13.0	<5	<4	7	6	460	475	70,700	117	<0.005	<0.020	1,230	
11/11/2010	3	37.5	6.37	2,910	12.9	19	4	7	15	--	--	--	--	--	--	--	
Replicate	6/22/2011	1.9	<30	6.70	2,600	14.0	17	6	21	12	780	661	63,300	99	<0.005	<0.010	972
6/22/2011	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--	--	
11/16/2011	2	50	7.18	3,060	12.9	<5	<4	7	<5	--	--	--	--	--	--	--	
6/26/2012	2	21	6.53	2,770	14.0	<5	<4	8	<5	60	433	73,700	101	<0.005	<0.02	1,110	
12/5/2012	2.3	19	6.80	3,210	12.0	<5	8	17	23	--	--	--	--	--	--	--	
6/5/2013	2.1	15	7.07	2,660	12.5	<5	<4	6	25	40	173	66,400	106	<0.005	<0.02	1,150	
11/6/2013	2.2	NS	6.36	2,730	13.0	10	8	47	8	--	--	--	--	--	--	--	
6/25/2014	1.9	25	6.82	2,650	11.5	<5	<5	18	8	<20	159	27,100	108	<0.005	<0.02	1,070	
11/19/2014	2.1	29	6.77	2,670	8.12	<5	6	14	12	--	--	--	--	--	--	--	
6/24/2015	2.0	17	6.38	2,480	11.8	<5	<5	<5	<5	<20	89	62,400	87	<0.005	<0.02	1,040	
11/18/2015	2.0	<30	6.68	2,670	13.5	<5	<5	7	<5	--	--	--	--	--	--	--	
6/24/2016	1.9	150	6.68	2,190	12.9	<5	<5	10	<5	20	95	52,800	71	<0.005	<0.02	776	

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters						Dissolved Metals (µg/L)						Inorganics (mg/L)			
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>						100 (A)	1,000 (E)	100 (A)	2,400						
B-14	6/21/1995	4.0	<10	--	--	--	<20	<20	<30	<20	--	--	--	--	--	--	
	8/31/1995	--	25	--	--	--	<20	<20	<40	<20	--	--	--	--	--	--	
	2/9/1996	3.0	<10	7.64	776	8.9	<20	<20	<40	<20	--	--	--	--	--	--	
	6/19/1996	1.7	<100	7.26	704	13.6	<20	<20	<20	<20	--	--	--	--	--	--	
	8/21/1996	2.6	<5	8.90	748	13.1	<20	<20	<20	60	--	--	--	--	--	--	
	11/13/1996	76.0	<5	7.80	980	7.2	<20	<20	<20	40	--	--	--	--	--	--	
	5/6/1997	3.0	<100	7.00	670	10.0	<10	<10	11	<10	--	--	--	--	--	--	
	11/6/1997	2.0	<100	6.80	670	10.0	<10	<10	43	10	550	67	--	12	<0.005	<0.020	61
	5/4/1998	6.0	<5	6.68	558	13.3	<10	<10	<5	<10	--	--	--	--	--	--	--
	11/5/1998	2.0	<10	6.40	642	9.9	<10	<10	<5	10	<10	<5	13,900	--	--	--	--
	12/23/1998	--	--	--	--	--	--	--	--	--	--	--	--	8	<0.005	<0.020	47
	4/26/1999	4.5	<100	8.00	488	13.3	<10	<10	<5	30	--	--	--	--	--	--	--
	11/5/1999	NS	NS	7.29	609	14.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/26/2000	7.1	<100	7.40	510	14.7	<10	<10	<5	960	--	--	--	--	--	--	--
	12/8/2000	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5/15/2001	5.0	--	7.81	510	13.2	<10	<10	6	380	--	--	--	--	--	--	--
	10/18/2001	2.1	<100	7.34	750	10.7	<10	<10	8	90	260	--	21,500	6	<0.005	NA	72
	5/16/2002	2.3	NR	7.11	1,790	12.1	<10	<10	<5	60	--	--	--	--	--	--	--
	11/7/2002	NR	NR	7.53	540	9.9	<5	<5	<5	31	170	15	14,400	NA	NA	NA	NA
	6/3/2003	2.4	<30	6.93	710	12.4	<5	<5	<5	54	--	--	--	--	--	--	--
	11/13/2003	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6/29/2004	2.8	<30	7.25	693	14.9	<5	<5	<5	26	--	--	--	--	--	--	--
	12/9/2004	5.0	<30	6.64	560	10.5	<5	<5	<5	1,260	160	62	4,390	5	<0.005	<0.010	84
	2/10/2005	--	--	--	--	--	--	--	--	160	--	--	--	--	--	--	--
	6/8/2005	4.0	<30	7.56	647	11.4	<5	<5	12	40	110	56	18,500	8	<0.005	<0.010	79
12/8/2005	4.6	<30	6.11	818	1.6	8	<4	<5	30	210	40	16,000	--	--	--	--	
2/14/2006	--	--	8.09	603	9.5	--	--	--	100	--	--	--	--	--	--	--	
6/27/2006	3.5	<30	7.09	767	13.2	<5	<4	<5	1,090	160	90	14,600	6	<0.005	<0.010	93	
8/3/2006	--	--	7.46	840	12.4	--	--	--	203	--	--	--	--	--	--	--	
12/1/2006	3.2	<30	7.41	873	12.3	<5	<5	<5	1,440	--	--	--	--	--	--	--	
1/30/2007	--	--	8.29	607	10.1	--	--	--	1,850	--	--	--	--	--	--	--	
6/5/2007	1.6	26.1	6.97	849	11.0	9	3	1	355	520	245	15,200	10	<0.005	<0.010	82	
11/15/2007	1.2	16.1	7.06	803	7.8	2	1	4	134	--	--	--	--	--	--	--	

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)						Inorganics (mg/L)				
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>					<i>100 (A)</i>	<i>1,000 (E)</i>	<i>100 (A)</i>	<i>2,400</i>							
B-18A	6/21/1995	2.7	<10	7.54	1,048	13.3	<20	<20	<30	150	--	--	--	--	--	--	--
	8/31/1995	3.0	<10	7.91	989	13.2	<20	<20	<40	<20	--	--	--	--	--	--	--
	2/9/1996	2.3	<10	7.42	1,021	9.3	<20	<20	<40	<20	--	--	--	--	--	--	--
	6/19/1996	1.4	<100	7.04	944	13.2	<20	<20	<20	<20	--	--	--	--	--	--	--
	8/21/1996	2.4	<5	7.49	1,041	12.8	<20	<20	<20	60	--	--	--	--	--	--	--
	11/13/1996	19.0	<5	7.22	1,331	6.4	<20	<20	<20	70	--	--	--	--	--	--	--
	5/6/1997	2.0	<100	6.50	900	10.0	<10	<10	13	10	--	--	--	--	--	--	--
	11/6/1997	4.0	<100	6.40	1,100	10.0	<10	<10	62	10	380	62	--	12	<0.005	<0.020	130
	5/4/1998	2.0	<5	6.72	862	11.8	<10	<10	<5	20	--	--	--	--	--	--	--
	11/5/1998	1.0	<10	6.00	1,090	11.8	<10	<10	<5	10	240	128	46,000	--	--	--	--
	12/23/1998	--	--	--	--	--	--	--	--	--	--	--	--	10	<0.005	<0.020	133
	4/26/1999	2.1	<100	8.10	921	14.0	<10	<10	<5	20	--	--	--	--	--	--	--
	11/5/1999	4.3	<100	7.10	832	14.0	<10	<10	<5	60	180	155	39,200	8	<0.005	<0.020	130
	4/26/2000	2.4	<100	7.50	980	10.4	<10	<10	<5	30	--	--	--	--	--	--	--
	12/8/2000	2.6	<10	6.96	990	9.9	<10	<10	15	<10	<10	--	34,500	7	<0.005	<0.020	126
Duplicate 12/8/2000	2.6	<10	--	--	--	<10	<10	13	<10	40	--	35,100	7	<0.005	<0.020	112	
5/16/2001	2.4	<100	7.91	1,160	12.9	<10	<10	<5	10	--	--	--	--	--	--	--	
10/17/2001	2.2	<100	7.09	1,020	12.2	<10	<10	<5	<10	350	--	35,400	7	<0.005	<0.020	132	
5/16/2002	1.5	<100	7.19	2,080	12.2	<10	<10	<5	10	--	--	--	--	--	--	--	
11/7/2002	1.9	<30	7.16	820	10.1	<5	<5	<5	<5	190	26	40,800	10	<0.005	<0.020	134	
6/4/2003	1.6	<30	6.92	790	13.1	<5	<5	<5	5	--	--	--	--	--	--	--	
11/13/2003	1	<30	7.68	1,180	7.1	<5	<5	<5	<5	160	<5	--	10	<0.005	<0.010	129	
Duplicate 11/13/2003	--	--	--	--	--	--	--	--	--	--	--	--	11	<0.005	<0.010	130	
6/29/2004	1.2	<30	7.19	863	12.0	<5	<5	7	10	--	--	--	--	--	--	--	
12/9/2004	3	<30	6.19	960	10.5	<5	<5	9	12	900	363	37,900	14	<0.005	<0.010	127	
6/8/2005	2	<30	7.38	819	10.9	<5	<5	6	16	170	80	40,000	11	<0.005	<0.010	120	
12/8/2005	2.6	<30	9.73	1,120	10.1	<11	<4	<5	10	390	170	47,000	--	--	--	--	
6/27/2006	1.2	<30	7.09	1,110	13.2	5	4	<5	46	170	50	48,200	13	<0.005	<0.010	125	
11/30/2006	1.4	119	7.18	1,100	11.5	5	<4	<5	9	--	--	--	--	--	--	--	
6/4/2007	1	19.9	7.01	1,070	13.2	9	3	3	14	110	22	51,800	15	<0.005	<0.010	114	
11/14/2007	<1	19	6.91	1,090	13.7	1	2	6	11	--	--	--	--	--	--	--	
6/25/2008	12	34.1	7.10	1,060	20.4	<5	2	<5	11	310	<5	54,800	15	<0.005	<0.010	110	
11/18/2008	<1	<30	6.58	1,088	2.9	<5	<1	<5	<5	--	--	--	--	--	--	--	
6/24/2009	<1	<30	7.25	1,060	26.2	<5	1	<5	15	<20	<5	53,100	16	<0.005	<0.010	111	
11/18/2009	2	<30	6.89	1,070	11.7	<5	<4	<5	45	--	--	--	--	--	--	--	
6/17/2010	1	<30	7.19	1,080	17.5	<5	<4	<5	8	<20	<5	45,500	15	<0.005	<0.020	109	
11/10/2010	2	28	6.91	1,065	9.5	12	<4	<5	<5	--	--	--	--	--	--	--	
6/21/2011	1.2	<30	7.16	1,031	18.8	10	<4	5	12	240	<5	46,100	17	<0.005	<0.010	103	
Replicate 6/21/2011	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--	--	
11/15/2011	1	28	7.01	1,063	12.0	<5	<4	<5	<5	--	--	--	--	--	--	--	
6/27/2012	1.2	<40	6.99	1,057	14.4	<5	<4	<5	<5	30	26	50,000	18	<0.005	<0.02	103	
Duplicate 6/27/2012	1.2	<40	6.99	1,054	14.4	<5	<4	<5	5	40	27	46,500	18	<0.005	<0.02	101	
12/6/2012	1.5	<40	7.03	1,071	9.3	<5	<4	5	9	--	--	--	--	--	--	--	
6/5/2013	1.5	4.7	7.17	1,040	14.6	<5	<4	<5	31	20	12	43,900	19	<0.005	<0.02	110	
11/5/2013	1.4	<10	7.15	1,063	12.1	<5	<4	<5	11	--	--	--	--	--	--	--	
6/24/2014	1.5	<30	7.03	1,048	12.8	<5	<5	6	7	<20	20	20,500	18	<0.005	<0.02	107	
11/19/2014	1.4	16	7.10	1,073	6.27	<5	<4	5	7	--	--	--	--	--	--	--	
Duplicate 11/19/2014	1.5	<60	7.10	1,072	6.27	<5	<4	5	7	--	--	--	--	--	--	--	
6/23/2015	1.3	<30	6.95	1,060	15.5	<5	<5	<5	<5	30	10	43,600	18	<0.005	<0.02	110	
11/18/2015	1.4	<30	7.03	1,065	12.2	<5	<5	<5	5	--	--	--	--	--	--	--	
6/23/2016	1.4	55	7.08	1,063	13.8	<5	<5	<5	<5	30	7	42,400	19	<0.005	<0.02	108	

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters						Dissolved Metals (µg/L)						Inorganics (mg/L)				
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate	
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>						100 (A)	1,000 (E)	100 (A)	2,400							
B-19A	6/21/1995	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	8/31/1995	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	2/9/1996	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	6/19/1996	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	8/21/1996	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	11/13/1996	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	5/6/1997	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	11/6/1997	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	WD	WD	WD	WD
	5/4/1998	3.0	<5	6.84	1,480	10.1	<10	<10	<5	30	--	--	--	--	--	--	--	--
	11/5/1998	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	12/23/1998	--	--	--	--	--	--	--	--	--	--	--	--	NS	NS	NS	NS	NS
	4/26/1999	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	11/5/1999	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/26/2000	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	12/8/2000	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5/16/2001	4.0	<100	7.14	1,050	11.8	<10	<10	<5	<10	--	--	--	--	--	--	--	--
	10/17/2001	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5/16/2002	6.0	<100	7.19	1,740	10.6	<10	<10	<5	10	--	--	--	--	--	--	--	--
	11/7/2002	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6/4/2003	5.8	<30	6.92	1,350	12.9	<5	<5	<5	<5	--	--	--	--	--	--	--	--
11/13/2003	3.4	<30	7.59	1,620	10.2	<5	<5	<5	<5	20	<5	--	148	<0.005	<0.010	229	--	
6/29/2004	3.9	<30	7.17	1,316	14.7	<5	<5	<5	8	--	--	--	--	--	--	--	--	
12/9/2004	5.0	33	6.24	1,340	9.9	<5	<5	<5	9	240	11	111,000	116	<0.005	<0.010	233	--	
Duplicate B-19AR	12/9/2004	5.0	<30	--	--	--	<5	<5	7	170	10	114,000	116	<0.005	<0.010	233	--	
Duplicate	6/7/2005	3.0	<30	7.09	829	12.2	<5	<5	7	<5	1,320	228	15,700	52	<0.005	<0.010	130	--
Duplicate	12/8/2005	5.5	<30	--	1,390	--	10	<4	<5	20	160	<20	81,400	--	--	--	--	
Re-sample	12/8/2005	5.3	<30	7.13	1,390	12.3	10	<4	<5	<10	150	<20	74,800	--	--	--	--	
Re-sample	2/14/2006	--	--	7.95	840	5.9	<5	--	--	--	--	--	--	--	--	--	--	
Re-sample	6/29/2006	2.7	<30	7.58	860	12.0	<5	<4	12	21	240	210	22,400	51	<0.005	<0.010	153	
Re-sample	11/30/2006	6.2	33.7	7.18	1,300	11.4	5	<4	<5	<5	--	--	--	--	--	--	--	
Re-sample	6/7/2007	2	<30	6.97	899	11.4	6	4	4	9	70	21	19,700	58	<0.005	<0.010	136	
Re-sample	11/13/2007	1.5	<30	7.27	1,070	12.1	3	7	26	11	--	--	--	--	--	--	--	
Re-sample	6/25/2008	2.4	38.8	7.13	1,060	17.4	<5	3	<5	16	380	9	18,500	58	<0.005	<0.010	148	
Re-sample	11/18/2008	1.3	<30	7.00	1,052	8.0	<5	1	<5	14	--	--	--	--	--	--	--	
Re-sample	6/24/2009	1.0	<30	7.74	911	17.3	<5	2	<5	36	<5	21,200	60	<0.005	<0.010	147	--	
Re-sample	11/19/2009	2	<30	7.41	994	10.4	<5	<4	<5	7	--	--	--	--	--	--	--	
Re-sample	6/15/2010	2	<30	7.57	992	16.1	<5	<4	<5	<5	<20	<5	19,800	59	<0.005	<0.020	154	
Re-sample	11/10/2010	2	<30	6.91	1,128	8.7	12	<4	<5	<5	--	--	--	--	--	--	--	
Re-sample	6/22/2011	1.5	<30	7.35	902	17.2	5	<4	5	<5	240	<5	22,400	64	<0.005	<0.010	140	
Re-sample	6/22/2011	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--	--	
Re-sample	11/16/2011	2	26	7.06	1,091	8.4	<5	<4	<5	5	--	--	--	--	--	--	--	
Re-sample	6/27/2012	1.5	<40	7.78	1,005	13.3	<5	<4	<5	<5	<20	<5	23,200	62	<0.005	<0.02	145	
Re-sample	12/6/2012	1.8	<40	7.36	1,129	10.2	<5	<4	5	6	--	--	--	--	--	--	--	
Re-sample	6/5/2013	1.5	39	8.16	777	13.0	<5	<4	<5	25	40	<5	27,700	72	<0.005	<0.02	136	
Re-sample	11/6/2013	1.6	3.6	7.33	1,104	11.6	<5	<4	10	<5	--	--	--	--	--	--	--	
Re-sample	6/23/2014	2.0	23	8.40	817	17.3	<5	<5	5	<5	<20	<5	11,900	74	<0.005	<0.02	136	
Re-sample	11/20/2014	2.1	190	7.37	1,038	6.16	<5	6	6	10	--	--	--	--	--	--	--	
Re-sample	6/23/2015	1.5	<30	6.77	1,165	20.2	<5	6	<5	26	30	50	28,700	72	<0.005	<0.02	132	
Re-sample	11/19/2015	1.4	17	6.90	1,170	10.6	<5	<5	7	7	--	--	--	--	--	--	--	
Re-sample	6/27/2016	1.5	71	8.13	712	18.8	<5	<5	<5	<5	40	<5	26,700	70	<0.005	<0.02	128	

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters						Dissolved Metals (µg/L)						Inorganics (mg/L)			
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>						100 (A)	1,000 (E)	100 (A)	2,400						
	6/21/1995	2.8	<10	8.27	771	15.1	<20	<20	<30	<20	--	--	--	--	--	--	--
	8/31/1995	4.7	47	8.10	1,204	14.6	<20	20	<40	<20	--	--	--	--	--	--	--
	2/9/1996	21.0	38	7.12	801	9.1	32	28	54	120	--	--	--	--	--	--	--
	6/19/1996	2.4	<100	7.92	745	11.9	<20	<20	<20	<20	--	--	--	--	--	--	--
B-20D	8/21/1996	3.0	<5	7.97	750	13.1	<20	<20	<20	40	--	--	--	--	--	--	--
	11/13/1996	16.0	<5	7.69	1,075	6.7	<20	<20	<20	40	--	--	--	--	--	--	--
	5/6/1997	3.0	<100	6.80	640	10.0	<10	<10	15	10	--	--	--	--	--	--	--
	11/6/1997	5.0	<100	6.70	700	10.0	<10	20	41	<10	260	35	--	5	<0.005	<0.020	101
	5/4/1998	4.0	<5	6.77	579	12.2	<10	<10	<5	<10	--	--	--	--	--	--	--
	11/5/1998	3.0	11	6.47	667	13.5	<10	<10	<5	10	<10	18	31,000	--	--	--	--
Duplicate	11/5/1998	5.0	16	6.48	677	13.6	<10	<10	<5	10	170	8	30,300	--	--	--	--
	12/23/1998	--	--	--	--	--	--	--	--	--	--	--	--	3	<0.005	<0.020	92
Duplicate	12/23/1998	--	--	--	--	--	--	--	--	--	--	--	--	3	<0.005	<0.020	89
	4/26/1999	3.2	<100	8.40	506	13.0	<10	<10	<5	10	--	--	--	--	--	--	--
	11/5/1999	5.3	<100	7.45	677	12.5	<10	<10	<5	60	130	60	31,400	33	<0.005	<0.020	105
	4/26/2000	3.2	<100	7.40	760	14.9	<10	<10	<5	<10	--	--	--	--	--	--	--
	12/8/2000	3.2	<10	7.45	780	4.7	<10	<10	15	<10	20	--	19,700	2	<0.005	<0.020	113
	5/15/2001	2.7	<100	6.99	590	13.0	<10	<10	<5	<10	--	--	--	--	--	--	--
	10/18/2001	2.5	<100	7.85	930	10.4	<10	<10	<5	<10	300	--	20,600	2	<0.005	<0.020	105
	5/16/2002	3.2	<100	7.21	780	11.9	<10	<10	<5	10	--	--	--	--	--	--	--
	11/7/2002	1.8	<30	7.59	610	8.7	<5	<5	<5	<5	250	74	20,900	3	<0.005	<0.020	115
	6/3/2003	2.5	<30	7.36	620	12.8	<5	<5	<5	<5	--	--	--	--	--	--	--
	11/13/2003	1.3	<30	7.97	630	7.7	<5	<5	5	<5	200	15	--	5	<0.005	<0.010	127
	6/29/2004	9.4	<30	7.48	666	13.1	<5	<5	11	<5	--	--	--	--	--	--	--
	12/10/2004	2.0	<30	6.59	830	10.8	<5	<5	11	10	2,110	92	16,800	3	<0.005	<0.010	148
	6/7/2005	4.0	<30	7.30	707	11.9	7	<5	5	<5	2,140	66	16,500	<5	<0.005	<0.010	155
	12/8/2005	4.1	<30	4.84	957	11.1	11	<4	26	<10	120	120	20,600	--	--	--	--
	6/28/2006	1.7	<30	7.36	979	12.5	7	<4	<5	5	2,120	60	17,600	2	<0.005	<0.010	169
	11/30/2006	3.4	<30	7.49	980	12.5	6	<4	6	<5	--	--	--	--	--	--	--
	6/8/2007	3.4	30.9	6.72	929	13.4	10	22	19	124	610	160	25,500	4	<0.005	0.074	144
	11/13/2007	2.1	<30	7.19	932	13.5	3	1	13	9	--	--	--	--	--	--	--
	6/25/2008	<1	<60	7.01	946	15.5	<5	2	<5	7	2,400	55	19,500	4	<0.005	<0.010	164
	11/18/2008	1	36.1	6.89	1,006	12.6	<5	4	6	22	--	--	--	--	--	--	--
	6/24/2009	1.1	<30	7.17	1,000	19.4	<5	<1	<5	<5	1,720	56	21,000	3	<0.005	<0.010	180
Duplicate	6/24/2009	<1	<30	7.17	1,010	19.4	<5	<1	<5	<5	1,640	56	20,800	3	<0.005	<0.010	183
	11/18/2009	2	<30	7.02	1,030	12.1	<5	<4	<5	5	--	--	--	--	--	--	--
	6/16/2010	2	<30	7.30	1,020	15.1	<5	<4	<5	<5	1,930	49	19,000	2	<0.005	<0.020	177
	11/9/2010	3	<30	7.02	998	11.7	11	<4	<5	<5	--	--	--	--	--	--	--
	6/22/2011	1.6	<30	7.23	967	15.5	9	<4	<5	13	2,550	54	18,600	<5	<0.005	<0.010	164
Replicate	6/22/2011	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--	--
	11/16/2011	2	50	7.02	1,006	9.8	<5	<4	<5	5	--	--	--	--	--	--	--
Duplicate	11/16/2011	2	26	7.02	1,002	9.8	<5	<4	<5	6	--	--	--	--	--	--	--
	6/25/2012	2	15	6.79	1,003	12.8	<5	<4	<5	<5	1,700	53	21,400	<5	<0.005	<0.02	183
	12/6/2012	1.8	<40	7.54	1,008	9.8	<5	<4	<5	7	--	--	--	--	--	--	--
	6/5/2013	1.7	<10	7.00	1,000	11.5	<5	<4	<5	11	1,840	48	19,500	<5	<0.005	<0.02	201
Duplicate	6/5/2013	1.9	<10	7.00	1,000	11.5	<5	<4	<5	<5	1,780	47	17,100	<5	<0.005	<0.02	200
	11/5/2013	1.7	NS	7.22	992	11.8	<5	<4	<5	39	--	--	--	--	--	--	--
	6/23/2014	1.9	<30	7.01	972	13.8	<5	<5	5	<5	1,360	47	8,620	<5	<0.005	<0.02	192
	6/24/2015	1.8	<30	7.13	959	13.7	<5	<5	<5	<5	1,960	48	18,500	<10	<0.005	<0.02	178
Duplicate	6/24/2015	1.7	<30	7.13	958	13.7	<5	<5	<5	<5	1,970	50	18,600	<10	<0.005	<0.02	178
	6/23/2016	1.7	68	7.01	945	17.4	<5	<5	<5	<5	1,880	65	18,500	<5	<0.005	<0.02	161

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)						Inorganics (mg/L)				
		TOC (mg/L) <i>MDEQ Residential Drinking Water Criteria & RBSLs</i>	TOX (µg/L)	pH	SpC	Temp	Cr <i>100 (A)</i>	Cu <i>1,000 (E)</i>	Ni <i>100 (A)</i>	Zn <i>2,400</i>	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
B-21D	6/21/1995	4.2	<10	8.27	870	14.5	<20	<20	<30	61	--	--	--	--	--	--	--
	8/31/1995	3.3	19	8.09	684	14.2	<20	21	<40	<20	--	--	--	--	--	--	--
	2/9/1996	4.1	<10	7.70	646	8.6	<20	<20	<40	<20	--	--	--	--	--	--	--
	6/19/1996	5.3	<100	7.58	577	14.1	<20	<20	<20	<20	--	--	--	--	--	--	--
	8/21/1996	2.5	<5	7.93	576	13.8	<20	<20	<20	50	--	--	--	--	--	--	--
	11/13/1996	17.0	<5	7.28	810	8.8	<20	<20	<20	40	--	--	--	--	--	--	--
	5/6/1997	2.0	<100	6.82	530	10.2	<10	<10	8	<10	--	--	--	--	--	--	--
	11/6/1997	3.0	<100	6.70	540	10.0	<10	<10	30	<10	240	27	--	2	<0.005	<0.020	33
	5/4/1998	16.0	<5	6.90	480	11.5	<10	<10	<5	20	--	--	--	--	--	--	--
	11/5/1998	5.0	<10	7.24	565	7.8	<10	<10	<5	10	240	43	26,700	--	--	--	--
	12/23/1998	--	--	--	--	--	--	--	--	--	--	--	--	2	<0.005	<0.020	15
	4/26/1999	11.0	<100	8.24	506	13.0	<10	<10	<5	10	--	--	--	--	--	--	--
	11/5/1999	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/26/2000	2.5	<100	8.20	660	14.1	<10	<10	<5	<10	--	--	--	--	--	--	--
	12/8/2000	4.2	<10	8.44	680	7.1	<10	<10	11	<10	<10	--	29,600	2	<0.005	<0.020	36
	5/15/2001	1.9	<100	7.94	570	13.0	<10	<10	<5	10	--	--	--	--	--	--	--
	Duplicate 5/15/2001	1.9	<100	8.32	560	13.0	<10	<10	<5	10	--	--	--	--	--	--	--
10/18/2001	3.4	<100	7.61	570	13.7	<10	<10	<5	<10	200	--	22,200	1	<0.005	<0.020	41	
5/16/2002	6.1	<100	7.19	630	11.7	<10	<10	<5	<10	--	--	--	--	--	--	--	
11/7/2002	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6/3/2003	5.8	<30	7.27	510	13.0	<5	<5	<5	6	--	--	--	--	--	--	--	
11/13/2003	1.0	<30	7.81	710	8.7	<5	<5	<5	9	100	<5	--	4	<0.005	<0.010	48	
6/30/2004	4.0	<30	6.77	570	14.8	<5	<5	<5	7	--	--	--	--	--	--	--	
12/10/2004	2.0	<30	6.40	600	9.9	<5	<5	<5	7	1,330	44	20,100	2	<0.005	<0.010	50	
6/8/2005	3.0	<30	7.70	560	14.2	<5	<5	12	6	1,350	72	21,000	<5	<0.005	<0.010	44	
12/8/2005	4.4	<30	5.49	741	11.4	8	<4	8	<10	1,070	60	21,500	--	--	--	--	
6/28/2006	1.5	<30	7.44	718	12.8	<5	6	5	13	430	60	23,500	2	<0.005	<0.010	53	
11/30/2006	1.8	49.1	7.59	693	11.5	<5	<4	<5	<5	--	--	--	--	--	--	--	
6/8/2007	1.2	<30	6.30	709	13.2	10	2	5	7	1,200	49	21,500	4	<0.005	<0.010	60	
11/14/2007	<1	<30	7.26	738	14.5	2	1	5	8	--	--	--	--	--	--	--	
6/26/2008	1.8	16.8	7.07	738	16.9	<5	1	<5	<5	1,390	40	22,700	3	<0.005	<0.010	60	
11/19/2008	1.1	<30	6.93	739	11.0	<5	<1	5	<5	--	--	--	--	--	--	--	
6/25/2009	<1	<30	6.69	743	16.1	<5	<1	<5	<5	1,210	34	25,100	3	<0.005	<0.010	64	
Duplicate 11/19/2009	2	41.2	7.17	745	10.2	<5	<4	<5	6	--	--	--	--	--	--	--	
11/19/2009	2	<30	7.17	739	10.2	<5	<4	<5	<5	--	--	--	--	--	--	--	
6/17/2010	2	<30	7.40	736	13.2	<5	<4	<5	<5	980	34	23,700	3	<0.005	<0.020	58	
11/10/2010	1	<30	7.28	739	11.0	11	<4	<5	<5	--	--	--	--	--	--	--	
6/22/2011	1.4	<30	7.41	718	19.5	10	<4	<5	<5	1,540	33	23,300	<5	<0.005	<0.010	61	
Replicate 6/22/2011	--	--	--	--	--	7	--	--	--	--	--	--	--	--	--	--	
11/16/2011	1	7.9	7.16	753	10.6	<5	<4	<5	<5	--	--	--	--	--	--	--	
6/26/2012	1.3	<40	7.26	745	19.5	<5	<4	<5	<5	640	42	25,800	<5	<0.005	<0.02	66	
12/6/2012	1.6	<40	7.57	754	9.1	<5	<4	<5	8	--	--	--	--	--	--	--	
6/5/2013	1.6	<10	7.16	742	13.5	<5	<4	<5	26	990	31	24,400	<5	<0.005	<0.02	68	
11/6/2013	1.5	<10	7.49	760	12.1	<5	<4	<5	14	--	--	--	--	--	--	--	
6/24/2014	1.5	<30	7.43	754	16.5	<5	<5	<5	<5	850	28	11,200	<5	<0.005	<0.02	77	
6/24/2015	1.4	<30	7.19	683	15.2	<5	<5	<5	<5	710	37	24,700	<10	<0.005	<0.02	81	
6/24/2016	1.4	59	6.94	790	15.2	<5	<5	<5	<5	1,290	35	22,600	<5	<0.005	<0.02	91	

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters						Dissolved Metals (µg/L)						Inorganics (mg/L)			
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>						<i>100 (A)</i>	<i>1,000 (E)</i>	<i>100 (A)</i>	<i>2,400</i>						
B-22D	6/21/1995	2.6	<10	7.71	573	15.5	<20	<20	370	<20	--	--	--	--	--	--	--
	8/31/1995	4.5	47	8.25	739	14.3	<20	<20	<40	47	--	--	--	--	--	--	--
	2/9/1996	6.9	<10	NS	NS	NS	<20	<20	<40	80	--	--	--	--	--	--	--
	6/19/1996	1.8	<100	7.51	600	13.4	<20	<20	<20	20	--	--	--	--	--	--	--
	8/21/1996	1.7	<5	8.08	608	14.2	<20	<20	<20	50	--	--	--	--	--	--	--
	11/13/1996	10.0	<5	7.22	817	7.7	<20	<20	<20	50	--	--	--	--	--	--	--
	5/6/1997	2.0	<100	6.67	550	10.1	<10	<10	<5	<10	--	--	--	--	--	--	--
	11/6/1997	7.0	<100	6.90	550	10.0	<10	<10	29	10	1,360	55	--	2	<0.005	<0.020	32
	5/4/1998	5.0	<5	7.07	501	11.7	<10	<10	<5	<10	--	--	--	--	--	--	--
	11/5/1998	6.0	<10	6.60	559	9.8	<10	<10	<5	10	1,180	47	23,800	--	--	--	--
	12/23/1998	--	--	--	--	--	--	--	--	--	--	--	--	2	<0.005	<0.020	28
	4/26/1999	18.0	<100	8.20	485	13.2	<10	<10	<5	10	--	--	--	--	--	--	--
	11/5/1999	2.6	<100	7.30	474	13.6	<10	<10	<5	20	90	31	27,900	2	<0.005	<0.020	29
	4/26/2000	2.5	<100	8.20	670	14.2	<10	<10	<5	<10	--	--	--	--	--	--	--
	12/8/2000	2.5	<10	7.49	510	5.4	<10	<10	8	<10	--	--	26,500	2	<0.005	<0.020	31
	5/15/2001	6.7	<100	8.01	690	13.7	<10	<10	6	30	--	--	--	--	--	--	--
	10/18/2001	1.7	<100	7.59	2,610	10.2	<10	<10	<5	<10	200	--	27,800	1	<0.005	<0.020	33
	5/16/2002	3.2	<100	7.06	630	12.1	<10	<10	<5	<10	--	--	--	--	--	--	--
	11/7/2002	1.5	<30	7.39	480	8.8	<5	<5	<5	<5	120	11	25,200	2	<0.005	<0.020	35
	6/3/2003	2.3	<30	6.78	570	13.1	<5	<5	<5	<5	--	--	--	--	--	--	--
	11/14/2003	1.6	<30	8.05	660	9.8	<5	<5	<5	9	6	<5	--	3	<0.005	<0.010	37
	6/30/2004	1.7	<30	6.27	610	15.5	<5	<5	<5	6	--	--	--	--	--	--	--
	12/10/2004	2.0	<30	6.95	600	10.3	<5	<5	<5	6	1,280	37	25,100	2	<0.005	<0.010	42
	6/8/2005	2.0	<30	7.67	531	13.2	6	<5	<5	<5	1,370	38	23,700	<5	<0.005	<0.010	40
	12/8/2005	2.7	<30	5.75	702	11.7	10	<4	46	<10	2,200	250	25,400	--	--	--	--
	6/28/2006	<1	<30	7.48	682	13.0	<5	<4	<5	<5	1,290	30	25,800	2	<0.005	<0.010	42
	11/30/2006	2.2	<30	7.53	684	13.3	<5	<4	<5	7	--	--	--	--	--	--	--
	Duplicate	11/30/2006	5.3	<30	7.53	676	13.3	<5	<4	<5	--	--	--	--	--	--	--
	6/8/2007	3.8	<30	6.59	680	14.3	7	2	1	5	1,180	32	28,100	3	<0.005	<0.010	46
Duplicate	6/8/2007	3.1	21.1	6.59	669	14.3	9	2	1	4	1,210	31	28,400	4	<0.005	<0.010	47
	11/14/2007	1.1	<30	7.30	710	14.2	2	2	3	6	--	--	--	--	--	--	
Duplicate	6/26/2008	1.7	22.6	7.09	694	19.3	<5	<1	<5	5	1,100	33	25,900	3	<0.005	<0.010	46
	6/26/2008	2.6	<30	7.09	710	19.3	<5	<1	<5	7	1,150	34	26,400	3	<0.005	<0.010	46
	11/19/2008	8.9	<30	6.93	699	8.2	<5	<1	8	8	--	--	--	--	--	--	
	6/25/2009	1.1	<30	6.74	705	16.6	<5	<1	<5	<5	1,340	30	28,500	2	<0.005	<0.010	54
	11/18/2009	2	<30	7.15	710	11.4	<5	<4	<5	<5	--	--	--	--	--	--	
	6/16/2010	2	<30	7.43	715	15.7	<5	<4	<5	<5	1,100	28	26,000	2	<0.005	<0.020	51
	11/11/2010	2	<30	7.31	704	10.3	11	<4	<5	<5	--	--	--	--	--	--	
	6/21/2011	1.3	<30	7.35	705	17.0	9	<4	<5	<5	1,460	30	27,300	<5	<0.005	<0.010	50
Replicate	6/21/2011	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--	
	11/14/2011	2	76	7.39	714	10.1	<5	<4	<5	12	--	--	--	--	--	--	
	6/25/2012	2	<40	6.45	714	12.7	<5	<4	<5	8	1,830	42	30,000	<5	<0.005	<0.02	51
	12/6/2012	1.6	<40	7.58	716	10.1	<5	<4	<5	9	--	--	--	--	--	--	
	6/3/2013	1.6	46	6.81	701	15.6	<5	<4	<5	<5	1,000	27	28,100	<5	<0.005	<0.02	53
	11/6/2013	1.5	<10	7.52	713	11.4	<5	<4	<5	12	--	--	--	--	--	--	
	6/24/2014	1.5	<30	7.46	707	14.7	<5	<5	<5	<5	850	26	12,700	<5	<0.005	<0.02	53
	6/23/2015	1.8	<30	7.46	710	13.0	<5	<5	<5	8	1,030	27	28,300	<10	<0.005	<0.02	55
	6/22/2016	2.4	100	7.19	716	13.0	<5	<5	<5	<5	920	27	27,100	<5	<0.005	<0.02	54
Duplicate	6/22/2016	2.4	29	7.19	716	13.0	<5	<5	<5	<5	950	28	27,300	<5	<0.005	<0.02	54

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)						Inorganics (mg/L)					
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate	
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>					<i>100 (A)</i>	<i>1,000 (E)</i>	<i>100 (A)</i>	<i>2,400</i>								
B-23D	6/21/1995	3.4	<10	7.27	680	15.1	<20	<20	<30	<20	--	--	--	--	--	--	--	
	8/31/1995	3.9	96	8.24	845	15.4	<20	<20	<40	<20	--	--	--	--	--	--	--	
	2/9/1996	3.8	34	7.54	751	11.3	<20	<20	<40	<20	--	--	--	--	--	--	--	
	6/19/1996	2.2	<100	8.25	632	14.2	<20	<20	<20	<20	--	--	--	--	--	--	--	
	8/21/1996	1.7	<5	8.94	691	14.6	<20	<20	<20	50	--	--	--	--	--	--	--	
	11/13/1996	40.0	<5	7.66	977	7.6	<20	<20	<20	40	--	--	--	--	--	--	--	
	5/6/1997	2.0	<100	6.80	610	11.0	<10	<10	9	<10	--	--	--	--	--	--	--	
	11/6/1997	3.0	<100	6.00	620	10.0	<10	<10	31	<10	160	15	--	2	<0.005	<0.020	25	
	5/4/1998	2.0	<5	6.38	558	12.2	<10	<10	<5	<10	--	--	--	--	--	--	--	
	11/5/1998	5.0	<10	6.50	639	9.8	<10	<10	<5	70	<10	<5	29,700	--	--	--	--	
	12/23/1998	--	--	--	--	--	--	--	--	--	--	--	--	2	<0.005	<0.020	21	
	4/26/1999	3.6	<100	8.10	552	13.3	<10	<10	<5	<10	--	--	--	--	--	--	--	
	Duplicate	4/26/1999	3.0	<100	NS	NS	NS	<10	<10	<5	<10	--	--	--	--	--	--	--
	Duplicate	11/5/1999	3.4	<100	7.40	546	13.3	<10	<10	<5	<10	80	14	34,700	3	<0.005	<0.020	26
		11/5/1999	3.1	<100	NS	NS	NS	<10	<10	<5	<10	90	15	33,300	3	<0.005	<0.020	25
4/26/2000		3.2	<100	7.90	800	13.7	<10	<10	<5	<10	--	--	--	--	--	--	--	
12/8/2000	2.0	<10	6.99	570	7.0	<10	<10	7	<10	60	--	35,400	2	<0.005	<0.020	22		
5/15/2001	3.2	<100	7.88	790	13.1	<10	<10	<5	10	--	--	--	--	--	--	--		
10/17/2001	1.8	<100	7.46	600	11.3	<10	<10	<5	<10	170	--	32,800	2	<0.005	<0.020	23		
5/16/2002	5.4	<100	7.19	1200	11.2	<10	<10	<5	10	--	--	--	--	--	--	--		
11/7/2002	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
Duplicate	6/3/2003	3.9	<30	6.86	640	12.9	<5	<5	<5	<5	--	--	--	--	--	--	--	
	6/3/2003	3.7	<30	--	--	--	<5	<5	<5	<5	--	--	--	--	--	--	--	
	11/13/2003	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6/30/2004	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--	--	--	--		
12/10/2004	2.0	<30	6.66	640.0	11.3	<5	<5	11	10	500	65	30,500	2	<0.005	<0.010	25		
B-23DR	6/7/2005	2.0	<30	7.34	594.0	12.2	<5	<5	<5	<5	2,520	49	20,600	25	<0.005	<0.010	60	
Duplicate	6/7/2005	2.0	<30	--	--	--	<5	<5	<5	<5	2,580	48	20,600	25	<0.005	<0.010	59	
B-23DR	12/8/2005	3.8	<30	6.22	700.0	6.1	7	<4	<5	<10	370	60	39,200	--	--	--	--	
6/27/2006	1.2	<30	7.12	760.0	13.4	5	<4	<5	5	2,280	50	20,500	26	<0.005	0.010	67		
11/30/2006	2.2	<30	7.56	568.0	11.8	<5	<4	<5	6	--	--	--	--	--	--	--		
6/8/2007	1.1	33.7	6.49	736	13.1	7	1	1	5	1,100	43	23,800	28	<0.005	<0.010	62		
11/16/2007	<1	<30	7.28	780	21.4	2	1	3	8	--	--	--	--	--	--	--		
6/26/2008	2.0	27.2	7.00	753	18.2	<5	1	<5	<5	1,850	44	23,700	22	<0.005	<0.010	54		
11/21/2008	<1	<30	6.74	763	6.0	<5	<1	<5	19	--	--	--	--	--	--	--		
6/25/2009	<1	<30	6.73	776	18.9	<5	<1	<5	<5	1,500	43	23,900	29	<0.005	<0.010	63		
11/18/2009	2	<30	7.22	756	11.9	<5	<4	<5	10	--	--	--	--	--	--	--		
B-23DR	6/16/2010	2	<30	7.36	747	18.2	<5	<4	<5	950	35	23,200	20	<0.005	<0.020	45		
11/11/2010	2	21.5	7.28	743	12.8	11	<4	<5	<5	--	--	--	--	--	--	--		
Duplicate	11/11/2010	2	<30	7.28	742	12.8	11	<4	<5	<5	--	--	--	--	--	--	--	
6/21/2011	1.2	<30	7.33	721	18.0	8	<4	<5	<5	1,520	37	22,400	22	<0.005	<0.010	48		
Replicate	6/21/2011	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--	--	
11/15/2011	1	49	7.19	721	13.1	<5	<4	<5	8	--	--	--	--	--	--	--	--	
6/26/2012	1	<40	6.78	748	12.7	<5	<4	<5	<5	1,810	42	25,100	25	<0.005	<0.02	50		
B-23DR	12/5/2012	1.6	<40	6.63	755	9.6	<5	<4	<5	7	--	--	--	--	--	--	--	
6/3/2013	1.4	14	7.06	720	15.4	<5	<4	<5	<5	980	32	23,500	20	<0.005	<0.02	44		
11/5/2013	1.4	4	7.32	746	12.6	<5	<4	<5	28	--	--	--	--	--	--	--	--	
6/25/2014	3.0	<30	7.31	746	13.9	<5	<5	6	5	970	36	10,900	26	<0.005	0.025	51		
6/24/2015	1.9	<30	7.16	747	14.9	<5	<5	<5	<5	1,370	39	24,300	22	<0.005	<0.02	47		
6/22/2016	1.5	60	7.10	788	14.6	<5	<5	<5	<5	1,600	38	23,500	30	<0.005	<0.02	54		

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)						Inorganics (mg/L)				
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>					100 (A)	1,000 (E)	100 (A)	2,400							
	6/21/1995	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	8/31/1995	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	2/9/1996	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	6/19/1996	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
B-24	8/21/1996	5.6	<5	7.80	1,502	12.7	<20	<20	<20	90	--	--	--	--	--	--	--
	11/13/1996	20.0	<5	7.09	2,030	7.8	<20	<20	<20	50	--	--	--	--	--	--	--
	5/6/1997	5.0	<100	6.40	1,700	10.0	<10	<10	31	10	--	--	--	--	--	--	--
	11/6/1997	--	--	--	--	--	--	--	--	--	--	--	--	NS	NS	NS	NS
	5/4/1998	4.0	<5	6.52	1,410	11.6	<10	<10	8	20	--	--	--	--	--	--	--
	11/5/1998	4.0	23	5.50	1,595	10.4	<10	<10	9	20	60	120	27,700	--	--	--	--
	12/23/1998	--	--	--	--	--	--	--	--	--	--	--	--	163	<0.005	<0.020	205
	4/26/1999	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	11/5/1999	NS	NS	7.20	1,152	13.8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/26/2000	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	12/8/2000	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5/15/2001	NS	NS	6.40	1,450	12.9	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	10/17/2001	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5/16/2002	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	11/7/2002	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6/3/2003	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
	11/13/2003	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6/30/2004	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	--	--	--	--
B-24R	12/9/2004	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
B-24R	6/7/2005	8.0	<30	7.27	857	10.6	8	<5	<5	<5	10,600	448	27,100	49	<0.005	<0.010	206
B-24R	12/8/2005	6.6	<30	5.16	1,120	11.9	11	<4	<5	10	3,180	210	28,700	--	--	--	--
	6/28/2006	4.7	<30	7.31	1,080	11.9	6	<4	<5	<5	3,760	210	27,700	48	<0.005	<0.010	182
	11/30/2006	4.8	30	7.31	1,100	11.7	6	<4	<5	<5	--	--	--	--	--	--	--
	6/4/2007	4.5	110	7.19	1,080	11.0	9	2	2	19	2,400	194	27,900	47	<0.005	<0.010	184
	11/13/2007	4.1	30.1	7.13	1,130	14.0	3	1	5	7	--	--	--	--	--	--	--
	6/26/2008	4.3	<30	6.99	1,130	19.0	<5	1	<5	8	3,490	175	39,600	46	<0.005	<0.010	189
	11/18/2008	3.8	<30	6.76	1,125	5.3	<5	<1	<5	<5	--	--	--	--	--	--	--
	6/24/2009	5.2	<30	6.62	1,120	17.4	<5	<1	<5	<5	4,000	155	38,400	48	<0.005	<0.010	201
	11/18/2009	5	86.4	7.08	1,140	12.9	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/16/2010	4	22.7	7.02	1,150	16.3	<5	<4	<5	<5	1,880	222	39,500	46	<0.005	<0.020	196
	11/9/2010	5	26.8	6.90	1,136	13.5	11	<4	<5	<5	--	--	--	--	--	--	--
	6/21/2011	3.7	<30	7.11	1,136	17.5	10	<4	6	<5	1,130	255	51,700	45	<0.005	<0.010	206
Duplicate	6/21/2011	3.7	<30	7.11	1,137	17.5	8	<4	6	<5	1,070	255	52,000	45	<0.005	<0.010	206
Replicate	6/21/2011	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--	--
Dup. Replicate	6/21/2011	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--	--
	11/16/2011	4	24	7.69	1,141	11.1	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/26/2012	3.5	16	6.80	1,219	13.7	<5	<4	<5	<5	1,200	242	72,000	45	<0.005	<0.02	219
B-24R	12/6/2012	4.2	48	6.98	1,204	10.2	<5	<4	<5	6	--	--	--	--	--	--	--
B-24R	6/3/2013	4	4.8	7.19	1,127	11.4	<5	<4	<5	<5	110	130	38,600	45	<0.005	<0.02	227
	11/5/2013	4	5.5	7.16	1,203	12.6	<5	<4	<5	<5	--	--	--	--	--	--	--
Duplicate	11/5/2013	4	<10	7.16	1,203	12.6	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/24/2014	3.7	16	7.10	1,202	13.9	<5	8	8	9	60	238	24,300	45	<0.005	<0.02	243
Duplicate	6/24/2014	3.7	16	7.10	1,201	13.9	<5	<5	7	<5	8	231	25,000	46	<0.005	<0.02	240
	11/19/2014	3.9	21	6.98	1,290	5.44	<5	<4	11	<5	--	--	--	--	--	--	--
	6/24/2015	3.5	<30	7.03	1,235	15.4	<5	<5	7	<5	<20	240	59,600	44	<0.005	<0.02	261
	11/18/2015	3.6	19	7.03	1,234	12.9	<5	<5	5	<5	--	--	--	--	--	--	--
Duplicate	11/18/2015	3.5	18	7.03	1,233	12.9	<5	<5	6	7	--	--	--	--	--	--	--
	6/23/2016	3.2	110	6.88	1,275	15.0	<5	<5	<5	<5	320	210	67,800	45	<0.005	<0.02	245

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters						Dissolved Metals (µg/L)						Inorganics (mg/L)			
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>						100 (A)	1,000 (E)	100 (A)	2,400						
B-27D	12/8/2005	3.7	<30	5.14	714	4.8	9	<4	6	<10	240	140	34,200	--	--	--	--
	6/27/2006	1.3	<30	7.11	644	13.5	6	<4	7	6	1,050	110	32,300	--	--	--	--
	11/30/2006	<1	<30	7.49	540	11.7	<5	<4	<5	6	--	--	--	--	--	--	--
	6/8/2007	4	25.7	6.58	628	14.6	9	2	3	36	1,520	58	36,300	4	<0.005	<0.010	23
	11/15/2007	1.9	<30	7.33	649	11.6	2	1	5	32	--	--	--	--	--	--	--
	6/26/2008	1.7	<30	7.05	659	16.3	<5	<1	<5	<5	300	59	33,900	2	<0.005	<0.010	23
	11/21/2008	1.3	<30	6.81	667	6.6	<5	<1	<5	<5	--	--	--	--	--	--	--
	6/25/2009	<1	<30	6.79	651	16.5	<5	1	<5	<5	2,030	52	37,200	2	<0.005	<0.010	20
	11/18/2009	2	<30	7.29	653	11.2	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/15/2010	2	<30	7.41	646	15.7	<5	<4	<5	<5	1,250	36	32,200	2	<0.005	<0.020	19
	Duplicate 6/15/2010	2	31.2	7.41	652	15.7	<5	<4	<5	<5	1,220	35	31,700	2	<0.005	<0.020	20
	11/9/2010	2	<30	7.18	651	13.3	10	<4	<5	<5	--	--	--	--	--	--	--
	6/21/2011	1.5	<30	7.47	640	15.6	9	<4	<5	<5	1,370	29	34,600	<5	<0.005	<0.010	19
	Replicate 6/21/2011	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--	--
	11/15/2011	1	34	7.22	652	12.1	<5	<4	6	8	--	--	--	--	--	--	--
	6/26/2012	1.5	<40	7.17	653	13.0	<5	<4	<5	<5	1,450	28	34,200	<5	<0.005	<0.02	20
	12/5/2012	1.7	<40	6.79	654	11.0	<5	<4	<5	10	--	--	--	--	--	--	--
	6/3/2013	1.5	4.3	8.34	645	12.1	<5	<4	<5	<5	1,670	29	32,500	<5	<0.005	<0.02	21
	11/5/2013	1.8	<10	7.37	640	12.0	<5	<4	<5	28	--	--	--	--	--	--	--
	6/24/2014	1.9	<30	7.40	637	16.0	<5	<5	<5	<5	680	34	15,800	<5	<0.005	<0.02	18
6/22/2015	1.8	<30	7.20	635	14.2	<5	<5	<5	<5	710	27	34,100	<5	<0.005	<0.02	18	
6/22/2016	1.6	30	7.20	640	14.1	<5	<5	<5	<5	930	20	33,200	<5	<0.005	<0.02	15	

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters						Dissolved Metals (µg/L)						Inorganics (mg/L)			
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>						<i>100 (A)</i>	<i>1,000 (E)</i>	<i>100 (A)</i>	<i>2,400</i>						
B-28	11/21/2005	--	--	6.21	994	12.3	--	--	--	<5	--	--	--	--	--	--	--
Duplicate	11/21/2005	--	--	6.21	--	12.3	--	--	7	--	--	--	--	--	--	--	--
	6/27/2006	3	<30	7.12	828	13.2	5	<4	<5	18	2,380	210	17,000	--	--	--	--
	12/1/2006	2.4	<30	7.48	812	12.3	<5	<4	<5	5	--	--	--	--	--	--	--
Duplicate	12/1/2006	3.3	<30	7.48	810	12.3	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/5/2007	2.1	<30	6.84	845	10.6	9	2	3	6	1,690	160	25,100	12	<0.005	<0.010	87
	11/15/2007	2.5	15	6.81	816	9.1	3	2	5	11	--	--	--	--	--	--	--
	6/27/2008	1.8	<30	6.87	840	17.6	<5	1	<5	5	370	84	16,300	10	<0.005	<0.010	88
	11/19/2008	1.1	<30	6.75	804	7.0	<5	<1	<5	<5	--	--	--	--	--	--	--
	6/24/2009	1.1	<30	6.96	822	19.5	<5	<1	<5	<5	204	132	14,600	10	<0.005	<0.010	84
	11/18/2009	2	<30	6.94	814	11.6	<5	<4	<5	20	--	--	--	--	--	--	--
	6/16/2010	2	<30	7.02	841	17.6	<5	<4	<5	<5	790	173	19,100	12	<0.005	<0.020	78
	11/10/2010	3	<30	7.05	813	13.3	18	<4	<5	<5	--	--	--	--	--	--	--
	6/21/2011	1.5	<30	7.23	837	14.1	9	<4	5	<5	1,380	130	23,400	12	<0.005	<0.010	80
Replicate	6/21/2011	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--	--
	11/15/2011	2	160	7.17	823	12.5	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/26/2012	2	<40	6.45	849	13.0	<5	<4	<5	<5	1,960	84	29,800	12	<0.005	<0.02	80
Duplicate	12/6/2012	1.6	<40	7.25	823	11.4	<5	<4	<5	<5	--	--	--	--	--	--	--
	12/6/2012	1.7	<40	7.25	823	11.4	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/3/2013	1.5	10	6.88	834	13.1	<5	<4	5	<5	1,310	111	26,000	12	<0.005	<0.02	87
	11/5/2013	1.6	<10	7.26	842	12.9	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/24/2014	1.5	<30	7.03	852	12.2	<5	9	<5	<5	1,490	53	15,400	12	<0.005	<0.02	89
Replicate	7/28/2014	--	--	--	--	--	--	<5	--	--	--	--	--	--	--	--	--
	11/19/2014	1.6	<60	7.05	844	7.48	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/22/2015	1.5	<30	7.04	860	13.4	<5	<5	<5	<5	3,330	53	37,100	11	<0.005	<0.02	92
	11/18/2015	1.6	<30	7.13	849	13.8	<5	<5	<5	6	--	--	--	--	--	--	--
	6/24/2016	1.6	49	7.18	866	15.0	<5	<5	<5	<5	4,960	53	45,800	11	<0.005	<0.02	92

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)						Inorganics (mg/L)				
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr <small>100 (A)</small>	Cu <small>1,000 (E)</small>	Ni <small>100 (A)</small>	Zn <small>2,400</small>	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
B-29	11/21/2005	--	--	6.79	1,870	11.7	--	--	--	11	--	--	--	--	--	--	--
	6/27/2006	--	--	7.14	1,480	12.3	6	<4	<5	28	1,480	140	47,300	--	--	--	--
	12/1/2006	--	--	7.31	--	11.4	8	<4	5	9	--	--	--	--	--	--	--
	6/5/2007	2.4	31.1	6.91	1,402	10.3	11	3	3	8	800	118	46,300	70	<0.005	<0.010	218
	11/15/2007	3.2	17.3	6.89	1,370	12.2	4	2	7	14	--	--	--	--	--	--	--
Duplicate	11/15/2007	2.7	16.5	6.89	1,380	12.2	3	2	7	10	--	--	--	--	--	--	--

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)					Inorganics (mg/L)					
		TOC (mg/L)	TOX (µg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
		<i>MDEQ Residential Drinking Water Criteria & RBSLs</i>					<i>100 (A)</i>	<i>1,000 (E)</i>	<i>100 (A)</i>	<i>2,400</i>							
B-30	11/21/2005	--	--	6.78	1,450	12.1	--	--	--	212	--	--	--	--	--	--	--
	6/27/2006	--	--	7.10	1,330	12.3	6	<4	<5	16	2,690	100	21,300	--	--	--	--
	12/1/2006	--	--	7.27	--	10.6	6	<4	<5	8	--	--	--	--	--	--	--
	6/5/2007	2.7	<30	6.98	1,542	10.9	11	4	4	17	1,260	171	25,000	35	<0.005	<0.010	452
	11/15/2007	2.4	17.4	6.97	1,510	9.3	4	3	7	14	--	--	--	--	--	--	--

See notes on page 16.



TABLE 2
RACER Trust - Coldwater Road Landfill Facility
Post-Closure Monitoring - Historical Analytical Results
Physical Parameters, TOC, TOX, Metals, Chloride, Cyanide, Phenols, and Sulfate

Well ID	Sample Date	Indicator Parameters						Dissolved Metals (µg/L)						Inorganics (mg/L)			
		TOC	TOX	pH	SpC	Temp	Cr	Cu	Ni	Zn	Fe	Mn	Na	Chloride	Cyanide	Phenols	Sulfate
		(mg/L)	(µg/L)														
Equipment Blank	12/10/2004	<1	<30	--	--	--	<5	<5	<5	11	<20	13	810	<2	<0.005	<0.010	<2
	6/8/2005	<1	<30	--	--	--	<5	<5	<5	<20	<5	120	<5	<0.005	<0.010	<5	
	12/8/2005	<1	<30	--	5	--	<5	<4	<5	<10	<100	<20	<1000	--	--	--	--
	6/28/2006	<1	<30	--	12	--	<5	<4	<5	<5	<100	<20	<1000	<1	<0.005	<0.010	<1
	12/1/2006	<1	<30	--	26	--	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/8/2007	<1	26	--	13	--	<5	1	1	13	<20	11	340	<2	<0.005	<0.010	<2
	11/15/2007	<1	<30	--	4	--	<5	1	1	9	--	--	--	--	--	--	--
	6/26/2008	<1	<30	--	3	--	<5	1	<5	<5	100	7	420	<2	<0.005	<0.010	<2
	11/19/2008	<1	<30	--	6	--	<5	1	<5	<5	--	--	--	--	--	--	--
	6/25/2009	<1	<30	--	24	--	<5	<1	<5	<5	110	<5	200	<2	<0.005	<0.010	<2
	11/19/2009	0.7	<30	--	5	--	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/17/2010	0.4	<30	--	4	--	<5	<4	<5	<5	<20	<5	<200	<2	<0.005	<0.020	<2
	11/11/2010	1	<30	--	1.2	--	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/22/2011	0.88	<30	--	3	--	<5	<4	<5	<5	<20	<5	460	<2	<0.005	<0.010	<2
	11/16/2011	<1	4.9	--	1,330	--	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/27/2012	<1	<20	--	3	--	<5	<4	<5	13	50	<5	6350	<2	<0.005	<0.02	<2
	12/6/2012	<1	<40	--	17.0	--	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/6/2013	<1	<10	--	1,370	--	<5	<4	<5	<5	<20	<5	<500	<2	<0.005	<0.02	<2
	11/6/2013	<1	<10	--	2,350	--	<5	<4	<5	<5	--	--	--	--	--	--	--
	6/24/2014	<1	<30	--	1,930	--	<5	<5	<5	<5	<20	<5	<1000	<2.5	<0.005	<0.02	<2.5
6/24/2015	<1	<30	--	4.09	--	<5	<5	<5	<5	<20	<5	140	<2	<0.005	<0.02	<2	
6/24/2016	<1	6.2	--	2,220	--	<5	<5	<5	<5	<20	<5	<500	<2.5	<0.005	<0.02	<2	

Notes

- 1) < = Not detected.
 - 2) NS = Not sampled, insufficient liquid encountered.
 - 3) NR = No Result, insufficient sample volume.
 - 4) T = Temperature in degrees Celsius.
 - 5) -- = Not analyzed.
 - 6) Dup = Duplicate sample.
- Exceeds MDEQ Residential Drinking Water Criteria
- 7) A = Criterion is the state of Michigan drinking water standard established pursuant to Section 5 of 1976 PA 399, MCL 325.1005.
 - 8) E = Criterion is the aesthetic drinking water value, as required by Section 20120a(5) of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (NREPA)



TABLE 3

RACER Trust-Coldwater Road Landfill Facility
Post-Closure Monitoring- Analytical Results
Volatile Organics (VOCs)

Well ID	B-2D	B-7	B-9	B-18A	B-19AR	B-20D	B-21D	B-22D	B-22D (Dup)	B-23DR	B-24R	B-27D	B-28	Trip Blank-1	Trip Blank-2	Trip Blank-3	Equipment Blank-1
Sample Date	6/27/2016	6/23/2016	6/24/2016	6/23/2016	6/27/2016	6/23/2016	6/23/2016	6/22/2016	6/22/2016	6/23/2016	6/23/2016	6/22/2016	6/24/2016	6/24/2016	6/23/2016	6/23/2016	6/24/2016
Diethyl ether	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Acetone	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Methyl iodide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Carbon Disulfide	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
tert-Methyl butyl ether (MTBE)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Acrylonitrile	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
2-Butanone	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Dichlorodifluoromethane	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Chloromethane	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Vinyl chloride	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromomethane	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Chloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Trichlorofluoromethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Methylene chloride	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
trans-1,2-Dichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
cis-1,2-Dichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Tetrahydrofuran	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90
Chloroform	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromochloromethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
4-Methyl-2-pentanone	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
2-Hexanone	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Carbon tetrachloride	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Benzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trichloroethene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromodichloromethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dibromomethane	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
cis-1,3-Dichloropropene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Toluene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
trans-1,3-Dichloropropene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Tetrachloroethene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
trans-1,4-Dichloro-2-butene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dibromochloromethane	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,2-Dibromoethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chlorobenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,1,2-Tetrachloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Ethylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
p,m-Xylene	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
o-Xylene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Styrene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Isopropylbenzene	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Bromoform	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2,2-Tetrachloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2,3-Trichloropropane	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
n-Propylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromobenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,3,5-Trimethylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
tert-Butylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2,4-Trimethylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
sec-Butylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
p-Isopropyltoluene	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,3-Dichlorobenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,4-Dichlorobenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dichlorobenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2,3-Trimethylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
n-Butylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Hexachloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,2-Dibromo-3-chloropropane	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,2,4-Trichlorobenzene	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,2,3-Trichlorobenzene	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Napthalene	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
2-Methylnapthalene	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

Notes: EPA Method 8260 used for analysis.
Dup- Duplicate analysis
Analysis in µg/L






FIGURES



I:\Racer-Trust_15388\62658\Coldwater-Rd-Landfills\Reports\GW_Monitoring\Semi-Annual\Figures\001 - Figure 1 Site_Location (2015-12).mxd
PLOTDATE: 08/22/11 3:19:42 PM schnekb



RACER TRUST
COLDWATER ROAD LANDFILL FACILITY
FLINT, MICHIGAN

SITE LOCATION MAP




Miles



PLOTDATE: 08/22/11 3:14:42 PM schneikh





I:\Racer-Trust\15388\62658\Coldwater-Rd-LIDocs\Reports\GW Monitoring\Semi-Annual\Figures\002 - Figure 2 GW_Report_Site_Layout (2016-06).mxd



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community




LEGEND

-  LEACHATE COLLECTION SUMP
-  ACCESS PORT FOR LEAK DETECTION VAULT
-  MONITORING WELL
-  ABANDONED WELL

RACER TRUST
COLDWATER ROAD
LANDFILL FACILITY
FLINT, MICHIGAN

SITE LAYOUT



AUGUST 2016
15388/62658/002






O'BRIEN & GERE ENGINEERS, INC.

PLOTDATE: 08/22/11 3:10:39 PM schneikb

I:\Racer-Trust\15388\62658\Coldwater-Rd-L\Docs\Reports\GW Monitoring\Semi-Annual\Figures\003-Figure 3- GW Elevations_Perched (2016-06).mxd




LEGEND

-  MONITORING WELL
-  (803.71) GROUNDWATER ELEVATION
-  ABANDONED WELL

RACER TRUST
COLDWATER ROAD
LANDFILL FACILITY
FLINT, MICHIGAN

SHALLOW
GROUNDWATER
ELEVATION MAP
JUNE 22, 2016



AUGUST 2016
15388/62658-003




O'BRIEN & GERE ENGINEERS, INC.




Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

PLOTDATE: 08/01/16 10:31:52 AM schnekb

I:\Racer-Trust_15388\62658_Coldwater-Rd-LI\Docs\Reports\GW Monitoring\Semi-Annual\Figures\004 - Figure 4 GW_Contours_Deep (2015-12).mxd




LEGEND

-  MONITORING WELL
-  (748.45) GROUNDWATER ELEVATION
-  GROUNDWATER POTENTIOMETRIC SURFACE ELEVATION

RACER TRUST
COLDWATER ROAD
LANDFILL FACILITY
FLINT, MICHIGAN

**DRIFT AQUIFER
GROUNDWATER
POTENTIOMETRIC
SURFACE MAP
JUNE 22, 2016**



AUGUST 2016
15388/62658-004



O'BRIEN & GERE ENGINEERS, INC.



APPENDIX A
Sampling Procedures

TABLE OF CONTENTS

1 Introduction	1
2 Procedural Guidelines.....	1
2.1 Preparatory Requirements	1
2.2 Well Purging and Stabilization Monitoring (Low Stress/Low Flow Method)	1
2.3 Sample Preservation.....	2
2.4 Sample Management and Chain-of-Custody.....	3
2.5 Quality Assurance/Quality Control (QA/QC) Measures.....	3
3 References.....	4



1 INTRODUCTION

This procedure is for the collection of groundwater samples for laboratory analysis.

The objective of most groundwater quality monitoring programs is to obtain samples that are representative of existing groundwater conditions, or samples that retain the physical and chemical properties of the groundwater within an aquifer.

One of the most important aspects of groundwater sampling is acquiring samples that are free of suspended silt, sediment, or other fine grained particulates. Fine grain materials may often have a variety of chemical components sorbed to the particle or have the ability to sorb chemicals from the aqueous phase to the particle, which will bias the subsequent analytical results.

Constituents known to have an affinity for fine-grained particulates are: polychlorinated biphenyls (PCBs), semi-volatile organic compounds (SVOCs), and inorganics. Monitoring programs where these constituents are suspected or known to be prevalent must employ sampling methods that minimize particulate presence.

The “Low Stress/Low Flow” purging and sampling method will be utilized to purge the well to allow representative water from the formation to replace the standing water within the sampling zone of the well. Experience has shown that the low stress/low flow technique typically achieves representative groundwater samples with minimal particulate interference.

Lastly, in extreme cases “ultra-low flow” techniques have been employed at select sites where low stress/low flow methods were used, yet particulate-sensitive constituents continue to bias the analytical results, or excessive drawdown is produced using standard low stress/low flow methods due to the presence of low permeability materials within a well’s screened zone. Ultra-low flow techniques are conducted at purging rates below 100 ml per minute, and should only be utilized after low stress/low flow methods have been attempted.



2 PROCEDURAL GUIDELINES

The following describes techniques for groundwater sampling: Low Stress/Low Flow Methods.

Low stress/low flow methods will be employed when it is critical to collect groundwater samples truly representative of the groundwater present, and to minimize the impact of sediment/colloid presence.

2.1 PREPARATORY REQUIREMENTS

Prior to groundwater sampling, an inspection will be performed on each well. The inspection will include:

- Inspecting the concrete pad for cracks
- Inspecting the protective steel cover
- Inspecting the integrity of the PVC well casing (to the extent possible)
- Inspecting the well caps
- Inspecting the well identification markings to confirm they are legible (if illegible, re-mark)
- Inspecting the locks to assess whether they are in good working condition.

Results of the well inspection will be documented on the Groundwater Sampling Log for each well. If the inspection indicates repairs are required, these will be performed prior to the next sampling event. Corrective actions implemented to repair well(s) will also be documented on the Groundwater Sampling Log and/or the field notebook for the facility.

Groundwater purging and sampling data will be recorded on the Groundwater Sampling Log.

2.2 WELL PURGING AND STABILIZATION MONITORING (LOW STRESS/LOW FLOW METHOD)

The procedure for sampling the monitoring wells is as follows:

- 1) Sampling equipment will first be decontaminated prior to each use by the following protocol:
 - Scrub equipment thoroughly in a low-sudsing detergent solution (*e.g.*, Alconox). Pump low-sudsing detergent solution through submersible pump for approximately 5 minutes, if utilized
 - Rinse equipment thoroughly with distilled water, and pump distilled water through submersible pump, if utilized
 - Wrap equipment in plastic for handling and/or storage until next use
 - Decontamination of disposable tubing, if used, will not be necessary
- 2) Calibrate field instrument and document calibration activity. Calibration shall be performed in accordance with manufacturer's recommendations, and noted on the Groundwater Sampling Log
- 3) An electric water level probe will be used to measure the depth from the top of the casing to the top of water to the nearest 0.01-ft. The measurement will be recorded in a dedicated field notebook and Groundwater Sampling Log
- 4) Measure the depth from the top of casing to the bottom of the well for the initial sampling event
- 5) Slowly lower the pump and/or tubing into the well positioning the pump intake at the mid-point of the well screen taking care to minimize disturbing the well
- 6) During the purging of the well, monitor and record the field indicator parameters (pH, temperature, conductivity, oxidation-reduction (redox) reaction potential (ORP), dissolved oxygen (DO), and turbidity) approximately every 5 minutes. Stabilization is considered achieved when the final groundwater flow rate is achieved, and three consecutive readings for each parameter are within the following limits:

pH	±0.1 pH units for three consecutive readings;
temperature	±3 percent for three consecutive readings;
conductivity	±3 percent for three consecutive readings;
ORP	±10 millivolts (mV) for three consecutive readings;
DO	±10 percent for three consecutive readings; and
Turbidity	±10 percent for three consecutive readings or a final value of less than 5 nephelometric turbidity units (NTU).

- 7) Verify that drawdowns of 0.3 ft or less are maintained and make adjustments as necessary. Record drawdown measurements and note adjustments in pumping rates as necessary on the Groundwater Sampling Log. If drawdowns of 0.3 ft or less cannot be maintained utilize ultra-low flow purge techniques. However, if ultra-low flow purging still results in the well purging “dry,” allowed the well to recharge and the sample will be collected as soon as sufficient water is present to obtain the necessary sample volume
- 8) Obtain a sample for chemical analyses immediately upon stabilization of field parameter measurements. Field filter the sample for dissolved metals using a 0.45-micron filter prior to preserving with acid. Samples are to be collected in the order of volatility as follows: TOC/TOX (or VOCs) and dissolved metals.

If after 2 hours of purging the indicator parameters have not stabilized, as recommended in the USEPA guidance, the purging will be discontinued and the sample will be collected with an explanation of attempts to achieve stabilization.

Either a decontaminated submersible pump or peristaltic pump (for shallow wells only) may be utilized to purge each well. If a submersible pump is utilized in the purging process, then it will be decontaminated prior to and after sampling each well. Sampling equipment must be protected from the ground surface by a clean plastic sheet laid around the work area. Water from purging will not be containerized.

2.3 SAMPLE PRESERVATION

Sample bottles will be labeled with sample identification, collection date and time, filtration/preservative status. Sample bottles will be filled and capped securely and immediately preserved (if required) and stored at 4 degrees Celsius in a cooler.

The cooler and samples will be prepared for shipment or transport by the following procedure:

- 1) Prepare cooler(s) for shipment.
 - Tape drain(s) of cooler shut
 - Place mailing label with laboratory address on top of cooler(s).
- 2) Arrange sample containers in a manner to prevent potential sample container breakage.
- 3) Confirm the bottle labels are completed correctly. Place clear tape over bottle labels to prevent moisture accumulation from causing the label to peel off.
- 4) Seal sample containers within plastic zip-lock bags to prevent packing material from contacting samples.
- 5) Place packing material at the bottom of the cooler to act as a cushion for the sample containers.
- 6) Fill remaining spaces with packing material.
- 7) Confirm containers are firmly packed in cooler.



- 8) If ice is required to preserve the samples, cubes should be repackaged in double zip-lock bags, and placed on top of the packing material.
- 9) Sign COC form (or obtain signature) and indicate the time and date it was relinquished to Federal Express or other carrier, as appropriate.
- 10) Separate copies of COC forms. Seal proper copies within a large zip-lock bag and tape to inside lid of cooler. Retain copies of forms in-house.
- 11) Close lid and latch.
- 12) Tape cooler shut on both ends, making several complete revolutions with strapping tape.
- 13) Relinquish to Federal Express or other courier service. Retain airbill receipt for project records (Note: Samples will be shipped for "NEXT DAY" delivery).

If samples are delivered directly to the laboratory, or the laboratories in-house courier, by the sampling team, the packaging/shipping requirements may be omitted. COC procedures; however, must be strictly maintained.

2.4 SAMPLE MANAGEMENT AND CHAIN-OF-CUSTODY

COC procedures document the history of sample containers and samples from the time of preparation of sample containers through sample collection, shipment, and analysis. A sample is considered in custody if:

- The sample is in the sampler's physical possession
- The sample is secured by the sampler to prevent tampering
- The sample is secured by the sampler employee in an area that is restricted to authorized personnel.

To maintain a record of sample collection, transfer between personnel, shipment, and receipt by the laboratory, a COC record will be completed for each sample at each sampling location. Each time the samples are transferred, signatures of the person relinquishing and receiving the samples, as well as the date and time, will be documented.

Parallel field notebook/Groundwater Sampling Log and COC records will be maintained. Recorded information will include:

- Sampling Location
- Time and Date
- Sampling Method
- Method of Preservation.

Additionally, the field notebook will also include information on weather conditions, depth to water, total depth of the well, field parameter and instrument calibration records and other useful or pertinent information. The notebook will be kept at the facility or with their designated contractor.

2.5 QUALITY ASSURANCE/QUALITY CONTROL (QA/QC) MEASURES

Field QA/QC procedures will consist of collecting one equipment blank (if reusable equipment is used) and one duplicate sample (one additional sample from one of the wells) for each sampling event. The duplicate sample will be assigned a separate sample identification and submitted to the laboratory "blind".

The procedure for collecting an equipment blank will be to pass distilled water through the decontaminated sampling device into a laboratory-supplied sample bottles. An equipment blank sample will not be required if disposable sampling equipment is used.



3 REFERENCES

USEPA Low-Flow (Minimal Drawdown) Groundwater Sampling Procedures (EPA/540/S-95/504).

USEPA (Region 1) Low Stress (low flow) Purging and Sampling Procedure for the Collection of Groundwater Samples from Monitoring Wells (EQASOP-GW 001), January 19, 2010.

USEPA RCRA Groundwater Monitoring: Draft Technical Guidance (EPA/530-R-93-001).

MDEQ RRD Operational Memorandum No. 2: Sampling and Analysis.



APPENDIX B
*Groundwater Sampling
Logs*

O'Brien & Gere Engineers, Inc.

Standard Groundwater Sampling Log

Date 6/27/16
 Site Name Coldwater rd LF
 Location Flint, MI
 Project No. 62052
 Personnel KBS

Weather Sunny 80's
 Well # B-2D
 Evacuation Method Bladder Pump
 Sampling Method Low Flow

Well Information:

Depth of Well * _____ ft.
 Depth to Water * 81.53.75 ft.
 Length of Water Column _____ ft.
 Volume of Water in Well _____ gal.(s)
 3X Volume of Water in Well _____ gal.(s)
 Water Volume /ft. for:
 X 2" Diameter Well = 0.163 X LWC
 4" Diameter Well = 0.653 X LWC
 6" Diameter Well = 1.469 X LWC
 Volume removed before sampling 2 1/2 gal.(s)
 Did well go dry? No
 (Other, Specify) _____
 * Measurements taken from Well Casing Protective Casing

Instrument Calibration:

Calibrated within range
 pH Yes
 ORP Yes
 Conductivity Yes
 DO Yes

Water parameters:

Pumping Rate: 170 ml/min

	Drawdown measured 0.3 feet or less	Temperature Celsius ±3 percent	Conductivity mS/cm ±0.005 (mS/cm)	Dissolved Oxygen mg/L ±10 percent	pH ±0.1 pH units	ORP mV ±10 millivolts	Turbidity NTUs ±10 percent
initial	<u>53.85</u>	initial <u>18.32</u>	initial <u>0.700</u>	initial <u>4.39</u>	initial <u>7.75</u>	initial <u>234.0</u>	initial <u>26</u>
<u>1125</u> 5 min	<u>53.85</u>	<u>15.12</u>	<u>0.775</u>	<u>3.78</u>	<u>7.20</u>	<u>287.5</u>	<u>70</u>
<u>1130</u> 10 min	<u>53.85</u>	<u>15.07</u>	<u>0.839</u>	<u>3.58</u>	<u>6.82</u>	<u>352.5</u>	<u>93</u>
<u>1135</u> 15 min	<u>53.85</u>	<u>15.29</u>	<u>0.829</u>	<u>3.61</u>	<u>6.71</u>	<u>388.8</u>	<u>79</u>
<u>1140</u> 20 min	<u>53.85</u>	<u>15.45</u>	<u>0.811</u>	<u>3.60</u>	<u>6.62</u>	<u>428.8</u>	<u>75</u>
<u>1145</u> 25 min	<u>53.85</u>	<u>15.90</u>	<u>0.799</u>	<u>3.53</u>	<u>6.60</u>	<u>445.4</u>	<u>74</u>
<u>1150</u> 30 min	<u>53.85</u>	<u>16.14</u>	<u>0.789</u>	<u>3.49</u>	<u>6.60</u>	<u>464.7</u>	<u>48</u>
<u>1155</u> 35 min	<u>53.85</u>	<u>16.11</u>	<u>0.780</u>	<u>3.46</u>	<u>6.59</u>	<u>471.1</u>	<u>40</u>
<u>1200</u> 40 min	<u>53.85</u>	<u>16.68</u>	<u>0.778</u>	<u>3.44</u>	<u>6.50</u>	<u>482.4</u>	<u>36</u>
<u>1205</u> 45 min	<u>53.85</u>	<u>17.30</u>	<u>0.765</u>	<u>3.40</u>	<u>6.53</u>	<u>493.4</u>	<u>26</u>
<u>1210</u> 50 min	<u>53.85</u>	<u>17.39</u>	<u>0.764</u>	<u>3.40</u>	<u>6.50</u>	<u>500.1</u>	<u>19</u>
<u>1215</u> 55 min	<u>53.85</u>	<u>17.12</u>	<u>0.760</u>	<u>3.35</u>	<u>6.48</u>	<u>508.1</u>	<u>19</u>
<u>1220</u> 60 min	<u>53.85</u>	<u>17.23</u>	<u>0.758</u>	<u>3.33</u>	<u>6.42</u>	<u>512.5</u>	<u>17</u>

Water Sample:

Time Collected 1220

Physical Appearance at Start

Color _____
 Odor NONE
 Turbidity (> 100 NTU) 1164
 Sheen/Free Product NONE

Physical Appearance at Sampling

Color clear
 Odor NONE
 Turbidity (> 100 NTU) LOW
 Sheen/Free Product NONE

Samples collected:

Analyses	# Bottles	Bottle size/type	Preservative	Field Filtered
VOCs	2	40 ml Glass	HCL	
Dissolved Metals - Cu, Cr, Ni, Zn, Fe, Mn, Na	1	125 ml Plastic	HNO3	yes
Cyanide	1	125 ml Plastic	NAOH	
Phenols	1	125 ml Plastic	H2SO4	
TOC	2	40 ml Glass	H2SO4	
TOX	1	125 ml Plastic	H2SO4	
Sulfate, Chlorides, SpC	1	500 ml Plastic	None	

Notes:

O'Brien & Gere Engineers, Inc.

Standard Groundwater Sampling Log

Date 6/23/16
 Site Name Coldwater Rd
 Location Flint
 Project No. 62658
 Personnel KBS

Weather cloudy
 Well # B-7
 Evacuation Method low flow
 Sampling Method Bladder pump

Well Information:

Depth of Well * _____ ft.
 Depth to Water * 20.65 ft.
 Length of Water Column _____ ft.
 Volume of Water in Well _____ gal.(s)
 3X Volume of Water in Well _____ gal.(s)

Water Volume /ft. for:
 X 2" Diameter Well = 0.163 X LWC
 4" Diameter Well = 0.653 X LWC
 6" Diameter Well = 1.469 X LWC

Volume removed before sampling 21 gal.(s)
 Did well go dry? _____

(Other, Specify) _____

* Measurements taken from Well Casing Protective Casing

Instrument Calibration:

Calibrated within range

pH yes
 ORP yes
 Conductivity yes
 DO yes

Water parameters:

Pumping Rate: 90 ml/min

	Drawdown measured 0.3 feet or less	Temperature Celsius ±3 percent	Conductivity mS/cm ±0.005 (mS/cm)	Dissolved Oxygen mg/L ±10 percent	pH ±0.1 pH units	ORP mV ±10 millivolts	Turbidity NTUs ±10 percent
initial	<u>23.20</u>	initial <u>15.46</u>	initial <u>1.058</u>	initial <u>10.79</u>	initial <u>7.01</u>	initial <u>252.0</u>	initial <u>136</u>
910 5 min	<u>23.71</u>	<u>14.42</u>	<u>0.978</u>	<u>4.55</u>	<u>6.92</u>	<u>227.7</u>	<u>85</u>
915 10 min	<u>24.12</u>	<u>14.39</u>	<u>0.920</u>	<u>2.48</u>	<u>6.98</u>	<u>53.2</u>	<u>34</u>
920 15 min	<u>24.50</u>	<u>14.58</u>	<u>0.847</u>	<u>1.84</u>	<u>7.04</u>	<u>44.8</u>	<u>25</u>
925 20 min	<u>24.85</u>	<u>14.70</u>	<u>0.811</u>	<u>1.28</u>	<u>7.05</u>	<u>41.6</u>	<u>24</u>
930 25 min	<u>25.14</u>	<u>14.93</u>	<u>0.780</u>	<u>0.99</u>	<u>7.07</u>	<u>39.7</u>	<u>23</u>
935 30 min	<u>25.65</u>	<u>15.00</u>	<u>0.764</u>	<u>0.74</u>	<u>7.10</u>	<u>37.7</u>	<u>20</u>
940 35 min	<u>26.00</u>	<u>14.84</u>	<u>0.749</u>	<u>0.63</u>	<u>7.12</u>	<u>32.2</u>	<u>16</u>
945 40 min	<u>26.24</u>	<u>14.97</u>	<u>0.743</u>	<u>0.51</u>	<u>7.12</u>	<u>37.4</u>	<u>16</u>
950 45 min	<u>26.56</u>	<u>14.91</u>	<u>0.740</u>	<u>0.49</u>	<u>7.13</u>	<u>35.9</u>	<u>14</u>
955 50 min	<u>26.69</u>	<u>15.11</u>	<u>0.737</u>	<u>0.48</u>	<u>7.14</u>	<u>35.4</u>	<u>15</u>
55 min	_____	_____	_____	_____	_____	_____	_____
60 min	_____	_____	_____	_____	_____	_____	_____

Water Sample:

Time Collected 955

Physical Appearance at Start

Physical Appearance at Sampling

Color slightly cloudy
 Odor NONE
 Turbidity (> 100 NTU) _____
 Sheen/Free Product NONE

Color Clear
 Odor NONE
 Turbidity (> 100 NTU) Low
 Sheen/Free Product NONE

Samples collected:

Analyses	# Bottles	Bottle size/type	Preservative	Field Filtered
VOCs	2	40 ml Glass	HCL	
Dissolved Metals - Cu, Cr, Ni, Zn, Fe, Mn, Na	1	125 ml Plastic	HNO3	yes
Cyanide	1	125 ml Plastic	NAOH	
Phenols	1	125 ml Plastic	H2SO4	
TOC	2	40 ml Glass	H2SO4	
TOX	1	125 ml Plastic	H2SO4	
Sulfate, Chlorides, SpC	1	500 ml Plastic	None	

Notes:

O'Brien & Gere Engineers, Inc.

Standard Groundwater Sampling Log

Date 4/24/16
 Site Name Coldwater Rd LF
 Location Flint, MI
 Project No. 020658
 Personnel KBS

Weather Sunny 80's
 Well # B-9
 Evacuation Method peristaltic pump
 Sampling Method low flow

Well Information:

Depth of Well * _____ ft.
 Depth to Water * 9.03 ft.
 Length of Water Column _____ ft.
 Volume of Water in Well _____ gal.(s)
 3X Volume of Water in Well _____ gal.(s)

Water Volume /ft. for:
 X 2" Diameter Well = 0.163 X LWC
 4" Diameter Well = 0.653 X LWC
 6" Diameter Well = 1.469 X LWC

Volume removed before sampling 1/2 gal.(s)
 Did well go dry? NO

* Measurements taken from Well Casing Protective Casing (Other, Specify) _____

Instrument Calibration:

Calibrated within range
 pH yes
 ORP yes
 Conductivity yes
 DO yes

Water parameters:

Pumping Rate 90 ml/min

	Drawdown measured 0.3 feet or less	Temperature Celsius ±3 percent	Conductivity mS/cm ±0.005 (mS/cm)	Dissolved Oxygen mg/L ±10 percent	pH ±0.1 pH units	ORP mV ±10 millivolts	Turbidity NTUs ±10 percent
initial	<u>9.61</u>	initial <u>13.99</u>	initial <u>2.235</u>	initial <u>1.00</u>	initial <u>7.36</u>	initial <u>34.6</u>	initial <u>15</u>
<u>R20</u> 5 min	<u>9.80</u>	<u>13.49</u>	<u>2.165</u>	<u>0.78</u>	<u>7.09</u>	<u>41.6</u>	<u>14</u>
<u>425</u> 10 min	<u>10.24</u>	<u>13.42</u>	<u>2.163</u>	<u>0.68</u>	<u>6.81</u>	<u>22.9</u>	<u>11</u>
<u>1130</u> 15 min	<u>10.82</u>	<u>13.04</u>	<u>2.177</u>	<u>0.70</u>	<u>6.73</u>	<u>21.2</u>	<u>9</u>
<u>1135</u> 20 min	<u>11.41</u>	<u>13.14</u>	<u>2.174</u>	<u>0.74</u>	<u>6.69</u>	<u>21.0</u>	<u>10</u>
<u>1140</u> 25 min	<u>11.83</u>	<u>13.10</u>	<u>2.174</u>	<u>0.73</u>	<u>6.68</u>	<u>21.0</u>	<u>11</u>
<u>1145</u> 30 min	<u>12.41</u>	<u>12.85</u>	<u>2.169</u>	<u>0.69</u>	<u>6.68</u>	<u>21.3</u>	<u>11</u>
35 min							
40 min							
45 min							
50 min							
55 min							
60 min							

Water Sample:

Time Collected 1145

Physical Appearance at Start

Physical Appearance at Sampling

Color clear
 Odor NONE
 Turbidity (> 100 NTU) LOW
 Sheen/Free Product NONE

Color clear
 Odor NONE
 Turbidity (> 100 NTU) LOW
 Sheen/Free Product NONE

Samples collected:

Analyses	# Bottles	Bottle size/type	Preservative	Field Filtered
VOCs	2	40 ml Glass	HCL	
Dissolved Metals - Cu, Cr, Ni, Zn, Fe, Mn, Na	1	125 ml Plastic	HNO3	yes
Cyanide	1	125 ml Plastic	NAOH	
Phenols	1	125 ml Plastic	H2SO4	
TOC	2	40 ml Glass	H2SO4	
TOX	1	125 ml Plastic	H2SO4	
Sulfate, Chlorides, SpC	1	500 ml Plastic	None	

Notes:

O'Brien & Gere Engineers, Inc.

Standard Groundwater Sampling Log

Date 6/23/14
 Site Name Coldwater
 Location Flint
 Project No. 102658
 Personnel KBS

Weather cloudy 70's
 Well # B-18A
 Evacuation Method low flow peristaltic
 Sampling Method low flow

Well Information:

Depth of Well * _____ ft.
 Depth to Water * 24.08 ft.
 Length of Water Column _____ ft.
 Volume of Water in Well _____ gal. (s)
 3X Volume of Water in Well _____ gal. (s)

Water Volume /ft. for:
 X 2" Diameter Well = 0.163 X LWC
 4" Diameter Well = 0.653 X LWC
 6" Diameter Well = 1.469 X LWC

Volume removed before sampling 1/2 gal. (s)
 Did well go dry? No

* Measurements taken from Well Casing Protective Casing (Other, Specify) _____

Instrument Calibration:

Calibrated within range

pH Yes
 ORP Yes
 Conductivity Yes
 DO Yes

Water parameters:

Pumping rate 100 ml/min

	Drawdown measured 0.3 feet or less	Temperature Celsius ±3 percent	Conductivity mS/cm ±0.005 (mS/cm)	Dissolved Oxygen mg/L ±10 percent	pH ±0.1 pH units	ORP mV ±10 millivolts	Turbidity NTUs ±10 percent
initial	<u>24.06</u>	initial <u>14.04</u>	initial <u>1.058</u>	initial <u>1.33</u>	initial <u>7.40</u>	initial <u>30.9</u>	initial <u>14</u>
10:55 5 min	<u>25.00</u>	<u>13.42</u>	<u>1.040</u>	<u>0.44</u>	<u>7.18</u>	<u>35.1</u>	<u>5</u>
11:00 10 min	<u>25.39</u>	<u>13.85</u>	<u>1.040</u>	<u>0.35</u>	<u>7.11</u>	<u>34.4</u>	<u>2</u>
11:05 15 min	<u>25.61</u>	<u>13.79</u>	<u>1.046</u>	<u>0.34</u>	<u>7.08</u>	<u>34.4</u>	<u>2</u>
11:00 20 min	<u>26.04</u>	<u>13.92</u>	<u>1.043</u>	<u>0.31</u>	<u>7.07</u>	<u>34.2</u>	<u>3</u>
11:15 25 min	<u>26.44</u>	<u>13.92</u>	<u>1.043</u>	<u>0.25</u>	<u>7.07</u>	<u>34.1</u>	<u>3</u>
11:20 30 min	<u>26.79</u>	<u>13.84</u>	<u>1.044</u>	<u>0.23</u>	<u>7.07</u>	<u>33.8</u>	<u>3</u>
11:25 35 min	<u>26.99</u>	<u>13.76</u>	<u>1.045</u>	<u>0.2</u>	<u>7.08</u>	<u>33.5</u>	<u>3</u>
40 min							
45 min							
50 min							
55 min							
60 min							

Water Sample:

Time Collected 11:25

Physical Appearance at Start

Physical Appearance at Sampling

Color clear
 Odor NONE
 Turbidity (> 100 NTU) LOW
 Sheen/Free Product NONE

Color clear
 Odor NONE
 Turbidity (> 100 NTU) LOW
 Sheen/Free Product NONE

Samples collected:

Analyses	# Bottles	Bottle size/type	Preservative	Field Filtered
VOCs	2	40 ml Glass	HCL	
Dissolved Metals - Cu, Cr, Ni, Zn, Fe, Mn, Na	1	125 ml Plastic	HNO3	yes
Cyanide	1	125 ml Plastic	NAOH	
Phenols	1	125 ml Plastic	H2SO4	
TOC	2	40 ml Glass	H2SO4	
TOX	1	125 ml Plastic	H2SO4	
Sulfate, Chlorides, SpC	1	500 ml Plastic	None	

Notes:

O'Brien & Gere Engineers, Inc.

Standard Groundwater Sampling Log

Date 6/27/10
 Site Name Coldwater Rd LF
 Location Flint, MI
 Project No. 62658
 Personnel KBS

Weather Sunny 80's
 Well # B-19Ar
 Evacuation Method Bladder Pump
 Sampling Method low flow

Well Information:

Depth of Well * _____ ft.
 Depth to Water * 37.81 ft.
 Length of Water Column _____ ft.
 Volume of Water in Well _____ gal. (s)
 3X Volume of Water in Well _____ gal. (s)

Water Volume /ft. for:
 X 2" Diameter Well = 0.163 X LWC
 4" Diameter Well = 0.653 X LWC
 6" Diameter Well = 1.469 X LWC

Volume removed before sampling 2 1/2 gal. (s)
 Did well go dry? No

* Measurements taken from Well Casing Protective Casing (Other, Specify)

Instrument Calibration:

Calibrated within range

pH Yes
 ORP Yes
 Conductivity Yes
 DO Yes

Water parameters:

Pumping Rate: 85 ml/min

	Drawdown measured 0.3 feet or less	Temperature Celsius ±3 percent	Conductivity mS/cm ±0.005 (mS/cm)	Dissolved Oxygen mg/L ±10 percent	pH ±0.1 pH units	ORP mV ±10 millivolts	Turbidity NTUs ±10 percent
initial	<u>38.41</u>	initial <u>15.91</u>	initial <u>0.824</u>	initial <u>15.37</u>	initial <u>9.35</u>	initial <u>162.8</u>	initial <u>676</u>
8:05 5 min	<u>38.79</u>	<u>14.99</u>	<u>0.823</u>	<u>7.51</u>	<u>10.21</u>	<u>143.8</u>	<u>177</u>
9:00 10 min	<u>39.20</u>	<u>14.90</u>	<u>0.830</u>	<u>5.41</u>	<u>10.48</u>	<u>136.0</u>	<u>152</u>
9:05 15 min	<u>39.35</u>	<u>14.89</u>	<u>0.840</u>	<u>4.53</u>	<u>10.59</u>	<u>134.7</u>	<u>166</u>
9:10 20 min	<u>39.51</u>	<u>14.83</u>	<u>0.842</u>	<u>4.11</u>	<u>10.64</u>	<u>135.4</u>	<u>162</u>
9:15 25 min	<u>39.70</u>	<u>14.86</u>	<u>0.803</u>	<u>3.81</u>	<u>10.60</u>	<u>137.4</u>	<u>120</u>
9:20 30 min	<u>39.80</u>	<u>14.78</u>	<u>0.672</u>	<u>3.71</u>	<u>10.21</u>	<u>151.6</u>	<u>115</u>
9:25 35 min	<u>39.72</u>	<u>14.78</u>	<u>0.655</u>	<u>3.90</u>	<u>9.63</u>	<u>165.8</u>	<u>109</u>
9:30 40 min	<u>40.15</u>	<u>15.17</u>	<u>0.680</u>	<u>3.82</u>	<u>9.14</u>	<u>172.9</u>	<u>109</u>
9:35 45 min	<u>40.24</u>	<u>15.30</u>	<u>0.696</u>	<u>3.91</u>	<u>8.95</u>	<u>175.0</u>	<u>105</u>
9:40 50 min	<u>40.44</u>	<u>15.16</u>	<u>0.717</u>	<u>3.87</u>	<u>8.75</u>	<u>179.5</u>	<u>115</u>
9:45 55 min	<u>40.61</u>	<u>15.24</u>	<u>0.739</u>	<u>3.85</u>	<u>8.57</u>	<u>180.4</u>	<u>119</u>
9:50 60 min	<u>41.25</u>	<u>15.63</u>	<u>0.767</u>	<u>3.86</u>	<u>8.46</u>	<u>190.0</u>	<u>105</u>
9:55	<u>41.40</u>	<u>15.71</u>	<u>0.775</u>	<u>3.93</u>	<u>8.44</u>	<u>192.4</u>	<u>92</u>

Water Sample:

Time Collected 1045

OVER =>

Physical Appearance at Start

Color light gray whitish
 Odor NONE
 Turbidity (> 100 NTU) HIGH
 Sheen/Free Product NONE

Physical Appearance at Sampling

Color slightly cloudy
 Odor NONE
 Turbidity (> 100 NTU) 59
 Sheen/Free Product NONE

Samples collected:

Analyses	# Bottles	Bottle size/type	Preservative	Field Filtered
VOCs	2	40 ml Glass	HCL	
Dissolved Metals - Cu, Cr, Ni, Zn, Fe, Mn, Na	1	125 ml Plastic	HNO3	yes
Cyanide	1	125 ml Plastic	NAOH	
Phenols	1	125 ml Plastic	H2SO4	
TOC	2	40 ml Glass	H2SO4	
TOX	1	125 ml Plastic	H2SO4	
Sulfate, Chlorides, SpC	1	500 ml Plastic	None	

Notes:

B-19 DTW-8.84

B-19A1

PD	Temp	Cond	Do	pH	ORP	Turb
1000 41.64	16.02	0.773	4.12	8.43	192.2	79
1005 41.78	16.57	0.781	4.95	8.40	204.7	75
1010 41.86	17.06	0.768	5.29	8.39	219.1	68
1015 41.95	17.26	0.772	5.45	8.36	237.9	65
1020 42.05	17.66	0.779	5.40	8.29	259.4	58
1025 42.21	18.11	0.786	5.31	8.24	280.2	56
1030	18.45	0.792	5.21	8.20	301.5	56
1035 42.49	18.91	0.790	5.15	8.17	321.8	54
1040 42.61	18.96	0.792	5.08	8.14	328.4	53
1045 42.69	18.75	0.788	5.07	8.13	330.7	54

O'Brien & Gere Engineers, Inc.

Standard Groundwater Sampling Log

Date 6/23/16
 Site Name Coldwater Rd
 Location Flint MI
 Project No. 62658
 Personnel KJS

Weather light Rain 70's
 Well # B-20D
 Evacuation Method Bladder Pump
 Sampling Method low-flow

Well Information:

Depth of Well * _____ ft.
 Depth to Water * 69.49 ft.
 Length of Water Column _____ ft.
 Volume of Water in Well _____ gal.(s)
 3X Volume of Water in Well _____ gal.(s)

Water Volume /ft. for:
 X 2" Diameter Well = 0.163 X LWC
 4" Diameter Well = 0.653 X LWC
 6" Diameter Well = 1.469 X LWC

Volume removed before sampling _____ gal.(s)
 Did well go dry? No

* Measurements taken from Well Casing Protective Casing (Other, Specify) _____

Instrument Calibration:

Calibrated within range

pH yes
 ORP yes
 Conductivity yes
 DO yes

Water parameters:

Pumping Rate 100 ml/min

	Drawdown measured 0.3 feet or less	Temperature Celsius ±3 percent	Conductivity mS/cm ±0.005 (mS/cm)	Dissolved Oxygen mg/L ±10 percent	pH ±0.1 pH units	ORP mV ±10 millivolts	Turbidity NTUs ±10 percent
initial		initial 13.97	initial 0.914	initial 0.51	initial 8.17	initial -66.9	initial 905
1350 5 min	70.02	13.42	0.912	0.20	7.44	-3.1	1017
1355 10 min	69.96	13.31	0.918	0.16	7.29	-0.6	967
1400 15 min	69.96	13.30	0.918	0.15	7.26	0.6	802
1405 20 min	69.96	13.57	0.918	0.15	7.22	1.7	530
1410 25 min	69.96	13.68	0.917	0.17	7.19	2.2	405
1415 30 min	69.96	13.84	0.915	0.20	7.18	3.0	399
1420 35 min	69.96	14.28	0.915	0.25	7.16	4.1	250
1425 40 min	69.96	14.28	0.917	0.26	7.13	3.3	180
1430 45 min	69.96	14.43	0.916	0.29	7.13	3.8	152
1435 50 min	69.96	15.28	0.915	0.26	7.14	3.8	138
1440 55 min	69.96	15.33	0.917	0.27	7.10	7.5	127
1445 60 min	69.96	15.27	0.917	0.23	7.09	1.6	105
1445	69.96	15.61	0.915	0.27	7.07	-0.1	91

Water Sample:

Time Collected 1520

OVER =>

Physical Appearance at Start

Physical Appearance at Sampling

Color light grayish brown
 Odor NONE
 Turbidity (> 100 NTU) HIGH
 Sheen/Free Product NONE

Color slightly cloudy
 Odor NONE
 Turbidity (> 100 NTU) Low
 Sheen/Free Product NONE

Samples collected:

Analyses	# Bottles	Bottle size/type	Preservative	Field Filtered
VOCs	2	40 ml Glass	HCL	
Dissolved Metals - Cu, Cr, Ni, Zn, Fe, Mn, Na	1	125 ml Plastic	HNO3	yes
Cyanide	1	125 ml Plastic	NAOH	
Phenols	1	125 ml Plastic	H2SO4	
TOC	2	40 ml Glass	H2SO4	
TOX	1	125 ml Plastic	H2SO4	
Sulfate, Chlorides, SpC	1	500 ml Plastic	None	

Notes:

B-20D

DD	Temp	Cond	DO	pH	ORP	Turb
450 69.96	16.04	0.915	0.28	7.05	-3.5	71
455 69.96	16.43	0.919	0.27	7.04	-8.6	65
500 69.96	16.62	0.920	0.26	7.01	-10.4	58
505 69.96	16.91	0.920	0.24	7.01	-17.5	47
510 69.96	17.00	0.921	0.22	7.01	-20.6	45
520 69.96	17.41	0.920	0.21	7.01	-26.2	42

sample collected @ 1520

O'Brien & Gere Engineers, Inc.

Standard Groundwater Sampling Log

Date 6/24/16
 Site Name Coldwater Rd LF
 Location Flint, MI
 Project No. 62658
 Personnel KBS

Weather Sunny 80's
 Well # B-81D
 Evacuation Method Bladder Pump
 Sampling Method low flow

Well Information:

Depth of Well * _____ ft.
 Depth to Water * 80.50 ft.
 Length of Water Column _____ ft.
 Volume of Water in Well _____ gal.(s)
 3X Volume of Water in Well _____ gal.(s)

Water Volume /ft. for:
 X 2" Diameter Well = 0.163 X LWC
 4" Diameter Well = 0.653 X LWC
 6" Diameter Well = 1.469 X LWC

Volume removed before sampling 3 gal.(s)
 Did well go dry? No

* Measurements taken from Well Casing Protective Casing (Other, Specify) _____

Instrument Calibration:

Calibrated within range

pH 4.5
 ORP 4.5
 Conductivity 4.5
 DO 4.1

Water parameters:

Pumping Rate = 100 ml/min

	Drawdown measured 0.3 feet or less	Temperature Celsius ±3 percent	Conductivity mS/cm ±0.005 (mS/cm)	Dissolved Oxygen mg/L ±10 percent	pH ±0.1 pH units	ORP mV ±10 millivolts	Turbidity NTUs ±10 percent
initial		initial <u>17.14</u>	initial <u>0.708</u>	initial <u>1.29</u>	initial <u>7.45</u>	initial <u>-103.8</u>	initial <u>1100</u>
1250 5 min	<u>80.75</u>	<u>16.46</u>	<u>0.680</u>	<u>0.86</u>	<u>7.11</u>	<u>-90.7</u>	<u>850</u>
1255 10 min	<u>80.96</u>	<u>16.35</u>	<u>0.684</u>	<u>0.63</u>	<u>6.98</u>	<u>-84.5</u>	<u>590</u>
1300 15 min	<u>81.09</u>	<u>15.38</u>	<u>0.714</u>	<u>0.51</u>	<u>6.93</u>	<u>-81.4</u>	<u>493</u>
1305 20 min	<u>81.12</u>	<u>15.19</u>	<u>0.723</u>	<u>0.52</u>	<u>6.91</u>	<u>-78.5</u>	<u>385</u>
1310 25 min	<u>81.20</u>	<u>14.91</u>	<u>0.733</u>	<u>0.51</u>	<u>6.91</u>	<u>-51.2</u>	<u>323</u>
1315 30 min	<u>81.20</u>	<u>15.00</u>	<u>0.737</u>	<u>0.49</u>	<u>6.88</u>	<u>1.0</u>	<u>251</u>
1320 35 min	<u>81.20</u>	<u>15.01</u>	<u>0.744</u>	<u>0.49</u>	<u>6.88</u>	<u>4.1</u>	<u>224</u>
1325 40 min	<u>81.20</u>	<u>15.01</u>	<u>0.745</u>	<u>0.48</u>	<u>6.90</u>	<u>5.3</u>	<u>170</u>
1330 45 min	<u>81.20</u>	<u>15.06</u>	<u>0.745</u>	<u>0.49</u>	<u>6.90</u>	<u>6.5</u>	<u>146</u>
1335 50 min	<u>81.20</u>	<u>15.18</u>	<u>0.745</u>	<u>0.49</u>	<u>6.94</u>	<u>6.0</u>	<u>125</u>
1340 55 min	<u>81.20</u>	<u>15.23</u>	<u>0.751</u>	<u>0.46</u>	<u>6.98</u>	<u>5.5</u>	<u>115</u>
1345 60 min	<u>81.26</u>	<u>15.27</u>	<u>0.759</u>	<u>0.43</u>	<u>6.95</u>	<u>5.8</u>	<u>106</u>
1350	<u>81.20</u>	<u>15.28</u>	<u>0.764</u>	<u>0.43</u>	<u>6.95</u>	<u>4.1</u>	<u>103</u>

Water Sample:

Time Collected 1420

OVER =>

Physical Appearance at Start

Color light Gray
 Odor NONE
 Turbidity (> 100 NTU) HIGH
 Sheen/Free Product NONE

Physical Appearance at Sampling

Color Slightly cloudy
 Odor NONE
 Turbidity (> 100 NTU) HIGH
 Sheen/Free Product NONE

Samples collected:

Analyses	# Bottles	Bottle size/type	Preservative	Field Filtered
VOCs	2	40 ml Glass	HCL	
Dissolved Metals - Cu, Cr, Ni, Zn, Fe, Mn, Na	1	125 ml Plastic	HNO3	yes
Cyanide	1	125 ml Plastic	NAOH	
Phenols	1	125 ml Plastic	H2SO4	
TOC	2	40 ml Glass	H2SO4	
TOX	1	125 ml Plastic	H2SO4	
Sulfate, Chlorides, SpC	1	500 ml Plastic	None	

Notes:

B-21D

	DD	Temp	Cond	Do	pH	ORP	Turb
1355	81.20	15.39	0.771	0.42	6.95	1.5	88
1400	81.20	15.48	0.770	0.43	6.95	1.9	85
1425	81.20	15.83	0.773	0.44	6.98	0.2	83
1410	81.20	15.44	0.761	0.42	6.98	-1.0	82
1415	81.10	15.36	0.757	0.41	6.98	-0.9	81
1420	81.10	15.20	0.754	0.41	6.94	-3.4	75

Sample
collected 1/4/20

O'Brien & Gere Engineers, Inc.

Standard Groundwater Sampling Log

Date 6/22/16
 Site Name Coldwater Rd
 Location Flint
 Project No. 62658
 Personnel KBS

Weather Mostly sunny 80's
 Well # B-00D
 Evacuation Method low flow
 Sampling Method Bladder Pump

Well Information:

Depth of Well * _____ ft.
 Depth to Water * 84.54 ft.
 Length of Water Column _____ ft.
 Volume of Water in Well _____ gal.(s)
 3X Volume of Water in Well _____ gal.(s)

Water Volume /ft. for:
X 2" Diameter Well = 0.163 X LWC
4" Diameter Well = 0.653 X LWC
6" Diameter Well = 1.469 X LWC

Volume removed before sampling _____ gal.(s)
 Did well go dry? NO

* Measurements taken from Well Casing Protective Casing (Other, Specify) _____

Instrument Calibration:

Calibrated within range

pH Yes
 ORP Yes
 Conductivity Yes
 DO Yes

Water parameters:

pumping rate 150 ml/min

1530
1535
1540
1545
1550
1555
1600
1605
1610
1615
1620

Drawdown measured 0.3 feet or less	Temperature Celsius ±3 percent	Conductivity mS/cm ±0.005 (mS/cm)	Dissolved Oxygen mg/L ±10 percent	pH ±0.1 pH units	ORP mV ±10 millivolts	Turbidity NTUs ±10 percent
initial _____	initial <u>16.89</u>	initial <u>0.743</u>	initial <u>0.46</u>	initial <u>7.38</u>	initial <u>-67.3</u>	initial <u>77</u>
5 min _____	<u>16.12</u>	<u>0.731</u>	<u>0.28</u>	<u>7.98</u>	<u>-90.7</u>	<u>49</u>
10 min <u>84.76</u>	<u>15.50</u>	<u>0.733</u>	<u>0.23</u>	<u>6.87</u>	<u>-82.5</u>	<u>38</u>
15 min <u>84.81</u>	<u>14.42</u>	<u>0.728</u>	<u>0.19</u>	<u>6.83</u>	<u>-77.3</u>	<u>25</u>
20 min <u>84.81</u>	<u>14.07</u>	<u>0.725</u>	<u>0.15</u>	<u>6.88</u>	<u>-77.5</u>	<u>24</u>
25 min <u>84.81</u>	<u>13.80</u>	<u>0.723</u>	<u>0.17</u>	<u>6.97</u>	<u>-79.2</u>	<u>20</u>
30 min <u>84.81</u>	<u>13.49</u>	<u>0.720</u>	<u>0.15</u>	<u>6.99</u>	<u>-78.8</u>	<u>18</u>
35 min <u>84.81</u>	<u>13.87</u>	<u>0.720</u>	<u>0.16</u>	<u>7.04</u>	<u>-62.0</u>	<u>15</u>
40 min <u>84.81</u>	<u>13.52</u>	<u>0.719</u>	<u>0.15</u>	<u>7.08</u>	<u>-58.7</u>	<u>17</u>
45 min <u>84.81</u>	<u>13.30</u>	<u>0.718</u>	<u>0.11</u>	<u>7.12</u>	<u>-57.2</u>	<u>13</u>
50 min <u>84.81</u>	<u>13.11</u>	<u>0.717</u>	<u>0.12</u>	<u>7.15</u>	<u>-53.1</u>	<u>13</u>
55 min <u>84.81</u>	<u>13.01</u>	<u>0.716</u>	<u>0.11</u>	<u>7.19</u>	<u>-49.5</u>	<u>17</u>
60 min _____	_____	_____	_____	_____	_____	_____

Water Sample:

Time Collected 1620

Physical Appearance at Start

Physical Appearance at Sampling

Color slightly cloudy/light gray
 Odor NONE
 Turbidity (> 100 NTU) HIGH
 Sheen/Free Product NONE

Color clear
 Odor NONE
 Turbidity (> 100 NTU) Low
 Sheen/Free Product NONE

Samples collected:

Analyses	# Bottles	Bottle size/type	Preservative	Field Filtered
VOCs	2	40 ml Glass	HCL	
Dissolved Metals - Cu, Cr, Ni, Zn, Fe, Mn, Na	1	125 ml Plastic	HNO3	yes
Cyanide	1	125 ml Plastic	NAOH	
Phenols	1	125 ml Plastic	H2SO4	
TOC	2	40 ml Glass	H2SO4	
TOX	1	125 ml Plastic	H2SO4	
Sulfate, Chlorides, SpC	1	500 ml Plastic	None	

Notes:

DUP-3

O'Brien & Gere Engineers, Inc. Standard Groundwater Sampling Log

Date 6/22/16
 Site Name Coldwater Rd
 Location Flat
 Project No. 62658
 Personnel KBS
 Weather Mostly sunny 80's
 Well # B-03Dr
 Evacuation Method Car flow
 Sampling Method 13L Jdr Pump

Well Information:
 Depth of Well * _____ ft.
 Depth to Water * 81.13 ft.
 Length of Water Column _____ ft.
 Volume of Water in Well _____ gal.(s)
 3X Volume of Water in Well _____ gal.(s)
 Water Volume /ft. for:
 X 2" Diameter Well = 0.163 X LWC
 4" Diameter Well = 0.653 X LWC
 6" Diameter Well = 1.469 X LWC
 Volume removed before sampling 5 gal.(s)
 Did well go dry? NO
 * Measurements taken from Well Casing Protective Casing (Other, Specify) _____

Instrument Calibration: Calibrated within range
 pH yes
 ORP yes
 Conductivity yes
 DO yes

Water parameters: Pumping Rate 170 ml/min

	Drawdown measured 0.3 feet or less	Temperature Celsius ±3 percent	Conductivity mS/cm ±0.005 (mS/cm)	Dissolved Oxygen mg/L ±10 percent	pH ±0.1 pH units	ORP mV ±10 millivolts	Turbidity NTUs ±10 percent
initial	<u>81.13</u>	<u>17.08</u>	<u>0.780</u>	<u>0.54</u>	<u>7.29</u>	<u>-90.0</u>	<u>179</u>
1130 5 min	<u>81.13</u>	<u>15.92</u>	<u>0.809</u>	<u>0.40</u>	<u>7.13</u>	<u>-86.9</u>	<u>214</u>
1135 10 min	<u>81.13</u>	<u>15.04</u>	<u>0.811</u>	<u>0.34</u>	<u>7.04</u>	<u>-85.3</u>	<u>302</u>
1140 15 min	<u>81.13</u>	<u>14.43</u>	<u>0.808</u>	<u>0.32</u>	<u>7.01</u>	<u>-82.8</u>	<u>360</u>
1145 20 min	<u>81.13</u>	<u>14.48</u>	<u>0.799</u>	<u>0.28</u>	<u>7.00</u>	<u>-68.5</u>	<u>388</u>
1150 25 min	<u>81.13</u>	<u>14.64</u>	<u>0.789</u>	<u>0.27</u>	<u>7.00</u>	<u>-68.5</u>	<u>429</u>
1155 30 min	<u>81.13</u>	<u>14.70</u>	<u>0.772</u>	<u>0.26</u>	<u>7.03</u>	<u>-69.1</u>	<u>387</u>
1200 35 min	<u>81.13</u>	<u>14.65</u>	<u>0.759</u>	<u>0.27</u>	<u>7.04</u>	<u>-66.8</u>	<u>358</u>
1205 40 min	<u>81.13</u>	<u>14.66</u>	<u>0.754</u>	<u>0.25</u>	<u>7.05</u>	<u>-67.1</u>	<u>256</u>
1210 45 min	<u>81.13</u>	<u>14.65</u>	<u>0.759</u>	<u>0.26</u>	<u>7.05</u>	<u>-67.6</u>	<u>198</u>
1215 50 min	<u>81.13</u>	<u>14.61</u>	<u>0.759</u>	<u>0.23</u>	<u>7.04</u>	<u>-67.6</u>	<u>186</u>
1220 55 min	<u>81.13</u>	<u>14.50</u>	<u>0.765</u>	<u>0.18</u>	<u>7.04</u>	<u>-67.7</u>	<u>150</u>
1225 60 min	<u>81.13</u>	<u>14.33</u>	<u>0.769</u>	<u>0.26</u>	<u>7.04</u>	<u>-68.5</u>	<u>122</u>
1235	<u>81.13</u>	<u>14.68</u>	<u>0.779</u>	<u>0.20</u>	<u>7.07</u>	<u>-72.3</u>	<u>81</u>

Water Sample: Time Collected 1305 OVER =>
 Physical Appearance at Start _____ Physical Appearance at Sampling _____
 Color light gray Color clear
 Odor NONE Odor NONE
 Turbidity (> 100 NTU) HIGH Turbidity (> 100 NTU) LOW
 Sheen/Free Product NONE Sheen/Free Product NONE

Samples collected:

Analyses	# Bottles	Bottle size/type	Preservative	Field Filtered
VOCs	2	40 ml Glass	HCL	
Dissolved Metals - Cu, Cr, Ni, Zn, Fe, Mn, Na	1	125 ml Plastic	HNO3	yes
Cyanide	1	125 ml Plastic	NAOH	
Phenols	1	125 ml Plastic	H2SO4	
TOC	2	40 ml Glass	H2SO4	
TOX	1	125 ml Plastic	H2SO4	
Sulfate, Chlorides, SpC	1	500 ml Plastic	None	

Notes:

B-23Dr

DD	TEMP	Cond	Do	pH	ORP	Turb
1230 8,13	14.40	0.785	0.18	7.08	-73.9	67
1235	14.43	0.793	0.18	7.08	-75.9	46
1240	14.04	0.797	0.18	7.08	-76.7	38
1245	14.22	0.797	0.17	7.08	-77.1	34
1250	14.61	0.799	0.18	7.08	-77.9	26
1255	14.61	0.800	0.17	7.09	-78.5	24
1300	14.34	0.798	0.17	7.10	-78.7	22
1305	14.61	0.797	0.16	7.10	-79.3	20

Sample collected 1305

O'Brien & Gere Engineers, Inc.

Standard Groundwater Sampling Log

Date 6/23/16
 Site Name Coldwater RD LF
 Location Flint, MI
 Project No. 02658
 Personnel KBS

Weather Mostly sunny 80's
 Well # B-24c
 Evacuation Method peristaltic pump
 Sampling Method low flow

Well Information:

Depth of Well * _____ ft.
 Depth to Water * 14.41 ft.
 Length of Water Column _____ ft.
 Volume of Water in Well _____ gal.(s)
 3X Volume of Water in Well _____ gal.(s)

Water Volume /ft. for:
 X 2" Diameter Well = 0.163 X LWC
 4" Diameter Well = 0.653 X LWC
 6" Diameter Well = 1.469 X LWC

Volume removed before sampling 1/2 gal.(s)
 Did well go dry? NO

* Measurements taken from Well Casing Protective Casing (Other, Specify)

Instrument Calibration:

Calibrated within range
 pH yes
 ORP yes
 Conductivity yes
 DO yes

Water parameters:

pumping rate 90 ml/min

	Drawdown measured 0.3 feet or less	Temperature Celsius ±3 percent	Conductivity mS/cm ±0.005 (mS/cm)	Dissolved Oxygen mg/L ±10 percent	pH ±0.1 pH units	ORP mV ±10 millivolts	Turbidity NTUs ±10 percent
initial	<u>14.85</u>	initial <u>17.80</u>	initial <u>1.295</u>	initial <u>0.26</u>	initial <u>7.18</u>	initial <u>1.4</u>	initial <u>22</u>
1605 5 min	<u>14.95</u>	<u>17.53</u>	<u>1.216</u>	<u>0.22</u>	<u>6.98</u>	<u>7.4</u>	<u>13</u>
1610 10 min	<u>15.32</u>	<u>15.84</u>	<u>1.217</u>	<u>0.19</u>	<u>6.89</u>	<u>6.3</u>	<u>14</u>
1615 15 min	<u>15.50</u>	<u>15.21</u>	<u>1.207</u>	<u>0.17</u>	<u>6.89</u>	<u>23.3</u>	<u>15</u>
1620 20 min	<u>15.80</u>	<u>15.03</u>	<u>1.24</u>	<u>0.16</u>	<u>6.89</u>	<u>24.7</u>	<u>21</u>
1625 25 min	<u>15.85</u>	<u>15.27</u>	<u>1.208</u>	<u>0.17</u>	<u>6.89</u>	<u>25.3</u>	<u>19</u>
1630 30 min	<u>16.07</u>	<u>14.95</u>	<u>1.215</u>	<u>0.16</u>	<u>6.88</u>	<u>24.2</u>	<u>19</u>
35 min							
40 min							
45 min							
50 min							
55 min							
60 min							

Water Sample:

Time Collected 1630

Physical Appearance at Start

Color clear
 Odor NONE
 Turbidity (> 100 NTU) LOW
 Sheen/Free Product NONE

Physical Appearance at Sampling

Color LOW
 Odor NONE
 Turbidity (> 100 NTU) LOW
 Sheen/Free Product NONE

Samples collected:

Analyses	# Bottles	Bottle size/type	Preservative	Field Filtered
VOCs	2	40 ml Glass	HCL	
Dissolved Metals - Cu, Cr, Ni, Zn, Fe, Mn, Na	1	125 ml Plastic	HNO3	yes
Cyanide	1	125 ml Plastic	NAOH	
Phenols	1	125 ml Plastic	H2SO4	
TOC	2	40 ml Glass	H2SO4	
TOX	1	125 ml Plastic	H2SO4	
Sulfate, Chlorides, SpC	1	500 ml Plastic	None	

Notes:

O'Brien & Gere Engineers, Inc.

Standard Groundwater Sampling Log

Date 6/22/10
 Site Name _____
 Location Coldwater Rd
 Project No. 62458
 Personnel KBS

Weather mostly cloudy
 Well # B-27D
 Evacuation Method low flow
 Sampling Method Bladder Pump

Well Information:

Depth of Well * 87.65 ft.
 Depth to Water * 75.90 ft.
 Length of Water Column _____ ft.
 Volume of Water in Well _____ gal.(s)
 3X Volume of Water in Well _____ gal.(s)

Water Volume /ft. for:
 X 2" Diameter Well = 0.163 X LWC
 4" Diameter Well = 0.653 X LWC
 6" Diameter Well = 1.469 X LWC

Volume removed before sampling 2 1/2 gal.(s)
 Did well go dry? No

(Other, Specify) _____

* Measurements taken from Well Casing Protective Casing

Instrument Calibration:

Calibrated within range

pH Yes
 ORP Yes
 Conductivity Yes
 DO Yes

Water parameters:

Pumping Rate 150 ml/min

930
935
940
945
948
955
1000
1005
1010
1015
1020
1025
1030
1035

	Drawdown measured 0.3 feet or less	Temperature Celsius ±3 percent	Conductivity mS/cm ±0.005 (mS/cm)	Dissolved Oxygen mg/L ±10 percent	pH ±0.1 pH units	ORP mV ±10 millivolts	Turbidity NTUs ±10 percent
initial	76.09	16.95	0.650	2.04	6.96	-56.8	130
5 min	76.20	14.40	0.643	1.04	6.98	-72.0	180
10 min	76.22	13.81	0.638	0.67	7.09	-82.7	164
15 min	76.25	13.68	0.639	0.49	7.15	-88.7	147
20 min	76.25	13.43	0.640	0.40	7.18	-91.9	98
25 min	76.25	13.40	0.640	0.31	7.20	-93.5	95
30 min	76.25	13.77	0.642	0.31	7.20	-94.4	78
35 min	76.25	13.95	0.641	0.26	7.20	-94.4	75
40 min	76.25	14.12	0.644	0.25	7.20	-93.3	71
45 min	76.25	13.92	0.642	0.23	7.19	-92.3	71
50 min	76.25	14.00	0.643	0.22	7.18	-87.3	61
55 min	76.25	13.75	0.641	0.21	7.19	-83.4	51
60 min	76.25	13.84	0.643	0.20	7.19	-40.1	46
	76.25	14.00	0.645	0.20	7.20	-50.6	45
	76.25	14.05	0.645	0.19	7.20	-55.0	42

Water Sample:

Time Collected 1035

Physical Appearance at Start

Color light gray
 Odor NONE
 Turbidity (> 100 NTU) _____
 Sheen/Free Product NONE

Physical Appearance at Sampling

Color _____
 Odor _____
 Turbidity (> 100 NTU) _____
 Sheen/Free Product NONE

Samples collected:

Analyses	# Bottles	Bottle size/type	Preservative	Field Filtered
VOCs	3	40 ml Glass	HCL	
Dissolved Metals - Cu, Cr, Ni, Zn, Fe, Mn, Na	1	125 ml Plastic	HNO3	yes
Cyanide	1	125 ml Plastic	NAOH	
Phenols	1	125 ml Plastic	H2SO4	
TOC	2	40 ml Glass	H2SO4	
TOX	1	125 ml Plastic	H2SO4	
Sulfate, Chlorides, SpC	1	500 ml Plastic	None	

Notes:

O'Brien & Gere Engineers, Inc. Standard Groundwater Sampling Log

Date 10/24/16
 Site Name Coldwater Weather Sunny 80's
 Location Flint, MI Well # B-28
 Project No. 62658 Evacuation Method Peristaltic Pump
 Personnel KBS Sampling Method low flow

Well Information:
 Depth of Well * _____ ft.
 Depth to Water * 7.48 ft.
 Length of Water Column _____ ft.
 Volume of Water in Well _____ gal.(s)
 3X Volume of Water in Well _____ gal.(s)
 Water Volume /ft. for:
 X 2" Diameter Well = 0.163 X LWC
 4" Diameter Well = 0.653 X LWC
 6" Diameter Well = 1.469 X LWC
 Volume removed before sampling 1 gal.(s)
 Did well go dry? No
 (Other, Specify) _____
 * Measurements taken from Well Casing Protective Casing

Instrument Calibration: Calibrated within range
 pH Yes
 ORP Yes
 Conductivity Yes
 DO Yes

Water parameters: Pumping rate 90 ml/min

	Drawdown measured 0.3 feet or less	Temperature Celsius ±3 percent	Conductivity mS/cm ±0.005 (mS/cm)	Dissolved Oxygen mg/L ±10 percent	pH ±0.1 pH units	ORP mV ±10 millivolts	Turbidity NTUs ±10 percent
initial	<u>8.03</u>	initial <u>15.18</u>	initial <u>0.936</u>	initial <u>3.19</u>	initial <u>7.15</u>	initial <u>80.1</u>	initial <u>17</u>
9:40	<u>8.40</u>	<u>14.62</u>	<u>0.885</u>	<u>1.69</u>	<u>7.04</u>	<u>-87.5</u>	<u>10</u>
9:45	<u>8.79</u>	<u>14.31</u>	<u>0.880</u>	<u>1.07</u>	<u>7.12</u>	<u>-52.2</u>	<u>5</u>
9:50	<u>9.09</u>	<u>14.04</u>	<u>0.870</u>	<u>0.81</u>	<u>7.14</u>	<u>-39.3</u>	<u>7</u>
9:55	<u>9.32</u>	<u>13.95</u>	<u>0.871</u>	<u>0.72</u>	<u>7.16</u>	<u>-32.2</u>	<u>6</u>
10:00	<u>9.57</u>	<u>13.94</u>	<u>0.868</u>	<u>0.68</u>	<u>7.16</u>	<u>-25.6</u>	<u>6</u>
10:05	<u>9.73</u>	<u>14.02</u>	<u>0.866</u>	<u>0.60</u>	<u>7.16</u>	<u>-16.8</u>	<u>4</u>
10:10	<u>9.86</u>	<u>14.28</u>	<u>0.865</u>	<u>0.55</u>	<u>7.16</u>	<u>-16.0</u>	<u>4</u>
10:15	<u>9.94</u>	<u>14.99</u>	<u>0.859</u>	<u>0.53</u>	<u>7.18</u>	<u>-14.8</u>	<u>3</u>
45 min	_____	_____	_____	_____	_____	_____	_____
50 min	_____	_____	_____	_____	_____	_____	_____
55 min	_____	_____	_____	_____	_____	_____	_____
60 min	_____	_____	_____	_____	_____	_____	_____

Water Sample: Time Collected 10:15
 Physical Appearance at Start _____ Physical Appearance at Sampling _____
 Color clear Color clear
 Odor NONE Odor NONE
 Turbidity (> 100 NTU) LOW Turbidity (> 100 NTU) LOW
 Sheen/Free Product NONE Sheen/Free Product NONE

Samples collected:

Analyses	# Bottles	Bottle size/type	Preservative	Field Filtered
VOCs	2	40 ml Glass	HCL	
Dissolved Metals - Cu, Cr, Ni, Zn, Fe, Mn, Na	1	125 ml Plastic	HNO3	yes
Cyanide	1	125 ml Plastic	NAOH	
Phenols	1	125 ml Plastic	H2SO4	
TOC	2	40 ml Glass	H2SO4	
TOX	1	125 ml Plastic	H2SO4	
Sulfate, Chlorides, SpC	1	500 ml Plastic	None	

Notes:



APPENDIX C
Analytical Results



Analytical Laboratory Report

Report ID: S74364.01(01)
Generated on 07/13/2016

Report to

Attention: Clifford Yantz
O'Brien & Gere Engineers, Inc.
37000 Grand River Ave.
Suite 260
Farmington, MI 48335

Phone: 248-477-5701 FAX:
Email: Clifford.Yantz@obg.com

Report produced by

Merit Laboratories, Inc.
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:
Kevin George (kgeorge@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S74364.01-S74364.06
Project: RACER Coldwater Rd LF Semiannual Sampling
Collected Date: 06/22/2016 - 06/23/2016
Submitted Date/Time: 06/24/2016 09:24
Sampled by: Kevin Schneider
P.O. #: 11600279

Table of Contents

Cover Page (Page 1)
General Report Notes (Page 2)
Report Narrative (Page 2)
Laboratory Certifications (Page 3)
Qualifier Descriptions (Page 3)
Glossary of Abbreviations (Page 3)
Method Summary (Page 4)
Sample Summary (Page 5)

Maya Murshak
Technical Director



Analytical Laboratory Report

General Report Notes

Results relate only to items tested as received by laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Report Narrative

There is no additional narrative for this analytical report



Analytical Laboratory Report

Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods



Analytical Laboratory Report

Method Summary

Method	Version
E120.1	EPA Method 120.1 Revision 1982
E200.8	EPA Method 200.8 Revision 5.4
E300.0	EPA Method 300.0 Revision 2.1
E335.4/SM4500-CN	EPA Method 335.4 Revision 1.0 / Standard Method 4500-CN E 20th Edition
E420.1	EPA Method 420.1 Editorial Revision 1978
N/A	Not Applicable
SM5310C	Standard Method 5310C 20th Edition
SW3015A	SW 846 Method 3015A Revision 1 February 2007
SW8260C	SW 846 Method 8260C Revision 3 August 2006
SW9020B	SW 846 Method 9020B Revision 2 September 1994



Analytical Laboratory Report

Sample Summary (6 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S74364.01	B-27D	Groundwater	06/22/16 10:35
S74364.02	B-23Dr	Groundwater	06/22/16 13:05
S74364.03	B-22D	Groundwater	06/22/16 16:20
S74364.04	DUP-3	Groundwater	06/22/16 00:01
S74364.05	B-7	Groundwater	06/23/16 09:55
S74364.06	Trip Blank-2	Quality Control	06/23/16 00:01



Analytical Laboratory Report

Lab Sample ID: S74364.01
 Sample Tag: B-27D
 Collected Date/Time: 06/22/2016 10:35
 Matrix: Groundwater
 COC Reference: 093031

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	6.0	IR
1	500ml Plastic	None	Yes	6.0	IR
2	125ml Plastic	HNO3	Yes	6.0	IR
2	40ml Glass	H2SO4	Yes	6.0	IR
1	125ml Amber	H2SO4	Yes	6.0	IR
1	125ml Plastic	NaOH	Yes	6.0	IR
1	1L Amber	H2SO4	Yes	6.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Extraction / Prep.								
Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM		
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM		
pH check for VOCs	<2	STD Units		N/A	06/29/16 12:00	JML		
Inorganics								
Chloride	Not detected	mg/L	5	E300.0	06/28/16 14:29	JDP	16887-00-6	
Conductivity	640	umhos/cm		E120.1	07/01/16 14:10	JKB		
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/28/16 11:38	JDP	57-12-5	
Phenols	Not detected	mg/L	0.02	E420.1	07/05/16 16:08	JKB		
Sulfate	15	mg/L	5	E300.0	06/28/16 14:29	JDP	14808-79-8	
TOC	1.6	mg/L	1	SM5310C	07/01/16 13:27	JKB		
Metals								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:30	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:30	CCM	7440-50-8	
Iron, Dissolved	0.93	mg/L	0.02	E200.8	07/01/16 11:30	CCM	7439-89-6	
Manganese, Dissolved	0.020	mg/L	0.005	E200.8	07/01/16 11:30	CCM	7439-96-5	
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:30	CCM	7440-02-0	
Sodium	33.2	mg/L	0.50	E200.8	06/28/16 17:23	CCM	7440-23-5	
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:30	CCM	7440-66-6	
Organics - Volatiles								
Volatile Organics - DEQ List								
Diethyl ether	Not detected	ug/L	10	SW8260C	06/29/16 04:46	JGH	60-29-7	
Acetone	Not detected	ug/L	50	SW8260C	06/29/16 04:46	JGH	67-64-1	
Methyl iodide	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	74-88-4	
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	75-15-0	
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	1634-04-4	
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/29/16 04:46	JGH	107-13-1	
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/29/16 04:46	JGH	78-93-3	
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	75-71-8	
Chloromethane	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	74-87-3	
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	75-01-4	
Bromomethane	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	74-83-9	
Chloroethane	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	75-00-3	
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	75-69-4	
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	75-35-4	



Analytical Laboratory Report

Lab Sample ID: S74364.01 (continued)

Sample Tag: B-27D

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	75-09-2	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	156-60-5	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	75-34-3	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	156-59-2	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/29/16 04:46	JGH	109-99-9	
Chloroform	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	67-66-3	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	74-97-5	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	71-55-6	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/29/16 04:46	JGH	108-10-1	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/29/16 04:46	JGH	591-78-6	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	56-23-5	
Benzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	71-43-2	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	107-06-2	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	79-01-6	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	78-87-5	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	75-27-4	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	74-95-3	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	10061-01-5	
Toluene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	108-88-3	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	10061-02-6	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	79-00-5	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	127-18-4	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	110-57-6	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	124-48-1	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	106-93-4	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	108-90-7	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	630-20-6	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	100-41-4	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/29/16 04:46	JGH		
o-Xylene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	95-47-6	
Styrene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	100-42-5	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	98-82-8	
Bromoform	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	75-25-2	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	79-34-5	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	96-18-4	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	103-65-1	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	108-86-1	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	108-67-8	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	98-06-6	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	95-63-6	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	135-98-8	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	99-87-6	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	541-73-1	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	106-46-7	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	95-50-1	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	526-73-8	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 04:46	JGH	104-51-8	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	67-72-1	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	96-12-8	



Analytical Laboratory Report

Lab Sample ID: S74364.01 (continued)

Sample Tag: B-27D

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	120-82-1	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	87-61-6	
Naphthalene	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	91-20-3	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/29/16 04:46	JGH	91-57-6	
Organics								
TOX	30	ug/L	10	SW9020B	07/13/16 14:02	TES		O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74364.02
 Sample Tag: B-23Dr
 Collected Date/Time: 06/22/2016 13:05
 Matrix: Groundwater
 COC Reference: 093031

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	6.0	IR
1	500ml Plastic	None	Yes	6.0	IR
2	125ml Plastic	HNO3	Yes	6.0	IR
2	40ml Glass	H2SO4	Yes	6.0	IR
1	125ml Amber	H2SO4	Yes	6.0	IR
1	125ml Plastic	NaOH	Yes	6.0	IR
1	1L Amber	H2SO4	Yes	6.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Extraction / Prep.								
Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM		
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM		
pH check for VOCs	<2	STD Units		N/A	06/29/16 12:00	JML		
Inorganics								
Chloride	30	mg/L	5	E300.0	06/28/16 14:42	JDP	16887-00-6	
Conductivity	788	umhos/cm		E120.1	07/01/16 14:14	JKB		
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/28/16 11:46	JDP	57-12-5	
Phenols	Not detected	mg/L	0.02	E420.1	07/05/16 16:12	JKB		
Sulfate	54	mg/L	5	E300.0	06/28/16 14:42	JDP	14808-79-8	
TOC	1.5	mg/L	1	SM5310C	07/01/16 14:09	JKB		
Metals								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:33	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:33	CCM	7440-50-8	
Iron, Dissolved	1.60	mg/L	0.02	E200.8	07/01/16 11:33	CCM	7439-89-6	
Manganese, Dissolved	0.038	mg/L	0.005	E200.8	07/01/16 11:33	CCM	7439-96-5	
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:33	CCM	7440-02-0	
Sodium	23.5	mg/L	0.50	E200.8	06/28/16 17:24	CCM	7440-23-5	
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:33	CCM	7440-66-6	
Organics - Volatiles								
Volatile Organics - DEQ List								
Diethyl ether	Not detected	ug/L	10	SW8260C	06/29/16 05:08	JGH	60-29-7	
Acetone	Not detected	ug/L	50	SW8260C	06/29/16 05:08	JGH	67-64-1	
Methyl iodide	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	74-88-4	
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	75-15-0	
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	1634-04-4	
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/29/16 05:08	JGH	107-13-1	
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/29/16 05:08	JGH	78-93-3	
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	75-71-8	
Chloromethane	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	74-87-3	
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	75-01-4	
Bromomethane	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	74-83-9	
Chloroethane	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	75-00-3	
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	75-69-4	
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	75-35-4	



Analytical Laboratory Report

Lab Sample ID: S74364.02 (continued)

Sample Tag: B-23Dr

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	75-09-2	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	156-60-5	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	75-34-3	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	156-59-2	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/29/16 05:08	JGH	109-99-9	
Chloroform	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	67-66-3	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	74-97-5	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	71-55-6	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/29/16 05:08	JGH	108-10-1	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/29/16 05:08	JGH	591-78-6	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	56-23-5	
Benzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	71-43-2	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	107-06-2	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	79-01-6	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	78-87-5	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	75-27-4	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	74-95-3	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	10061-01-5	
Toluene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	108-88-3	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	10061-02-6	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	79-00-5	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	127-18-4	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	110-57-6	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	124-48-1	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	106-93-4	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	108-90-7	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	630-20-6	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	100-41-4	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/29/16 05:08	JGH		
o-Xylene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	95-47-6	
Styrene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	100-42-5	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	98-82-8	
Bromoform	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	75-25-2	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	79-34-5	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	96-18-4	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	103-65-1	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	108-86-1	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	108-67-8	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	98-06-6	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	95-63-6	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	135-98-8	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	99-87-6	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	541-73-1	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	106-46-7	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	95-50-1	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	526-73-8	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:08	JGH	104-51-8	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	67-72-1	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	96-12-8	



Analytical Laboratory Report

Lab Sample ID: S74364.02 (continued)

Sample Tag: B-23Dr

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	120-82-1	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	87-61-6	
Naphthalene	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	91-20-3	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/29/16 05:08	JGH	91-57-6	
Organics								
TOX	60	ug/L	10	SW9020B	07/13/16 14:02	TES		O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74364.03
 Sample Tag: B-22D
 Collected Date/Time: 06/22/2016 16:20
 Matrix: Groundwater
 COC Reference: 093031

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	6.0	IR
1	500ml Plastic	None	Yes	6.0	IR
2	125ml Plastic	HNO3	Yes	6.0	IR
2	40ml Glass	H2SO4	Yes	6.0	IR
1	125ml Amber	H2SO4	Yes	6.0	IR
1	125ml Plastic	NaOH	Yes	6.0	IR
1	1L Amber	H2SO4	Yes	6.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Extraction / Prep.								
Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM		
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM		
pH check for VOCs	<2	STD Units		N/A	06/29/16 12:00	JML		
Inorganics								
Chloride	Not detected	mg/L	5	E300.0	06/28/16 14:55	JDP	16887-00-6	
Conductivity	716	umhos/cm		E120.1	07/01/16 14:16	JKB		
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/28/16 11:48	JDP	57-12-5	
Phenols	Not detected	mg/L	0.02	E420.1	07/05/16 16:16	JKB		
Sulfate	54	mg/L	5	E300.0	06/28/16 14:55	JDP	14808-79-8	
TOC	2.4	mg/L	1	SM5310C	07/01/16 14:30	JKB		
Metals								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:36	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:36	CCM	7440-50-8	
Iron, Dissolved	0.92	mg/L	0.02	E200.8	07/01/16 11:36	CCM	7439-89-6	
Manganese, Dissolved	0.027	mg/L	0.005	E200.8	07/01/16 11:36	CCM	7439-96-5	
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:36	CCM	7440-02-0	
Sodium	27.1	mg/L	0.50	E200.8	06/28/16 17:26	CCM	7440-23-5	
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:36	CCM	7440-66-6	
Organics - Volatiles								
Volatile Organics - DEQ List								
Diethyl ether	Not detected	ug/L	10	SW8260C	06/29/16 05:30	JGH	60-29-7	
Acetone	Not detected	ug/L	50	SW8260C	06/29/16 05:30	JGH	67-64-1	
Methyl iodide	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	74-88-4	
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	75-15-0	
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	1634-04-4	
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/29/16 05:30	JGH	107-13-1	
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/29/16 05:30	JGH	78-93-3	
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	75-71-8	
Chloromethane	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	74-87-3	
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	75-01-4	
Bromomethane	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	74-83-9	
Chloroethane	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	75-00-3	
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	75-69-4	
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	75-35-4	



Analytical Laboratory Report

Lab Sample ID: S74364.03 (continued)

Sample Tag: B-22D

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	75-09-2	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	156-60-5	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	75-34-3	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	156-59-2	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/29/16 05:30	JGH	109-99-9	
Chloroform	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	67-66-3	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	74-97-5	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	71-55-6	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/29/16 05:30	JGH	108-10-1	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/29/16 05:30	JGH	591-78-6	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	56-23-5	
Benzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	71-43-2	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	107-06-2	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	79-01-6	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	78-87-5	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	75-27-4	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	74-95-3	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	10061-01-5	
Toluene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	108-88-3	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	10061-02-6	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	79-00-5	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	127-18-4	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	110-57-6	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	124-48-1	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	106-93-4	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	108-90-7	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	630-20-6	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	100-41-4	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/29/16 05:30	JGH		
o-Xylene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	95-47-6	
Styrene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	100-42-5	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	98-82-8	
Bromoform	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	75-25-2	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	79-34-5	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	96-18-4	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	103-65-1	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	108-86-1	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	108-67-8	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	98-06-6	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	95-63-6	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	135-98-8	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	99-87-6	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	541-73-1	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	106-46-7	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	95-50-1	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	526-73-8	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:30	JGH	104-51-8	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	67-72-1	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	96-12-8	



Analytical Laboratory Report

Lab Sample ID: S74364.03 (continued)

Sample Tag: B-22D

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	120-82-1	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	87-61-6	
Naphthalene	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	91-20-3	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/29/16 05:30	JGH	91-57-6	
Organics								
TOX	100	ug/L	10	SW9020B	07/13/16 14:02	TES		O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74364.04
 Sample Tag: DUP-3
 Collected Date/Time: 06/22/2016 00:01
 Matrix: Groundwater
 COC Reference: 093031

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	6.0	IR
1	500ml Plastic	None	Yes	6.0	IR
2	125ml Plastic	HNO3	Yes	6.0	IR
2	40ml Glass	H2SO4	Yes	6.0	IR
1	125ml Amber	H2SO4	Yes	6.0	IR
1	125ml Plastic	NaOH	Yes	6.0	IR
1	1L Amber	H2SO4	Yes	6.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Extraction / Prep.								
Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM		
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM		
pH check for VOCs	<2	STD Units		N/A	06/29/16 12:00	JML		
Inorganics								
Chloride	Not detected	mg/L	5	E300.0	06/28/16 16:37	JDP	16887-00-6	
Conductivity	716	umhos/cm		E120.1	07/01/16 14:18	JKB		
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/28/16 11:50	JDP	57-12-5	
Phenols	Not detected	mg/L	0.02	E420.1	07/05/16 16:18	JKB		
Sulfate	54	mg/L	5	E300.0	06/28/16 16:37	JDP	14808-79-8	
TOC	2.4	mg/L	1	SM5310C	07/01/16 14:51	JKB		
Metals								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:39	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:39	CCM	7440-50-8	
Iron, Dissolved	0.95	mg/L	0.02	E200.8	07/01/16 11:39	CCM	7439-89-6	
Manganese, Dissolved	0.028	mg/L	0.005	E200.8	07/01/16 11:39	CCM	7439-96-5	
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:39	CCM	7440-02-0	
Sodium	27.3	mg/L	0.50	E200.8	06/28/16 17:27	CCM	7440-23-5	
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:39	CCM	7440-66-6	
Organics - Volatiles								
Volatile Organics - DEQ List								
Diethyl ether	Not detected	ug/L	10	SW8260C	06/29/16 05:52	JGH	60-29-7	
Acetone	Not detected	ug/L	50	SW8260C	06/29/16 05:52	JGH	67-64-1	
Methyl iodide	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	74-88-4	
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	75-15-0	
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	1634-04-4	
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/29/16 05:52	JGH	107-13-1	
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/29/16 05:52	JGH	78-93-3	
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	75-71-8	
Chloromethane	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	74-87-3	
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	75-01-4	
Bromomethane	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	74-83-9	
Chloroethane	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	75-00-3	
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	75-69-4	
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	75-35-4	



Analytical Laboratory Report

Lab Sample ID: S74364.04 (continued)

Sample Tag: DUP-3

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	75-09-2	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	156-60-5	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	75-34-3	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	156-59-2	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/29/16 05:52	JGH	109-99-9	
Chloroform	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	67-66-3	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	74-97-5	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	71-55-6	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/29/16 05:52	JGH	108-10-1	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/29/16 05:52	JGH	591-78-6	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	56-23-5	
Benzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	71-43-2	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	107-06-2	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	79-01-6	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	78-87-5	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	75-27-4	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	74-95-3	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	10061-01-5	
Toluene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	108-88-3	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	10061-02-6	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	79-00-5	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	127-18-4	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	110-57-6	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	124-48-1	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	106-93-4	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	108-90-7	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	630-20-6	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	100-41-4	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/29/16 05:52	JGH		
o-Xylene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	95-47-6	
Styrene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	100-42-5	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	98-82-8	
Bromoform	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	75-25-2	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	79-34-5	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	96-18-4	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	103-65-1	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	108-86-1	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	108-67-8	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	98-06-6	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	95-63-6	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	135-98-8	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	99-87-6	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	541-73-1	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	106-46-7	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	95-50-1	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	526-73-8	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 05:52	JGH	104-51-8	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	67-72-1	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	96-12-8	



Analytical Laboratory Report

Lab Sample ID: S74364.04 (continued)

Sample Tag: DUP-3

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	120-82-1	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	87-61-6	
Naphthalene	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	91-20-3	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/29/16 05:52	JGH	91-57-6	
Organics								
TOX	29	ug/L	10	SW9020B	07/13/16 14:02	TES		O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74364.05
 Sample Tag: B-7
 Collected Date/Time: 06/23/2016 09:55
 Matrix: Groundwater
 COC Reference: 093031

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	6.0	IR
1	500ml Plastic	None	Yes	6.0	IR
2	125ml Plastic	HNO3	Yes	6.0	IR
2	40ml Glass	H2SO4	Yes	6.0	IR
1	125ml Amber	H2SO4	Yes	6.0	IR
1	125ml Plastic	NaOH	Yes	6.0	IR
1	1L Amber	H2SO4	Yes	6.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Extraction / Prep.								
Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM		
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM		
pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML		
Inorganics								
Chloride	22	mg/L	5	E300.0	06/28/16 15:21	JDP	16887-00-6	
Conductivity	852	umhos/cm		E120.1	07/01/16 14:20	JKB		
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/28/16 11:52	JDP	57-12-5	
Phenols	Not detected	mg/L	0.02	E420.1	07/05/16 16:20	JKB		
Sulfate	82	mg/L	5	E300.0	06/28/16 15:21	JDP	14808-79-8	
TOC	3.9	mg/L	1	SM5310C	07/01/16 15:12	JKB		
Metals								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:41	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:41	CCM	7440-50-8	
Iron, Dissolved	0.03	mg/L	0.02	E200.8	07/01/16 11:41	CCM	7439-89-6	
Manganese, Dissolved	0.041	mg/L	0.005	E200.8	07/01/16 11:41	CCM	7439-96-5	
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:41	CCM	7440-02-0	
Sodium	41.7	mg/L	0.50	E200.8	06/28/16 17:28	CCM	7440-23-5	
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:41	CCM	7440-66-6	
Organics - Volatiles								
Volatile Organics - DEQ List								
Diethyl ether	Not detected	ug/L	10	SW8260C	06/29/16 16:18	JGH	60-29-7	
Acetone	Not detected	ug/L	50	SW8260C	06/29/16 16:18	JGH	67-64-1	
Methyl iodide	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	74-88-4	
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	75-15-0	
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	1634-04-4	
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/29/16 16:18	JGH	107-13-1	
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/29/16 16:18	JGH	78-93-3	
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	75-71-8	
Chloromethane	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	74-87-3	
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	75-01-4	
Bromomethane	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	74-83-9	
Chloroethane	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	75-00-3	
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	75-69-4	
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	75-35-4	



Analytical Laboratory Report

Lab Sample ID: S74364.05 (continued)

Sample Tag: B-7

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	75-09-2	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	156-60-5	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	75-34-3	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	156-59-2	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/29/16 16:18	JGH	109-99-9	
Chloroform	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	67-66-3	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	74-97-5	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	71-55-6	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/29/16 16:18	JGH	108-10-1	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/29/16 16:18	JGH	591-78-6	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	56-23-5	
Benzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	71-43-2	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	107-06-2	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	79-01-6	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	78-87-5	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	75-27-4	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	74-95-3	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	10061-01-5	
Toluene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	108-88-3	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	10061-02-6	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	79-00-5	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	127-18-4	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	110-57-6	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	124-48-1	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	106-93-4	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	108-90-7	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	630-20-6	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	100-41-4	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/29/16 16:18	JGH		
o-Xylene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	95-47-6	
Styrene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	100-42-5	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	98-82-8	
Bromoform	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	75-25-2	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	79-34-5	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	96-18-4	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	103-65-1	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	108-86-1	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	108-67-8	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	98-06-6	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	95-63-6	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	135-98-8	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	99-87-6	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	541-73-1	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	106-46-7	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	95-50-1	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	526-73-8	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 16:18	JGH	104-51-8	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	67-72-1	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	96-12-8	



Analytical Laboratory Report

Lab Sample ID: S74364.05 (continued)

Sample Tag: B-7

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	120-82-1	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	87-61-6	
Naphthalene	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	91-20-3	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/29/16 16:18	JGH	91-57-6	
Organics								
TOX	77	ug/L	10	SW9020B	07/13/16 14:02	TES		O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74364.06
 Sample Tag: Trip Blank-2
 Collected Date/Time: 06/23/2016 00:01
 Matrix: Quality Control
 COC Reference: 093031

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
2	40ml Glass	HCL	Yes	6.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
----------	---------	-------	----	--------	---------------	------	-------	-------

Extraction / Prep.

pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML		
-------------------	----	-----------	--	-----	----------------	-----	--	--

Organics - Volatiles

Volatile Organics - DEQ List

Diethyl ether	Not detected	ug/L	10	SW8260C	06/29/16 14:06	JGH	60-29-7	
Acetone	Not detected	ug/L	50	SW8260C	06/29/16 14:06	JGH	67-64-1	
Methyl iodide	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	74-88-4	
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	75-15-0	
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	1634-04-4	
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/29/16 14:06	JGH	107-13-1	
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/29/16 14:06	JGH	78-93-3	
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	75-71-8	
Chloromethane	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	74-87-3	
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	75-01-4	
Bromomethane	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	74-83-9	
Chloroethane	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	75-00-3	
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	75-69-4	
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	75-35-4	
Methylene chloride	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	75-09-2	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	156-60-5	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	75-34-3	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	156-59-2	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/29/16 14:06	JGH	109-99-9	
Chloroform	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	67-66-3	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	74-97-5	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	71-55-6	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/29/16 14:06	JGH	108-10-1	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/29/16 14:06	JGH	591-78-6	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	56-23-5	
Benzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	71-43-2	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	107-06-2	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	79-01-6	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	78-87-5	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	75-27-4	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	74-95-3	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	10061-01-5	
Toluene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	108-88-3	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	10061-02-6	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	79-00-5	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	127-18-4	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	110-57-6	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	124-48-1	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	106-93-4	



Analytical Laboratory Report

Lab Sample ID: S74364.06 (continued)

Sample Tag: Trip Blank-2

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	108-90-7	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	630-20-6	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	100-41-4	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/29/16 14:06	JGH		
o-Xylene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	95-47-6	
Styrene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	100-42-5	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	98-82-8	
Bromoform	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	75-25-2	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	79-34-5	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	96-18-4	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	103-65-1	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	108-86-1	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	108-67-8	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	98-06-6	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	95-63-6	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	135-98-8	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	99-87-6	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	541-73-1	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	106-46-7	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	95-50-1	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	526-73-8	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 14:06	JGH	104-51-8	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	67-72-1	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	96-12-8	
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	120-82-1	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	87-61-6	
Naphthalene	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	91-20-3	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/29/16 14:06	JGH	91-57-6	



2680 East Lansing Dr., East Lansing, MI 48823
 Phone (517) 332-0167 Fax (517) 332-4034
 www.meritlabs.com

C.O.C. PAGE # 1 OF 1

093031

REPORT TO

CHAIN OF CUSTODY RECORD

INVOICE TO

CONTACT NAME: Clifford Yantz
 COMPANY: O'Brien & Gere
 ADDRESS: 37000 Grand River
 CITY: Farmington Hills STATE: MI ZIP CODE: 48335
 PHONE NO.: 248-477-5701 FAX NO.:
 E-MAIL ADDRESS: clifford.yantz@obg.com
 QUOTE NO.: 11600279

CONTACT NAME: SAME
 COMPANY:
 ADDRESS:
 CITY: STATE: ZIP CODE:
 PHONE NO.: E-MAIL ADDRESS:

ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)

PROJECT NO./NAME: RACER Coldwater Rd LF semiannual sampling
 SAMPLER(S) - PLEASE PRINT/SIGN NAME: Kevin Schneider X LLC
 TURNAROUND TIME REQUIRED: 1 DAY 2 DAYS 3 DAYS STANDARD OTHER
 DELIVERABLES REQUIRED: STD LEVEL II LEVEL III LEVEL IV EDD OTHER

MATRIX CODE: GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID
 SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE

Containers & Preservatives

MERIT LAB NO. <small>FOR LAB USE ONLY</small>	YEAR		SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	NONE	HCl	HNO ₃	H ₂ SO ₄	NaOH	MeOH	OTHER	VOCs	TOC	TOX	Phenols	Cyanide	sulfate	specific conductivity	Dissolved metals	Chlorides	Sodium	Certifications		Project Locations		Special Instructions
	DATE	TIME																					<input type="checkbox"/> OHIO VAP	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> DoD	<input type="checkbox"/> NPDES	
74364.01	6/22/16	1035	B-27D	GW	11		1	3	2	4	1		X	X	X	X	X	X	X	X	X	X					Dissolved metals:
.02	↓	1305	B-23Dr	↓	11		1	3	2	4	1		X	X	X	X	X	X	X	X	X	X					Cu, Cr, Ni, Zn, Fe, Mn
.03	↓	1620	B-22D	↓	11		1	3	2	4	1		X	X	X	X	X	X	X	X	X	X					
.04	↓	-	DUP-3	↓	11		1	3	2	4	1		X	X	X	X	X	X	X	X	X	X					
.05	6/23/16	955	B-7	↓	11		1	3	2	4	1		X	X	X	X	X	X	X	X	X	X					
.06	6/23/16	-	Trip Blank-2	QC	2		2						X														

RELINQUISHED BY: X LLC 606 A Sampler DATE: 6/23/16 TIME: 11:25
 RECEIVED BY: JWA Miller DATE: 6/23/16 TIME: 11:25
 RELINQUISHED BY: JWA Miller DATE: 6/24/16 TIME: 9:20
 RECEIVED BY: DATE: TIME:

RELINQUISHED BY: DATE: TIME:
 RECEIVED BY: MGA Chilnote DATE: 6/24/16 TIME: 9:24
 SEAL NO. SEAL INTACT YES NO INITIALS
 NOTES: TEMP. ON ARRIVAL: 6.0

PLEASE NOTE: SIGNING ACKNOWLEDGES ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

TestAmerica Job ID: 240-66491-1
Client Project/Site: 74364

For:
Merit Laboratories
2680 E Lansing Drive
East Lansing, Michigan 48823

Attn: Ms. Barb Richardson



Authorized for release by:
7/13/2016 4:05:58 PM

Denise Heckler, Project Manager II
(330)966-9477
denise.heckler@testamericainc.com



LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1
2
3
4
5
6
7
8
9
10
11
12
13
14



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
QC Sample Results	13
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Chain of Custody	18
Receipt Checklists	21

Definitions/Glossary

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Qualifiers

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Job ID: 240-66491-1

Laboratory: TestAmerica Canton

Narrative

Job Narrative
240-66491-1

Comments

No additional comments.

Receipt

The samples were received on 6/28/2016 9:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 1.9° C and 3.8° C.

General Chemistry

Method(s) 9020B: Breakthrough exceeded 10% for the following samples: 74364.01 (240-66491-1), 74364.02 (240-66491-2) and 74364.04 (240-66491-4). Re-analysis was performed with concurring results. The data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Method	Method Description	Protocol	Laboratory
9020B	Organic Halides, Total (TOX)	SW846	TAL SAV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-66491-1	74364.01	Water	06/22/16 10:35	06/28/16 09:00
240-66491-2	74364.02	Water	06/22/16 13:05	06/28/16 09:00
240-66491-3	74364.03	Water	06/22/16 16:20	06/28/16 09:00
240-66491-4	74364.04	Water	06/22/16 00:00	06/28/16 09:00
240-66491-5	74364.05	Water	06/23/16 09:55	06/28/16 09:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Client Sample ID: 74364.01

Lab Sample ID: 240-66491-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	30		10	3.5	ug/L	1		9020B	Total/NA

Client Sample ID: 74364.02

Lab Sample ID: 240-66491-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	60		10	3.5	ug/L	1		9020B	Total/NA

Client Sample ID: 74364.03

Lab Sample ID: 240-66491-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	100		10	3.5	ug/L	1		9020B	Total/NA

Client Sample ID: 74364.04

Lab Sample ID: 240-66491-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	29		10	3.5	ug/L	1		9020B	Total/NA

Client Sample ID: 74364.05

Lab Sample ID: 240-66491-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	77		10	3.5	ug/L	1		9020B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Canton

Client Sample Results

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Client Sample ID: 74364.01

Date Collected: 06/22/16 10:35

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66491-1

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	30		10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Client Sample ID: 74364.02

Date Collected: 06/22/16 13:05

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66491-2

Matrix: Water

General Chemistry

Analyte

Halogens, Total Organic

Result

60

Qualifier

RL

10

MDL Unit

3.5 ug/L

D

Prepared

07/12/16 11:50

Analyzed

07/13/16 14:02

Dil Fac

1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Client Sample ID: 74364.03

Date Collected: 06/22/16 16:20

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66491-3

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	100		10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Client Sample ID: 74364.04

Date Collected: 06/22/16 00:00

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66491-4

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	29		10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Client Sample ID: 74364.05

Date Collected: 06/23/16 09:55

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66491-5

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	77		10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Sample Results

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Method: 9020B - Organic Halides, Total (TOX)

Lab Sample ID: MB 680-441088/1-A
Matrix: Water
Analysis Batch: 441109

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 441088

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	10	U	10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

Lab Sample ID: LCS 680-441088/2-A
Matrix: Water
Analysis Batch: 441109

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 441088

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
TOX Result 1	100	88.7		ug/L		89	60 - 140

Lab Sample ID: 240-66491-1 MS
Matrix: Water
Analysis Batch: 441109

Client Sample ID: 74364.01
Prep Type: Total/NA
Prep Batch: 441088

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
TOX Result 1	29		100	119		ug/L		89	60 - 140

Lab Sample ID: 240-66491-1 MSD
Matrix: Water
Analysis Batch: 441109

Client Sample ID: 74364.01
Prep Type: Total/NA
Prep Batch: 441088

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
TOX Result 1	29		100	116		ug/L		87	60 - 140	2	40

QC Association Summary

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

General Chemistry

Prep Batch: 441088

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-66491-1	74364.01	Total/NA	Water	Carbon Trap	
240-66491-1 MS	74364.01	Total/NA	Water	Carbon Trap	
240-66491-1 MSD	74364.01	Total/NA	Water	Carbon Trap	
240-66491-2	74364.02	Total/NA	Water	Carbon Trap	
240-66491-3	74364.03	Total/NA	Water	Carbon Trap	
240-66491-4	74364.04	Total/NA	Water	Carbon Trap	
240-66491-5	74364.05	Total/NA	Water	Carbon Trap	
LCS 680-441088/2-A	Lab Control Sample	Total/NA	Water	Carbon Trap	
MB 680-441088/1-A	Method Blank	Total/NA	Water	Carbon Trap	

Analysis Batch: 441109

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-66491-1	74364.01	Total/NA	Water	9020B	441088
240-66491-1 MS	74364.01	Total/NA	Water	9020B	441088
240-66491-1 MSD	74364.01	Total/NA	Water	9020B	441088
240-66491-2	74364.02	Total/NA	Water	9020B	441088
240-66491-3	74364.03	Total/NA	Water	9020B	441088
240-66491-4	74364.04	Total/NA	Water	9020B	441088
240-66491-5	74364.05	Total/NA	Water	9020B	441088
LCS 680-441088/2-A	Lab Control Sample	Total/NA	Water	9020B	441088
MB 680-441088/1-A	Method Blank	Total/NA	Water	9020B	441088

Lab Chronicle

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Client Sample ID: 74364.01

Date Collected: 06/22/16 10:35

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66491-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Client Sample ID: 74364.02

Date Collected: 06/22/16 13:05

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66491-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Client Sample ID: 74364.03

Date Collected: 06/22/16 16:20

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66491-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Client Sample ID: 74364.04

Date Collected: 06/22/16 00:00

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66491-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Client Sample ID: 74364.05

Date Collected: 06/23/16 09:55

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66491-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

Certification Summary

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Laboratory: TestAmerica Canton

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	NELAP	9	01144CA	06-30-14 *
California	State Program	9	2927	04-30-17
Connecticut	State Program	1	PH-0590	12-31-17
Florida	NELAP	4	E87225	06-30-17
Illinois	NELAP	5	200004	07-31-16 *
Kansas	NELAP	7	E-10336	07-31-16 *
Kentucky (UST)	State Program	4	58	02-23-17
Kentucky (WW)	State Program	4	98016	12-31-16
L-A-B	DoD ELAP		L2315	07-18-16
Minnesota	NELAP	5	039-999-348	12-31-16
Nevada	State Program	9	OH-000482008A	07-31-16 *
New Jersey	NELAP	2	OH001	06-30-17
New York	NELAP	2	10975	03-31-17
Ohio VAP	State Program	5	CL0024	09-14-17
Oregon	NELAP	10	4062	02-23-17
Pennsylvania	NELAP	3	68-00340	08-31-16 *
Texas	NELAP	6	T104704517-15-5	08-31-16 *
USDA	Federal		P330-13-00319	11-26-16
Virginia	NELAP	3	460175	09-14-16 *
Washington	State Program	10	C971	01-12-17
West Virginia DEP	State Program	3	210	12-31-16
Wisconsin	State Program	5	999518190	08-31-16 *

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	AFCEE		SAVLAB	
A2LA	DoD ELAP		399.01	02-28-17
A2LA	ISO/IEC 17025		399.01	02-28-17
Alabama	State Program	4	41450	06-30-17
Alaska (UST)	State Program	10	UST-104	11-05-16
Arkansas DEQ	State Program	6	88-0692	01-31-17
California	State Program	9	2939	07-31-16 *
Colorado	State Program	8	N/A	12-31-16
Connecticut	State Program	1	PH-0161	03-31-17
Florida	NELAP	4	E87052	06-30-17
GA Dept. of Agriculture	State Program	4	N/A	06-12-17
Georgia	State Program	4	N/A	06-30-17
Georgia	State Program	4	803	06-30-17
Guam	State Program	9	15-005r	04-16-17
Hawaii	State Program	9	N/A	06-30-17
Illinois	NELAP	5	200022	11-30-16
Indiana	State Program	5	N/A	06-30-17
Iowa	State Program	7	353	06-30-17
Kentucky (DW)	State Program	4	90084	12-31-16
Kentucky (UST)	State Program	4	18	06-30-16 *
Kentucky (WW)	State Program	4	90084	12-31-16
Louisiana	NELAP	6	30690	06-30-17
Louisiana (DW)	NELAP	6	LA160019	12-31-16

* Certification renewal pending - certification considered valid.

TestAmerica Canton

Certification Summary

Client: Merit Laboratories
Project/Site: 74364

TestAmerica Job ID: 240-66491-1

Laboratory: TestAmerica Savannah (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Maine	State Program	1	GA00006	09-24-16
Maryland	State Program	3	250	12-31-16
Massachusetts	State Program	1	M-GA006	06-30-17
Michigan	State Program	5	9925	06-30-16 *
Mississippi	State Program	4	N/A	06-30-16 *
Nebraska	State Program	7	TestAmerica-Savannah	06-30-16 *
New Jersey	NELAP	2	GA769	06-30-17
New Mexico	State Program	6	N/A	06-30-17
New York	NELAP	2	10842	03-31-17
North Carolina (DW)	State Program	4	13701	07-31-16 *
North Carolina (WW/SW)	State Program	4	269	12-31-16
Oklahoma	State Program	6	9984	08-31-16
Pennsylvania	NELAP	3	68-00474	06-30-17
Puerto Rico	State Program	2	GA00006	12-31-16
South Carolina	State Program	4	98001	06-30-16 *
Tennessee	State Program	4	TN02961	06-30-16 *
Texas	NELAP	6	T104704185-14-7	11-30-16
USDA	Federal		SAV 3-04	06-11-17
Virginia	NELAP	3	460161	06-14-17
Washington	State Program	10	C805	06-10-16 *
West Virginia (DW)	State Program	3	9950C	12-31-16
West Virginia DEP	State Program	3	094	08-31-16
Wisconsin	State Program	5	999819810	08-31-16
Wyoming	State Program	8	8TMS-L	06-30-16 *

* Certification renewal pending - certification considered valid.

TestAmerica Canton

Canton Facility

Client: Meint Site Name

Cooler unpacked by:

Cooler Received on 6-28-16 Opened on 6-28-16

[Signature]

FedEx: 1st Exp UPS FAS Stetson Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time

Storage Location

TestAmerica Cooler # Foam Box Client Cooler Box Other

Packing material used: Bubble Wrap Foam Plastic Bag None Other

COOLANT: Wet Ice Blue Ice Dry Ice Water None

- 1. Cooler temperature upon receipt... 2. Were custody seals on the outside of the cooler(s)?... 3. Shippers' packing slip attached to the cooler(s)?... 11. Were sample(s) at the correct pH upon receipt? pH Strip Lot# HC574756

Contacted PM Date by via Verbal Voice Mail Other

Concerning

14. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by:

15. SAMPLE CONDITION

Sample(s) were received after the recommended holding time had expired. Sample(s) were received in a broken container. Sample(s) were received with bubble >6 mm in diameter. (Notify PM)

16. SAMPLE PRESERVATION

Sample(s) were further preserved in the laboratory. Time preserved: Preservative(s) added/Lot number(s):

Login Sample Receipt Checklist

Client: Merit Laboratories

Job Number: 240-66491-1

Login Number: 66491
List Number: 2
Creator: Jennings, Carly F

List Source: TestAmerica Savannah
List Creation: 06/29/16 12:54 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	N/A	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	





Analytical Laboratory Report

Report ID: S74397.01(01)
Generated on 07/13/2016

Report to

Attention: Clifford Yantz
O'Brien & Gere Engineers, Inc.
37000 Grand River Ave.
Suite 260
Farmington, MI 48335

Phone: 248-477-5701 FAX:
Email: Clifford.Yantz@obg.com

Report produced by

Merit Laboratories, Inc.
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:
Kevin George (kgeorge@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S74397.01-S74397.08
Project: RACER Coldwater Rd LF Semiannual Sampling
Collected Date: 06/23/2016 - 06/24/2016
Submitted Date/Time: 06/24/2016 15:45
Sampled by: Kevin Schneider
P.O. #: 11600279

Table of Contents

Cover Page (Page 1)
General Report Notes (Page 2)
Report Narrative (Page 2)
Laboratory Certifications (Page 3)
Qualifier Descriptions (Page 3)
Glossary of Abbreviations (Page 3)
Method Summary (Page 4)
Sample Summary (Page 5)

Maya Murshak
Technical Director



Analytical Laboratory Report

General Report Notes

Results relate only to items tested as received by laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Report Narrative

There is no additional narrative for this analytical report



Analytical Laboratory Report

Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods



Analytical Laboratory Report

Method Summary

Method	Version
E120.1	EPA Method 120.1 Revision 1982
E200.8	EPA Method 200.8 Revision 5.4
E300.0	EPA Method 300.0 Revision 2.1
E335.4/SM4500-CN	EPA Method 335.4 Revision 1.0 / Standard Method 4500-CN E 20th Edition
E420.1	EPA Method 420.1 Editorial Revision 1978
N/A	Not Applicable
SM5310C	Standard Method 5310C 20th Edition
SW3015A	SW 846 Method 3015A Revision 1 February 2007
SW8260C	SW 846 Method 8260C Revision 3 August 2006
SW9020B	SW 846 Method 9020B Revision 2 September 1994



Analytical Laboratory Report

Sample Summary (8 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S74397.01	B-18A	Groundwater	06/23/16 11:25
S74397.02	B-20D	Groundwater	06/23/16 15:20
S74397.03	B-24r	Groundwater	06/23/16 16:30
S74397.04	Equipment Blank-1	Quality Control	06/24/16 09:00
S74397.05	B-28	Groundwater	06/24/16 10:15
S74397.06	B-9	Groundwater	06/24/16 11:45
S74397.07	B-21D	Groundwater	06/24/16 14:20
S74397.08	Trip Blank-3	Quality Control	06/23/16 00:01



Analytical Laboratory Report

Lab Sample ID: S74397.01
 Sample Tag: B-18A
 Collected Date/Time: 06/23/2016 11:25
 Matrix: Groundwater
 COC Reference: 093030

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	5.5	IR
1	500ml Plastic	None	Yes	5.5	IR
2	125ml Plastic	HNO3	Yes	5.5	IR
2	40ml Glass	H2SO4	Yes	5.5	IR
1	1L Amber	H2SO4	Yes	5.5	IR
1	125ml Amber	H2SO4	Yes	5.5	IR
1	125ml Plastic	NaOH	Yes	5.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech MDL	Flags
----------	---------	-------	----	--------	---------------	----------	-------

Extraction / Prep.

Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM	
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM	
pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML	

Inorganics

Chloride	19	mg/L	5	E300.0	06/30/16 09:53	JDP	0.08
Conductivity	1,063	umhos/cm		E120.1	07/01/16 14:22	JKB	
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/30/16 11:38	JDP	0.002
Phenols	Not detected	mg/L	0.02	E420.1	07/05/16 16:22	JKB	
Sulfate	108	mg/L	5	E300.0	06/30/16 09:53	JDP	0.72
TOC	1.4	mg/L	1	SM5310C	07/01/16 16:15	JKB	

Metals

Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:44	CCM	0.00013
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:44	CCM	0.00006
Iron, Dissolved	0.03	mg/L	0.02	E200.8	07/01/16 11:44	CCM	0.00077
Manganese, Dissolved	0.007	mg/L	0.005	E200.8	07/01/16 11:44	CCM	0.000060
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:44	CCM	0.000036
Sodium	42.4	mg/L	0.50	E200.8	06/28/16 17:34	CCM	0.00099
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:44	CCM	0.00014

Organics - Volatiles

Volatile Organics - DEQ List

Diethyl ether	Not detected	ug/L	10	SW8260C	06/29/16 18:59	JGH	0.50
Acetone	Not detected	ug/L	50	SW8260C	06/29/16 18:59	JGH	0.56
Methyl iodide	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.25
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.24
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.19
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/29/16 18:59	JGH	0.57
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/29/16 18:59	JGH	0.26
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.50
Chloromethane	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.26
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.31
Bromomethane	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.32
Chloroethane	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.34
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.33
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.27



Analytical Laboratory Report

Lab Sample ID: S74397.01 (continued)

Sample Tag: B-18A

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.29	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.20	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.20	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.26	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/29/16 18:59	JGH	1.3	
Chloroform	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.21	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.38	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.28	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/29/16 18:59	JGH	0.14	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/29/16 18:59	JGH	0.29	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.20	
Benzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.20	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.16	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.23	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.20	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.23	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.20	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.19	
Toluene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.25	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.25	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.28	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.20	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.20	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.24	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.30	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.17	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.24	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.26	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/29/16 18:59	JGH	0.41	
o-Xylene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.25	
Styrene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.18	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.25	
Bromoform	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.22	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.18	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.33	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.23	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.27	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.26	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.18	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.22	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.25	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.21	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.24	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.23	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.28	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.061	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 18:59	JGH	0.22	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.21	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.47	



Analytical Laboratory Report

Lab Sample ID: S74397.01 (continued)

Sample Tag: B-18A

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.19	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.20	
Naphthalene	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.21	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/29/16 18:59	JGH	0.16	
Organics								
TOX	55	ug/L	10	SW9020B	07/13/16 14:02	TES	3.5	O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74397.02
 Sample Tag: B-20D
 Collected Date/Time: 06/23/2016 15:20
 Matrix: Groundwater
 COC Reference: 093030

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	5.5	IR
1	500ml Plastic	None	Yes	5.5	IR
2	125ml Plastic	HNO3	Yes	5.5	IR
2	40ml Glass	H2SO4	Yes	5.5	IR
1	1L Amber	H2SO4	Yes	5.5	IR
1	125ml Amber	H2SO4	Yes	5.5	IR
1	125ml Plastic	NaOH	Yes	5.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech MDL	Flags
----------	---------	-------	----	--------	---------------	----------	-------

Extraction / Prep.

Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM	
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM	
pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML	

Inorganics

Chloride	Not detected	mg/L	5	E300.0	06/30/16 10:06	JDP	0.08
Conductivity	945	umhos/cm		E120.1	07/01/16 14:24	JKB	
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/30/16 11:46	JDP	0.002
Phenols	Not detected	mg/L	0.02	E420.1	07/05/16 16:24	JKB	
Sulfate	161	mg/L	5	E300.0	06/30/16 10:06	JDP	0.72
TOC	1.7	mg/L	1	SM5310C	07/01/16 16:36	JKB	

Metals

Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:47	CCM	0.00013
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:47	CCM	0.00006
Iron, Dissolved	1.88	mg/L	0.02	E200.8	07/01/16 11:47	CCM	0.00077
Manganese, Dissolved	0.065	mg/L	0.005	E200.8	07/01/16 11:47	CCM	0.000060
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:47	CCM	0.000036
Sodium	18.5	mg/L	0.50	E200.8	06/28/16 17:36	CCM	0.00099
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:47	CCM	0.00014

Organics - Volatiles

Volatile Organics - DEQ List

Diethyl ether	Not detected	ug/L	10	SW8260C	06/29/16 19:21	JGH	0.50
Acetone	Not detected	ug/L	50	SW8260C	06/29/16 19:21	JGH	0.56
Methyl iodide	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.25
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.24
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.19
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/29/16 19:21	JGH	0.57
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/29/16 19:21	JGH	0.26
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.50
Chloromethane	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.26
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.31
Bromomethane	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.32
Chloroethane	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.34
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.33
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.27



Analytical Laboratory Report

Lab Sample ID: S74397.02 (continued)

Sample Tag: B-20D

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.29	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.20	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.20	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.26	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/29/16 19:21	JGH	1.3	
Chloroform	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.21	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.38	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.28	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/29/16 19:21	JGH	0.14	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/29/16 19:21	JGH	0.29	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.20	
Benzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.20	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.16	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.23	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.20	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.23	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.20	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.19	
Toluene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.25	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.25	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.28	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.20	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.20	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.24	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.30	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.17	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.24	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.26	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/29/16 19:21	JGH	0.41	
o-Xylene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.25	
Styrene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.18	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.25	
Bromoform	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.22	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.18	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.33	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.23	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.27	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.26	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.18	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.22	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.25	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.21	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.24	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.23	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.28	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.061	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:21	JGH	0.22	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.21	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.47	



Analytical Laboratory Report

Lab Sample ID: S74397.02 (continued)

Sample Tag: B-20D

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.19	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.20	
Naphthalene	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.21	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/29/16 19:21	JGH	0.16	
Organics								
TOX	68	ug/L	10	SW9020B	07/13/16 14:02	TES	3.5	O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74397.03
 Sample Tag: B-24r
 Collected Date/Time: 06/23/2016 16:30
 Matrix: Groundwater
 COC Reference: 093030

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	5.5	IR
1	500ml Plastic	None	Yes	5.5	IR
2	125ml Plastic	HNO3	Yes	5.5	IR
2	40ml Glass	H2SO4	Yes	5.5	IR
1	1L Amber	H2SO4	Yes	5.5	IR
1	125ml Amber	H2SO4	Yes	5.5	IR
1	125ml Plastic	NaOH	Yes	5.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech MDL	Flags
----------	---------	-------	----	--------	---------------	----------	-------

Extraction / Prep.

Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM	
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM	
pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML	

Inorganics

Chloride	45	mg/L	10	E300.0	06/30/16 10:19	JDP	0.15
Conductivity	1,275	umhos/cm		E120.1	07/01/16 14:26	JKB	
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/30/16 11:48	JDP	0.002
Phenols	Not detected	mg/L	0.02	E420.1	07/05/16 16:26	JKB	
Sulfate	245	mg/L	10	E300.0	06/30/16 10:19	JDP	1.43
TOC	3.2	mg/L	1	SM5310C	07/01/16 16:57	JKB	

Metals

Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:50	CCM	0.00013
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:50	CCM	0.00006
Iron, Dissolved	0.32	mg/L	0.02	E200.8	07/01/16 11:50	CCM	0.00077
Manganese, Dissolved	0.210	mg/L	0.005	E200.8	07/01/16 11:50	CCM	0.000060
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:50	CCM	0.000036
Sodium	67.8	mg/L	0.50	E200.8	06/28/16 17:37	CCM	0.00099
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:50	CCM	0.00014

Organics - Volatiles

Volatile Organics - DEQ List

Diethyl ether	Not detected	ug/L	10	SW8260C	06/29/16 19:43	JGH	0.50
Acetone	Not detected	ug/L	50	SW8260C	06/29/16 19:43	JGH	0.56
Methyl iodide	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.25
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.24
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.19
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/29/16 19:43	JGH	0.57
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/29/16 19:43	JGH	0.26
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.50
Chloromethane	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.26
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.31
Bromomethane	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.32
Chloroethane	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.34
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.33
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.27



Analytical Laboratory Report

Lab Sample ID: S74397.03 (continued)

Sample Tag: B-24r

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.29	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.20	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.20	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.26	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/29/16 19:43	JGH	1.3	
Chloroform	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.21	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.38	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.28	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/29/16 19:43	JGH	0.14	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/29/16 19:43	JGH	0.29	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.20	
Benzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.20	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.16	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.23	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.20	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.23	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.20	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.19	
Toluene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.25	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.25	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.28	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.20	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.20	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.24	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.30	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.17	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.24	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.26	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/29/16 19:43	JGH	0.41	
o-Xylene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.25	
Styrene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.18	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.25	
Bromoform	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.22	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.18	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.33	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.23	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.27	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.26	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.18	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.22	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.25	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.21	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.24	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.23	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.28	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.061	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 19:43	JGH	0.22	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.21	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.47	



Analytical Laboratory Report

Lab Sample ID: S74397.03 (continued)

Sample Tag: B-24r

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.19	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.20	
Naphthalene	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.21	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/29/16 19:43	JGH	0.16	
Organics								
TOX	110	ug/L	10	SW9020B	07/13/16 14:02	TES	3.5	O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74397.04
 Sample Tag: Equipment Blank-1
 Collected Date/Time: 06/24/2016 09:00
 Matrix: Quality Control
 COC Reference: 093030

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	5.5	IR
1	500ml Plastic	None	Yes	5.5	IR
1	125ml Plastic	HNO3	Yes	5.5	IR
2	40ml Glass	H2SO4	Yes	5.5	IR
1	1L Amber	H2SO4	Yes	5.5	IR
1	125ml Amber	H2SO4	Yes	5.5	IR
1	125ml Plastic	NaOH	Yes	5.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech MDL	Flags
----------	---------	-------	----	--------	---------------	----------	-------

Extraction / Prep.

Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM	
pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML	

Inorganics

Chloride	Not detected	mg/L	2.5	E300.0	06/30/16 10:32	JDP	0.04
Conductivity	2,220	umhos/cm		E120.1	07/01/16 14:28	JKB	
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/30/16 11:50	JDP	0.002
Phenols	Not detected	mg/L	0.02	E420.1	07/05/16 16:28	JKB	
Sulfate	Not detected	mg/L	2	E300.0	06/30/16 10:32	JDP	0.36
TOC	Not detected	mg/L	1	SM5310C	07/01/16 17:17	JKB	

Metals

Chromium	Not detected	mg/L	0.005	E200.8	07/01/16 11:24	CCM	0.00013
Copper	Not detected	mg/L	0.005	E200.8	07/01/16 11:24	CCM	0.00006
Iron	Not detected	mg/L	0.02	E200.8	07/01/16 11:24	CCM	0.00077
Manganese	Not detected	mg/L	0.005	E200.8	07/01/16 11:24	CCM	0.000060
Nickel	Not detected	mg/L	0.005	E200.8	07/01/16 11:24	CCM	0.000036
Sodium	Not detected	mg/L	0.50	E200.8	06/28/16 17:38	CCM	0.00099
Zinc	Not detected	mg/L	0.005	E200.8	07/01/16 11:24	CCM	0.00014

Organics - Volatiles

Volatile Organics - DEQ List

Diethyl ether	Not detected	ug/L	10	SW8260C	06/29/16 15:34	JGH	0.50
Acetone	Not detected	ug/L	50	SW8260C	06/29/16 15:34	JGH	0.56
Methyl iodide	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.25
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.24
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.19
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/29/16 15:34	JGH	0.57
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/29/16 15:34	JGH	0.26
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.50
Chloromethane	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.26
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.31
Bromomethane	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.32
Chloroethane	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.34
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.33
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.27
Methylene chloride	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.29



Analytical Laboratory Report

Lab Sample ID: S74397.04 (continued)

Sample Tag: Equipment Blank-1

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.20	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.20	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.26	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/29/16 15:34	JGH	1.3	
Chloroform	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.21	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.38	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.28	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/29/16 15:34	JGH	0.14	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/29/16 15:34	JGH	0.29	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.20	
Benzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.20	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.16	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.23	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.20	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.23	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.20	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.19	
Toluene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.25	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.25	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.28	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.20	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.20	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.24	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.30	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.17	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.24	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.26	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/29/16 15:34	JGH	0.41	
o-Xylene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.25	
Styrene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.18	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.25	
Bromoform	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.22	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.18	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.33	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.23	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.27	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.26	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.18	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.22	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.25	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.21	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.24	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.23	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.28	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.061	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 15:34	JGH	0.22	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.21	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.47	
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.19	



Analytical Laboratory Report

Lab Sample ID: S74397.04 (continued)

Sample Tag: Equipment Blank-1

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.20	
Naphthalene	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.21	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/29/16 15:34	JGH	0.16	
Organics								
TOX	6.2	ug/L	10	SW9020B	07/13/16 14:02	TES	3.5	OJ

O-Analysis performed by outside laboratory. See attached report. J-Estimated value less than reporting limit, but greater than MDL



Analytical Laboratory Report

Lab Sample ID: S74397.05
 Sample Tag: B-28
 Collected Date/Time: 06/24/2016 10:15
 Matrix: Groundwater
 COC Reference: 093030

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	5.5	IR
1	500ml Plastic	None	Yes	5.5	IR
2	125ml Plastic	HNO3	Yes	5.5	IR
2	40ml Glass	H2SO4	Yes	5.5	IR
1	1L Amber	H2SO4	Yes	5.5	IR
1	125ml Amber	H2SO4	Yes	5.5	IR
1	125ml Plastic	NaOH	Yes	5.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech MDL	Flags
----------	---------	-------	----	--------	---------------	----------	-------

Extraction / Prep.

Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM	
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM	
pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML	

Inorganics

Chloride	11	mg/L	5	E300.0	06/30/16 10:45	JDP	0.08
Conductivity	866	umhos/cm		E120.1	07/01/16 14:30	JKB	
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/30/16 11:52	JDP	0.002
Phenols	Not detected	mg/L	0.02	E420.1	07/05/16 16:30	JKB	
Sulfate	92	mg/L	5	E300.0	06/30/16 10:45	JDP	0.72
TOC	1.6	mg/L	1	SM5310C	07/01/16 17:38	JKB	

Metals

Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:53	CCM	0.00013
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:53	CCM	0.00006
Iron, Dissolved	4.96	mg/L	0.02	E200.8	07/01/16 11:53	CCM	0.00077
Manganese, Dissolved	0.053	mg/L	0.005	E200.8	07/01/16 11:53	CCM	0.000060
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:53	CCM	0.000036
Sodium	45.8	mg/L	0.50	E200.8	06/28/16 17:39	CCM	0.00099
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 11:53	CCM	0.00014

Organics - Volatiles

Volatile Organics - DEQ List

Diethyl ether	Not detected	ug/L	10	SW8260C	06/29/16 20:05	JGH	0.50
Acetone	Not detected	ug/L	50	SW8260C	06/29/16 20:05	JGH	0.56
Methyl iodide	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.25
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.24
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.19
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/29/16 20:05	JGH	0.57
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/29/16 20:05	JGH	0.26
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.50
Chloromethane	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.26
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.31
Bromomethane	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.32
Chloroethane	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.34
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.33
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.27



Analytical Laboratory Report

Lab Sample ID: S74397.05 (continued)

Sample Tag: B-28

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.29	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.20	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.20	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.26	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/29/16 20:05	JGH	1.3	
Chloroform	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.21	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.38	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.28	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/29/16 20:05	JGH	0.14	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/29/16 20:05	JGH	0.29	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.20	
Benzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.20	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.16	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.23	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.20	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.23	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.20	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.19	
Toluene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.25	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.25	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.28	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.20	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.20	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.24	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.30	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.17	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.24	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.26	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/29/16 20:05	JGH	0.41	
o-Xylene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.25	
Styrene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.18	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.25	
Bromoform	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.22	
1,1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.18	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.33	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.23	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.27	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.26	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.18	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.22	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.25	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.21	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.24	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.23	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.28	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.061	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:05	JGH	0.22	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.21	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.47	



Analytical Laboratory Report

Lab Sample ID: S74397.05 (continued)

Sample Tag: B-28

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.19	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.20	
Naphthalene	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.21	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/29/16 20:05	JGH	0.16	
Organics								
TOX	49	ug/L	10	SW9020B	07/13/16 14:02	TES	3.5	O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74397.06
 Sample Tag: B-9
 Collected Date/Time: 06/24/2016 11:45
 Matrix: Groundwater
 COC Reference: 093030

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	5.5	IR
1	500ml Plastic	None	Yes	5.5	IR
2	125ml Plastic	HNO3	Yes	5.5	IR
2	40ml Glass	H2SO4	Yes	5.5	IR
1	1L Amber	H2SO4	Yes	5.5	IR
1	125ml Amber	H2SO4	Yes	5.5	IR
1	125ml Plastic	NaOH	Yes	5.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech MDL	Flags
----------	---------	-------	----	--------	---------------	----------	-------

Extraction / Prep.

Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM	
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM	
pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML	

Inorganics

Chloride	71	mg/L	50	E300.0	06/30/16 10:57	JDP	0.75
Conductivity	2,190	umhos/cm		E120.1	07/01/16 14:32	JKB	
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/30/16 11:54	JDP	0.002
Phenols	Not detected	mg/L	0.02	E420.1	07/05/16 16:32	JKB	
Sulfate	776	mg/L	50	E300.0	06/30/16 10:57	JDP	7.15
TOC	1.9	mg/L	1	SM5310C	07/01/16 18:20	JKB	

Metals

Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:08	CCM	0.00013
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:08	CCM	0.00006
Iron, Dissolved	0.02	mg/L	0.02	E200.8	07/01/16 12:08	CCM	0.00077
Manganese, Dissolved	0.095	mg/L	0.005	E200.8	07/01/16 12:08	CCM	0.000060
Nickel, Dissolved	0.010	mg/L	0.005	E200.8	07/01/16 12:08	CCM	0.000036
Sodium	52.8	mg/L	0.50	E200.8	06/28/16 17:41	CCM	0.00099
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:08	CCM	0.00014

Organics - Volatiles

Volatile Organics - DEQ List

Diethyl ether	Not detected	ug/L	10	SW8260C	06/29/16 20:27	JGH	0.50
Acetone	Not detected	ug/L	50	SW8260C	06/29/16 20:27	JGH	0.56
Methyl iodide	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.25
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.24
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.19
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/29/16 20:27	JGH	0.57
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/29/16 20:27	JGH	0.26
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.50
Chloromethane	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.26
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.31
Bromomethane	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.32
Chloroethane	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.34
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.33
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.27



Analytical Laboratory Report

Lab Sample ID: S74397.06 (continued)

Sample Tag: B-9

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.29	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.20	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.20	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.26	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/29/16 20:27	JGH	1.3	
Chloroform	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.21	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.38	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.28	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/29/16 20:27	JGH	0.14	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/29/16 20:27	JGH	0.29	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.20	
Benzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.20	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.16	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.23	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.20	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.23	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.20	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.19	
Toluene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.25	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.25	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.28	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.20	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.20	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.24	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.30	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.17	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.24	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.26	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/29/16 20:27	JGH	0.41	
o-Xylene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.25	
Styrene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.18	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.25	
Bromoform	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.22	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.18	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.33	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.23	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.27	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.26	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.18	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.22	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.25	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.21	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.24	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.23	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.28	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.061	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/29/16 20:27	JGH	0.22	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.21	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.47	



Analytical Laboratory Report

Lab Sample ID: S74397.06 (continued)

Sample Tag: B-9

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.19	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.20	
Naphthalene	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.21	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/29/16 20:27	JGH	0.16	
Organics								
TOX	150	ug/L	10	SW9020B	07/13/16 14:02	TES	3.5	O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74397.07
 Sample Tag: B-21D
 Collected Date/Time: 06/24/2016 14:20
 Matrix: Groundwater
 COC Reference: 093030

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	5.5	IR
1	500ml Plastic	None	Yes	5.5	IR
2	125ml Plastic	HNO3	Yes	5.5	IR
2	40ml Glass	H2SO4	Yes	5.5	IR
1	1L Amber	H2SO4	Yes	5.5	IR
1	125ml Amber	H2SO4	Yes	5.5	IR
1	125ml Plastic	NaOH	Yes	5.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech MDL	Flags
----------	---------	-------	----	--------	---------------	----------	-------

Extraction / Prep.

Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM	
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM	
pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML	

Inorganics

Chloride	Not detected	mg/L	5	E300.0	06/30/16 11:10	JDP	0.08
Conductivity	790	umhos/cm		E120.1	07/01/16 14:34	JKB	
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/30/16 11:56	JDP	0.002
Phenols	Not detected	mg/L	0.02	E420.1	07/05/16 16:34	JKB	
Sulfate	91	mg/L	5	E300.0	06/30/16 11:10	JDP	0.72
TOC	1.4	mg/L	1	SM5310C	07/01/16 18:41	JKB	

Metals

Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:16	CCM	0.00013
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:16	CCM	0.00006
Iron, Dissolved	1.29	mg/L	0.02	E200.8	07/01/16 12:16	CCM	0.00077
Manganese, Dissolved	0.035	mg/L	0.005	E200.8	07/01/16 12:16	CCM	0.000060
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:16	CCM	0.000036
Sodium	22.6	mg/L	0.50	E200.8	06/28/16 17:42	CCM	0.00099
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:16	CCM	0.00014

Organics - Volatiles

Volatile Organics - DEQ List

Diethyl ether	Not detected	ug/L	10	SW8260C	06/30/16 18:47	JGH	0.50
Acetone	Not detected	ug/L	50	SW8260C	06/30/16 18:47	JGH	0.56
Methyl iodide	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.25
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.24
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.19
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/30/16 18:47	JGH	0.57
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/30/16 18:47	JGH	0.26
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.50
Chloromethane	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.26
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.31
Bromomethane	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.32
Chloroethane	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.34
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.33
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.27



Analytical Laboratory Report

Lab Sample ID: S74397.07 (continued)

Sample Tag: B-21D

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.29	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.20	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.20	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.26	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/30/16 18:47	JGH	1.3	
Chloroform	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.21	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.38	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.28	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/30/16 18:47	JGH	0.14	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/30/16 18:47	JGH	0.29	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.20	
Benzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.20	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.16	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.23	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.20	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.23	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.20	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.19	
Toluene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.25	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.25	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.28	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.20	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.20	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.24	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.30	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.17	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.24	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.26	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/30/16 18:47	JGH	0.41	
o-Xylene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.25	
Styrene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.18	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.25	
Bromoform	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.22	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.18	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.33	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.23	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.27	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.26	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.18	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.22	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.25	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.21	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.24	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.23	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.28	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.061	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 18:47	JGH	0.22	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.21	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.47	



Analytical Laboratory Report

Lab Sample ID: S74397.07 (continued)

Sample Tag: B-21D

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.19	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.20	
Naphthalene	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.21	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/30/16 18:47	JGH	0.16	
Organics								
TOX	59	ug/L	10	SW9020B	07/13/16 14:02	TES	3.5	O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74397.08
 Sample Tag: Trip Blank-3
 Collected Date/Time: 06/23/2016 00:01
 Matrix: Quality Control
 COC Reference: 093030

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
2	40ml Glass	HCL	Yes	5.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech MDL	Flags
----------	---------	-------	----	--------	---------------	----------	-------

Extraction / Prep.

pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML	
-------------------	----	-----------	--	-----	----------------	-----	--

Organics - Volatiles

Volatile Organics - DEQ List

Diethyl ether	Not detected	ug/L	10	SW8260C	06/30/16 16:57	JGH	0.50
Acetone	Not detected	ug/L	50	SW8260C	06/30/16 16:57	JGH	0.56
Methyl iodide	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.25
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.24
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.19
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/30/16 16:57	JGH	0.57
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/30/16 16:57	JGH	0.26
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.50
Chloromethane	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.26
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.31
Bromomethane	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.32
Chloroethane	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.34
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.33
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.27
Methylene chloride	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.29
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.20
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.20
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.26
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/30/16 16:57	JGH	1.3
Chloroform	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.21
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.38
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.28
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/30/16 16:57	JGH	0.14
2-Hexanone	Not detected	ug/L	50	SW8260C	06/30/16 16:57	JGH	0.29
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.20
Benzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.20
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.16
Trichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.23
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.20
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.23
Dibromomethane	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.20
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.19
Toluene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.25
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.25
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.28
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.20
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.20
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.24
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.30



Analytical Laboratory Report

Lab Sample ID: S74397.08 (continued)

Sample Tag: Trip Blank-3

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	MDL	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.17	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.24	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.26	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/30/16 16:57	JGH	0.41	
o-Xylene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.25	
Styrene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.18	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.25	
Bromoform	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.22	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.18	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.33	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.23	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.27	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.26	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.18	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.22	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.25	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.21	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.24	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.23	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.28	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.061	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 16:57	JGH	0.22	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.21	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.47	
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.19	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.20	
Naphthalene	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.21	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/30/16 16:57	JGH	0.16	



Merit
Laboratories, Inc.

2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
www.meritlabs.com

C.O.C. PAGE # 1 OF 1

093030

REPORT TO

CHAIN OF CUSTODY RECORD

INVOICE TO

CONTACT NAME: Clifford Yantz
 COMPANY: O'Brien & Gere
 ADDRESS: 37000 Grand River
 CITY: Farmington Hills STATE: MI ZIP CODE: 48335
 PHONE NO.: 248-477-5701 FAX NO.: P.O. NO.: 11600279
 E-MAIL ADDRESS: clifford.yantz@obg.com QUOTE NO.:

CONTACT NAME: SAME
 COMPANY:
 ADDRESS:
 CITY: STATE: ZIP CODE:
 PHONE NO.: E-MAIL ADDRESS:

ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)

PROJECT NO./NAME: RACER Colwater Rd LF Semiannual Sampling
 SAMPLER(S) - PLEASE PRINT/SIGN NAME: Kevin Schneider *ZSK*
 TURNAROUND TIME REQUIRED: 1 DAY 2 DAYS 3 DAYS STANDARD OTHER
 DELIVERABLES REQUIRED: STD LEVEL II LEVEL III LEVEL IV EDD OTHER

MATRIX CODE: GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID
 SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE
 # Containers & Preservatives:

MERIT LAB NO. FOR LAB USE ONLY	YEAR		SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	NONE	HCl	HNO ₃	H ₂ SO ₄	NaOH	MeOH	OTHER	VOCs	TOC	TOX	Phenols	Cyanide	Sulfate	Specific Conductivity	Dissolved Metals	Chlorides	Sodium	Certifications		Project Locations		Special Instructions
	DATE	TIME																					<input type="checkbox"/> OHIO VAP	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> DoD	<input type="checkbox"/> NPDES	
74397.01	6/23/16	1125	B-18A	GW	11	1	3	2	4	1			X	X	X	X	X	X	X	X	X	X	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Metals Are: Cu, Cr, Ni, Zn, Fe, Mn Equipment Blank NOT field filtered
.02		1520	B-20D	GW	11	1	3	2	4	1			X	X	X	X	X	X	X	X	X	X	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
.03		1630	B-24r	GW	11	1	3	2	4	1			X	X	X	X	X	X	X	X	X	X	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
.04	6/24/16	900	Equipment Blank-1	QC	10	1	3	1	4	1			X	X	X	X	X	X	X	X	X	X	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
.05		1015	B-28	GW	11	1	3	2	4	1			X	X	X	X	X	X	X	X	X	X	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
.06		1145	B-9	GW	11	1	3	2	4	1			X	X	X	X	X	X	X	X	X	X	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
.07		1420	B-21D	GW	11	1	3	2	4	1			X	X	X	X	X	X	X	X	X	X	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
.08		-	Trip Blank-3	QC	2	2							X										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

RELINQUISHED BY: *ZSK* OBG Sampler DATE: 6/24/16 TIME: 14:55
 RECEIVED BY: *Donna Mulla* DATE: 6/24/16 TIME: 14:55
 RELINQUISHED BY: *Donna Mulla* DATE: 6/24/16 TIME: 15:45
 RECEIVED BY: *Sam Scuto* DATE: 6/24/16 TIME: 15:45

RELINQUISHED BY: DATE: TIME:
 SIGNATURE/ORGANIZATION:
 RECEIVED BY: DATE: TIME:
 SIGNATURE/ORGANIZATION:
 SEAL NO. SEAL INTACT: YES NO INITIALS: NOTES: TEMP. ON ARRIVAL: 55
 SEAL NO. SEAL INTACT: YES NO INITIALS:

PLEASE NOTE: SIGNING ACKNOWLEDGES ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

TestAmerica Job ID: 240-66492-1
Client Project/Site: 74397

For:
Merit Laboratories
2680 E Lansing Drive
East Lansing, Michigan 48823

Attn: Ms. Barb Richardson



Authorized for release by:
7/13/2016 4:08:32 PM

Denise Heckler, Project Manager II
(330)966-9477
denise.heckler@testamericainc.com



LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

14



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
QC Sample Results	15
QC Association Summary	16
Lab Chronicle	17
Certification Summary	19
Chain of Custody	21
Receipt Checklists	24

Definitions/Glossary

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Qualifiers

General Chemistry

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Job ID: 240-66492-1

Laboratory: TestAmerica Canton

Narrative

Job Narrative
240-66492-1

Comments

No additional comments.

Receipt

The samples were received on 6/28/2016 9:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 1.9° C and 3.8° C.

General Chemistry

Method(s) 9020B: Breakthrough exceeded 10% for the following sample:74397.07 (240-66492-7). Re-analysis was performed with concurring results. The data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Method	Method Description	Protocol	Laboratory
9020B	Organic Halides, Total (TOX)	SW846	TAL SAV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-66492-1	74397.01	Water	06/23/16 11:25	06/28/16 09:00
240-66492-2	74397.02	Water	06/23/16 15:20	06/28/16 09:00
240-66492-3	74397.03	Water	06/23/16 16:30	06/28/16 09:00
240-66492-4	74397.04	Water	06/24/16 09:00	06/28/16 09:00
240-66492-5	74397.05	Water	06/24/16 10:15	06/28/16 09:00
240-66492-6	74397.06	Water	06/24/16 11:45	06/28/16 09:00
240-66492-7	74397.07	Water	06/24/16 14:20	06/28/16 09:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Client Sample ID: 74397.01

Lab Sample ID: 240-66492-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	55		10	3.5	ug/L	1		9020B	Total/NA

Client Sample ID: 74397.02

Lab Sample ID: 240-66492-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	68		10	3.5	ug/L	1		9020B	Total/NA

Client Sample ID: 74397.03

Lab Sample ID: 240-66492-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	110		10	3.5	ug/L	1		9020B	Total/NA

Client Sample ID: 74397.04

Lab Sample ID: 240-66492-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	6.2	J	10	3.5	ug/L	1		9020B	Total/NA

Client Sample ID: 74397.05

Lab Sample ID: 240-66492-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	49		10	3.5	ug/L	1		9020B	Total/NA

Client Sample ID: 74397.06

Lab Sample ID: 240-66492-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	150		10	3.5	ug/L	1		9020B	Total/NA

Client Sample ID: 74397.07

Lab Sample ID: 240-66492-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	59		10	3.5	ug/L	1		9020B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Canton

Client Sample Results

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Client Sample ID: 74397.01

Date Collected: 06/23/16 11:25

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-1

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	55		10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Client Sample ID: 74397.02

Date Collected: 06/23/16 15:20

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-2

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	68		10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Client Sample ID: 74397.03

Date Collected: 06/23/16 16:30

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-3

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	110		10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Client Sample ID: 74397.04

Date Collected: 06/24/16 09:00

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-4

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	6.2	J	10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Client Sample ID: 74397.05

Date Collected: 06/24/16 10:15

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-5

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	49		10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Client Sample ID: 74397.06

Date Collected: 06/24/16 11:45

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-6

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	150		10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Client Sample ID: 74397.07

Date Collected: 06/24/16 14:20

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-7

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	59		10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Sample Results

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Method: 9020B - Organic Halides, Total (TOX)

Lab Sample ID: MB 680-441088/1-A
Matrix: Water
Analysis Batch: 441109

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 441088

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	10	U	10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

Lab Sample ID: LCS 680-441088/2-A
Matrix: Water
Analysis Batch: 441109

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 441088

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
TOX Result 1	100	88.7		ug/L		89	60 - 140

Lab Sample ID: 240-66492-5 MS
Matrix: Water
Analysis Batch: 441109

Client Sample ID: 74397.05
Prep Type: Total/NA
Prep Batch: 441088

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
TOX Result 1	52		100	130		ug/L		78	60 - 140

Lab Sample ID: 240-66492-5 MSD
Matrix: Water
Analysis Batch: 441109

Client Sample ID: 74397.05
Prep Type: Total/NA
Prep Batch: 441088

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
TOX Result 1	52		100	145		ug/L		93	60 - 140	11	40

QC Association Summary

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

General Chemistry

Prep Batch: 441088

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-66492-1	74397.01	Total/NA	Water	Carbon Trap	
240-66492-2	74397.02	Total/NA	Water	Carbon Trap	
240-66492-3	74397.03	Total/NA	Water	Carbon Trap	
240-66492-4	74397.04	Total/NA	Water	Carbon Trap	
240-66492-5	74397.05	Total/NA	Water	Carbon Trap	
240-66492-5 MS	74397.05	Total/NA	Water	Carbon Trap	
240-66492-5 MSD	74397.05	Total/NA	Water	Carbon Trap	
240-66492-6	74397.06	Total/NA	Water	Carbon Trap	
240-66492-7	74397.07	Total/NA	Water	Carbon Trap	
LCS 680-441088/2-A	Lab Control Sample	Total/NA	Water	Carbon Trap	
MB 680-441088/1-A	Method Blank	Total/NA	Water	Carbon Trap	

Analysis Batch: 441109

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-66492-1	74397.01	Total/NA	Water	9020B	441088
240-66492-2	74397.02	Total/NA	Water	9020B	441088
240-66492-3	74397.03	Total/NA	Water	9020B	441088
240-66492-4	74397.04	Total/NA	Water	9020B	441088
240-66492-5	74397.05	Total/NA	Water	9020B	441088
240-66492-5 MS	74397.05	Total/NA	Water	9020B	441088
240-66492-5 MSD	74397.05	Total/NA	Water	9020B	441088
240-66492-6	74397.06	Total/NA	Water	9020B	441088
240-66492-7	74397.07	Total/NA	Water	9020B	441088
LCS 680-441088/2-A	Lab Control Sample	Total/NA	Water	9020B	441088
MB 680-441088/1-A	Method Blank	Total/NA	Water	9020B	441088

Lab Chronicle

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Client Sample ID: 74397.01

Date Collected: 06/23/16 11:25

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Client Sample ID: 74397.02

Date Collected: 06/23/16 15:20

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Client Sample ID: 74397.03

Date Collected: 06/23/16 16:30

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Client Sample ID: 74397.04

Date Collected: 06/24/16 09:00

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Client Sample ID: 74397.05

Date Collected: 06/24/16 10:15

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Client Sample ID: 74397.06

Date Collected: 06/24/16 11:45

Date Received: 06/28/16 09:00

Lab Sample ID: 240-66492-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

TestAmerica Canton

Lab Chronicle

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Client Sample ID: 74397.07

Lab Sample ID: 240-66492-7

Date Collected: 06/24/16 14:20

Matrix: Water

Date Received: 06/28/16 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Certification Summary

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Laboratory: TestAmerica Canton

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	NELAP	9	01144CA	06-30-14 *
California	State Program	9	2927	04-30-17
Connecticut	State Program	1	PH-0590	12-31-17
Florida	NELAP	4	E87225	06-30-17
Illinois	NELAP	5	200004	07-31-16 *
Kansas	NELAP	7	E-10336	07-31-16 *
Kentucky (UST)	State Program	4	58	02-23-17
Kentucky (WW)	State Program	4	98016	12-31-16
L-A-B	DoD ELAP		L2315	07-18-16
Minnesota	NELAP	5	039-999-348	12-31-16
Nevada	State Program	9	OH-000482008A	07-31-16 *
New Jersey	NELAP	2	OH001	06-30-17
New York	NELAP	2	10975	03-31-17
Ohio VAP	State Program	5	CL0024	09-14-17
Oregon	NELAP	10	4062	02-23-17
Pennsylvania	NELAP	3	68-00340	08-31-16 *
Texas	NELAP	6	T104704517-15-5	08-31-16 *
USDA	Federal		P330-13-00319	11-26-16
Virginia	NELAP	3	460175	09-14-16 *
Washington	State Program	10	C971	01-12-17
West Virginia DEP	State Program	3	210	12-31-16
Wisconsin	State Program	5	999518190	08-31-16 *

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	AFCEE		SAVLAB	
A2LA	DoD ELAP		399.01	02-28-17
A2LA	ISO/IEC 17025		399.01	02-28-17
Alabama	State Program	4	41450	06-30-17
Alaska (UST)	State Program	10	UST-104	11-05-16
Arkansas DEQ	State Program	6	88-0692	01-31-17
California	State Program	9	2939	07-31-16 *
Colorado	State Program	8	N/A	12-31-16
Connecticut	State Program	1	PH-0161	03-31-17
Florida	NELAP	4	E87052	06-30-17
GA Dept. of Agriculture	State Program	4	N/A	06-12-17
Georgia	State Program	4	N/A	06-30-17
Georgia	State Program	4	803	06-30-17
Guam	State Program	9	15-005r	04-16-17
Hawaii	State Program	9	N/A	06-30-17
Illinois	NELAP	5	200022	11-30-16
Indiana	State Program	5	N/A	06-30-17
Iowa	State Program	7	353	06-30-17
Kentucky (DW)	State Program	4	90084	12-31-16
Kentucky (UST)	State Program	4	18	06-30-16 *
Kentucky (WW)	State Program	4	90084	12-31-16
Louisiana	NELAP	6	30690	06-30-17
Louisiana (DW)	NELAP	6	LA160019	12-31-16

* Certification renewal pending - certification considered valid.

TestAmerica Canton

Certification Summary

Client: Merit Laboratories
Project/Site: 74397

TestAmerica Job ID: 240-66492-1

Laboratory: TestAmerica Savannah (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Maine	State Program	1	GA00006	09-24-16
Maryland	State Program	3	250	12-31-16
Massachusetts	State Program	1	M-GA006	06-30-17
Michigan	State Program	5	9925	06-30-16 *
Mississippi	State Program	4	N/A	06-30-16 *
Nebraska	State Program	7	TestAmerica-Savannah	06-30-16 *
New Jersey	NELAP	2	GA769	06-30-17
New Mexico	State Program	6	N/A	06-30-17
New York	NELAP	2	10842	03-31-17
North Carolina (DW)	State Program	4	13701	07-31-16 *
North Carolina (WW/SW)	State Program	4	269	12-31-16
Oklahoma	State Program	6	9984	08-31-16
Pennsylvania	NELAP	3	68-00474	06-30-17
Puerto Rico	State Program	2	GA00006	12-31-16
South Carolina	State Program	4	98001	06-30-16 *
Tennessee	State Program	4	TN02961	06-30-16 *
Texas	NELAP	6	T104704185-14-7	11-30-16
USDA	Federal		SAV 3-04	06-11-17
Virginia	NELAP	3	460161	06-14-17
Washington	State Program	10	C805	06-10-16 *
West Virginia (DW)	State Program	3	9950C	12-31-16
West Virginia DEP	State Program	3	094	08-31-16
Wisconsin	State Program	5	999819810	08-31-16
Wyoming	State Program	8	8TMS-L	06-30-16 *

* Certification renewal pending - certification considered valid.

TestAmerica Canton

2.8/C3.8 0.9/C1.9

C.O.C. PAGE # _____ OF _____



2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
www.meritlabs.com

REPORT TO

CHAIN OF CUSTODY RECORD

INVOICE TO

CONTACT NAME Kevin George		CONTACT NAME Julie Teague	
COMPANY Merit Laboratories		COMPANY Merit Laboratories	
ADDRESS 2680 East Lansing Drive		ADDRESS 2680 East Lansing Drive	
CITY East Lansing	STATE MI	CITY East Lansing	STATE MI
PHONE NO. 517-332-0167	FAX NO. 517-332-4034	PHONE NO. 517-332-0167	FAX NO. 517-332-4034
E-MAIL ADDRESS kggeorge@meritlabs.com		E-MAIL ADDRESS	
PROJECT NO./NAME S74397		PROJECT NO./NAME	

TURNAROUND TIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDARD OTHER

DELIVERABLES REQUIRED STD LEVEL I LEVEL II LEVEL III LEVEL IV EDD OTHER

MATRIX CODE: GW=**GROUNDWATER** WW=**WASTEWATER** S=**SOIL** L=**LIQUID** SD=**SOLID**
 SL=**SLUDGE** DW=**DRINKING WATER** O=**OIL** WP=**WIPE** A=**AIR** W=**WASTE**

MERIT LAB NO. FOR LAB USE ONLY	YEAR	DATE	TIME	SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	NO. OF CONTAINERS	SEALS	INITIALS	NO. OF PRESERVATIVES	OTHER
		06/23/2016	1125	74397.01	GW	1			X	TOX
		06/23/2016	1520	74397.02	GW	1			X	✓
		06/23/2016	1630	74397.03	GW	1			X	✓
		06/24/2016	0900	74397.04	QC	1			X	✓
		06/24/2016	1015	74397.05	GW	1			X	✓
		06/24/2016	1145	74397.06	GW	1			X	✓
		06/24/2016	1420	74397.07	GW	1			X	✓



Certifications
 OHIO VAP Drinking Water
 DoD NPDES
 Project Locations
 Detroit New York
 Other
 Special Instructions

ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)

RELINQUISHED BY: SIGNATURE/Organization <i>[Signature]</i>	DATE 6/27/16	TIME 3:40
RECEIVED BY: SIGNATURE/Organization <i>[Signature]</i>	DATE 6/27/16	TIME 13:10
RELINQUISHED BY: SIGNATURE/Organization <i>[Signature]</i>	DATE 6/27/16	TIME 14:25
RECEIVED BY: SIGNATURE/Organization <i>[Signature]</i>	DATE 6/28/16	TIME 9:00

SEAL NO. _____ SEAL INTACT YES NO INITIALS _____

SEAL NO. _____ SEAL INTACT YES NO INITIALS _____

NOTES: _____ TEMP. ON ARRIVAL _____

PLEASE NOTE: SIGNING ACKNOWLEDGES ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE



TestAmerica Canton Sample Receipt Form/Narrative

Login # : 66492

Canton Facility

Client Meint Site Name _____

Cooler unpacked by: _____

Cooler Received on 6-28-16 Opened on 6-28-16

FedEx: 1st Exp UPS FAS Stetson Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time

Storage Location

TestAmerica Cooler # _____ Foam Box Client Cooler Box Other

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-8 (CF +1.3 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
 IR GUN #36 (CF +1.0°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were custody seals on the outside of the cooler(s)? If Yes Quantity 2 Yes No
 -Were custody seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes NO
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes NO
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels be reconciled with the COC? Yes No
9. Were correct bottle(s) used for the test(s) indicated? Yes No
10. Sufficient quantity received to perform indicated analyses? Yes No
11. Are these work share samples? Yes NO
 If yes, Questions 11-15 have been checked at the originating laboratory.
11. Were sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HCS74756
12. Were VOAs on the COC? Yes NO
13. Were air bubbles >6 mm in any VOA vials? Yes No NA
14. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes NO
15. Was a LL Hg or Me Hg trip blank present? _____ Yes NO

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

14. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: _____

15. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

16. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____

Login Sample Receipt Checklist

Client: Merit Laboratories

Job Number: 240-66492-1

Login Number: 66492
List Number: 2
Creator: Jennings, Carly F

List Source: TestAmerica Savannah
List Creation: 06/29/16 12:54 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	N/A	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	





Analytical Laboratory Report

Report ID: S74417.01(01)
Generated on 07/13/2016

Report to

Attention: Clifford Yantz
O'Brien & Gere Engineers, Inc.
37000 Grand River Ave.
Suite 260
Farmington, MI 48335

Phone: 248-477-5701 FAX:
Email: Clifford.Yantz@obg.com

Report produced by

Merit Laboratories, Inc.
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:
Kevin George (kgeorge@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S74417.01-S74417.03
Project: RACER Coldwater Rd LF Semiannual Sampling
Collected Date: 06/27/2016
Submitted Date/Time: 06/27/2016 14:45
Sampled by: Kevin Schneider
P.O. #: 11600279

Table of Contents

Cover Page (Page 1)
General Report Notes (Page 2)
Report Narrative (Page 2)
Laboratory Certifications (Page 3)
Qualifier Descriptions (Page 3)
Glossary of Abbreviations (Page 3)
Method Summary (Page 4)
Sample Summary (Page 5)

Maya Murshak
Technical Director



Analytical Laboratory Report

General Report Notes

Results relate only to items tested as received by laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Report Narrative

There is no additional narrative for this analytical report



Analytical Laboratory Report

Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods



Analytical Laboratory Report

Method Summary

Method	Version
E120.1	EPA Method 120.1 Revision 1982
E200.8	EPA Method 200.8 Revision 5.4
E300.0	EPA Method 300.0 Revision 2.1
E335.4/SM4500-CN	EPA Method 335.4 Revision 1.0 / Standard Method 4500-CN E 20th Edition
E420.1	EPA Method 420.1 Editorial Revision 1978
N/A	Not Applicable
SM5310C	Standard Method 5310C 20th Edition
SW3015A	SW 846 Method 3015A Revision 1 February 2007
SW8260C	SW 846 Method 8260C Revision 3 August 2006
SW9020B	SW 846 Method 9020B Revision 2 September 1994



Analytical Laboratory Report

Sample Summary (3 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S74417.01	B-19Ar	Groundwater	06/27/16 10:45
S74417.02	B-2D	Groundwater	06/27/16 12:20
S74417.03	Trip Blank-4	Quality Control	06/27/16 00:01



Analytical Laboratory Report

Lab Sample ID: S74417.01
 Sample Tag: B-19Ar
 Collected Date/Time: 06/27/2016 10:45
 Matrix: Groundwater
 COC Reference: 093025

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	5.8	IR
1	500ml Plastic	None	Yes	5.8	IR
2	125ml Plastic	HNO3	Yes	5.8	IR
2	40ml Glass	H2SO4	Yes	5.8	IR
1	1L Amber	H2SO4	Yes	5.8	IR
1	125ml Amber	H2SO4	Yes	5.8	IR
1	125ml Plastic	NaOH	Yes	5.8	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
----------	---------	-------	----	--------	---------------	------	-------	-------

Extraction / Prep.

Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM		
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM		
pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML		

Inorganics

Chloride	70	mg/L	10	E300.0	06/28/16 15:33	JDP	16887-00-6	
Conductivity	712	umhos/cm		E120.1	07/01/16 14:36	JKB		
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/28/16 11:58	JDP	57-12-5	
Phenols	Not detected	mg/L	0.02	E420.1	07/07/16 16:08	JKB		
Sulfate	128	mg/L	10	E300.0	06/28/16 15:33	JDP	14808-79-8	
TOC	1.5	mg/L	1	SM5310C	07/01/16 19:24	JKB		

Metals

Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:10	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:10	CCM	7440-50-8	
Iron, Dissolved	0.04	mg/L	0.02	E200.8	07/01/16 12:10	CCM	7439-89-6	
Manganese, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:10	CCM	7439-96-5	
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:10	CCM	7440-02-0	
Sodium	26.7	mg/L	0.50	E200.8	06/28/16 17:45	CCM	7440-23-5	
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:10	CCM	7440-66-6	

Organics - Volatiles

Volatile Organics - DEQ List

Diethyl ether	Not detected	ug/L	10	SW8260C	06/30/16 19:09	JGH	60-29-7	
Acetone	Not detected	ug/L	50	SW8260C	06/30/16 19:09	JGH	67-64-1	
Methyl iodide	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	74-88-4	
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	75-15-0	
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	1634-04-4	
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/30/16 19:09	JGH	107-13-1	
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/30/16 19:09	JGH	78-93-3	
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	75-71-8	
Chloromethane	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	74-87-3	
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	75-01-4	
Bromomethane	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	74-83-9	
Chloroethane	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	75-00-3	
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	75-69-4	
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	75-35-4	



Analytical Laboratory Report

Lab Sample ID: S74417.01 (continued)

Sample Tag: B-19Ar

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	75-09-2	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	156-60-5	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	75-34-3	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	156-59-2	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/30/16 19:09	JGH	109-99-9	
Chloroform	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	67-66-3	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	74-97-5	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	71-55-6	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/30/16 19:09	JGH	108-10-1	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/30/16 19:09	JGH	591-78-6	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	56-23-5	
Benzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	71-43-2	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	107-06-2	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	79-01-6	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	78-87-5	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	75-27-4	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	74-95-3	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	10061-01-5	
Toluene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	108-88-3	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	10061-02-6	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	79-00-5	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	127-18-4	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	110-57-6	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	124-48-1	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	106-93-4	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	108-90-7	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	630-20-6	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	100-41-4	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/30/16 19:09	JGH		
o-Xylene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	95-47-6	
Styrene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	100-42-5	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	98-82-8	
Bromoform	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	75-25-2	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	79-34-5	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	96-18-4	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	103-65-1	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	108-86-1	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	108-67-8	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	98-06-6	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	95-63-6	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	135-98-8	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	99-87-6	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	541-73-1	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	106-46-7	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	95-50-1	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	526-73-8	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:09	JGH	104-51-8	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	67-72-1	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	96-12-8	



Analytical Laboratory Report

Lab Sample ID: S74417.01 (continued)

Sample Tag: B-19Ar

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	120-82-1	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	87-61-6	
Naphthalene	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	91-20-3	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/30/16 19:09	JGH	91-57-6	
Organics								
TOX	71	ug/L	10	SW9020B	07/13/16 14:02	TES		O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74417.02
 Sample Tag: B-2D
 Collected Date/Time: 06/27/2016 12:20
 Matrix: Groundwater
 COC Reference: 093025

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	40ml Glass	HCL	Yes	5.8	IR
1	500ml Plastic	None	Yes	5.8	IR
2	125ml Plastic	HNO3	Yes	5.8	IR
2	40ml Glass	H2SO4	Yes	5.8	IR
1	1L Amber	H2SO4	Yes	5.8	IR
1	125ml Amber	H2SO4	Yes	5.8	IR
1	125ml Plastic	NaOH	Yes	5.8	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
----------	---------	-------	----	--------	---------------	------	-------	-------

Extraction / Prep.

Metal Digestion	Completed			SW3015A	07/01/16 08:30	CCM		
Metal Digestion	Completed			SW3015A	06/28/16 16:00	CCM		
pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML		

Inorganics

Chloride	Not detected	mg/L	5	E300.0	06/28/16 15:46	JDP	16887-00-6	
Conductivity	730	umhos/cm		E120.1	07/01/16 14:38	JKB		
Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	06/28/16 12:00	JDP	57-12-5	
Phenols	Not detected	mg/L	0.02	E420.1	07/07/16 16:12	JKB		
Sulfate	50	mg/L	5	E300.0	06/28/16 15:46	JDP	14808-79-8	
TOC	2.6	mg/L	1	SM5310C	07/01/16 19:45	JKB		

Metals

Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:13	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:13	CCM	7440-50-8	
Iron, Dissolved	0.04	mg/L	0.02	E200.8	07/01/16 12:13	CCM	7439-89-6	
Manganese, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:13	CCM	7439-96-5	
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:13	CCM	7440-02-0	
Sodium	16.1	mg/L	0.50	E200.8	06/28/16 17:46	CCM	7440-23-5	
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	07/01/16 12:13	CCM	7440-66-6	

Organics - Volatiles

Volatile Organics - DEQ List

Diethyl ether	Not detected	ug/L	10	SW8260C	06/30/16 19:32	JGH	60-29-7	
Acetone	Not detected	ug/L	50	SW8260C	06/30/16 19:32	JGH	67-64-1	
Methyl iodide	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	74-88-4	
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	75-15-0	
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	1634-04-4	
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/30/16 19:32	JGH	107-13-1	
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/30/16 19:32	JGH	78-93-3	
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	75-71-8	
Chloromethane	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	74-87-3	
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	75-01-4	
Bromomethane	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	74-83-9	
Chloroethane	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	75-00-3	
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	75-69-4	
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	75-35-4	



Analytical Laboratory Report

Lab Sample ID: S74417.02 (continued)

Sample Tag: B-2D

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Methylene chloride	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	75-09-2	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	156-60-5	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	75-34-3	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	156-59-2	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/30/16 19:32	JGH	109-99-9	
Chloroform	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	67-66-3	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	74-97-5	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	71-55-6	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/30/16 19:32	JGH	108-10-1	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/30/16 19:32	JGH	591-78-6	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	56-23-5	
Benzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	71-43-2	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	107-06-2	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	79-01-6	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	78-87-5	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	75-27-4	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	74-95-3	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	10061-01-5	
Toluene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	108-88-3	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	10061-02-6	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	79-00-5	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	127-18-4	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	110-57-6	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	124-48-1	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	106-93-4	
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	108-90-7	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	630-20-6	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	100-41-4	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/30/16 19:32	JGH		
o-Xylene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	95-47-6	
Styrene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	100-42-5	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	98-82-8	
Bromoform	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	75-25-2	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	79-34-5	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	96-18-4	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	103-65-1	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	108-86-1	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	108-67-8	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	98-06-6	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	95-63-6	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	135-98-8	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	99-87-6	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	541-73-1	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	106-46-7	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	95-50-1	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	526-73-8	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 19:32	JGH	104-51-8	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	67-72-1	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	96-12-8	



Analytical Laboratory Report

Lab Sample ID: S74417.02 (continued)

Sample Tag: B-2D

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	120-82-1	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	87-61-6	
Naphthalene	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	91-20-3	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/30/16 19:32	JGH	91-57-6	
Organics								
TOX	55	ug/L	10	SW9020B	07/13/16 14:02	TES		O

O-Analysis performed by outside laboratory. See attached report.



Analytical Laboratory Report

Lab Sample ID: S74417.03
 Sample Tag: Trip Blank-4
 Collected Date/Time: 06/27/2016 00:01
 Matrix: Quality Control
 COC Reference: 093025

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
2	40ml Glass	HCL	Yes	5.8	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
----------	---------	-------	----	--------	---------------	------	-------	-------

Extraction / Prep.

pH check for VOCs	<2	STD Units		N/A	06/30/16 12:00	JML		
-------------------	----	-----------	--	-----	----------------	-----	--	--

Organics - Volatiles

Volatile Organics - DEQ List

Diethyl ether	Not detected	ug/L	10	SW8260C	06/30/16 17:19	JGH	60-29-7	
Acetone	Not detected	ug/L	50	SW8260C	06/30/16 17:19	JGH	67-64-1	
Methyl iodide	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	74-88-4	
Carbon disulfide	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	75-15-0	
tert-Methyl butyl ether (MTBE)	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	1634-04-4	
Acrylonitrile	Not detected	ug/L	2	SW8260C	06/30/16 17:19	JGH	107-13-1	
2-Butanone (MEK)	Not detected	ug/L	25	SW8260C	06/30/16 17:19	JGH	78-93-3	
Dichlorodifluoromethane	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	75-71-8	
Chloromethane	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	74-87-3	
Vinyl chloride	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	75-01-4	
Bromomethane	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	74-83-9	
Chloroethane	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	75-00-3	
Trichlorofluoromethane	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	75-69-4	
1,1-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	75-35-4	
Methylene chloride	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	75-09-2	
trans-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	156-60-5	
1,1-Dichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	75-34-3	
cis-1,2-Dichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	156-59-2	
Tetrahydrofuran	Not detected	ug/L	90	SW8260C	06/30/16 17:19	JGH	109-99-9	
Chloroform	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	67-66-3	
Bromochloromethane	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	74-97-5	
1,1,1-Trichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	71-55-6	
4-Methyl-2-pentanone (MIBK)	Not detected	ug/L	50	SW8260C	06/30/16 17:19	JGH	108-10-1	
2-Hexanone	Not detected	ug/L	50	SW8260C	06/30/16 17:19	JGH	591-78-6	
Carbon tetrachloride	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	56-23-5	
Benzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	71-43-2	
1,2-Dichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	107-06-2	
Trichloroethene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	79-01-6	
1,2-Dichloropropane	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	78-87-5	
Bromodichloromethane	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	75-27-4	
Dibromomethane	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	74-95-3	
cis-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	10061-01-5	
Toluene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	108-88-3	
trans-1,3-Dichloropropene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	10061-02-6	
1,1,2-Trichloroethane	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	79-00-5	
Tetrachloroethene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	127-18-4	
trans-1,4-Dichloro-2-butene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	110-57-6	
Dibromochloromethane	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	124-48-1	
1,2-Dibromoethane	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	106-93-4	



Analytical Laboratory Report

Lab Sample ID: S74417.03 (continued)

Sample Tag: Trip Blank-4

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
Organics - Volatiles (continued)								
Volatile Organics - DEQ List (continued)								
Chlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	108-90-7	
1,1,1,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	630-20-6	
Ethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	100-41-4	
p,m-Xylene	Not detected	ug/L	2	SW8260C	06/30/16 17:19	JGH		
o-Xylene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	95-47-6	
Styrene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	100-42-5	
Isopropylbenzene	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	98-82-8	
Bromoform	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	75-25-2	
1,1,2,2-Tetrachloroethane	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	79-34-5	
1,2,3-Trichloropropane	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	96-18-4	
n-Propylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	103-65-1	
Bromobenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	108-86-1	
1,3,5-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	108-67-8	
tert-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	98-06-6	
1,2,4-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	95-63-6	
sec-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	135-98-8	
p-Isopropyltoluene	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	99-87-6	
1,3-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	541-73-1	
1,4-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	106-46-7	
1,2-Dichlorobenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	95-50-1	
1,2,3-Trimethylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	526-73-8	
n-Butylbenzene	Not detected	ug/L	1	SW8260C	06/30/16 17:19	JGH	104-51-8	
Hexachloroethane	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	67-72-1	
1,2-Dibromo-3-chloropropane	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	96-12-8	
1,2,4-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	120-82-1	
1,2,3-Trichlorobenzene	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	87-61-6	
Naphthalene	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	91-20-3	
2-Methylnaphthalene	Not detected	ug/L	5	SW8260C	06/30/16 17:19	JGH	91-57-6	



Merit
Laboratories, Inc.

2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
www.meritlabs.com

C.O.C. PAGE # 1 OF 1

093025

REPORT TO

CHAIN OF CUSTODY RECORD

INVOICE TO

CONTACT NAME Clifford Yantz
 COMPANY O'Brien & Gere
 ADDRESS 37000 Grand River
 CITY Farmington Hills STATE MI ZIP CODE 48335
 PHONE NO. 248-477-5701 FAX NO. P.O. NO. 11600279
 E-MAIL ADDRESS clifford.yantz@obg.com QUOTE NO.

CONTACT NAME X SAME
 COMPANY
 ADDRESS
 CITY STATE ZIP CODE
 PHONE NO. E-MAIL ADDRESS

ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)

PROJECT NO./NAME RACER coldwater rd LF semiannual sampling SAMPLER(S) - PLEASE PRINT/SIGN NAME Kevin Schmeider
 TURNAROUND TIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDARD OTHER
 DELIVERABLES REQUIRED STD LEVEL II LEVEL III LEVEL IV EDD OTHER

MATRIX CODE: GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID
 SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE

Containers & Preservatives

MERIT LAB NO. <small>FOR LAB USE ONLY</small>	YEAR		SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	# Containers & Preservatives											Special Instructions						
	DATE	TIME				NONE	HCl	HNO ₃	H ₂ SO ₄	NaOH	MeOH	OTHER	VOLs	TOC	Tox	phenols		Cyanide	sulfate	specific conductivity	dissolved metals	chlorides	Sodium
74417.01	6/27/16	1045	B-19A	GW	11	1	3	2	4	1												Metals are: Cu, Cr, Ni, Zn, Fe, Mn	
.02	↓	1220	B-2D	GW	11	1	3	2	4	1													
.03	↓	-	Trip Blank-4	GL	2	2																	
/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	

RELINQUISHED BY: K Schmeider OBG X Sampler DATE 6/27/16 TIME 13:50
 RECEIVED BY: Jerry Miller DATE 6/27/16 TIME 13:50
 RELINQUISHED BY: JOA. Hill DATE 6/27/16 TIME 14:45
 RECEIVED BY: DATE TIME

RELINQUISHED BY: Megan Meliceto DATE 6/27/16 TIME 14:45
 RECEIVED BY: DATE TIME
 SEAL NO. SEAL INTACT INITIALS NOTES: TEMP. ON ARRIVAL 5.8

PLEASE NOTE: SIGNING ACKNOWLEDGES ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

TestAmerica Job ID: 240-66657-1
Client Project/Site: 74417

For:
Merit Laboratories
2680 E Lansing Drive
East Lansing, Michigan 48823

Attn: Ms. Barb Richardson



Authorized for release by:
7/13/2016 4:11:03 PM

Denise Heckler, Project Manager II
(330)966-9477
denise.heckler@testamericainc.com



LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
QC Sample Results	10
QC Association Summary	11
Lab Chronicle	12
Certification Summary	13
Chain of Custody	15
Receipt Checklists	17

Definitions/Glossary

Client: Merit Laboratories
Project/Site: 74417

TestAmerica Job ID: 240-66657-1

Qualifiers

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Merit Laboratories
Project/Site: 74417

TestAmerica Job ID: 240-66657-1

Job ID: 240-66657-1

Laboratory: TestAmerica Canton

Narrative

Job Narrative
240-66657-1

Comments

No additional comments.

Receipt

The samples were received on 7/1/2016 9:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.1° C.

General Chemistry

Method(s) 9020B: Breakthrough exceeded 10% for the following sample:74417.02 (240-66657-2). Re-analysis was performed with concurring results. The data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Merit Laboratories
Project/Site: 74417

TestAmerica Job ID: 240-66657-1

Method	Method Description	Protocol	Laboratory
9020B	Organic Halides, Total (TOX)	SW846	TAL SAV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: Merit Laboratories
Project/Site: 74417

TestAmerica Job ID: 240-66657-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-66657-1	74417.01	Water	06/27/16 10:45	07/01/16 09:00
240-66657-2	74417.02	Water	06/27/16 12:20	07/01/16 09:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Merit Laboratories
Project/Site: 74417

TestAmerica Job ID: 240-66657-1

Client Sample ID: 74417.01

Lab Sample ID: 240-66657-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	71		10	3.5	ug/L	1		9020B	Total/NA

Client Sample ID: 74417.02

Lab Sample ID: 240-66657-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Halogens, Total Organic	55		10	3.5	ug/L	1		9020B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Canton



Client Sample Results

Client: Merit Laboratories
Project/Site: 74417

TestAmerica Job ID: 240-66657-1

Client Sample ID: 74417.01

Date Collected: 06/27/16 10:45

Date Received: 07/01/16 09:00

Lab Sample ID: 240-66657-1

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	71		10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Merit Laboratories
Project/Site: 74417

TestAmerica Job ID: 240-66657-1

Client Sample ID: 74417.02

Date Collected: 06/27/16 12:20

Date Received: 07/01/16 09:00

Lab Sample ID: 240-66657-2

Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	55		10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Sample Results

Client: Merit Laboratories
Project/Site: 74417

TestAmerica Job ID: 240-66657-1

Method: 9020B - Organic Halides, Total (TOX)

Lab Sample ID: MB 680-441088/1-A
Matrix: Water
Analysis Batch: 441109

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 441088

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Halogens, Total Organic	10	U	10	3.5	ug/L		07/12/16 11:50	07/13/16 14:02	1

Lab Sample ID: LCS 680-441088/2-A
Matrix: Water
Analysis Batch: 441109

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 441088

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
TOX Result 1	100	88.7		ug/L		89	60 - 140

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: Merit Laboratories
Project/Site: 74417

TestAmerica Job ID: 240-66657-1

General Chemistry

Prep Batch: 441088

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-66657-1	74417.01	Total/NA	Water	Carbon Trap	
240-66657-2	74417.02	Total/NA	Water	Carbon Trap	
LCS 680-441088/2-A	Lab Control Sample	Total/NA	Water	Carbon Trap	
MB 680-441088/1-A	Method Blank	Total/NA	Water	Carbon Trap	

Analysis Batch: 441109

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-66657-1	74417.01	Total/NA	Water	9020B	441088
240-66657-2	74417.02	Total/NA	Water	9020B	441088
LCS 680-441088/2-A	Lab Control Sample	Total/NA	Water	9020B	441088
MB 680-441088/1-A	Method Blank	Total/NA	Water	9020B	441088

Lab Chronicle

Client: Merit Laboratories
Project/Site: 74417

TestAmerica Job ID: 240-66657-1

Client Sample ID: 74417.01

Date Collected: 06/27/16 10:45

Date Received: 07/01/16 09:00

Lab Sample ID: 240-66657-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Client Sample ID: 74417.02

Date Collected: 06/27/16 12:20

Date Received: 07/01/16 09:00

Lab Sample ID: 240-66657-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	Carbon Trap			441088	07/12/16 11:50	JJW	TAL SAV
Total/NA	Analysis	9020B		1	441109	07/13/16 14:02	JJW	TAL SAV

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

Certification Summary

Client: Merit Laboratories
Project/Site: 74417

TestAmerica Job ID: 240-66657-1

Laboratory: TestAmerica Canton

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	NELAP	9	01144CA	06-30-14 *
California	State Program	9	2927	04-30-17
Connecticut	State Program	1	PH-0590	12-31-17
Florida	NELAP	4	E87225	06-30-17
Illinois	NELAP	5	200004	07-31-16 *
Kansas	NELAP	7	E-10336	07-31-16 *
Kentucky (UST)	State Program	4	58	02-23-17
Kentucky (WW)	State Program	4	98016	12-31-16
L-A-B	DoD ELAP		L2315	07-18-16
Minnesota	NELAP	5	039-999-348	12-31-16
Nevada	State Program	9	OH-000482008A	07-31-16 *
New Jersey	NELAP	2	OH001	06-30-17
New York	NELAP	2	10975	03-31-17
Ohio VAP	State Program	5	CL0024	09-14-17
Oregon	NELAP	10	4062	02-23-17
Pennsylvania	NELAP	3	68-00340	08-31-16 *
Texas	NELAP	6	T104704517-15-5	08-31-16 *
USDA	Federal		P330-13-00319	11-26-16
Virginia	NELAP	3	460175	09-14-16 *
Washington	State Program	10	C971	01-12-17
West Virginia DEP	State Program	3	210	12-31-16
Wisconsin	State Program	5	999518190	08-31-16 *

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	AFCEE		SAVLAB	
A2LA	DoD ELAP		399.01	02-28-17
A2LA	ISO/IEC 17025		399.01	02-28-17
Alabama	State Program	4	41450	06-30-17
Alaska (UST)	State Program	10	UST-104	11-05-16
Arkansas DEQ	State Program	6	88-0692	01-31-17
California	State Program	9	2939	07-31-16 *
Colorado	State Program	8	N/A	12-31-16
Connecticut	State Program	1	PH-0161	03-31-17
Florida	NELAP	4	E87052	06-30-17
GA Dept. of Agriculture	State Program	4	N/A	06-12-17
Georgia	State Program	4	N/A	06-30-17
Georgia	State Program	4	803	06-30-17
Guam	State Program	9	15-005r	04-16-17
Hawaii	State Program	9	N/A	06-30-17
Illinois	NELAP	5	200022	11-30-16
Indiana	State Program	5	N/A	06-30-17
Iowa	State Program	7	353	06-30-17
Kentucky (DW)	State Program	4	90084	12-31-16
Kentucky (UST)	State Program	4	18	06-30-16 *
Kentucky (WW)	State Program	4	90084	12-31-16
Louisiana	NELAP	6	30690	06-30-17
Louisiana (DW)	NELAP	6	LA160019	12-31-16

* Certification renewal pending - certification considered valid.

TestAmerica Canton

Certification Summary

Client: Merit Laboratories
Project/Site: 74417

TestAmerica Job ID: 240-66657-1

Laboratory: TestAmerica Savannah (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Maine	State Program	1	GA00006	09-24-16
Maryland	State Program	3	250	12-31-16
Massachusetts	State Program	1	M-GA006	06-30-17
Michigan	State Program	5	9925	06-30-16 *
Mississippi	State Program	4	N/A	06-30-16 *
Nebraska	State Program	7	TestAmerica-Savannah	06-30-16 *
New Jersey	NELAP	2	GA769	06-30-17
New Mexico	State Program	6	N/A	06-30-17
New York	NELAP	2	10842	03-31-17
North Carolina (DW)	State Program	4	13701	07-31-16 *
North Carolina (WW/SW)	State Program	4	269	12-31-16
Oklahoma	State Program	6	9984	08-31-16
Pennsylvania	NELAP	3	68-00474	06-30-17
Puerto Rico	State Program	2	GA00006	12-31-16
South Carolina	State Program	4	98001	06-30-16 *
Tennessee	State Program	4	TN02961	06-30-16 *
Texas	NELAP	6	T104704185-14-7	11-30-16
USDA	Federal		SAV 3-04	06-11-17
Virginia	NELAP	3	460161	06-14-17
Washington	State Program	10	C805	06-10-16 *
West Virginia (DW)	State Program	3	9950C	12-31-16
West Virginia DEP	State Program	3	094	08-31-16
Wisconsin	State Program	5	999819810	08-31-16
Wyoming	State Program	8	8TMS-L	06-30-16 *

* Certification renewal pending - certification considered valid.

TestAmerica Canton

1.11C21

2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
www.meritlabs.com



C.O.C. PAGE # _____ OF _____

REPORT TO

CONTACT NAME **Kevin George**
 COMPANY **Merit Laboratories**
 ADDRESS **2680 East Lansing Drive**
 CITY **East Lansing** STATE **MI** ZIP CODE **48823**
 PHONE NO. **517-332-0167** FAX NO. **517-332-4034**
 E-MAIL ADDRESS **kgeorge@meritlabs.com**

CHAIN OF CUSTODY RECORD

CONTACT NAME **Julie Teague**
 COMPANY **Merit Laboratories**
 ADDRESS **2680 East Lansing Drive**
 CITY **East Lansing** STATE **MI** ZIP CODE **48823**
 PHONE NO. **517-332-0167** E-MAIL ADDRESS _____

INVOICE TO

CONTACT NAME **Julie Teague**
 COMPANY **Merit Laboratories**
 ADDRESS **2680 East Lansing Drive**
 CITY **East Lansing** STATE **MI** ZIP CODE **48823**
 PHONE NO. **517-332-0167** E-MAIL ADDRESS _____

ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)

PROJECT NO./NAME	SAMPLER(S) - PLEASE PRINT/SIGN NAME	TURNAROUND TIME REQUIRED	DELIVERABLES REQUIRED	MATRIX CODE	YEAR	DATE	TIME	IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	# Containers & Preservatives	Certifications
S74417		<input type="checkbox"/> 1 DAY <input type="checkbox"/> 2 DAYS <input checked="" type="checkbox"/> 3 DAYS <input type="checkbox"/> STANDARD <input type="checkbox"/> OTHER	<input type="checkbox"/> STD <input type="checkbox"/> LEVEL I <input type="checkbox"/> LEVEL II <input type="checkbox"/> LEVEL III <input type="checkbox"/> LEVEL IV <input type="checkbox"/> EDD <input type="checkbox"/> OTHER	GW=GROUNDWATER SL=SLUDGE WW=WASTEWATER DW=DRINKING WATER		06/27/2016	1045	74417.01	GW	1	X	<input type="checkbox"/> OHIO VAP <input type="checkbox"/> Drinking Water <input type="checkbox"/> DoD <input type="checkbox"/> NPDES Project Locations <input type="checkbox"/> Detroit <input type="checkbox"/> New York <input type="checkbox"/> Other Special Instructions
						06/27/2016	1220	74417.02	GW	1	X	

Michigan

190

240-66657 Chain of Custody

Subcontracted to Test America

RELINQUISHED BY: *[Signature]* DATE **6/30/16** TIME **8:40**
 SIGNATURE/ORGINIZATION _____
 RECEIVED BY: *[Signature]* DATE **6/30/16** TIME **8:10**
 SIGNATURE/ORGINIZATION _____
 SEAL NO. _____ SEAL INTACT YES NO
 SEAL NO. _____ SEAL INTACT YES NO
 NOTES: **7-1-16** TEMP. ON ARRIVAL _____
 DATE **4/30/14** TIME **1500**
 DATE **7-1-16** TIME **8:00**

PLEASE NOTE: SIGNING ACKNOWLEDGES ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE



TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility

Login # : 66657

Client <u>Merck</u>	Site Name _____	Cooler unpacked by: _____
Cooler Received on <u>7-1-16</u>	Opened on <u>7-1-16</u>	
FedEx: 1 st <input checked="" type="radio"/> Exp UPS FAS Stetson Client Drop Off TestAmerica Courier Other _____		
Receipt After-hours: Drop-off Date/Time _____		Storage Location _____
TestAmerica Cooler # _____ Foam Box <input checked="" type="radio"/> Client Cooler Box Other _____		
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____		
COOLANT: <input checked="" type="radio"/> Wet Ice Blue Ice Dry Ice Water None		
1. Cooler temperature upon receipt <input type="checkbox"/> See Multiple Cooler Form		
IR GUN# IR-8 (CF +1.3 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C		
IR GUN #36 (CF +1.0°C) Observed Cooler Temp. <u>1.1</u> °C Corrected Cooler Temp. <u>2.1</u> °C		
2. Were custody seals on the outside of the cooler(s)? If Yes Quantity <u>1</u> <input checked="" type="radio"/> Yes No		
-Were custody seals on the outside of the cooler(s) signed & dated? <input checked="" type="radio"/> Yes No NA		
-Were custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? <input checked="" type="radio"/> Yes <input checked="" type="radio"/> No		
3. Shippers' packing slip attached to the cooler(s)? <input checked="" type="radio"/> Yes No		
4. Did custody papers accompany the sample(s)? <input checked="" type="radio"/> Yes No		
5. Were the custody papers relinquished & signed in the appropriate place? <input checked="" type="radio"/> Yes No		
6. Was/were the person(s) who collected the samples clearly identified on the COC? <input checked="" type="radio"/> Yes <input checked="" type="radio"/> No		
7. Did all bottles arrive in good condition (Unbroken)? <input checked="" type="radio"/> Yes No		
8. Could all bottle labels be reconciled with the COC? <input checked="" type="radio"/> Yes No		
9. Were correct bottle(s) used for the test(s) indicated? <input checked="" type="radio"/> Yes No		
10. Sufficient quantity received to perform indicated analyses? <input checked="" type="radio"/> Yes No		
11. Are these work share samples? <input checked="" type="radio"/> Yes <input checked="" type="radio"/> No		
If yes, Questions 11-15 have been checked at the originating laboratory.		
11. Were sample(s) at the correct pH upon receipt? Yes No <input checked="" type="radio"/> NA pH Strip Lot# <u>HCS74756</u>		
12. Were VOAs on the COC? Yes <input checked="" type="radio"/> No		
13. Were air bubbles >6 mm in any VOA vials? Yes No <input checked="" type="radio"/> NA		
14. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes <input checked="" type="radio"/> No		
15. Was a LL Hg or Me Hg trip blank present? Yes <input checked="" type="radio"/> No		
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____		
Concerning _____		

14. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES	Samples processed by: _____
<hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/>	

15. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

16. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

Login Sample Receipt Checklist

Client: Merit Laboratories

Job Number: 240-66657-1

Login Number: 66657
List Number: 2
Creator: Jennings, Carly F

List Source: TestAmerica Savannah
List Creation: 07/02/16 11:04 AM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	N/A	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	





APPENDIX D
*Groundwater Sampling
Program QA/QC Summary*

APPENDIX D QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

Data verification was independently performed by O'Brien & Gere Engineers, Inc. to assess the groundwater monitoring data quality for samples collected during the 2016 semiannual groundwater sampling event conducted in June 2016. Data verification was utilized to confirm the quality of the field and laboratory (Merit Laboratories, Inc. (Merit) of East Lansing, Michigan) data. The data verification included review of: (1) laboratory documentation, (2) chain-of-custody (COC) documentation, (3) target analyte results, (4) laboratory data qualifiers, if any, (5) laboratory reporting (quantitation) limits, (6) laboratory blank analysis, and (7) quality control samples, including duplicate samples.

The results of the data verification indicated the following:

- Laboratory documentation was complete.
- Chain-of-custody (COC) documentation was complete.
- Target analyte results were reported in accordance with the project requirements.
- Laboratory blank analysis did not indicate evidence of artifacts from the sampling or analytical process (above reporting limit [RL]).
- Laboratory quantitation (or reporting) limits (RLs) were within the project required limits for undiluted samples.
- No elevated RLs were reported due to matrix interference or sample dilution.
- Breakthrough exceeded 10% for the following TOX samples: B-2D, B-21D, B-23Dr, B-27D, DUP-3 (B-22D). Re-analysis was performed in accordance with United States Environmental Protection Agency (USEPA) Method 9020B with concurring results. Furthermore, the method blank results were non-detects and laboratory control sample (LCS) results were within percent recover limits (between 60 and 140 percent); therefore, the data was reported in accordance with USEPA Method 9020B.
- The primary and secondary constituents of concern (COCs) were not detected in Equipment Blank-1 nor the trip blanks associated with this sampling event; therefore, cross-contamination during sampling and shipping is not evident.
- The relative percent difference (RPD) for the duplicate sample results for B-22D and Dup-3 (B-22D) were within acceptable limits; except for TOX which the original sample concentration was 100 µg/L and in the duplicate sample the concentration was 29 µg/L; therefore, the sample results for B-22D and Dup-3 (B-22D) should be considered as estimated (J).

Furthermore, the instrument utilized for measurement of field parameters calibrated within range (deviation from standard of less than 3 percent) for pH, oxidation reduction potential (ORP), specific conductivity (conductivity) and dissolved oxygen (DO); therefore, operated within manufacturers specifications during sample collection.

The data verification indicates that the overall usability of the groundwater monitoring data is acceptable for the intended use without further qualification or rejection of the data with the exception of the qualification of the results for TOX in the Equipment Blank as an estimated (J) value less than the reporting limit, but greater than the method detection limit.




APPENDIX E
*Monitoring Well Control
Charts*

**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-2d Cr**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	8.78	5.19
2	Aug-95	10		
3	Jun-96	10		
4	Aug-96	10		
5	Nov-96	10		
6	May-97	10		
7	Nov-97	5		
8	May-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	5	-0.73	36	Nov-11	4.50	2.5	-1.21
10	Apr-99	4.5	5	-0.73	37	Jun-12	4.50	2.5	-1.21
11	Nov-99	4.5	5	-0.73	38	Dec-12	4.50	2.5	-1.21
12	Apr-00	4.5	5	-0.73	39	Jun-13	4.50	2.5	-1.21
13	Dec-00	4.5	5	-0.73	40	Nov-13	4.50	2.5	-1.21
14	May-01	4.5	5	-0.73	41	Jun-14	4.50	2.5	-1.21
15	Oct-01	4.5	5	-0.73	42	Jun-15	4.50	2.5	-1.21
16	May-02	4.5	5	-0.73	43	Jun-16	4.50	2.5	-1.21
17	Nov-02	4.5	2.5	-1.21					
18	Jun-03	4.5	2.5	-1.21					
19	Nov-03	4.5	2.5	-1.21					
20	Jun-04	4.5	2.5	-1.21					
21	Dec-04	4.5	2.5	-1.21					
22	Jun-05	4.5	2.5	-1.21					
23	Dec-05	4.5	9	0.04					
24	Jun-06	4.5	2.5	-1.21					
25	Nov-06	4.5	2.5	-1.21					
26	Jun-07	4.5	8	-0.15					
27	Nov-07	4.5	1	-1.50					
28	Jun-08	4.5	2.5	-1.21					
29	Nov-08	4.5	2.5	-1.21					
30	Jun-09	4.5	2.5	-1.21					
31	Nov-09	4.5	2.5	-1.21					
32	Jun-10	4.5	2.5	-1.21					
33	Nov-10	4.5	11	0.43					
34	Jun-11	4.5	9	0.04					
35	Jun-11	4.5	2.5	-1.21					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART**

B-2d Cu

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	8.13	5.40
2	Aug-95	10		
3	Jun-96	10		
4	Aug-96	10		
5	Nov-96	10		
6	May-97	5		
7	Nov-97	5		
8	May-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	5	-0.58	35	Nov-11	4.5	2	-1.14
10	Apr-99	4.5	5	-0.58	36	Jun-12	4.5	2	-1.14
11	Nov-99	4.5	5	-0.58	37	Dec-12	4.5	2	-1.14
12	Apr-00	4.5	5	-0.58	38	Jun-13	4.5	2	-1.14
13	Dec-00	4.5	5	-0.58	39	Nov-13	4.5	2	-1.14
14	May-01	4.5	5	-0.58	40	Jun-14	4.5	2.5	-1.04
15	Oct-01	4.5	5	-0.58	41	Jun-15	4.5	2.5	-1.04
16	May-02	4.5	5	-0.58	42	Jun-16	4.5	2.5	-1.04
17	Nov-02	4.5	2.5	-1.04					
18	Jun-03	4.5	2.5	-1.04					
19	Nov-03	4.5	2.5	-1.04					
20	Jun-04	4.5	2.5	-1.04					
21	Dec-04	4.5	2.5	-1.04					
22	Jun-05	4.5	2.5	-1.04					
23	Dec-05	4.5	2	-1.14					
24	Jun-06	4.5	2	-1.14					
25	Nov-06	4.5	2.5	-1.04					
26	Jun-07	4.5	2	-1.14					
27	Nov-07	4.5	1	-1.32					
28	Jun-08	4.5	1	-1.32					
29	Nov-08	4.5	0.5	-1.41					
30	Jun-09	4.5	203	36.09					
31	Nov-09	4.5	2	-1.14					
32	Jun-10	4.5	2	-1.14					
33	Nov-10	4.5	2	-1.14					
34	Jun-11	4.5	2	-1.14					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-2d Ni**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15	16.83	13.28
2	Aug-95	20		
3	Jun-96	10		
4	Aug-96	10		
5	Nov-96	10		
6	May-97	28		
7	Nov-97	39		
8	May-98	2.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	2.5	-1.08	35	Nov-11	4.5	2.5	-1.08
10	Apr-99	4.5	2.5	-1.08	36	Jun-12	4.5	2.5	-1.08
11	Nov-99	4.5	2.5	-1.08	37	Dec-12	4.5	2.5	-1.08
12	Apr-00	4.5	2.5	-1.08	38	Jun-13	4.5	2.5	-1.08
13	Dec-00	4.5	9	-0.59	39	Nov-13	4.5	2.5	-1.08
14	May-01	4.5	2.5	-1.08	40	Jun-14	4.5	11	-0.44
15	Oct-01	4.5	2.5	-1.08	41	Jun-15	4.5	2.5	-1.08
16	May-02	4.5	2.5	-1.08	42	Jun-16	4.5	2.5	-1.08
17	Nov-02	4.5	2.5	-1.08					
18	Jun-03	4.5	2.5	-1.08					
19	Nov-03	4.5	2.5	-1.08					
20	Jun-04	4.5	2.5	-1.08					
21	Dec-04	4.5	2.5	-1.08					
22	Jun-05	4.5	2.5	-1.08					
23	Dec-05	4.5	2.5	-1.08					
24	Jun-06	4.5	2.5	-1.08					
25	Nov-06	4.5	2.5	-1.08					
26	Jun-07	4.5	1	-1.19					
27	Nov-07	4.5	4	-0.97					
28	Jun-08	4.5	5	-0.89					
29	Nov-08	4.5	2.5	-1.08					
30	Jun-09	4.5	2.5	-1.08					
31	Nov-09	4.5	2.5	-1.08					
32	Jun-10	4.5	2.5	-1.08					
33	Nov-10	4.5	2.5	-1.08					
34	Jun-11	4.5	2.5	-1.08					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-2d Zn**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	18.75	16.62
2	Aug-95	10		
3	Jun-96	10		
4	Aug-96	50		
5	Nov-96	30		
6	May-97	30		
7	Nov-97	5		
8	May-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	10	-0.53	35	Nov-11	4.5	2.5	-0.98
10	Apr-99	4.5	5	-0.83	36	Jun-12	4.5	2.5	-0.98
11	Nov-99	4.5	40	1.28	37	Dec-12	4.5	2.5	-0.98
12	Apr-00	4.5	5	-0.83	38	Jun-13	4.5	26	0.44
13	Dec-00	4.5	5	-0.83	39	Nov-13	4.5	2.5	-0.98
14	May-01	4.5	5	-0.83	40	Jun-14	4.5	7	-0.71
15	Oct-01	4.5	5	-0.83	41	Jun-15	4.5	2.5	-0.98
16	May-02	4.5	5	-0.83	42	Jun-16	4.5	2.5	-0.98
17	Nov-02	4.5	2.5	-0.98					
18	Jun-03	4.5	2.5	-0.98					
19	Nov-03	4.5	2.5	-0.98					
20	Jun-04	4.5	7	-0.71					
21	Dec-04	4.5	10	-0.53					
22	Jun-05	4.5	2.5	-0.98					
23	Dec-05	4.5	5	-0.83					
24	Jun-06	4.5	8	-0.65					
25	Nov-06	4.5	18	-0.05					
26	Jun-07	4.5	6	-0.77					
27	Nov-07	4.5	9	-0.59					
28	Jun-08	4.5	7	-0.71					
29	Nov-08	4.5	2.5	-0.98					
30	Jun-09	4.5	113	5.67					
31	Nov-09	4.5	6	-0.77					
32	Jun-10	4.5	2.5	-0.98					
33	Nov-10	4.5	2.5	-0.98					
34	Jun-11	4.5	2.5	-0.98					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-2d pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	9.0	7.46	0.88
2	Aug-95	8.3		
3	Jun-96	7.5		
4	Aug-96	7.7		
5	Nov-96	7.3		
6	May-97	6.3		
7	Nov-97	6.9		
8	May-98	6.7		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	4.7	-3.15	35	Nov-11	4.5	7.1	-0.47
10	Apr-99	4.5	8.5	1.18	36	Jun-12	4.5	7.0	-0.53
11	Nov-99	4.5	7.4	-0.07	37	Dec-12	4.5	7.5	0.01
12	Apr-00	4.5	8.0	0.61	38	Jun-13	4.5	6.8	-0.78
13	Dec-00	4.5	6.7	-0.87	39	Nov-13	4.5	7.3	-0.14
14	May-01	4.5	7.8	0.38	40	Jun-14	4.5	7.3	-0.22
15	Oct-01	4.5	7.4	-0.07	41	Jun-15	4.5	7.1	-0.41
16	May-02	4.5	7.2	-0.30	42	Jun-16	4.5	6.4	-1.19
17	Nov-02	4.5	7.4	-0.07					
18	Jun-03	4.5	6.9	-0.64					
19	Nov-03	4.5	8.0	0.61					
20	Jun-04	4.5	6.3	-1.32					
21	Dec-04	4.5	6.8	-0.75					
22	Jun-05	4.5	7.3	-0.19					
23	Dec-05	4.5	6.9	-0.64					
24	Jun-06	4.5	7.4	-0.06					
25	Nov-06	4.5	7.2	-0.29					
26	Jun-07	4.5	6.8	-0.75					
27	Nov-07	4.5	7.1	-0.41					
28	Jun-08	4.5	6.9	-0.64					
29	Nov-08	4.5	6.8	-0.71					
30	Jun-09	4.5	7.0	-0.58					
31	Nov-09	4.5	7.2	-0.33					
32	Jun-10	4.5	7.1	-0.42					
33	Nov-10	4.5	7.2	-0.33					
34	Jun-11	4.5	7.0	-0.54					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-2d SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	434.0	701.50	339.46
2	Aug-95	479.0		
3	Jun-96	580.0		
4	Aug-96	641.0		
5	Nov-96	769.0		
6	May-97	1500.0		
7	Nov-97	660.0		
8	May-98	549.0		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	498.0	-0.60	35	Nov-11	4.5	751.0	0.15
10	Apr-99	4.5	523.0	-0.53	36	Jun-12	4.5	714.0	0.04
11	Nov-99	4.5	405.0	-0.87	37	Dec-12	4.5	714.0	0.04
12	Apr-00	4.5	770.0	0.20	38	Jun-13	4.5	742.0	0.12
13	Dec-00	4.5	610.0	-0.27	39	Nov-13	4.5	726.0	0.07
14	May-01	4.5	890.0	0.56	40	Jun-14	4.5	717.0	0.05
15	Oct-01	4.5	1830.0	3.32	41	Jun-15	4.5	621.0	-0.24
16	May-02	4.5	1000.0	0.88	42	Jun-16	4.5	730.0	0.08
17	Nov-02	4.5	490.0	-0.62					
18	Jun-03	4.5	530.0	-0.51					
19	Nov-03	4.5	630.0	-0.21					
20	Jun-04	4.5	570.0	-0.39					
21	Dec-04	4.5	550.0	-0.45					
22	Jun-05	4.5	620.0	-0.24					
23	Dec-05	4.5	642.0	-0.18					
24	Jun-06	4.5	504.1	-0.58					
25	Nov-06	4.5	677.0	-0.07					
26	Jun-07	4.5	644.0	-0.17					
27	Nov-07	4.5	783.0	0.24					
28	Jun-08	4.5	920.0	0.64					
29	Nov-08	4.5	806.0	0.31					
30	Jun-09	4.5	924.0	0.66					
31	Nov-09	4.5	835.0	0.39					
32	Jun-10	4.5	841.0	0.41					
33	Nov-10	4.5	779.0	0.23					
34	Jun-11	4.5	742.0	0.12					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART**

B-7 Cr

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	8.75	5.60
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	May-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	5	-0.67	36	Nov-11	4.5	2.5	-1.12
10	Apr-99	4.5	5	-0.67	37	Jun-12	4.5	2.5	-1.12
11	Nov-99	4.5	5	-0.67	38	Dec-12	4.5	2.5	-1.12
12	Apr-00	4.5	5	-0.67	39	Jun-13	4.5	2.5	-1.12
13	Dec-00	4.5	5	-0.67	40	Nov-13	4.5	14	0.94
14	May-01	4.5	5	-0.67	41	Nov-14	4.5	2.5	-1.12
15	Oct-01	4.5	5	-0.67	42	Jun-15	4.5	2.5	-1.12
16	May-02	4.5	5	-0.67	43	Nov-15	4.5	2.5	-1.12
17	Nov-02	4.5	2.5	-1.12	44	Jun-16	4.5	2.5	-1.12
18	Jun-03	4.5	2.5	-1.12					
19	Nov-03	4.5	2.5	-1.12					
20	Jun-04	4.5	2.5	-1.12					
21	Dec-04	4.5	2.5	-1.12					
22	Jun-05	4.5	5	-0.67					
23	Dec-05	4.5	10	0.22					
24	Jun-06	4.5	5	-0.67					
25	Nov-06	4.5	2.5	-1.12					
26	Jun-07	4.5	11	0.40					
27	Nov-07	4.5	14	0.94					
28	Jun-08	4.5	2.5	-1.12					
29	Nov-08	4.5	2.5	-1.12					
30	Jun-09	4.5	2.5	-1.12					
31	Nov-09	4.5	2.5	-1.12					
32	Jun-10	4.5	2.5	-1.12					
33	Nov-10	4.5	17	1.47					
34	Jun-11	4.5	10	0.22					
35	Jun-11	4.5	2.5	-1.12					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART**

B-7 Cu

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	9.40	5.32
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	10		
8	May-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	5	-0.83	35	Nov-11	4.5	6	-0.64
10	Apr-99	4.5	5	-0.83	36	Jun-12	4.5	2	-1.39
11	Nov-99	4.5	5	-0.83	37	Dec-12	4.5	4	-1.02
12	Apr-00	4.5	5	-0.83	38	Jun-13	4.5	2	-1.39
13	Dec-00	4.5	5	-0.83	39	Nov-13	4.5	6	-0.64
14	May-01	4.5	5	-0.83	40	Nov-14	4.5	6	-0.64
15	Oct-01	4.5	5	-0.83	41	Jun-15	4.5	2.5	-1.30
16	May-02	4.5	5	-0.83	42	Nov-15	4.5	2.5	-1.30
17	Nov-02	4.5	2.5	-1.30	43	Jun-16	4.5	2.5	-1.30
18	Jun-03	4.5	2.5	-1.30					
19	Nov-03	4.5	2.5	-1.30					
20	Jun-04	4.5	2.5	-1.30					
21	Dec-04	4.5	2.5	-1.30					
22	Jun-05	4.5	2.5	-1.30					
23	Dec-05	4.5	2	-1.39					
24	Jun-06	4.5	2	-1.39					
25	Nov-06	4.5	2	-1.39					
26	Jun-07	4.5	27	3.31					
27	Nov-07	4.5	6	-0.64					
28	Jun-08	4.5	3	-1.20					
29	Nov-08	4.5	3	-1.20					
30	Jun-09	4.5	3	-1.20					
31	Nov-09	4.5	2	-1.39					
32	Jun-10	4.5	2	-1.39					
33	Nov-10	4.5	2	-1.39					
34	Jun-11	4.5	2	-1.39					
35	Nov-11	4.5	6	-0.64					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-7 Ni**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15	12.70	9.19
2	Aug-95	20		
3	Feb-96	20		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	20		
7	May-97	14		
8	May-98	2.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	8	-0.51	35	Nov-11	4.5	8	-0.51
10	Apr-99	4.5	10	-0.29	36	Jun-12	4.5	2.5	-1.11
11	Nov-99	4.5	8	-0.51	37	Dec-12	4.5	2.5	-1.11
12	Apr-00	4.5	2.5	-1.11	38	Jun-13	4.5	2.5	-1.11
13	Dec-00	4.5	20	0.79	39	Nov-13	4.5	2.5	-1.11
14	May-01	4.5	7	-0.62	40	Nov-14	4.5	6	-0.73
15	Oct-01	4.5	5	-0.84	41	Jun-15	4.5	2.5	-1.11
16	May-02	4.5	2.5	-1.11	42	Nov-15	4.5	7	-0.62
17	Nov-02	4.5	5	-0.84	43	Jun-16	4.5	2.5	-1.11
18	Jun-03	4.5	2.5	-1.11					
19	Nov-03	4.5	2.5	-1.11					
20	Jun-04	4.5	9	-0.40					
21	Dec-04	4.5	7	-0.62					
22	Jun-05	4.5	9	-0.40					
23	Dec-05	4.5	6	-0.73					
24	Jun-06	4.5	9	-0.40					
25	Nov-06	4.5	9	-0.40					
26	Jun-07	4.5	5	-0.84					
27	Nov-07	4.5	16	0.36					
28	Jun-08	4.5	6	-0.73					
29	Nov-08	4.5	5	-0.84					
30	Jun-09	4.5	2.5	-1.11					
31	Nov-09	4.5	2.5	-1.11					
32	Jun-10	4.5	2.5	-1.11					
33	Nov-10	4.5	2.5	-1.11					
34	Jun-11	4.5	5	-0.84					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART**

B-7 Zn

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	25.25	19.40
2	Aug-95	10		
3	Feb-96	22		
4	Jun-96	20		
5	Aug-96	60		
6	Nov-96	50		
7	May-97	10		
8	May-98	20		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	30	0.24	35	Nov-11	4.5	11	-0.73
10	Apr-99	4.5	5	-1.04	36	Jun-12	4.5	2.5	-1.17
11	Nov-99	4.5	30	0.24	37	Dec-12	4.5	9	-0.84
12	Apr-00	4.5	5	-1.04	38	Jun-13	4.5	24	-0.06
13	Dec-00	4.5	10	-0.79	39	Nov-13	4.5	2.5	-1.17
14	May-01	4.5	5	-1.04	40	Nov-14	4.5	6	-0.99
15	Oct-01	4.5	5	-1.04	41	Jun-15	4.5	2.5	-1.17
16	May-02	4.5	10	-0.79	42	Nov-15	4.5	7	-0.94
17	Nov-02	4.5	5	-1.04	43	Jun-16	4.5	2.5	-1.17
18	Jun-03	4.5	2.5	-1.17			4.5		
19	Nov-03	4.5	5	-1.04					
20	Jun-04	4.5	7	-0.94					
21	Dec-04	4.5	14	-0.58					
22	Jun-05	4.5	13	-0.63					
23	Dec-05	4.5	20	-0.27					
24	Jun-06	4.5	18	-0.37					
25	Nov-06	4.5	11	-0.73					
26	Jun-07	4.5	14	-0.58					
27	Nov-07	4.5	20	-0.27					
28	Jun-08	4.5	2.5	-1.17					
29	Nov-08	4.5	17	-0.43					
30	Jun-09	4.5	14	-0.58					
31	Nov-09	4.5	2.5	-1.17					
32	Jun-10	4.5	2.5	-1.17					
33	Nov-10	4.5	2.5	-1.17					
34	Jun-11	4.5	6	-0.99					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-7 pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	7.5	6.99	1.06
2	Jun-96	6.9		
3	Aug-96	7.6		
4	Nov-96	8.0		
5	May-97	7.2		
6	May-98	6.6		
7	Nov-98	4.6		
8	Apr-99	7.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-99	4.5	6.5	-0.46	33	Nov-11	4.5	7.0	0.05
10	Apr-00	4.5	7.6	0.58	34	Jun-12	4.5	6.8	-0.21
11	Dec-00	4.5	7.1	0.11	35	Dec-12	4.5	7.1	0.13
12	May-01	4.5	7.3	0.30	36	Jun-13	4.5	7.2	0.24
13	Oct-01	4.5	7.2	0.20	37	Nov-13	4.5	7.1	0.11
14	May-02	4.5	7.2	0.20	38	Jun-14	4.5	7.1	0.11
15	Nov-02	4.5	7.4	0.39	39	Nov-14	4.5	7.3	0.30
16	Jun-03	4.5	6.9	-0.08	40	Jun-15	4.5	7.0	-0.01
17	Nov-03	4.5	6.9	-0.08	41	Nov-15	4.5	7.1	0.07
18	Jun-04	4.5	7.1	0.11	42	Jun-16	4.5	7.1	0.14
19	Dec-04	4.5	5.3	-1.60					
20	Jun-05	4.5	7.4	0.35					
21	Dec-05	4.5	8.7	1.62					
22	Jun-06	4.5	7.2	0.16					
23	Nov-06	4.5	6.9	-0.10					
24	Jun-07	4.5	6.9	-0.08					
25	Nov-07	4.5	6.9	-0.08					
26	Jun-08	4.5	6.9	-0.08					
27	Nov-08	4.5	6.8	-0.18					
28	Jun-09	4.5	6.9	-0.08					
29	Nov-09	4.5	7.3	0.30					
30	Jun-10	4.5	7.0	0.05					
31	Nov-10	4.5	7.2	0.16					
32	Jun-11	4.5	7.3	0.25					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-7 SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	1509.0	1,405.88	336.33
2	Jun-96	1508.0		
3	Aug-96	1567.0		
4	Nov-96	1960.0		
5	May-97	780.0		
6	May-98	1270.0		
7	Nov-98	1240.0		
8	Apr-99	1413.0		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-99	4.5	1230.0	-0.52	33	Nov-11	4.5	974.0	-1.28
10	Apr-00	4.5	1450.0	0.13	34	Jun-12	4.5	1082.0	-0.96
11	Dec-00	4.5	1180.0	-0.67	35	Dec-12	4.5	825.0	-1.73
12	May-01	4.5	1330.0	-0.23	36	Jun-13	4.5	921.0	-1.44
13	Oct-01	4.5	1210.0	-0.58	37	Nov-13	4.5	733.0	-2.00
14	May-02	4.5	1850.0	1.32	38	Nov-14	4.5	896.0	-1.52
15	Nov-02	4.5	1120.0	-0.85	39	Jun-15	4.5	1019.0	-1.15
16	Jun-03	4.5	1460.0	0.16	40	Nov-15	4.5	1231.0	-0.52
17	Nov-03	4.5	1590.0	0.55	41	Jun-16	4.5	852.0	-1.65
18	Jun-04	4.5	1353.0	-0.16			4.5		
19	Dec-04	4.5	1290.0	-0.34					
20	Jun-05	4.5	1121.0	-0.85					
21	Dec-05	4.5	1430.0	0.07					
22	Jun-06	4.5	1051.0	-1.06					
23	Nov-06	4.5	1380.0	-0.08					
24	Jun-07	4.5	1400.0	-0.02					
25	Nov-07	4.5	1350.0	-0.17					
26	Jun-08	4.5	1410.0	0.01					
27	Nov-08	4.5	1258.0	-0.44					
28	Jun-09	4.5	1184.0	-0.66					
29	Nov-09	4.5	1090.0	-0.94					
30	Jun-10	4.5	1290.0	-0.34					
31	Nov-10	4.5	997.0	-1.22					
32	Jun-11	4.5	910.0	-1.47					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART**

B-9 Cr

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	12.12	11.34
2	Aug-95	37		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	10	-0.19	34	Nov-11	4.5	2.5	-0.85
10	Apr-99	4.5	5	-0.63	35	Jun-12	4.5	2.5	-0.85
11	Nov-99	4.5	5	-0.63	36	Dec-12	4.5	2.5	-0.85
12	Apr-00	4.5	5	-0.63	37	Jun-13	4.5	2.5	-0.85
13	Dec-00	4.5	5	-0.63	38	Nov-13	4.5	10	-0.19
14	May-01	4.5	5	-0.63	39	Jun-14	4.5	2.5	-0.85
15	Oct-01	4.5	5	-0.63	40	Nov-14	4.5	2.5	-0.85
16	May-02	4.5	5	-0.63	41	Jun-15	4.5	2.5	-0.85
17	Jun-03	4.5	2.5	-0.85	42	Nov-15	4.5	2.5	-0.85
18	Jun-04	4.5	2.5	-0.85	43	Jun-16	4.5	2.5	-0.85
19	Dec-04	4.5	2.5	-0.85					
20	Jun-05	4.5	6	-0.54					
21	Dec-05	4.5	11	-0.10					
22	Jun-06	4.5	6	-0.54					
23	Nov-06	4.5	2.5	-0.85					
24	Jun-07	4.5	12	-0.01					
25	Nov-07	4.5	2	-0.89					
26	Jul-08	4.5	2.5	-0.85					
27	Nov-08	4.5	2.5	-0.85					
28	Jun-09	4.5	2.5	-0.85					
29	Nov-09	4.5	2.5	-0.85					
30	Jun-10	4.5	2.5	-0.85					
31	Nov-10	4.5	19	0.61					
32	Jun-11	4.5	17	0.43					
33	Jun-11	4.5	2.5	-0.85					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-9 Cu**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	12.87	13.26
2	Aug-95	43		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	10	-0.22	33	Nov-11	4.5	2	-0.82
10	Apr-99	4.5	5	-0.59	34	Jun-12	4.5	2	-0.82
11	Nov-99	4.5	5	-0.59	35	Dec-12	4.5	8	-0.37
12	Apr-00	4.5	5	-0.59	36	Jun-13	4.5	2	-0.82
13	Dec-00	4.5	5	-0.59	37	Nov-13	4.5	8	-0.37
14	May-01	4.5	5	-0.59	38	Jun-14	4.5	2.5	-0.78
15	Oct-01	4.5	5	-0.59	39	Nov-14	4.5	6	-0.52
16	May-02	4.5	5	-0.59	40	Jun-15	4.5	2.5	-0.78
17	Jun-03	4.5	2.5	-0.78	41	Nov-15	4.5	2.5	-0.78
18	Jun-04	4.5	8	-0.37	42	Jun-16	4.5	2.5	-0.78
19	Dec-04	4.5	8	-0.37					
20	Jun-05	4.5	6	-0.52					
21	Dec-05	4.5	5	-0.59					
22	Jun-06	4.5	6	-0.52					
23	Nov-06	4.5	6	-0.52					
24	Jun-07	4.5	6	-0.52					
25	Nov-07	4.5	6	-0.52					
26	Jul-08	4.5	4	-0.67					
27	Nov-08	4.5	0.5	-0.93					
28	Jun-09	4.5	0.5	-0.93					
29	Nov-09	4.5	2	-0.82					
30	Jun-10	4.5	2	-0.82					
31	Nov-10	4.5	4	-0.67					
32	Jun-11	4.5	6	-0.52					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-9 Ni**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15	39.83	59.86
2	Aug-95	20		
3	Feb-96	20		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	51		
8	Nov-97	183		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	18	-0.36	33	Nov-11	4.5	7	-0.55
10	Apr-99	4.5	19	-0.35	34	Jun-12	4.5	2.5	-0.62
11	Nov-99	4.5	20	-0.33	35	Dec-12	4.5	17	-0.38
12	Apr-00	4.5	12	-0.46	36	Jun-13	4.5	6	-0.57
13	Dec-00	4.5	46	0.10	37	Nov-13	4.5	47	0.12
14	May-01	4.5	7	-0.55	38	Jun-14	4.5	18	-0.36
15	Oct-01	4.5	8	-0.53	39	Nov-14	4.5	14	-0.43
16	May-02	4.5	7	-0.55	40	Jun-15	4.5	2.5	-0.62
17	Jun-03	4.5	15	-0.41	41	Nov-15	4.5	7	-0.55
18	Jun-04	4.5	19	-0.35	42	Jun-16	4.5	10	-0.50
19	Dec-04	4.5	11	-0.48					
20	Jun-05	4.5	12	-0.46					
21	Dec-05	4.5	12	-0.46					
22	Jun-06	4.5	13	-0.45					
23	Nov-06	4.5	2.5	-0.62					
24	Jun-07	4.5	24	-0.26					
25	Nov-07	4.5	24	-0.26					
26	Jul-08	4.5	13	-0.45					
27	Nov-08	4.5	13	-0.45					
28	Jun-09	4.5	2.5	-0.62					
29	Nov-09	4.5	16	-0.40					
30	Jun-10	4.5	7	-0.55					
31	Nov-10	4.5	7	-0.55					
32	Jun-11	4.5	21	-0.31					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART**

B-9 Zn

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	26.23	22.36
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	70		
6	Nov-96	40		
7	May-97	20		
8	Nov-97	40		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	40	0.62	33	Nov-11	4.5	2.5	-1.06
10	Apr-99	4.5	20	-0.28	34	Jun-12	4.5	14	-0.55
11	Nov-99	4.5	30	0.17	35	Dec-12	4.5	23	-0.14
12	Apr-00	4.5	30	0.17	36	Jun-13	4.5	25	-0.06
13	Dec-00	4.5	5	-0.95	37	Nov-13	4.5	8	-0.82
14	May-01	4.5	10	-0.73	38	Jun-14	4.5	8	-0.82
15	Oct-01	4.5	20	-0.28	39	Nov-14	4.5	12	-0.64
16	May-02	4.5	10	-0.73	40	Jun-15	4.5	2.5	-1.06
17	Jun-03	4.5	13	-0.59	41	Nov-15	4.5	2.5	-1.06
18	Jun-04	4.5	28	0.08	42	Jun-16	4.5	2.5	-1.06
19	Dec-04	4.5	19	-0.32					
20	Jun-05	4.5	17	-0.41					
21	Dec-05	4.5	40	0.62					
22	Jun-06	4.5	19	-0.32					
23	Nov-06	4.5	14	-0.55					
24	Jun-07	4.5	21	-0.23					
25	Nov-07	4.5	18	-0.37					
26	Jul-08	4.5	19	-0.32					
27	Nov-08	4.5	2.5	-1.06					
28	Jun-09	4.5	2.5	-1.06					
29	Nov-09	4.5	8	-0.82					
30	Jun-10	4.5	6	-0.90					
31	Nov-10	4.5	15	-0.50					
32	Jun-11	4.5	12	-0.64					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-9 pH

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	7.7	7.20	0.55
2	Aug-95	7.7		
3	Feb-96	7.3		
4	Jun-96	6.8		
5	Aug-96	8.0		
6	Nov-96	6.8		
7	May-97	6.8		
8	Nov-97	6.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	6.6	-1.09	33	Nov-11	4.5	7.2	-0.04
10	Apr-99	4.5	7.7	0.91	34	Jun-12	4.5	6.5	-1.22
11	Nov-99	4.5	6.8	-0.73	35	Dec-12	4.5	6.8	-0.73
12	Apr-00	4.5	7.6	0.73	36	Jun-13	4.5	7.1	-0.24
13	Dec-00	4.5	7.6	0.73	37	Nov-13	4.5	6.4	-1.53
14	May-01	4.5	7.4	0.36	38	Jun-14	4.5	6.8	-0.69
15	Oct-01	4.5	7.5	0.55	39	Nov-14	4.5	6.8	-0.78
16	May-02	4.5	7.2	0.00	40	Jun-15	4.5	6.4	-1.49
17	Jun-03	4.5	6.8	-0.73	41	Nov-15	4.5	6.7	-0.94
18	Jun-04	4.5	6.9	-0.55	42	Jun-16	4.5	6.7	-0.94
19	Dec-04	4.5	5.9	-2.36					
20	Jun-05	4.5	7.1	-0.20					
21	Dec-05	4.5	8.6	2.51					
22	Jun-06	4.5	6.8	-0.71					
23	Nov-06	4.5	7.2	-0.09					
24	Jun-07	4.5	6.7	-0.91					
25	Nov-07	4.5	6.7	-0.91					
26	Jul-08	4.5	6.4	-1.45					
27	Nov-08	4.5	6.4	-1.54					
28	Jun-09	4.5	6.7	-0.96					
29	Nov-09	4.5	6.7	-0.89					
30	Jun-10	4.5	6.7	-0.93					
31	Nov-10	4.5	6.4	-1.51					
32	Jun-11	4.5	6.7	-0.91					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-9 SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	2400	2,578.63	428.85
2	Aug-95	1829		
3	Feb-96	2860		
4	Jun-96	2550		
5	Aug-96	2310		
6	Nov-96	3280		
7	May-97	2600		
8	Nov-97	2800		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	2400	-0.42	33	Nov-11	4.5	3060	1.12
10	Apr-99	4.5	1860	-1.68	34	Jun-12	4.5	1057	-3.55
11	Nov-99	4.5	2340	-0.56	35	Dec-12	4.5	3210	1.47
12	Apr-00	4.5	2780	0.47	36	Jun-13	4.5	2660	0.19
13	Dec-00	4.5	2400	-0.42	37	Nov-13	4.5	2730	0.35
14	May-01	4.5	1070	-3.52	38	Jun-14	4.5	2650	0.17
15	Oct-01	4.5	2130	-1.05	39	Nov-14	4.5	2670	0.21
16	May-02	4.5	2470	-0.25	40	Jun-15	4.5	2480	-0.23
17	Jun-03	4.5	2690	0.26	41	Nov-15	4.5	2670	0.21
18	Jun-04	4.5	2379	-0.47	42	Jun-16	4.5	2190	-0.91
19	Dec-04	4.5	2480	-0.23					
20	Jun-05	4.5	2116	-1.08					
21	Dec-05	4.5	2830	0.59					
22	Jun-06	4.5	2065	-1.20					
23	Nov-06	4.5	2830	0.59					
24	Jun-07	4.5	2770	0.45					
25	Nov-07	4.5	3000	0.98					
26	Jul-08	4.5	3060	1.12					
27	Nov-08	4.5	3290	1.66					
28	Jun-09	4.5	2700	0.28					
29	Nov-09	4.5	3030	1.05					
30	Jun-10	4.5	3030	1.05					
31	Nov-10	4.5	2910	0.77					
32	Jun-11	4.5	2600	0.05					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-18a Cr

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	8.74	5.57
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.67	37	Nov-11	4.5	2.5	-1.12
10	Nov-98	4.5	5	-0.67	38	Jun-12	4.5	2.5	-1.12
11	Apr-99	4.5	5	-0.67	39	Dec-12	4.5	2.5	-1.12
12	Nov-99	4.5	5	-0.67	40	Jun-13	4.5	2.5	-1.12
13	Apr-00	4.5	5	-0.67	41	Nov-13	4.5	2.5	-1.12
14	Dec-00	4.5	5	-0.67	42	Jun-14	4.5	2.5	-1.12
15	May-01	4.5	5	-0.67	43	Nov-14	4.5	2.5	-1.12
16	Oct-01	4.5	5	-0.67	44	Jun-15	4.5	2.5	-1.12
17	May-02	4.5	5	-0.67	45	Nov-15	4.5	2.5	-1.12
18	Nov-02	4.5	2.5	-1.12	46	Jun-16	4.5	2.5	-1.12
19	Jun-03	4.5	2.5	-1.12					
20	Nov-03	4.5	2.5	-1.12					
21	Jun-04	4.5	2.5	-1.12					
22	Dec-04	4.5	2.5	-1.12					
23	Jun-05	4.5	2.5	-1.12					
24	Dec-05	4.5	11	0.41					
25	Jun-06	4.5	5	-0.67					
26	Nov-06	4.5	5	-0.67					
27	Jun-07	4.5	9	0.05					
28	Nov-07	4.5	1	-1.39					
29	Jun-08	4.5	2.5	-1.12					
30	Nov-08	4.5	2.5	-1.12					
31	Jun-09	4.5	2.5	-1.12					
32	Nov-09	4.5	2.5	-1.12					
33	Jun-10	4.5	2.5	-1.12					
34	Nov-10	4.5	12	0.59					
35	Jun-11	4.5	10	0.23					
36	Jun-11	4.5	2.5	-1.12					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-18a Cu**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	8.78	5.56
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.68	36	Nov-11	4.5	2	-1.22
10	Nov-98	4.5	5	-0.68	37	Jun-12	4.5	2	-1.22
11	Apr-99	4.5	5	-0.68	38	Dec-12	4.5	2	-1.22
12	Nov-99	4.5	5	-0.68	39	Jun-13	4.5	2	-1.22
13	Apr-00	4.5	5	-0.68	40	Nov-13	4.5	2	-1.22
14	Dec-00	4.5	5	-0.68	41	Jun-14	4.5	2.5	-1.13
15	May-01	4.5	5	-0.68	42	Nov-14	4.5	2	-1.22
16	Oct-01	4.5	5	-0.68	43	Jun-15	4.5	2.5	-1.13
17	May-02	4.5	5	-0.68	44	Nov-15	4.5	2.5	-1.13
18	Nov-02	4.5	2.5	-1.13	45	Jun-16	4.5	2.5	-1.13
19	Jun-03	4.5	2.5	-1.13					
20	Nov-03	4.5	2.5	-1.13					
21	Jun-04	4.5	2.5	-1.13					
22	Dec-04	4.5	2.5	-1.13					
23	Jun-05	4.5	2.5	-1.13					
24	Dec-05	4.5	2	-1.22					
25	Jun-06	4.5	4	-0.86					
26	Nov-06	4.5	2	-1.22					
27	Jun-07	4.5	3	-1.04					
28	Nov-07	4.5	2	-1.22					
29	Jun-08	4.5	2	-1.22					
30	Nov-08	4.5	0.5	-1.49					
31	Jun-09	4.5	1	-1.40					
32	Nov-09	4.5	2	-1.22					
33	Jun-10	4.5	2	-1.22					
34	Nov-10	4.5	2	-1.22					
35	Jun-11	4.5	2	-1.22					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-18a Ni**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15	20.01	18.96
2	Aug-95	20		
3	Feb-96	20		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	13		
8	Nov-97	62		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	2.5	-0.92	36	Nov-11	4.5	2.5	-0.92
10	Nov-98	4.5	2.5	-0.92	37	Jun-12	4.5	2.5	-0.92
11	Apr-99	4.5	2.5	-0.92	38	Dec-12	4.5	5	-0.79
12	Nov-99	4.5	2.5	-0.92	39	Jun-13	4.5	2.5	-0.92
13	Apr-00	4.5	2.5	-0.92	40	Nov-13	4.5	2.5	-0.92
14	Dec-00	4.5	15	-0.26	41	Jun-14	4.5	6	-0.74
15	May-01	4.5	2.5	-0.92	42	Nov-14	4.5	5	-0.79
16	Oct-01	4.5	2.5	-0.92	43	Jun-15	4.5	2.5	-0.92
17	May-02	4.5	2.5	-0.92	44	Nov-15	4.5	2.5	-0.92
18	Nov-02	4.5	2.5	-0.92	45	Jun-16	4.5	2.5	-0.92
19	Jun-03	4.5	2.5	-0.92					
20	Nov-03	4.5	2.5	-0.92					
21	Jun-04	4.5	7	-0.69					
22	Dec-04	4.5	9	-0.58					
23	Jun-05	4.5	6	-0.74					
24	Dec-05	4.5	2.5	-0.92					
25	Jun-06	4.5	2.5	-0.92					
26	Nov-06	4.5	2.5	-0.92					
27	Jun-07	4.5	3	-0.90					
28	Nov-07	4.5	6	-0.74					
29	Jun-08	4.5	2.5	-0.92					
30	Nov-08	4.5	2.5	-0.92					
31	Jun-09	4.5	2.5	-0.92					
32	Nov-09	4.5	2.5	-0.92					
33	Jun-10	4.5	2.5	-0.92					
34	Nov-10	4.5	2.5	-0.92					
35	Jun-11	4.5	5	-0.79					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-18a Zn**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	150	41.25	50.67
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	60		
6	Nov-96	70		
7	May-97	10		
8	Nov-97	10		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	20	-0.42	36	Nov-11	4.5	2.5	-0.76
10	Nov-98	4.5	10	-0.62	37	Jun-12	4.5	14	-0.54
11	Apr-99	4.5	20	-0.42	38	Dec-12	4.5	9	-0.64
12	Nov-99	4.5	60	0.37	39	Jun-13	4.5	31	-0.20
13	Apr-00	4.5	30	-0.22	40	Nov-13	4.5	11	-0.60
14	Dec-00	4.5	5	-0.72	41	Jun-14	4.5	7	-0.68
15	May-01	4.5	10	-0.62	42	Nov-14	4.5	7	-0.68
16	Oct-01	4.5	5	-0.72	43	Jun-15	4.5	2.5	-0.76
17	May-02	4.5	10	-0.62	44	Nov-15	4.5	5	-0.72
18	Nov-02	4.5	2.5	-0.76	45	Jun-16	4.5	2.5	-0.76
19	Jun-03	4.5	5	-0.72					
20	Nov-03	4.5	2.5	-0.76					
21	Jun-04	4.5	10	-0.62					
22	Dec-04	4.5	12	-0.58					
23	Jun-05	4.5	16	-0.50					
24	Dec-05	4.5	10	-0.62					
25	Jun-06	4.5	46	0.09					
26	Nov-06	4.5	9	-0.64					
27	Jun-07	4.5	14	-0.54					
28	Nov-07	4.5	11	-0.60					
29	Jun-08	4.5	11	-0.60					
30	Nov-08	4.5	2.5	-0.76					
31	Jun-09	4.5	15	-0.52					
32	Nov-09	4.5	45	0.07					
33	Jun-10	4.5	8	-0.66					
34	Nov-10	4.5	2.5	-0.76					
35	Jun-11	4.5	12	-0.58					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-18a pH

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	7.5	7.18	0.52
2	Aug-95	7.9		
3	Feb-96	7.4		
4	Jun-96	7.0		
5	Aug-96	7.5		
6	Nov-96	7.2		
7	May-97	6.5		
8	Nov-97	6.4		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	6.7	-0.92	36	Nov-11	4.5	7.0	-0.32
10	Nov-98	4.5	6.0	-2.27	37	Jun-12	4.5	7.0	-0.36
11	Apr-99	4.5	8.1	1.79	38	Dec-12	4.5	7.0	-0.28
12	Nov-99	4.5	7.1	-0.14	39	Jun-13	4.5	7.2	-0.01
13	Apr-00	4.5	7.5	0.63	40	Nov-13	4.5	7.2	-0.05
14	Dec-00	4.5	7.0	-0.34	41	Jun-14	4.5	7.0	-0.28
15	May-01	4.5	7.9	1.40	42	Nov-14	4.5	7.1	-0.14
16	Oct-01	4.5	7.1	-0.14	43	Jun-15	4.5	7.0	-0.43
17	May-02	4.5	7.2	0.05	44	Nov-15	4.5	7.0	-0.28
18	Nov-02	4.5	7.2	0.05	45	Jun-16	4.5	7.1	-0.18
19	Jun-03	4.5	6.9	-0.53					
20	Nov-03	4.5	7.7	1.01					
21	Jun-04	4.5	7.2	0.05					
22	Dec-04	4.5	6.2	-1.88					
23	Jun-05	4.5	7.4	0.40					
24	Dec-05	4.5	9.7	4.88					
25	Jun-06	4.5	7.1	-0.16					
26	Nov-06	4.5	7.2	0.01					
27	Jun-07	4.5	7.0	-0.32					
28	Nov-07	4.5	6.9	-0.53					
29	Jun-08	4.5	7.1	-0.14					
30	Nov-08	4.5	6.6	-1.15					
31	Jun-09	4.5	7.3	0.14					
32	Nov-09	4.5	6.9	-0.55					
33	Jun-10	4.5	7.2	0.03					
34	Nov-10	4.5	6.9	-0.51					
35	Jun-11	4.5	7.2	-0.03					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-18a SpC

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	1048	1,046.75	130.80
2	Aug-95	989		
3	Feb-96	1021		
4	Jun-96	944.0		
5	Aug-96	1041		
6	Nov-96	1331		
7	May-97	900		
8	Nov-97	1100		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	862	-1.41	36	Nov-11	4.5	1063	0.12
10	Nov-98	4.5	1090.0	0.33	37	Jun-12	4.5	1057	0.08
11	Apr-99	4.5	921	-0.96	38	Dec-12	4.5	1071	0.19
12	Nov-99	4.5	932	-0.88	39	Jun-13	4.5	1040	-0.05
13	Apr-00	4.5	980	-0.51	40	Nov-13	4.5	1063	0.12
14	Dec-00	4.5	990.0	-0.43	41	Jun-14	4.5	1048	0.01
15	May-01	4.5	1160	0.87	42	Nov-14	4.5	1073	0.20
16	Oct-01	4.5	1020	-0.20	43	Jun-15	4.5	1060	0.10
17	May-02	4.5	2080	7.90	44	Nov-15	4.5	1065	0.14
18	Nov-02	4.5	820	-1.73	45	Jun-16	4.5	1063	0.12
19	Jun-03	4.5	790	-1.96					
20	Nov-03	4.5	1180	1.02					
21	Jun-04	4.5	863	-1.40					
22	Dec-04	4.5	960	-0.66					
23	Jun-05	4.5	819	-1.74					
24	Dec-05	4.5	1120	0.56					
25	Jun-06	4.5	1120	0.56					
26	Nov-06	4.5	1100	0.41					
27	Jun-07	4.5	1070	0.18					
28	Nov-07	4.5	1090	0.33					
29	Jun-08	4.5	1060	0.10					
30	Nov-08	4.5	1088	0.32					
31	Jun-09	4.5	1060	0.10					
32	Nov-09	4.5	1070	0.18					
33	Jun-10	4.5	1080	0.25					
34	Nov-10	4.5	1065	0.14					
35	Jun-11	4.5	1031	-0.12					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-19a Cr

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	May-98	5	3.44	2.39
2	May-01	5		
3	May-02	5		
4	Jun-03	2.5		
5	Nov-03	2.5		
6	Jun-04	2.5		
7	Dec-04	2.5		
8	Jun-05	2.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Dec-05	4.5	10	2.74
10	Feb-06	4.5	2.5	-0.39
11	Jun-06	4.5	2.5	-0.39
12	Nov-06	4.5	5	0.65
13	Jun-07	4.5	6	1.07
14	Nov-07	4.5	3	-0.18
15	Jun-08	4.5	2.5	-0.39
16	Nov-08	4.5	2.5	-0.39
17	Jun-09	4.5	2.5	-0.39
18	Nov-09	4.5	2.5	-0.39
19	Jun-10	4.5	2.5	-0.39
20	Nov-10	4.5	12	3.58
21	Jun-11	4.5	5	0.65
22	Jun-11	4.5	2.5	-0.39
23	Nov-11	4.5	2.5	-0.39
24	Jun-12	4.5	2.5	-0.39
25	Dec-12	4.5	2.5	-0.39
26	Jun-13	4.5	2.5	-0.39
27	Nov-13	4.5	2.5	-0.39
28	Jun-14	4.5	2.5	-0.39
29	Nov-14	4.5	2.5	-0.39
30	Jun-15	4.5	2.5	-0.39
31	Nov-15	4.5	2.5	-0.39
32	Jun-16	4.5	2.5	-0.39

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-19a Cu**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	May-98	5	3.43	2.38
2	May-01	5		
3	May-02	5		
4	Jun-03	2.5		
5	Nov-03	2.5		
6	Jun-04	2.5		
7	Dec-04	2.5		
8	Jun-05	2.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Dec-05	4.5	2	-0.60
10	Jun-06	4.5	2	-0.60
11	Nov-06	4.5	2	-0.60
12	Jun-07	4.5	4	0.24
13	Nov-07	4.5	7	1.50
14	Jun-08	4.5	3	-0.18
15	Nov-08	4.5	1	-1.02
16	Jun-09	4.5	2	-0.60
17	Nov-09	4.5	2	-0.60
18	Jun-10	4.5	2	-0.60
19	Nov-10	4.5	2	-0.60
20	Jun-11	4.5	2	-0.60
21	Nov-11	4.5	2	-0.60
22	Jun-12	4.5	2	-0.60
23	Dec-12	4.5	2	-0.60
24	Jun-13	4.5	2	-0.60
25	Nov-13	4.5	2	-0.60
26	Jun-14	4.5	2.5	-0.39
27	Nov-14	4.5	6	1.08
28	Jun-15	4.5	6	1.08
29	Nov-15	4.5	2.5	-0.39
30	Jun-16	4.5	2.5	-0.39

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-19a Ni**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	May-98	2.5	3.06	2.08
2	May-01	2.5		
3	May-02	2.5		
4	Jun-03	2.5		
5	Nov-03	2.5		
6	Jun-04	2.5		
7	Dec-04	2.5		
8	Jun-05	7		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Dec-05	4.5	2.5	-0.27
10	Jun-06	4.5	12	4.30
11	Nov-06	4.5	2.5	-0.27
12	Jun-07	4.5	4	0.45
13	Nov-07	4.5	26	11.03
14	Jun-08	4.5	2.5	-0.27
15	Nov-08	4.5	2.5	-0.27
16	Jun-09	4.5	2.5	-0.27
17	Nov-09	4.5	2.5	-0.27
19	Jun-10	4.5	2.5	-0.27
20	Nov-10	4.5	2.5	-0.27
21	Jun-11	4.5	5	0.93
22	Nov-11	4.5	2.5	-0.27
23	Jun-12	4.5	2.5	-0.27
24	Dec-12	4.5	5	0.93
25	Jun-13	4.5	2.5	-0.27
26	Nov-13	4.5	10	3.34
27	Jun-14	4.5	5	0.93
28	Nov-14	4.5	6	1.41
29	Jun-15	4.5	2.5	-0.27
30	Nov-15	4.5	7	1.89
31	Jun-16	4.5	2.5	-0.27

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-19a Zn**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	May-98	30	8.69	9.24
2	May-01	5		
3	May-02	10		
4	Jun-03	2.5		
5	Nov-03	2.5		
6	Jun-04	8		
7	Dec-04	9		
8	Jun-05	2.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Dec-05	4.5	5	-0.40
10	Jun-06	4.5	21	1.33
11	Nov-06	4.5	2.5	-0.67
12	Jun-07	4.5	9	0.03
13	Nov-07	4.5	11	0.25
14	Jun-08	4.5	16	0.79
15	Nov-08	4.5	14	0.57
16	Jun-09	4.5	2.5	-0.67
17	Nov-09	4.5	7	-0.18
18	Jun-10	4.5	2.5	-0.67
19	Nov-10	4.5	2.5	-0.67
20	Jun-11	4.5	2.5	-0.67
21	Nov-11	4.5	5	-0.40
22	Jun-12	4.5	2.5	-0.67
23	Dec-12	4.5	6	-0.29
24	Jun-13	4.5	25	1.77
25	Nov-13	4.5	2.5	-0.67
26	Jun-14	4.5	2.5	-0.67
27	Nov-14	4.5	10	0.14
28	Jun-15	4.5	26	1.87
29	Nov-15	4.5	7	-0.18
30	Jun-16	4.5	2.5	-0.67

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-19a pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	May-98	6.8	7.01	0.40
2	May-01	7.1		
3	May-02	7.2		
4	Jun-03	6.9		
5	Nov-03	7.6		
6	Jun-04	7.2		
7	Dec-04	6.2		
8	Jun-05	7.1		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Dec-05	4.5	7.1	0.22
10	Jun-06	4.5	7.6	1.53
11	Nov-06	4.5	7.2	0.42
12	Jun-07	4.5	7.0	-0.10
13	Nov-07	4.5	7.3	0.64
14	Jun-08	4.5	7.1	0.29
15	Nov-08	4.5	7.0	-0.03
16	Jun-09	4.5	7.7	1.80
17	Nov-09	4.5	7.4	0.99
18	Jun-10	4.5	7.6	1.38
19	Nov-10	4.5	6.9	-0.25
20	Jun-11	4.5	7.4	0.84
21	Nov-11	4.5	7.1	0.12
22	Jun-12	4.5	7.8	1.90
23	Dec-12	4.5	7.4	0.86
24	Jun-13	4.5	8.2	2.84
25	Nov-13	4.5	7.3	0.79
26	Jun-14	4.5	8.4	3.43
27	Nov-14	4.5	7.4	0.89
28	Jun-15	4.5	6.8	-0.60
29	Nov-15	4.5	6.9	-0.27
30	Jun-16	4.5	8.1	2.76

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-19a SpC

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	May-98	1480	1,340.63	293.72
2	May-01	1050		
3	May-02	1740		
4	Jun-03	1350		
5	Nov-03	1620		
6	Jun-04	1316		
7	Dec-04	1340		
8	Jun-05	829		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Dec-05	4.5	1390	0.17
10	Jun-06	4.5	642	-2.38
11	Nov-06	4.5	1300	-0.14
12	Jun-07	4.5	899	-1.50
13	Nov-07	4.5	1070	-0.92
14	Jun-08	4.5	1060	-0.96
15	Nov-08	4.5	1052	-0.98
16	Jun-09	4.5	911	-1.46
17	Nov-09	4.5	994	-1.18
18	Jun-10	4.5	992	-1.19
19	Nov-10	4.5	1128	-0.72
20	Jun-11	4.5	902	-1.49
21	Nov-11	4.5	1091	-0.85
22	Jun-12	4.5	1005	-1.14
23	Dec-12	4.5	1129	-0.72
24	Jun-13	4.5	777	-1.92
25	Nov-13	4.5	1104	-0.81
26	Jun-14	4.5	817	-1.78
27	Nov-14	4.5	1038	-1.03
28	Jun-15	4.5	1165	-0.60
29	Nov-15	4.5	1170	-0.58
30	Jun-16	4.5	712	-2.14

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-20d Cr

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	11.51	9.80
2	Aug-95	10		
3	Feb-96	32		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.66	37	Nov-11	4.5	2.5	-0.92
10	Nov-98	4.5	5	-0.66	38	Jun-12	4.5	2.5	-0.92
11	Apr-99	4.5	5	-0.66	39	Dec-12	4.5	2.5	-0.92
12	Nov-99	4.5	5	-0.66	40	Jun-13	4.5	2.5	-0.92
13	Apr-00	4.5	5	-0.66	41	Nov-13	4.5	2.5	-0.92
14	Dec-00	4.5	5	-0.66	42	Jun-14	4.5	2.5	-0.92
15	May-01	4.5	5	-0.66	43	Jun-15	4.5	2.5	-0.92
16	Oct-01	4.5	5	-0.66	44	Jun-16	4.5	2.5	-0.92
17	May-02	4.5	5	-0.66					
18	Nov-02	4.5	2.5	-0.92					
19	Jun-03	4.5	2.5	-0.92					
20	Nov-03	4.5	2.5	-0.92					
21	Jun-04	4.5	2.5	-0.92					
22	Dec-04	4.5	2.5	-0.92					
23	Jun-05	4.5	7	-0.46					
24	Dec-05	4.5	11	-0.05					
25	Jun-06	4.5	7	-0.46					
26	Nov-06	4.5	6	-0.56					
27	Jun-07	4.5	10	-0.15					
28	Nov-07	4.5	3	-0.87					
29	Jun-08	4.5	2.5	-0.92					
30	Nov-08	4.5	2.5	-0.92					
31	Jun-09	4.5	2.5	-0.92					
32	Nov-09	4.5	2.5	-0.92					
33	Jun-10	4.5	2.5	-0.92					
34	Nov-10	4.5	11	-0.05					
35	Jun-11	4.5	9	-0.26					
36	Jun-11	4.5	2.5	-0.92					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-20d Cu

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	14.13	8.70
2	Aug-95	20		
3	Feb-96	28		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	Nov-97	20		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-1.05	36	Nov-11	4.5	2	-1.39
10	Nov-98	4.5	5	-1.05	37	Jun-12	4.5	2	-1.39
11	Apr-99	4.5	5	-1.05	38	Dec-12	4.5	2	-1.39
12	Nov-99	4.5	5	-1.05	39	Jun-13	4.5	2	-1.39
13	Apr-00	4.5	5	-1.05	40	Nov-13	4.5	2	-1.39
14	Dec-00	4.5	5	-1.05	41	Jun-14	4.5	2.5	-1.34
15	May-01	4.5	5	-1.05	42	Jun-15	4.5	2.5	-1.34
16	Oct-01	4.5	5	-1.05	43	Jun-16	4.5	2.5	-1.34
17	May-02	4.5	5	-1.05					
18	Nov-02	4.5	2.5	-1.34					
19	Jun-03	4.5	2.5	-1.34					
20	Nov-03	4.5	2.5	-1.34					
21	Jun-04	4.5	2.5	-1.34					
22	Dec-05	4.5	2.5	-1.34					
23	Jun-05	4.5	2.5	-1.34					
24	Dec-05	4.5	2	-1.39					
25	Jun-06	4.5	2	-1.39					
26	Nov-06	4.5	2	-1.39					
27	Jun-07	4.5	22	0.90					
28	Nov-07	4.5	1	-1.51					
29	Jun-08	4.5	2	-1.39					
30	Nov-08	4.5	4	-1.16					
31	Jun-09	4.5	2.5	-1.34					
32	Nov-09	4.5	2	-1.39					
33	Jun-10	4.5	2	-1.39					
34	Nov-10	4.5	2	-1.39					
35	Jun-11	4.5	2	-1.39					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-20d Ni**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15	21.88	17.64
2	Aug-95	20		
3	Feb-96	54		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	15		
8	Nov-97	41		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	2.5	-1.10	36	Nov-11	4.5	2.5	-1.10
10	Nov-98	4.5	2.5	-1.10	37	Jun-12	4.5	2.5	-1.10
11	Apr-99	4.5	2.5	-1.10	38	Dec-12	4.5	2.5	-1.10
12	Nov-99	4.5	2.5	-1.10	39	Jun-13	4.5	2.5	-1.10
13	Apr-00	4.5	2.5	-1.10	40	Nov-13	4.5	2.5	-1.10
14	Dec-00	4.5	15	-0.39	41	Jun-14	4.5	5	-0.96
15	May-01	4.5	2.5	-1.10	42	Jun-15	4.5	2.5	-1.10
16	Oct-01	4.5	2.5	-1.10	43	Jun-16	4.5	2.5	-1.10
17	May-02	4.5	2.5	-1.10					
18	Nov-02	4.5	2.5	-1.10					
19	Jun-03	4.5	2.5	-1.10					
20	Nov-03	4.5	5	-0.96					
21	Jun-04	4.5	11	-0.62					
22	Dec-04	4.5	11	-0.62					
23	Jun-05	4.5	5	-0.96					
24	Dec-05	4.5	26	0.23					
25	Jun-06	4.5	2.5	-1.10					
26	Nov-06	4.5	6	-0.90					
27	Jun-07	4.5	19	-0.16					
28	Nov-07	4.5	13	-0.50					
29	Jun-08	4.5	2.5	-1.10					
30	Nov-08	4.5	6	-0.90					
31	Jun-09	4.5	2.5	-1.10					
32	Nov-09	4.5	2.5	-1.10					
33	Jun-10	4.5	2.5	-1.10					
34	Nov-10	4.5	2.5	-1.10					
35	Jun-11	4.5	2.5	-1.10					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-20d Zn**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	30.66	38.93
2	Aug-95	10		
3	Feb-96	120		
4	Jun-96	10		
5	Aug-96	40		
6	Nov-96	40		
7	May-97	10		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.66	36	Nov-11	4.5	5	-0.66
10	Nov-98	4.5	10	-0.53	37	Jun-12	4.5	2.5	-0.72
11	Apr-99	4.5	10	-0.53	38	Dec-12	4.5	7	-0.61
12	Nov-99	4.5	60	0.75	39	Jun-13	4.5	11	-0.51
13	Apr-00	4.5	5	-0.66	40	Nov-13	4.5	39	0.21
14	Dec-00	4.5	5	-0.66	41	Jun-14	4.5	2.5	-0.72
15	May-01	4.5	5	-0.66	42	Jun-15	4.5	2.5	-0.72
16	Oct-01	4.5	5	-0.66	43	Jun-16	4.5	2.5	-0.72
17	May-02	4.5	10	-0.53					
18	Nov-02	4.5	2.5	-0.72					
19	Jun-03	4.5	2.5	-0.72					
20	Nov-03	4.5	2.5	-0.72					
21	Jun-04	4.5	2.5	-0.72					
22	Dec-04	4.5	10	-0.53					
23	Jun-05	4.5	2.5	-0.72					
24	Dec-05	4.5	5	-0.66					
25	Jun-06	4.5	5	-0.66					
26	Nov-06	4.5	2.5	-0.72					
27	Jun-07	4.5	124	2.40					
28	Nov-07	4.5	9	-0.56					
29	Jun-08	4.5	7	-0.61					
30	Nov-08	4.5	22	-0.22					
31	Jun-09	4.5	2.5	-0.72					
32	Nov-09	4.5	5	-0.66					
33	Jun-10	4.5	2.5	-0.72					
34	Nov-10	4.5	2.5	-0.72					
35	Jun-11	4.5	13	-0.45					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-20d pH

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	8.3	7.58	0.62
2	Aug-95	8.1		
3	Feb-96	7.1		
4	Jun-96	7.9		
5	Aug-96	8.0		
6	Nov-96	7.7		
7	May-97	6.8		
8	Nov-97	6.7		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	6.8	-1.25	36	Nov-11	4.5	7.0	-0.89
10	Nov-98	4.5	6.5	-1.73	37	Jun-12	4.5	6.8	-1.27
11	Apr-99	4.5	8.4	1.33	38	Dec-12	4.5	7.5	-0.06
12	Nov-99	4.5	7.5	-0.12	39	Jun-13	4.5	7.0	-0.93
13	Apr-00	4.5	7.4	-0.28	40	Nov-13	4.5	7.2	-0.57
14	Dec-00	4.5	7.5	-0.12	41	Jun-14	4.5	7.0	-0.91
15	May-01	4.5	7.0	-0.93	42	Jun-15	4.5	7.1	-0.72
16	Oct-01	4.5	7.9	0.52	43	Jun-16	4.5	7.0	-0.91
17	May-02	4.5	7.2	-0.60					
18	Nov-02	4.5	7.6	0.04					
19	Jun-03	4.5	7.4	-0.28					
20	Nov-03	4.5	8.0	0.68					
21	Jun-04	4.5	7.5	-0.12					
22	Dec-04	4.5	7.5	-0.12					
23	Jun-05	4.5	7.3	-0.44					
24	Dec-05	4.5	4.8	-4.47					
25	Jun-06	4.5	7.4	-0.35					
26	Nov-06	4.5	7.5	-0.14					
27	Jun-07	4.5	6.7	-1.38					
28	Nov-07	4.5	7.2	-0.62					
29	Jun-08	4.5	7.0	-0.91					
30	Nov-08	4.5	6.9	-1.10					
31	Jun-09	4.5	7.2	-0.65					
32	Nov-09	4.5	7.0	-0.89					
33	Jun-10	4.5	7.3	-0.44					
34	Nov-10	4.5	7.0	-0.89					
35	Jun-11	4.5	7.2	-0.56					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-20d SpC

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	771	835.75	196.61
2	Aug-95	1204		
3	Feb-96	801		
4	Jun-96	745		
5	Aug-96	750		
6	Nov-96	1075		
7	May-97	640		
8	Nov-97	700		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	579	-1.31	36	Nov-11	4.5	1006	0.87
10	Nov-98	4.5	667	-0.86	37	Jun-12	4.5	1003	0.85
11	Apr-99	4.5	506	-1.68	38	Dec-12	4.5	1008	0.88
12	Nov-99	4.5	677	-0.81	39	Jun-13	4.5	1000	0.84
13	Apr-00	4.5	760	-0.39	40	Nov-13	4.5	992	0.79
14	Dec-00	4.5	780	-0.28	41	Jun-14	4.5	972	0.69
15	May-01	4.5	590	-1.25	42	Jun-15	4.5	959	0.63
16	Oct-01	4.5	930	0.48	43	Jun-16	4.5	945	0.56
17	May-02	4.5	780	-0.28					
18	Nov-02	4.5	610	-1.15					
19	Jun-03	4.5	620	-1.10					
20	Nov-03	4.5	630	-1.05					
21	Jun-04	4.5	666	-0.86					
22	Dec-04	4.5	830	-0.03					
23	Jun-05	4.5	707	-0.65					
24	Dec-05	4.5	957	0.62					
25	Jun-06	4.5	701	-0.69					
26	Nov-06	4.5	980	0.73					
27	Jun-07	4.5	929	0.47					
28	Nov-07	4.5	932	0.49					
29	Jun-08	4.5	946	0.56					
30	Nov-08	4.5	1006	0.87					
31	Jun-09	4.5	1000	0.84					
32	Nov-09	4.5	1030	0.99					
33	Jun-10	4.5	1020	0.94					
34	Nov-10	4.5	998	0.83					
35	Jun-11	4.5	967	0.67					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-21d Cr**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	8.74	5.57
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.67	36	Nov-11	4.5	2.5	-1.12
10	Nov-98	4.5	5	-0.67	37	Jun-12	4.5	2.5	-1.12
11	Apr-99	4.5	5	-0.67	38	Dec-12	4.5	2.5	-1.12
12	Apr-00	4.5	5	-0.67	39	Jun-13	4.5	2.5	-1.12
13	Dec-00	4.5	5	-0.67	40	Nov-13	4.5	2.5	-1.12
14	May-01	4.5	5	-0.67	41	Jun-14	4.5	2.5	-1.12
15	Oct-01	4.5	5	-0.67	42	Jun-15	4.5	2.5	-1.12
16	May-02	4.5	5	-0.67	43	Jun-16	4.5	2.5	-1.12
18	Jun-03	4.5	2.5	-1.12					
19	Nov-03	4.5	2.5	-1.12					
20	Jun-04	4.5	2.5	-1.12					
21	Dec-04	4.5	2.5	-1.12					
22	Jun-05	4.5	2.5	-1.12					
23	Dec-05	4.5	8	-0.13					
24	Jun-06	4.5	2.5	-1.12					
25	Nov-06	4.5	2.5	-1.12					
26	Jun-07	4.5	10	0.23					
27	Nov-07	4.5	2	-1.21					
28	Jun-08	4.5	2.5	-1.12					
29	Nov-08	4.5	2.5	-1.12					
30	Jun-09	4.5	2.5	-1.12					
31	Nov-09	4.5	2.5	-1.12					
32	Jun-10	4.5	2.5	-1.12					
33	Nov-10	4.5	11	0.41					
34	Jun-11	4.5	10	0.23					
35	Jun-11	4.5	7	-0.31					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-21d Cu

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	10.13	6.83
2	Aug-95	21		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.75	35	Nov-11	4.5	2	-1.19
10	Nov-98	4.5	5	-0.75	36	Jun-12	4.5	2	-1.19
11	Apr-99	4.5	5	-0.75	37	Dec-12	4.5	2	-1.19
12	Apr-00	4.5	5	-0.75	38	Jun-13	4.5	2	-1.19
13	Dec-00	4.5	5	-0.75	39	Nov-13	4.5	2	-1.19
14	May-01	4.5	5	-0.75	40	Jun-14	4.5	2.5	-1.12
15	Oct-01	4.5	5	-0.75	41	Jun-15	4.5	2.5	-1.12
16	May-02	4.5	5	-0.75	42	Jun-16	4.5	2.5	-1.12
18	Jun-03	4.5	2.5	-1.12					
19	Nov-03	4.5	2.5	-1.12					
20	Jun-04	4.5	2.5	-1.12					
21	Dec-04	4.5	2.5	-1.12					
22	Jun-05	4.5	2.5	-1.12					
23	Dec-05	4.5	2	-1.19					
24	Jun-06	4.5	6	-0.60					
25	Nov-06	4.5	2	-1.19					
26	Jun-07	4.5	2	-1.19					
27	Nov-07	4.5	1	-1.34					
28	Jun-08	4.5	1	-1.34					
29	Nov-08	4.5	0.5	-1.41					
30	Jun-09	4.5	0.5	-1.41					
31	Nov-09	4.5	2	-1.19					
32	Jun-10	4.5	2	-1.19					
33	Nov-10	4.5	2	-1.19					
34	Jun-11	4.5	2	-1.19					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-21d Ni

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15	15.37	10.43
2	Aug-95	20		
3	Feb-96	20		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	8		
8	Nov-97	30		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	2.5	-1.23	35	Nov-11	4.5	2.5	-1.23
10	Nov-98	4.5	2.5	-1.23	36	Jun-12	4.5	2.5	-1.23
11	Apr-99	4.5	2.5	-1.23	37	Dec-12	4.5	2.5	-1.23
12	Apr-00	4.5	2.5	-1.23	38	Jun-13	4.5	2.5	-1.23
13	Dec-00	4.5	11	-0.42	39	Nov-13	4.5	2.5	-1.23
14	May-01	4.5	2.5	-1.23	40	Jun-14	4.5	2.5	-1.23
15	Oct-01	4.5	2.5	-1.23	41	Jun-15	4.5	2.5	-1.23
16	May-02	4.5	2.5	-1.23	42	Jun-16	4.5	2.5	-1.23
18	Jun-03	4.5	2.5	-1.23					
19	Nov-03	4.5	2.5	-1.23					
20	Jun-04	4.5	2.5	-1.23					
20	Dec-04	4.5	2.5	-1.23					
21	Jun-05	4.5	12	-0.32					
22	Dec-05	4.5	8	-0.71					
23	Jun-06	4.5	5	-0.99					
24	Nov-06	4.5	2.5	-1.23					
25	Jun-07	4.5	5	-0.99					
26	Nov-07	4.5	5	-0.99					
27	Jun-08	4.5	2.5	-1.23					
28	Nov-08	4.5	5	-0.99					
30	Jun-09	4.5	2.5	-1.23					
31	Nov-09	4.5	2.5	-1.23					
32	Jun-10	4.5	2.5	-1.23					
33	Nov-10	4.5	2.5	-1.23					
34	Jun-11	4.5	2.5	-1.23					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-21d Zn

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	61	23.89	23.00
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	50		
6	Nov-96	40		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	20	-0.17	36	Nov-11	4.5	2.5	-0.93
10	Nov-98	4.5	10	-0.60	37	Jun-12	4.5	2.5	-0.93
11	Apr-99	4.5	10	-0.60	38	Dec-12	4.5	8	-0.69
12	Apr-00	4.5	5	-0.82	39	Jun-13	4.5	26	0.09
13	Dec-00	4.5	5	-0.82	40	Nov-13	4.5	14	-0.43
14	May-01	4.5	10	-0.60	41	Jun-14	4.5	2.5	-0.93
15	Oct-01	4.5	5	-0.82	42	Jun-15	4.5	2.5	-0.93
16	May-02	4.5	5	-0.82	43	Jun-16	4.5	2.5	-0.93
18	Jun-03	4.5	6	-0.78					
19	Nov-03	4.5	9	-0.65					
20	Jun-04	4.5	7	-0.73					
21	Dec-04	4.5	7	-0.73					
22	Jun-05	4.5	6	-0.78					
23	Dec-05	4.5	5	-0.82					
24	Jun-06	4.5	13	-0.47					
25	Nov-06	4.5	2.5	-0.93					
26	Jun-07	4.5	7	-0.73					
27	Nov-07	4.5	8	-0.69					
28	Jun-08	4.5	2.5	-0.93					
29	Nov-08	4.5	2.5	-0.93					
30	Jun-09	4.5	2.5	-0.93					
31	Jun-09	4.5	2.5	-0.93					
32	Nov-09	4.5	6	-0.78					
33	Jun-10	4.5	2.5	-0.93					
34	Nov-10	4.5	2.5	-0.93					
35	Jun-11	4.5	2.5	-0.93					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-21d pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	8.3	7.55	0.58
2	Aug-95	8.1		
3	Feb-96	7.7		
4	Jun-96	7.6		
5	Aug-96	7.9		
6	Nov-96	7.3		
7	May-97	6.8		
8	Nov-97	6.7		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	6.9	-1.12	35	Nov-11	4.5	7.2	-0.67
10	Nov-98	4.5	7.2	-0.60	36	Jun-12	4.5	7.3	-0.50
11	Apr-99	4.5	8.2	1.12	37	Dec-12	4.5	7.6	0.03
12	Apr-00	4.5	8.2	1.12	38	Jun-13	4.5	7.2	-0.67
13	Dec-00	4.5	8.4	1.46	39	Nov-13	4.5	7.5	-0.10
14	May-01	4.5	7.9	0.60	40	Jun-14	4.5	7.4	-0.21
15	Oct-01	4.5	7.6	0.09	41	Jun-15	4.5	7.2	-0.62
16	May-02	4.5	7.2	-0.60	42	Jun-16	4.5	6.9	-1.05
18	Jun-03	4.5	7.3	-0.43					
19	Nov-03	4.5	7.8	0.43					
20	Jun-04	4.5	6.8	-1.29					
21	Dec-04	4.5	6.4	-1.98					
22	Jun-05	4.5	7.7	0.26					
23	Dec-05	4.5	5.5	-3.53					
24	Jun-06	4.5	7.5	-0.16					
25	Nov-06	4.5	7.6	0.07					
26	Jun-07	4.5	6.3	-2.15					
27	Nov-07	4.5	7.3	-0.50					
28	Jun-08	4.5	7.1	-0.83					
29	Nov-08	4.5	6.9	-1.07					
30	Jun-09	4.5	6.7	-1.48					
31	Nov-09	4.5	7.2	-0.65					
32	Jun-10	4.5	7.4	-0.26					
33	Nov-10	4.5	7.3	-0.47					
34	Jun-11	4.5	7.4	-0.24					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-21d SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	870	654.13	126.68
2	Aug-95	684		
3	Feb-96	646		
4	Jun-96	577		
5	Aug-96	576		
6	Nov-96	810		
7	May-97	530		
8	Nov-97	540		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	480	-1.37	35	Nov-11	4.5	753	0.78
10	Nov-98	4.5	465	-1.49	36	Jun-12	4.5	745	0.72
11	Apr-99	4.5	506	-1.17	37	Dec-12	4.5	754	0.79
12	Apr-00	4.5	660	0.05	38	Jun-13	4.5	742	0.69
13	Dec-00	4.5	680	0.20	39	Nov-13	4.5	760	0.84
14	May-01	4.5	570	-0.66	40	Jun-14	4.5	754	0.79
15	Oct-01	4.5	570	-0.66	41	Jun-15	4.5	683	0.23
16	May-02	4.5	630	-0.19	42	Jun-16	4.5	790	1.07
18	Jun-03	4.5	510	-1.14					
19	Nov-03	4.5	710	0.44					
20	Jun-04	4.5	570	-0.66					
21	Dec-04	4.5	600	-0.43					
22	Jun-05	4.5	560	-0.74					
23	Dec-05	4.5	741	0.69					
24	Jun-06	4.5	531.3	-0.97					
25	Nov-06	4.5	693	0.31					
26	Jun-07	4.5	709	0.43					
27	Nov-07	4.5	738	0.66					
28	Jun-08	4.5	738	0.66					
29	Nov-08	4.5	739	0.67					
30	Jun-09	4.5	743	0.70					
31	Nov-09	4.5	745	0.72					
32	Jun-10	4.5	736	0.65					
33	Nov-10	4.5	739	0.67					
34	Jun-11	4.5	718	0.50					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-22D Cr

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	8.75	2.31
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-1.62	37	Nov-11	4.5	2.5	-2.70
10	Nov-98	4.5	5	-1.62	38	Jun-12	4.5	2.5	-2.70
11	Apr-99	4.5	5	-1.62	39	Dec-12	4.5	2.5	-2.70
12	Nov-99	4.5	5	-1.62	40	Jun-13	4.5	2.5	-2.70
13	Apr-00	4.5	5	-1.62	41	Nov-13	4.5	2.5	-2.70
14	Dec-00	4.5	5	-1.62	42	Jun-14	4.5	2.5	-2.70
15	May-01	4.5	5	-1.62	43	Jun-15	4.5	2.5	-2.70
16	Oct-01	4.5	5	-1.62	44	Jun-16	4.5	2.5	-2.70
17	May-02	4.5	5	-1.62					
18	Nov-02	4.5	2.5	-2.70					
19	Jun-03	4.5	2.5	-2.70					
20	Nov-03	4.5	2.5	-2.70					
21	Jun-04	4.5	2.5	-2.70					
22	Dec-04	4.5	2.5	-2.70					
23	Jun-05	4.5	6	-1.19					
24	Dec-05	4.5	10	0.54					
25	Jun-06	4.5	2.5	-2.70					
26	Nov-06	4.5	2.5	-2.70					
27	Jun-07	4.5	7	-0.76					
28	Nov-07	4.5	2	-2.92					
29	Jun-08	4.5	2.5	-2.70					
30	Nov-08	4.5	2.5	-2.70					
31	Jun-09	4.5	2.5	-2.70					
32	Nov-09	4.5	2.5	-2.70					
33	Jun-10	4.5	2.5	-2.70					
34	Nov-10	4.5	11	0.97					
35	Jun-11	4.5	9	0.11					
36	Jun-11	4.5	2.5	-2.70					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-22D Cu**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	8.75	2.31
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-1.62	36	Nov-11	4.5	2	-2.92
10	Nov-98	4.5	5	-1.62	37	Jun-12	4.5	2	-2.92
11	Apr-99	4.5	5	-1.62	38	Dec-12	4.5	2	-2.92
12	Nov-99	4.5	5	-1.62	39	Jun-13	4.5	2	-2.92
13	Apr-00	4.5	5	-1.62	40	Nov-13	4.5	2	-2.92
14	Dec-00	4.5	5	-1.62	41	Nov-13	4.5	2	-2.92
15	May-01	4.5	5	-1.62	42	Jun-14	4.5	2.5	-2.70
16	Oct-01	4.5	5	-1.62	43	Jun-15	4.5	2.5	-2.70
17	May-02	4.5	5	-1.62	44	Jun-16	0	2.5	-2.70
18	Nov-02	4.5	2.5	-2.70					
19	Jun-03	4.5	2.5	-2.70					
20	Nov-03	4.5	2.5	-2.70					
21	Jun-04	4.5	2.5	-2.70					
22	Dec-04	4.5	2.5	-2.70					
23	Jun-05	4.5	2.5	-2.70					
24	Dec-05	4.5	2	-2.92					
25	Jun-06	4.5	2	-2.92					
26	Nov-06	4.5	2	-2.92					
27	Jun-07	4.5	2	-2.92					
28	Nov-07	4.5	2	-2.92					
29	Jun-08	4.5	0.5	-3.56					
30	Nov-08	4.5	0.5	-3.56					
31	Jun-09	4.5	0.5	-3.56					
32	Nov-09	4.5	2	-2.92					
33	Jun-10	4.5	2	-2.92					
34	Nov-10	4.5	2	-2.92					
35	Jun-11	4.5	2	-2.92					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-22D Ni**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	370	58.94	125.96
2	Aug-95	20		
3	Feb-96	20		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	2.5		
8	Nov-97	29		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	2.5	-0.45	36	Nov-11	4.5	2.5	-0.45
10	Nov-98	4.5	2.5	-0.45	37	Jun-12	4.5	2.5	-0.45
11	Apr-99	4.5	2.5	-0.45	38	Dec-12	4.5	2.5	-0.45
12	Nov-99	4.5	2.5	-0.45	39	Jun-13	4.5	2.5	-0.45
13	Apr-00	4.5	2.5	-0.45	40	Nov-13	4.5	2.5	-0.45
14	Dec-00	4.5	8	-0.40	41	Jun-14	4.5	2.5	-0.45
15	May-01	4.5	6	-0.42	42	Jun-15	4.5	2.5	-0.45
16	Oct-01	4.5	2.5	-0.45	43	Jun-16	4.5	2.5	-0.45
17	May-02	4.5	2.5	-0.45					
18	Nov-02	4.5	2.5	-0.45					
19	Jun-03	4.5	2.5	-0.45					
20	Nov-03	4.5	2.5	-0.45					
21	Jun-04	4.5	2.5	-0.45					
22	Dec-04	4.5	2.5	-0.45					
23	Jun-05	4.5	2.5	-0.45					
24	Dec-05	4.5	46	-0.10					
25	Jun-06	4.5	2.5	-0.45					
26	Nov-06	4.5	2.5	-0.45					
27	Jun-07	4.5	1	-0.46					
28	Nov-07	4.5	3	-0.44					
29	Jun-08	4.5	2.5	-0.45					
30	Nov-08	4.5	8	-0.40					
31	Jun-09	4.5	2.5	-0.45					
32	Nov-09	4.5	2.5	-0.45					
33	Jun-10	4.5	2.5	-0.45					
34	Nov-10	4.5	2.5	-0.45					
35	Jun-11	4.5	2.5	-0.45					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-22D Zn**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	34.00	26.69
2	Aug-95	47		
3	Feb-96	80		
4	Jun-96	20		
5	Aug-96	50		
6	Nov-96	50		
7	May-97	5		
8	Nov-97	10		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-1.09	36	Nov-11	4.5	12	-0.82
10	Nov-98	4.5	10	-0.90	37	Jun-12	4.5	8	-0.97
11	Apr-99	4.5	10	-0.90	38	Dec-12	4.5	9	-0.94
12	Nov-99	4.5	20	-0.52	39	Jun-13	4.5	2.5	-1.18
13	Apr-00	4.5	5	-1.09	40	Nov-13	4.5	12	-0.82
14	Dec-00	4.5	5	-1.09	41	Jun-14	4.5	2.5	-1.18
15	May-01	4.5	30	-0.15	42	Jun-15	4.5	8	-0.97
16	Oct-01	4.5	5	-1.09	43	Jun-16	4.5	2.5	-1.18
17	May-02	4.5	5	-1.09					
18	Nov-02	4.5	2.5	-1.18					
19	Jun-03	4.5	2.5	-1.18					
20	Nov-03	4.5	9	-0.94					
21	Jun-04	4.5	6	-1.05					
22	Dec-04	4.5	6	-1.05					
23	Jun-05	4.5	2.5	-1.18					
24	Dec-05	4.5	5	-1.09					
25	Jun-06	4.5	2.5	-1.18					
26	Nov-06	4.5	2.5	-1.18					
27	Jun-07	4.5	5	-1.09					
28	Nov-07	4.5	6	-1.05					
29	Jun-08	4.5	5	-1.09					
30	Nov-08	4.5	8	-0.97					
31	Jun-09	4.5	2.5	-1.18					
32	Nov-09	4.5	2.5	-1.18					
33	Jun-10	4.5	2.5	-1.18					
34	Nov-10	4.5	2.5	-1.18					
35	Jun-11	4.5	2.5	-1.18					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-22D pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	7.7	7.44	0.57
2	Aug-95	8.3		
3	Jun-96	7.5		
4	Aug-96	8.1		
5	Nov-96	7.2		
6	May-97	6.7		
7	Nov-97	6.9		
8	May-98	7.1		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	6.6	-1.47	35	Nov-11	4.5	7.4	-0.08
10	Apr-99	4.5	8.2	1.34	36	Jun-12	4.5	6.5	-1.74
11	Nov-99	4.5	7.3	-0.24	37	Dec-12	4.5	7.6	0.25
12	Apr-00	4.5	8.2	1.34	38	Jun-13	4.5	6.8	-1.10
13	Dec-00	4.5	7.5	0.11	39	Nov-13	4.5	7.5	0.15
14	May-01	4.5	8	0.99	40	Jun-14	4.5	7.5	0.04
15	Oct-01	4.5	7.6	0.29	41	Jun-15	4.5	7.5	0.11
16	May-02	4.5	7.1	-0.59	42	Jun-16	4.5	7.2	-0.44
17	Nov-02	4.5	7.4	-0.07					
18	Jun-03	4.5	6.8	-1.12					
19	Nov-03	4.5	8.1	1.17					
20	Jun-04	4.5	6.3	-2.00					
21	Dec-04	4.5	7	-0.77					
22	Jun-05	4.5	7.7	0.46					
23	Dec-05	4.5	5.8	-2.88					
24	Jun-06	4.5	7.5	0.07					
25	Jun-06	4.5	7.5	0.16					
26	Jun-07	4.5	6.6	-1.49					
27	Nov-07	4.5	7.3	-0.24					
28	Jun-08	4.5	7.1	-0.61					
29	Nov-08	4.5	6.9	-0.89					
30	Jun-09	4.5	6.7	-1.23					
31	Nov-09	4.5	7.2	-0.51					
32	Jun-10	4.5	7.4	-0.01					
33	Nov-10	4.5	7.3	-0.22					
34	Jun-11	4.5	7.4	-0.15					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-22D SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	573	617.25	106.65
2	Aug-95	739		
3	Jun-96	600		
4	Aug-96	608		
5	Nov-96	817		
6	May-97	550		
7	Nov-97	550		
8	May-98	501		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	559	-0.55	35	Nov-11	4.5	714	0.91
10	Apr-99	4.5	485	-1.24	36	Jun-12	4.5	714	0.91
11	Nov-99	4.5	474	-1.34	37	Dec-12	4.5	716	0.93
12	Apr-00	4.5	670	0.49	38	Jun-13	4.5	701	0.79
13	Dec-00	4.5	510	-1.01	39	Nov-13	4.5	713	0.90
14	May-01	4.5	690	0.68	40	Jun-14	4.5	707	0.84
15	Oct-01	4.5	2610	18.68	41	Jun-15	4.5	710	0.87
16	May-02	4.5	630	0.12	42	Jun-16	4.5	716	0.93
17	Nov-02	4.5	480	-1.29					
18	Jun-03	4.5	570	-0.44					
19	Nov-03	4.5	660	0.40					
20	Jun-04	4.5	610	-0.07					
21	Dec-04	4.5	600	-0.16					
22	Jun-05	4.5	531	-0.81					
23	Dec-05	4.5	702	0.79					
24	Jun-06	4.5	507	-1.04					
25	Nov-06	4.5	684	0.63					
26	Jun-07	4.5	680	0.59					
27	Nov-07	4.5	710	0.87					
28	Jun-08	4.5	694	0.72					
29	Nov-08	4.5	699	0.77					
30	Jun-09	4.5	705	0.82					
31	Nov-09	4.5	710	0.87					
32	Jun-10	4.5	715	0.92					
33	Nov-10	4.5	704	0.81					
34	Jun-11	4.5	705	0.82					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-23d Cr

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	8.79	5.60
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.68	34	Nov-11	4.5	2.5	-1.12
10	Nov-98	4.5	5	-0.68	35	Jun-12	4.5	2.5	-1.12
11	Apr-99	4.5	5	-0.68	36	Dec-12	4.5	2.5	-1.12
12	Nov-99	4.5	5	-0.68	37	Jun-13	4.5	2.5	-1.12
13	Apr-00	4.5	5	-0.68	38	Nov-13	4.5	2.5	-1.12
14	Dec-00	4.5	5	-0.68	39	Jun-14	4.5	2.5	-1.12
15	May-01	4.5	5	-0.68	40	Jun-15	4.5	2.5	-1.12
16	Oct-01	4.5	5	-0.68	41	Jun-16	4.5	2.5	-1.12
17	May-02	4.5	5	-0.68					
18	Jun-03	4.5	2.5	-1.12					
19	Dec-04	4.5	2.5	-1.12					
20	Jun-05	4.5	2.5	-1.12					
21	Dec-05	4.5	7.0	-0.32					
22	Jun-06	4.5	5.0	-0.68					
23	Nov-06	4.5	2.5	-1.12					
24	Jun-07	4.5	7	-0.32					
25	Nov-07	4.5	2	-1.21					
26	Jun-08	4.5	2.5	-1.12					
27	Nov-08	4.5	2.5	-1.12					
28	Jun-09	4.5	2.5	-1.12					
29	Nov-09	4.5	2.5	-1.12					
30	Jun-10	4.5	2.5	-1.12					
31	Nov-10	4.5	11	0.39					
32	Jun-11	4.5	8	-0.14					
33	Jun-11	4.5	2.5	-1.12					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-23d Cu

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	8.75	5.59
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.67	33	Nov-11	4.5	2	-1.21
10	Nov-98	4.5	5	-0.67	34	Jun-12	4.5	2	-1.21
11	Apr-99	4.5	5	-0.67	35	Dec-12	4.5	2	-1.21
12	Nov-99	4.5	5	-0.67	36	Jun-13	4.5	2	-1.21
13	Apr-00	4.5	5	-0.67	37	Nov-13	4.5	2	-1.21
14	Dec-00	4.5	5	-0.67	38	Jun-14	4.5	2.5	-1.12
15	May-01	4.5	5	-0.67	39	Jun-15	4.5	2.5	-1.12
16	Oct-01	4.5	5	-0.67	40	Jun-16	4.5	2.5	-1.12
17	May-02	4.5	5	-0.67					
18	Jun-03	4.5	2.5	-1.12					
19	Dec-04	4.5	2.5	-1.12					
20	Jun-05	4.5	2.5	-1.12					
21	Dec-05	4.5	2.0	-1.21					
22	Jun-06	4.5	2.0	-1.21					
23	Nov-06	4.5	2.0	-1.21					
24	Jun-07	4.5	1	-1.39					
25	Nov-07	4.5	1	-1.39					
26	Jun-08	4.5	1	-1.39					
27	Nov-08	4.5	0.5	-1.48					
28	Jun-09	4.5	0.5	-1.48					
29	Nov-09	4.5	2	-1.21					
30	Jun-10	4.5	2	-1.21					
31	Nov-10	4.5	2	-1.21					
32	Jun-11	4.5	2	-1.21					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-23d Ni

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15	15.61	10.57
2	Aug-95	20		
3	Feb-96	20		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	May-97	9		
8	Nov-97	31		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	2.5	-1.24	33	Nov-11	4.5	2.5	-1.24
10	Nov-98	4.5	2.5	-1.24	34	Jun-12	4.5	2.5	-1.24
11	Apr-99	4.5	2.5	-1.24	35	Dec-12	4.5	2.5	-1.24
12	Nov-99	4.5	2.5	-1.24	36	Jun-13	4.5	2.5	-1.24
13	Apr-00	4.5	2.5	-1.24	37	Nov-13	4.5	2.5	-1.24
14	Dec-00	4.5	7.0	-0.81	38	Jun-14	4.5	6	-0.91
15	May-01	4.5	2.5	-1.24	39	Jun-15	4.5	2.5	-1.24
16	Oct-01	4.5	2.5	-1.24	40	Jun-16	4.5	2.5	-1.24
17	May-02	4.5	2.5	-1.24					
18	Jun-03	4.5	2.5	-1.24					
19	Dec-04	4.5	11.0	-0.44					
20	Jun-05	4.5	2.5	-1.24					
21	Dec-05	4.5	2.5	-1.24					
22	Jun-06	4.5	2.5	-1.24					
23	Nov-06	4.5	2.5	-1.24					
24	Jun-07	4.5	1	-1.38					
25	Nov-07	4.5	3	-1.19					
26	Jun-08	4.5	2.5	-1.24					
27	Nov-08	4.5	2.5	-1.24					
28	Jun-09	4.5	2.5	-1.24					
29	Nov-09	4.5	2.5	-1.24					
30	Jun-10	4.5	2.5	-1.24					
31	Nov-10	4.5	2.5	-1.24					
32	Jun-11	4.5	2.5	-1.24					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-23d Zn

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	17.49	17.84
2	Aug-95	10		
3	Feb-96	10		
4	Jun-96	10		
5	Aug-96	50		
6	Nov-96	40		
7	May-97	5		
8	Nov-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5.0	-0.70	33	Nov-11	4.5	8	-0.53
10	Nov-98	4.5	70.0	2.94	34	Jun-12	4.5	2.5	-0.84
11	Apr-99	4.5	5.0	-0.70	35	Dec-12	4.5	7	-0.59
12	Nov-99	4.5	5.0	-0.70	36	Jun-13	4.5	2.5	-0.84
13	Apr-00	4.5	5.0	-0.70	37	Nov-13	4.5	28	0.59
14	Dec-00	4.5	5.0	-0.70	38	Jun-14	4.5	5	-0.70
15	May-01	4.5	10.0	-0.42	39	Jun-15	4.5	2.5	-0.84
16	Oct-01	4.5	5.0	-0.70	40	Jun-16	4.5	2.5	-0.84
17	May-02	4.5	10.0	-0.42					
18	Jun-03	4.5	2.5	-0.84					
19	Dec-04	4.5	10.0	-0.42					
20	Jun-05	4.5	2.5	-0.84					
21	Dec-05	4.5	5.0	-0.70					
22	Jun-06	4.5	5.0	-0.70					
23	Nov-06	4.5	6.0	-0.64					
24	Jun-07	4.5	5	-0.70					
25	Nov-07	4.5	8	-0.53					
26	Jun-08	4.5	2.5	-0.84					
27	Nov-08	4.5	19	0.08					
28	Jun-09	4.5	2.5	-0.84					
29	Nov-09	4.5	10	-0.42					
30	Jun-10	4.5	2.5	-0.84					
31	Nov-10	4.5	2.5	-0.84					
32	Jun-11	4.5	2.5	-0.84					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-23d pH

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	7.3	7.59	0.91
2	Aug-95	8.2		
3	Feb-96	7.5		
4	Jun-96	8.3		
5	Aug-96	8.9		
6	Nov-96	7.7		
7	May-97	6.8		
8	Nov-97	6.0		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	6.4	-1.30	33	Nov-11	4.5	7.2	-0.43
10	Nov-98	4.5	6.5	-1.19	34	Jun-12	4.5	6.8	-0.88
11	Apr-99	4.5	8.1	0.56	35	Dec-12	4.5	6.6	-1.05
12	Nov-99	4.5	7.4	-0.21	36	Jun-13	4.5	7.1	-0.58
13	Apr-00	4.5	7.9	0.34	37	Nov-13	4.5	7.3	-0.29
14	Dec-00	4.5	7.0	-0.64	38	Jun-14	4.5	7.3	-0.30
15	May-01	4.5	7.9	0.34	39	Jun-15	4.5	7.2	-0.47
16	Oct-01	4.5	7.5	-0.10	40	Jun-16	4.5	7.1	-0.53
17	May-02	4.5	7.2	-0.42					
18	Jun-03	4.5	6.9	-0.75					
19	Dec-04	4.5	6.7	-0.97					
20	Jun-05	4.5	7.3	-0.31					
21	Dec-05	4.5	6.2	-1.52					
22	Jun-06	4.5	7.1	-0.51					
23	Nov-06	4.5	7.6	-0.03					
24	Jun-07	4.5	6.5	-1.20					
25	Nov-07	4.5	7.3	-0.34					
26	Jun-08	4.5	7.0	-0.64					
27	Nov-08	4.5	6.7	-0.93					
28	Jun-09	4.5	6.7	-0.94					
29	Nov-09	4.5	7.2	-0.40					
30	Jun-10	4.5	7.4	-0.25					
31	Nov-10	4.5	7.3	-0.34					
32	Jun-11	4.5	7.3	-0.28					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA GROUND WATER DETECTION MONITORING SYSTEM
SHEWART CONTROL CHART
B-23d SpC

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	680	725.75	127.98
2	Aug-95	845		
3	Feb-96	751		
4	Jun-96	632		
5	Aug-96	691		
6	Nov-96	977		
7	May-97	610		
8	Nov-97	620		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	558	-1.31	33	Nov-11	4.5	721	-0.04
10	Nov-98	4.5	639	-0.68	34	Jun-12	4.5	748	0.17
11	Apr-99	4.5	552	-1.36	35	Dec-12	4.5	755	0.23
12	Nov-99	4.5	546	-1.40	36	Jun-13	4.5	720	-0.04
13	Apr-00	4.5	800	0.58	37	Nov-13	4.5	746	0.16
14	Dec-00	4.5	570	-1.22	38	Jun-14	4.5	746	0.16
15	May-01	4.5	790	0.50	39	Jun-15	4.5	747	0.17
16	Oct-01	4.5	600	-0.98	40	Jun-16	4.5	788	0.49
17	May-02	4.5	1200	3.71					
18	Jun-03	4.5	640	-0.67					
19	Dec-04	4.5	640	-0.67					
20	Jun-05	4.5	594	-1.03					
21	Dec-05	4.5	700	-0.20					
22	Jun-06	4.5	705	-0.16					
23	Nov-06	4.5	568	-1.23					
24	Jun-07	4.5	736	0.08					
25	Nov-07	4.5	780	0.42					
26	Jun-08	4.5	753	0.21					
27	Nov-08	4.5	763	0.29					
28	Jun-09	4.5	776	0.39					
29	Nov-09	4.5	756	0.24					
30	Jun-10	4.5	747	0.17					
31	Nov-10	4.5	743	0.13					
32	Jun-11	4.5	721	-0.04					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



OBG

THERE'S A WAY

