



July 21, 2015

**Mr. Tom Hutchings**

City of Flint Water Pollution  
Water Pollution Control Facilities  
G4652 Beecher Rd.  
Flint, MI, 48532

RE: **Discharge Permit Submittal-April 2015 through June 2015**  
*Permit No.: 6-08-04-04-GML1*

FILE: 15388/60794/Docs

Dear Mr. Hutchings:

In accordance with requirements of the above referenced discharge permit, we are providing you with the following discharge information for the period April 1, 2015 to June 30, 2015 for the Coldwater Road Landfill facility, located at 6220 Horton Avenue, Flint, Michigan.

- Periodic Report on Continued Compliance, certification
- Periodic Report on Continued Compliance (Table 1)
- Daily Discharge Summary Table (Table 2)
- Analytical Reports provided by Merit Laboratories, Inc. for samples from the on-site, above ground collection tank collected on
- Copy of Chain-of-Custody forms.

The laboratory analytical results indicate concentrations were below the Sewer Use Permit limits for the parameters analyzed for the water discharged to the POTW during the discharge period.

Please call me at 248-477-5701 x16 if you have any questions.

Very truly yours,

**O'BRIEN & GERE ENGINEERS, INC.**

A handwritten signature in blue ink that reads "Clifford Scott Yantz".

Clifford S. Yantz  
Scientist-3

cc: Mr. Kevin Forbes – Beecher Metropolitan District, Flint, MI  
Mr. Grant Trigger – RACER Trust  
Mr. David Favero – RACER Trust  
Mr. Kevin Schneider – O'Brien & Gere

# City of Flint Industrial Pretreatment Program

## Periodic Report on Continued Compliance

Company Name: RACER Trust, Coldwater Road  
Street Address: 6220 Horton Avenue, Flint, Michigan  
Permit Number: 6-08-04-04-GML1  
Outfall Number: 001

Reporting Period: April 1, 2015 through June 30, 2015


Average Volume of Daily Discharge (during reporting period): 2,720 gallons.  
(1 day)

Complete the following:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Name of Authorized Representative: Clifford Yantz

Title of Authorized Representative: Scientist-3, O'Brien & Gere Engineers, Inc.  
As agent for the RACER Trust

Signature of Authorized Representative: 

Date Signed by Authorized Representative: 7/21/15

If required to implement a Toxic Organics Management Plan (TOMP), complete the following:

"Based on my inquiry of the person or persons directly responsible for managing compliance with the pretreatment standard for total toxic organics (TTO), I certify that, to the best of my knowledge and belief, no dumping of concentrated toxic organics into the wastewaters has occurred since filing of the last Periodic Report on Continued Compliance. I further certify that, this facility is implementing the toxic organic management plan submitted to the control authority."

Name of Authorized Representative: N/A

Title of Authorized Representative: N/A

Signature of Authorized Representative: N/A

Date Signed by Authorized Representative: N/A

**Table 1**  
**Coldwater Road Landfill**  
**City of Flint Sewer User Self-Monitoring Report**  
**Second Quarter - 2015**  
**6-08-04-04-GML1**

City of Flint Sewer User Self-Monitoring Report Coldwater Road Facility												
Analytical Parameter	Ammonia-N	QL*	BOD	QL*	HEM	QL*	pH	QL*	TP	QL*	TSS	QL*
Units	mg/L		mg/L		mg/L		SU		mg/L		mg/L	
<b>Sampling Frequency</b>	Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.	
<b>Daily Maximum Limit</b>	37		427		100		N/A		7		305	
<b>Maximum Limit</b>	N/A		N/A		N/A		10.5		N/A		N/A	
<b>Minimum Limit</b>	N/A		N/A		N/A		6.0		N/A		N/A	
<b>Monthly Average Limit</b>	N/A		N/A		N/A		N/A		N/A		N/A	
<b>Test Result</b>	0.51	0.02	4.5	1	3	1	6.83	0.01	0.05	0.01	55	1
<b>Test Method</b>	4500-NH3 D		10360		1664A		4500-H+ B		4500-PE		2540 D	
<b>Test Date</b>	24-May-15		15-May-15		27-May-15		14-May-15		15-May-15		20-May-15	
<b>Sample Date</b>	14-May-15		14-May-15		14-May-15		14-May-15		14-May-15		14-May-15	
<b>Sample Type</b>	wastewater		wastewater		wastewater		wastewater		wastewater		wastewater	
<b>Test Result</b>												
<b>Test Method</b>												
<b>Test Date</b>												
<b>Sample Date</b>												
<b>Sample Type</b>												
<b>Test Result</b>												
<b>Test Method</b>												
<b>Test Date</b>												
<b>Sample Date</b>												
<b>Sample Type</b>												
<b>Test Result</b>												
<b>Test Method</b>												
<b>Test Date</b>												
<b>Sample Date</b>												
<b>Sample Type</b>												
<b>Average Daily Conc.</b>	0.510		4.500		3.000		6.830		0.050		55.000	
<b>Monthly Average Conc.</b>	N/A		N/A		N/A		N/A		N/A		N/A	
<b>No. of Samples</b>	1		1		1		1		1		1	
<b>Number of Limit Exceedances</b>	0		0		0		0		0		0	

**Notes:** \* **Quantification Level:** The lowest level at which the test result is reported by the analytical laboratory as a quantitative numerical value, below which test results are reported as "less than" (<) that value.

E1 = Limit Exceedance; E2 = Sample Expired

**Table 1**  
**Coldwater Road Landfill**  
**City of Flint Sewer User Self-Monitoring Report**  
**Second Quarter - 2015**  
**6-08-04-04-GML1**

City of Flint Sewer User Self-Monitoring Report Coldwater Road Facility														
Analytical Parameter	Arsenic	QL*	Chromium	QL*	Copper	QL*	Mercury	QL*	Nickel	QL*	Zinc	QL*	Amenable Cyanide	QL*
Units	mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L	
Sampling Frequency	Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.	
Daily Maximum Limit	0.048		0.319		3.12		0.000012		0.795		0.445		N/A	
Maximum Limit	N/A		N/A		N/A		N/A		N/A		N/A		0.087	
Minimum Limit	N/A		N/A		N/A		N/A		N/A		N/A		N/A	
Monthly Average Limit	N/A		N/A		N/A		N/A		N/A		N/A		N/A	
Test Result	0.005	0.002	0.020	0.005	0.398	0.004	0.000	0.0002	0.100	0.005	0.048	0.005	0.000	0.005
Test Method	200.8		200.8		200.8		245.1		200.8		200.8		335.4/4500-CN-G	
Test Date	26-May-15		26-May-15		26-May-15		15-May-15		26-May-15		26-May-15		15-May-15	
Sample Date	14-May-15		14-May-15		14-May-15		14-May-15		14-May-15		14-May-15		14-May-15	
Sample Type	wastewater		wastewater		wastewater		wastewater		wastewater		wastewater		wastewater	
Test Result														
Test Method														
Test Date														
Sample Date														
Sample Type														
Test Result														
Test Method														
Test Date														
Sample Date														
Sample Type														
Test Result														
Test Method														
Test Date														
Sample Date														
Sample Type														
Average Daily Conc.	0.005		0.020		0.398		0.000		0.100		0.048		0.000	
Monthly Average Conc.	N/A		N/A		N/A		N/A		N/A		N/A		N/A	
No. of Samples	1		1		1		1		1		1		1	
Number of Limit Exceedances	0		0		0		0		0		0		0	

**Notes:** \* **Quantification Level:** The lowest level at which the test result is reported by the analytical laboratory as a quantitative numerical value, below which test results are reported as "less than" (<) that value.

**E1** = Limit Exceedance; **E2** = Sample Expired

**Table 2  
Coldwater Road Landfill  
Daily Discharge Summary Table  
Second Quarter - 2015  
6-08-04-04-GML1**

Date	Beginning Flow Meter Reading	End Flow Meter Reading	Gallons Discharged	Begin Time of Discharge	End Time of Discharge	Average Flow (gal/min)	Temperature at Discharge		pH
							(C)	(F)	
6/5/2015	500,997	503,717	2,720	9:00	11:10	20.9	21.5	70.7	6.43

**Total Discharge Volume: 2,720**

NOTES :



# Analytical Laboratory Report

Report ID: S65707.01(01)  
Generated on 05/28/2015

Report to

Attention: Clifford Yantz  
O'Brien & Gere Engineers, Inc.  
37000 Grand River Ave.  
Suite 260  
Farmington, MI 48335

Phone: 248-477-5701 FAX: 248-477-5962  
Email: Clifford.Yantz@obg.com

Additional Contacts: Kevin Schneider

Report produced by

Merit Laboratories, Inc.  
2680 East Lansing Drive  
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:  
Kevin George (kgeorge@meritlabs.com)  
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S65707.01  
Project: Coldwater Rd Landfill  
Collected Date: 05/14/2015  
Submitted Date/Time: 05/14/2015 14:30  
Sampled by: Kevin Schneider  
P.O. #: 11311200

Table of Contents

Cover Page (Page 1)  
General Report Notes (Page 2)  
Report Narrative (Page 2)  
Laboratory Certifications (Page 3)  
Qualifier Descriptions (Page 3)  
Glossary of Abbreviations (Page 3)  
Method Summary (Page 4)  
Sample Summary (Page 5)

Maya Murshak  
Technical Director



# Analytical Laboratory Report

## General Report Notes

---

Results relate only to items tested as received by laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis were applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

## Report Narrative

---

There is no additional narrative for this analytical report



# Analytical Laboratory Report

## Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702

## Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

## Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods



# Analytical Laboratory Report

## Method Summary

Method	Version
E1664A	EPA Method 1664 Revision A February 1999
E200.8	EPA Method 200.8 Revision 5.4
E245.1	EPA Method 245.1 Revision 3.0
E335.4/SM4500-CN	EPA Method 335.4 Revision 1.0 / Standard Method 4500-CN E 20th Edition
HACH 10360	HACH 10360
SM2540D	Standard Method 2540 D 20th Edition
SM4500-NH3 D	Standard Method 4500 NH3 D 20th Edition
SM4500-PE	Standard Method 4500 P E 20th Edition
SW3015A	SW 846 Method 3015A Revision 1 February 2007



# Analytical Laboratory Report

## Sample Summary (1 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S65707.01	02-PRCC-15	Wastewater	05/14/2015 13:15



# Analytical Laboratory Report

Lab Sample ID: S65707.01  
 Sample Tag: 02-PRCC-15  
 Collected Date/Time: 05/14/2015 13:15  
 Matrix: Wastewater  
 COC Reference: 82412

## Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	1L Plastic	None	Yes	5.1	IR
1	32oz Glass	HCL	Yes	5.1	IR
1	125ml Plastic	HNO3	Yes	5.1	IR
1	250ml Plastic	H2SO4	Yes	5.1	IR
1	125ml Plastic	NaOH	Yes	5.1	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

### Extraction / Prep.

Mercury Digestion	Completed			E245.1	05/15/15 10:30	CCM		
Metal Digestion	Completed			SW3015A	05/26/15 12:00	JRH		

### Inorganics

Amenable Cyanide	Not detected	mg/L	0.005	E335.4/SM4500-CN	05/15/15 13:26	JDP	57-12-5AM	1
Ammonia-N (Undistilled)	0.51	mg/L	0.02	SM4500-NH3 D	05/24/15 17:11	MJC	7664-41-7	
Oil & Grease n-Hexane Extract.	3	mg/L	1	E1664A	05/27/15 12:00	RGS		
TBOD5 - Set	Completed	mg/L		HACH 10360	05/15/15 10:30	ASB		
TBOD5	4.5	mg/L	3	HACH 10360	05/20/15 16:30	ASB		
Total Phosphorus	0.05	mg/L	0.01	SM4500-PE	05/15/15 21:51	MJC	7723-14-0	
Total Suspended Solids	55	mg/L	1	SM2540D	05/20/15 11:00	ASB		

### Metals

Arsenic	0.005	mg/L	0.002	E200.8	05/26/15 14:44	JRH	7440-38-2	
Chromium	0.020	mg/L	0.005	E200.8	05/26/15 14:44	JRH	7440-47-3	
Copper	0.398	mg/L	0.005	E200.8	05/26/15 14:44	JRH	7440-50-8	
Mercury	Not detected	mg/L	0.0002	E245.1	05/15/15 15:22	CCM	7439-97-6	
Nickel	0.100	mg/L	0.005	E200.8	05/26/15 14:44	JRH	7440-02-0	
Zinc	0.048	mg/L	0.005	E200.8	05/26/15 14:44	JRH	7440-66-6	

1-\* Total CN- = < 0.005 mg/L



2680 East Lansing Dr., East Lansing, MI 48823  
 Phone (517) 332-0167 Fax (517) 332-4034  
 www.meritlabs.com

C.O.C. PAGE # 1 OF 1

82412

**REPORT TO**

**CHAIN OF CUSTODY RECORD**

**INVOICE TO**

CONTACT NAME Cliff Yantz / Kevin Schneider  
 COMPANY O'Brien & Gere  
 ADDRESS 37000 Grand River Ste 200  
 CITY Farmington Hills STATE MI ZIP CODE 48335  
 PHONE NO. 248-477-5701 FAX NO. 248-477-5562 P.O. NO. \_\_\_\_\_  
 E-MAIL ADDRESS clifford.yantz@obg.com QUOTE NO. \_\_\_\_\_

CONTACT NAME SAME  
 COMPANY \_\_\_\_\_  
 ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP CODE \_\_\_\_\_  
 PHONE NO. \_\_\_\_\_ E-MAIL ADDRESS \_\_\_\_\_

**ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)**

PROJECT NO./NAME Coldwater Rd Landfill SAMPLER(S) - PLEASE PRINT/SIGN NAME Kevin Schneider  
 TURNAROUND TIME REQUIRED  1 DAY  2 DAYS  3 DAYS  STANDARD  OTHER \_\_\_\_\_  
 DELIVERABLES REQUIRED  STD  LEVEL II  LEVEL III  LEVEL IV  EDD  OTHER \_\_\_\_\_

MATRIX CODE: GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID  
 SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE

# Containers & Preservatives

MERIT LAB NO. <small>FOR LAB USE ONLY</small>	YEAR		SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	NONE	HCl	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH	MeOH	OTHER	Total Metals *	Amenable Cyanide	BOD / TSS	Ammonia - Nitrogen	Total Phosphorus	FOG (Hex-Ext)	Certifications		Project Locations		Special Instructions
	DATE	TIME																	<input type="checkbox"/> OHIO VAP	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> DoD	<input type="checkbox"/> NPDES	
<u>65707.01</u>	<u>5/14/15</u>	<u>1315</u>	<u>02 - PRCC - 15</u>	<u>ww</u>	<u>5</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>			<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>					<u>* Metals: As, Cr, Cu, Hg, Ni, Zn</u> <u>Analysis Per City of Flint Permit</u>  <u>Field pH = 6.83</u> <u>Field Temp = 18.3</u>

RELINQUISHED BY: [Signature] OBG  Sampler DATE 5/14/15 TIME 1325  
 RECEIVED BY: [Signature] DATE 5-14-15 TIME 1330  
 RELINQUISHED BY: \_\_\_\_\_ DATE \_\_\_\_\_ TIME \_\_\_\_\_  
 RECEIVED BY: \_\_\_\_\_ DATE \_\_\_\_\_ TIME \_\_\_\_\_

RELINQUISHED BY: [Signature] DATE 5-14-15 TIME 1430  
 RECEIVED BY: [Signature] DATE 5/14/15 TIME 1430  
 SEAL NO. SEAL INTACT YES  NO  INITIALS \_\_\_\_\_ NOTES: TEMP. ON ARRIVAL 5/1  
 SEAL NO. SEAL INTACT YES  NO  INITIALS \_\_\_\_\_



# Quality Control Report

Report ID: QC-S65707.01(01)  
Generated on 05/29/2015

Report to

Attention: Clifford Yantz  
O'Brien & Gere Engineers, Inc.  
37000 Grand River Ave.  
Suite 260  
Farmington, MI 48335

Phone: 248-477-5701 FAX: 248-477-5962

Report Produced by

Merit Laboratories  
2680 East Lansing Drive  
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Report Summary

Lab Sample ID(s): S65707.01  
Project: Coldwater Rd Landfill  
Submitted Date/Time: 05/14/2015 14:30  
Sampled by: Kevin Schneider  
P.O. #: 11311200

QC Report Sections

Cover Page (Page 1)  
Analysis Summary (Page 2)  
Prep Batch Summary (Page 3)  
Batch QC Results (Pages 4-11)

Report Flag Descriptions

\*: QC result is outside of indicated control limits  
W: Surrogate result not applicable due to sample dilution

I certify that this data package is in compliance with the terms and conditions of the program, and project, and contractual requirements both technically and for completeness. Release of the data contained in this hardcopy data package and its computer-readable data submitted has been authorized by the Quality Assurance Manager and his/her designee, as verified by the following signature.

Barbara Ball  
Quality Assurance Manager

## QC Report - Analysis Summary

**Lab Sample ID: S65707.01**

Sample Tag: 02-PRCC-15

Collected Date/Time: 05/14/2015 13:15

Matrix: Wastewater

COC Reference: 82412

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
<b><i>Inorganics</i></b>						
Amenable Cyanide	E335.4/SM4500-CN	05/15/15 13:26	CN150515-W1	CN150515-W1	No	BLK/LCS/MS/MSD/DUP
Ammonia-N (Undistilled)	SM4500-NH3 D	05/24/15 17:11	AMN150524QC	AMN150524QC	No	BLK/LCS/MS/DUP
Oil & Grease n-Hexane Extract.	E1664A	05/27/15 12:00	OGHEX150527W01	OGHEX150527W01	No	BLK/LCS
Total Phosphorus	SM4500-PE	05/15/15 21:51	PHS150515QC	PHS150515QC	No	BLK/LCS/MS/DUP
Total Suspended Solids	SM2540D	05/20/15 11:00	TSS150520B	TSS150520B	No	BLK/LCS/DUP
<b><i>Metals</i></b>						
Arsenic	E200.8	05/26/15 14:44	MT3-15-0526B	MTD-052615-4	No	LCS/BLK/MS/MSD
Chromium	E200.8	05/26/15 14:44	MT3-15-0526B	MTD-052615-4	No	LCS/BLK/MS/MSD
Copper	E200.8	05/26/15 14:44	MT3-15-0526B	MTD-052615-4	No	LCS/BLK/MS/MSD
Mercury	E245.1	05/15/15 15:22	HG2-15-0515A	HGD-051515-1	No	LCS/BLK/MS/MSD
Nickel	E200.8	05/26/15 14:44	MT3-15-0526B	MTD-052615-4	No	LCS/BLK/MS/MSD
Zinc	E200.8	05/26/15 14:44	MT3-15-0526B	MTD-052615-4	No	LCS/BLK/MS/MSD

## QC Report - Prep Batch Summary

### Inorganics, Prep Batch ID: AMN150524QC

Surrogates: No, QC Types: BLK/LCS/MS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S65707.01	Ammonia-N (Undistilled)	SM4500-NH3 D	05/24/15 17:11	AMN150524QC

### Inorganics, Prep Batch ID: CN150515-W1

Surrogates: No, QC Types: BLK/LCS/MS/MSD/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S65707.01	Amenable Cyanide	E335.4/SM4500-CN	05/15/15 13:26	CN150515-W1

### Inorganics, Prep Batch ID: OGHEX150527W01

Surrogates: No, QC Types: BLK/LCS

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S65707.01	Oil & Grease n-Hexane Extract.	E1664A	05/27/15 12:00	OGHEX150527W01

### Inorganics, Prep Batch ID: PHS150515QC

Surrogates: No, QC Types: BLK/LCS/MS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S65707.01	Total Phosphorus	SM4500-PE	05/15/15 21:51	PHS150515QC

### Inorganics, Prep Batch ID: TSS150520B

Surrogates: No, QC Types: BLK/LCS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S65707.01	Total Suspended Solids	SM2540D	05/20/15 11:00	TSS150520B

### Metals, Prep Batch ID: HGD-051515-1

Surrogates: No, QC Types: LCS/BLK/MS/MSD

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S65707.01	Mercury	E245.1	05/15/15 15:22	HG2-15-0515A

### Metals, Prep Batch ID: MTD-052615-4

Surrogates: No, QC Types: LCS/BLK/MS/MSD

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S65707.01	Arsenic	E200.8	05/26/15 14:44	MT3-15-0526B
S65707.01	Chromium	E200.8	05/26/15 14:44	MT3-15-0526B
S65707.01	Copper	E200.8	05/26/15 14:44	MT3-15-0526B
S65707.01	Nickel	E200.8	05/26/15 14:44	MT3-15-0526B
S65707.01	Zinc	E200.8	05/26/15 14:44	MT3-15-0526B

## QC Report - Batch QC Results

### Inorganics, Prep Batch ID: AMN150524QC

Surrogates: No, QC Types: BLK/LCS/MS/DUP

#### Blank (BLK)

Lab Sample ID: AMN150524QC.LRB1

Run in Batch: AMN150524QC, Run Date: 05/24/2015 12:49, Prep Date: 05/24/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Ammonia-N (Undistilled)		ND	0.02	mg/L

#### Laboratory Control Sample (LCS)

Lab Sample ID: AMN150524QC.LCS1

Run in Batch: AMN150524QC, Run Date: 05/24/2015 14:13, Prep Date: 05/24/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Ammonia-N (Undistilled)		105	90	110

#### Matrix Spike (MS)

Lab Sample ID: AMN150524QC.MS1, Parent Sample ID: S65690.03

Run in Batch: AMN150524QC, Run Date: 05/24/2015 16:01, Prep Date: 05/24/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Ammonia-N (Undistilled)		103	80	120

#### Duplicate (DUP)

Lab Sample ID: AMN150524QC.DP1, Parent Sample ID: S65690.01

Run in Batch: AMN150524QC, Run Date: 05/24/2015 14:50, Prep Date: 05/24/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	RPD	RPD CL
Ammonia-N (Undistilled)		1.6	20

## QC Report - Batch QC Results

### Inorganics, Prep Batch ID: CN150515-W1

Surrogates: No, QC Types: BLK/LCS/MS/MSD/DUP

#### Blank (BLK)

Lab Sample ID: CN150515-W1.LRB1

Run in Batch: CN150515-W1, Run Date: 05/15/2015 13:00, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Amenable Cyanide		ND	0.005	mg/L

#### Laboratory Control Sample (LCS)

Lab Sample ID: CN150515-W1.LCS1

Run in Batch: CN150515-W1, Run Date: 05/15/2015 13:06, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Amenable Cyanide		102	90	110

#### Matrix Spike (MS)

Lab Sample ID: CN150515-W1.MS1, Parent Sample ID: S65697.01

Run in Batch: CN150515-W1, Run Date: 05/15/2015 13:12, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Amenable Cyanide		92	80	120

#### Matrix Spike Duplicate (MSD)

Lab Sample ID: CN150515-W1.MSD1, Parent Sample ID: CN150515-W1.MS1

Run in Batch: CN150515-W1, Run Date: 05/15/2015 13:14, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Amenable Cyanide		92	80	120	0	15

#### Duplicate (DUP)

Lab Sample ID: CN150515-W1.DP1, Parent Sample ID: S65697.01

Run in Batch: CN150515-W1, Run Date: 05/15/2015 13:10, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	RPD	RPD CL
Amenable Cyanide		<1	15

## QC Report - Batch QC Results

### Inorganics, Prep Batch ID: OGHEX150527W01

Surrogates: No, QC Types: BLK/LCS

#### Blank (BLK)

Lab Sample ID: OGHEX150527W01.LRB1

Run in Batch: OGHEX150527W01, Run Date: 05/27/2015 12:00, Prep Date: 05/27/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Oil & Grease n-Hexane Extract.		ND	1	mg/L

#### Laboratory Control Sample (LCS)

Lab Sample ID: OGHEX150527W01.LCS1

Run in Batch: OGHEX150527W01, Run Date: 05/27/2015 12:00, Prep Date: 05/27/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Oil & Grease n-Hexane Extract.		90	78	114

#### Laboratory Control Sample (LCS)

Lab Sample ID: OGHEX150527W01.LCS2

Run in Batch: OGHEX150527W01, Run Date: 05/27/2015 12:00, Prep Date: 05/27/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Oil & Grease n-Hexane Extract.		92	78	114

## QC Report - Batch QC Results

### Inorganics, Prep Batch ID: PHS150515QC

Surrogates: No, QC Types: BLK/LCS/MS/DUP

#### Blank (BLK)

Lab Sample ID: PHS150515QC.LRB1

Run in Batch: PHS150515QC, Run Date: 05/15/2015 19:56, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Total Phosphorus		ND	0.01	mg/L

#### Blank (BLK)

Lab Sample ID: PHS150515QC.LRB2

Run in Batch: PHS150515QC, Run Date: 05/15/2015 20:03, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Total Phosphorus		ND	0.01	mg/L

#### Laboratory Control Sample (LCS)

Lab Sample ID: PHS150515QC.LCS1

Run in Batch: PHS150515QC, Run Date: 05/15/2015 20:11, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Total Phosphorus		94	90	110

#### Matrix Spike (MS)

Lab Sample ID: PHS150515QC.MS1, Parent Sample ID: S65701.01

Run in Batch: PHS150515QC, Run Date: 05/15/2015 21:57, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Total Phosphorus		93	80	120

#### Duplicate (DUP)

Lab Sample ID: PHS150515QC.DP1, Parent Sample ID: S65678.02

Run in Batch: PHS150515QC, Run Date: 05/15/2015 21:55, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	RPD	RPD CL
Total Phosphorus		4.5	20

## QC Report - Batch QC Results

### Inorganics, Prep Batch ID: TSS150520B

Surrogates: No, QC Types: BLK/LCS/DUP

#### Blank (BLK)

Lab Sample ID: TSS150520B.LRB1

Run in Batch: TSS150520B, Run Date: 05/20/2015 11:00, Prep Date: 05/20/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Total Suspended Solids		ND	1	mg/L

#### Laboratory Control Sample (LCS)

Lab Sample ID: TSS150520B.LCS1

Run in Batch: TSS150520B, Run Date: 05/20/2015 11:00, Prep Date: 05/20/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Total Suspended Solids		83	81.5	111

#### Duplicate (DUP)

Lab Sample ID: TSS150520B.DP1, Parent Sample ID: S65689.01

Run in Batch: TSS150520B, Run Date: 05/20/2015 11:00, Prep Date: 05/20/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	RPD	RPD CL
Total Suspended Solids		4	5

## QC Report - Batch QC Results

### Metals, Prep Batch ID: HGD-051515-1

Surrogates: No, QC Types: LCS/BLK/MS/MSD

#### Laboratory Control Sample (LCS)

Lab Sample ID: HG2-15-0515A.015.LCS

Run in Batch: HG2-15-0515A, Run Date: 05/15/2015 14:36, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Mercury		101	85	115

#### Blank (BLK)

Lab Sample ID: HG2-15-0515A.016.LRB

Run in Batch: HG2-15-0515A, Run Date: 05/15/2015 14:38, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Mercury		ND	0.03	ug/L

#### Matrix Spike (MS)

Lab Sample ID: HG2-15-0515A.027.MS, Parent Sample ID: S65705.01

Run in Batch: HG2-15-0515A, Run Date: 05/15/2015 15:00, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Mercury		96	80	120

#### Matrix Spike (MS)

Lab Sample ID: HG2-15-0515A.041.MS, Parent Sample ID: S65712.02

Run in Batch: HG2-15-0515A, Run Date: 05/15/2015 15:28, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Mercury		97	80	120

#### Matrix Spike Duplicate (MSD)

Lab Sample ID: HG2-15-0515A.028.MSD, Parent Sample ID: HG2-15-0515A.027.MS

Run in Batch: HG2-15-0515A, Run Date: 05/15/2015 15:02, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Mercury		96	80	120	0	20

#### Matrix Spike Duplicate (MSD)

Lab Sample ID: HG2-15-0515A.042.MSD, Parent Sample ID: HG2-15-0515A.041.MS

Run in Batch: HG2-15-0515A, Run Date: 05/15/2015 15:30, Prep Date: 05/15/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Mercury		97	80	120	1	20

## QC Report - Batch QC Results

### Metals, Prep Batch ID: MTD-052615-4

Surrogates: No, QC Types: LCS/BLK/MS/MSD

#### Laboratory Control Sample (LCS)

Lab Sample ID: MT3-15-0526B.021.LCS

Run in Batch: MT3-15-0526B, Run Date: 05/26/2015 14:16, Prep Date: 05/26/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Arsenic		100	85	115
Chromium		100	85	115
Copper		101	85	115
Nickel		100	85	115
Zinc		99	85	115

#### Blank (BLK)

Lab Sample ID: MT3-15-0526B.023.LRB

Run in Batch: MT3-15-0526B, Run Date: 05/26/2015 14:22, Prep Date: 05/26/2015, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Arsenic		ND	0.0004	mg/L
Chromium		ND	0.001	mg/L
Copper		ND	0.001	mg/L
Nickel		ND	0.002	mg/L
Zinc		ND	0.001	mg/L

#### Matrix Spike (MS)

Lab Sample ID: MT3-15-0526B.035.MS, Parent Sample ID: S65673.04

Run in Batch: MT3-15-0526B, Run Date: 05/26/2015 15:00, Prep Date: 05/26/2015, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL
Arsenic		109	75	125
Chromium		105	75	125
Copper		103	75	125
Nickel		104	75	125
Zinc		106	75	125

#### Matrix Spike (MS)

Lab Sample ID: MT3-15-0526B.050.MS, Parent Sample ID: S65737.04

Run in Batch: MT3-15-0526B, Run Date: 05/26/2015 15:47, Prep Date: 05/26/2015, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL
Arsenic		109	75	125
Chromium		109	75	125
Copper		106	75	125
Nickel		105	75	125
Zinc		106	75	125

#### Matrix Spike Duplicate (MSD)

Lab Sample ID: MT3-15-0526B.036.MSD, Parent Sample ID: MT3-15-0526B.035.MS

Run in Batch: MT3-15-0526B, Run Date: 05/26/2015 15:03, Prep Date: 05/26/2015, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Arsenic		108	75	125	1	20
Chromium		104	75	125	1	20
Copper		104	75	125	1	20
Nickel		105	75	125	1	20
Zinc		108	75	125	1	20

## QC Report - Batch QC Results

### Metals, Prep Batch ID: MTD-052615-4 (continued)

Surrogates: No, QC Types: LCS/BLK/MS/MSD

### Matrix Spike Duplicate (MSD)

Lab Sample ID: MT3-15-0526B.051.MSD, Parent Sample ID: MT3-15-0526B.050.MS

Run in Batch: MT3-15-0526B, Run Date: 05/26/2015 15:50, Prep Date: 05/26/2015, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Arsenic		107	75	125	1	20
Chromium		106	75	125	3	20
Copper		105	75	125	1	20
Nickel		105	75	125	0	20
Zinc		107	75	125	0	20



2680 East Lansing Dr., East Lansing, MI 48823  
 Phone (517) 332-0167 Fax (517) 332-4034  
 www.meritlabs.com

C.O.C. PAGE # 1 OF 1

82412

**REPORT TO**

**CHAIN OF CUSTODY RECORD**

**INVOICE TO**

CONTACT NAME Cliff Yantz / Kevin Schneider  
 COMPANY O'Brien & Gere  
 ADDRESS 37000 Grand River Ste 200  
 CITY Farmington Hills STATE MI ZIP CODE 48335  
 PHONE NO. 248-477-5701 FAX NO. 248-477-5562 P.O. NO. \_\_\_\_\_  
 E-MAIL ADDRESS clifford.yantz@obg.com QUOTE NO. \_\_\_\_\_

CONTACT NAME SAME  
 COMPANY \_\_\_\_\_  
 ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP CODE \_\_\_\_\_  
 PHONE NO. \_\_\_\_\_ E-MAIL ADDRESS \_\_\_\_\_

**ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)**

PROJECT NO./NAME Coldwater Rd Landfill SAMPLER(S) - PLEASE PRINT/SIGN NAME Kevin Schneider  
 TURNAROUND TIME REQUIRED  1 DAY  2 DAYS  3 DAYS  STANDARD  OTHER \_\_\_\_\_  
 DELIVERABLES REQUIRED  STD  LEVEL II  LEVEL III  LEVEL IV  EDD  OTHER \_\_\_\_\_

MATRIX CODE: GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID  
 SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIFE A=AIR W=WASTE

# Containers & Preservatives

MERIT LAB NO. <small>FOR LAB USE ONLY</small>	YEAR		SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	NONE	HCl	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH	MeOH	OTHER	Total Metals *	Amenable Cyanide	BOD / TSS	Ammonia - Nitrogen	Total Phosphorus	FOG (Hex-Ext)	Certifications		Project Locations		Special Instructions
	DATE	TIME																	<input type="checkbox"/> OHIO VAP	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> DoD	<input type="checkbox"/> NPDES	
<u>65707.01</u>	<u>5/14/15</u>	<u>1315</u>	<u>02 - PRCC - 15</u>	<u>ww</u>	<u>5</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>			<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>					<u>* Metals: As, Cr, Cu, Hg, Ni, Zn</u> <u>Analysis Per City of Flint Permit</u>  <u>Field pH = 6.83</u> <u>Field Temp = 18.3</u>

RELINQUISHED BY: [Signature] OBG  Sampler DATE 5/14/15 TIME 1325  
 RECEIVED BY: [Signature] DATE 5-14-15 TIME 1330  
 RELINQUISHED BY: \_\_\_\_\_ DATE \_\_\_\_\_ TIME \_\_\_\_\_  
 RECEIVED BY: \_\_\_\_\_ DATE \_\_\_\_\_ TIME \_\_\_\_\_

RELINQUISHED BY: [Signature] DATE 5-14-15 TIME 1430  
 RECEIVED BY: [Signature] DATE 5/14/15 TIME 1430  
 SEAL NO. SEAL INTACT YES  NO  INITIALS \_\_\_\_\_ NOTES: TEMP. ON ARRIVAL 5/1  
 SEAL NO. SEAL INTACT YES  NO  INITIALS \_\_\_\_\_