Intended for

Michigan Department of Environment, Great Lakes, and Energy

Document type

Landfill Leak Detection System Annual Report 2020

Date

February 2021

COLDWATER ROAD LANDFILL - MID 005 356 860 LANDFILL LEAK DETECTION SYSTEM

RAMBOLL Bright ideas. Sustainable change.

COLDWATER ROAD LANDFILL - MID 005 356 860
LANDFILL LEAK DETECTION SYSTEM

Project name	**RACER Trust Coldwater Road Landfill**
Project no.	**15388/75178**
Recipient	**Jacob Runge**
Document type	**Annual Report**
Version	**1**
Date	**February 24, 2021**
Prepared by	**Kevin Schneider**
Checked by	**Clifford Yantz**
Approved by	**Clifford Yantz**
Description	**Landfill Leak Detection System Annual Report**

Ramboll
2260 E. Saginaw Street
East Lansing, MI 48823
USA

T 414-837-3607
F 414-837-3608
https://ramboll.com

CONTENTS

TABLES

FIGURES

APPENDICES

1. INTRODUCTION

On behalf of Revitalizing Auto Communities Environmental Response Trust (RACER), Ramboll Americas Engineering Solutions, Inc. (Ramboll), presents the results of the 2020 annual leak detection system (LDS) sampling event conducted in November 2020 for the Coldwater Road Landfill site (**Figure 1**). A total of 15,096 gallons of liquid have been removed from the leak detection vaults during 2020, and a total of 13,764 gallons of leachate have been removed from the leachate collection sumps during 2020. Volumes are reported in the Quarterly Status Reports.

2. SAMPLING AND ANALYSIS

During this event samples were collected from the six leak detection vaults (A through F) on November 4, 2020 for laboratory analysis.

The samples were analyzed for total organic carbon (TOC, Method 5310C), total suspended solids (TSS, Method 2540D), specific conductivity (Method 120.1), dissolved chromium (Cr), dissolved copper (Cu), dissolved nickel (Ni), and dissolved zinc (Zn, Method 200.8). The event also included field measurements for pH, specific conductivity, and temperature.

The analytical results are summarized in two attached tables: Landfill Leak Detection Vaults – Historical Analytical Results, Inorganics and Metals (**Table 1**), and Landfill Sump and Vault Sampling Log (**Table 2**). A Site Location Map (**Figure 1**) and Landfill Site Layout (**Figure 2**) are also attached. The Analytical Laboratory Report and the Chain of Custody are included as (**Appendix A**).

The samples for the leak detection vaults were collected on November 4, 2020 using a peristaltic pump and tubing for each vault. The duplicate samples were collected from Vault B. Samples were placed directly into laboratory prepared containers, logged onto a chain of custody form, and placed on ice for transport to Merit Laboratories, Inc., in East Lansing, Michigan.

The laboratory analysis for TOC, TSS, dissolved metals, and the field parameters continue to show historical consistent concentrations for the vaults (**Tables 1**). A review of the analytical data presented in the attached tables indicate analytical results similar to previous sampling events. A summary of the data is provided below:

Vaults:

- Chromium concentrations were not detected above the method detection limit of 5 µg/L, which is similar or less than the historic sample results. Historic chromium results ranged from below the method detection limit to 30 µg/L at Vault A (6/20/2011).
- Copper concentrations were not detected above the method detection limit of 5 µg/L, which is similar or less than the historic sample results. Historic copper results ranged from below the method detection limit to 140 µg/L at Vault C (6/20/2000).
- Nickel concentrations were not detected above the method detection limit of 5 µg/L in Vault B (including the duplicate) and Vault E. Nickel was detected in Vault A (12 µg/L), Vault C (10 µg/L), Vault D (12 µg/L), and Vault F (12 µg/L). The results were similar or less than historic results, which ranged from below the method detection limit to 125 µg/L at Vault D (11/15/1997).
- Zinc concentrations were not detected above the method detection limit of 5 µg/L in Vault A, Vault B, Vault C, Vault E, and Vault F. Zinc was detected in Vault D (6 µg/L). The results were similar or less than historic results, which ranged from below the method detection limit to 230 µg/L at Vault C (5/29/2019).
- TOC concentrations ranged from 4.8 mg/L in Vault E to 9.8 mg/L in Vault D. The results were similar or less than historic results, which ranged from 1.8 mg/L at Vault F (11/17/2008) to 140 mg/L at Vault A (3/27/1996).

- TSS concentrations were not detected above the method detection limit of 3 mg/L in Vault A, Vault B, Vault D, Vault E, and Vault F. TSS was detected in Vault C (1 mg/L). Historic TSS results ranged from below the method detection limit to 7,100 mg/L at Vault F (11/11/1996).
- pH concentrations ranged from 6.61 in Vault E to 6.72 in Vault F. The results were within the range of the historic results, which ranged from 5.47 at Vault F (6/15/2005) to 10.01 at Vault A (1/17/2006).
- Specific conductivity ranged from 1,010 µs/cm in Vault A to 1,438 µs/cm in Vault C. The results were similar or less than historic results, which ranged from 340 µs/cm at Vault C (8/30/1995) to 3,250 µs/cm at Vault A (5/6/1999).

3. SUMMARY

Duplicate samples were collected during this sampling event from Vault B and exhibited values consistent with the original results (within acceptable relative percent differences [RPD]), except for the TOC. The original TOC sample concentration was 7.4 mg/L in the original sample and in the duplicate sample the concentration was 5.4 mg/L. Therefore, the sample results for TOC in Vault B and Dup-1 (Vault B) should be considered as estimated (J).

There were no exceedances of the Shewart control limits (SCL) during this sampling event. There was a negative (decreasing) trend for pH in Vault A and Vault B. The trends were calculated using regression analysis over the last four sampling events per the Post Closure Care Plan, January 2014.

The negative trends were not confirmed by the concentrations of other metals/parameters. The trends do not suggest there was a release from the landfill and will continue to be evaluated during future sampling events. No other trends or spikes were observed during this monitoring event. The Shewart control charts are included as **Appendix B**.

The next semiannual sampling event will be completed in June 2021. If you have any questions, please feel free to contact Clifford Yantz at (313) 333-0211.

Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

On Behalf of RACER Trust

Clifford S. Yantz
Managing Hydrogeologist – Ramboll Americas Engineering Solutions, Inc.
Agent for RACER Trust

Date: February 24, 2021
cc: file

TABLES

TABLE 1
RACER Trust - Coldwater Road
Landfill Leak Detection Vaults - Historical Analytical Results
Inorganics and Metals

		Indicator Parameters					Dissolved Metals (ug/L)			
Vault	**Sample Date**	**TOC (mg/L)**	**TSS (mg/L)**	**pH**	**SpC**	**Temp**	**Cr**	**Cu**	**Ni**	**Zn**
	EGLE Residential Drinking Water Criteria & RBSLs						*100 (A)*	*1,000 (E)*	*100 (A)*	*2,400*
Vault A	23-Mar-95	4.6	<1	7.50	690	--	<20	<20	<40	180
	20-Jun-95	8.9	2.0	6.80	1900	--	24	21	<30	<20
	30-Aug-95	8.2	2.0	6.90	2000	--	<20	<20	<40	<20
	28-Nov-95	9.1	<1	7.00	1900	--	23	31	43	24
	27-Mar-96	140.0	<10	7.20	2000	--	<20	<20	46	<20
	18-Jun-96	12.0	<10	6.90	2000	--	<20	<20	<20	<20
	20-Aug-96	32.0	<5	7.10	1900	--	<20	<20	<20	30
	11-Nov-96	18.0	5.0	7.10	2000	--	<20	<20	30	60
	19-Feb-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-May-97	13.0	17.0	6.67	1940	9.7	<10	<10	71	90
	12-Aug-97	6.0	4.0	5.98	1810	12.8	<10	<10	88	60
	15-Nov-97	8.0	12.0	6.50	2000	12.0	<10	10	125	100
	9-Feb-98	6.0	8.0	6.40	1960	11.5	<10	<10	73	60
	14-May-98	12.0	15.0	6.90	1760	17.4	<10	20	13	200
	14-Aug-98	5.0	6.0	6.70	--	--	<10	<10	15	160
	13-Nov-98	5.0	12.0	6.50	1990	16.5	<10	<10	20	220
	19-Mar-99	5.7	8.0	6.80	1334	13.6	<10	10	14	60
	6-May-99	5.6	16.0	6.85	3250	26.2	<10	<10	15	20
	23-Jul-99	5.7	3.0	6.30	1470	18.9	<5	9	13	19
	22-Oct-99	5.0	3.0	5.86	1750	12.1	<10	<10	16	30
	14-Mar-00	5.6	<1	7.60	1410	10.7	<10	<10	15	20
	20-Jun-00	7.0	3.0	6.90	1410	18.3	<10	<10	12	20
	13-Sep-00	5.9	5.0	7.50	1650	15.1	<5	<10	14	20
	10-Nov-00	6.4	2.0	7.20	1470	11.8	<10	100	10	150
	12-Mar-01	6.0	1.0	7.43	1530	12.8	<10	<10	7	10
	24-May-01	9.4	10.0	7.56	1380	11.9	<10	<10	10	20
	31-Aug-01	5.3	10.6	7.49	1450	12.5	<5	<10	14	9
	16-Nov-01	5.1	3.0	6.77	1300	12.4	<10	<10	15	50
	8-Mar-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	31-May-02	2.4	54.0	7.23	1470	13.8	<10	<10	<5	40
	5-Sep-02	4.7	6.0	6.60	--	--	<5	<5	14	140
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	6.7	8.0	6.81	1290	12	<5	<5	9	99
	4-Jun-03	2.0	11.0	6.78	1370	11.3	<5	<5	10	<5
	5-Oct-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8-Dec-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Feb-04	NS	NS	NS	NS	NS	NS	NS	NS	NS
	30-Jun-04	4.5	55.0	6.99	1318	12.5	<5	<5	8	<5
	19-Nov-04	3.4	2.0	6.85	1120	11.4	6	<5	15	14
Duplicate	19-Nov-04	4.4	4.0	--	--	--	6	<5	18	16
	15-Jun-05	6.0	8.0	6.00	1640	13.4	<5	<5	13	21
	17-Jan-06	5.9	12785	10.01	1630	8.4	<5	<5	13	8
Re-sample	14-Feb-06	--	--	7.88	1800	8.5	--	--	14	--
	29-Jun-06	NS	NS	NS	NS	NS	NS	NS	NS	NS
	28-Nov-06	4.7	438	7.73	1940	13.2	<5	<4	13	6
	6-Jun-07	4.9	11	6.76	1990	11.7	13	4	20	8
	12-Nov-07	5.9	70	6.76	2030	12.4	4	5	21	11
	24-Jun-08	5.0	371	6.89	2060	13.3	<5	<1	25	5
	17-Nov-08	5.8	23	6.06	2060	9.2	<5	<1	22	<5
	23-Jun-09	5.5	88	7.01	2050	13.6	<5	11	27	36
	17-Nov-09	6	8	7.07	2090	10.3	<5	<4	22	7
	14-Jun-10	6	10	7.05	2070	13.1	8	<4	16	6
	20-Jun-11	6.7	9	7.33	2010	12.2	30	<4	27	39
Re-sample	14-Jul-11	--	--	--	--	--	<5	--	--	--
	14-Nov-11	7.0	316	6.93	2080	11.5	<5	<4	20	<5
	25-Jun-12	6.0	6	5.75	1870	11.9	<5	4	25	<5
Duplicate	25-Jun-12	6.0	6	5.75	1872	11.9	<5	6	25	10
	5-Dec-12	5.8	2	6.76	1820	10.6	<5	<4	24	10
Duplicate	5-Dec-12	5.8	3	6.76	1814	10.6	<5	<4	24	8
	6-Jun-13	6.1	4	6.71	1882	11.0	<5	<4	22	<5
	4-Nov-13	5.0	<1	6.71	1630	11.2	<5	<4	18	<5
	23-Jun-14	5.0	3	6.82	1579	13.2	<5	<4	18	<5
	18-Nov-14	4.1	2	6.27	1525	6.6	<5	<4	25	20
	25-Jun-15	4.5	2	6.64	1507	11.2	<5	6	21	10
	17-Nov-15	3.6	1	6.64	1423	11.7	<5	<5	20	5
	21-Jun-16	3.8	<3	6.93	1364	12.0	<5	<5	14	<5
Duplicate	21-Jun-16	3.9	<3	6.93	1362	12.0	<5	<5	13	<5
	28-Nov-16	3.3	<3	6.82	1378	11.4	<5	<5	15	<5
	19-Jun-17	4.2	<3	6.90	1450	11.4	<5	<5	15	<5
	6-Nov-17	3.6	<3	6.16	1363	11.8	<5	<5	17	<5
	11-Jun-18	4.3	<3	6.45	1447	11.0	<5	<5	15	10
	7-Nov-18	4.1	<3	6.50	1451	6.0	<5	<5	16	6
	29-May-19	8.4	<3	7.13	1436	9.1	<5	<5	15	<5
	19-Nov-19	5.8	<3	6.89	1291	10.6	<5	<5	15	<5
	15-Jun-20	7.9	<3	6.84	1378	17.2	<5	<5	11	<5
	4-Nov-20	**6.7**	**<3**	**6.69**	**1010**	**14.4**	**<5**	**<5**	**12**	**<5**

See notes on page 6.

TABLE 1
RACER Trust - Coldwater Road
Landfill Leak Detection Vaults - Historical Analytical Results
Inorganics and Metals

		Indicator Parameters					Dissolved Metals (ug/L)			
Vault	**Sample Date**	**TOC (mg/L)**	**TSS (mg/L)**	**pH**	**SpC**	**Temp**	**Cr**	**Cu**	**Ni**	**Zn**
			EGLE Residential Drinking Water Criteria & RBSLs				*100 (A)*	*1,000 (E)*	*100 (A)*	*2,400*
	23-Mar-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	30-Aug-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	28-Nov-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Mar-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
Vault B	18-Jun-96	11.0	<10	6.90	1900	--	<20	<20	<20	<20
	20-Aug-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11-Nov-96	17.0	66.0	7.00	1600	--	<20	<20	20	40
	19-Feb-97	7.0	4	7.10	1590	8.9	<10	<10	43	20
	7-May-97	7.0	4	6.50	1930	13.8	<10	<10	45	20
	12-Aug-97	5.0	3.0	6.45	663	26.0	<10	<10	26	60
	15-Nov-97	6.0	4.0	6.80	1400	11.0	<10	<10	96	50
	9-Feb-98	7.0	8.0	6.60	1560	12.6	<10	<10	57	20
	14-May-98	6.0	3.0	6.90	1490	11.2	<10	<10	14	30
	14-Aug-98	4.0	7.0	6.60	--	--	<10	<10	10	14
	13-Nov-98	6.0	18.0	6.30	1940	20.6	<10	10	17	80
	19-Mar-99	4.2	6.0	6.50	817	14.2	<10	<10	5	<10
	6-May-99	5.6	4.0	7.00	1330	26.2	<10	10	6	20
	23-Jul-99	5.8	3.0	6.50	1070	16.2	<5	13	10	18
	22-Oct-99	5.0	5.0	6.23	1440	11.0	<10	<10	16	20
	14-Mar-00	6.6	<1	8.00	900	11.0	<10	<10	8	20
	20-Jun-00	7.1	7.0	6.80	1120	17.3	<10	30	9	30
	13-Sep-00	5.4	<1	7.40	1560	15.6	<5	10	8	20
	10-Nov-00	6.8	1.0	7.10	1280	11.6	<5	40	14	90
	12-Mar-01	5.2	5.0	7.36	1460	12.3	<10	<10	7	20
	24-May-01	8.5	10.0	7.58	1280	13.0	<10	20	12	40
	31-Aug-01	3.9	<1.3	7.78	1370	12.9	<5	<10	11	20
	16-Nov-01	5.7	2.0	7.12	1230	13.1	<10	10	8	60
	8-Mar-02	5.4	2.0	6.99	2400	8.5	<10	10	<5	70
	31-May-02	5.1	3.0	7.23	1070	14.2	<10	<10	<5	20
	5-Sep-02	4.8	4.0	6.70	--	--	<5	<5	8	84
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4-Jun-03	5.5	3.0	6.98	1530	10.1	<5	<5	7	<5
	5-Oct-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8-Dec-03	4.7	2.0	7.12	1490	11.5	<5	6	5	35
	8-Dec-03	4.7	7.0	--	--	--	<5	6	5	35
	27-Feb-04	4.0	12.0	7.42	1380	12.3	<5	5	<5	16
	30-Jun-04	4.1	396.0	6.98	1210	11.8	<5	12	7	<5
	19-Nov-04	NS	NS	NS	NS	NS	NS	NS	NS	NS
	15-Jun-05	6.0	6.0	6.07	1560	12.8	<5	<5	14	20
	1-Dec-05	4.7	<1	6.87	1310	9.1	<5	<5	8	50
Re-sample	14-Feb-06	--	--	7.70	1520	6.1	--	<4	--	--
Duplicate	29-Jun-06	2.6	1.0	7.04	1050	13.9	<5	<4	5	8
	28-Nov-06	5.5	4.0	7.46	1380	13.0	<5	<4	8	11
Duplicate	28-Nov-06	4.7	--	7.17	1340	13.0	5	4	7	11
	6-Jun-07	4.7	2.0	6.34	1670	12.1	9	6	13	16
	12-Nov-07	3.8	1.0	6.93	1690	12.6	2	5	16	14
	24-Jun-08	3.2	6.0	6.95	1880	14.0	<5	2	8	9
	17-Nov-08	2.4	<1	6.89	1818	9.6	<5	2	8	15
Duplicate	17-Nov-08	1.7	2.0	6.89	1820	9.6	<5	1	8	15
	23-Jun-09	3.6	4.0	7.13	1780	13.3	<5	1	6	17
	17-Nov-09	3	0	6.99	1970	10.9	<5	<4	9	17
	14-Jun-10	3	2	6.90	1810	12.1	8	<4	5	20
	8-Nov-10	4	3	6.93	1911	12.2	21	<4	11	17
Re-sample	1-Dec-10	--	--	6.93	--	12.2	6	--	--	--
	20-Jun-11	3.4	1	7.03	1496	12.2	28	<4	11	16
Re-sample	14-Jul-11	--	--	--	--	--	<5	--	--	--
	14-Nov-11	3.0	1	6.93	1948	12.0	<5	<4	7	9
	25-Jun-12	3.0	4	6.16	1781	12.5	<5	<4	<5	8
	5-Dec-12	3.2	5	6.85	1936	10.2	<5	6	9	15
	6-Jun-13	3.2	<1	6.66	1455	10.8	<5	<4	6	7
	4-Nov-13	3.0	1	6.74	1750	11.8	<5	<4	5	14
	23-Jun-14	3.2	1	6.87	1369	12.3	<5	<4	<5	7
	18-Nov-14	2.7	3	7.05	1656	7.1	<5	<4	13	10
	25-Jun-15	3.0	<1	7.07	1513	13.4	<5	5	11	12
	17-Nov-15	2.6	3	6.76	1635	11.7	<5	<5	9	10
	21-Jun-16	2.7	<3	6.89	1176	13.7	<5	<5	<5	6
	28-Nov-16	2.2	<3	6.78	1654	11.3	<5	<5	<5	5
	19-Jun-17	2.5	<3	6.80	1110	11.6	<5	<5	<5	<5
	6-Nov-17	2.6	<3	6.28	1450	12.0	<5	<5	<5	7
	11-Jun-18	2.4	<3	6.51	1064	11.4	<5	<5	<5	5
	7-Nov-18	2.9	<3	6.60	1463	5.0	<5	<5	<5	5
Duplicate	7-Nov-18	2.5	<3	6.60	1450	5.0	<5	<5	6	<5
	29-May-19	6.0	<3	7.21	1058	9.8	<5	<5	<5	7
	19-Nov-19	4.8	<3	7.00	1235	9.9	<5	<5	<5	8
	15-Jun-20	6.2	<3	6.93	1165	15.6	<5	<5	<5	<5
	4-Nov-20	**7.4**	**<3**	**6.62**	**1053**	**12.5**	**<5**	**<5**	**<5**	**<5**
Duplicate	**4-Nov-20**	**5.4**	**<3**	**6.62**	**1045**	**12.5**	**<5**	**<5**	**<5**	**<5**

See notes on page 6.

TABLE 1
RACER Trust - Coldwater Road
Landfill Leak Detection Vaults - Historical Analytical Results
Inorganics and Metals

		Indicator Parameters					Dissolved Metals (ug/L)			
Vault	Sample Date	TOC (mg/L)	TSS (mg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn
			EGLE Residential Drinking Water Criteria & RBSLs				*100 (A)*	*1,000 (E)*	*100 (A)*	*2,400*
	23-Mar-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-95	4.4	<1	7.40	530	--	25	25	<30	60
	30-Aug-95	3.7	<1	7.40	340	--	<20	<20	<40	74
	28-Nov-95	7.6	<1	7.00	2200	--	29	37	67	36
	27-Mar-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
Vault C	18-Jun-96	7.7	<10	6.90	2000	--	<20	<20	<20	<20
	20-Aug-96	8.3	<5	6.90	1900	--	<20	<20	<20	40
	11-Nov-96	16.0	9.0	7.00	2100	--	<20	<20	<20	80
	19-Feb-97	7.0	1.0	7.60	1610	9.0	<10	<10	45	30
	7-May-97	6.0	10.0	6.57	1730	12.5	<10	100	66	20
	8-Aug-97	4.0	13.0	6.34	1610	24.1	<10	<10	79	20
	15-Nov-97	6.0	4.0	6.70	2000	12.0	<10	<10	122	50
	9-Feb-98	8.0	4.0	6.50	1720	12.2	<10	<10	64	50
	14-May-98	6.0	3.0	6.90	1600	12.1	<10	<10	23	40
	14-Aug-98	6.0	5.0	6.80	--	--	<10	<10	23	40
	13-Nov-98	6.0	12.0	6.30	1760	21.4	<10	<10	21	30
	13-Nov-98	6.0	10.0	--	--	--	<10	<10	21	30
	19-Mar-99	6.3	2.0	7.00	1300	15.6	<10	<10	19	20
	6-May-99	6.1	8.0	6.90	1600	26.6	<10	10	20	20
	23-Jul-99	6.5	0.0	6.70	1370	17.3	<5	12	20	20
	22-Oct-99	6.4	5.0	6.57	1160	11.0	<10	<10	18	10
	14-Mar-00	6.5	1.0	7.80	1350	12.6	<10	<10	17	10
	20-Jun-00	6.0	4.0	6.90	1280	18.3	<10	140	19	170
	13-Sep-00	6.1	<1	7.60	1430	14.9	<5	<10	16	20
	10-Nov-00	10.6	4.0	6.80	1210	12.1	<10	<10	17	40
	12-Mar-01	6.3	4.0	7.69	1380	12.1	<10	<10	8	<10
	24-May-01	9.2	8.0	7.54	1410	13.3	<10	<10	17	30
	31-Aug-01	5.4	4.0	7.44	1530	13.1	<5	<10	16	20
	16-Nov-01	6.0	2.0	6.79	1170	13.2	<10	<10	15	60
	8-Mar-02	4.0	1.0	7.09	1680	11.3	<10	10	<5	20
	31-May-02	5.1	7.0	7.17	1280	14.2	<10	<10	14	40
	5-Sep-02	5.0	7.0	6.69	--	--	<5	<5	14	39
	12-Dec-02	4.2	7.0	6.90	1330	12.1	<5	<5	12	53
	18-Mar-03	5.7	4.0	6.80	1260	10.7	<5	<5	10	37
	4-Jun-03	4.4	6.0	6.92	1150	11.0	<5	<5	8	<5
	5-Oct-03	4.4	4.0	6.99	1230	13.6	<5	<5	14	28
	8-Dec-03	3.8	6.0	7.14	1520	11.6	<5	11	14	63
	27-Feb-04	4.6	1.0	7.39	1410	12.1	<5	<5	12	36
	30-Jun-04	3.7	14.0	6.96	1008	12.2	<5	<5	12	8
	19-Nov-04	4.3	4.0	6.90	1090	11.7	<5	<5	20	6
	15-Jun-05	5.0	6.0	6.26	1460	12.5	<5	<5	15	39
	1-Dec-05	5.9	2.0	6.92	1620	11.1	<5	<5	18	15
	29-Jun-06	2.6	5.0	6.90	2260	15.2	5	<4	10	11
	28-Nov-06	11.6	44.0	7.04	1430	13.4	<5	5	15	<5
	6-Jun-07	4.9	6.0	6.54	1510	12.2	9	5	11	6
	12-Nov-07	4.3	1.0	6.90	1490	13.2	2	5	16	12
	24-Jun-08	4.2	49.0	6.91	1620	13.4	<5	<1	9	<5
	17-Nov-08	4.4	6.0	6.79	1600	9.4	<5	<1	10	11
	23-Jun-09	4.6	9.0	7.16	1660	13.7	<5	<1	8	6
	17-Nov-09	5	15	7.11	1650	11.5	<5	<4	9	6
Duplicate	17-Nov-09	5	20	7.11	1650	11.5	<5	<4	9	6
	14-Jun-10	5	4	7.01	1710	12.4	7	<4	7	7
	8-Nov-10	6	7	7.16	1670	12.7	16	<4	11	<5
	20-Jun-11	5.4	5	7.28	1686	12.9	25	<4	15	22
Duplicate	20-Jun-11	5.9	5	7.28	1688	12.9	24	<4	14	21
Re-sample	14-Jul-11	--	--	--	--	--	<5	--	--	--
	14-Nov-11	5.0	5	6.97	1699	12.4	<5	<4	10	<5
	25-Jun-12	5.0	7	6.83	1748	13.0	<5	<4	6	<5
	5-Dec-12	5.4	1	6.91	1713	11.1	<5	11	16	9
	6-Jun-13	5.4	22	6.66	1744	12.2	<5	<4	10	6
	4-Nov-13	5.3	1	6.84	1703	11.8	<5	<4	8	<5
	23-Jun-14	5.7	4	7.01	1759	12.3	<5	5	10	<5
	18-Nov-14	4.6	4	7.09	1724	7.4	<5	<4	18	5
	25-Jun-15	5.1	6	6.87	1788	12.4	<5	6	14	8
	17-Nov-15	4.4	0	6.84	1706	12.1	<5	<5	17	<5
	21-Jun-16	5.0	6	6.82	1795	14.5	<5	<5	11	6
	28-Nov-16	4.9	4	6.89	1808	11.1	<5	<5	9	<5
	19-Jun-17	5.0	3	6.88	1805	12.2	<5	<5	11	<5
	6-Nov-17	4.9	3	6.36	1764	11.7	<5	<5	10	<5
Duplicate	6-Nov-17	4.9	<3	6.36	1761	11.7	<5	<5	10	<5
	11-Jun-18	4.7	5	6.75	1774	12.1	<5	<5	8	<5
Duplicate	11-Jun-18	5.2	3	6.75	1789	12.1	<5	<5	8	<5
	7-Nov-18	5.3	<3	6.90	1696	4.0	<5	<5	11	<5
	29-May-19	8.0	6	7.17	1668	9.6	<5	<5	8	230
Re-sample	7-Jun-19	--	--	--	--	--	--	--	--	<5
	19-Nov-19	6.7	<3	7.08	1635	10.6	<5	<5	9	<5
Duplicate	19-Nov-19	6.9	<3	7.08	1638	10.6	<5	<5	10	<5
	16-Jun-20	9.7	3	7.13	1747	12.2	<5	<5	8	<5
Duplicate	16-Jun-20	10.0	3	7.13	1746	12.2	<5	<5	8	<5
	4-Nov-20	**7.4**	**1**	**6.67**	**1438**	**12.7**	**<5**	**<5**	**10**	**<5**

See notes on page 6.

TABLE 1
RACER Trust - Coldwater Road
Landfill Leak Detection Vaults - Historical Analytical Results
Inorganics and Metals

		Indicator Parameters					Dissolved Metals (ug/L)			
Vault	Sample Date	TOC (mg/L)	TSS (mg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn
			EGLE Residential Drinking Water Criteria & RBSLs				100 (A)	1,000 (E)	100 (A)	2,400
	23-Mar-95	8.9	83.0	7.30	2200		13	<20	44	<20
	20-Jun-95	NS	NS	NS	NS		NS	NS	NS	NS
	30-Aug-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	28-Nov-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Mar-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
Vault D	18-Jun-96	11.0	150.0	6.90	1800	--	<20	<20	<20	20
	20-Aug-96	40.0	<5	7.20	1600	--	<20	<20	<20	40
	11-Nov-96	23.0	9.0	7.00	1700	--	<20	<20	40	70
	19-Feb-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-May-97	23.0	76.0	6.69	1580	8.8	<10	<10	58	70
	8-Aug-97	11.0	44.0	6.48	1540	28.5	<10	<10	79	20
	15-Nov-97	12.0	6.0	6.60	1800	11.0	<10	<10	114	30
	9-Feb-98	12.0	52.0	6.50	1655	12.5	<10	<10	66	40
	14-May-98	10.0	40.0	7.00	1700	16.3	<10	30	23	50
	14-Aug-98	11.0	57.0	6.60	--	--	<10	<10	23	40
	13-Nov-98	11.0	22.0	6.70	1790	15.2	<10	<10	20	30
	19-Mar-99	6.3	2.0	7.00	1302	14.8	<10	30	20	40
	6-May-99	12.4	28.0	6.90	1510	25.2	<10	30	15	30
	23-Jul-99	11.0	40.0	7.00	1231	21.0	<5	9	21	19
	22-Oct-99	10.6	13.0	6.76	1384	10.3	<10	<10	23	20
	14-Mar-00	10.7	57.0	7.80	1460	13.0	<10	<10	15	20
	20-Jun-00	10.1	23.0	6.80	1410	18.7	<10	60	21	70
	13-Sep-00	10.7	7.0	7.60	1370	16.1	<5	<10	21	20
	10-Nov-00	7.0	10.0	7.20	1630	12.2	<10	<10	23	20
	12-Mar-01	5.6	33.0	7.84	1710	12.9	<10	<10	11	10
	24-May-01	12.0	16.0	7.48	1760	13.1	<10	10	18	30
	31-Aug-01	9.8	8.0	7.66	1420	12.8	5	<10	24	20
	16-Nov-01	7.4	20.0	7.58	1270	12.9	<10	10	17	50
	8-Mar-02	8.4	3.0	7.18	1430	10.9	<10	10	<5	10
	31-May-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5-Sep-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	8.9	15.0	6.77	1380	11.6	<5	5.0	10.0	19
	4-Jun-03	9.6	5.0	6.91	1430	11.0	<5	<5	8	<5
	5-Oct-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8-Dec-03	6.1	4.0	6.92	1330	11.0	8	17	14	63
	27-Feb-04	NS	NS	NS	NS	NS	NS	NS	NS	NS
	30-Jun-04	6.5	5.0	6.96	1050	12.1	<5	<5	30	9
	19-Nov-04	NS	NS	NS	NS	NS	NS	NS	NS	NS
	15-Jun-05	6.0	6.0	5.90	1540	12.9	<5	<5	25	17
	17-Jan-06	6.2	8.0	7.34	1600	7.9	6	14	37	<5
Re-sample	14-Feb-06	--	--	7.96	1520	9.2	--	5	--	--
	29-Jun-06	5.9	51.0	6.98	1570	13.9	6	<4	26	14
	28-Nov-06	7.2	13.0	7.18	1590	13.1	<5	<4	17	7
	6-Jun-07	6.9	7.0	7.30	1530	14.2	9	5	34	8
	12-Nov-07	7.3	5.0	6.91	1580	12.3	3	5	23	12
Duplicate	12-Nov-07	6.0	7.0	6.91	1570	12.3	3	5	23	9
	24-Jun-08	4.1	4.0	6.87	1570	15.4	<5	<1	35	<5
	17-Nov-08	5.6	10.0	7.42	1580	8.0	<5	1	17	6
	23-Jun-09	7.0	20.0	7.17	1570	13.7	<5	<1	34	5
	17-Nov-09	6.0	7	7.28	1610	11.5	<5	<4	16	7
	14-Jun-10	7.0	35	7.10	1550	11.9	8	<4	32	11
Duplicate	14-Jun-10	7.0	1	7.10	1550	11.9	7	<4	33	11
	8-Nov-10	9.0	31	7.41	1555	13.4	19	<4	18	<5
	14-Jul-11	--	--	7.23	--	18.0	<5	<4	40	<5
	14-Nov-11	9.0	5	7.04	1513	11.8	<5	<4	25	<5
	25-Jun-12	5.0	3	5.70	1367	14.5	<5	16	29	15
	5-Dec-12	7.3	3	7.11	1471	10.4	<5	11	33	22
	6-Jun-13	7.5	3	6.76	1534	11.5	<5	5	18	75
	4-Nov-13	7.2	<1	7.03	1565	11.8	<5	4	13	7
Duplicate	4-Nov-13	7.6	<1	7.03	1562	11.8	<5	<4	13	9
	23-Jun-14	8.0	7	7.10	1592	12.2	<5	4	15	9
Duplicate	23-Jun-14	7.9	2	7.10	1591	12.2	<5	<4	16	8
	18-Nov-14	6.2	2	7.02	1635	7.6	<5	10	20	11
Duplicate	18-Nov-14	6.0	<1	7.02	1640	7.6	<5	5	21	12
	25-Jun-15	6.9	3	6.93	1643	11.8	<5	8	23	17
	17-Nov-15	5.7	3	6.84	1729	12.2	<5	<5	17	10
	21-Jun-16	6.9	3	7.04	1656	14.7	<5	6	13	10
	28-Nov-16	5.2	<3	6.91	1659	10.7	<5	6	17	9
	19-Jun-17	7.3	<3	6.83	1655	16.7	<5	<5	15	10
	6-Nov-17	5.9	<3	6.44	1650	11.7	<5	<5	12	6
	11-Jun-18	6.5	<3	6.82	1655	13.6	<5	<5	14	9
	7-Nov-18	6.5	<3	7.00	1619	7.0	<5	<5	35	<5
	29-May-19	9.9	<3	7.37	1583	10.2	<5	<5	13	8
	19-Nov-19	6.7	<3	7.08	1671	10.6	<5	<5	13	8
	16-Jun-20	9.8	<3	7.09	1586	13.8	<5	<5	12	6
	4-Nov-20	**9.8**	**<3**	**6.66**	**1406**	**13.3**	**<5**	**<5**	**12**	**6**

See notes on page 6.

TABLE 1
RACER Trust - Coldwater Road
Landfill Leak Detection Vaults - Historical Analytical Results
Inorganics and Metals

		Indicator Parameters					Dissolved Metals (ug/L)			
Vault	Sample Date	TOC (mg/L)	TSS (mg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn
			EGLE Residential Drinking Water Criteria & RBSLs				*100 (A)*	*1,000 (E)*	*100 (A)*	*2,400*
	23-Mar-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	30-Aug-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	28-Nov-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Mar-96	110.0	<10	7.20	2000	--	<20	<20	46	<20
Vault E	18-Jun-96	9.0	76.0	7.00	2400	--	<20	<20	<20	<20
	4-Oct-96	5.9	19.0	6.90	2000	--	<20	<20	<20	20
	11-Nov-96	12.0	11.0	7.00	1800	--	<20	<20	<20	30
	19-Feb-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7-May-97	7.0	2.0	6.33	2120	15.6	<10	<10	35	30
	12-Aug-97	5.0	27.0	6.70	1840	14.9	<10	<10	64	40
	15-Nov-97	5.0	12.0	6.50	2100	11.0	<10	<10	116	40
	9-Feb-98	6.0	4.0	6.60	1950	12.6	<10	<10	54	50
	14-May-98	6.0	32.0	7.10	1850	13.5	<10	<10	7	60
	14-Aug-98	4.0	8.0	6.70	--	--	<10	<10	8	40
	30-Nov-98	3.0	14.0	--	--	--	10	<10	46	60
	19-Mar-99	4.8	20.0	6.50	1302	14.3	<10	20	6	30
	6-May-99	8.2	14.0	6.90	1720	27.4	<10	<10	5	20
	23-Jul-99	4.6	9.0	6.50	1468	21.8	<5	11	6	19
	22-Oct-99	3.5	6.0	6.33	1382	11.0	<10	<10	6	20
	14-Mar-00	5.6	48.0	8.00	1500	13.9	<10	<10	5	10
	20-Jun-00	6.3	22.0	6.90	1430	19.6	<10	30	<5	30
	13-Sep-00	4.1	5.0	7.70	1360	15.7	<5	<10	5	20
	10-Nov-00	4.3	4.0	7.50	1290	11.8	<10	40	5	60
	12-Mar-01	5.4	9.0	7.33	--	12.7	<10	<10	5	10
	24-May-01	8.6	10.0	7.52	1900	13.6	<10	10	6	40
	31-Aug-01	5.7	5.3	7.58	1810	13.2	<5	10	6	70
	16-Nov-01	3.6	<1.0	7.46	1630	12.8	<10	10	6	60
	8-Mar-02	6.0	<1.0	7.01	1570	9.8	<10	10	6	90
	31-May-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5-Sep-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4-Jun-03	5.1	6.0	6.92	1470	11.0	<5	6.0	<5	50
	5-Oct-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8-Dec-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Feb-04	5.4	4.0	7.61	1190	12.1	<5	6	7	43
	30-Jun-04	4.9	390	6.91	1337	12.7	<5	<5	6	43
	19-Nov-04	4.3	3	7.06	1230	11.4	<5	7	22	11
	15-Jun-05	7.0	3	6.77	1790	12.6	<5	<5	12	31
	1-Dec-05	3.7	<1	7.10	1630	10.9	<5	66	<5	73
	29-Jun-06	5.8	8.0	6.94	1790	14.0	5	4	6	13
	28-Nov-06	6.3	134.0	7.51	1680	13.1	5	5	<5	10
	6-Jun-07	4.6	3.0	6.48	1820	12.7	9	7	<5	9
Duplicate	6-Jun-07	4.8	3.0	--	1820	--	10	5	<5	8
	12-Nov-07	3.9	4.0	6.80	1740	12.0	2	4	11	13
	24-Jun-08	6.0	2.0	6.76	1860	13.9	<5	2	<5	6
	17-Nov-08	4.1	1.0	7.43	1630	10.3	<5	2	<5	19
	23-Jun-09	3.2	10.0	6.79	1950	14.0	<5	2	<5	15
Duplicate	23-Jun-09	3.0	17.0	6.79	1960	14.0	<5	2	<5	14
	17-Nov-09	5.0	9	6.89	1780	11.2	<5	<4	<5	14
	14-Jun-10	4.0	21	6.85	1910	12.5	9	<4	<5	13
	8-Nov-10	5.0	<1	7.02	1714	12.4	24	<4	<5	7
Duplicate	8-Nov-10	5.0	3	7.02	1715	12.4	20	<4	<5	7
	20-Jun-11	3.4	5	6.91	1711	13.0	29	<4	10	15
Re-sample	14-Jul-11	--	--	--	--	--	<5	--	--	--
	14-Nov-11	4.0	9	6.89	1637	11.7	<5	<4	<5	<5
Duplicate	14-Nov-11	3.0	5	6.89	1635	11.7	<5	<4	<5	<5
	25-Jun-12	3.0	3	6.00	1792	12.9	<5	<4	<5	7
	5-Dec-12	3.4	0	6.77	1776	10.4	<5	<4	6	11
	6-Jun-13	3.3	8	6.54	1397	10.6	<5	6	<5	<5
	4-Nov-13	3.0	2	6.74	1741	12.0	<5	4	12	9
	23-Jun-14	3.3	<1	6.88	1677	11.7	<5	<4	<5	<5
	18-Nov-14	3.0	2	7.08	1747	7.5	<5	<4	10	6
	25-Jun-15	2.9	4	6.88	1456	12.6	<5	<5	7	8
Duplicate	25-Jun-15	2.9	3	6.88	1460	12.6	<5	<5	7	7
	17-Nov-15	2.7	2	6.80	1435	12.9	<5	<5	5	<5
	21-Jun-16	2.6	<3	6.75	1408	13.9	<5	<5	<5	5
	28-Nov-16	2.3	<3	6.88	1502	11.3	<5	<5	<5	<5
	19-Jun-17	2.6	3	6.79	1431	11.9	<5	<5	<5	<5
	19-Jun-17	2.7	<3	6.79	1430	11.9	<5	<5	<5	<5
	6-Nov-17	2.5	<3	6.37	1465	11.8	<5	<5	<5	<5
	11-Jun-18	2.6	<3	6.57	1300	14.3	<5	<5	<5	5
	7-Nov-18	3.1	<3	7.20	1274	5.0	<5	<5	<5	<5
	29-May-19	5.3	<3	7.16	1339	10.4	<5	<5	<5	<5
Duplicate	29-May-19	5.1	<3	7.16	1334	10.4	<5	<5	<5	<5
	19-Nov-19	5.0	<3	6.95	1383	10.6	<5	7	<5	5
	16-Jun-20	6.0	<3	6.99	1210	14.5	<5	<5	<5	<5
	4-Nov-20	**4.8**	**<3**	**6.61**	**1188**	**12.2**	**<5**	**<5**	**<5**	**<5**

See notes on page 6.

TABLE 1
RACER Trust - Coldwater Road
Landfill Leak Detection Vaults - Historical Analytical Results
Inorganics and Metals

		Indicator Parameters					Dissolved Metals (ug/L)			
Vault	Sample Date	TOC (mg/L)	TSS (mg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn
			EGLE Residential Drinking Water Criteria & RBSLs				100 (A)	1,000 (E)	100 (A)	2,400
	23-Mar-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-95	8.2	<1	6.80	1400	--	<20	<20	<30	190
	30-Aug-95	6.1	<1	6.80	1100	NS	<20	<20	<40	220
	28-Nov-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Mar-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
Vault F	18-Jun-96	6.2	77.0	6.80	1600	--	<20	<20	<20	<20
	20-Aug-96	4.8	1500.0	7.10	1500	--	<20	20	<20	50
	11-Nov-96	14.0	7100.0	7.00	1600	--	<20	<20	<20	30
	19-Feb-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-May-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8-Aug-97	3.0	21.0	6.14	1530	20.6	<10	<10	64	20
	15-Nov-97	7.0	56.0	6.70	1800	13.0	<10	<10	93	130
	9-Feb-98	5.0	30.0	6.50	1750	13.5	<10	<10	49	160
	14-May-98	5.0	16.0	7.07	1400	25.4	<10	20	7	130
	14-Aug-98	3.0	25.0	6.60	--	--	<10	<10	7	40
	30-Nov-98	4.0	38.0	--	--	--	10	<10	47	30
	19-Mar-99	4.2	52.0	6.80	982	14.4	<10	20	9	20
	6-May-99	4.6	50.0	7.00	1460	28.0	<10	10	5	30
	23-Jul-99	3.7	95.0	6.30	1262	21.2	6	17	6	26
	22-Oct-99	3.7	12.0	6.29	1116	12.3	<10	<10	6	20
	14-Mar-00	5.4	81.0	8.00	1250	14.9	<10	<10	6	30
	20-Jun-00	4.4	66.0	7.10	1310	20.1	<10	40	<5	80
	13-Sep-00	3.0	11.0	7.40	1440	15.6	<5	<10	6	20
	10-Nov-00	3.9	41.0	6.80	1040	11.6	<10	60	5	100
	12-Mar-01	5.5	24.0	7.12	1110	12.3	<10	<10	5	10
	24-May-01	7.4	16.0	7.44	1470	12.8	<10	60	5	100
	31-Aug-01	NS	NS	NS	NS	NS	NS	NS	NS	NS
	16-Nov-01	4.2	68.0	7.26	1110	12.9	<10	40	<5	100
	8-Mar-02	4.4	11.0	6.92	1290	10.4	<10	10	<5	60
	31-May-02	2.4	45.0	7.17	1200	14.3	<10	<10	6	20
	5-Sep-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	3.7	7.0	6.78	1270	12.4	<5	19	<5	119
	4-Jun-03	2.5	4.0	6.92	1300	10.9	<5	<5	<5	<5
	5-Oct-03	3.9	5.0	6.88	1040	13.5	<5	11	5	66
	8-Dec-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Feb-04	3.9	7.0	7.11	1920	12.2	<5	5	<5	30
	30-Jun-04	3.5	1.0	6.89	1300	12.0	<5	5	<5	10
	30-Jun-04	3.5	1.0	6.89	1300	12.0	<5	5	<5	10
	19-Nov-04	3.2	4.0	7.07	1160	11.0	<5	<5	15	8
	15-Jun-05	4.0	8.0	5.47	1780	12.3	<5	<5	9	17
	1-Dec-05	3.7	3.0	6.92	1640	10.7	<5	83	<5	62
Duplicate	7-Dec-05	4.7	5.0	--	1540	--	<5	31	19	<10
Re-sample	14-Feb-06	--	--	7.90	1710	7.2	--	<4	--	--
	29-Jun-06	2.9	90.0	6.72	1710	15.3	7	<4	<5	9
	28-Nov-06	4.4	3.0	7.04	1610	13.9	5	<4	<5	10
	6-Jun-07	3.9	2.0	6.44	1640	15.5	10	3	<5	8
	12-Nov-07	2.2	53.0	6.84	1600	12.2	2	3	9	11
	24-Jun-08	2.3	5.0	6.86	1510	14.5	<5	<1	<5	<5
Duplicate	24-Jun-08	2.8	3.0	6.86	1500	14.5	<5	<1	<5	<5
	17-Nov-08	1.8	9.0	7.20	1510	9.5	<5	<1	<5	15
	23-Jun-09	2.9	29.0	7.08	1530	13.1	<5	<1	<5	10
	17-Nov-09	3	16	7.03	1550	11.0	<5	<4	<5	11
	14-Jun-10	3	14	7.02	1540	12.1	6	<4	<5	17
	8-Nov-10	3	2	7.00	1590	12.3	16	<4	<5	14
	20-Jun-11	2.5	47	7.03	1642	14.6	23	<4	9	20
Re-sample	14-Jul-11	--	--	--	--	--	<5	--	--	--
	14-Nov-11	2.0	29	6.93	1651	11.4	<5	<4	<5	<5
	25-Jun-12	--	--	--	--	--	--	--	--	--
	5-Dec-12	2.8	7	6.69	1729	9.9	<5	<4	6	12
	6-Jun-13	2.7	2	6.78	1761	10.8	<5	<4	6	6
Duplicate	6-Jun-13	2.9	<1	6.78	1759	10.8	<5	<4	<5	6
	4-Nov-13	2.6	1	6.83	1736	11.6	<5	<4	<5	<5
	23-Jun-14	2.6	3	7.15	1710	13.3	<5	<4	<5	<5
	18-Nov-14	2.4	2	7.13	1724	7.4	<5	<4	10	8
	25-Jun-15	2.3	3	7.08	1669	14.0	<5	<5	7	9
	17-Nov-15	2.1	1	6.95	1686	13.5	<5	<5	6	6
Duplicate	17-Nov-15	2.1	1	6.95	1686	13.5	<5	<5	6	6
	21-Jun-16	2.4	<3	7.03	1640	14.2	<5	<5	<5	6
	28-Nov-16	1.9	3	6.84	1641	11.1	<5	<5	<5	<5
Duplicate	28-Nov-16	1.9	<3	6.84	1640	11.1	<5	<5	<5	6
	19-Jun-17	2.4	<3	6.89	1675	11.8	<5	<5	<5	<5
	6-Nov-17	2.2	<3	6.47	1626	11.0	<5	<5	<5	<5
	11-Jun-18	2.2	<3	6.75	1685	13.6	<5	<5	<5	6
	7-Nov-18	2.9	<3	7.20	1637	5.0	<5	<5	<5	<5
	29-May-19	5.3	<3	7.13	1563	11.3	<5	<5	10	<5
	19-Nov-19	4.6	<3	7.20	1593	10.1	<5	<5	14	6
	16-Jun-20	6.6	<3	7.23	1623	13.3	<5	<5	18	<5
	4-Nov-20	**5.2**	**<3**	**6.72**	**1347**	**13.1**	**<5**	**<5**	**12**	**<5**

Notes:
"<" - Not detected above specified detection limit.
"NS" - Not sampled - no liquid.
"SpC" - Specific conductivity in micro siemens (uS).
"Temp" - Temperature in degrees celsius.
"--" - Physical parameter not measured (insturment failure or duplicate sample).
Exceeds MDEQ Residential Drinking Water Criteria
"A" - Criterion is the state of Michigan drinking water standard established pursuant to Section 5 of 1976 PA 399, MCL 325.1005.
"E" - Criterion is the aesthetic drinking water value, as required by Section 20120a(5) of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (NREPA)

TABLE 2
RACER Trust - Coldwater Road
Sump and Vault Field Data
November 4, 2020

Name	DTW	Color	Temp	Spc (mS/cm)	pH	Sample Time
Sump A	20.81	--	--	--	--	--
Sump B	12.90	--	--	--	--	--
Sump C	15.75	--	--	--	--	--
Sump D	20.35	--	--	--	--	--
Sump E	20.41	--	--	--	--	--
Sump F	18.73	--	--	--	--	--

Name	DTW	Color	Temp	Spc (mS/cm)	pH	Sample Time
Vault A	--	clear	14.4	1.225	6.69	13:44
Vault B	--	clear	12.5	1.204	6.62	14:08
Vault C	--	clear	12.7	1.647	6.67	14:38
Vault D	--	clear	13.3	1.435	6.66	15:02
Vault E	--	clear	12.2	1.236	6.61	15:21
Vault F	--	clear	13.1	1.572	6.72	15:48

Notes:
Duplicate sample DUP-1 was collected at Vault B.

FIGURES



Map Scale: 1:1:24,000;
Map Center: 83°41'9"W 43°5'51"N

SITE LOCATION

RACER TRUST
Coldwater Road Landfill
Flint, Michigan

FIGURE 01

A RAMBOLL COMPANY

RAMBOLL

- LEACHATE COLLECTION SUMP
- ACCESS PORT FOR LEAK DECTION VAULT
- PROPERTY BOUNDARY

0 175 350 Feet

SITE LAYOUT

RACER TRUST
Coldwater Road Landfill
Flint, Michigan

FIGURE 02

A RAMBOLL COMPANY

RAMBOLL

I:\Racer-Trust.153881\75178.Coldwater-2020\Docs\Reports\LDS\Semi-Annual Jun 2020\Figure\002 - Site_Layout 2020 SA Rpts (LDS-Rpt) (2020-08)_08112020.mxd
PROJECT: 169000XXXX | DATED: 8/11/2020 | DESIGNER: MONETANT

APPENDIX A
ANALYTICAL LABORATORY REPORTS

Analytical Laboratory Report

Report ID: S18975.01(01)
Generated on 11/13/2020

Report to

Attention: Clifford Yantz
O'Brien & Gere Engineers, Inc.
2260 East Saginaw Street
East Lansing, MI 48823

Phone: 313-333-0211 FAX:
Email: Clifford.Yantz@obg.com

Report produced by

Merit Laboratories, Inc.
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:
John Laverty (johnlaverty@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S18975.01-S18975.07
Project: RACER Coldwater Road
Collected Date(s): 11/04/2020
Submitted Date/Time: 11/05/2020 13:00
Sampled by: Kevin Schneider
P.O. #: 12000277

Table of Contents

Maya Murshak
Technical Director

General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.
Methods may be modified for improved performance.
Results reported on a dry weight basis where applicable.
'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).
40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.
QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.
Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.
Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)
PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."
Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report

Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched

Method Summary

Method	Version
E120.1	EPA Method 120.1 Revision 1982
E200.8	EPA Method 200.8 Revision 5.4
SM2540D	Standard Method 2540 D 2011
SM5310C	Standard Method 5310C 2011
SW3015A	SW 846 Method 3015A Revision 1 February 2007

Sample Summary (7 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S18975.01	Vault-A	Wastewater	11/04/20 13:44
S18975.02	Vault-B	Wastewater	11/04/20 14:08
S18975.03	Vault-C	Wastewater	11/04/20 14:38
S18975.04	Vault-D	Wastewater	11/04/20 15:02
S18975.05	Vault-E	Wastewater	11/04/20 15:21
S18975.06	Vault-F	Wastewater	11/04/20 15:48
S18975.07	DUP-01	Wastewater	11/04/20 00:01

Analytical Laboratory Report

Lab Sample ID: S18975.01
Sample Tag: Vault-A
Collected Date/Time: 11/04/2020 13:44
Matrix: Wastewater
COC Reference: 131934

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	1L Plastic	None	Yes	4.1	IR
1	125ml Plastic	HNO3	Yes	4.1	IR
1	125ml Plastic	None	Yes	4.1	IR
2	40ml Glass	H2SO4	Yes	4.1	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Metal Digestion	Completed	SW3015A	11/12/20 09:20	CCM	

Inorganics

Method: E120.1, Run Date: 11/10/20 18:22, Analyst: REJ

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Conductivity	1,010	1		umhos/cm	1		

Method: SM2540D, Run Date: 11/09/20 18:50, Analyst: ASB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Suspended Solids	Not detected	3	1	mg/L	1.00		

Method: SM5310C, Run Date: 11/12/20 12:50, Analyst: JKB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
TOC	6.7	1		mg/L	1		

Metals

Method: E200.8, Run Date: 11/12/20 11:33, Analyst: CCM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Chromium, Dissolved	Not detected	0.005		mg/L	5	7440-47-3	
Copper, Dissolved	Not detected	0.005		mg/L	5	7440-50-8	
Nickel, Dissolved	0.012	0.005		mg/L	5	7440-02-0	
Zinc, Dissolved	Not detected	0.005		mg/L	5	7440-66-6	

Lab Sample ID: S18975.02
Sample Tag: Vault-B
Collected Date/Time: 11/04/2020 14:08
Matrix: Wastewater
COC Reference: 131934

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	1L Plastic	None	Yes	4.1	IR
1	125ml Plastic	HNO3	Yes	4.1	IR
1	125ml Plastic	None	Yes	4.1	IR
2	40ml Glass	H2SO4	Yes	4.1	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Metal Digestion	Completed	SW3015A	11/12/20 09:20	CCM	

Inorganics

Method: E120.1, Run Date: 11/10/20 18:24, Analyst: REJ

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Conductivity	1,053	1		umhos/cm	1		

Method: SM2540D, Run Date: 11/09/20 18:50, Analyst: ASB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Suspended Solids	Not detected	3	1	mg/L	1.00		

Method: SM5310C, Run Date: 11/12/20 13:49, Analyst: JKB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
TOC	7.4	1		mg/L	1		

Metals

Method: E200.8, Run Date: 11/12/20 11:35, Analyst: CCM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Chromium, Dissolved	Not detected	0.005		mg/L	5	7440-47-3	
Copper, Dissolved	Not detected	0.005		mg/L	5	7440-50-8	
Nickel, Dissolved	Not detected	0.005		mg/L	5	7440-02-0	
Zinc, Dissolved	Not detected	0.005		mg/L	5	7440-66-6	

Analytical Laboratory Report

Lab Sample ID: S18975.03
Sample Tag: Vault-C
Collected Date/Time: 11/04/2020 14:38
Matrix: Wastewater
COC Reference: 131934

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	1L Plastic	None	Yes	4.1	IR
1	125ml Plastic	HNO3	Yes	4.1	IR
1	125ml Plastic	None	Yes	4.1	IR
2	40ml Glass	H2SO4	Yes	4.1	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Metal Digestion	Completed	SW3015A	11/12/20 09:20	CCM	

Inorganics

Method: E120.1, Run Date: 11/10/20 18:26, Analyst: REJ

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Conductivity	1,438	1		umhos/cm	1		

Method: SM2540D, Run Date: 11/09/20 18:50, Analyst: ASB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Suspended Solids	1	3	1	mg/L	1.00		b

Method: SM5310C, Run Date: 11/12/20 14:48, Analyst: JKB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
TOC	7.4	1		mg/L	1		

Metals

Method: E200.8, Run Date: 11/12/20 11:37, Analyst: CCM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Chromium, Dissolved	Not detected	0.005		mg/L	5	7440-47-3	
Copper, Dissolved	Not detected	0.005		mg/L	5	7440-50-8	
Nickel, Dissolved	0.010	0.005		mg/L	5	7440-02-0	
Zinc, Dissolved	Not detected	0.005		mg/L	5	7440-66-6	

b-Value detected less than reporting limit, but greater than MDL

Analytical Laboratory Report

Lab Sample ID: S18975.04
Sample Tag: Vault-D
Collected Date/Time: 11/04/2020 15:02
Matrix: Wastewater
COC Reference: 131934

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	1L Plastic	None	Yes	4.1	IR
1	125ml Plastic	HNO3	Yes	4.1	IR
1	125ml Plastic	None	Yes	4.1	IR
2	40ml Glass	H2SO4	Yes	4.1	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Metal Digestion	Completed	SW3015A	11/12/20 09:20	CCM	

Inorganics

Method: E120.1, Run Date: 11/10/20 18:28, Analyst: REJ

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Conductivity	1,406	1		umhos/cm	1		

Method: SM2540D, Run Date: 11/09/20 18:50, Analyst: ASB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Suspended Solids	Not detected	3	1	mg/L	1.00		

Method: SM5310C, Run Date: 11/12/20 15:08, Analyst: JKB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
TOC	9.8	1		mg/L	1		

Metals

Method: E200.8, Run Date: 11/12/20 11:39, Analyst: CCM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Chromium, Dissolved	Not detected	0.005		mg/L	5	7440-47-3	
Copper, Dissolved	Not detected	0.005		mg/L	5	7440-50-8	
Nickel, Dissolved	0.012	0.005		mg/L	5	7440-02-0	
Zinc, Dissolved	0.006	0.005		mg/L	5	7440-66-6	

Lab Sample ID: S18975.05
Sample Tag: Vault-E
Collected Date/Time: 11/04/2020 15:21
Matrix: Wastewater
COC Reference: 131934

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	1L Plastic	None	Yes	4.1	IR
1	125ml Plastic	HNO3	Yes	4.1	IR
1	125ml Plastic	None	Yes	4.1	IR
2	40ml Glass	H2SO4	Yes	4.1	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Metal Digestion	Completed	SW3015A	11/12/20 09:20	CCM	

Inorganics

Method: E120.1, Run Date: 11/10/20 18:32, Analyst: REJ

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Conductivity	1,188	1		umhos/cm	1		

Method: SM2540D, Run Date: 11/09/20 18:50, Analyst: ASB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Suspended Solids	Not detected	3	1	mg/L	1.00		

Method: SM5310C, Run Date: 11/12/20 15:27, Analyst: JKB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
TOC	4.8	1		mg/L	1		

Metals

Method: E200.8, Run Date: 11/12/20 11:41, Analyst: CCM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Chromium, Dissolved	Not detected	0.005		mg/L	5	7440-47-3	
Copper, Dissolved	Not detected	0.005		mg/L	5	7440-50-8	
Nickel, Dissolved	Not detected	0.005		mg/L	5	7440-02-0	
Zinc, Dissolved	Not detected	0.005		mg/L	5	7440-66-6	

Analytical Laboratory Report

Lab Sample ID: S18975.06
Sample Tag: Vault-F
Collected Date/Time: 11/04/2020 15:48
Matrix: Wastewater
COC Reference: 131934

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	1L Plastic	None	Yes	4.1	IR
1	125ml Plastic	HNO3	Yes	4.1	IR
1	125ml Plastic	None	Yes	4.1	IR
2	40ml Glass	H2SO4	Yes	4.1	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Metal Digestion	Completed	SW3015A	11/12/20 09:20	CCM	

Inorganics

Method: E120.1, Run Date: 11/10/20 18:34, Analyst: REJ

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Conductivity	1,347	1		umhos/cm	1		

Method: SM2540D, Run Date: 11/09/20 18:50, Analyst: ASB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Suspended Solids	Not detected	3	1	mg/L	1.00		

Method: SM5310C, Run Date: 11/12/20 15:47, Analyst: JKB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
TOC	5.2	1		mg/L	1		

Metals

Method: E200.8, Run Date: 11/12/20 11:43, Analyst: CCM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Chromium, Dissolved	Not detected	0.005		mg/L	5	7440-47-3	
Copper, Dissolved	Not detected	0.005		mg/L	5	7440-50-8	
Nickel, Dissolved	0.012	0.005		mg/L	5	7440-02-0	
Zinc, Dissolved	Not detected	0.005		mg/L	5	7440-66-6	

Analytical Laboratory Report

Lab Sample ID: S18975.07
Sample Tag: DUP-01
Collected Date/Time: 11/04/2020 00:01
Matrix: Wastewater
COC Reference: 131934

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	1L Plastic	None	Yes	4.1	IR
1	125ml Plastic	HNO3	Yes	4.1	IR
1	125ml Plastic	None	Yes	4.1	IR
2	40ml Glass	H2SO4	Yes	4.1	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Metal Digestion	Completed	SW3015A	11/12/20 09:20	CCM	

Inorganics

Method: E120.1, Run Date: 11/10/20 18:36, Analyst: REJ

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Conductivity	1,045	1		umhos/cm	1		

Method: SM2540D, Run Date: 11/09/20 18:50, Analyst: ASB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Suspended Solids	Not detected	3	1	mg/L	1.00		

Method: SM5310C, Run Date: 11/12/20 16:06, Analyst: JKB

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
TOC	5.4	1		mg/L	1		

Metals

Method: E200.8, Run Date: 11/12/20 11:44, Analyst: CCM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Chromium, Dissolved	Not detected	0.005		mg/L	5	7440-47-3	
Copper, Dissolved	Not detected	0.005		mg/L	5	7440-50-8	
Nickel, Dissolved	Not detected	0.005		mg/L	5	7440-02-0	
Zinc, Dissolved	Not detected	0.005		mg/L	5	7440-66-6	

Merit Laboratories Login Checklist

Lab Set ID: S18975
Client: OBG02 (O'Brien & Gere Engineers, Inc. - East Lansing, MI)
Project: RACER Coldwater Road
Submitted: 11/05/2020 13:00 Login User: REJ

Attention: Clifford Yantz
Address: O'Brien & Gere Engineers, Inc.
2260 East Saginaw Street
East Lansing, MI 48823

Phone: 313-333-0211 FAX:
Email: Clifford.Yantz@obg.com

Selection				Description	Note
Sample Receiving					
01.	[X] Yes	[ ] No	[ ] N/A	Samples are received at 4C +/- 2C Thermometer #	IR 4.1
02.	[X] Yes	[ ] No	[ ] N/A	Received on ice/ cooling process begun	
03.	[ ] Yes	[X] No	[ ] N/A	Samples shipped	
04.	[ ] Yes	[X] No	[ ] N/A	Samples left in 24 hr. drop box	
05.	[ ] Yes	[ ] No	[X] N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custody					
06.	[X] Yes	[ ] No	[ ] N/A	COC adequately filled out	
07.	[X] Yes	[ ] No	[ ] N/A	COC signed and relinquished to the lab	
08.	[X] Yes	[ ] No	[ ] N/A	Sample tag on bottles match COC	
09.	[ ] Yes	[X] No	[ ] N/A	Subcontracting needed? Subcontacted to:	
Preservation					
10.	[X] Yes	[ ] No	[ ] N/A	Do sample have correct chemical preservation	
11.	[X] Yes	[ ] No	[ ] N/A	Completed pH checks on preserved samples? (no VOAs)	
12.	[ ] Yes	[X] No	[ ] N/A	Did any samples need to be preserved in the lab?	
Bottle Conditions					
13.	[X] Yes	[ ] No	[ ] N/A	All bottles intact	
14.	[X] Yes	[ ] No	[ ] N/A	Appropriate analytical bottles are used	
15.	[X] Yes	[ ] No	[ ] N/A	Merit bottles used	
16.	[X] Yes	[ ] No	[ ] N/A	Sufficient sample volume received	
17.	[ ] Yes	[X] No	[ ] N/A	Samples require laboratory filtration	
18.	[X] Yes	[ ] No	[ ] N/A	Samples submitted within holding time	
19.	[ ] Yes	[X] No	[ ] N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for all exceptions is to call the client and to notify the project manager.

Client Review By: _____ Date: _____

Merit Laboratories Bottle Preservation Check

Lab Set ID: S18975 Submitted: 11/05/2020 13:00

Client: OBG02 (O'Brien & Gere Engineers, Inc. - East Lansing, MI)

Project: RACER Coldwater Road

Initial Preservation Check: 11/05/2020 13:52 REJ

Preservation Recheck (E200.8): N/A

Attention: Clifford Yantz
Address: O'Brien & Gere Engineers, Inc.
2260 East Saginaw Street
East Lansing, MI 48823

Phone: 313-333-0211 FAX:
Email: Clifford.Yantz@obg.com

Sample ID	Bottle / Preservation	pH (Orig)	Add ml	pH (New)	Notes
S18975.01	125ml Plastic HNO3	<2			
S18975.02	125ml Plastic HNO3	<2			
S18975.03	125ml Plastic HNO3	<2			
S18975.04	125ml Plastic HNO3	<2			
S18975.05	125ml Plastic HNO3	<2			
S18975.06	125ml Plastic HNO3	<2			
S18975.07	125ml Plastic HNO3	<2			

Merit Laboratories, Inc.
2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
www.meritlabs.com

C.O.C. PAGE # 1 OF 1

131934

CHAIN OF CUSTODY RECORD

REPORT TO

CONTACT NAME: Clifford Yantz
COMPANY: Ramboll
ADDRESS: 2200 East Saginaw
CITY: East Lansing | STATE: MI | ZIP CODE: 48823
PHONE NO.: 313-333-0211 | FAX NO.: | P.O. NO.:
E-MAIL ADDRESS: clifford.yantz@ramboll.com | QUOTE NO.:

INVOICE TO

CONTACT NAME: | ☒ SAME
COMPANY:
ADDRESS:
CITY: | STATE: | ZIP CODE:
PHONE NO.: | E-MAIL ADDRESS:

PROJECT NO./NAME: RACER Coldwater Road
SAMPLER(S) - PLEASE PRINT/SIGN NAME: Kevin Schneider

TURNAROUND TIME REQUIRED ☐ 1 DAY ☐ 2 DAYS ☐ 3 DAYS ☒ STANDARD ☐ OTHER

DELIVERABLES REQUIRED ☐ STD ☒ LEVEL II ☐ LEVEL III ☐ LEVEL IV ☐ EDD ☐ OTHER

MATRIX CODE: GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE

ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)

Certifications
☐ OHIO VAP ☐ Drinking Water
☐ DoD ☐ NPDES

Project Locations
☐ Detroit ☐ New York
☐ Other

Special Instructions

MERIT LAB NO. (FOR LAB USE ONLY)	YEAR DATE	YEAR TIME	SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	# Containers & Preservatives: NONE	HCl	HNO_3	H_2SO_4	NaOH	MeOH	OTHER	Dissolved Metals	TOC	Specific conductivity	TSS	Special Instructions
18975.01	11/4/20	1344	Vault-A	WW	5	2		1	2				X	X	X	X	Metals Are:
-02		1408	Vault-B										X	X	X	X	Cu, Cr, Ni, Zn
-03		1438	Vault-C										X	X	X	X	
-04		1502	Vault-D										X	X	X	X	Dissolved metals
-05		1521	Vault-E										X	X	X	X	were field filtered
-06		1548	Vault-F										X	X	X	X	
-07		—	DUP-1										X	X	X	X	

RELINQUISHED BY: SIGNATURE/ORGANIZATION	☒ Sampler	DATE	TIME
		11/5/20	1131
RECEIVED BY: SIGNATURE/ORGANIZATION		DATE	TIME
		11/5/20	1133
RELINQUISHED BY: SIGNATURE/ORGANIZATION		DATE	TIME
		11/5/20	1334
RECEIVED BY: SIGNATURE/ORGANIZATION		DATE	TIME
		11/5/20	1500

RELINQUISHED BY: SIGNATURE/ORGANIZATION	DATE	TIME
RECEIVED BY: SIGNATURE/ORGANIZATION	DATE	TIME

SEAL NO.	SEAL INTACT YES ☐ NO ☐	INITIALS
SEAL NO.	SEAL INTACT YES ☐ NO ☐	INITIALS

NOTES: TEMP. ON ARRIVAL 4.1

PLEASE NOTE: SIGNING ACKNOWLEDGES ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE

Rev. 5.18.12

Quality Control Report

Report ID: QC-S18975-01
Generated on 11/13/2020

Report to

Attention: Clifford Yantz
O'Brien & Gere Engineers, Inc.
2260 East Saginaw Street
East Lansing, MI 48823

Phone: 313-333-0211 FAX:

Report Produced by

Merit Laboratories
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Report Summary

Lab Sample ID(s): S18975.01-S18975.07
Project: RACER Coldwater Road
Submitted Date/Time: 11/05/2020 13:00
Sampled by: Kevin Schneider
P.O. #: 12000277

QC Report Sections

Report Flag Descriptions

*: QC result is outside of indicated control limits
W: Surrogate result not applicable due to sample dilution

I certify that this data package is in compliance with the terms and conditions of the program, and project, and contractual requirements both technically and for completeness. Release of the data contained in this hardcopy data package and its computer-readable data submitted has been authorized by the Quality Assurance Manager and his/her designee, as verified by the following signature.

Barbara Ball
Quality Assurance Manager

QC Report - Analysis Summary

Lab Sample ID: S18975.01

Sample Tag: Vault-A

Collected Date/Time: 11/04/2020 13:44

Matrix: Wastewater

COC Reference: 131934

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Inorganics						
Conductivity	E120.1	11/10/20 18:22	COND201110-W1	COND201110-W1	No	BLK/LCS/DUP
TOC	SM5310C	11/12/20 12:50	TOC201112-W1	TOC201112-W1	No	BLK/LCS/MS/MSD/DU
Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C	TSS201109C	No	BLK/LCS/DUP
Metals						
Chromium, Dissolved	E200.8	11/12/20 11:33	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Copper, Dissolved	E200.8	11/12/20 11:33	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Nickel, Dissolved	E200.8	11/12/20 11:33	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Zinc, Dissolved	E200.8	11/12/20 11:33	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD

QC Report - Analysis Summary

Lab Sample ID: S18975.02

Sample Tag: Vault-B

Collected Date/Time: 11/04/2020 14:08

Matrix: Wastewater

COC Reference: 131934

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Inorganics						
Conductivity	E120.1	11/10/20 18:24	COND201110-W1	COND201110-W1	No	BLK/LCS/DUP
TOC	SM5310C	11/12/20 13:49	TOC201112-W1	TOC201112-W1	No	BLK/LCS/MS/MSD/DU
Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C	TSS201109C	No	BLK/LCS/DUP
Metals						
Chromium, Dissolved	E200.8	11/12/20 11:35	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Copper, Dissolved	E200.8	11/12/20 11:35	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Nickel, Dissolved	E200.8	11/12/20 11:35	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Zinc, Dissolved	E200.8	11/12/20 11:35	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD

QC Report - Analysis Summary

Lab Sample ID: S18975.03

Sample Tag: Vault-C

Collected Date/Time: 11/04/2020 14:38

Matrix: Wastewater

COC Reference: 131934

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Inorganics						
Conductivity	E120.1	11/10/20 18:26	COND201110-W1	COND201110-W1	No	BLK/LCS/DUP
TOC	SM5310C	11/12/20 14:48	TOC201112-W1	TOC201112-W1	No	BLK/LCS/MS/MSD/DU
Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C	TSS201109C	No	BLK/LCS/DUP
Metals						
Chromium, Dissolved	E200.8	11/12/20 11:37	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Copper, Dissolved	E200.8	11/12/20 11:37	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Nickel, Dissolved	E200.8	11/12/20 11:37	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Zinc, Dissolved	E200.8	11/12/20 11:37	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD

QC Report - Analysis Summary

Lab Sample ID: S18975.04

Sample Tag: Vault-D

Collected Date/Time: 11/04/2020 15:02

Matrix: Wastewater

COC Reference: 131934

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Inorganics						
Conductivity	E120.1	11/10/20 18:28	COND201110-W1	COND201110-W1	No	BLK/LCS/DUP
TOC	SM5310C	11/12/20 15:08	TOC201112-W1	TOC201112-W1	No	BLK/LCS/MS/MSD/DU
Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C	TSS201109C	No	BLK/LCS/DUP
Metals						
Chromium, Dissolved	E200.8	11/12/20 11:39	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Copper, Dissolved	E200.8	11/12/20 11:39	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Nickel, Dissolved	E200.8	11/12/20 11:39	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Zinc, Dissolved	E200.8	11/12/20 11:39	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD

QC Report - Analysis Summary

Lab Sample ID: S18975.05

Sample Tag: Vault-E

Collected Date/Time: 11/04/2020 15:21

Matrix: Wastewater

COC Reference: 131934

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Inorganics						
Conductivity	E120.1	11/10/20 18:32	COND201110-W1	COND201110-W1	No	BLK/LCS/DUP
TOC	SM5310C	11/12/20 15:27	TOC201112-W1	TOC201112-W1	No	BLK/LCS/MS/MSD/DU
Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C	TSS201109C	No	BLK/LCS/DUP
Metals						
Chromium, Dissolved	E200.8	11/12/20 11:41	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Copper, Dissolved	E200.8	11/12/20 11:41	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Nickel, Dissolved	E200.8	11/12/20 11:41	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Zinc, Dissolved	E200.8	11/12/20 11:41	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD

Lab Sample ID: S18975.06

Sample Tag: Vault-F

Collected Date/Time: 11/04/2020 15:48

Matrix: Wastewater

COC Reference: 131934

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Inorganics						
Conductivity	E120.1	11/10/20 18:34	COND201110-W1	COND201110-W1	No	BLK/LCS/DUP
TOC	SM5310C	11/12/20 15:47	TOC201112-W1	TOC201112-W1	No	BLK/LCS/MS/MSD/DU
Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C	TSS201109C	No	BLK/LCS/DUP
Metals						
Chromium, Dissolved	E200.8	11/12/20 11:43	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Copper, Dissolved	E200.8	11/12/20 11:43	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Nickel, Dissolved	E200.8	11/12/20 11:43	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Zinc, Dissolved	E200.8	11/12/20 11:43	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD

QC Report - Analysis Summary

Lab Sample ID: S18975.07

Sample Tag: DUP-01

Collected Date/Time: 11/04/2020 00:01

Matrix: Wastewater

COC Reference: 131934

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Inorganics						
Conductivity	E120.1	11/10/20 18:36	COND201110-W1	COND201110-W1	No	BLK/LCS/DUP
TOC	SM5310C	11/12/20 16:06	TOC201112-W1	TOC201112-W1	No	BLK/LCS/MS/MSD/DU
Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C	TSS201109C	No	BLK/LCS/DUP
Metals						
Chromium, Dissolved	E200.8	11/12/20 11:44	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Copper, Dissolved	E200.8	11/12/20 11:44	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Nickel, Dissolved	E200.8	11/12/20 11:44	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD
Zinc, Dissolved	E200.8	11/12/20 11:44	MT4-20-1112A	MTD-111220-1	No	BLK/LCS/MS/MSD

QC Report - Prep Batch Summary

Inorganics, Prep Batch ID: COND201110-W1

Surrogates: No, QC Types: BLK/LCS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S18975.01	Conductivity	E120.1	11/10/20 18:22	COND201110-W1
S18975.02	Conductivity	E120.1	11/10/20 18:24	COND201110-W1
S18975.03	Conductivity	E120.1	11/10/20 18:26	COND201110-W1
S18975.04	Conductivity	E120.1	11/10/20 18:28	COND201110-W1
S18975.05	Conductivity	E120.1	11/10/20 18:32	COND201110-W1
S18975.06	Conductivity	E120.1	11/10/20 18:34	COND201110-W1
S18975.07	Conductivity	E120.1	11/10/20 18:36	COND201110-W1

Inorganics, Prep Batch ID: TOC201112-W1

Surrogates: No, QC Types: BLK/LCS/MS/MSD/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S18975.01	TOC	SM5310C	11/12/20 12:50	TOC201112-W1
S18975.02	TOC	SM5310C	11/12/20 13:49	TOC201112-W1
S18975.03	TOC	SM5310C	11/12/20 14:48	TOC201112-W1
S18975.04	TOC	SM5310C	11/12/20 15:08	TOC201112-W1
S18975.05	TOC	SM5310C	11/12/20 15:27	TOC201112-W1
S18975.06	TOC	SM5310C	11/12/20 15:47	TOC201112-W1
S18975.07	TOC	SM5310C	11/12/20 16:06	TOC201112-W1

Inorganics, Prep Batch ID: TSS201109C

Surrogates: No, QC Types: BLK/LCS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S18975.01	Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C
S18975.02	Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C
S18975.03	Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C
S18975.04	Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C
S18975.05	Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C
S18975.06	Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C
S18975.07	Total Suspended Solids	SM2540D	11/09/20 18:50	TSS201109C

Metals, Prep Batch ID: MTD-111220-1

Surrogates: No, QC Types: BLK/LCS/MS/MSD

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S18975.01	Chromium, Dissolved	E200.8	11/12/20 11:33	MT4-20-1112A
S18975.01	Copper, Dissolved	E200.8	11/12/20 11:33	MT4-20-1112A
S18975.01	Nickel, Dissolved	E200.8	11/12/20 11:33	MT4-20-1112A
S18975.01	Zinc, Dissolved	E200.8	11/12/20 11:33	MT4-20-1112A
S18975.02	Chromium, Dissolved	E200.8	11/12/20 11:35	MT4-20-1112A
S18975.02	Copper, Dissolved	E200.8	11/12/20 11:35	MT4-20-1112A
S18975.02	Nickel, Dissolved	E200.8	11/12/20 11:35	MT4-20-1112A
S18975.02	Zinc, Dissolved	E200.8	11/12/20 11:35	MT4-20-1112A
S18975.03	Chromium, Dissolved	E200.8	11/12/20 11:37	MT4-20-1112A
S18975.03	Copper, Dissolved	E200.8	11/12/20 11:37	MT4-20-1112A
S18975.03	Nickel, Dissolved	E200.8	11/12/20 11:37	MT4-20-1112A
S18975.03	Zinc, Dissolved	E200.8	11/12/20 11:37	MT4-20-1112A
S18975.04	Chromium, Dissolved	E200.8	11/12/20 11:39	MT4-20-1112A
S18975.04	Copper, Dissolved	E200.8	11/12/20 11:39	MT4-20-1112A
S18975.04	Nickel, Dissolved	E200.8	11/12/20 11:39	MT4-20-1112A
S18975.04	Zinc, Dissolved	E200.8	11/12/20 11:39	MT4-20-1112A
S18975.05	Chromium, Dissolved	E200.8	11/12/20 11:41	MT4-20-1112A

Metals, Prep Batch ID: MTD-111220-1 (continued)

Surrogates: No, QC Types: BLK/LCS/MS/MSD

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S18975.05	Copper, Dissolved	E200.8	11/12/20 11:41	MT4-20-1112A
S18975.05	Nickel, Dissolved	E200.8	11/12/20 11:41	MT4-20-1112A
S18975.05	Zinc, Dissolved	E200.8	11/12/20 11:41	MT4-20-1112A
S18975.06	Chromium, Dissolved	E200.8	11/12/20 11:43	MT4-20-1112A
S18975.06	Copper, Dissolved	E200.8	11/12/20 11:43	MT4-20-1112A
S18975.06	Nickel, Dissolved	E200.8	11/12/20 11:43	MT4-20-1112A
S18975.06	Zinc, Dissolved	E200.8	11/12/20 11:43	MT4-20-1112A
S18975.07	Chromium, Dissolved	E200.8	11/12/20 11:44	MT4-20-1112A
S18975.07	Copper, Dissolved	E200.8	11/12/20 11:44	MT4-20-1112A
S18975.07	Nickel, Dissolved	E200.8	11/12/20 11:44	MT4-20-1112A
S18975.07	Zinc, Dissolved	E200.8	11/12/20 11:44	MT4-20-1112A

Inorganics, Prep Batch ID: COND201110-W1

Surrogates: No, QC Types: BLK/LCS/DUP

Blank (BLK)

Lab Sample ID: COND201110-W1.LRB1

Run in Batch: COND201110-W1, Run Date: 11/10/2020 18:00, Prep Date: 11/10/2020, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Conductivity		ND	NA	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: COND201110-W1.LCS1

Run in Batch: COND201110-W1, Run Date: 11/10/2020 18:06, Prep Date: 11/10/2020, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Conductivity		98	90	110

Duplicate (DUP)

Lab Sample ID: COND201110-W1.DP1, Parent Sample ID: S18865.01

Run in Batch: COND201110-W1, Run Date: 11/10/2020 18:12, Prep Date: 11/10/2020, Matrix: Liquid, Dilution: 50

Analyte	Flags	RPD	RPD CL
Conductivity		<1	15

Inorganics, Prep Batch ID: TOC201112-W1

Surrogates: No, QC Types: BLK/LCS/MS/MSD/DUP

Blank (BLK)

Lab Sample ID: TOC201112-W1.LRB1

Run in Batch: TOC201112-W1, Run Date: 11/12/2020 11:51, Prep Date: 11/12/2020, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
TOC		ND	1	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: TOC201112-W1.LCS1

Run in Batch: TOC201112-W1, Run Date: 11/12/2020 12:31, Prep Date: 11/12/2020, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
TOC		91	90	110

Matrix Spike (MS)

Lab Sample ID: TOC201112-W1.MS1, Parent Sample ID: S18975.02

Run in Batch: TOC201112-W1, Run Date: 11/12/2020 14:09, Prep Date: 11/12/2020, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
TOC		80	80	120

Matrix Spike Duplicate (MSD)

Lab Sample ID: TOC201112-W1.MSD1, Parent Sample ID: TOC201112-W1.MS1

Run in Batch: TOC201112-W1, Run Date: 11/12/2020 14:29, Prep Date: 11/12/2020, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
TOC		80	80	120	0	15

Duplicate (DUP)

Lab Sample ID: TOC201112-W1.DP1, Parent Sample ID: S18975.01

Run in Batch: TOC201112-W1, Run Date: 11/12/2020 13:30, Prep Date: 11/12/2020, Matrix: Liquid, Dilution: 1

Analyte	Flags	RPD	RPD CL
TOC		14	15

Inorganics, Prep Batch ID: TSS201109C

Surrogates: No, QC Types: BLK/LCS/DUP

Blank (BLK)

Lab Sample ID: TSS201109C.LRB1

Run in Batch: TSS201109C, Run Date: 11/09/2020 18:50, Prep Date: 11/09/2020, Matrix: Liquid, Dilution: 1.00

Analyte	Flags	Conc	RDL	Units
Total Suspended Solids		ND	3	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: TSS201109C.LCS1

Run in Batch: TSS201109C, Run Date: 11/09/2020 18:50, Prep Date: 11/09/2020, Matrix: Liquid, Dilution: 10.0

Analyte	Flags	% Rec	LCL	UCL
Total Suspended Solids		105.5	81.4	112

Duplicate (DUP)

Lab Sample ID: TSS201109C.DP1, Parent Sample ID: S18994.01

Run in Batch: TSS201109C, Run Date: 11/09/2020 18:50, Prep Date: 11/09/2020, Matrix: Liquid, Dilution: 2.50

Analyte	Flags	RPD	RPD CL
Total Suspended Solids	*	17.0	5

Metals, Prep Batch ID: MTD-111220-1

Surrogates: No, QC Types: BLK/LCS/MS/MSD

Blank (BLK)

Lab Sample ID: MT4-20-1112A.021.LRB

Run in Batch: MT4-20-1112A, Run Date: 11/12/2020 11:26, Prep Date: 11/12/2020, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Chromium		ND	0.001	mg/L
Copper		ND	0.001	mg/L
Nickel		ND	0.001	mg/L
Zinc		ND	0.001	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: MT4-20-1112A.019.LCS

Run in Batch: MT4-20-1112A, Run Date: 11/12/2020 11:19, Prep Date: 11/12/2020, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Chromium		105	85	115
Copper		101	85	115
Nickel		101	85	115
Zinc		102	85	115

Matrix Spike (MS)

Lab Sample ID: MT4-20-1112A.042.MS, Parent Sample ID: S18975.07

Run in Batch: MT4-20-1112A, Run Date: 11/12/2020 11:50, Prep Date: 11/12/2020, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL
Chromium		111	75	125
Copper		104	75	125
Nickel		107	75	125
Zinc		110	75	125

Matrix Spike (MS)

Lab Sample ID: MT4-20-1112A.064.MS, Parent Sample ID: S19022.08

Run in Batch: MT4-20-1112A, Run Date: 11/12/2020 12:12, Prep Date: 11/12/2020, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL
Chromium		110	75	125
Copper		107	75	125
Nickel		106	75	125
Zinc		112	75	125

Matrix Spike Duplicate (MSD)

Lab Sample ID: MT4-20-1112A.043.MSD, Parent Sample ID: MT4-20-1112A.042.MS

Run in Batch: MT4-20-1112A, Run Date: 11/12/2020 11:51, Prep Date: 11/12/2020, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Chromium		110	75	125	1	20
Copper		102	75	125	2	20
Nickel		106	75	125	1	20
Zinc		110	75	125	1	20

Metals, Prep Batch ID: MTD-111220-1 (continued)

Surrogates: No, QC Types: BLK/LCS/MS/MSD

Matrix Spike Duplicate (MSD)

Lab Sample ID: MT4-20-1112A.065.MSD, Parent Sample ID: MT4-20-1112A.064.MS

Run in Batch: MT4-20-1112A, Run Date: 11/12/2020 12:13, Prep Date: 11/12/2020, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Chromium		104	75	125	6	20
Copper		105	75	125	2	20
Nickel		104	75	125	1	20
Zinc		105	75	125	7	20

Merit Laboratories, Inc.
2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
www.meritlabs.com

C.O.C. PAGE # 1 OF 1

131934

CHAIN OF CUSTODY RECORD

REPORT TO

CONTACT NAME: Clifford Yantz
COMPANY: Ramboll
ADDRESS: 2200 East Saginaw
CITY: East Lansing | STATE: MI | ZIP CODE: 48823
PHONE NO.: 313-333-0211 | FAX NO.: | P.O. NO.:
E-MAIL ADDRESS: clifford.yantz@ramboll.com | QUOTE NO.:

INVOICE TO

CONTACT NAME: | ☒ SAME
COMPANY:
ADDRESS:
CITY: | STATE: | ZIP CODE:
PHONE NO.: | E-MAIL ADDRESS:

PROJECT NO./NAME: RACER Coldwater Road
SAMPLER(S) - PLEASE PRINT/SIGN NAME: Kevin Schneider

TURNAROUND TIME REQUIRED ☐ 1 DAY ☐ 2 DAYS ☐ 3 DAYS ☒ STANDARD ☐ OTHER

DELIVERABLES REQUIRED ☐ STD ☒ LEVEL II ☐ LEVEL III ☐ LEVEL IV ☐ EDD ☐ OTHER

MATRIX CODE: GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE

ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)

Certifications
☐ OHIO VAP ☐ Drinking Water
☐ DoD ☐ NPDES

Project Locations
☐ Detroit ☐ New York
☐ Other

Special Instructions

MERIT LAB NO. (FOR LAB USE ONLY)	YEAR DATE	YEAR TIME	SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	# Containers & Preservatives: NONE	HCl	HNO_3	H_2SO_4	NaOH	MeOH	OTHER	Dissolved Metals	TOC	Specific conductivity	TSS	Special Instructions
18975.01	11/4/20	1344	Vault-A	WW	5	2		1	2				X	X	X	X	Metals Are:
-02		1408	Vault-B										X	X	X	X	Cu, Cr, Ni, Zn
-03		1438	Vault-C										X	X	X	X	
-04		1502	Vault-D										X	X	X	X	Dissolved metals
-05		1521	Vault-E										X	X	X	X	were field filtered
-06		1548	Vault-F										X	X	X	X	
-07		—	DUP-1										X	X	X	X	

RELINQUISHED BY: SIGNATURE/ORGANIZATION	☒ Sampler	DATE	TIME
		11/5/20	1131
RECEIVED BY: SIGNATURE/ORGANIZATION		DATE	TIME
		11/5/20	1133
RELINQUISHED BY: SIGNATURE/ORGANIZATION		DATE	TIME
		11/5/20	1334
RECEIVED BY: SIGNATURE/ORGANIZATION		DATE	TIME
		11/5/20	1500

RELINQUISHED BY: SIGNATURE/ORGANIZATION	DATE	TIME
RECEIVED BY: SIGNATURE/ORGANIZATION	DATE	TIME

SEAL NO.	SEAL INTACT YES ☐ NO ☐	INITIALS
SEAL NO.	SEAL INTACT YES ☐ NO ☐	INITIALS

NOTES: TEMP. ON ARRIVAL 4.1

PLEASE NOTE: SIGNING ACKNOWLEDGES ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE

Rev. 5.18.12

APPENDIX B
LEAK DETECTION VAULT CONTROL CHARTS

COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault A - Chromium

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	10		
2	Jun-95	24		
3	Aug-95	10		
4	Nov-95	23	**13.38**	**6.25**
5	Mar-96	10		
6	Jun-96	10		
7	Aug-96	10		
8	Nov-96	10		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	5	-1.34	46	Nov-11	4.5	2.5	-1.74
10	Aug-97	4.5	5	-1.34	47	Jun-12	4.5	2.5	-1.74
11	Nov-97	4.5	5	-1.34	48	Dec-12	4.5	2.5	-1.74
12	Feb-98	4.5	5	-1.34	49	Jun-13	4.5	2.5	-1.74
13	May-98	4.5	5	-1.34	50	Nov-13	4.5	2.5	-1.74
14	Aug-98	4.5	5	-1.34	51	Jun-14	4.5	2.5	-1.74
15	Nov-98	4.5	5	-1.34	52	Nov-14	4.5	2.5	-1.74
16	Mar-99	4.5	5	-1.34	53	Jun-15	4.5	2.5	-1.74
17	May-99	4.5	5	-1.34	54	Nov-15	4.5	2.5	-1.74
18	Jul-99	4.5	2.5	-1.74	55	Jun-16	4.5	2.5	-1.74
19	Oct-99	4.5	5	-1.34	56	Jul-16	4.5	2.5	-1.74
20	Mar-00	4.5	5	-1.34	57	Nov-16	4.5	2.5	-1.74
21	Jun-00	4.5	5	-1.34	58	Jun-17	4.5	2.5	-1.74
22	Sep-00	4.5	2.5	-1.74	59	Nov-17	4.5	2.5	-1.74
23	Nov-00	4.5	5	-1.34	60	Jun-18	4.5	2.5	-1.74
24	Mar-01	4.5	5	-1.34	61	Nov-18	4.5	2.5	-1.74
25	May-01	4.5	5	-1.34	62	May-19	4.5	2.5	-1.74
26	Aug-01	4.5	2.5	-1.74	63	Nov-19	4.5	2.5	-1.74
27	Aug-01	4.5	5	-1.34	64	Jun-20	4.5	2.5	-1.74
28	May-02	4.5	5	-1.34	65	Nov-20	4.5	2.5	-1.74
29	Sep-02	4.5	2.5	-1.74					
30	Mar-03	4.5	2.5	-1.74					
31	Jun-03	4.5	2.5	-1.74					
32	Jun-04	4.5	2.5	-1.74					
33	Nov-04	4.5	6	-1.18					
34	Jun-05	4.5	2.5	-1.74					
35	Jan-06	4.5	2.5	-1.74					
36	Nov-06	4.5	2.5	-1.74					
37	Jun-07	4.5	13	-0.06					
38	Nov-07	4.5	4	-1.50					
39	Jun-08	4.5	2.5	-1.74					
40	Nov-08	4.5	2.5	-1.74					
41	Jun-09	4.5	2.5	-1.74					
42	Nov-09	4.5	2.5	-1.74					
43	Jun-10	4.5	8	-0.86					
44	Jun-11	4.5	30	2.66					
45	Jul-11	4.5	2.5	-1.74					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault A - Copper

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	10		
2	Jun-95	21		
3	Aug-95	10		
4	Nov-95	31	**14**	**7.87**
5	Mar-96	10		
6	Jun-96	10		
7	Aug-96	10		
8	Nov-96	10		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	5	-1.14	45	Nov-11	4.5	2	-1.52
10	Aug-97	4.5	5	-1.14	46	Jun-12	4.5	4	-1.27
11	Nov-97	4.5	10	-0.51	47	Dec-12	4.5	2	-1.52
12	Feb-98	4.5	5	-1.14	48	Jun-13	4.5	2	-1.52
13	May-98	4.5	20	0.76	49	Nov-13	4.5	2	-1.52
14	Aug-98	4.5	5	-1.14	50	Jun-14	4.5	2	-1.52
15	Nov-98	4.5	5	-1.14	51	Nov-14	4.5	2	-1.52
16	Mar-99	4.5	10	-0.51	52	Jun-15	4.5	6	-1.02
17	May-99	4.5	5	-1.14	53	Nov-15	4.5	2.5	-1.46
18	Jul-99	4.5	9	-0.64	54	Jun-16	4.5	2.5	-1.46
19	Oct-99	4.5	5	-1.14	55	Nov-16	4.5	2.5	-1.46
20	Mar-00	4.5	5	-1.14	56	Jun-17	4.5	2.5	-1.46
21	Jun-00	4.5	5	-1.14	57	Nov-17	4.5	2.5	-1.46
22	Sep-00	4.5	5	-1.14	58	Jun-18	4.5	2.5	-1.46
23	Nov-00	4.5	100	10.92	59	Nov-18	4.5	2.5	-1.46
24	Mar-01	4.5	5	-1.14	60	May-19	4.5	2.5	-1.46
25	May-01	4.5	5	-1.14	61	Nov-19	4.5	2.5	-1.46
26	Aug-01	4.5	5	-1.14	62	Jun-20	4.5	2.5	-1.46
27	Aug-01	4.5	5	-1.14	63	Nov-20	4.5	2.5	-1.46
28	May-02	4.5	5	-1.14					
29	Sep-02	4.5	2.5	-1.46					
30	Mar-03	4.5	2.5	-1.46					
31	Jun-03	4.5	2.5	-1.46					
32	Jun-04	4.5	2.5	-1.46					
33	Nov-04	4.5	2.5	-1.46					
34	Jun-05	4.5	2.5	-1.46					
35	Jan-06	4.5	2.5	-1.46					
36	Nov-06	4.5	2	-1.52					
37	Jun-07	4.5	4	-1.27					
38	Nov-07	4.5	5	-1.14					
39	Jun-08	4.5	0.5	-1.71					
40	Nov-08	4.5	0.5	-1.71					
41	Jun-09	4.5	11	-0.38					
42	Nov-09	4.5	2	-1.52					
43	Jun-10	4.5	2	-1.52					
44	Jun-11	4.5	2	-1.52					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault A - Nickel

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	20		
2	Jun-95	15		
3	Aug-95	20		
4	Nov-95	43	**24.25**	**14.07**
5	Mar-96	46		
6	Jun-96	10		
7	Aug-96	10		
8	Nov-96	30		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	71	3.32	46	Nov-11	4.5	20	-0.30
10	Aug-97	4.5	88	4.53	47	Jun-12	4.5	25	0.05
11	Nov-97	4.5	125	7.16	48	Dec-12	4.5	24	-0.02
12	Feb-98	4.5	73	3.47	49	Jun-13	4.5	22	-0.16
13	May-98	4.5	15	-0.66	50	Nov-13	4.5	18	-0.44
14	Aug-98	4.5	13	-0.80	51	Jun-14	4.5	18	-0.44
15	Nov-98	4.5	20	-0.30	52	Nov-14	4.5	25	0.05
16	Mar-99	4.5	14	-0.73	53	Jun-15	4.5	21	-0.23
17	May-99	4.5	15	-0.66	54	Nov-15	4.5	20	-0.30
18	Jul-99	4.5	13	-0.80	55	Jun-16	4.5	14	-0.73
19	Oct-99	4.5	16	-0.59	56	Nov-16	4.5	15	-0.66
20	Mar-00	4.5	15	-0.66	57	Jun-17	4.5	15	-0.66
21	Jun-00	4.5	12	-0.87	58	Nov-17	4.5	17	-0.52
22	Sep-00	4.5	14	-0.73	59	Jun-18	4.5	15	-0.66
23	Nov-00	4.5	10	-1.01	60	Nov-18	4.5	16	-0.59
24	Mar-01	4.5	7	-1.23	61	May-19	4.5	15	-0.66
25	May-01	4.5	10	-1.01	62	Nov-19	4.5	15	-0.66
26	Aug-01	4.5	14	-0.73	63	Jun-20	4.5	11	-0.94
27	Aug-01	4.5	15	-0.66	64	Nov-20	4.5	12	-0.87
28	May-02	4.5	2.5	-1.55					
29	Sep-02	4.5	14	-0.73					
30	Mar-03	4.5	9	-1.08					
31	Jun-03	4.5	10	-1.01					
32	Jun-04	4.5	8	-1.16					
33	Nov-04	4.5	15	-0.66					
34	Jun-05	4.5	13	-0.80					
35	Jan-06	4.5	13	-0.80					
36	Feb-06	4.5	14	-0.73					
37	Nov-06	4.5	13	-0.80					
38	Jun-07	4.5	20	-0.30					
39	Nov-07	4.5	21	-0.23					
40	Jun-08	4.5	25	0.05					
41	Nov-08	4.5	22	-0.16					
42	Jun-09	4.5	27	0.20					
43	Nov-09	4.5	22	-0.16					
44	Jun-10	4.5	16	-0.59					
45	Jun-11	4.5	27	0.20					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault A - Zinc

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	180		
2	Jun-95	10		
3	Aug-95	10		
4	Nov-95	24	**41.75**	**58.47**
5	Mar-96	10		
6	Jun-96	10		
7	Aug-96	30		
8	Nov-96	60		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	90	0.83	45	Nov-11	4.5	2.5	-0.67
10	Aug-97	4.5	60	0.31	46	Jun-12	4.5	2.5	-0.67
11	Nov-97	4.5	100	1.00	47	Dec-12	4.5	10	-0.54
12	Feb-98	4.5	60	0.31	48	Jun-13	4.5	2.5	-0.67
13	May-98	4.5	200	2.71	49	Nov-13	4.5	2.5	-0.67
14	Aug-98	4.5	160	2.02	50	Jun-14	4.5	2.5	-0.67
15	Nov-98	4.5	220	3.05	51	Nov-14	4.5	20	-0.37
16	Mar-99	4.5	60	0.31	52	Jun-15	4.5	10	-0.54
17	May-99	4.5	20	-0.37	53	Nov-15	4.5	5	-0.63
18	Jul-99	4.5	19	-0.39	54	Jun-16	4.5	2.5	-0.67
19	Oct-99	4.5	30	-0.20	55	Nov-16	4.5	2.5	-0.67
20	Mar-00	4.5	20	-0.37	56	Jun-17	4.5	2.5	-0.67
21	Jun-00	4.5	20	-0.37	57	Nov-17	4.5	2.5	-0.67
22	Sep-00	4.5	20	-0.37	58	Jun-18	4.5	10	-0.54
23	Nov-00	4.5	150	1.85	59	Nov-18	4.5	6	-0.61
24	Mar-01	4.5	10	-0.54	60	May-19	4.5	2.5	-0.67
25	May-01	4.5	20	-0.37	61	Nov-19	4.5	2.5	-0.67
26	Aug-01	4.5	9	-0.56	62	Jun-20	4.5	2.5	-0.67
27	Aug-01	4.5	50	0.14	63	Nov-20	4.5	2.5	-0.67
28	May-02	4.5	40	-0.03					
29	Sep-02	4.5	140	1.68					
30	Mar-03	4.5	99	0.98					
31	Jun-03	4.5	2.5	-0.67					
32	Jun-04	4.5	2.5	-0.67					
33	Nov-04	4.5	14	-0.47					
34	Jun-05	4.5	21	-0.35					
35	Jan-06	4.5	8	-0.58					
36	Nov-06	4.5	6	-0.61					
37	Jun-07	4.5	8	-0.58					
38	Nov-07	4.5	11	-0.53					
39	Jun-08	4.5	5	-0.63					
40	Nov-08	4.5	2.5	-0.67					
41	Jun-09	4.5	36	-0.10					
42	Nov-09	4.5	7	-0.59					
43	Jun-10	4.5	6	-0.61					
44	Jun-11	4.5	39	-0.05					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault A - pH

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	7.5	**7.06**	**0.22**
2	Jun-95	6.8		
3	Aug-95	6.9		
4	Nov-95	7		
5	Mar-96	7.2		
6	Jun-96	6.9		
7	Aug-96	7.1		
8	Nov-96	7.1		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	6.70	-1.65	45	Nov-11	4.5	6.93	-0.60
10	Aug-97	4.5	6.00	-4.83	46	Jun-12	4.5	5.75	-5.97
11	Nov-97	4.5	6.50	-2.56	47	Dec-12	4.5	6.76	-1.38
12	Feb-98	4.5	6.40	-3.01	48	Jun-13	4.5	6.7	-1.65
13	May-98	4.5	6.90	-0.74	49	Nov-13	4.5	6.71	-1.60
14	Aug-98	4.5	6.70	-1.65	50	Jun-14	4.5	6.82	-1.10
15	Nov-98	4.5	6.50	-2.56	51	Nov-14	4.5	6.27	-3.60
16	Mar-99	4.5	6.80	-1.19	52	Jun-15	4.5	6.64	-1.92
17	May-99	4.5	6.90	-0.74	53	Nov-15	4.5	6.64	-1.92
18	Jul-99	4.5	6.30	-3.47	54	Jun-16	4.5	6.93	-0.60
19	Oct-99	4.5	5.90	-5.28	55	Nov-16	4.5	6.82	-1.10
20	Mar-00	4.5	7.60	2.44	56	Jun-17	4.5	6.9	-0.74
21	Jun-00	4.5	6.90	-0.74	57	Nov-17	4.5	6.16	-4.10
22	Sep-00	4.5	7.50	1.99	58	Jun-18	4.5	6.45	-2.78
23	Nov-00	4.5	7.20	0.63	59	Nov-18	4.5	6.5	-2.56
24	Mar-01	4.5	7.40	1.53	60	May-19	4.5	7.13	0.31
25	May-01	4.5	7.60	2.44	61	Nov-19	4.5	6.89	-0.78
26	Aug-01	4.5	7.50	1.99	62	Jun-20	4.5	6.84	-1.01
27	Aug-01	4.5	6.80	-1.19	63	Nov-20	4.5	6.69	-1.69
28	May-02	4.5	7.20	0.63					
29	Sep-02	4.5	6.60	-2.10					
30	Mar-03	4.5	6.80	-1.19					
31	Jun-03	4.5	6.80	-1.19					
32	Jun-04	4.5	7.00	-0.28					
33	Nov-04	4.5	6.90	-0.74					
34	Jun-05	4.5	6.00	-4.83					
35	Jan-06	4.5	10.01	13.40					
36	Nov-06	4.5	7.73	3.03					
37	Jun-07	4.5	6.76	-1.38					
38	Nov-07	4.5	6.76	-1.38					
39	Jun-08	4.5	6.89	-0.78					
40	Nov-08	4.5	6.06	-4.56					
41	Jun-09	4.5	7.01	-0.24					
42	Nov-09	4.5	7.07	0.03					
43	Jun-10	4.5	7.05	-0.06					
44	Jun-11	4.5	7.33	1.22					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault A - SpC

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	690		
2	Jun-95	1900		
3	Aug-95	2000		
4	Nov-95	1900	**1,798.75**	**450.73**
5	Mar-96	2000		
6	Jun-96	2000		
7	Aug-96	1900		
8	Nov-96	2000		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	1940	0.31	43	Nov-11	4.5	2080	0.62
10	Aug-97	4.5	1810	0.02	44	Jun-12	4.5	1870	0.16
11	Nov-97	4.5	2000	0.45	45	Dec-12	4.5	1820	0.05
12	Feb-98	4.5	1960	0.36	46	Jun-13	4.5	1882	0.18
13	May-98	4.5	1760	-0.09	47	Nov-13	4.5	1630	-0.37
14	Nov-98	4.5	1990	0.42	48	Jun-14	4.5	1579	-0.49
15	Mar-99	4.5	1334	-1.03	49	Nov-14	4.5	1525	-0.61
16	May-99	4.5	3250	3.22	50	Jun-15	4.5	1507	-0.65
17	Jul-99	4.5	1470	-0.73	51	Nov-15	4.5	1423	-0.83
18	Oct-99	4.5	1750	-0.11	52	Jun-16	4.5	1364	-0.96
19	Mar-00	4.5	1410	-0.86	53	Nov-16	4.5	1378	-0.93
20	Jun-00	4.5	1410	-0.86	54	Jun-17	4.5	1450	-0.77
21	Sep-00	4.5	1650	-0.33	55	Nov-17	4.5	1363	-0.97
22	Nov-00	4.5	1470	-0.73	56	Jun-18	4.5	1447	-0.78
23	Mar-01	4.5	1530	-0.60	57	Nov-18	4.5	1451	-0.77
24	May-01	4.5	1380	-0.93	58	May-19	4.5	1436	-0.80
25	Aug-01	4.5	1450	-0.77	59	Nov-19	4.5	1291	-1.13
26	Aug-01	4.5	1300	-1.11	60	Jun-20	4.5	1378	-0.93
27	May-02	4.5	1470	-0.73	61	Nov-20	4.5	1010	-1.75
28	Mar-03	4.5	1290	-1.13					
29	Jun-03	4.5	1370	-0.95					
30	Jun-04	4.5	1318	-1.07					
31	Nov-04	4.5	1120	-1.51					
32	Jun-05	4.5	1640	-0.35					
33	Jan-06	4.5	1630	-0.37					
34	Nov-06	4.5	1940	0.31					
35	Jun-07	4.5	1990	0.42					
36	Nov-07	4.5	1690	-0.24					
37	Jun-08	4.5	2060	0.58					
38	Nov-08	4.5	2060	0.58					
39	Jun-09	4.5	2050	0.56					
40	Nov-09	4.5	2090	0.65					
41	Jun-10	4.5	2070	0.60					
42	Jun-11	4.5	2010	0.47					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault B - Chromium

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	10		
2	Nov-96	10		
3	Feb-97	5		
4	May-97	5	**6.25**	**2.31**
5	Aug-97	5		
6	Nov-97	5		
7	Feb-98	5		
8	May-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	5	-0.54	45	Nov-11	4.5	2.5	-1.62
10	Nov-98	4.5	5	-0.54	46	Jun-12	4.5	2.5	-1.62
11	Mar-99	4.5	5	-0.54	47	Dec-12	4.5	2.5	-1.62
12	May-99	4.5	5	-0.54	48	Jun-13	4.5	2.5	-1.62
13	Jul-99	4.5	2.5	-1.62	49	Nov-13	4.5	2.5	-1.62
14	Oct-99	4.5	5	-0.54	50	Jun-14	4.5	2.5	-1.62
15	Mar-00	4.5	5	-0.54	51	Nov-14	4.5	2.5	-1.62
16	Jun-00	4.5	5	-0.54	52	Jun-15	4.5	2.5	-1.62
17	Sep-00	4.5	2.5	-1.62	53	Nov-15	4.5	2.5	-1.62
18	Nov-00	4.5	2.5	-1.62	54	Jun-16	4.5	2.5	-1.62
19	Mar-01	4.5	5	-0.54	55	Nov-16	4.5	2.5	-1.62
20	May-01	4.5	5	-0.54	56	Jun-17	4.5	2.5	-1.62
21	Aug-01	4.5	2.5	-1.62	57	Nov-17	4.5	2.5	-1.62
22	Nov-01	4.5	5	-0.54	58	Jun-18	4.5	2.5	-1.62
23	Mar-02	4.5	5	-0.54	59	Nov-18	4.5	2.5	-1.62
24	May-02	4.5	5	-0.54	60	May-19	4.5	2.5	-1.62
25	Sep-02	4.5	2.5	-1.62	61	Nov-19	4.5	2.5	-1.62
26	Jun-03	4.5	2.5	-1.62	62	Jun-20	4.5	2.5	-1.62
27	Dec-03	4.5	2.5	-1.62	63	Nov-20	4.5	2.5	-1.62
28	Feb-04	4.5	2.5	-1.62					
29	Jun-04	4.5	2.5	-1.62					
30	Jun-05	4.5	2.5	-1.62					
31	Dec-05	4.5	2.5	-1.62					
32	Jun-06	4.5	2.5	-1.62					
33	Nov-06	4.5	2.5	-1.62					
34	Jun-07	4.5	9	1.19					
35	Nov-07	4.5	2	-1.84					
36	Jun-08	4.5	2.5	-1.62					
37	Nov-08	4.5	2.5	-1.62					
38	Jun-09	4.5	2.5	-1.62					
39	Nov-09	4.5	2.5	-1.62					
40	Jun-10	4.5	8	0.76					
41	Nov-10	4.5	21	6.37					
42	Dec-10	4.5	6	-0.11					
43	Jun-11	4.5	28	9.40					
44	Jul-11	4.5	2.5	-1.62					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault B - Copper

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	10		
2	Nov-96	10		
3	Feb-97	5		
4	May-97	5	**6.25**	**2.31**
5	Aug-97	5		
6	Nov-97	5		
7	Feb-98	5		
8	May-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	5	-0.54	44	Nov-11	4.5	2	-1.84
10	Nov-98	4.5	10	1.62	45	Jun-12	4.5	2	-1.84
11	Mar-99	4.5	5	-0.54	46	Dec-12	4.5	6	-0.11
12	May-99	4.5	10	1.62	47	Jun-13	4.5	2	-1.84
13	Jul-99	4.5	13	2.92	48	Nov-13	4.5	2	-1.84
14	Oct-99	4.5	5	-0.54	49	Jun-14	4.5	2	-1.84
15	Mar-00	4.5	5	-0.54	50	Nov-14	4.5	2	-1.84
16	Jun-00	4.5	30	10.26	51	Jun-15	4.5	5	-0.54
17	Sep-00	4.5	10	1.62	52	Nov-15	4.5	2.5	-1.62
18	Nov-00	4.5	40	14.58	53	Jun-16	4.5	2.5	-1.62
19	Mar-01	4.5	5	-0.54	54	Nov-16	4.5	2.5	-1.62
20	May-01	4.5	20	5.94	55	Jun-17	4.5	2.5	-1.62
21	Aug-01	4.5	5	-0.54	56	Nov-17	4.5	2.5	-1.62
22	Nov-01	4.5	10	1.62	57	Jun-18	4.5	2.5	-1.62
23	Mar-02	4.5	10	1.62	58	Nov-18	4.5	2.5	-1.62
24	May-02	4.5	5	-0.54	59	May-19	4.5	2.5	-1.62
25	Sep-02	4.5	2.5	-1.62	60	Nov-19	4.5	2.5	-1.62
26	Jun-03	4.5	2.5	-1.62	61	Jun-20	4.5	2.5	-1.62
27	Dec-03	4.5	6	-0.11	62	Nov-20	4.5	2.5	-1.62
28	Feb-04	4.5	5	-0.54					
29	Jun-04	4.5	12	2.48					
30	Jun-05	4.5	2.5	-1.62					
31	Dec-05	4.5	2.5	-1.62					
32	Feb-06	4.5	2	-1.84					
33	Jun-06	4.5	2	-1.84					
34	Nov-06	4.5	2	-1.84					
35	Jun-07	4.5	6	-0.11					
36	Nov-07	4.5	5	-0.54					
37	Jun-08	4.5	2	-1.84					
38	Nov-08	4.5	2	-1.84					
39	Jun-09	4.5	1	-2.27					
40	Nov-09	4.5	2	-1.84					
41	Jun-10	4.5	2	-1.84					
42	Nov-10	4.5	2	-1.84					
43	Jun-11	4.5	2	-1.84					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault B - Nickel

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	10		
2	Nov-96	20		
3	Feb-97	43		
4	May-97	45	**38.88**	**28.34**
5	Aug-97	26		
6	Nov-97	96		
7	Feb-98	57		
8	May-98	14		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	10	-1.02	43	Nov-11	4.5	7	-1.12
10	Nov-98	4.5	17	-0.77	44	Jun-12	4.5	2.5	-1.28
11	Mar-99	4.5	5	-1.20	45	Dec-12	4.5	9	-1.05
12	May-99	4.5	6	-1.16	46	Jun-13	4.5	6	-1.16
13	Jul-99	4.5	10	-1.02	47	Nov-13	4.5	5	-1.20
14	Oct-99	4.5	16	-0.81	48	Jun-14	4.5	2.5	-1.28
15	Mar-00	4.5	8	-1.09	49	Nov-14	4.5	13	-0.91
16	Jun-00	4.5	9	-1.05	50	Jun-15	4.5	11	-0.98
17	Sep-00	4.5	8	-1.09	51	Nov-15	4.5	9	-1.05
18	Nov-00	4.5	14	-0.88	52	Jun-16	4.5	2.5	-1.28
19	Mar-01	4.5	7	-1.12	53	Nov-16	4.5	2.5	-1.28
20	May-01	4.5	12	-0.95	54	Jun-17	4.5	2.5	-1.28
21	Aug-01	4.5	11	-0.98	55	Nov-17	4.5	2.5	-1.28
22	Nov-01	4.5	8	-1.09	56	Jun-18	4.5	2.5	-1.28
23	Mar-02	4.5	2.5	-1.28	57	Nov-18	4.5	2.5	-1.28
24	May-02	4.5	2.5	-1.28	58	May-19	4.5	2.5	-1.28
25	Sep-02	4.5	8	-1.09	59	Nov-19	4.5	2.5	-1.28
26	Jun-03	4.5	7	-1.12	60	Jun-20	4.5	2.5	-1.28
27	Dec-03	4.5	5	-1.20	61	Nov-20	4.5	2.5	-1.28
28	Feb-04	4.5	2.5	-1.28					
29	Jun-04	4.5	7	-1.12					
30	Jun-05	4.5	14	-0.88					
31	Dec-05	4.5	8	-1.09					
32	Jun-06	4.5	5	-1.20					
33	Nov-06	4.5	8	-1.09					
34	Jun-07	4.5	13	-0.91					
35	Nov-07	4.5	16	-0.81					
36	Jun-08	4.5	8	-1.09					
37	Nov-08	4.5	8	-1.09					
38	Jun-09	4.5	6	-1.16					
39	Nov-09	4.5	9	-1.05					
40	Jun-10	4.5	5	-1.20					
41	Nov-10	4.5	11	-0.98					
42	Jun-11	4.5	11	-0.98					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault B - Zinc

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	10		
2	Nov-96	40		
3	Feb-97	20		
4	May-97	20	**31.25**	**17.27**
5	Aug-97	60		
6	Nov-97	50		
7	Feb-98	20		
8	May-98	30		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	14	-1.00	43	Nov-11	4.5	9	-1.29
10	Nov-98	4.5	80	2.82	44	Jun-12	4.5	8	-1.35
11	Mar-99	4.5	5	-1.52	45	Dec-12	4.5	15	-0.94
12	May-99	4.5	20	-0.65	46	Jun-13	4.5	7	-1.40
13	Jul-99	4.5	18	-0.77	47	Nov-13	4.5	14	-1.00
14	Oct-99	4.5	20	-0.65	48	Jun-14	4.5	7	-1.40
15	Mar-00	4.5	20	-0.65	49	Nov-14	4.5	10	-1.23
16	Jun-00	4.5	30	-0.07	50	Jun-15	4.5	12	-1.11
17	Sep-00	4.5	20	-0.65	51	Nov-15	4.5	10	-1.23
18	Nov-00	4.5	90	3.40	52	Jun-16	4.5	6	-1.46
19	Mar-01	4.5	20	-0.65	53	Nov-16	4.5	5	-1.52
20	May-01	4.5	40	0.51	54	Jun-17	4.5	2.5	-1.66
21	Aug-01	4.5	20	-0.65	55	Nov-17	4.5	7	-1.40
22	Nov-01	4.5	60	1.66	56	Jun-18	4.5	5	-1.52
23	Mar-02	4.5	70	2.24	57	Nov-18	4.5	5	-1.52
24	May-02	4.5	20	-0.65	58	May-19	4.5	7	-1.40
25	Sep-02	4.5	84	3.05	59	Nov-19	4.5	8	-1.35
26	Jun-03	4.5	2.5	-1.66	60	Jun-20	4.5	2.5	-1.66
27	Dec-03	4.5	35	0.22	61	Nov-20	4.5	2.5	-1.66
28	Feb-04	4.5	16	-0.88					
29	Jun-04	4.5	2.5	-1.66					
30	Jun-05	4.5	20	-0.65					
31	Dec-05	4.5	50	1.09					
32	Jun-06	4.5	8	-1.35					
33	Nov-06	4.5	11	-1.17					
34	Jun-07	4.5	16	-0.88					
35	Nov-07	4.5	14	-1.00					
36	Jun-08	4.5	9	-1.29					
37	Nov-08	4.5	15	-0.94					
38	Jun-09	4.5	17	-0.83					
39	Nov-09	4.5	17	-0.83					
40	Jun-10	4.5	20	-0.65					
41	Nov-10	4.5	17	-0.83					
42	Jun-11	4.5	16	-0.88					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault B - pH

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	6.9		
2	Nov-96	7		
3	Feb-97	7.1		
4	May-97	6.5	**6.79**	**0.23**
5	Aug-97	6.5		
6	Nov-97	6.8		
7	Feb-98	6.6		
8	May-98	6.9		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	6.60	-0.82	44	Nov-11	4.5	6.93	0.62
10	Nov-98	4.5	6.30	-2.12	45	Jun-12	4.5	6.16	-2.73
11	Mar-99	4.5	6.50	-1.25	46	Dec-12	4.5	6.85	0.27
12	May-99	4.5	7.00	0.93	47	Jun-13	4.5	6.7	-0.38
13	Jul-99	4.5	6.50	-1.25	48	Nov-13	4.5	6.74	-0.21
14	Oct-99	4.5	6.20	-2.56	49	Jun-14	4.5	6.87	0.36
15	Mar-00	4.5	8.00	5.28	50	Nov-14	4.5	7.05	1.14
16	Jun-00	4.5	6.80	0.05	51	Jun-15	4.5	7.07	1.23
17	Sep-00	4.5	7.40	2.67	52	Nov-15	4.5	6.76	-0.12
18	Nov-00	4.5	7.10	1.36	53	Jun-16	4.5	6.89	0.45
19	Mar-01	4.5	7.40	2.67	54	Nov-16	4.5	6.78	-0.03
20	May-01	4.5	7.60	3.54	55	Jun-17	4.5	6.8	0.05
21	Aug-01	4.5	7.80	4.41	56	Nov-17	4.5	6.28	-2.21
22	Nov-01	4.5	7.10	1.36	57	Jun-18	4.5	6.51	-1.21
23	Mar-02	4.5	7.00	0.93	58	Nov-18	4.5	6.6	-0.82
24	May-02	4.5	7.20	1.80	59	May-19	4.5	7.21	1.84
25	Sep-02	4.5	6.70	-0.38	60	Nov-19	4.5	7	0.93
26	Jun-03	4.5	7.00	0.93	61	Jun-20	4.5	6.93	0.62
27	Dec-03	4.5	7.10	1.36	62	Nov-20	4.5	6.62	-0.73
28	Feb-04	4.5	7.40	2.67					
29	Jun-04	4.5	7.40	2.67					
30	Jun-05	4.5	6.10	-3.00					
31	Dec-05	4.5	6.90	0.49					
32	Feb-06	4.5	7.70	3.98					
33	Jun-06	4.5	7.04	1.10					
34	Nov-06	4.5	7.46	2.93					
35	Jun-07	4.5	6.34	-1.95					
36	Nov-07	4.5	6.93	0.62					
37	Jun-08	4.5	6.95	0.71					
38	Nov-08	4.5	6.89	0.45					
39	Jun-09	4.5	7.13	1.49					
40	Nov-09	4.5	6.99	0.88					
41	Jun-10	4.5	6.90	0.49					
42	Nov-10	4.5	6.93	0.62					
43	Jun-11	4.5	7.03	1.06					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault B - SpC

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	1900		
2	Nov-96	1600		
3	Feb-97	1590		
4	May-97	1930	**1,516.63**	**391.89**
5	Aug-97	663		
6	Nov-97	1400		
7	Feb-98	1560		
8	May-98	1490		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	1940	1.08	42	Nov-11	4.5	1948	1.10
10	Mar-99	4.5	817	-1.79	43	Jun-12	4.5	1781	0.67
11	May-99	4.5	1330	-0.48	44	Dec-12	4.5	1936	1.07
12	Jul-99	4.5	1070	-1.14	45	Jun-13	4.5	1455	-0.16
13	Oct-99	4.5	1440	-0.20	46	Nov-13	4.5	1750	0.60
14	Mar-00	4.5	900	-1.57	47	Jun-14	4.5	1369	-0.38
15	Jun-00	4.5	1120	-1.01	48	Nov-14	4.5	1656	0.36
16	Sep-00	4.5	1560	0.11	49	Jun-15	4.5	1513	-0.01
17	Nov-00	4.5	1280	-0.60	50	Nov-15	4.5	1635	0.30
18	Mar-01	4.5	1460	-0.14	51	Jun-16	4.5	1176	-0.87
19	May-01	4.5	1280	-0.60	52	Nov-16	4.5	1654	0.35
20	Aug-01	4.5	1370	-0.37	53	Jun-17	4.5	1110	-1.04
21	Nov-01	4.5	1230	-0.73	54	Nov-17	4.5	1450	-0.17
22	Mar-02	4.5	2400	2.25	55	Jun-18	4.5	1064	-1.15
23	May-02	4.5	1070	-1.14	56	Nov-18	4.5	1463	-0.14
24	Jun-03	4.5	1530	0.03	57	May-19	4.5	1058	-1.17
25	Dec-03	4.5	1490	-0.07	58	Nov-19	4.5	1235	-0.72
26	Feb-04	4.5	1380	-0.35	59	Jun-20	4.5	1165	-0.90
27	Jun-04	4.5	1210	-0.78	60	Nov-20	4.5	1053	-1.18
28	Jun-05	4.5	1560	0.11					
29	Dec-05	4.5	1310	-0.53					
30	Feb-06	4.5	1520	0.01					
31	Jun-06	4.5	1050	-1.19					
32	Nov-06	4.5	1380	-0.35					
33	Jun-07	4.5	1670	0.39					
34	Nov-07	4.5	1690	0.44					
35	Jun-08	4.5	1880	0.93					
36	Nov-08	4.5	1818	0.77					
37	Jun-09	4.5	1780	0.67					
38	Nov-09	4.5	1970	1.16					
39	Jun-10	4.5	1810	0.75					
40	Nov-10	4.5	1911	1.01					
41	Jun-11	4.5	1496	-0.05					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault C - Chromium

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	25		
2	Aug-95	10		
3	Nov-95	29		
4	Jun-96	10	**13.00**	**8.98**
5	Aug-96	10		
6	Nov-96	10		
7	Feb-97	5		
8	May-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	5	-0.89	53	Nov-11	4.5	2.5	-1.17
10	Nov-97	4.5	5	-0.89	54	Jun-12	4.5	2.5	-1.17
11	Feb-98	4.5	5	-0.89	55	Dec-12	4.5	2.5	-1.17
12	May-98	4.5	5	-0.89	56	Jun-13	4.5	2.5	-1.17
14	Aug-98	4.5	5	-0.89	57	Nov-13	4.5	2.5	-1.17
15	Nov-98	4.5	5	-0.89	58	Jun-14	4.5	2.5	-1.17
16	Mar-99	4.5	5	-0.89	59	Nov-14	4.5	2.5	-1.17
17	May-99	4.5	5	-0.89	60	Jun-15	4.5	2.5	-1.17
18	Jul-99	4.5	2.5	-1.17	61	Nov-15	4.5	2.5	-1.17
19	Oct-99	4.5	5	-0.89	62	Jun-16	4.5	2.5	-1.17
20	Mar-00	4.5	5	-0.89	63	Nov-16	4.5	2.5	-1.17
21	Jun-00	4.5	5	-0.89	64	Jun-17	4.5	2.5	-1.17
22	Sep-00	4.5	2.5	-1.17	65	Nov-17	4.5	2.5	-1.17
23	Nov-00	4.5	5	-0.89	66	Jun-18	4.5	2.5	-1.17
24	Mar-01	4.5	5	-0.89	67	Nov-18	4.5	2.5	-1.17
25	May-01	4.5	5	-0.89	68	May-19	4.5	2.5	-1.17
26	Aug-01	4.5	2.5	-1.17	69	Nov-19	4.5	2.5	-1.17
27	Nov-01	4.5	5	-0.89	70	Jun-20	4.5	2.5	-1.17
28	Mar-02	4.5	5	-0.89	71	Nov-20	4.5	2.5	-1.17
29	May-02	4.5	5	-0.89					
30	Sep-02	4.5	2.5	-1.17					
31	Dec-02	4.5	2.5	-1.17					
32	Mar-03	4.5	2.5	-1.17					
33	Jun-03	4.5	2.5	-1.17					
34	Oct-03	4.5	2.5	-1.17					
35	Dec-03	4.5	2.5	-1.17					
36	Feb-04	4.5	2.5	-1.17					
37	Jun-04	4.5	2.5	-1.17					
38	Nov-04	4.5	2.5	-1.17					
39	Jun-05	4.5	2.5	-1.17					
40	Dec-05	4.5	2.5	-1.17					
41	Jun-06	4.5	5	-0.89					
42	Nov-06	4.5	2.5	-1.17					
43	Jun-07	4.5	9	-0.45					
44	Nov-07	4.5	2	-1.23					
45	Jun-08	4.5	2.5	-1.17					
46	Nov-08	4.5	2.5	-1.17					
47	Jun-09	4.5	2.5	-1.17					
48	Nov-09	4.5	2.5	-1.17					
49	Jun-10	4.5	7	-0.67					
50	Nov-10	4.5	16	0.33					
51	Jun-11	4.5	25	1.34					
52	Jul-11	4.5	2.5	-1.17					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault C - Copper

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	25		
2	Aug-95	10		
3	Nov-95	37		
4	Jun-96	10	**25.88**	**31.76**
5	Aug-96	10		
6	Nov-96	10		
7	Feb-97	5		
8	May-97	100		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	5	-0.66	52	Nov-11	4.5	2	-0.75
10	Nov-97	4.5	5	-0.66	53	Jun-12	4.5	2	-0.75
11	Feb-98	4.5	5	-0.66	54	Dec-12	4.5	11	-0.47
12	May-98	4.5	5	-0.66	55	Jun-13	4.5	2	-0.75
14	Aug-98	4.5	5	-0.66	56	Nov-13	4.5	2	-0.75
15	Nov-98	4.5	5	-0.66	57	Jun-14	4.5	5	-0.66
16	Mar-99	4.5	5	-0.66	58	Nov-14	4.5	2	-0.75
17	May-99	4.5	10	-0.50	59	Jun-15	4.5	6	-0.63
18	Jul-99	4.5	12	-0.44	60	Nov-15	4.5	2.5	-0.74
19	Oct-99	4.5	5	-0.66	61	Jun-16	4.5	2.5	-0.74
20	Mar-00	4.5	5	-0.66	62	Nov-16	4.5	2.5	-0.74
21	Jun-00	4.5	140	3.59	63	Jun-17	4.5	2.5	-0.74
22	Sep-00	4.5	5	-0.66	64	Nov-17	4.5	2.5	-0.74
23	Nov-00	4.5	5	-0.66	65	Jun-18	4.5	2.5	-0.74
24	Mar-01	4.5	5	-0.66	66	Nov-18	4.5	2.5	-0.74
25	May-01	4.5	5	-0.66	67	May-19	4.5	2.5	-0.74
26	Aug-01	4.5	5	-0.66	68	Nov-19	4.5	2.5	-0.74
27	Nov-01	4.5	5	-0.66	69	Jun-20	4.5	2.5	-0.74
28	Mar-02	4.5	10	-0.50	70	Nov-20	4.5	2.5	-0.74
29	May-02	4.5	5	-0.66					
30	Sep-02	4.5	2.5	-0.74					
31	Dec-02	4.5	2.5	-0.74					
32	Mar-03	4.5	2.5	-0.74					
33	Jun-03	4.5	2.5	-0.74					
34	Oct-03	4.5	2.5	-0.74					
35	Dec-03	4.5	11	-0.47					
36	Feb-04	4.5	2.5	-0.74					
37	Jun-04	4.5	2.5	-0.74					
38	Nov-04	4.5	2.5	-0.74					
39	Jun-05	4.5	2.5	-0.74					
40	Dec-05	4.5	2.5	-0.74					
41	Jun-06	4.5	2	-0.75					
42	Nov-06	4.5	5	-0.66					
43	Jun-07	4.5	5	-0.66					
44	Nov-07	4.5	5	-0.66					
45	Jun-08	4.5	0.5	-0.80					
46	Nov-08	4.5	0.5	-0.80					
47	Jun-09	4.5	0.5	-0.80					
48	Nov-09	4.5	2	-0.75					
49	Jun-10	4.5	2	-0.75					
50	Nov-10	4.5	2	-0.75					
51	Jun-11	4.5	2	-0.75					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault C - Nickel

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15		
2	Aug-95	20		
3	Nov-95	67		
4	Jun-96	10	**30.38**	**25.11**
5	Aug-96	10		
6	Nov-96	10		
7	Feb-97	45		
8	May-97	66		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	79	1.94	52	Nov-11	4.5	10	-0.81
10	Nov-97	4.5	122	3.65	53	Jun-12	4.5	6	-0.97
11	Feb-98	4.5	64	1.34	54	Dec-12	4.5	16	-0.57
12	May-98	4.5	23	-0.29	55	Jun-13	4.5	10	-0.81
14	Aug-98	4.5	23	-0.29	56	Nov-13	4.5	8	-0.89
15	Nov-98	4.5	21	-0.37	57	Jun-14	4.5	10	-0.81
16	Mar-99	4.5	19	-0.45	58	Nov-14	4.5	18	-0.49
17	May-99	4.5	20	-0.41	59	Jun-15	4.5	14	-0.65
18	Jul-99	4.5	20	-0.41	60	Nov-15	4.5	17	-0.53
19	Oct-99	4.5	18	-0.49	61	Jun-16	4.5	11	-0.77
20	Mar-00	4.5	17	-0.53	62	Nov-16	4.5	9	-0.85
21	Jun-00	4.5	19	-0.45	63	Jun-17	4.5	11	-0.77
22	Sep-00	4.5	16	-0.57	64	Nov-17	4.5	10	-0.81
23	Nov-00	4.5	17	-0.53	65	Jun-18	4.5	8	-0.89
24	Mar-01	4.5	8	-0.89	66	Nov-18	4.5	11	-0.77
25	May-01	4.5	17	-0.53	67	May-19	4.5	8	-0.89
26	Aug-01	4.5	16	-0.57	68	Nov-19	4.5	9	-0.85
27	Nov-01	4.5	15	-0.61	69	Jun-20	4.5	8	-0.89
28	Mar-02	4.5	2.5	-1.11	70	Nov-20	4.5	10	-0.81
29	May-02	4.5	14	-0.65					
30	Sep-02	4.5	14	-0.65					
31	Dec-02	4.5	12	-0.73					
32	Mar-03	4.5	10	-0.81					
33	Jun-03	4.5	8	-0.89					
34	Oct-03	4.5	14	-0.65					
35	Dec-03	4.5	14	-0.65					
36	Feb-04	4.5	12	-0.73					
37	Jun-04	4.5	12	-0.73					
38	Nov-04	4.5	20	-0.41					
39	Jun-05	4.5	15	-0.61					
40	Dec-05	4.5	18	-0.49					
41	Jun-06	4.5	10	-0.81					
42	Nov-06	4.5	15	-0.61					
43	Jun-07	4.5	11	-0.77					
44	Nov-07	4.5	16	-0.57					
45	Jun-08	4.5	9	-0.85					
46	Nov-08	4.5	10	-0.81					
47	Jun-09	4.5	8	-0.89					
48	Nov-09	4.5	9	-0.85					
49	Jun-10	4.5	7	-0.93					
50	Nov-10	4.5	11	-0.77					
51	Jun-11	4.5	15	-0.61					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault C - Zinc

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	60		
2	Aug-95	74		
3	Nov-95	36		
4	Jun-96	10	**43.75**	**25.24**
5	Aug-96	40		
6	Nov-96	80		
7	Feb-97	30		
8	May-97	20		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	20	-0.94	52	Nov-11	4.5	2.5	-1.63
10	Nov-97	4.5	50	0.25	53	Jun-12	4.5	2.5	-1.63
11	Feb-98	4.5	50	0.25	54	Dec-12	4.5	9	-1.38
12	May-98	4.5	40	-0.15	55	Jun-13	4.5	6	-1.50
14	Aug-98	4.5	40	-0.15	56	Nov-13	4.5	2.5	-1.63
15	Nov-98	4.5	30	-0.54	57	Jun-14	4.5	2.5	-1.63
16	Mar-99	4.5	20	-0.94	58	Nov-14	4.5	5	-1.54
17	May-99	4.5	20	-0.94	59	Jun-15	4.5	8	-1.42
18	Jul-99	4.5	20	-0.94	60	Nov-15	4.5	2.5	-1.63
19	Oct-99	4.5	10	-1.34	61	Jun-16	4.5	6	-1.50
20	Mar-00	4.5	10	-1.34	62	Nov-16	4.5	2.5	-1.63
21	Jun-00	4.5	170	5.00	63	Jun-17	4.5	2.5	-1.63
22	Sep-00	4.5	20	-0.94	64	Nov-17	4.5	2.5	-1.63
23	Nov-00	4.5	40	-0.15	65	Jun-18	4.5	2.5	-1.63
24	Mar-01	4.5	5	-1.54	66	Nov-18	4.5	2.5	-1.63
25	May-01	4.5	30	-0.54	67	May-19	4.5	2.5	-1.63
26	Aug-01	4.5	20	-0.94	68	Nov-19	4.5	2.5	-1.63
27	Nov-01	4.5	60	0.64	69	Jun-20	4.5	2.5	-1.63
28	Mar-02	4.5	20	-0.94	70	Nov-20	4.5	2.5	-1.63
29	May-02	4.5	40	-0.15					
30	Sep-02	4.5	39	-0.19					
31	Dec-02	4.5	53	0.37					
32	Mar-03	4.5	37	-0.27					
33	Jun-03	4.5	2.5	-1.63					
34	Oct-03	4.5	28	-0.62					
35	Dec-03	4.5	63	0.76					
36	Feb-04	4.5	36	-0.31					
37	Jun-04	4.5	8	-1.42					
38	Nov-04	4.5	6	-1.50					
39	Jun-05	4.5	39	-0.19					
40	Dec-05	4.5	15	-1.14					
41	Jun-06	4.5	11	-1.30					
42	Nov-06	4.5	2.5	-1.63					
43	Jun-07	4.5	6	-1.50					
44	Nov-07	4.5	12	-1.26					
45	Jun-08	4.5	2.5	-1.63					
46	Nov-08	4.5	11	-1.30					
47	Jun-09	4.5	6	-1.50					
48	Nov-09	4.5	6	-1.50					
49	Jun-10	4.5	7	-1.46					
50	Nov-10	4.5	2.5	-1.63					
51	Jun-11	4.5	22	-0.86					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault C - pH

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	7.4		
2	Aug-95	7.4		
3	Nov-95	7		
4	Jun-96	6.9	**7.10**	**0.33**
5	Aug-96	6.9		
6	Nov-96	7		
7	Feb-97	7.6		
8	May-97	6.6		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	6.3	-2.40	52	Nov-11	4.5	7.0	-0.39
10	Nov-97	4.5	6.7	-1.20	53	Jun-12	4.5	6.83	-0.81
11	Feb-98	4.5	6.5	-1.80	54	Dec-12	4.5	6.91	-0.57
12	May-98	4.5	6.9	-0.60	55	Jun-13	4.5	6.7	-1.20
14	Aug-98	4.5	6.8	-0.90	56	Nov-13	4.5	6.84	-0.78
15	Nov-98	4.5	6.3	-2.40	57	Jun-14	4.5	7.01	-0.27
16	Mar-99	4.5	7	-0.30	58	Nov-14	4.5	7.09	-0.03
17	May-99	4.5	6.9	-0.60	59	Jun-15	4.5	6.87	-0.69
18	Jul-99	4.5	6.7	-1.20	60	Nov-15	4.5	6.84	-0.78
19	Oct-99	4.5	6.6	-1.50	61	Jun-16	4.5	6.82	-0.84
20	Mar-00	4.5	7.8	2.10	62	Nov-16	4.5	6.89	-0.63
21	Jun-00	4.5	6.9	-0.60	63	Jun-17	4.5	6.88	-0.66
22	Sep-00	4.5	7.6	1.50	64	Nov-17	4.5	6.36	-2.22
23	Nov-00	4.5	6.8	-0.90	65	Jun-18	4.5	6.75	-1.05
24	Mar-01	4.5	7.7	1.80	66	Nov-18	4.5	6.9	-0.60
25	May-01	4.5	7.5	1.20	67	May-19	4.5	7.17	0.21
26	Aug-01	4.5	7.4	0.90	68	Nov-19	4.5	7.08	-0.06
27	Nov-01	4.5	6.8	-0.90	69	Jun-20	4.5	7.13	0.09
28	Mar-02	4.5	7.1	0.00	70	Nov-20	4.5	6.67	-1.29
29	May-02	4.5	7.2	0.30					
30	Sep-02	4.5	6.7	-1.20					
31	Dec-02	4.5	6.9	-0.60					
32	Mar-03	4.5	6.8	-0.90					
33	Jun-03	4.5	6.9	-0.60					
34	Oct-03	4.5	7	-0.30					
35	Dec-03	4.5	7.1	0.00					
36	Feb-04	4.5	7.4	0.90					
37	Jun-04	4.5	7	-0.30					
38	Nov-04	4.5	6.9	-0.60					
39	Jun-05	4.5	6.3	-2.40					
40	Dec-05	4.5	6.3	-2.40					
41	Jun-06	4.5	6.9	-0.60					
42	Nov-06	4.5	7.0	-0.18					
43	Jun-07	4.5	6.5	-1.68					
44	Nov-07	4.5	6.9	-0.60					
45	Jun-08	4.5	6.9	-0.57					
46	Nov-08	4.5	6.8	-0.93					
47	Jun-09	4.5	7.2	0.18					
48	Nov-09	4.5	7.1	0.03					
49	Jun-10	4.5	7.0	-0.27					
50	Nov-10	4.5	7.2	0.18					
51	Jun-11	4.5	7.3	0.54					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault C - SpC

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	530		
2	Aug-95	340		
3	Nov-95	2200		
4	Jun-96	2000	**1,551.25**	**716.19**
5	Aug-96	1900		
6	Nov-96	2100		
7	Feb-97	1610		
8	May-97	1730		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	1610	0.08	52	Nov-11	4.5	1699	0.21
10	Nov-97	4.5	2000	0.63	53	Jun-12	4.5	1748	0.27
11	Feb-98	4.5	1720	0.24	54	Dec-12	4.5	1713	0.23
12	May-98	4.5	1600	0.07	55	Jun-13	4.5	1744	0.27
14	Nov-98	4.5	1760	0.29	56	Nov-13	4.5	1703	0.21
15	Mar-99	4.5	1300	-0.35	57	Jun-14	4.5	1759	0.29
16	May-99	4.5	1600	0.07	58	Nov-14	4.5	1724	0.24
17	Jul-99	4.5	1370	-0.25	59	Jun-15	4.5	1788	0.33
18	Oct-99	4.5	1160	-0.55	60	Nov-15	4.5	1706	0.22
19	Mar-00	4.5	1350	-0.28	61	Jun-16	4.5	1795	0.34
20	Jun-00	4.5	1280	-0.38	62	Nov-16	4.5	1808	0.36
21	Sep-00	4.5	1430	-0.17	63	Jun-17	4.5	1805	0.35
22	Nov-00	4.5	1210	-0.48	64	Nov-17	4.5	1764	0.30
23	Mar-01	4.5	1380	-0.24	65	Jun-18	4.5	1774	0.31
24	May-01	4.5	1410	-0.20	66	Nov-18	4.5	1696	0.20
25	Aug-01	4.5	1530	-0.03	67	May-19	4.5	1668	0.16
26	Nov-01	4.5	1170	-0.53	68	Nov-19	4.5	1635	0.12
27	Mar-02	4.5	1680	0.18	69	Jun-20	4.5	1747	0.27
28	May-02	4.5	1280	-0.38	70	Nov-20	4.5	1438	-0.16
29	Dec-02	4.5	1330	-0.31					
30	Mar-03	4.5	1260	-0.41					
31	Jun-03	4.5	1150	-0.56					
32	Oct-03	4.5	1230	-0.45					
33	Dec-03	4.5	1520	-0.04					
34	Feb-04	4.5	1410	-0.20					
35	Jun-04	4.5	1008	-0.76					
36	Nov-04	4.5	1090	-0.64					
37	Jun-05	4.5	1460	-0.13					
38	Dec-05	4.5	1620	0.10					
39	Jun-06	4.5	977	-0.80					
40	Nov-06	4.5	1430	-0.17					
41	Jun-07	4.5	1510	-0.06					
42	Nov-07	4.5	1490	-0.09					
43	Jun-08	4.5	1620	0.10					
44	Nov-08	4.5	1600	0.07					
45	Jun-09	4.5	1660	0.15					
46	Nov-09	4.5	1650	0.14					
47	Jun-10	4.5	1710	0.22					
50	Nov-10	4.5	1670	0.17					
51	Jun-11	4.5	1686	0.19					
52	Nov-11	4.5	1699	0.21					
53	Jun-12	4.5	1748	0.27					
54	Dec-12	4.5	1713	0.23					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault D - Chromium

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	13	**7.86**	**5.11**
2	Jun-96	10		
3	Aug-96	10		
4	Nov-96	10		
5	May-97	5		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.56	41	Jul-11	4.5	2.5	-1.05
10	Aug-98	4.5	5	-0.56	42	Jun-12	4.5	2.5	-1.05
11	Nov-98	4.5	5	-0.56	43	Dec-12	4.5	2.5	-1.05
12	Mar-99	4.5	5	-0.56	44	Jun-13	4.5	2.5	-1.05
13	May-99	4.5	5	-0.56	45	Nov-13	4.5	2.5	-1.05
14	Jul-99	4.5	2.5	-1.05	46	Jun-14	4.5	2.5	-1.05
15	Oct-99	4.5	5	-0.56	47	Nov-14	4.5	2.5	-1.05
16	Mar-00	4.5	5	-0.56	48	Jun-15	4.5	2.5	-1.05
17	Jun-00	4.5	5	-0.56	49	Nov-15	4.5	2.5	-1.05
18	Sep-00	4.5	2.5	-1.05	50	Jun-16	4.5	2.5	-1.05
19	Nov-00	4.5	5	-0.56	51	Nov-16	4.5	2.5	-1.05
20	Mar-01	4.5	5	-0.56	52	Jun-17	4.5	2.5	-1.05
21	May-01	4.5	5	-0.56	53	Nov-17	4.5	2.5	-1.05
22	Aug-01	4.5	5	-0.56	54	Jun-18	4.5	2.5	-1.05
23	Nov-01	4.5	5	-0.56	55	Nov-18	4.5	2.5	-1.05
24	Mar-02	4.5	5	-0.56	56	May-19	4.5	2.5	-1.05
25	Mar-03	4.5	2.5	-1.05	57	Nov-19	4.5	2.5	-1.05
26	Jun-03	4.5	2.5	-1.05	58	Jun-20	4.5	2.5	-1.05
27	Dec-03	4.5	8	0.03	59	Nov-20	4.5	2.5	-1.05
28	Jun-04	4.5	2.5	-1.05					
29	Jun-05	4.5	2.5	-1.05					
30	Jan-06	4.5	6	-0.36					
31	Jun-06	4.5	6	-0.36					
32	Nov-06	4.5	2.5	-1.05					
33	Jun-07	4.5	9	0.22					
34	Nov-07	4.5	3	-0.95					
35	Jun-08	4.5	2.5	-1.05					
36	Nov-08	4.5	2.5	-1.05					
37	Jun-09	4.5	2.5	-1.05					
38	Nov-09	4.5	2.5	-1.05					
39	Jun-10	4.5	8	0.03					
40	Nov-10	4.5	19	2.18					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault D - Copper

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	10		
2	Jun-96	10		
3	Aug-96	10		
4	Nov-96	10	**7.48**	**5.13**
5	May-97	5		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	30	4.39	41	Nov-10	4.5	2	-1.07
10	Aug-98	4.5	5	-0.48	42	Jul-11	4.5	2	-1.07
11	Nov-98	4.5	5	-0.48	43	Nov-11	4.5	2	-1.07
12	Mar-99	4.5	30	4.39	44	Jun-12	4.5	16	1.66
13	May-99	4.5	30	4.39	45	Dec-12	4.5	11	0.69
14	Jul-99	4.5	9	0.30	46	Jun-13	4.5	5	-0.48
15	Oct-99	4.5	5	-0.48	47	Nov-13	4.5	4	-0.68
16	Mar-00	4.5	5	-0.48	48	Jun-14	4.5	4	-0.68
17	Jun-00	4.5	60	10.24	49	Nov-14	4.5	10	0.49
18	Sep-00	4.5	5	-0.48	50	Jun-15	4.5	8	0.10
19	Nov-00	4.5	5	-0.48	51	Nov-15	4.5	2.5	-0.97
20	Mar-01	4.5	5	-0.48	52	Jun-16	4.5	6	-0.29
21	May-01	4.5	10	0.49	53	Nov-16	4.5	6	-0.29
22	Aug-01	4.5	5	-0.48	54	Jun-17	4.5	2.5	-0.97
23	Nov-01	4.5	10	0.49	55	Nov-17	4.5	2.5	-0.97
24	Mar-02	4.5	10	0.49	56	Jun-18	4.5	2.5	-0.97
25	Mar-03	4.5	5	-0.48	57	Nov-18	4.5	2.5	-0.97
26	Jun-03	4.5	2.5	-0.97	58	May-19	4.5	2.5	-0.97
27	Dec-03	4.5	17	1.86	59	Nov-19	4.5	2.5	-0.97
28	Jun-04	4.5	2.5	-0.97	60	Jun-20	4.5	2.5	-0.97
29	Jun-05	4.5	2.5	-0.97	61	Nov-20	4.5	2.5	-0.97
30	Jan-06	4.5	14	1.27					
31	Feb-06	4.5	5	-0.48					
32	Jun-06	4.5	2	-1.07					
33	Nov-06	4.5	2	-1.07					
34	Jun-07	4.5	5	-0.48					
35	Nov-07	4.5	5	-0.48					
36	Jun-08	4.5	0.5	-1.36					
37	Nov-08	4.5	1	-1.26					
38	Jun-09	4.5	0.5	-1.36					
39	Nov-09	4.5	2	-1.07					
40	Jun-10	4.5	2	-1.07					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault D - Nickel

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	44		
2	Jun-96	10		
3	Aug-96	10		
4	Nov-96	40	**52.63**	**35.01**
5	May-97	58		
6	Aug-97	79		
7	Nov-97	114		
8	Feb-98	66		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	23	-0.85	41	Jul-11	4.5	40	-0.36
10	Aug-98	4.5	23	-0.85	42	Nov-11	4.5	25	-0.79
11	Nov-98	4.5	20	-0.93	43	Jun-12	4.5	29	-0.67
12	Mar-99	4.5	20	-0.93	44	Dec-12	4.5	33	-0.56
13	May-99	4.5	15	-1.07	45	Jun-13	4.5	18	-0.99
14	Jul-99	4.5	21	-0.90	46	Nov-13	4.5	13	-1.13
15	Oct-99	4.5	23	-0.85	47	Jun-14	4.5	15	-1.07
16	Mar-00	4.5	15	-1.07	48	Nov-14	4.5	20	-0.93
17	Jun-00	4.5	21	-0.90	49	Jun-15	4.5	23	-0.85
18	Sep-00	4.5	21	-0.90	50	Nov-15	4.5	17	-1.02
19	Nov-00	4.5	23	-0.85	51	Jun-16	4.5	13	-1.13
20	Mar-01	4.5	11	-1.19	52	Nov-16	4.5	17	-1.02
21	May-01	4.5	18	-0.99	53	Jun-17	4.5	15	-1.07
22	Aug-01	4.5	24	-0.82	54	Nov-17	4.5	12	-1.16
23	Nov-01	4.5	17	-1.02	55	Jun-18	4.5	14	-1.10
24	Mar-02	4.5	2.5	-1.43	56	Nov-18	4.5	35	-0.50
25	Mar-03	4.5	10	-1.22	57	May-19	4.5	13	-1.13
26	Jun-03	4.5	8	-1.27	58	Nov-19	4.5	13	-1.13
27	Dec-03	4.5	14	-1.10	59	Jun-20	4.5	12	-1.16
28	Jun-04	4.5	30	-0.65	60	Nov-20	4.5	12	-1.16
29	Jun-05	4.5	25	-0.79					
30	Jan-06	4.5	37	-0.45					
31	Jun-06	4.5	26	-0.76					
32	Nov-06	4.5	17	-1.02					
33	Jun-07	4.5	34	-0.53					
34	Nov-07	4.5	23	-0.85					
35	Jun-08	4.5	35	-0.50					
36	Nov-08	4.5	17	-1.02					
37	Jun-09	4.5	34	-0.53					
38	Nov-09	4.5	16	-1.05					
39	Jun-10	4.5	32	-0.59					
40	Nov-10	4.5	18	-0.99					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault D - Zinc

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	20		
2	Jun-96	10		
3	Aug-96	40		
4	Nov-96	70	**37.49**	**22.59**
5	May-97	70		
6	Aug-97	20		
7	Nov-97	30		
8	Feb-98	40		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	50	0.55	42	Nov-11	4.5	2.5	-1.55
10	Aug-98	4.5	40	0.11	43	Jun-12	4.5	15	-1.00
11	Nov-98	4.5	30	-0.33	44	Dec-12	4.5	22	-0.69
12	Mar-99	4.5	40	0.11	45	Jun-13	4.5	75	1.66
13	May-99	4.5	30	-0.33	46	Nov-13	4.5	7	-1.35
14	Jul-99	4.5	19	-0.82	47	Jun-14	4.5	9	-1.26
15	Oct-99	4.5	20	-0.77	48	Nov-14	4.5	11	-1.17
16	Mar-00	4.5	20	-0.77	49	Jun-15	4.5	17	-0.91
17	Jun-00	4.5	70	1.44	50	Nov-15	4.5	10	-1.22
18	Sep-00	4.5	20	-0.77	51	Jun-16	4.5	10	-1.22
19	Nov-00	4.5	20	-0.77	52	Nov-16	4.5	9	-1.26
20	Mar-01	4.5	10	-1.22	53	Jun-17	4.5	10	-1.22
21	May-01	4.5	30	-0.33	54	Nov-17	4.5	6	-1.39
22	Aug-01	4.5	20	-0.77	55	Jun-18	4.5	9	-1.26
23	Nov-01	4.5	50	0.55	56	Nov-18	4.5	2.5	-1.55
24	Mar-02	4.5	10	-1.22	57	May-19	4.5	8	-1.31
25	Mar-03	4.5	19	-0.82	58	Nov-19	4.5	8	-1.31
26	Jun-03	4.5	2.5	-1.55	59	Jun-20	4.5	6	-1.39
27	Dec-03	4.5	63	1.13	60	Nov-20	4.5	6	-1.39
28	Jun-04	4.5	9	-1.26					
29	Jun-05	4.5	17	-0.91					
30	Jan-06	4.5	2.5	-1.55					
31	Jun-06	4.5	14	-1.04					
32	Nov-06	4.5	7	-1.35					
33	Jun-07	4.5	8	-1.31					
34	Nov-07	4.5	12	-1.13					
35	Jun-08	4.5	2.5	-1.55					
36	Nov-08	4.5	6	-1.39					
37	Jun-09	4.5	5	-1.44					
38	Nov-09	4.5	7	-1.35					
39	Jun-10	4.5	11	-1.17					
40	Nov-10	4.5	2.5	-1.55					
41	Jul-11	4.5	2.5	-1.55					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault D - pH

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	7.3		
2	Jun-96	6.9		
3	Aug-96	7.2		
4	Nov-96	7	**6.84**	**0.31**
5	May-97	6.7		
6	Aug-97	6.5		
7	Nov-97	6.6		
8	Feb-98	6.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7.00	0.52	42	Nov-11	4.5	7.0	0.65
10	Aug-98	4.5	6.60	-0.76	43	Jun-12	4.5	5.7	-3.65
11	Nov-98	4.5	6.70	-0.44	44	Dec-12	4.5	7.11	0.88
12	Mar-99	4.5	7.00	0.52	45	Jun-13	4.5	7.11	0.88
13	May-99	4.5	6.90	0.20	46	Nov-13	4.5	7.03	0.62
14	Jul-99	4.5	7.00	0.52	47	Jun-14	4.5	7.1	0.84
15	Oct-99	4.5	6.80	-0.12	48	Nov-14	4.5	7.02	0.59
16	Mar-00	4.5	7.80	3.09	49	Jun-15	4.5	6.93	0.30
17	Jun-00	4.5	6.80	-0.12	50	Nov-15	4.5	6.84	0.01
18	Sep-00	4.5	7.60	2.45	51	Jun-16	4.5	7.04	0.65
19	Nov-00	4.5	7.20	1.16	52	Nov-16	4.5	6.91	0.23
20	Mar-01	4.5	7.80	3.09	53	Jun-17	4.5	6.83	-0.02
21	May-01	4.5	7.50	2.13	54	Nov-17	4.5	6.44	-1.28
22	Aug-01	4.5	7.70	2.77	55	Jun-18	4.5	6.75	-0.28
23	Nov-01	4.5	7.60	2.45	56	Nov-18	4.5	7	0.52
24	Mar-02	4.5	7.20	1.16	57	May-19	4.5	7.37	1.71
25	Mar-03	4.5	6.80	-0.12	58	Nov-19	4.5	7.08	0.78
26	Jun-03	4.5	6.90	0.20	59	Jun-20	4.5	7.09	0.81
27	Dec-03	4.5	6.90	0.20	60	Nov-20	4.5	6.66	-0.57
28	Jun-04	4.5	7.00	0.52					
29	Jun-05	4.5	5.90	-3.01					
30	Jan-06	4.5	7.34	1.61					
31	Jun-06	4.5	6.98	0.46					
32	Nov-06	4.5	7.18	1.10					
33	Jun-07	4.5	7.30	1.49					
34	Nov-07	4.5	6.91	0.23					
35	Jun-08	4.5	6.87	0.10					
36	Nov-08	4.5	7.42	1.87					
37	Jun-09	4.5	7.17	1.07					
38	Nov-09	4.5	7.28	1.42					
39	Jun-10	4.5	7.10	0.84					
40	Nov-10	4.5	7.41	1.84					
41	Jul-11	4.5	7.23	1.26					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault D - SpC

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	2200		
2	Jun-96	1800		
3	Aug-96	1600		
4	Nov-96	1700	**1,734.38**	**211.31**
5	May-97	1580		
6	Aug-97	1540		
7	Nov-97	1800		
8	Feb-98	1655		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	1700	-0.16	41	Nov-11	4.5	1513	-1.05
11	Nov-98	4.5	1790	0.26	42	Jun-12	4.5	1367	-1.74
12	Mar-99	4.5	1302	-2.05	43	Dec-12	4.5	1471	-1.25
13	May-99	4.5	1510	-1.06	44	Jun-13	4.5	1534	-0.95
14	Jul-99	4.5	1231	-2.38	45	Nov-13	4.5	1565	-0.80
15	Oct-99	4.5	1384	-1.66	46	Jun-14	4.5	1592	-0.67
16	Mar-00	4.5	1460	-1.30	47	Nov-14	4.5	1635	-0.47
17	Jun-00	4.5	1410	-1.54	48	Jun-15	4.5	1643	-0.43
18	Sep-00	4.5	1370	-1.72	49	Nov-15	4.5	1729	-0.03
19	Nov-00	4.5	1630	-0.49	50	Jun-16	4.5	1656	-0.37
20	Mar-01	4.5	1710	-0.12	51	Nov-16	4.5	1659	-0.36
21	May-01	4.5	1760	0.12	52	Jun-17	4.5	1655	-0.38
22	Aug-01	4.5	1420	-1.49	53	Nov-17	4.5	1650	-0.40
23	Nov-01	4.5	1270	-2.20	54	Jun-18	4.5	1655	-0.38
24	Mar-02	4.5	1430	-1.44	55	Nov-18	4.5	1619	-0.55
25	Mar-03	4.5	1380	-1.68	56	May-19	4.5	1583	-0.72
26	Jun-03	4.5	1430	-1.44	57	Nov-19	4.5	1671	-0.30
27	Dec-03	4.5	1330	-1.91	58	Jun-20	4.5	1586	-0.70
28	Jun-04	4.5	1050	-3.24	59	Nov-20	4.5	1406	-1.55
29	Jun-05	4.5	1540	-0.92					
30	Jan-06	4.5	1600	-0.64					
31	Jun-06	4.5	1195	-2.55					
32	Nov-06	4.5	1590	-0.68					
33	Jun-07	4.5	1530	-0.97					
34	Nov-07	4.5	1580	-0.73					
35	Jun-08	4.5	1570	-0.78					
36	Nov-08	4.5	1580	-0.73					
37	Jun-09	4.5	1570	-0.78					
38	Nov-09	4.5	1610	-0.59					
39	Jun-10	4.5	1550	-0.87					
40	Nov-10	4.5	1555	-0.85					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault E - Chromium

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	10		
2	Jun-96	10		
3	Oct-96	10		
4	Nov-96	10	**7.48**	**5.13**
5	May-97	5		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.48	43	Nov-11	4.5	2.5	-0.97
10	Aug-98	4.5	5	-0.48	44	Jun-12	4.5	2.5	-0.97
11	Nov-98	4.5	10	0.49	45	Dec-12	4.5	2.5	-0.97
12	Mar-99	4.5	5	-0.48	46	Jun-13	4.5	2.5	-0.97
13	May-99	4.5	5	-0.48	47	Nov-13	4.5	2.5	-0.97
14	Jul-99	4.5	2.5	-0.97	48	Jun-14	4.5	2.5	-0.97
15	Oct-99	4.5	5	-0.48	49	Nov-14	4.5	2.5	-0.97
16	Mar-00	4.5	5	-0.48	50	Jun-15	4.5	2.5	-0.97
17	Jun-00	4.5	5	-0.48	51	Nov-15	4.5	2.5	-0.97
18	Sep-00	4.5	2.5	-0.97	52	Jun-16	4.5	2.5	-0.97
19	Nov-00	4.5	5	-0.48	53	Nov-16	4.5	2.5	-0.97
20	Mar-01	4.5	5	-0.48	54	Jun-17	4.5	2.5	-0.97
21	May-01	4.5	5	-0.48	55	Nov-17	4.5	2.5	-0.97
22	Aug-01	4.5	2.5	-0.97	56	Jun-18	4.5	2.5	-0.97
23	Nov-01	4.5	5	-0.48	57	Nov-18	4.5	2.5	-0.97
24	Mar-02	4.5	5	-0.48	58	May-19	4.5	2.5	-0.97
25	Jun-03	4.5	2.5	-0.97	59	Nov-19	4.5	2.5	-0.97
26	Feb-04	4.5	2.5	-0.97	60	Jun-20	4.5	2.5	-0.97
27	Jun-04	4.5	2.5	-0.97	61	Nov-20	4.5	2.5	-0.97
28	Nov-04	4.5	2.5	-0.97					
29	Jun-05	4.5	2.5	-0.97					
30	Dec-05	4.5	2.5	-0.97					
31	Jun-06	4.5	5	-0.48					
32	Nov-06	4.5	5	-0.48					
33	Jun-07	4.5	9	0.30					
34	Nov-07	4.5	2	-1.07					
35	Jun-08	4.5	2.5	-0.97					
36	Nov-08	4.5	2.5	-0.97					
37	Jun-09	4.5	2.5	-0.97					
38	Nov-09	4.5	2.5	-0.97					
39	Jun-10	4.5	9	0.30					
40	Nov-10	4.5	24	3.22					
41	Jun-11	4.5	29	4.19					
42	Jul-11	4.5	2.5	-0.97					
43	Nov-11	4.5	2.5	-0.97					
44	Jun-12	4.5	2.5	-0.97					
45	Dec-12	4.5	2.5	-0.97					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault E - Copper

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	10		
2	Jun-96	10		
3	Oct-96	10		
4	Nov-96	10	**7.50**	**5.17**
5	May-97	5		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.48	42	Nov-11	4.5	2	-1.06
10	Aug-98	4.5	5	-0.48	43	Jun-12	4.5	2	-1.06
11	Nov-98	4.5	10	0.48	44	Dec-12	4.5	2	-1.06
12	Mar-99	4.5	20	2.42	45	Jun-13	4.5	6	-0.29
13	May-99	4.5	5	-0.48	46	Nov-13	4.5	4	-0.68
14	Jul-99	4.5	11	0.68	47	Jun-14	4.5	2	-1.06
15	Oct-99	4.5	5	-0.48	48	Nov-14	4.5	2	-1.06
16	Mar-00	4.5	5	-0.48	49	Jun-15	4.5	2.5	-0.97
17	Jun-00	4.5	30	4.35	50	Nov-15	4.5	2.5	-0.97
18	Sep-00	4.5	2.5	-0.97	51	Jun-16	4.5	2.5	-0.97
19	Nov-00	4.5	40	6.29	52	Nov-16	4.5	2.5	-0.97
20	Mar-01	4.5	5	-0.48	53	Jun-17	4.5	2.5	-0.97
21	May-01	4.5	10	0.48	54	Nov-17	4.5	2.5	-0.97
22	Aug-01	4.5	10	0.48	55	Jun-18	4.5	2.5	-0.97
23	Nov-01	4.5	10	0.48	56	Nov-18	4.5	2.5	-0.97
24	Mar-02	4.5	10	0.48	57	May-19	4.5	2.5	-0.97
25	Jun-03	4.5	6	-0.29	58	Nov-19	4.5	7	-0.10
26	Feb-04	4.5	6	-0.29	59	Jun-20	4.5	2.5	-0.97
27	Jun-04	4.5	2.5	-0.97	60	Nov-20	4.5	2.5	-0.97
28	Nov-04	4.5	7	-0.10					
29	Jun-05	4.5	2.5	-0.97					
30	Dec-05	4.5	66	11.32					
31	Jun-06	4.5	4	-0.68					
32	Nov-06	4.5	5	-0.48					
33	Jun-07	4.5	7	-0.10					
34	Nov-07	4.5	4	-0.68					
35	Jun-08	4.5	2	-1.06					
36	Nov-08	4.5	2	-1.06					
37	Jun-09	4.5	2	-1.06					
38	Nov-09	4.5	2	-1.06					
39	Jun-10	4.5	2	-1.06					
40	Nov-10	4.5	2	-1.06					
41	Jun-11	4.5	2	-1.06					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault E - Nickel

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	46		
2	Jun-96	10		
3	Oct-96	10		
4	Nov-96	10	**43.13**	**36.46**
5	May-97	35		
6	Aug-97	64		
7	Nov-97	116		
8	Feb-98	54		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7	-0.99	42	Nov-11	4.5	2.5	-1.11
10	Aug-98	4.5	8	-0.96	43	Jun-12	4.5	2.5	-1.11
11	Nov-98	4.5	46	0.08	44	Dec-12	4.5	6	-1.02
12	Mar-99	4.5	6	-1.02	45	Jun-13	4.5	2.5	-1.11
13	May-99	4.5	5	-1.05	46	Nov-13	4.5	12	-0.85
14	Jul-99	4.5	6	-1.02	47	Jun-14	4.5	2.5	-1.11
15	Oct-99	4.5	6	-1.02	48	Nov-14	4.5	10	-0.91
16	Mar-00	4.5	5	-1.05	49	Jun-15	4.5	7	-0.99
17	Jun-00	4.5	2.5	-1.11	50	Nov-15	4.5	5	-1.05
18	Sep-00	4.5	5	-1.05	51	Jun-16	4.5	2.5	-1.11
19	Nov-00	4.5	5	-1.05	52	Nov-16	4.5	2.5	-1.11
20	Mar-01	4.5	5	-1.05	53	Jun-17	4.5	2.5	-1.11
21	May-01	4.5	6	-1.02	54	Nov-17	4.5	2.5	-1.11
22	Aug-01	4.5	6	-1.02	55	Jun-18	4.5	2.5	-1.11
23	Nov-01	4.5	6	-1.02	56	Nov-18	4.5	2.5	-1.11
24	Mar-02	4.5	6	-1.02	57	May-19	4.5	2.5	-1.11
25	Jun-03	4.5	2.5	-1.11	58	Nov-19	4.5	2.5	-1.11
26	Feb-04	4.5	7	-0.99	59	Jun-20	4.5	2.5	-1.11
27	Jun-04	4.5	6	-1.02	60	Nov-20	4.5	2.5	-1.11
28	Nov-04	4.5	22	-0.58					
29	Jun-05	4.5	12	-0.85					
30	Dec-05	4.5	2.5	-1.11					
31	Jun-06	4.5	6	-1.02					
32	Nov-06	4.5	2.5	-1.11					
33	Jun-07	4.5	2.5	-1.11					
34	Nov-07	4.5	11	-0.88					
35	Jun-08	4.5	2.5	-1.11					
36	Nov-08	4.5	2.5	-1.11					
37	Jun-09	4.5	2.5	-1.11					
38	Nov-09	4.5	2.5	-1.11					
39	Jun-10	4.5	2.5	-1.11					
40	Nov-10	4.5	2.5	-1.11					
41	Jun-11	4.5	10	-0.91					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault E - Zinc

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	10		
2	Jun-96	10		
3	Oct-96	20		
4	Nov-96	30	**28.75**	**14.79**
5	May-97	30		
6	Aug-97	40		
7	Nov-97	40		
8	Feb-98	50		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	60	2.11	42	Nov-11	4.5	2.5	-1.77
10	Aug-98	4.5	40	0.76	43	Jun-12	4.5	7	-1.47
11	Nov-98	4.5	60	2.11	44	Dec-12	4.5	11	-1.20
12	Mar-99	4.5	30	0.08	45	Jun-13	4.5	2.5	-1.77
13	May-99	4.5	20	-0.59	46	Nov-13	4.5	9	-1.34
14	Jul-99	4.5	19	-0.66	47	Jun-14	4.5	2.5	-1.77
15	Oct-99	4.5	20	-0.59	48	Nov-14	4.5	6	-1.54
16	Mar-00	4.5	10	-1.27	49	Jun-15	4.5	8	-1.40
17	Jun-00	4.5	30	0.08	50	Nov-15	4.5	2.5	-1.77
18	Sep-00	4.5	20	-0.59	51	Jun-16	4.5	5	-1.61
19	Nov-00	4.5	60	2.11	52	Nov-16	4.5	2.5	-1.77
20	Mar-01	4.5	10	-1.27	53	Jun-17	4.5	2.5	-1.77
21	May-01	4.5	40	0.76	54	Nov-17	4.5	2.5	-1.77
22	Aug-01	4.5	70	2.79	55	Jun-18	4.5	5	-1.61
23	Nov-01	4.5	60	2.11	56	Nov-18	4.5	2.5	-1.77
24	Mar-02	4.5	90	4.14	57	May-19	4.5	2.5	-1.77
25	Jun-03	4.5	50	1.44	58	Nov-19	4.5	5	-1.61
26	Feb-04	4.5	43	0.96	59	Jun-20	4.5	2.5	-1.77
27	Jun-04	4.5	43	0.96	60	Nov-20	4.5	2.5	-1.77
28	Nov-04	4.5	11	-1.20					
29	Jun-05	4.5	31	0.15					
30	Dec-05	4.5	73	2.99					
31	Jun-06	4.5	13	-1.06					
32	Nov-06	4.5	10	-1.27					
33	Jun-07	4.5	9	-1.34					
34	Nov-07	4.5	13	-1.06					
35	Jun-08	4.5	6	-1.54					
36	Nov-08	4.5	19	-0.66					
37	Jun-09	4.5	15	-0.93					
38	Nov-09	4.5	14	-1.00					
39	Jun-10	4.5	13	-1.06					
40	Nov-10	4.5	7	-1.47					
41	Jun-11	4.5	10	-1.27					
42	Nov-11	4.5	2.5	-1.77					
43	Jun-12	4.5	7	-1.47					
44	Dec-12	4.5	11	-1.20					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault E - pH

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	7.2		
2	Jun-96	7		
3	Oct-96	6.9		
4	Nov-96	7	**6.78**	**0.30**
5	May-97	6.3		
6	Aug-97	6.7		
7	Nov-97	6.5		
8	Feb-98	6.6		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7.10	1.08	41	Nov-11	4.5	6.9	0.38
10	Aug-98	4.5	6.70	-0.25	42	Jun-12	4.5	6	-2.57
11	Mar-99	4.5	6.50	-0.91	43	Dec-12	4.5	6.77	-0.02
12	May-99	4.5	6.90	0.42	44	Jun-13	4.5	6.5	-0.91
13	Jul-99	4.5	6.50	-0.91	45	Nov-13	4.5	6.74	-0.12
14	Oct-99	4.5	6.30	-1.58	46	Jun-14	4.5	6.88	0.35
15	Mar-00	4.5	8.00	4.07	47	Nov-14	4.5	7.08	1.01
16	Jun-00	4.5	6.90	0.42	48	Jun-15	4.5	4.9	-6.23
17	Sep-00	4.5	7.70	3.07	49	Nov-15	4.5	6.8	0.08
18	Nov-00	4.5	7.50	2.41	50	Jun-16	4.5	6.75	-0.08
19	Mar-01	4.5	7.30	1.74	51	Nov-16	4.5	6.88	0.35
20	May-01	4.5	7.50	2.41	52	Jun-17	4.5	6.79	0.05
21	Aug-01	4.5	7.60	2.74	53	Nov-17	4.5	6.37	-1.34
22	Nov-01	4.5	7.50	2.41	54	Jun-18	4.5	6.57	-0.68
23	Mar-02	4.5	7.00	0.75	55	Nov-18	4.5	7.2	1.41
24	Jun-03	4.5	6.90	0.42	56	May-19	4.5	7.16	1.28
25	Feb-04	4.5	7.60	2.74	57	Nov-19	4.5	6.95	0.58
26	Jun-04	4.5	6.90	0.42	58	Jun-20	4.5	6.99	0.71
27	Nov-04	4.5	7.10	1.08	59	Nov-20	4.5	6.61	-0.55
28	Jun-05	4.5	6.80	0.08					
29	Dec-05	4.5	7.10	1.08					
30	Jun-06	4.5	6.94	0.55					
31	Nov-06	4.5	7.51	2.44					
32	Jun-07	4.5	6.48	-0.98					
33	Nov-07	4.5	6.80	0.08					
34	Jun-08	4.5	6.76	-0.05					
35	Nov-08	4.5	7.43	2.17					
35	Nov-08	4.5	6.79	0.05					
36	Jun-09	4.5	6.79	0.05					
37	Nov-09	4.5	6.89	0.38					
38	Jun-10	4.5	6.85	0.25					
39	Nov-10	4.5	7.02	0.81					
40	Jun-11	4.5	6.91	0.45					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault E - SpC

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	2000		
2	Jun-96	2400		
3	Oct-96	2000		
4	Nov-96	1800	**2,026.25**	**187.84**
5	May-97	2120		
6	Aug-97	1840		
7	Nov-97	2100		
8	Feb-98	1950		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	1850	-0.94	39	Nov-11	4.5	1637	-2.07
10	Mar-99	4.5	1302	-3.86	40	Jun-12	4.5	1792	-1.25
11	May-99	4.5	1720	-1.63	41	Dec-12	4.5	1776	-1.33
12	Jul-99	4.5	1468	-2.97	42	Jun-13	4.5	1397	-3.35
13	Oct-99	4.5	1382	-3.43	43	Nov-13	4.5	1741	-1.52
14	Mar-00	4.5	1500	-2.80	44	Jun-14	4.5	1677	-1.86
15	Jun-00	4.5	1430	-3.17	45	Nov-14	4.5	1747	-1.49
16	Sep-00	4.5	1360	-3.55	46	Jun-15	4.5	1456	-3.04
17	Nov-00	4.5	1290	-3.92	47	Nov-15	4.5	1435	-3.15
18	May-01	4.5	1900	-0.67	48	Jun-16	4.5	1408	-3.29
19	Aug-01	4.5	1810	-1.15	49	Nov-16	4.5	1502	-2.79
20	Nov-01	4.5	1630	-2.11	50	Jun-17	4.5	1431	-3.17
21	Mar-02	4.5	1570	-2.43	51	Nov-17	4.5	1465	-2.99
22	Jun-03	4.5	1470	-2.96	52	Jun-18	4.5	1300	-3.87
23	Feb-04	4.5	1190	-4.45	53	Nov-18	4.5	1274	-4.00
24	Jun-04	4.5	1337	-3.67	54	May-19	4.5	1339	-3.66
25	Nov-04	4.5	1230	-4.24	55	Nov-19	4.5	1383	-3.42
26	Jun-05	4.5	1790	-1.26	56	Jun-20	4.5	1210	-4.35
27	Dec-05	4.5	1630	-2.11	57	Nov-20	4.5	1188	-4.46
28	Jun-06	4.5	1376	-3.46					
29	Nov-06	4.5	1680	-1.84					
30	Jun-07	4.5	1820	-1.10					
31	Nov-07	4.5	1740	-1.52					
32	Jun-08	4.5	1860	-0.89					
33	Nov-08	4.5	1630	-2.11					
34	Jun-09	4.5	1950	-0.41					
35	Nov-09	4.5	1780	-1.31					
36	Jun-10	4.5	1910	-0.62					
37	Nov-10	4.5	1714	-1.66					
38	Jun-11	4.5	1711	-1.68					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault F - Chromium

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10		
2	Aug-95	10		
3	Jun-96	10		
4	Aug-96	10	**8.13**	**5.40**
5	Nov-96	10		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.58	44	Jul-11	4.5	2.5	-1.04
10	Aug-98	4.5	5	-0.58	45	Nov-11	4.5	2.5	-1.04
11	Nov-98	4.5	10	0.35	46	Dec-12	4.5	2.5	-1.04
12	Mar-99	4.5	5	-0.58	47	Jun-13	4.5	2.5	-1.04
13	May-99	4.5	5	-0.58	48	Nov-13	4.5	2.5	-1.04
14	Jul-99	4.5	6	-0.39	49	Jun-14	4.5	2.5	-1.04
15	Oct-99	4.5	5	-0.58	50	Nov-14	4.5	2.5	-1.04
16	Mar-00	4.5	5	-0.58	51	Jun-15	4.5	2.5	-1.04
17	Jun-00	4.5	5	-0.58	52	Nov-15	4.5	2.5	-1.04
18	Sep-00	4.5	2.5	-1.04	53	Jun-16	4.5	2.5	-1.04
19	Nov-00	4.5	5	-0.58	54	Nov-16	4.5	2.5	-1.04
20	Mar-01	4.5	5	-0.58	55	Jun-17	4.5	2.5	-1.04
21	May-01	4.5	5	-0.58	56	Nov-17	4.5	2.5	-1.04
22	Nov-01	4.5	5	-0.58	57	Jun-18	4.5	2.5	-1.04
23	Mar-02	4.5	5	-0.58	58	Nov-18	4.5	2.5	-1.04
24	May-02	4.5	5	-0.58	59	May-19	4.5	2.5	-1.04
25	Mar-03	4.5	2.5	-1.04	60	Nov-19	4.5	2.5	-1.04
26	Jun-03	4.5	2.5	-1.04	61	Jun-20	4.5	2.5	-1.04
27	Oct-03	4.5	2.5	-1.04	62	Nov-20	4.5	2.5	-1.04
28	Feb-04	4.5	2.5	-1.04					
29	Jun-04	4.5	2.5	-1.04					
30	Nov-04	4.5	2.5	-1.04					
31	Jun-05	4.5	2.5	-1.04					
32	Dec-05	4.5	2.5	-1.04					
33	Jun-06	4.5	7	-0.21					
34	Nov-06	4.5	5	-0.58					
35	Jun-07	4.5	10	0.35					
36	Nov-07	4.5	2	-1.14					
37	Jun-08	4.5	2.5	-1.04					
38	Nov-08	4.5	2.5	-1.04					
39	Jun-09	4.5	2.5	-1.04					
40	Nov-09	4.5	2.5	-1.04					
41	Jun-10	4.5	6	-0.39					
42	Nov-10	4.5	16	1.46					
43	Jun-11	4.5	23	2.75					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault F - Copper

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10		
2	Aug-95	10		
3	Jun-96	10		
4	Aug-96	20	**9.38**	**6.61**
5	Nov-96	10		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	20	1.61	44	Jun-11	4.5	2	-1.12
10	Aug-98	4.5	5	-0.66	45	Nov-11	4.5	2	-1.12
11	Nov-98	4.5	5	-0.66	46	Dec-12	4.5	2	-1.12
12	Mar-99	4.5	20	1.61	47	Jun-13	4.5	2	-1.12
13	May-99	4.5	10	0.09	48	Nov-13	4.5	2	-1.12
14	Jul-99	4.5	17	1.15	49	Jun-14	4.5	2	-1.12
15	Oct-99	4.5	5	-0.66	50	Nov-14	4.5	2	-1.12
16	Mar-00	4.5	5	-0.66	51	Jun-15	4.5	2.5	-1.04
17	Jun-00	4.5	40	4.63	52	Nov-15	4.5	2.5	-1.04
18	Sep-00	4.5	5	-0.66	53	Jun-16	4.5	2.5	-1.04
19	Nov-00	4.5	60	7.66	54	Nov-16	4.5	2.5	-1.04
20	Mar-01	4.5	5	-0.66	55	Jun-17	4.5	2.5	-1.04
21	May-01	4.5	60	7.66	56	Nov-17	4.5	2.5	-1.04
22	Nov-01	4.5	40	4.63	57	Jun-18	4.5	2.5	-1.04
23	Mar-02	4.5	10	0.09	58	Nov-18	4.5	2.5	-1.04
24	May-02	4.5	5	-0.66	59	May-19	4.5	2.5	-1.04
25	Mar-03	4.5	19	1.46	60	Nov-19	4.5	2.5	-1.04
26	Jun-03	4.5	2.5	-1.04	61	Jun-20	4.5	2.5	-1.04
27	Oct-03	4.5	11	0.25	62	Nov-20	4.5	2.5	-1.04
28	Feb-04	4.5	5	-0.66					
29	Jun-04	4.5	5	-0.66					
30	Nov-04	4.5	2.5	-1.04					
31	Jun-05	4.5	2.5	-1.04					
32	Dec-05	4.5	83	11.14					
33	Feb-06	4.5	2	-1.12					
34	Jun-06	4.5	2	-1.12					
35	Nov-06	4.5	2	-1.12					
36	Jun-07	4.5	3	-0.97					
37	Nov-07	4.5	3	-0.97					
38	Jun-08	4.5	0.5	-1.34					
39	Nov-08	4.5	0.5	-1.34					
40	Jun-09	4.5	0.5	-1.34					
41	Nov-09	4.5	2	-1.12					
42	Jun-10	4.5	2	-1.12					
43	Nov-10	4.5	2	-1.12					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault F - Nickel

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15		
2	Aug-95	20		
3	Jun-96	10		
4	Aug-96	10	**33.88**	**31.96**
5	Nov-96	10		
6	Aug-97	64		
7	Nov-97	93		
8	Feb-98	49		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7	-0.84	43	Jun-11	4.5	9	-0.78
10	Aug-98	4.5	7	-0.84	44	Nov-11	4.5	2.5	-0.98
11	Nov-98	4.5	47	0.41	45	Dec-12	4.5	6	-0.87
12	Mar-99	4.5	9	-0.78	46	Jun-13	4.5	2.5	-0.98
13	May-99	4.5	5	-0.90	47	Nov-13	4.5	2.5	-0.98
14	Jul-99	4.5	6	-0.87	48	Jun-14	4.5	2.5	-0.98
15	Oct-99	4.5	6	-0.87	49	Nov-14	4.5	10	-0.75
16	Mar-00	4.5	6	-0.87	50	Jun-15	4.5	7	-0.84
17	Jun-00	4.5	2.5	-0.98	51	Nov-15	4.5	6	-0.87
18	Sep-00	4.5	6	-0.87	52	Jun-16	4.5	2.5	-0.98
19	Nov-00	4.5	5	-0.90	53	Nov-16	4.5	2.5	-0.98
20	Mar-01	4.5	5	-0.90	54	Jun-17	4.5	2.5	-0.98
21	May-01	4.5	5	-0.90	55	Nov-17	4.5	2.5	-0.98
22	Nov-01	4.5	2.5	-0.98	56	Jun-18	4.5	2.5	-0.98
23	Mar-02	4.5	2.5	-0.98	57	Nov-18	4.5	2.5	-0.98
24	May-02	4.5	6	-0.87	58	May-19	4.5	10	-0.75
25	Mar-03	4.5	2.5	-0.98	59	Nov-19	4.5	14	-0.62
26	Jun-03	4.5	2.5	-0.98	60	Jun-20	4.5	18	-0.50
27	Oct-03	4.5	5	-0.90	61	Nov-20	4.5	12	-0.68
28	Feb-04	4.5	2.5	-0.98					
29	Jun-04	4.5	2.5	-0.98					
30	Nov-04	4.5	15	-0.59					
31	Jun-05	4.5	9	-0.78					
32	Dec-05	4.5	2.5	-0.98					
33	Jun-06	4.5	2.5	-0.98					
34	Nov-06	4.5	2.5	-0.98					
35	Jun-07	4.5	2.5	-0.98					
36	Nov-07	4.5	9	-0.78					
37	Jun-08	4.5	2.5	-0.98					
38	Nov-08	4.5	2.5	-0.98					
39	Jun-09	4.5	2.5	-0.98					
40	Nov-09	4.5	2.5	-0.98					
41	Jun-10	4.5	2.5	-0.98					
42	Nov-10	4.5	2.5	-0.98					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault F - Zinc

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	190		
2	Aug-95	220		
3	Jun-96	10		
4	Aug-96	50	**101.24**	**83.60**
5	Nov-96	30		
6	Aug-97	20		
7	Nov-97	130		
8	Feb-98	160		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	130	0.34	43	Jun-11	4.5	20	-0.97
10	Aug-98	4.5	40	-0.73	44	Nov-11	4.5	2.5	-1.18
11	Nov-98	4.5	30	-0.85	45	Dec-12	4.5	12	-1.07
12	Mar-99	4.5	20	-0.97	46	Jun-13	4.5	6	-1.14
13	May-99	4.5	30	-0.85	47	Nov-13	4.5	2.5	-1.18
14	Jul-99	4.5	26	-0.90	48	Jun-14	4.5	2.5	-1.18
15	Oct-99	4.5	20	-0.97	49	Nov-14	4.5	8	-1.12
16	Mar-00	4.5	30	-0.85	50	Jun-15	4.5	9	-1.10
17	Jun-00	4.5	80	-0.25	51	Nov-15	4.5	6	-1.14
18	Sep-00	4.5	20	-0.97	52	Jun-16	4.5	6	-1.14
19	Nov-00	4.5	100	-0.01	53	Nov-16	4.5	2.5	-1.18
20	Mar-01	4.5	10	-1.09	54	Jun-17	4.5	2.5	-1.18
21	May-01	4.5	100	-0.01	55	Nov-17	4.5	2.5	-1.18
22	Nov-01	4.5	100	-0.01	56	Jun-18	4.5	6	-1.14
23	Mar-02	4.5	60	-0.49	57	Nov-18	4.5	2.5	-1.18
24	May-02	4.5	20	-0.97	58	May-19	4.5	2.5	-1.18
25	Mar-03	4.5	119	0.21	59	Nov-19	4.5	6	-1.14
26	Jun-03	4.5	2.5	-1.18	60	Jun-20	4.5	2.5	-1.18
27	Oct-03	4.5	66	-0.42	61	Nov-20	4.5	2.5	-1.18
28	Feb-04	4.5	30	-0.85					
29	Jun-04	4.5	10	-1.09					
30	Nov-04	4.5	8	-1.12					
31	Jun-05	4.5	17	-1.01					
32	Dec-05	4.5	62	-0.47					
33	Jun-06	4.5	9	-1.10					
34	Nov-06	4.5	10	-1.09					
35	Jun-07	4.5	8	-1.12					
36	Nov-07	4.5	11	-1.08					
37	Jun-08	4.5	2.5	-1.18					
38	Nov-08	4.5	15	-1.03					
39	Jun-09	4.5	10	-1.09					
40	Nov-09	4.5	11	-1.08					
41	Jun-10	4.5	17	-1.01					
42	Nov-10	4.5	14	-1.04					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault F - pH

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	6.8		
2	Aug-95	6.8		
3	Jun-96	6.8		
4	Aug-96	7.1	**6.73**	**0.31**
5	Nov-96	7		
6	Aug-97	6.1		
7	Nov-97	6.7		
8	Feb-98	6.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7.10	1.21	42	Jun-11	4.5	7.0	0.98
10	Aug-98	4.5	6.60	-0.40	43	Nov-11	4.5	6.93	0.66
11	Mar-99	4.5	6.80	0.24	44	Dec-12	4.5	6.69	-0.11
12	May-99	4.5	7.00	0.89	45	Jun-13	4.5	6.8	0.24
13	Jul-99	4.5	6.30	-1.37	46	Nov-13	4.5	6.83	0.34
14	Oct-99	4.5	6.30	-1.37	47	Jun-14	4.5	7.15	1.37
15	Mar-00	4.5	8.00	4.11	48	Nov-14	4.5	7.13	1.30
16	Jun-00	4.5	7.10	1.21	49	Jun-15	4.5	7.08	1.14
17	Sep-00	4.5	7.40	2.17	50	Nov-15	4.5	6.95	0.72
18	Nov-00	4.5	6.80	0.24	51	Jun-16	4.5	7.03	0.98
19	Mar-01	4.5	7.10	1.21	52	Nov-16	4.5	6.84	0.37
20	May-01	4.5	7.40	2.17	53	Jun-17	4.5	6.89	0.53
21	Nov-01	4.5	7.30	1.85	54	Nov-17	4.5	6.47	-0.82
22	Mar-02	4.5	6.90	0.56	55	Jun-18	4.5	6.75	0.08
23	May-02	4.5	7.20	1.53	56	Nov-18	4.5	7.2	1.53
24	Mar-03	4.5	6.80	0.24	57	May-19	4.5	7.13	1.30
25	Jun-03	4.5	6.90	0.56	58	Nov-19	4.5	7.2	1.53
26	Oct-03	4.5	6.90	0.56	59	Jun-20	4.5	7.23	1.63
27	Feb-04	4.5	7.10	1.21	60	Nov-20	4.5	6.72	-0.02
28	Jun-04	4.5	6.90	0.56					
29	Nov-04	4.5	7.10	1.21					
30	Jun-05	4.5	5.50	-3.94					
31	Dec-05	4.5	6.90	0.56					
32	Jun-06	4.5	6.72	-0.02					
33	Nov-06	4.5	7.04	1.01					
34	Jun-07	4.5	6.44	-0.92					
35	Nov-07	4.5	6.84	0.37					
36	Jun-08	4.5	6.86	0.43					
37	Nov-08	4.5	7.20	1.53					
38	Jun-09	4.5	7.08	1.14					
39	Nov-09	4.5	7.03	0.98					
40	Jun-10	4.5	7.02	0.95					
41	Nov-10	4.5	7.00	0.89					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault F - SpC

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	1400		
2	Aug-95	1100		
3	Jun-96	1600		
4	Aug-96	1500	**1,535.00**	**218.31**
5	Nov-96	1600		
6	Aug-97	1530		
7	Nov-97	1800		
8	Feb-98	1750		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	1400	-0.62	41	Jun-11	4.5	1642	0.49
10	Mar-99	4.5	982	-2.53	42	Nov-11	4.5	1651	0.53
11	May-99	4.5	1460	-0.34	43	Dec-12	4.5	1729	0.89
12	Jul-99	4.5	1262	-1.25	44	Jun-13	4.5	1759	1.03
13	Oct-99	4.5	1116	-1.92	45	Nov-13	4.5	1736	0.92
14	Mar-00	4.5	1250	-1.31	46	Jun-14	4.5	1710	0.80
15	Jun-00	4.5	1310	-1.03	47	Nov-14	4.5	1724	0.87
16	Sep-00	4.5	1440	-0.44	48	Jun-15	4.5	1669	0.61
17	Nov-00	4.5	1040	-2.27	49	Nov-15	4.5	1686	0.69
18	Mar-01	4.5	1110	-1.95	50	Jun-16	4.5	1640	0.48
19	May-01	4.5	1470	-0.30	51	Nov-16	4.5	1641	0.49
20	Nov-01	4.5	1110	-1.95	52	Jun-17	4.5	1675	0.64
21	Mar-02	4.5	1290	-1.12	53	Nov-17	4.5	1626	0.42
22	May-02	4.5	1200	-1.53	54	Jun-18	4.5	1685	0.69
23	Mar-03	4.5	1270	-1.21	55	Nov-18	4.5	1637	0.47
24	Jun-03	4.5	1300	-1.08	56	May-19	4.5	1563	0.13
25	Oct-03	4.5	1040	-2.27	57	Nov-19	4.5	1593	0.27
26	Feb-04	4.5	1920	1.76	58	Jun-20	4.5	1623	0.40
27	Jun-04	4.5	1300	-1.08	59	Nov-20	4.5	1347	-0.86
28	Nov-04	4.5	1160	-1.72					
29	Jun-05	4.5	1780	1.12					
30	Dec-05	4.5	1640	0.48					
31	Jun-06	4.5	1355	-0.82					
32	Nov-06	4.5	1610	0.34					
33	Jun-07	4.5	1640	0.48					
34	Nov-07	4.5	1600	0.30					
35	Jun-08	4.5	1510	-0.11					
36	Nov-08	4.5	1510	-0.11					
37	Jun-09	4.5	1530	-0.02					
38	Nov-09	4.5	1550	0.07					
39	Jun-10	4.5	1540	0.02					
40	Nov-10	4.5	1590	0.25					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean