


RACER Trust

SEMI-ANNUAL PROGRESS AND DATA REPORT

Second Half 2018

Former GM Delco Plant 5
Kokomo, Indiana

January 14, 2019



SEMI-ANNUAL PROGRESS AND DATA REPORT

Second Half 2018

Former GM Delco Plant 5
Kokomo, Indiana



Will Stephens, LPG
Staff Geologist

Prepared for:
Robert Hare
Cleanup Manager
RACER Trust
500 Woodward Avenue
Suite 2650
Detroit, MI 48226



Matthew Griles, LPG
Senior Geologist

Prepared by:
Arcadis
150 West Market Street
Suite 728
Indianapolis, IN 46204

Our Ref.:
IN000884.2018.00007

Date:
January 14, 2019



Sarah Fisher
Senior Scientist

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

CONTENTS

1	Introduction	2
2	Progress Report	2
3	Groundwater Gauging	2
4	Semi-Annual Groundwater Monitoring	3
4.1	Groundwater Sampling	3
4.2	Groundwater Results	3
5	Summary and Conclusions	4
6	References	5

TABLES

Table 1. Monitoring Well Groundwater Elevation Data

Table 2. Groundwater Analytical Data Summary Screened Against Drinking Water Criteria

Table 3. Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria

FIGURES

Figure 1. Potentiometric Surface –S1 Unit (September 12, 2018)

Figure 2. Potentiometric Surface –S2 Unit (September 12, 2018)

Figure 3. Groundwater Volatile Organic Compound Analytical Results Screened with MCLs

Figure 4. TCE Groundwater Concentration Contours – S1 Unit (October 4, 2018)

Figure 5. Off-Site Groundwater Volatile Organic Compound Analytical Results Screened with Vapor Intrusion Criteria

APPENDIX

A Second Half 2018 Progress Report

B Groundwater Analytical Reports and Data Validation Reports (Provided on CD)

1 INTRODUCTION

Arcadis U.S. Inc. (Arcadis) has prepared this Semi-Annual Progress and Data Report on behalf of the Revitalizing Auto Communities Environmental Response (RACER) Trust. This report summarizes the second half 2018 activities related to groundwater gauging and groundwater sampling activities at the Former GM Delco Plant 5 in Kokomo, Indiana (the Site).

2 PROGRESS REPORT

In accordance with Section VII, Paragraph 26.b of the Administrative Order on Consent (United States Environmental Protection Agency [USEPA] Docket No. RCRA-05-2011-0017), the Second Half 2018 Progress Report is included as Appendix A and provides a summary of work performed to date, data collected, problems encountered, project schedule, and percent project completed. On December 22, 2016, the USEPA approved a reduction in the reporting frequency for the progress reports from quarterly to semi-annually.

3 GROUNDWATER GAUGING

On September 12, 2018, Arcadis measured the depth to groundwater at 61 monitoring wells located in the upper two sand and gravel units (S1 Unit and S2 Unit) at the Site. Monitoring well MW-0609-S1 could not be located during the gauging event due to vegetation and debris covering the monitoring well. The groundwater gauging data presented in Table 1 were used to calculate groundwater elevations at each of the monitoring wells. The groundwater elevation contours in the S1 Unit are provided as Figure 1. The groundwater elevation contours in the S2 Unit are provided as Figure 2.

Potentiometric Data for S1 and S2 Units – September 2018		
Sand and Gravel Unit	Potentiometric Surface Elevation (ft amsl)	General Gradient Direction
S1 Unit	811.99 to 817.55	East-Southeast
S2 Unit	814.28 to 814.59	South-Southeast

ft amsl = feet above mean sea level

Groundwater in both the S1 Unit and S2 Unit are confined by overlying clay till units. Groundwater flow directions within the S1 Unit and S2 Unit are consistent with previously observed groundwater contours and with those used in groundwater modeling previously performed by Arcadis. The groundwater gradient in the S1 Unit is relatively flat across the site; however, the gradient becomes increasingly steep towards the east. The groundwater gradient in the S2 Unit is minimal, with less than 0.5 feet difference in head observed between the northern and southern portions of the Site. Arcadis will continue to evaluate the groundwater potentiometric surfaces and monitor flow directions for both the S1 Unit and S2 Unit through future gauging events.

4 SEMI-ANNUAL GROUNDWATER MONITORING

4.1 Groundwater Sampling

On September 12, 2018, Arcadis deployed Passive Diffusion Bags (PDBs) in 34 monitoring wells screened in the S1 Unit to evaluate Site-wide groundwater conditions.

Prior to deploying the PDBs, depth to groundwater and total depth of the monitoring wells were measured. Each PDB was connected to a dedicated line in the monitoring well to ensure placement in the center of the screen. The PDBs were allowed to equilibrate inside each monitoring well for a minimum of 3-weeks prior to sampling.

Groundwater samples were collected on October 4, 2018. The PDBs were removed from the monitoring wells and groundwater samples were collected via a dedicated straw directly into laboratory-supplied containers. All containers were immediately sealed, labeled, placed in an ice-packed cooler, and transported to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana. The groundwater samples were analyzed for VOCs in accordance with the USEPA SW-846, Method 8260.

4.2 Groundwater Results

VOC analytical results for groundwater samples collected during the reporting period are presented in Table 2. Only analytes that have been detected at concentrations higher than the laboratory reporting limits during one or more monitoring events are presented in Table 2 and include:

- 1,1,1-trichloroethane (1,1,1-TCA)
- 1,1-dichloroethane (1,1-DCA)
- 1,1-dichloroethene (1,1-DCE)
- Acetone
- Benzene
- Chloroform
- cis-1,2-dichloroethene (cis-1,2-DCE)
- Cyclohexane
- Methylene chloride
- Tetrachloroethene (PCE)
- Toluene
- trans-1,2-dichloroethene (trans-1,2-DCE)
- Trichloroethene (TCE)
- Vinyl chloride (VC)

The analytical results were compared to Drinking Water Screening Criteria (Maximum Contaminant Levels (MCLs) or the Indiana Department of Environmental Management (IDEM) Remediation Closure Guide (RCG) Tap Water Criteria, where MCLs are not established). The analytical results are presented on Figure 3. The laboratory analytical reports, along with the validation summaries, are provided in Appendix B.

Based on the groundwater data collected during the second half 2018, 1,1-DCE; cis-1,2-DCE; trans-1,2-DCE; TCE; and vinyl chloride were detected at concentrations higher than their respective Drinking Water Screening Criteria in 17 monitoring wells screened in the S1 Unit, four of which are off-site (MW-0606-S1, MW-0612-S1, MW-0704-S1, and MW-0705-S1). Since TCE is the primary constituent of concern at the site, Figure 4 presents groundwater isoconcentration contours for TCE in the S1 Unit.

Off-site groundwater analytical results from the S1 Unit were compared to site-specific Groundwater Vapor Intrusion Screening Criteria, as presented in Table 3 and shown on Figure 5. These criteria have

been established for two conditions off site: residential and commercial/industrial. The screening criteria were calculated following an approach described in the IDEM 2013 RCG and detailed in the Risk Assessment Addendum to CMP Amendment (Arcadis 2014). The TCE concentration observed at monitoring well MW-0606-S1 (1,960 µg/L) exceeded the site-specific Groundwater Vapor Intrusion Screening Criteria for Off-site Residential (1,540 µg/L) but did not exceed to the site-specific Off-site Commercial/Industrial (2,150 µg/L). The TCE concentration observed at monitoring well MW-0612-S1 (4,180 µg/L) exceeded the site-specific Off-site Commercial/Industrial concentration criteria. No other constituents were detected at concentrations greater than or equal to the Groundwater Vapor Intrusion Screening Criteria.

5 SUMMARY AND CONCLUSIONS

During the second half 2018 groundwater sampling event, concentrations of site-specific constituents of concern were higher than the Drinking Water Screening Criteria in 17 of the 34 monitoring wells sampled in the S1 Unit, with four of those monitoring wells located off-site. The TCE concentration detected in groundwater from monitoring well MW-0612-S1 (4,180 µg/L), located immediately east of the Site, exceeded both the site-specific Groundwater Vapor Intrusion Screening Criteria for Off-site Residential and Off-site Commercial/Industrial.

Groundwater concentrations in the S1 Unit are relatively similar to past monitoring events with the following exceptions:

- MW-0101-S1U –The TCE concentration was lower than previous sampling events with a notable increase in cis-1,2-DCE indicating continued reduction of TCE.
- MW-0517-S1 – The TCE concentration was significantly lower than previous sampling events; however, the cis-1,2-DCE concentrations increase slightly, indicating continued reduction of TCE
- MW-0604-S1 – Concentrations of TCE, cis-1,2-DCE, trans-1,2-DCE, and vinyl chloride remained lower than previous sampling events. Historically, the results have appeared to have a seasonality (higher concentrations in the spring, lower concentrations in the fall); however, in September 2018, the concentrations remained consistent with the 2018 spring event.
- The S1 Unit groundwater isoconcentration contours for TCE remain relatively stable.

A semi-annual groundwater sampling event for S1 Unit monitoring wells will be conducted during the first half of 2019 to continue to support evaluation of potential corrective measures and potential risks associated with the groundwater.

Routine monitoring of groundwater in the S2 Unit was not completed and is not planned for this Site in 2019 since there are no completed pathways for groundwater exposure; however, it is recommended to resample the monitoring wells in the S2 Unit at a periodic frequency (every two years) to continue to evaluate the degradation of the CVOC impacts. Additionally, select MW-15 series monitoring wells will be monitored on a semi-annual basis.

6 REFERENCES

Arcadis. 2014. Risk Assessment Addendum to CMP Amendment. Former GM Delco Plant 5, Kokomo, Indiana. June.

IDEM. 2012. Remediation Closure Guide. Office of Land Quality. March 22 with corrections through July 9.

USEPA. 2011. Administrative Order on Consent (USEPA Docket No. RCRA-05-2011-0017), Remediation and Reuse Branch, Land and Chemicals Division. September 2011.

TABLES



Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0101-P1	11/15/2004	8.13	9.85	826.36	818.23
MW-0101-P1	10/25/2005	9.51	9.98	826.36	816.85
MW-0101-P1	3/24/2006	Abandoned Well			
MW-0101-S1U	11/15/2004	11.15	17.50	826.36	815.21
MW-0101-S1U	10/25/2005	12.02	17.51	826.36	814.34
MW-0101-S1U	3/24/2006	10.52	17.23	826.36	815.84
MW-0101-S1U	3/31/2006	9.75	17.23	826.36	816.61
MW-0101-S1U	4/28/2006	10.42	NM	826.36	815.94
MW-0101-S1U	12/5/2006	9.13	17.51	826.36	817.23
MW-0101-S1U	3/8/2007	10.21	17.51	826.36	816.15
MW-0101-S1U	1/16/2008	10.69	17.61	826.36	815.67
MW-0101-S1U	11/11/2008	14.31	17.46	826.36	812.05
MW-0101-S1U	2/17/2009	12.66	NM	826.36	813.70
MW-0101-S1U	6/12/2009	11.18	NM	826.36	815.18
MW-0101-S1U	3/29/2012	11.23	17.70	826.36	815.13
MW-0101-S1U	10/9/2012	13.76	17.50	826.36	812.60
MW-0101-S1U	3/12/2013	11.73	17.50	826.36	814.63
MW-0101-S1U	9/24/2013	12.70	17.76	826.36	813.66
MW-0101-S1U	4/22/2014	11.46	17.66	826.36	814.90
MW-0101-S1U	9/3/2014	13.09	17.64	826.36	813.27
MW-0101-S1U	3/10/2015	12.03	16.64	826.36	814.33
MW-0101-S1U	9/8/2015	12.10	17.45	826.36	814.26
MW-0101-S1U	3/10/2016	11.68	17.77	826.36	814.68
MW-0101-S1U	9/7/2016	12.47	17.64	826.36	813.89
MW-0101-S1U	11/16/2016	12.63	NM	826.36	813.73
MW-0101-S1U	3/3/2017	11.22	17.37	825.74	814.52
MW-0101-S1U	9/6/2017	11.69	17.61	825.74	814.05
MW-0101-S1U	3/6/2018	10.19	17.85	825.74	815.55
MW-0101-S1U	9/12/2018	10.14	17.62	825.74	815.60
MW-0102-S1U	11/15/2004	11.10	26.00	826.36	815.26
MW-0102-S1U	9/20/2005	12.28	26.14	826.36	814.08
MW-0102-S1U	10/20/2005	12.12	26.28	826.36	814.24
MW-0102-S1U	10/25/2005	12.03	26.28	826.36	814.33
MW-0102-S1U	3/22/2006	10.50	25.90	826.36	815.86
MW-0102-S1U	3/31/2006	9.73	25.90	826.36	816.63
MW-0102-S1U	4/28/2006	10.47	NM	826.36	815.89
MW-0102-S1U	12/5/2006	9.33	NM	826.36	817.03
MW-0102-S1U	3/8/2007	10.32	26.28	826.36	816.04
MW-0102-S1U	1/16/2008	11.00	26.40	826.36	815.36
MW-0102-S1U	11/11/2008	14.33	26.26	826.36	812.03
MW-0102-S1U	2/17/2009	12.51	NM	826.36	813.85
MW-0102-S1U	6/12/2009	11.18	NM	826.36	815.18
MW-0102-S1U	3/29/2012	11.25	26.43	826.36	815.11
MW-0102-S1U	10/9/2012	13.76	26.25	826.36	812.60
MW-0102-S1U	3/12/2013	11.91	26.15	826.36	814.45

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0102-S1U	9/24/2013	12.74	26.41	826.36	813.62
MW-0102-S1U	4/22/2014	11.45	26.37	826.36	814.91
MW-0102-S1U	9/3/2014	13.06	26.40	826.36	813.30
MW-0102-S1U	3/10/2015	12.02	26.38	826.36	814.34
MW-0102-S1U	9/8/2015	12.15	26.21	826.36	814.21
MW-0102-S1U	3/10/2016	11.63	27.46	826.36	814.73
MW-0102-S1U	9/7/2016	12.39	26.41	826.36	813.97
MW-0102-S1U	11/16/2016	12.66	NM	826.36	813.70
MW-0102-S1U	3/3/2017	11.17	26.12	825.63	814.46
MW-0102-S1U	9/6/2017	11.70	26.38	825.63	813.93
MW-0102-S1U	3/6/2018	10.23	26.43	825.63	813.93
MW-0102-S1U	9/12/2018	10.12	26.34	825.63	815.51
MW-0103-S1U	10/25/2005	13.47	NM	828.15	814.68
MW-0103-S1U	11/15/2005	12.60	20.00	828.15	815.55
MW-0103-S1U	3/22/2006	12.03	19.76	828.15	816.12
MW-0103-S1U	3/31/2006	11.26	19.76	828.15	816.89
MW-0103-S1U	4/28/2006	11.91	NM	828.15	816.24
MW-0103-S1U	12/5/2006	10.70	19.77	828.15	817.45
MW-0103-S1U	3/8/2007	11.71	19.76	828.15	816.44
MW-0103-S1U	1/16/2008	12.46	19.89	828.15	815.69
MW-0103-S1U	11/11/2008	15.87	19.81	828.15	812.28
MW-0103-S1U	2/17/2009	14.06	NM	828.15	814.09
MW-0103-S1U	6/12/2009	12.63	NM	828.15	815.52
MW-0103-S1U	10/9/2012	15.30	19.66	828.15	812.85
MW-0103-S1U	3/12/2013	13.47	19.66	828.15	814.68
MW-0103-S1U	9/24/2013	14.29	19.75	828.15	813.86
MW-0103-S1U	4/22/2014	12.94	19.74	828.15	815.21
MW-0103-S1U	9/3/2014	14.59	19.62	828.15	813.56
MW-0103-S1U	3/10/2015	13.55	19.65	828.15	814.60
MW-0103-S1U	9/8/2015	13.57	19.64	828.15	814.58
MW-0103-S1U	3/10/2016	13.08	19.73	828.15	815.07
MW-0103-S1U	9/7/2016	13.90	19.72	828.15	814.25
MW-0103-S1U	11/16/2016	14.19	NM	828.15	813.96
MW-0103-S1U	3/3/2017	12.71	19.75	827.57	814.86
MW-0103-S1U	9/6/2017	13.18	19.68	827.57	814.39
MW-0103-S1U	3/6/2018	11.62	19.67	827.57	815.95
MW-0103-S1U	9/12/2018	11.58	19.61	827.57	815.99
MW-0501-P1	9/20/2005	12.09	18.85	828.62	816.53
MW-0501-P1	10/18/2005	13.22	18.95	828.62	815.40
MW-0501-P1	10/25/2005	12.97	18.95	828.62	815.65
MW-0501-P1	3/22/2006	12.67	18.95	828.62	815.95
MW-0501-P1	3/31/2006	11.84	18.95	828.62	816.78
MW-0501-P1	4/28/2006	11.29	NM	828.62	817.33
MW-0501-P1	12/5/2006	10.46	18.69	828.62	818.16

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0501-P1	3/8/2007	10.79	18.71	828.62	817.83
MW-0501-P1	1/16/2008	11.82	18.80	828.62	816.80
MW-0501-P1	11/11/2008	14.48	18.71	828.62	814.14
MW-0501-P1	2/17/2009	11.93	NM	828.62	816.69
MW-0501-S1	3/22/2006	12.18	34.39	828.65	816.47
MW-0501-S1	3/31/2006	11.41	34.39	828.65	817.24
MW-0501-S1	4/28/2006	12.07	NM	828.65	816.58
MW-0501-S1	12/5/2006	10.84	33.95	828.65	817.81
MW-0501-S1	3/8/2007	11.90	33.74	828.65	816.75
MW-0501-S1	1/16/2008	12.67	33.95	828.65	815.98
MW-0501-S1	11/11/2008	16.10	33.60	828.65	812.55
MW-0501-S1	2/17/2009	14.44	NM	828.65	814.21
MW-0501-S1	6/12/2009	12.77	NM	828.65	815.88
MW-0501-S1	4/13/2010	12.52	33.33	828.65	816.13
MW-0501-S1	9/5/2010	15.30	33.00	828.65	813.35
MW-0501-S1	4/20/2011	12.12	32.98	828.65	816.53
MW-0501-S1	9/27/2011	13.26	33.14	828.65	815.39
MW-0501-S1	3/29/2012	12.89	33.11	828.65	815.76
MW-0501-S1	10/9/2012	15.59	32.95	828.65	813.06
MW-0501-S1	3/12/2013	13.73	32.95	828.65	814.92
MW-0501-S1	9/24/2013	14.48	33.00	828.65	814.17
MW-0501-S1	4/22/2014	13.08	32.99	828.65	815.57
MW-0501-S1	9/3/2014	14.82	32.94	828.65	813.83
MW-0501-S1	3/10/2015	13.78	32.86	828.65	814.87
MW-0501-S1	9/8/2015	13.92	32.60	828.65	814.73
MW-0501-S1	3/10/2016	13.34	32.84	828.65	815.31
MW-0501-S1	9/7/2016	14.11	32.85	828.65	814.54
MW-0501-S1	11/16/2016	14.45	NM	828.65	814.20
MW-0501-S1	3/3/2017	12.89	32.51	827.92	815.03
MW-0501-S1	9/6/2017	13.37	32.71	827.92	814.55
MW-0501-S1	3/6/2018	11.81	32.71	827.92	816.11
MW-0501-S1	9/12/2018	11.71	32.62	827.92	816.21
MW-0501-S2	10/18/2005	14.87	76.30	828.75	813.88
MW-0501-S2	10/25/2005	15.02	76.30	828.75	813.73
MW-0501-S2	3/21/2006	12.83	76.30	828.75	815.92
MW-0501-S2	3/31/2006	11.98	76.30	828.75	816.77
MW-0501-S2	4/28/2006	12.00	NM	828.75	816.75
MW-0501-S2	12/5/2006	9.83	76.13	828.75	818.92
MW-0501-S2	3/8/2007	11.79	76.09	828.75	816.96
MW-0501-S2	1/16/2008	14.80	76.20	828.75	813.95
MW-0501-S2	11/11/2008	21.21	76.12	828.75	807.54
MW-0501-S2	2/17/2009	17.60	NM	828.75	811.15
MW-0501-S2	6/12/2009	15.49	NM	828.75	813.26

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0501-S2	4/13/2010	14.37	76.12	828.75	814.38
MW-0501-S2	9/5/2010	19.74	76.11	828.75	809.01
MW-0501-S2	4/20/2011	15.01	76.00	828.75	813.74
MW-0501-S2	9/27/2011	17.44	75.24	828.75	811.31
MW-0501-S2	3/29/2012	14.62	76.21	828.75	814.13
MW-0501-S2	10/9/2012	20.48	76.15	828.75	808.27
MW-0501-S2	3/12/2013	15.08	76.15	828.75	813.67
MW-0501-S2	9/24/2013	17.93	76.20	828.75	810.82
MW-0501-S2	4/22/2014	15.80	77.48	828.75	812.95
MW-0501-S2	9/3/2014	19.70	77.62	828.75	809.05
MW-0501-S2	3/10/2015	17.08	NM	828.75	811.67
MW-0501-S2	9/8/2015	15.21	74.02	828.75	813.54
MW-0501-S2	3/10/2016	15.33	76.24	828.75	813.42
MW-0501-S2	9/7/2016	18.36	76.25	828.75	810.39
MW-0501-S2	11/16/2016	16.55	NM	828.75	812.20
MW-0501-S2	3/3/2017	13.88	76.05	828.08	814.20
MW-0501-S2	9/6/2017	16.21	76.20	828.08	811.87
MW-0501-S2	3/6/2018	12.96	76.23	828.08	815.12
MW-0501-S2	9/12/2018	13.58	76.10	828.08	814.50
MW-0501-S3	10/20/2005	15.00	94.98	828.78	813.78
MW-0501-S3	10/25/2005	15.04	94.98	828.78	813.74
MW-0501-S3	3/21/2006	12.81	94.98	828.78	815.97
MW-0501-S3	3/31/2006	12.06	94.98	828.78	816.72
MW-0501-S3	4/28/2006	12.02	NM	828.78	816.76
MW-0501-S3	12/5/2006	10.48	94.75	828.78	818.30
MW-0501-S3	3/8/2007	11.86	94.64	828.78	816.92
MW-0501-S3	1/16/2008	14.86	94.80	828.78	813.92
MW-0501-S3	11/11/2008	21.27	94.85	828.78	807.51
MW-0501-S3	2/17/2009	17.68	NM	828.78	811.10
MW-0501-S3	6/12/2009	15.58	NM	828.78	813.20
MW-0501-S3	4/13/2010	14.42	94.73	828.78	814.36
MW-0501-S3	9/5/2010	19.82	96.05	828.78	808.96
MW-0501-S3	4/20/2011	15.11	94.60	828.78	813.67
MW-0501-S3	9/27/2011	17.44	94.90	828.78	811.34
MW-0501-S3	10/9/2012	14.20		828.78	814.58
MW-0501-S3	8/24/2015	Abandoned Well			
MW-0502-S1	9/20/2005	12.20	32.59	826.34	814.14
MW-0502-S1	10/19/2005	11.91	32.78	826.34	814.43
MW-0502-S1	10/25/2005	11.91	32.78	826.34	814.43
MW-0502-S1	3/24/2006	10.41	32.54	826.34	815.93
MW-0502-S1	3/31/2006	9.64	32.54	826.34	816.70
MW-0502-S1	4/28/2006	10.32	NM	826.34	816.02
MW-0502-S1	12/5/2006	9.25	NM	826.34	817.09
MW-0502-S1	3/8/2007	10.12	32.50	826.34	816.22

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0502-S1	1/16/2008	10.95	32.62	826.34	815.39
MW-0502-S1	11/11/2008	14.22	32.40	826.34	812.12
MW-0502-S1	2/17/2009	12.54	NM	826.34	813.80
MW-0502-S1	6/12/2009	11.04	NM	826.34	815.30
MW-0502-S1	4/13/2010	10.78	32.55	826.34	815.56
MW-0502-S1	9/5/2010	13.46	32.60	826.34	812.88
MW-0502-S1	4/20/2011	10.29	32.45	826.34	816.05
MW-0502-S1	9/27/2011	11.44	32.65	826.34	814.90
MW-0502-S1	3/29/2012	11.08	32.61	826.34	815.26
MW-0502-S1	10/9/2012	13.65	32.51	826.34	812.69
MW-0502-S1	3/12/2013	11.73	32.51	826.34	814.61
MW-0502-S1	9/24/2013	12.62	32.63	826.34	813.72
MW-0502-S1	4/22/2014	11.35	32.62	826.34	814.99
MW-0502-S1	9/3/2014	12.96	32.66	826.34	813.38
MW-0502-S1	3/10/2015	11.90	32.63	826.34	814.44
MW-0502-S1	9/8/2015	12.02	32.39	826.34	814.32
MW-0502-S1	3/10/2016	11.51	32.62	826.34	814.83
MW-0502-S1	9/7/2016	12.26	32.55	826.34	814.08
MW-0502-S1	11/16/2016	12.51	NM	826.34	813.83
MW-0502-S1	3/3/2017	11.08	31.95	825.72	814.64
MW-0502-S1	9/6/2017	11.58	32.19	825.72	814.14
MW-0502-S1	3/6/2018	10.04	32.22	825.72	815.68
MW-0502-S1	9/12/2018	10.02	32.15	825.72	815.70
MW-0503-S1	10/18/2005	12.51	32.57	826.82	814.31
MW-0503-S1	10/25/2005	12.51	32.57	826.82	814.31
MW-0503-S1	3/24/2006	11.09	32.27	826.82	815.73
MW-0503-S1	3/31/2006	10.32	32.27	826.82	816.50
MW-0503-S1	4/28/2006	11.00	NM	826.82	815.82
MW-0503-S1	12/5/2006	9.84	NM	826.82	816.98
MW-0503-S1	3/8/2007	10.80	32.32	826.82	816.02
MW-0503-S1	1/16/2008	11.57	32.42	826.82	815.25
MW-0503-S1	11/11/2008	14.75	32.20	826.82	812.07
MW-0503-S1	2/17/2009	12.96	NM	826.82	813.86
MW-0503-S1	6/12/2009	11.68	NM	826.82	815.14
MW-0503-S1	4/13/2010	11.46	32.16	826.82	815.36
MW-0503-S1	9/5/2010	14.04	32.00	826.82	812.78
MW-0503-S1	4/20/2011	10.87	31.98	826.82	815.95
MW-0503-S1	9/27/2011	11.99	32.35	826.82	814.83
MW-0503-S1	3/29/2012	11.77	32.40	826.82	815.05
MW-0503-S1	10/9/2012	14.20	31.91	826.82	812.62
MW-0503-S1	3/12/2013	12.35	31.91	826.82	814.47
MW-0503-S1	9/24/2013	13.20	32.30	826.82	813.62
MW-0503-S1	4/22/2014	11.95	31.87	826.82	814.87
MW-0503-S1	9/3/2014	13.51	31.96	826.82	813.31
MW-0503-S1	3/10/2015	12.49	31.56	826.82	814.33

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0503-S1	9/8/2015	12.62	31.20	826.82	814.2
MW-0503-S1	3/10/2016	12.11	31.32	826.82	814.71
MW-0503-S1	9/7/2016	12.80	13.34	826.82	814.02
MW-0503-S1	11/16/2016	13.13	NM	826.82	813.69
MW-0503-S1	3/3/2017	10.73	30.90	826.25	814.52
MW-0503-S1	9/6/2017	12.20	30.94	826.25	814.05
MW-0503-S1	3/6/2018	10.73	30.94	826.25	815.52
MW-0503-S1	9/12/2018	10.66	30.80	826.25	815.59
MW-0503-S2	10/18/2005	13.28	68.33	826.81	813.53
MW-0503-S2	10/25/2005	13.27	68.33	826.81	813.54
MW-0503-S2	3/24/2006	10.38	68.05	826.81	816.43
MW-0503-S2	3/31/2006	9.53	68.05	826.81	817.28
MW-0503-S2	4/28/2006	10.51	NM	826.81	816.30
MW-0503-S2	12/5/2006	9.06	NM	826.81	817.75
MW-0503-S2	3/8/2007	10.28	68.13	826.81	816.53
MW-0503-S2	1/16/2008	12.92	68.30	826.81	813.89
MW-0503-S2	11/11/2008	18.80	68.19	826.81	808.01
MW-0503-S2	2/17/2009	15.41	NM	826.81	811.40
MW-0503-S2	6/12/2009	13.57	NM	826.81	813.24
MW-0503-S2	3/10/2016	13.46	NM	826.81	813.35
MW-0503-S2	9/7/2016	14.76	67.89	826.81	812.05
MW-0503-S2	11/16/2016	14.69	NM	826.81	812.12
MW-0503-S2	3/3/2017	12.30	68.37	826.25	813.95
MW-0503-S2	9/6/2017	14.29	68.23	826.25	811.96
MW-0503-S2	3/7/2018	11.32	68.76	826.25	814.93
MW-0503-S2	9/12/2018	11.71	68.20	826.25	814.54
MW-0504-I2	10/18/2005	19.66	39.87	826.51	806.85
MW-0504-I2	10/25/2005	13.03	39.87	826.51	813.48
MW-0504-I2	3/27/2006	11.53	39.61	826.51	814.98
MW-0504-I2	3/31/2006	10.71	39.61	826.51	815.80
MW-0504-I2	4/28/2006	11.19	NM	826.51	815.32
MW-0504-I2	12/5/2006	10.08	NM	826.51	816.43
MW-0504-I2	3/8/2007	11.60	39.65	826.51	814.91
MW-0504-I2	1/16/2008	11.67	39.80	826.51	814.84
MW-0504-I2	11/11/2008	14.84	39.71	826.51	811.67
MW-0504-I2	2/17/2009	12.99	NM	826.51	813.52
MW-0504-S1	9/20/2005	12.51	29.73	826.15	813.64
MW-0504-S1	10/18/2005	12.25	29.19	826.15	813.90
MW-0504-S1	10/25/2005	12.23	29.19	826.15	813.92
MW-0504-S1	3/27/2006	11.10	28.69	826.15	815.05
MW-0504-S1	3/31/2006	10.33	28.69	826.15	815.82
MW-0504-S1	4/28/2006	10.88	NM	826.15	815.27
MW-0504-S1	12/5/2006	10.78	NM	826.15	815.37

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0504-S1	3/8/2007	10.68	30.82	826.15	815.47
MW-0504-S1	1/16/2008	11.25	30.90	826.15	814.90
MW-0504-S1	11/11/2008	14.40	30.76	826.15	811.75
MW-0504-S1	2/17/2009	12.58	NM	826.15	813.57
MW-0504-S1	6/12/2009	11.51	NM	826.15	814.64
MW-0504-S1	10/9/2012	13.84	30.71	826.15	812.31
MW-0504-S1	3/12/2013	12.02	30.71	826.15	814.13
MW-0504-S1	9/24/2013	12.90	30.98	826.15	813.25
MW-0504-S1	4/22/2014	11.81	30.91	826.15	814.34
MW-0504-S1	9/3/2014	13.21	31.71	826.15	812.94
MW-0504-S1	3/10/2015	12.22	30.55	826.15	813.93
MW-0504-S1	9/8/2015	12.38	30.15	826.15	813.77
MW-0504-S1	3/10/2016	11.84	30.76	826.15	814.31
MW-0504-S1	9/7/2016	12.58	30.50	826.15	813.57
MW-0504-S1	11/16/2016	12.80	NM	826.15	813.35
MW-0504-S1	3/3/2017	11.49	29.93	825.55	814.06
MW-0504-S1	9/6/2017	11.96	30.40	825.55	813.59
MW-0504-S1	3/6/2018	10.83	30.05	825.55	814.72
MW-0504-S1	9/12/2018	10.58	30.03	825.55	814.97
MW-0504-S2	3/27/2006	10.23	60.45	826.41	816.18
MW-0504-S2	3/31/2006	9.38	60.45	826.41	817.03
MW-0504-S2	4/28/2006	10.11	NM	826.41	816.30
MW-0504-S2	12/5/2006	8.70	NM	826.41	817.71
MW-0504-S2	3/8/2007	10.00	60.52	826.41	816.41
MW-0504-S2	1/16/2008	12.50	60.63	826.41	813.91
MW-0504-S2	11/11/2008	18.46	60.55	826.41	807.95
MW-0504-S2	2/17/2009	14.97	NM	826.41	811.44
MW-0504-S2	6/12/2009	13.14	NM	826.41	813.27
MW-0504-S2	3/10/2016	13.06	NM	826.41	813.35
MW-0504-S2	9/7/2016	15.76	60.43	826.41	810.65
MW-0504-S2	11/16/2016	14.31	NM	826.41	812.10
MW-0504-S2	3/3/2017	11.89	60.48	825.77	813.88
MW-0504-S2	9/6/2017	12.28	39.85	825.77	813.49
MW-0504-S2	3/6/2018	11.49	39.87	825.77	814.28
MW-0504-S2	9/12/2018	11.35	60.68	825.77	814.42
MW-0505-B1	12/5/2006	8.69	NM	826.5	817.81
MW-0505-B1	3/8/2007	8.98	83.90	826.5	817.52
MW-0505-B1	1/16/2008	11.56	83.95	826.5	814.94
MW-0505-B1	11/11/2008	17.51	83.90	826.5	808.99
MW-0505-B1	2/17/2009	14.06	NM	826.5	812.44
MW-0505-B1	6/12/2009	12.18	NM	826.5	814.32
MW-0505-B1	4/13/2010	11.21	83.97	826.5	815.29
MW-0505-B1	9/5/2010	16.22	84.00	826.5	810.28

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0505-B1	4/20/2011	11.65	83.82	826.5	814.85
MW-0505-B1	9/27/2011	14.56	84.08	826.5	811.94
MW-0505-B1	9/3/2015	Abandoned Well			
MW-0505-S1	9/20/2005	11.42	39.00	825.44	814.02
MW-0505-S1	10/19/2005	11.19	40.28	825.44	814.25
MW-0505-S1	10/25/2005	11.16	40.28	825.44	814.28
MW-0505-S1	3/23/2006	9.70	40.00	825.44	815.74
MW-0505-S1	3/31/2006	8.93	40.00	825.44	816.51
MW-0505-S1	4/28/2006	9.69	NM	825.44	815.75
MW-0505-S1	12/5/2006	8.52	NM	825.44	816.92
MW-0505-S1	3/8/2007	9.48	40.71	825.44	815.96
MW-0505-S1	1/16/2008	10.15	40.80	825.44	815.29
MW-0505-S1	11/11/2008	13.46	40.65	825.44	811.98
MW-0505-S1	2/17/2009	11.63	NM	825.44	813.81
MW-0505-S1	6/12/2009	10.34	NM	825.44	815.10
MW-0505-S1	10/9/2012	12.47	40.67	825.44	812.97
MW-0505-S1	3/12/2013	11.02	40.67	825.44	814.42
MW-0505-S1	9/24/2013	11.85	40.84	825.44	813.59
MW-0505-S1	4/22/2014	10.64	40.41	825.44	814.80
MW-0505-S1	9/3/2014	12.20	40.80	825.44	813.24
MW-0505-S1	3/10/2015	11.17	40.75	825.44	814.27
MW-0505-S1	9/8/2015	11.30	40.52	825.44	814.14
MW-0505-S1	3/10/2016	10.77	40.75	825.44	814.67
MW-0505-S1	9/7/2016	11.53	40.71	825.44	813.91
MW-0505-S1	11/16/2016	11.78	NM	825.44	813.66
MW-0505-S1	3/3/2017	10.37	40.42	824.79	814.42
MW-0505-S1	9/6/2017	10.82	40.62	824.79	813.97
MW-0505-S1	3/6/2018	9.41	40.59	824.79	815.38
MW-0505-S1	9/12/2018	9.30	40.60	824.79	815.49
MW-0505-S2	10/19/2005	12.37	67.63	825.06	812.69
MW-0505-S2	10/25/2005	11.42	67.63	825.06	813.64
MW-0505-S2	3/23/2006	9.59	67.32	825.06	815.47
MW-0505-S2	3/31/2006	8.74	67.32	825.06	816.32
MW-0505-S2	4/28/2006	9.65	NM	825.06	815.41
MW-0505-S2	12/5/2006	7.27	NM	825.06	817.79
MW-0505-S2	3/8/2007	8.55	67.45	825.06	816.51
MW-0505-S2	1/16/2008	11.10	67.50	825.06	813.96
MW-0505-S2	11/11/2008	17.04	67.45	825.06	808.02
MW-0505-S2	2/17/2009	13.63	NM	825.06	811.43
MW-0505-S2	6/12/2009	11.76	NM	825.06	813.30
MW-0505-S2	4/13/2010	11.74	67.38	825.06	813.32
MW-0505-S2	9/5/2010	15.76	67.50	825.06	809.30
MW-0505-S2	4/20/2011	11.23	67.35	825.06	813.83
MW-0505-S2	9/27/2011	13.51	67.60	825.06	811.55

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0505-S2	3/29/2012	11.03	67.55	825.06	814.03
MW-0505-S2	10/9/2012	16.46	67.46	825.06	808.60
MW-0505-S2	3/12/2013	11.58	67.46	825.06	813.48
MW-0505-S2	9/24/2013	14.10	67.52	825.06	810.96
MW-0505-S2	4/22/2014	11.99	67.59	825.06	813.07
MW-0505-S2	9/3/2014	15.65	68.81	825.06	809.41
MW-0505-S2	3/10/2015	13.18	NM	825.06	811.88
MW-0505-S2	9/8/2015	13.60	67.43	825.06	811.46
MW-0505-S2	3/10/2016	11.63	NM	825.06	813.43
MW-0505-S2	9/7/2016	14.17	67.56	825.06	810.89
MW-0505-S2	11/16/2016	12.87	NM	825.06	812.19
MW-0505-S2	3/3/2017	10.46	67.39	824.41	813.95
MW-0505-S2	9/6/2017	12.48	67.58	824.41	811.93
MW-0505-S2	3/6/2018	9.49	67.58	824.41	814.92
MW-0505-S2	9/12/2018	9.98	67.52	824.41	814.43
MW-0506-I2	10/19/2005	24.10	47.56	827.18	803.08
MW-0506-I2	10/25/2005	22.82	47.56	827.18	804.36
MW-0506-I2	3/27/2006	17.97	47.27	827.18	809.21
MW-0506-I2	3/31/2006	17.15	47.27	827.18	810.03
MW-0506-I2	4/28/2006	20.02	NM	827.18	807.16
MW-0506-I2	12/5/2006	19.82	NM	827.18	807.36
MW-0506-I2	3/8/2007	15.48	47.35	827.18	811.70
MW-0506-I2	1/16/2008	14.57	47.50	827.18	812.61
MW-0506-I2	11/11/2008	15.71	47.38	827.18	811.47
MW-0506-I2	2/17/2009	16.63	NM	827.18	810.55
MW-0506-S1	10/19/2005	13.11	34.84	826.88	813.77
MW-0506-S1	10/25/2005	13.11	34.84	826.88	813.77
MW-0506-S1	3/27/2006	11.96	34.55	826.88	814.92
MW-0506-S1	3/31/2006	11.19	34.55	826.88	815.69
MW-0506-S1	4/28/2006	11.76	NM	826.88	815.12
MW-0506-S1	12/5/2006	10.72	NM	826.88	816.16
MW-0506-S1	3/8/2007	11.54	34.62	826.88	815.34
MW-0506-S1	1/16/2008	12.21	34.35	826.88	814.67
MW-0506-S1	11/11/2008	15.21	34.65	826.88	811.67
MW-0506-S1	2/17/2009	13.40	NM	826.88	813.48
MW-0506-S1	6/12/2009	12.38	NM	826.88	814.50
MW-0506-S1	10/9/2012	14.65	34.69	826.88	812.23
MW-0506-S1	3/12/2013	12.85	34.69	826.88	814.03
MW-0506-S1	9/24/2013	13.74	34.78	826.88	813.14
MW-0506-S1	4/22/2014	12.67	34.71	826.88	814.21
MW-0506-S1	9/3/2014	14.02	34.75	826.88	812.86
MW-0506-S1	3/10/2015	13.06	34.76	826.88	813.82
MW-0506-S1	9/8/2015	13.24	34.50	826.88	813.64
MW-0506-S1	3/10/2016	12.68	34.86	826.88	814.2

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0506-S1	9/7/2016	13.36	34.80	826.88	813.52
MW-0506-S1	11/16/2016	13.64	NM	826.88	813.24
MW-0506-S1	3/3/2017	12.36	34.55	826.27	813.91
MW-0506-S1	9/6/2017	12.83	34.75	826.27	813.44
MW-0506-S1	3/6/2018	11.54	34.50	826.27	814.73
MW-0506-S1	9/12/2018	11.42	34.58	826.27	814.85
MW-0506-S2	10/19/2005	13.58	72.52	827.1	813.52
MW-0506-S2	10/25/2005	13.58	72.52	827.1	813.52
MW-0506-S2	3/27/2006	11.95	72.24	827.1	815.15
MW-0506-S2	3/31/2006	11.10	72.24	827.1	816.00
MW-0506-S2	4/28/2006	10.84	NM	827.1	816.26
MW-0506-S2	12/5/2006	9.43	NM	827.1	817.67
MW-0506-S2	3/8/2007	11.72	72.26	827.1	815.38
MW-0506-S2	1/16/2008	13.20	72.40	827.1	813.90
MW-0506-S2	11/11/2008	19.11	72.35	827.1	807.99
MW-0506-S2	2/17/2009	15.69	NM	827.1	811.41
MW-0506-S2	6/12/2009	13.87	NM	827.1	813.23
MW-0506-S2	3/29/2012	13.13	72.41	827.1	813.97
MW-0506-S2	10/9/2012	18.51	72.38	827.1	808.59
MW-0506-S2	3/12/2013	13.66	72.38	827.1	813.44
MW-0506-S2	9/24/2013	16.20	72.44	827.1	810.90
MW-0506-S2	4/22/2014	14.13	72.56	827.1	812.97
MW-0506-S2	9/3/2014	17.70	73.52	827.1	809.40
MW-0506-S2	3/10/2015	15.27	NM	827.1	811.83
MW-0506-S2	9/8/2015	13.74	72.14	827.1	813.36
MW-0506-S2	3/10/2016	13.67	NM	827.1	813.43
MW-0506-S2	9/7/2016	16.08	72.45	827.1	811.02
MW-0506-S2	11/16/2016	13.53	NM	827.1	813.57
MW-0506-S2	3/3/2017	12.63	72.30	826.51	813.88
MW-0506-S2	9/6/2017	14.59	72.62	826.51	811.92
MW-0506-S2	3/6/2018	11.87	72.43	826.51	814.64
MW-0506-S2	9/12/2018	12.05	72.38	826.51	814.46
MW-0507-S1	10/19/2005	13.15	33.49	827.19	814.04
MW-0507-S1	10/25/2005	13.12	33.49	827.19	814.07
MW-0507-S1	3/27/2006	11.86	33.18	827.19	815.33
MW-0507-S1	3/31/2006	11.09	33.18	827.19	816.10
MW-0507-S1	4/28/2006	11.69	NM	827.19	815.50
MW-0507-S1	12/5/2006	10.58	NM	827.19	816.61
MW-0507-S1	3/8/2007	11.48	33.19	827.19	815.71
MW-0507-S1	1/16/2008	12.18	33.35	827.19	815.01
MW-0507-S1	11/11/2008	15.27	33.15	827.19	811.92
MW-0507-S1	2/17/2009	13.50	NM	827.19	813.69
MW-0507-S1	6/12/2009	12.33	NM	827.19	814.86
MW-0507-S1	4/13/2010	12.13	33.27	827.19	815.06

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0507-S1	9/5/2010	14.61	33.20	827.19	812.58
MW-0507-S1	4/20/2011	11.54	33.16	827.19	815.65
MW-0507-S1	9/27/2011	12.60	33.35	827.19	814.59
MW-0507-S1	3/29/2012	12.41	33.32	827.19	814.78
MW-0507-S1	10/9/2012	14.74	33.11	827.19	812.45
MW-0507-S1	3/12/2013	12.92	33.11	827.19	814.27
MW-0507-S1	9/24/2013	13.78	33.32	827.19	813.41
MW-0507-S1	4/22/2014	12.63	33.37	827.19	814.56
MW-0507-S1	9/3/2014	14.08	33.29	827.19	813.11
MW-0507-S1	3/10/2015	13.08	32.88	827.19	814.11
MW-0507-S1	9/8/2015	13.23	32.40	827.19	813.96
MW-0507-S1	3/10/2016	12.71	32.39	827.19	814.48
MW-0507-S1	9/7/2016	13.36	33.08	827.19	813.83
MW-0507-S1	11/16/2016	13.69	NM	827.19	813.50
MW-0507-S1	3/3/2017	12.37	31.89	826.48	814.11
MW-0507-S1	9/6/2017	12.78	32.64	826.48	813.70
MW-0507-S1	3/6/2018	11.48	32.02	826.48	815.00
MW-0507-S1	9/12/2018	11.36	31.85	826.48	815.12
MW-0509-I2	10/19/2005	12.58	55.96	826.32	813.74
MW-0509-I2	10/25/2005	12.66	55.96	826.32	813.66
MW-0509-I2	3/23/2006	9.87	55.65	826.32	816.45
MW-0509-I2	3/31/2006	9.05	55.65	826.32	817.27
MW-0509-I2	4/28/2006	9.81	NM	826.32	816.51
MW-0509-I2	12/5/2006	8.36	55.74	826.32	817.96
MW-0509-I2	3/8/2007	9.68	55.67	826.32	816.64
MW-0509-I2	1/16/2008	12.37	55.79	826.32	813.95
MW-0509-I2	11/11/2008	18.42	55.60	826.32	807.90
MW-0509-I2	2/17/2009	14.94	NM	826.32	811.38
MW-0509-S1	9/20/2005	12.18	38.00	826.33	814.15
MW-0509-S1	10/25/2005	11.92	38.11	826.33	814.41
MW-0509-S1	3/23/2006	10.43	37.82	826.33	815.90
MW-0509-S1	3/31/2006	9.66	37.82	826.33	816.67
MW-0509-S1	4/28/2006	10.35	NM	826.33	815.98
MW-0509-S1	12/5/2006	9.20	37.90	826.33	817.13
MW-0509-S1	3/8/2007	10.20	37.89	826.33	816.13
MW-0509-S1	1/16/2008	10.89	38.00	826.33	815.44
MW-0509-S1	11/11/2008	14.24	37.92	826.33	812.09
MW-0509-S1	2/17/2009	12.38	NM	826.33	813.95
MW-0509-S1	6/12/2009	11.04	NM	826.33	815.29
MW-0509-S1	4/13/2010	10.82	37.91	826.33	815.51
MW-0509-S1	9/5/2010	13.45	37.90	826.33	812.88
MW-0509-S1	4/20/2011	10.29	37.85	826.33	816.04
MW-0509-S1	9/27/2011	11.43	38.08	826.33	814.90
MW-0509-S1	3/29/2012	11.13	38.00	826.33	815.20

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0509-S1	10/9/2012	13.65	37.98	826.33	812.68
MW-0509-S1	3/12/2013	13.45	37.98	826.33	812.88
MW-0509-S1	9/24/2013	12.62	38.03	826.33	813.71
MW-0509-S1	4/22/2014	11.35	38.06	826.33	814.98
MW-0509-S1	9/3/2014	12.98	38.02	826.33	813.35
MW-0509-S1	3/10/2015	11.89	38.03	826.33	814.44
MW-0509-S1	9/8/2015	12.03	37.88	826.33	814.30
MW-0509-S1	3/10/2016	11.51	38.01	826.33	814.82
MW-0509-S1	9/7/2016	12.27	38.05	826.33	814.06
MW-0509-S1	11/16/2016	12.55	NM	826.33	813.78
MW-0509-S1	3/3/2017	11.08	38.04	825.72	814.64
MW-0509-S1	9/6/2017	11.59	38.00	825.72	814.13
MW-0509-S1	3/6/2018	10.10	37.89	825.72	815.62
MW-0509-S1	9/12/2018	10.02	38.01	825.72	815.70
MW-0516-S1	10/19/2005	13.42	32.88	827.98	814.56
MW-0516-S1	10/25/2005	13.42	32.88	827.98	814.56
MW-0516-S1	3/23/2006	11.88	32.61	827.98	816.10
MW-0516-S1	3/31/2006	11.13	32.61	827.98	816.85
MW-0516-S1	4/28/2006	11.78	NM	827.98	816.20
MW-0516-S1	12/5/2006	10.11	NM	827.98	817.87
MW-0516-S1	3/8/2007	11.59	32.66	827.98	816.39
MW-0516-S1	1/16/2008	12.35	32.40	827.98	815.63
MW-0516-S1	11/11/2008	15.74	32.60	827.98	812.24
MW-0516-S1	2/17/2009	14.00	NM	827.98	813.98
MW-0516-S1	6/12/2009	12.52	NM	827.98	815.46
MW-0516-S1	4/13/2010	12.24	32.70	827.98	815.74
MW-0516-S1	9/5/2010	14.96	32.65	827.98	813.02
MW-0516-S1	4/20/2011	11.31	32.60	827.98	816.67
MW-0516-S1	9/27/2011	12.92	32.84	827.98	815.06
MW-0516-S1	3/29/2012	12.59	32.80	827.98	815.39
MW-0516-S1	10/9/2012	15.16	32.60	827.98	812.82
MW-0516-S1	3/12/2013	13.33	32.60	827.98	814.65
MW-0516-S1	9/24/2013	14.08	32.79	827.98	813.90
MW-0516-S1	4/22/2014	12.74	32.80	827.98	815.24
MW-0516-S1	9/3/2014	14.46	32.84	827.98	813.52
MW-0516-S1	3/10/2015	13.40	32.80	827.98	814.58
MW-0516-S1	9/8/2015	13.55	32.78	827.98	814.43
MW-0516-S1	3/10/2016	12.94	32.78	827.98	815.04
MW-0516-S1	9/7/2016	13.71	32.71	828.98	815.27
MW-0516-S1	11/16/2016	13.98	NM	828.98	815.00
MW-0516-S1	3/3/2017	12.58	32.80	827.37	814.79
MW-0516-S1	9/6/2017	13.03	32.74	827.37	814.34
MW-0516-S1	3/6/2018	11.58	32.82	827.37	815.79
MW-0516-S1	9/12/2018	11.41	32.70	827.37	815.96

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0516-S2	10/20/2005	14.37	68.38	827.97	813.60
MW-0516-S2	10/25/2005	14.38	68.38	827.97	813.59
MW-0516-S2	3/23/2006	11.46	68.05	827.97	816.51
MW-0516-S2	3/31/2006	10.61	68.05	827.97	817.36
MW-0516-S2	4/28/2006	11.55	NM	827.97	816.42
MW-0516-S2	12/5/2006	10.55	NM	827.97	817.42
MW-0516-S2	3/8/2007	11.40	68.11	827.97	816.57
MW-0516-S2	1/16/2008	14.11	68.26	827.97	813.86
MW-0516-S2	11/11/2008	19.99	68.05	827.97	807.98
MW-0516-S2	2/17/2009	16.58	NM	827.97	811.39
MW-0516-S2	6/12/2009	14.71	NM	827.97	813.26
MW-0516-S2	4/13/2010	13.72	68.18	827.97	814.25
MW-0516-S2	4/20/2011	14.02	68.10	827.97	813.95
MW-0516-S2	3/12/2013	14.38	68.10	827.97	813.59
MW-0516-S2	9/24/2013	17.03	68.26	827.97	810.94
MW-0516-S2	4/22/2014	14.92	69.09	827.97	813.05
MW-0516-S2	9/3/2014	18.61	69.48	827.97	809.36
MW-0516-S2	3/10/2015	16.16	NM	827.97	811.81
MW-0516-S2	9/8/2015	14.52	69.38	827.97	813.45
MW-0516-S2	3/10/2016	14.58	68.79	827.97	813.39
MW-0516-S2	9/7/2016	17.16	68.32	828.97	811.81
MW-0516-S2	11/16/2016	15.78	NM	828.97	813.19
MW-0516-S2	3/3/2017	13.31	68.35	827.34	814.03
MW-0516-S2	9/6/2017	15.46	68.27	827.34	811.88
MW-0516-S2	3/6/2018	12.51	69.05	827.34	814.83
MW-0516-S2	9/12/2018	12.80	68.24	827.34	814.54
MW-0517-I2	10/18/2005	13.02	40.13	826.56	813.54
MW-0517-I2	10/25/2005	12.45	40.13	826.56	814.11
MW-0517-I2	3/22/2006	10.25	39.89	826.56	816.31
MW-0517-I2	3/31/2006	9.45	39.89	826.56	817.11
MW-0517-I2	4/28/2006	10.73	NM	826.56	815.83
MW-0517-I2	12/5/2006	10.10	NM	826.56	816.46
MW-0517-I2	3/8/2007	10.61	39.90	826.56	815.95
MW-0517-I2	1/16/2008	12.55	40.05	826.56	814.01
MW-0517-I2	11/11/2008	15.14	39.96	826.56	811.42
MW-0517-I2	2/17/2009	13.32	NM	826.56	813.24
MW-0517-S1	9/20/2005	12.44	30.72	826.47	814.03
MW-0517-S1	10/18/2005	12.17	30.85	826.47	814.30
MW-0517-S1	10/25/2005	12.17	30.85	826.47	814.30
MW-0517-S1	3/22/2006	10.70	30.63	826.47	815.77
MW-0517-S1	3/31/2006	9.91	30.63	826.47	816.56
MW-0517-S1	4/28/2006	10.64	NM	826.47	815.83
MW-0517-S1	12/5/2006	9.48	NM	826.47	816.99
MW-0517-S1	3/8/2007	10.42	30.51	826.47	816.05

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0517-S1	1/16/2008	11.23	30.70	826.47	815.24
MW-0517-S1	11/11/2008	14.47	30.60	826.47	812.00
MW-0517-S1	2/17/2009	12.65	NM	826.47	813.82
MW-0517-S1	6/12/2009	11.34	NM	826.47	815.13
MW-0517-S1	10/9/2012	13.88	30.62	826.47	812.59
MW-0517-S1	3/12/2013	11.98	30.62	826.47	814.49
MW-0517-S1	9/24/2013	12.87	30.75	826.47	813.60
MW-0517-S1	4/22/2014	11.65	30.76	826.47	814.82
MW-0517-S1	9/3/2014	13.20	30.32	826.47	813.27
MW-0517-S1	3/10/2015	12.17	30.07	826.47	814.30
MW-0517-S1	9/8/2015	12.27	29.78	826.47	814.20
MW-0517-S1	3/10/2016	11.77	29.86	826.47	814.70
MW-0517-S1	9/7/2016	12.51	29.76	827.47	814.96
MW-0517-S1	11/16/2016	12.76	NM	827.47	814.71
MW-0517-S1	3/3/2017	11.36	29.31	825.82	814.46
MW-0517-S1	9/6/2017	11.85	29.39	825.82	813.97
MW-0517-S1	3/6/2018	10.38	29.42	825.82	815.44
MW-0517-S1	9/12/2018	10.32	29.32	825.82	815.50
MW-0602-B1	3/24/2006	9.12	86.17	825.36	816.24
MW-0602-B1	3/31/2006	8.32	86.17	825.36	817.04
MW-0602-B1	4/28/2006	9.16	NM	825.36	816.20
MW-0602-B1	12/5/2006	7.78	NM	825.36	817.58
MW-0602-B1	3/8/2007	9.03	86.21	825.36	816.33
MW-0602-B1	1/16/2008	11.55	86.25	825.36	813.81
MW-0602-B1	11/11/2008	17.37	86.27	825.36	807.99
MW-0602-B1	2/17/2009	13.94	NM	825.36	811.42
MW-0602-B1	6/12/2009	12.16	NM	825.36	813.20
MW-0602-B1	4/13/2010	11.04	86.31	825.36	814.32
MW-0602-B1	9/5/2010	16.11	86.90	825.36	809.25
MW-0602-B1	4/20/2011	11.61	86.19	825.36	813.75
MW-0602-B1	9/27/2011	13.80	86.45	825.36	811.56
MW-0602-B1	9/4/2015	Abandoned Well			
MW-0602-S1	3/24/2006	11.70	28.31	825.3	813.60
MW-0602-S1	3/31/2006	10.93	28.31	825.3	814.37
MW-0602-S1	4/28/2006	10.90	NM	825.3	814.40
MW-0602-S1	12/5/2006	9.94	NM	825.3	815.36
MW-0602-S1	3/8/2007	10.68	27.20	825.3	814.62
MW-0602-S1	1/16/2008	11.10	27.41	825.3	814.20
MW-0602-S1	11/11/2008	13.93	27.11	825.3	811.37
MW-0602-S1	2/17/2009	12.20	NM	825.3	813.10
MW-0602-S1	6/12/2009	11.71	NM	825.3	813.59
MW-0602-S1	4/13/2010	11.36	27.31	825.3	813.94
MW-0602-S1	9/5/2010	12.79	27.24	825.3	812.51
MW-0602-S1	4/20/2011	11.01	27.07	825.3	814.29

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0602-S1	9/27/2011	11.65	27.39	825.3	813.65
MW-0602-S1	3/29/2012	11.30	27.20	825.3	814.00
MW-0602-S1	10/9/2012	12.64	27.00	825.3	812.66
MW-0602-S1	3/12/2013	11.62	27.00	825.3	813.68
MW-0602-S1	9/24/2013	12.64	27.20	825.3	812.66
MW-0602-S1	4/22/2014	11.52	24.09	825.3	813.78
MW-0602-S1	9/3/2014	12.79	27.06	825.3	812.51
MW-0602-S1	3/10/2015	12.04	26.96	825.3	813.26
MW-0602-S1	9/8/2015	NM	NM	825.3	NM
MW-0602-S1	3/10/2016	12.01	27.03	825.3	813.29
MW-0602-S1	9/7/2016	12.02	26.90	826.3	814.28
MW-0602-S1	11/16/2016	13.22	NM	826.3	813.08
MW-0602-S1	3/3/2017	11.37	26.63	824.68	813.31
MW-0602-S1	9/6/2017	11.89	26.81	824.68	812.79
MW-0602-S1	3/6/2018	10.67	26.92	824.68	814.01
MW-0602-S1	9/12/2018	10.54	26.78	824.68	814.14
MW-0603-B1	3/24/2006	9.70	83.40	826.2	816.50
MW-0603-B1	3/31/2006	8.92	83.40	826.2	817.28
MW-0603-B1	4/28/2006	9.76	NM	826.2	816.44
MW-0603-B1	12/5/2006	8.35	NM	826.2	817.85
MW-0603-B1	3/8/2007	9.64	83.32	826.2	816.56
MW-0603-B1	1/16/2008	12.13	83.48	826.2	814.07
MW-0603-B1	11/11/2008	18.04	83.24	826.2	808.16
MW-0603-B1	2/17/2009	14.69	NM	826.2	811.51
MW-0603-B1	6/12/2009	12.86	NM	826.2	813.34
MW-0603-B1	4/13/2010	11.82	83.38	826.2	814.38
MW-0603-B1	9/5/2010	16.78	83.35	826.2	809.42
MW-0603-B1	4/20/2011	12.27	83.22	826.2	813.93
MW-0603-B1	9/27/2011	14.47	83.55	826.2	811.73
MW-0603-B1	3/10/2016	12.70	83.37	826.2	813.50
MW-0603-S1	3/24/2006	10.79	24.38	826.09	815.30
MW-0603-S1	3/31/2006	10.02	24.38	826.09	816.07
MW-0603-S1	4/28/2006	10.71	NM	826.09	815.38
MW-0603-S1	12/5/2006	9.59	NM	826.09	816.50
MW-0603-S1	3/8/2007	10.46	24.12	826.09	815.63
MW-0603-S1	1/16/2008	11.06	24.33	826.09	815.03
MW-0603-S1	11/11/2008	14.15	24.15	826.09	811.94
MW-0603-S1	2/17/2009	12.35	NM	826.09	813.74
MW-0603-S1	6/12/2009	11.25	NM	826.09	814.84
MW-0603-S1	4/13/2010	11.06	24.31	826.09	815.03
MW-0603-S1	9/5/2010	13.46	24.20	826.09	812.63
MW-0603-S1	4/20/2011	10.44	24.10	826.09	815.65
MW-0603-S1	9/27/2011	11.53	24.22	826.09	814.56
MW-0603-S1	3/29/2012	11.33	24.15	826.09	814.76

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0603-S1	10/9/2012	13.55	24.00	826.09	812.54
MW-0603-S1	3/12/2013	11.85	24.00	826.09	814.24
MW-0603-S1	9/24/2013	12.65	24.18	826.09	813.44
MW-0603-S1	4/22/2014	11.52	24.09	826.09	814.57
MW-0603-S1	9/3/2014	12.91	24.78	826.09	813.18
MW-0603-S1	3/10/2015	11.96	24.05	826.09	814.13
MW-0603-S1	9/8/2015	12.14	24.07	826.09	813.95
MW-0603-S1	3/10/2016	11.64	24.04	826.09	814.45
MW-0603-S1	9/7/2016	12.27	24.10	827.09	814.82
MW-0603-S1	11/16/2016	12.76	NM	827.09	814.33
MW-0603-S1	3/3/2017	11.29	24.13	825.36	814.07
MW-0603-S1	9/6/2017	11.70	23.99	825.36	813.66
MW-0603-S1	3/6/2018	10.40	24.23	825.36	814.96
MW-0603-S1	9/12/2018	10.29	24.04	825.36	815.07
MW-0603-S2	3/24/2006	10.82	69.25	826.10	815.28
MW-0603-S2	3/31/2006	9.97	69.25	826.10	816.13
MW-0603-S2	4/28/2006	9.89	NM	826.10	816.21
MW-0603-S2	12/5/2006	8.46	NM	826.10	817.64
MW-0603-S2	3/8/2007	9.78	69.27	826.10	816.32
MW-0603-S2	1/16/2008	12.35	69.41	826.10	813.75
MW-0603-S2	11/11/2008	18.17	69.21	826.10	807.93
MW-0603-S2	2/17/2009	14.83	NM	826.10	811.27
MW-0603-S2	6/12/2009	12.98	NM	826.10	813.12
MW-0603-S2	4/13/2010	11.96	69.35	826.10	814.14
MW-0603-S2	9/5/2010	16.72	69.25	826.10	809.38
MW-0603-S2	4/20/2011	12.19	69.04	826.10	813.91
MW-0603-S2	9/27/2011	14.39	69.35	826.10	811.71
MW-0603-S2	3/29/2012	12.07	69.28	826.10	814.03
MW-0603-S2	10/9/2012	17.45	69.15	826.10	808.65
MW-0603-S2	3/12/2013	12.45	69.15	826.10	813.65
MW-0603-S2	9/24/2013	15.09	69.29	826.10	811.01
MW-0603-S2	4/22/2014	13.02	70.65	826.10	813.08
MW-0603-S2	9/3/2014	16.67	83.45	826.10	809.43
MW-0603-S2	3/10/2015	11.96	84.05	826.10	814.14
MW-0603-S2	9/8/2015	12.83	84.50	826.10	813.27
MW-0603-S2	9/3/2015	Abandoned Well			
MW-0604-S1	3/22/2006	10.65	29.41	826.28	815.63
MW-0604-S1	3/31/2006	9.87	29.41	826.28	816.41
MW-0604-S1	4/28/2006	10.59	NM	826.28	815.69
MW-0604-S1	12/5/2006	9.45	NM	826.28	816.83
MW-0604-S1	3/8/2007	10.37	28.81	826.28	815.91
MW-0604-S1	1/16/2008	11.15	28.95	826.28	815.13
MW-0604-S1	11/11/2008	14.27	28.73	826.28	812.01
MW-0604-S1	2/17/2009	12.51	NM	826.28	813.77

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0604-S1	6/12/2009	11.26	NM	826.28	815.02
MW-0604-S1	10/9/2012	13.73	28.78	826.28	812.55
MW-0604-S1	3/12/2013	11.87	28.78	826.28	814.41
MW-0604-S1	9/24/2013	12.74	28.91	826.28	813.54
MW-0604-S1	4/22/2014	11.59	28.98	826.28	814.69
MW-0604-S1	9/3/2014	13.09	28.41	826.28	813.19
MW-0604-S1	3/10/2015	12.06	28.58	826.28	814.22
MW-0604-S1	9/8/2015	12.13	27.94	826.28	814.15
MW-0604-S1	3/10/2016	11.66	28.18	826.28	814.62
MW-0604-S1	9/7/2016	12.40	28.24	826.28	813.88
MW-0604-S1	11/16/2016	12.64	NM	826.28	813.64
MW-0604-S1	3/3/2017	11.29	27.70	825.62	814.33
MW-0604-S1	9/6/2017	11.72	27.79	825.62	813.90
MW-0604-S1	3/6/2018	10.31	27.87	825.62	815.31
MW-0604-S1	9/12/2018	10.25	27.83	825.62	815.37
MW-0604-S2	3/22/2006	10.02	61.06	826.44	816.42
MW-0604-S2	3/31/2006	9.27	61.06	826.44	817.17
MW-0604-S2	4/28/2006	10.13	NM	826.44	816.31
MW-0604-S2	12/5/2006	8.70	NM	826.44	817.74
MW-0604-S2	3/8/2007	9.93	61.12	826.44	816.51
MW-0604-S2	1/16/2008	12.51	61.21	826.44	813.93
MW-0604-S2	11/11/2008	18.45	61.05	826.44	807.99
MW-0604-S2	2/17/2009	15.02	NM	826.44	811.42
MW-0604-S2	6/12/2009	13.17	NM	826.44	813.27
MW-0604-S2	4/13/2010	12.17	61.10	826.44	814.27
MW-0604-S2	9/5/2010	17.17	61.55	826.44	809.27
MW-0604-S2	4/20/2011	12.63	61.00	826.44	813.81
MW-0604-S2	9/27/2011	14.89	61.32	826.44	811.55
MW-0604-S2	3/29/2012	12.41	61.23	826.44	814.03
MW-0604-S2	10/9/2012	17.88	61.14	826.44	808.56
MW-0604-S2	3/12/2013	13.01	61.14	826.44	813.43
MW-0604-S2	9/24/2013	15.49	61.22	826.44	810.95
MW-0604-S2	4/22/2014	13.49	61.26	826.44	812.95
MW-0604-S2	9/3/2014	17.02	61.20	826.44	809.42
MW-0604-S2	3/10/2015	14.59	NM	826.44	811.85
MW-0604-S2	9/8/2015	12.97	61.11	826.44	813.47
MW-0604-S2	3/10/2016	12.98	NM	826.44	813.46
MW-0604-S2	9/7/2016	15.49	61.24	826.44	810.95
MW-0604-S2	11/16/2016	14.30	NM	826.44	812.14
MW-0604-S2	3/3/2017	11.91	61.05	825.86	813.95
MW-0604-S2	9/6/2017	13.91	61.09	825.86	811.95
MW-0604-S2	3/6/2018	10.91	61.23	825.86	814.95
MW-0604-S2	9/12/2018	11.37	61.23	825.86	814.49
MW-0605-B1	3/22/2006	10.79	89.55	827.44	816.65

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0605-B1	3/31/2006	9.99	89.55	827.44	817.45
MW-0605-B1	4/28/2006	10.95	NM	827.44	816.49
MW-0605-B1	12/5/2006	9.49	NM	827.44	817.95
MW-0605-B1	3/8/2007	10.77	89.53	827.44	816.67
MW-0605-B1	1/16/2008	13.45	89.65	827.44	813.99
MW-0605-B1	11/11/2008	19.44	89.60	827.44	808.00
MW-0605-B1	2/17/2009	16.04	NM	827.44	811.40
MW-0605-B1	6/12/2009	14.11	NM	827.44	813.33
MW-0605-B1	4/13/2010	13.10	89.85	827.44	814.34
MW-0605-B1	9/5/2010	18.20	89.60	827.44	809.24
MW-0605-B1	4/20/2011	13.61	89.50	827.44	813.83
MW-0605-B1	9/27/2011	15.86	89.75	827.44	811.58
MW-0605-B1	8/24/2015	Abandoned Well			
MW-0605-S1	3/22/2006	11.23	29.83	827.38	816.15
MW-0605-S1	3/31/2006	10.46	29.83	827.38	816.92
MW-0605-S1	4/28/2006	11.19	NM	827.38	816.19
MW-0605-S1	12/5/2006	9.97	NM	827.38	817.41
MW-0605-S1	3/8/2007	10.98	29.64	827.38	816.40
MW-0605-S1	1/16/2008	11.79	29.71	827.38	815.59
MW-0605-S1	11/11/2008	15.14	29.65	827.38	812.24
MW-0605-S1	2/17/2009	13.42	NM	827.38	813.96
MW-0605-S1	6/12/2009	11.91	NM	827.38	815.47
MW-0605-S1	4/13/2010	11.64	29.65	827.38	815.74
MW-0605-S1	9/5/2010	14.37	29.64	827.38	813.01
MW-0605-S1	4/20/2011	11.20	29.50	827.38	816.18
MW-0605-S1	9/27/2011	12.35	29.82	827.38	815.03
MW-0605-S1	3/29/2012	11.90	29.75	827.38	815.48
MW-0605-S1	10/9/2012	14.59	29.50	827.38	812.79
MW-0605-S1	3/12/2013	12.70	29.50	827.38	814.68
MW-0605-S1	9/24/2013	13.55	29.74	827.38	813.83
MW-0605-S1	4/22/2014	12.23	29.71	827.38	815.15
MW-0605-S1	9/3/2014	13.90	30.62	827.38	813.48
MW-0605-S1	3/10/2015	12.83	29.07	827.38	814.55
MW-0605-S1	9/8/2015	12.93	29.00	827.38	814.45
MW-0605-S1	3/10/2016	12.41	29.15	827.38	814.97
MW-0605-S1	9/7/2016	13.18	29.17	827.38	814.2
MW-0605-S1	11/16/2016	13.49	NM	827.38	813.89
MW-0605-S1	3/3/2017	11.99	28.75	826.78	814.79
MW-0605-S1	9/6/2017	12.45	28.88	826.78	814.33
MW-0605-S1	3/6/2018	10.92	28.90	826.78	815.86
MW-0605-S1	9/12/2018	10.85	28.85	826.78	815.93
MW-0605-S2	3/22/2006	10.87	61.15	827.38	816.51
MW-0605-S2	3/31/2006	10.02	61.15	827.38	817.36
MW-0605-S2	4/28/2006	10.91	NM	827.38	816.47

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0605-S2	12/5/2006	9.44	NM	827.38	817.94
MW-0605-S2	3/8/2007	10.72	61.13	827.38	816.66
MW-0605-S2	1/16/2008	13.36	61.26	827.38	814.02
MW-0605-S2	11/11/2008	19.36	61.12	827.38	808.02
MW-0605-S2	2/17/2009	15.97	NM	827.38	811.41
MW-0605-S2	6/12/2009	14.06	NM	827.38	813.32
MW-0605-S2	4/13/2010	13.05	61.18	827.38	814.33
MW-0605-S2	9/5/2010	18.12	61.20	827.38	809.26
MW-0605-S2	4/20/2011	13.55	61.11	827.38	813.83
MW-0605-S2	9/27/2011	15.82	61.35	827.38	811.56
MW-0605-S2	3/29/2012	13.25	61.28	827.38	814.13
MW-0605-S2	10/9/2012	18.86	61.21	827.38	808.52
MW-0605-S2	3/12/2013	14.06	61.21	827.38	813.32
MW-0605-S2	9/24/2013	16.42	61.25	827.38	810.96
MW-0605-S2	4/22/2014	14.38	62.10	827.38	813.00
MW-0605-S2	9/3/2014	18.09	62.32	827.38	809.29
MW-0605-S2	3/10/2015	NM	NM	827.38	NM
MW-0605-S2	9/8/2015	14.02	61.18	827.38	813.36
MW-0605-S2	3/10/2016	13.91	NM	827.38	813.47
MW-0605-S2	9/7/2016	16.51	61.33	827.38	810.87
MW-0605-S2	11/16/2016	15.18	NM	827.38	812.2
MW-0605-S2	3/3/2017	12.72	61.09	826.76	814.04
MW-0605-S2	9/6/2017	14.86	61.25	826.76	811.90
MW-0605-S2	3/6/2018	11.91	61.31	826.76	814.85
MW-0605-S2	9/12/2018	12.22	61.30	826.76	814.54
MW-0606-S1	3/23/2006	8.80	31.65	824.10	815.30
MW-0606-S1	3/31/2006	8.03	31.65	824.10	816.07
MW-0606-S1	4/28/2006	8.71	NM	824.10	815.39
MW-0606-S1	12/5/2006	7.67	NM	824.10	816.43
MW-0606-S1	3/8/2007	8.54	31.52	824.10	815.56
MW-0606-S1	11/11/2008	12.36	31.40	824.10	811.74
MW-0606-S1	2/17/2009	10.43	NM	824.10	813.67
MW-0606-S1	6/12/2009	8.38	NM	824.10	815.72
MW-0606-S1	4/13/2010	9.20	31.42	824.10	814.90
MW-0606-S1	10/9/2012	11.72	31.26	824.10	812.38
MW-0606-S1	3/12/2013	9.89	31.26	824.10	814.21
MW-0606-S1	9/24/2013	10.51	31.34	824.10	813.59
MW-0606-S1	4/22/2014	9.71	31.27	824.10	814.39
MW-0606-S1	9/3/2014	11.11	31.25	824.10	812.99
MW-0606-S1	3/10/2015	10.08	30.91	824.10	814.02
MW-0606-S1	9/8/2015	10.27	29.81	824.10	813.83
MW-0606-S1	3/10/2016	9.69	30.82	824.10	814.41
MW-0606-S1	9/7/2016	10.47	30.73	824.10	813.63
MW-0606-S1	11/16/2016	11.04	NM	824.10	813.06
MW-0606-S1	3/3/2017	9.39	30.71	823.45	814.06

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0606-S1	9/6/2017	9.02	30.61	823.45	814.43
MW-0606-S1	3/9/2018	8.51	30.93	823.45	814.94
MW-0606-S1	9/12/2018	8.42	30.68	823.45	815.03
MW-0606-S2	3/23/2006	7.68	58.83	823.97	816.29
MW-0606-S2	3/31/2006	6.93	58.83	823.97	817.04
MW-0606-S2	4/28/2006	8.72	NM	823.97	815.25
MW-0606-S2	12/5/2006	6.35	NM	823.97	817.62
MW-0606-S2	3/8/2007	7.61	58.67	823.97	816.36
MW-0606-S2	11/11/2008	15.92	58.70	823.97	808.05
MW-0606-S2	2/17/2009	12.51	NM	823.97	811.46
MW-0606-S2	6/12/2009	10.68	NM	823.97	813.29
MW-0606-S2	9/5/2010	14.62	59.00	823.97	809.35
MW-0606-S2	4/20/2011	10.15	58.63	823.97	813.82
MW-0606-S2	9/27/2011	12.38	58.90	823.97	811.59
MW-0606-S2	3/29/2012	10.00	58.80	823.97	813.97
MW-0606-S2	10/9/2012	15.34	58.69	823.97	808.63
MW-0606-S2	3/12/013	10.47	58.69	823.97	813.50
MW-0606-S2	9/24/2013	13.00	58.85	823.97	810.97
MW-0606-S2	4/22/2014	11.06	58.84	823.97	812.91
MW-0606-S2	9/3/2014	14.46	58.82	823.97	809.51
MW-0606-S2	3/10/2015	12.10	NM	823.97	811.87
MW-0606-S2	9/8/2015	10.65	59.35	823.97	813.32
MW-0606-S2	3/10/2016	10.53	58.83	823.97	813.44
MW-0606-S2	9/7/2016	NM	NM	823.97	Covered
MW-0606-S2	11/16/2016	10.01	NM	823.97	Covered
MW-0606-S2	3/3/2017	9.48	58.84	823.39	813.91
MW-0606-S2	9/6/2017	11.38	58.70	823.39	812.01
MW-0606-S2	3/6/2018	8.49	59.25	823.39	814.90
MW-0606-S2	9/12/2018	8.90	58.78	823.39	814.49
MW-0607-B1	1/16/2008	8.40	77.51	822.768	814.37
MW-0607-B1	11/11/2008	13.99	77.42	822.768	808.78
MW-0607-B1	2/17/2009	10.63	NM	822.768	812.14
MW-0607-B1	6/12/2009	8.95	NM	822.768	813.82
MW-0607-B1	4/13/2010	8.02	77.46	822.768	814.75
MW-0607-B1	9/5/2010	12.50	78.00	822.768	810.27
MW-0607-B1	4/20/2011	8.41	77.44	822.768	814.36
MW-0607-B1	9/27/2011	10.60	77.62	822.768	812.17
MW-0607-B1	9/3/2015	Abandoned Well			
MW-0607-S1	3/24/2006	8.55	26.85	822.65	814.10
MW-0607-S1	3/31/2006	7.78	26.85	822.65	814.87
MW-0607-S1	4/28/2006	8.52	NM	822.65	814.13
MW-0607-S1	12/5/2006	7.68	NM	822.65	814.97
MW-0607-S1	3/8/2007	8.33	26.55	822.65	814.32

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0607-S1	1/16/2008	8.88	26.68	822.65	813.77
MW-0607-S1	11/11/2008	11.61	26.50	822.65	811.04
MW-0607-S1	2/17/2009	9.72	NM	822.65	812.93
MW-0607-S1	6/12/2009	9.12	NM	822.65	813.53
MW-0607-S1	4/13/2010	9.00	26.50	822.65	813.65
MW-0607-S1	9/5/2010	10.98	26.50	822.65	811.67
MW-0607-S1	4/20/2011	8.49	26.42	822.65	814.16
MW-0607-S1	9/27/2011	9.31	26.40	822.65	813.34
MW-0607-S1	3/29/2012	9.26	26.27	822.65	813.39
MW-0607-S1	10/9/2012	11.05	26.00	822.65	811.60
MW-0607-S1	3/12/2013	9.40	26.00	822.65	813.25
MW-0607-S1	9/24/2013	10.30	26.25	822.65	812.35
MW-0607-S1	4/22/2014	9.53	26.16	822.65	813.12
MW-0607-S1	9/3/2014	10.53	26.23	822.65	812.12
MW-0607-S1	3/10/2015	9.69	26.27	822.65	812.96
MW-0607-S1	9/8/2015	9.82	26.17	822.65	812.83
MW-0607-S1	3/10/2016	9.29	29.14	822.65	813.36
MW-0607-S1	9/7/2016	9.96	26.13	822.65	812.69
MW-0607-S1	11/16/2016	10.98	NM	822.65	811.67
MW-0607-S1	3/3/2017	90.80	26.12	821.93	812.85
MW-0607-S1	9/6/2017	8.51	26.06	821.93	813.42
MW-0607-S1	3/6/2018	8.54	26.25	821.93	813.39
MW-0607-S1	9/12/2018	8.42	26.01	821.93	813.51
MW-0607-S2	3/8/2007	7.00	50.51	823.06	816.06
MW-0607-S2	1/16/2008	9.27	50.65	823.06	813.79
MW-0607-S2	11/11/2008	14.91	50.57	823.06	808.15
MW-0607-S2	2/17/2009	11.53	NM	823.06	811.53
MW-0607-S2	6/12/2009	9.83	NM	823.06	813.23
MW-0607-S2	4/13/2010	8.78	50.58	823.06	814.28
MW-0607-S2	9/5/2010	13.63	57.05	823.06	809.43
MW-0607-S2	4/20/2011	9.15	50.47	823.06	813.91
MW-0607-S2	9/27/2011	11.47	50.72	823.06	811.59
MW-0607-S2	3/29/2012	9.21	50.68	823.06	813.85
MW-0607-S2	10/9/2012	14.27	50.66	823.06	808.79
MW-0607-S2	3/12/2013	9.56	50.66	823.06	813.50
MW-0607-S2	9/24/2013	12.10	50.74	823.06	810.96
MW-0607-S2	4/22/2014	10.16	50.68	823.06	812.90
MW-0607-S2	9/3/2014	13.42	50.66	823.06	809.64
MW-0607-S2	3/10/2015	11.22	NM	823.06	811.84
MW-0607-S2	9/8/2015	9.91	46.85	823.06	813.15
MW-0607-S2	3/10/2016	9.77	50.69	823.06	813.29
MW-0607-S2	9/7/2016	12.05	50.89	823.06	811.01
MW-0607-S2	11/16/2016	11.03	NM	823.06	812.03
MW-0607-S2	3/3/2017	8.78	50.73	822.35	813.57
MW-0607-S2	9/6/2017	10.41	50.66	822.35	811.94

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0607-S2	3/6/2018	7.69	50.75	822.35	814.66
MW-0607-S2	9/12/2018	8.05	50.65	822.35	814.30
MW-0608-B1	3/23/2006	9.84	91.07	825.97	816.13
MW-0608-B1	3/31/2006	9.05	91.07	825.97	816.92
MW-0608-B1	4/28/2006	9.79	NM	825.97	816.18
MW-0608-B1	12/5/2006	8.51	NM	825.97	817.46
MW-0608-B1	3/8/2007	9.72	89.59	825.97	816.25
MW-0608-B1	1/16/2008	12.18	89.67	825.97	813.79
MW-0608-B1	11/11/2008	17.90	89.65	825.97	808.07
MW-0608-B1	2/17/2009	14.49	NM	825.97	811.48
MW-0608-B1	6/12/2009	12.72	NM	825.97	813.25
MW-0608-B1	4/13/2010	11.69	83.99	825.97	814.28
MW-0608-B1	9/5/2010	16.58	90.08	825.97	809.39
MW-0608-B1	4/20/2011	12.25	89.52	825.97	813.72
MW-0608-B1	9/27/2011	14.36	89.75	825.97	811.61
MW-0608-B1	9/3/2015	Abandoned Well			
MW-0608-S1	3/23/2006	11.74	30.81	825.97	814.23
MW-0608-S1	3/31/2006	10.97	30.81	825.97	815.00
MW-0608-S1	4/28/2006	11.66	NM	825.97	814.31
MW-0608-S1	12/5/2006	10.73	NM	825.97	815.24
MW-0608-S1	3/8/2007	11.43	30.38	825.97	814.54
MW-0608-S1	1/16/2008	11.94	30.45	825.97	814.03
MW-0608-S1	11/11/2008	14.67	30.20	825.97	811.30
MW-0608-S1	2/17/2009	12.93	NM	825.97	813.04
MW-0608-S1	6/12/2009	12.27	NM	825.97	813.70
MW-0608-S1	4/13/2010	12.13	30.11	825.97	813.84
MW-0608-S1	9/5/2010	14.08	29.96	825.97	811.89
MW-0608-S1	4/20/2011	11.50	29.90	825.97	814.47
MW-0608-S1	9/27/2011	12.38	30.00	825.97	813.59
MW-0608-S1	3/29/2012	12.19	30.02	825.97	813.78
MW-0608-S1	10/9/2012	14.10	29.60	825.97	811.87
MW-0608-S1	3/12/2013	12.42	29.60	825.97	813.55
MW-0608-S1	9/24/2013	13.35	29.40	825.97	812.62
MW-0608-S1	4/22/2014	12.47	29.26	825.97	813.50
MW-0608-S1	9/3/2014	13.58	28.94	825.97	812.39
MW-0608-S1	3/10/2015	12.70	28.73	825.97	813.27
MW-0608-S1	9/8/2015	12.93	28.58	825.97	813.04
MW-0608-S1	3/10/2016	12.38	28.62	825.97	813.59
MW-0608-S1	9/7/2016	13.04	28.37	825.97	812.93
MW-0608-S1	11/16/2016	13.17	NM	825.97	812.80
MW-0608-S1	3/3/2017	12.14	28.29	825.26	813.12
MW-0608-S1	9/6/2017	12.59	28.23	825.26	812.67
MW-0608-S1	3/6/2018	11.47	28.53	825.26	813.79
MW-0608-S1	9/12/2018	11.34	28.22	825.26	813.92

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0608-S2	3/23/2006	9.71	67.75	825.97	816.26
MW-0608-S2	3/31/2006	8.86	67.75	825.97	817.11
MW-0608-S2	4/28/2006	9.76	NM	825.97	816.21
MW-0608-S2	12/5/2006	8.43	NM	825.97	817.54
MW-0608-S2	3/8/2007	9.70	67.76	825.97	816.27
MW-0608-S2	1/16/2008	12.10	68.91	825.97	813.87
MW-0608-S2	11/11/2008	17.84	67.80	825.97	808.13
MW-0608-S2	2/17/2009	14.45	NM	825.97	811.52
MW-0608-S2	6/12/2009	12.68	NM	825.97	813.29
MW-0608-S2	4/13/2010	11.59	67.85	825.97	814.38
MW-0608-S2	9/5/2010	16.55	68.25	825.97	809.42
MW-0608-S2	4/20/2011	12.12	67.70	825.97	813.85
MW-0608-S2	9/27/2011	14.31	67.99	825.97	811.66
MW-0608-S2	3/29/2012	11.90	67.90	825.97	814.07
MW-0608-S2	10/9/2012	17.22	67.75	825.97	808.75
MW-0608-S2	3/21/2013	12.43	67.75	825.97	813.54
MW-0608-S2	9/24/2013	14.96	67.04	825.97	811.01
MW-0608-S2	4/22/2014	13.02	68.94	825.97	812.95
MW-0608-S2	9/3/2014	16.41	67.81	825.97	809.56
MW-0608-S2	3/10/2015	14.10	NM	825.97	811.87
MW-0608-S2	9/8/2015	12.80	68.73	825.97	813.17
MW-0608-S2	3/10/2016	12.48	67.96	825.97	813.49
MW-0608-S2	9/7/2016	15.17	67.91	825.97	810.8
MW-0608-S2	11/16/2016	13.82	NM	825.97	812.15
MW-0608-S2	3/3/2017	11.52	68.01	825.19	813.67
MW-0608-S2	9/6/2017	13.31	67.95	825.19	811.88
MW-0608-S2	3/6/2018	10.63	68.38	825.19	814.56
MW-0608-S2	9/12/2018	10.91	67.90	825.19	814.28
MW-0609-S1	3/23/2006	9.49	28.45	822.75	813.26
MW-0609-S1	3/31/2006	9.17	28.45	822.75	813.58
MW-0609-S1	4/28/2006	9.47	NM	822.75	813.28
MW-0609-S1	12/5/2006	8.62	NM	822.75	814.13
MW-0609-S1	3/9/2007	9.15	27.05	822.75	813.60
MW-0609-S1	1/16/2008	9.45	27.40	822.75	813.30
MW-0609-S1	11/11/2008	11.81	27.05	822.75	810.94
MW-0609-S1	2/17/2009	10.22	NM	822.75	812.53
MW-0609-S1	6/12/2009	9.73	NM	822.75	813.02
MW-0609-S1	4/13/2010	9.84	26.99	822.75	812.91
MW-0609-S1	9/5/2010	11.35	27.05	822.75	811.40
MW-0609-S1	4/20/2011	9.13	27.00	822.75	813.62
MW-0609-S1	9/27/2011	9.85	27.04	822.75	812.90
MW-0609-S1	3/29/2012	9.76	27.11	822.75	812.99
MW-0609-S1	10/9/2012	11.31	26.80	822.75	811.44
MW-0609-S1	3/12/2013	18.78	26.80	822.75	803.97

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0609-S1	9/24/2013	10.64	27.00	822.75	812.11
MW-0609-S1	4/22/2014	10.00	26.93	822.75	812.75
MW-0609-S1	9/3/2014	10.84	26.83	822.75	811.91
MW-0609-S1	9/8/2015	10.32	26.87	822.75	812.43
MW-0609-S1	3/10/2016	9.86	26.77	822.75	812.89
MW-0609-S1	9/7/2016	10.43	26.68	822.75	812.32
MW-0609-S1	11/16/2016	10.83	NM	822.75	811.92
MW-0609-S1	3/3/2017	9.67	26.65	822.00	812.33
MW-0609-S1	9/6/2017	10.15	26.60	822.00	811.85
MW-0609-S1	3/6/2018	NM	NM	822.00	NM
MW-0609-S1	9/12/2018	9.05	25.75	822.00	812.95
MW-0609-S2	12/5/2006	5.68	NM	823.09	817.41
MW-0609-S2	3/8/2007	6.93	61.32	823.09	816.16
MW-0609-S2	1/16/2008	9.24	61.44	823.09	813.85
MW-0609-S2	11/11/2008	14.97	61.30	823.09	808.12
MW-0609-S2	2/17/2009	11.60	NM	823.09	811.49
MW-0609-S2	6/12/2009	9.86	NM	823.09	813.23
MW-0609-S2	4/13/2010	8.77	62.43	823.09	814.32
MW-0609-S2	9/5/2010	13.69	61.45	823.09	809.40
MW-0609-S2	4/20/2011	9.22	61.30	823.09	813.87
MW-0609-S2	9/27/2011	11.52	61.59	823.09	811.57
MW-0609-S2	3/29/2012	9.15	61.52	823.09	813.94
MW-0609-S2	10/9/2012	14.36	26.80	823.09	808.73
MW-0609-S2	3/12/2013	9.62	26.80	823.09	813.47
MW-0609-S2	9/24/2013	12.15	61.54	823.09	810.94
MW-0609-S2	4/22/2014	10.21	61.49	823.09	812.88
MW-0609-S2	9/3/2014	13.53	61.51	823.09	809.56
MW-0609-S2	3/10/2015	11.23	NM	823.09	811.86
MW-0609-S2	9/8/2015	10.10	62.50	823.09	812.99
MW-0609-S2	3/10/2016	9.65	61.53	823.09	813.44
MW-0609-S2	9/7/2016	12.37	61.43	823.09	810.72
MW-0609-S2	11/16/2016	10.96	NM	823.09	812.13
MW-0609-S2	3/3/2017	8.73	61.53	822.46	813.73
MW-0609-S2	9/6/2017	10.50	61.52	822.46	811.96
MW-0609-S2	3/6/2018	7.72	61.63	822.46	814.74
MW-0609-S2	9/12/2018	6.11	61.45	822.46	816.35
MW-0610-S1	12/5/2006	8.87	NM	822.55	813.68
MW-0610-S1	3/8/2007	9.42	31.55	822.55	813.13
MW-0610-S1	1/16/2008	9.97	31.59	822.55	812.58
MW-0610-S1	11/11/2008	11.85	31.46	822.55	810.70
MW-0610-S1	2/17/2009	10.39	NM	822.55	812.16
MW-0610-S1	6/12/2009	10.07	NM	822.55	812.48
MW-0610-S1	4/13/2010	10.28	31.49	822.55	812.27
MW-0610-S1	9/5/2010	11.55	31.65	822.55	811.00

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0610-S1	4/20/2011	9.55	31.42	822.55	813.00
MW-0610-S1	9/27/2011	11.18	31.68	822.55	811.37
MW-0610-S1	3/29/2012	10.13	31.64	822.55	812.42
MW-0610-S1	10/9/2012	11.39	31.44	822.55	811.16
MW-0610-S1	3/12/2013	10.16	31.44	822.55	812.39
MW-0610-S1	9/24/2013	10.85	31.63	822.55	811.70
MW-0610-S1	4/22/2014	9.45	31.65	822.55	813.10
MW-0610-S1	9/3/2014	11.06	31.59	822.55	811.49
MW-0610-S1	3/10/2015	10.41	31.64	822.55	812.14
MW-0610-S1	9/8/2015	10.59	31.67	822.55	811.96
MW-0610-S1	3/10/2016	10.11	31.65	822.55	812.44
MW-0610-S1	9/7/2016	10.78	31.66	822.55	811.77
MW-0610-S1	11/16/2016	11.07	NM	822.55	811.48
MW-0610-S1	3/3/2017	9.89	31.67	821.78	811.89
MW-0610-S1	9/6/2017	10.28	31.61	821.78	811.50
MW-0610-S1	3/6/2018	9.60	31.86	821.78	812.18
MW-0610-S1	9/12/2018	9.28	31.65	821.78	812.50
MW-0611-S1	12/5/2006	4.97	NM	821.77	816.80
MW-0611-S1	3/8/2007	7.45	17.60	821.77	814.32
MW-0611-S1	1/16/2008	8.06	17.70	821.77	813.71
MW-0611-S1	2/17/2009	11.15	NM	821.77	810.62
MW-0611-S1	6/12/2009	10.00	NM	821.77	811.77
MW-0611-S1	4/13/2010	8.85	17.60	821.77	812.92
MW-0611-S1	9/5/2010	12.67	17.65	821.77	809.10
MW-0611-S1	10/9/2012	NM	NM	821.77	Could not Locate
MW-0611-S1	11/16/2016	10.72	NM	821.77	816.80
MW-0611-S1	3/3/2017	8.65	17.76	818.04	809.39
MW-0611-S1	9/6/2017	NM	NM	818.04	--
MW-0611-S1	3/6/2018	7.31	17.82	818.04	810.73
MW-0611-S1	9/12/2018	6.05	17.60	818.04	811.99
MW-0612-S1	12/5/2006	9.13	NM	823.85	814.72
MW-0612-S1	3/8/2007	8.90	27.12	823.85	814.95
MW-0612-S1	1/16/2008	9.50	27.25	823.85	814.35
MW-0612-S1	11/11/2008	12.44	27.15	823.85	811.41
MW-0612-S1	2/17/2009	10.59	NM	823.85	813.26
MW-0612-S1	6/12/2009	9.71	NM	823.85	814.14
MW-0612-S1	3/29/2012	9.79	27.30	823.85	814.06
MW-0612-S1	10/9/2012	11.84	27.10	823.85	812.01
MW-0612-S1	3/12/2013	10.10	27.10	823.85	813.75
MW-0612-S1	9/24/2013	10.49	27.32	823.85	813.36
MW-0612-S1	4/22/2014	10.03	27.30	823.85	813.82
MW-0612-S1	9/3/2014	11.29	27.31	823.85	812.56
MW-0612-S1	3/10/2015	10.30	27.30	823.85	813.55
MW-0612-S1	9/8/2015	10.52	27.33	823.85	813.33

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0612-S1	3/10/2016	9.95	27.33	823.85	813.9
MW-0612-S1	9/7/2016	10.66	27.33	823.85	813.19
MW-0612-S1	11/16/2016	10.98	NM	823.85	812.87
MW-0612-S1	3/3/2017	9.70	27.34	823.14	813.44
MW-0612-S1	9/6/2017	10.12	27.30	823.14	813.02
MW-0612-S1	3/6/2018	8.93	27.39	823.14	814.21
MW-0612-S1	9/12/2018	8.84	27.30	823.14	814.30
MW-0612-S2	12/5/2006	6.34	NM	823.84	817.50
MW-0612-S2	3/8/2007	7.59	54.94	823.84	816.25
MW-0612-S2	1/16/2008	10.00	55.10	823.84	813.84
MW-0612-S2	11/11/2008	15.74	55.00	823.84	808.10
MW-0612-S2	2/17/2009	12.34	NM	823.84	811.50
MW-0612-S2	6/12/2009	10.57	NM	823.84	813.27
MW-0612-S2	3/29/2012	9.78	55.14	823.84	814.06
MW-0612-S2	10/9/2012	15.14	54.90	823.84	808.70
MW-0612-S2	3/12/2013	10.35	54.90	823.84	813.49
MW-0612-S2	9/24/2013	12.57	55.15	823.84	811.27
MW-0612-S2	4/22/2014	10.91	55.11	823.84	812.93
MW-0612-S2	9/3/2014	14.28	55.07	823.84	809.56
MW-0612-S2	3/10/2015	11.96	NM	823.84	811.88
MW-0612-S2	9/8/2015	10.60	54.65	823.84	813.24
MW-0612-S2	3/10/2016	10.38	55.98	823.84	813.46
MW-0612-S2	9/7/2016	12.87	55.14	823.84	810.97
MW-0612-S2	11/16/2016	11.71	NM	823.84	812.13
MW-0612-S2	3/3/2017	9.43	55.18	823.14	813.71
MW-0612-S2	9/6/2017	11.23	55.11	823.14	811.91
MW-0612-S2	3/6/2018	8.43	55.62	823.14	814.71
MW-0612-S2	9/12/2018	8.78	55.11	823.14	814.36
MW-0613-S1	12/5/2006	5.87	NM	822.03	816.16
MW-0613-S1	3/8/2007	6.72	25.36	822.03	815.31
MW-0613-S1	1/16/2008	7.40	25.50	822.03	814.63
MW-0613-S1	11/11/2008	10.57	25.39	822.03	811.46
MW-0613-S1	2/17/2009	8.53	NM	822.03	813.50
MW-0613-S1	6/12/2009	7.61	NM	822.03	814.42
MW-0613-S1	4/13/2010	7.40	25.40	822.03	814.63
MW-0613-S1	9/5/2010	9.85	25.40	822.03	812.18
MW-0613-S1	4/20/2011	6.79	25.58	822.03	815.24
MW-0613-S1	9/27/2011	7.84	25.58	822.03	814.19
MW-0613-S1	3/29/2012	7.53	25.34	822.03	814.50
MW-0613-S1	10/9/2012	9.96	25.37	822.03	812.07
MW-0613-S1	3/12/2013	8.01	25.37	822.03	814.02
MW-0613-S1	9/24/2013	9.03	25.55	822.03	813.00
MW-0613-S1	4/22/2014	7.97	25.55	822.03	814.06
MW-0613-S1	9/3/2014	9.34	25.55	822.03	812.69

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0613-S1	3/10/2015	8.32	24.81	822.03	813.71
MW-0613-S1	9/8/2015	8.49	25.61	822.03	813.54
MW-0613-S1	3/10/2016	7.86	25.78	822.03	814.17
MW-0613-S1	9/7/2016	8.67	25.58	822.03	813.36
MW-0613-S1	11/16/2016	8.76	NM	822.03	813.27
MW-0613-S1	3/3/2017	7.61	25.60	821.47	813.86
MW-0613-S1	9/6/2017	8.02	25.59	821.47	813.45
MW-0613-S1	3/6/2018	8.76	25.77	821.47	812.71
MW-0613-S1	9/12/2018	6.66	25.55	821.47	814.81
MW-0614-B1	12/5/2006	9.13	NM	826.94	817.81
MW-0614-B1	3/8/2007	10.41	89.69	826.94	816.53
MW-0614-B1	1/16/2008	13.06	89.75	826.94	813.88
MW-0614-B1	11/11/2008	18.92	89.62	826.94	808.02
MW-0614-B1	2/17/2009	15.55	NM	826.94	811.39
MW-0614-B1	6/12/2009	13.69	NM	826.94	813.25
MW-0614-B1	4/13/2010	12.68	89.75	826.94	814.26
MW-0614-B1	9/5/2010	17.66	90.20	826.94	809.28
MW-0614-B1	4/20/2011	13.10	89.60	826.94	813.84
MW-0614-B1	9/27/2011	15.31	89.90	826.94	811.63
MW-0614-B1	9/3/2015	Abandoned Well			
MW-0614-S2	12/5/2006	9.05	NM	826.81	817.76
MW-0614-S2	3/8/2007	10.33	57.68	826.81	816.48
MW-0614-S2	1/16/2008	13.00	57.80	826.81	813.81
MW-0614-S2	11/11/2008	18.81	57.55	826.81	808.00
MW-0614-S2	2/17/2009	15.45	NM	826.81	811.36
MW-0614-S2	6/12/2009	13.58	NM	826.81	813.23
MW-0614-S2	4/13/2010	12.58	57.80	826.81	814.23
MW-0614-S2	9/5/2010	17.57	58.05	826.81	809.24
MW-0614-S2	4/20/2011	12.97	57.65	826.81	813.84
MW-0614-S2	9/27/2011	15.21	57.90	826.81	811.60
MW-0614-S2	3/29/2012	12.84	57.85	826.81	813.97
MW-0614-S2	10/9/2012	18.27	57.70	826.81	808.54
MW-0614-S2	3/12/2013	13.25	57.70	826.81	813.56
MW-0614-S2	9/24/2013	15.91	57.91	826.81	810.90
MW-0614-S2	4/22/2014	13.78	57.87	826.81	813.03
MW-0614-S2	9/3/2014	16.43	57.85	826.81	810.38
MW-0614-S2	3/10/2015	15.13	NM	826.81	811.68
MW-0614-S2	9/8/2015	13.36	57.95	826.81	813.45
MW-0614-S2	3/10/2016	13.41	57.88	826.81	813.4
MW-0614-S2	9/7/2016	15.91	57.49	826.81	810.9
MW-0614-S2	11/16/2016	14.86	NM	826.81	811.95
MW-0614-S2	3/3/2017	12.22	57.93	826.22	814.00
MW-0614-S2	9/6/2017	14.30	57.84	826.22	811.92
MW-0614-S2	3/6/2018	11.38	58.44	826.22	814.84

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0614-S2	9/12/2018	11.71	57.82	826.22	814.51
MW-0615-B1	12/5/2006	12.12	NM	824.74	812.62
MW-0615-B1	3/8/2007	13.37	78.28	824.74	811.37
MW-0615-B1	1/16/2008	13.84	78.45	824.74	810.90
MW-0615-B1	11/11/2008	18.16	78.19	824.74	806.58
MW-0615-B1	2/17/2009	14.75	NM	824.74	809.99
MW-0615-B1	6/12/2009	14.12	NM	824.74	810.62
MW-0615-B1	4/13/2010	13.53	78.36	824.74	811.21
MW-0615-B1	9/5/2010	17.05	78.35	824.74	807.69
MW-0615-B1	4/20/2011	14.05	78.26	824.74	810.69
MW-0615-B1	9/27/2011	15.19	78.45	824.74	809.55
MW-0615-B1	8/25/2015	Abandoned Well			
MW-0616-B1	12/5/2006	4.58	110.55	822.3	817.72
MW-0616-B1	3/8/2007	5.88	110.55	822.3	816.42
MW-0616-B1	1/16/2008	8.60	110.55	822.3	813.70
MW-0616-B1	11/11/2008	14.52	110.51	822.3	807.78
MW-0616-B1	2/17/2009	11.02	NM	822.3	811.28
MW-0616-B1	6/12/2009	9.18	NM	822.3	813.12
MW-0616-B1	4/13/2010	8.23	NM	822.3	814.07
MW-0616-B1	9/5/2010	13.10	NM	822.3	809.20
MW-0616-B1	4/20/2011	8.51	--	822.3	813.79
MW-0616-B1	9/27/2011	10.76	110.80	822.3	811.54
MW-0616-B1	9/2/2015	Abandoned Well			
MW-0616-S1	12/5/2006	6.58	NM	822.06	815.48
MW-0616-S1	3/8/2007	7.11	24.36	822.06	814.95
MW-0616-S1	1/16/2008	7.47	24.50	822.06	814.59
MW-0616-S1	11/11/2008	9.84	24.25	822.06	812.22
MW-0616-S1	2/17/2009	8.31	NM	822.06	813.75
MW-0616-S1	6/12/2009	7.53	NM	822.06	814.53
MW-0616-S1	4/13/2010	7.49	24.30	822.06	814.57
MW-0616-S1	9/5/2010	9.28	24.25	822.06	812.78
MW-0616-S1	4/20/2011	6.39	24.22	822.06	815.67
MW-0616-S1	9/27/2011	7.53	24.40	822.06	814.53
MW-0616-S1	3/29/2012	7.68	24.53	822.06	814.38
MW-0616-S1	10/9/2012	9.32	24.19	822.06	812.74
MW-0616-S1	3/12/2013	8.09	24.19	822.06	813.97
MW-0616-S1	9/24/2013	8.59	24.24	822.06	813.47
MW-0616-S1	4/22/2014	7.83	24.24	822.06	814.23
MW-0616-S1	9/3/2014	8.70	24.21	822.06	813.36
MW-0616-S1	3/10/2015	7.97	22.50	822.06	814.09
MW-0616-S1	9/8/2015	8.29	24.21	822.06	813.77
MW-0616-S1	3/10/2016	7.79	24.17	822.06	814.27
MW-0616-S1	9/7/2016	14.49	24.19	822.06	807.57

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0616-S1	11/16/2016	8.87	NM	822.06	813.19
MW-0616-S1	3/3/2017	7.73	24.02	821.29	813.56
MW-0616-S1	9/6/2017	7.84	24.00	821.29	813.45
MW-0616-S1	3/6/2018	7.12	24.24	821.29	814.17
MW-0616-S1	9/12/2018	6.94	24.09	821.29	814.35
MW-0617-B1	3/8/2007	10.02	NM	826.63	816.61
MW-0617-B1	1/16/2008	12.58	NM	826.63	814.05
MW-0617-B1	11/11/2008	18.49	NM	826.63	808.14
MW-0617-B1	2/17/2009	15.08	NM	826.63	811.55
MW-0617-B1	6/12/2009	13.25	NM	826.63	813.38
MW-0617-B1	9/3/2015	Abandoned Well			
MW-0617-S1	3/8/2007	11.18	29.36	826.47	815.29
MW-0617-S1	1/16/2008	11.90	29.50	826.47	814.57
MW-0617-S1	11/11/2008	14.87	29.40	826.47	811.60
MW-0617-S1	2/17/2009	13.07	NM	826.47	813.40
MW-0617-S1	6/12/2009	12.03	NM	826.47	814.44
MW-0617-S1	10/9/2012	14.27	29.41	826.47	812.20
MW-0617-S1	3/12/2013	12.64	29.41	826.47	813.83
MW-0617-S1	9/24/2013	13.38	29.50	826.47	813.09
MW-0617-S1	4/22/2014	12.32	29.47	826.47	814.15
MW-0617-S1	9/3/2014	13.63	29.51	826.47	812.84
MW-0617-S1	3/10/2015	12.72	29.49	826.47	813.75
MW-0617-S1	9/8/2015	12.89	29.30	826.47	813.58
MW-0617-S1	3/10/2016	12.37	29.58	826.47	814.1
MW-0617-S1	9/7/2016	13.05	29.57	826.47	813.42
MW-0617-S1	11/16/2016	13.32	NM	826.47	813.15
MW-0617-S1	3/3/2017	12.04	28.25	826.10	814.06
MW-0617-S1	9/6/2017	12.47	29.50	826.1	813.63
MW-0617-S1	3/6/2018	10.21	29.49	826.1	815.89
MW-0617-S1	9/12/2018	11.08	29.45	826.1	815.02
MW-0617-S2	3/8/2007	10.21	63.37	826.66	816.45
MW-0617-S2	1/16/2008	12.80	63.15	826.66	813.86
MW-0617-S2	11/11/2008	18.68	63.20	826.66	807.98
MW-0617-S2	2/17/2009	15.33	NM	826.66	811.33
MW-0617-S2	6/12/2009	13.44	NM	826.66	813.22
MW-0617-S2	6/12/2009	13.44	NM	826.66	813.22
MW-0617-S2	3/10/2016	13.02	NM	826.66	813.64
MW-0617-S2	9/7/2016	15.01	63.22	826.66	811.65
MW-0617-S2	11/16/2016	14.57	63.45	826.66	812.09
MW-0617-S2	3/3/2017	12.22	62.98	826.02	813.80
MW-0617-S2	9/6/2017	14.18	63.27	826.02	811.84
MW-0617-S2	3/6/2018	11.26	62.83	826.02	814.76
MW-0617-S2	9/12/2018	Unable to locate			

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0618-S1	12/5/2006	8.13	NM	824.84	816.71
MW-0618-S1	3/8/2007	9.08	27.00	824.84	815.76
MW-0618-S1	1/16/2008	9.72	27.12	824.84	815.12
MW-0618-S1	11/11/2008	13.07	27.05	824.84	811.77
MW-0618-S1	2/17/2009	11.09	NM	824.84	813.75
MW-0618-S1	6/12/2009	9.94	NM	824.84	814.90
MW-0618-S1	4/13/2010	9.73	27.31	824.84	815.11
MW-0618-S1	9/5/2010	12.32	27.05	824.84	812.52
MW-0618-S1	4/20/2011	9.13	26.99	824.84	815.71
MW-0618-S1	9/27/2011	10.28	27.20	824.84	814.56
MW-0618-S1	3/29/2012	10.06	27.19	824.84	814.78
MW-0618-S1	10/9/2012	12.43	26.99	824.84	812.41
MW-0618-S1	3/12/2013	10.51	26.99	824.84	814.33
MW-0618-S1	9/24/2013	11.48	27.18	824.84	813.36
MW-0618-S1	4/22/2014	10.28	27.17	824.84	814.56
MW-0618-S1	9/3/2014	11.78	27.18	824.84	813.06
MW-0618-S1	3/10/2015	10.68	NM	824.84	814.16
MW-0618-S1	9/8/2015	10.93	27.19	824.84	813.91
MW-0618-S1	3/10/2016	10.25	27.18	824.84	814.59
MW-0618-S1	9/7/2016	11.09	27.17	824.84	813.75
MW-0618-S1	11/16/2016	16.59	NM	824.84	808.25
MW-0618-S1	3/3/2017	10.01	27.21	824.22	814.21
MW-0618-S1	9/6/2017	10.43	27.20	824.22	813.79
MW-0618-S1	3/6/2018	9.10	27.24	824.22	815.12
MW-0618-S1	9/12/2018	8.86	27.20	824.22	815.36
MW-0619-S1	12/5/2006	10.13	NM	827.46	817.33
MW-0619-S1	3/8/2007	11.12	26.07	827.46	816.34
MW-0619-S1	1/16/2008	11.88	26.20	827.46	815.58
MW-0619-S1	11/11/2008	15.29	26.10	827.46	812.17
MW-0619-S1	2/17/2009	13.51	NM	827.46	813.95
MW-0619-S1	6/12/2009	12.03	NM	827.46	815.43
MW-0619-S1	10/9/2012	14.69	26.07	827.46	812.77
MW-0619-S1	3/12/2013	12.85	26.07	827.46	814.61
MW-0619-S1	9/24/2013	13.65	26.25	827.46	813.81
MW-0619-S1	4/22/2014	12.34	26.24	827.46	815.12
MW-0619-S1	9/3/2014	14.02	26.26	827.46	813.44
MW-0619-S1	3/10/2015	12.93	26.24	827.46	814.53
MW-0619-S1	9/8/2015	13.05	26.26	827.46	814.41
MW-0619-S1	3/10/2016	12.55	26.33	827.46	814.91
MW-0619-S1	9/7/2016	13.33	26.21	827.46	814.13
MW-0619-S1	11/16/2016	13.61	NM	827.46	813.85
MW-0619-S1	3/3/2017	12.07	26.02	826.12	814.05
MW-0619-S1	9/6/2017	12.57	26.26	826.12	813.55
MW-0619-S1	3/6/2018	11.07	26.22	826.12	815.05

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0619-S1	9/12/2018	11.00	26.20	826.12	815.12
MW-0620-S1	12/5/2006	9.94	NM	827.39	817.45
MW-0620-S1	3/8/2007	10.97	18.36	827.39	816.42
MW-0620-S1	1/16/2008	11.78	18.46	827.39	815.61
MW-0620-S1	11/11/2008	15.15	18.45	827.39	812.24
MW-0620-S1	2/17/2009	13.41	NM	827.39	813.98
MW-0620-S1	6/12/2009	11.89	NM	827.39	815.50
MW-0620-S1	4/13/2010	11.60	18.39	827.39	815.79
MW-0620-S1	9/5/2010	13.85	18.40	827.39	813.54
MW-0620-S1	4/20/2011	11.07	18.34	827.39	816.32
MW-0620-S1	9/27/2011	12.19	18.55	827.39	815.20
MW-0620-S1	3/29/2012	11.95	18.50	827.39	815.44
MW-0620-S1	10/9/2012	14.60	19.38	827.39	812.79
MW-0620-S1	3/12/2013	12.82	19.38	827.39	814.57
MW-0620-S1	9/24/2013	13.55	18.54	827.39	813.84
MW-0620-S1	4/22/2014	12.19	18.52	827.39	815.20
MW-0620-S1	9/3/2014	13.15	18.52	827.39	814.24
MW-0620-S1	3/10/2015	13.17	18.53	827.39	814.22
MW-0620-S1	9/8/2015	12.97	18.32	827.39	814.42
MW-0620-S1	3/10/2016	12.31	18.62	827.39	815.08
MW-0620-S1	9/7/2016	13.23	18.55	827.39	814.16
MW-0620-S1	11/16/2016	13.49	NM	827.39	813.9
MW-0620-S1	3/3/2017	11.88	18.30	826.86	814.98
MW-0620-S1	9/6/2017	12.47	18.83	826.86	814.39
MW-0620-S1	3/6/2018	9.94	18.54	826.86	816.92
MW-0620-S1	9/12/2018	10.40	18.50	826.86	816.46
MW-0621-S1	12/5/2006	9.53	NM	826.72	817.19
MW-0621-S1	3/8/2007	10.49	24.55	826.72	816.23
MW-0621-S1	1/16/2008	11.19	24.66	826.72	815.53
MW-0621-S1	11/11/2008	14.62	24.58	826.72	812.10
MW-0621-S1	2/17/2009	12.84	NM	826.72	813.88
MW-0621-S1	6/12/2009	11.39	NM	826.72	815.33
MW-0621-S1	4/13/2010	11.15	24.63	826.72	815.57
MW-0621-S1	9/5/2010	13.86	24.62	826.72	812.86
MW-0621-S1	4/20/2011	10.68	24.54	826.72	816.04
MW-0621-S1	9/27/2011	11.81	24.78	826.72	814.91
MW-0621-S1	3/29/2012	11.47	24.71	826.72	815.25
MW-0621-S1	10/9/2012	14.05	24.61	826.72	812.67
MW-0621-S1	3/12/2013	12.19	24.61	826.72	814.53
MW-0621-S1	9/24/2013	13.00	24.73	826.72	813.72
MW-0621-S1	4/22/2014	11.71	24.72	826.72	815.01
MW-0621-S1	9/3/2014	13.31	24.74	826.72	813.41
MW-0621-S1	3/10/2015	12.28	24.73	826.72	814.44
MW-0621-S1	9/8/2015	12.38	24.53	826.72	814.34

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0621-S1	3/10/2016	11.90	24.85	826.72	814.82
MW-0621-S1	9/7/2016	12.76	24.76	826.72	813.96
MW-0621-S1	11/16/2016	12.92	NM	826.72	813.80
MW-0621-S1	3/3/2017	11.47	24.57	826.14	814.67
MW-0621-S1	9/6/2017	11.91	24.75	826.14	814.23
MW-0621-S1	3/6/2018	10.42	24.78	826.14	815.72
MW-0621-S1	9/12/2018	10.40	24.73	826.14	815.74
MW-0622-S1	12/5/2006	11.03	NM	828.57	817.54
MW-0622-S1	3/8/2007	12.07	23.78	828.57	816.50
MW-0622-S1	1/16/2008	12.90	23.85	828.57	815.67
MW-0622-S1	11/11/2008	16.27	23.82	828.57	812.30
MW-0622-S1	2/17/2009	14.59	NM	828.57	813.98
MW-0622-S1	6/12/2009	12.98	NM	828.57	815.59
MW-0622-S1	10/9/2012	15.71	23.75	828.57	812.86
MW-0622-S1	3/12/2013	13.89	23.75	828.57	814.68
MW-0622-S1	9/24/2013	14.66	23.92	828.57	813.91
MW-0622-S1	4/22/2014	13.24	23.94	828.57	815.33
MW-0622-S1	9/3/2014	15.02	23.89	828.57	813.55
MW-0622-S1	3/10/2015	13.95	23.98	828.57	814.62
MW-0622-S1	9/8/2015	14.02	23.96	828.57	814.55
MW-0622-S1	3/10/2016	13.55	24.02	828.57	815.02
MW-0622-S1	9/7/2016	14.28	23.91	828.57	814.29
MW-0622-S1	11/16/2016	14.60	NM	828.57	813.97
MW-0622-S1	3/3/2017	13.09	23.68	828.10	815.01
MW-0622-S1	9/6/2017	13.52	23.90	828.1	814.58
MW-0622-S1	3/6/2018	12.00	23.78	828.1	816.10
MW-0622-S1	9/12/2018	11.92	23.75	828.1	816.18
MW-0622-S2	12/5/2006	10.54	NM	828.66	818.12
MW-0622-S2	3/8/2007	11.81	65.94	828.66	816.85
MW-0622-S2	1/16/2008	14.01	66.05	828.66	814.65
MW-0622-S2	11/11/2008	20.76	65.95	828.66	807.90
MW-0622-S2	2/17/2009	17.31	NM	828.66	811.35
MW-0622-S2	6/12/2009	15.32	NM	828.66	813.34
MW-0622-S2	4/13/2010	14.28	66.00	828.66	814.38
MW-0622-S2	9/5/2010	19.50	66.05	828.66	809.16
MW-0622-S2	4/20/2011	14.82	65.89	828.66	813.84
MW-0622-S2	9/27/2011	17.13	66.15	828.66	811.53
MW-0622-S2	3/29/2012	14.40	66.09	828.66	814.26
MW-0622-S2	10/9/2012	20.24	65.95	828.66	808.42
MW-0622-S2	3/12/2013	15.10	65.95	828.66	813.56
MW-0622-S2	9/24/2013	17.70	66.10	828.66	810.96
MW-0622-S2	4/22/2014	15.61	67.07	828.66	813.05
MW-0622-S2	9/3/2014	19.32	66.98	828.66	809.34
MW-0622-S2	3/10/2015	16.82	NM	828.66	811.84

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0622-S2	9/8/2015	15.13	66.50	828.66	813.53
MW-0622-S2	3/10/2016	15.21	NM	828.66	813.45
MW-0622-S2	9/7/2016	17.95	66.12	828.66	810.71
MW-0622-S2	11/16/2016	16.40	NM	828.66	812.26
MW-0622-S2	3/3/2017	13.89	65.92	827.98	814.09
MW-0622-S2	9/6/2017	16.08	66.13	827.98	811.90
MW-0622-S2	3/6/2018	12.92	66.13	827.98	815.06
MW-0622-S2	9/12/2018	13.40	66.00	827.98	814.58
MW-0623-S1	3/8/2007	12.37	25.04	829.09	816.72
MW-0623-S1	1/16/2008	13.17	25.17	829.09	815.92
MW-0623-S1	11/11/2008	16.58	25.18	829.09	812.51
MW-0623-S1	2/17/2009	14.96	NM	829.09	814.13
MW-0623-S1	6/12/2009	13.37	NM	829.09	815.72
MW-0623-S1	4/13/2010	13.00	25.10	829.09	816.09
MW-0623-S1	9/5/2010	15.79	25.10	829.09	813.30
MW-0623-S1	4/20/2011	12.62	25.00	829.09	816.47
MW-0623-S1	9/27/2011	13.80	25.26	829.09	815.29
MW-0623-S1	3/29/2012	13.32	25.20	829.09	815.77
MW-0623-S1	10/9/2012	16.04	25.05	829.09	813.05
MW-0623-S1	3/12/2013	14.23	25.05	829.09	814.86
MW-0623-S1	9/24/2013	14.94	25.22	829.09	814.15
MW-0623-S1	4/22/2014	13.53	25.21	829.09	815.56
MW-0623-S1	9/3/2014	15.31	25.23	829.09	813.78
MW-0623-S1	3/10/2015	14.27	25.25	829.09	814.82
MW-0623-S1	9/8/2015	14.83	23.43	829.09	814.26
MW-0623-S1	3/10/2016	14.86	25.34	829.09	814.23
MW-0623-S1	9/7/2016	14.58	25.26	829.09	814.51
MW-0623-S1	11/16/2016	14.93	NM	829.09	814.16
MW-0623-S1	3/3/2017	13.37	25.00	828.47	815.10
MW-0623-S1	9/6/2017	13.88	25.25	828.47	814.59
MW-0623-S1	3/6/2018	12.28	25.25	828.47	816.19
MW-0623-S1	9/12/2018	12.22	25.25	828.47	816.25
MW-0702-B1	1/16/2008	10.65	72.70	825.03	814.38
MW-0702-B1	11/11/2008	16.57	72.46	825.03	808.46
MW-0702-B1	2/17/2009	13.19	NM	825.03	811.84
MW-0702-B1	6/12/2009	11.30	NM	825.03	813.73
MW-0702-B1	4/13/2010	10.29	72.60	825.03	814.74
MW-0702-B1	9/5/2010	15.27	72.60	825.03	809.76
MW-0702-B1	4/20/2011	10.72	72.47	825.03	814.31
MW-0702-B1	9/27/2011	12.89	72.73	825.03	812.14
MW-0702-B1	9/3/2015	Abandoned Well			
MW-0703-B1	1/16/2008	13.30	111.32	823.61	810.31
MW-0703-B1	11/11/2008	17.01	111.32	823.61	806.60

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0703-B1	2/17/2009	13.66	NM	823.61	809.95
MW-0703-B1	6/12/2009	13.21	NM	823.61	810.40
MW-0703-B1	4/13/2010	12.45	NM	823.61	811.16
MW-0703-B1	9/5/2010	16.10	NM	823.61	807.51
MW-0703-B1	4/20/2011	12.73	NM	823.61	810.88
MW-0703-B1	9/27/2011	14.12	111.75	823.61	809.49
MW-0703-B1	9/3/2015	Abandoned Well			
MW-0704-S1	1/16/2008	9.84	29.31	825.38	815.54
MW-0704-S1	11/11/2008	13.15	29.20	825.38	812.22
MW-0704-S1	2/17/2009	11.27	NM	825.38	814.11
MW-0704-S1	6/12/2009	10.04	NM	825.38	815.34
MW-0704-S1	4/13/2010	9.83	29.23	825.38	815.55
MW-0704-S1	9/5/2010	12.38	29.20	825.38	813.00
MW-0704-S1	4/20/2011	9.26	29.17	825.38	816.12
MW-0704-S1	9/27/2011	10.39	29.39	825.38	814.99
MW-0704-S1	3/29/2012	10.14	29.35	825.38	815.24
MW-0704-S1	10/9/2012	12.52	29.16	825.38	812.86
MW-0704-S1	3/12/2013	10.67	29.16	825.38	814.71
MW-0704-S1	9/24/2013	11.55	29.36	825.38	813.83
MW-0704-S1	4/22/2014	10.38	29.36	825.38	815.00
MW-0704-S1	9/3/2014	11.86	29.33	825.38	813.51
MW-0704-S1	3/10/2015	10.80	29.28	825.38	814.58
MW-0704-S1	9/8/2015	11.01	29.39	825.38	814.37
MW-0704-S1	3/10/2016	10.41	29.38	825.38	814.97
MW-0704-S1	9/7/2016	11.20	29.37	825.38	814.18
MW-0704-S1	11/16/2016	11.66	NM	825.38	813.72
MW-0704-S1	3/3/2017	10.09	29.38	824.44	814.35
MW-0704-S1	9/6/2017	10.54	29.34	824.44	813.90
MW-0704-S1	3/6/2018	9.14	29.58	824.44	815.30
MW-0704-S1	9/12/2018	9.05	29.30	824.44	815.39
MW-0705-S1	1/16/2008	11.20	25.78	826.16	814.96
MW-0705-S1	11/11/2008	13.71	25.68	826.16	812.45
MW-0705-S1	2/17/2009	11.86	NM	826.16	814.30
MW-0705-S1	6/12/2009	10.79	NM	826.16	815.37
MW-0705-S1	10/9/2012	13.10	25.65	826.16	813.06
MW-0705-S1	3/12/2013	11.31	25.65	826.16	814.85
MW-0705-S1	9/24/2013	12.20	25.85	826.16	813.96
MW-0705-S1	4/22/2014	11.09	25.82	826.16	815.07
MW-0705-S1	9/3/2014	12.50	25.82	826.16	813.66
MW-0705-S1	3/10/2015	11.91	25.80	826.16	814.25
MW-0705-S1	9/8/2015	11.67	25.87	826.16	814.49
MW-0705-S1	3/10/2016	11.08	25.85	826.16	815.08
MW-0705-S1	9/7/2016	11.83	25.83	826.16	814.33
MW-0705-S1	11/16/2016	12.09	NM	826.16	814.07

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0705-S1	3/3/2017	10.86	25.88	824.79	813.93
MW-0705-S1	9/6/2017	11.23	25.80	824.79	813.56
MW-0705-S1	3/6/2018	9.93	26.13	824.79	814.86
MW-0705-S1	9/12/2018	9.81	25.81	824.79	814.98
MW-1501-S1	3/10/2016	11.67	19.04	828.32	816.65
MW-1501-S1	9/7/2016	12.41	18.93	828.32	815.91
MW-1501-S1	11/16/2016	13.33	NM	828.32	814.99
MW-1501-S1	3/3/2017	11.50	18.70	827.45	815.95
MW-1501-S1	9/6/2017	18.95	11.95	827.45	808.50
MW-1501-S1	3/6/2018	9.74	18.97	827.45	817.71
MW-1501-S1	9/12/2018	9.90	18.94	827.45	817.55
MW-1502-S1	3/10/2016	12.79	28.07	828.45	815.66
MW-1502-S1	9/7/2016	13.53	27.97	828.45	814.92
MW-1502-S1	11/16/2016	13.88	NM	828.45	814.57
MW-1502-S1	3/3/2017	12.35	27.72	827.27	814.92
MW-1502-S1	9/6/2017	12.80	27.95	827.27	814.47
MW-1502-S1	3/6/2018	11.28	28.00	827.27	815.99
MW-1502-S1	9/12/2018	11.20	27.95	827.27	816.07
MW-1503-S1	3/10/2016	12.98	28.68	828.24	815.26
MW-1503-S1	9/7/2016	13.73	28.48	828.24	814.51
MW-1503-S1	11/16/2016	14.08	NM	828.24	814.16
MW-1503-S1	3/3/2017	12.53	28.28	827.45	814.92
MW-1503-S1	9/6/2017	13.03	28.50	827.45	814.42
MW-1503-S1	3/6/2018	11.47	28.50	827.45	815.98
MW-1503-S1	9/12/2018	11.38	28.50	827.45	816.07
MW-1504-S1	3/10/2016	12.98	27.62	828.24	815.26
MW-1504-S1	9/7/2016	13.73	27.43	828.24	814.51
MW-1504-S1	11/16/2016	14.08	NM	828.24	814.16
MW-1504-S1	3/3/2017	12.53	27.38	827.53	815.00
MW-1504-S1	9/6/2017	13.03	27.43	827.53	814.50
MW-1504-S1	3/6/2018	13.43	27.42	827.53	814.10
MW-1504-S1	9/12/2018	11.38	27.47	827.53	816.15
MW-1505-S1	3/10/2016	13.02	32.17	828.19	815.17
MW-1505-S1	9/7/2016	13.78	27.57	828.19	814.41
MW-1505-S1	11/16/2016	14.12	NM	828.19	814.07
MW-1505-S1	3/3/2017	12.58	31.85	827.53	814.95
MW-1505-S1	9/6/2017	13.03	32.05	827.53	814.50
MW-1505-S1	3/6/2018	11.80	32.08	827.53	815.73
MW-1505-S1	9/12/2018	11.44	32.00	827.53	816.09
MW-1506-S1	3/10/2016	13.32	34.17	827.89	814.57

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-1506-S1	9/7/2016	14.07	34.27	827.89	813.82
MW-1506-S1	11/16/2016	14.40	NM	827.89	813.49
MW-1506-S1	3/3/2017	12.88	34.03	827.82	814.94
MW-1506-S1	9/6/2017	13.35	34.26	827.82	814.47
MW-1506-S1	3/6/2018	11.80	34.29	827.82	816.02
MW-1506-S1	9/12/2018	11.71	34.25	827.82	816.11
MW-1507-S1	3/10/2016	13.42	33.67	827.77	814.35
MW-1507-S1	9/7/2016	14.17	33.57	827.77	813.60
MW-1507-S1	11/16/2016	14.51	NM	827.77	813.26
MW-1507-S1	3/3/2017	12.97	33.33	827.94	814.97
MW-1507-S1	9/6/2017	13.42	33.56	827.94	814.52
MW-1507-S1	3/6/2018	11.89	33.59	827.94	816.05
MW-1507-S1	9/12/2018	11.82	33.50	827.94	816.12
MW-1508-S1	3/10/2016	14.46	35.21	826.69	812.23
MW-1508-S1	9/7/2016	14.68	34.58	826.69	812.01
MW-1508-S1	11/16/2016	15.04	NM	826.69	811.65
MW-1508-S1	3/3/2017	13.48	34.30	828.48	815.00
MW-1508-S1	9/6/2017	13.95	34.48	828.48	814.53
MW-1508-S1	3/6/2018	12.41	34.49	828.48	816.07
MW-1508-S1	9/12/2018	12.35	34.45	828.48	816.13
DR-1301-S1	3/3/2017	12.15	24.62	827.04	814.89
DR-1301-S1	9/6/2017	12.78	24.82	827.04	814.26
DR-1301-S1	3/6/2018	11.05	24.87	827.04	815.99
DR-1301-S1	9/12/2018	10.92	23.90	827.04	816.12
IW-1301-S1	3/3/2017	12.03	23.62	826.97	814.94
IW-1301-S1	9/6/2017	12.53	23.85	826.97	814.44
IW-1301-S1	3/6/2018	11.02	23.88	826.97	815.95
IW-1301-S1	9/12/2018	11.00	24.80	826.97	815.97
PM-1301	3/10/2016	12.42	24.23	828.92	816.50
PM-1301	9/7/2016	13.23	24.23	828.92	815.69
PM-1301	11/16/2016	14.10	NM	828.92	814.82
PM-1301	3/3/2017	11.98	23.94	826.8	814.82
PM-1301	9/6/2017	12.46	24.22	826.8	814.34
PM-1301	3/6/2018	10.98	13.66	826.8	815.82
PM-1301	9/12/2018	10.80	24.10	826.8	816.00

Notes:

* : Monitoring wells re-surveyed March 3-7, 2017 by John H. Stephens R.L.S, Inc.
 AMSL: Above mean sea level
 NM: Reading not collected

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethane	Cyclohexane	Methylene chloride	Tetrachloroethane	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0101-S1U	6/22/2001	MW-1M-06/22/2001~N~LB	Low-Flow	< 50 U	< 50 U	< 50 U	--	--	< 200 U	800	--	< 100 U	< 50 U	--	< 50 U	3,100	67
MW-0101-S1U	11/15/2004	FD-1 (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	13	< 50.0 U	< 5.0 U	< 5.0 U	1,600	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	69	13,000	140
MW-0101-S1U	11/15/2004	MW-1M (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	14	< 50.0 U	< 5.0 U	< 5.0 U	1,300	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	73	11,000	150
MW-0101-S1U	3/24/2006	MW-0101-S1U (032406)	Low-Flow	< 5.0 U	14	7.0	< 50.0 U	2.4 J	< 5.0 U	1,200	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	68	9,400	67
MW-0101-S1U	11/10/2006	FD-1 (111006)-BDS	Low-Flow	< 5.0 U	12	9.3	< 50.0 U	2.3 J	< 5.0 U	1,100	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	72	7,500	100
MW-0101-S1U	11/10/2006	MW-0101-S1U (111006)	Low-Flow	< 5.0 U	12	9.4	< 50.0 U	2.3 J	< 5.0 U	1,100	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	73	7,700	100
MW-0101-S1U	4/19/2012	FD-1 (041912)-TP	PDB	< 5.0 U	< 5.0 U	20.3	< 100 U	< 5.0 U	< 5.0 U	748 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	57.7	13,500 D	69.0
MW-0101-S1U	4/19/2012	FD-2 (041912)-BC	Low-Flow	< 5.0 U	< 5.0 U	8.1	< 100 U	< 5.0 U	< 5.0 U	712 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	63.4	4,550 D	83.0
MW-0101-S1U	4/19/2012	MW-0101-S1U (041912)-LF	Low-Flow	< 5.0 U	< 5.0 U	8.5	< 100 U	< 5.0 U	< 5.0 U	673 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	62.0	5,390 D	77.1
MW-0101-S1U	4/19/2012	MW-0101-S1U (041912)-PDB	PDB	< 5.0 U	< 5.0 U	20.4	< 100 U	< 5.0 U	< 5.0 U	688 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	56.6	13,500 D	66.3
MW-0101-S1U	10/31/2012	MW-0101-S1U(103112)LF	Low-Flow	< 5.0 U	3.4 J	6.2	< 100 U	1.9 J	< 5.0 U	819 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	70.8	3,430 D	88.7
MW-0101-S1U	10/31/2012	MW-0101-S1U(103112)PDB	PDB	< 5.0 U	2.8 J	11.4	< 100 U	2.1 J	< 5.0 U	847 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	67.5	8,500 D	86.7
MW-0101-S1U	4/2/2013	MW-0101-S1U (040213)PDB	PDB	< 5.0 U	4.9 J	15.8 J	< 100 U	1.4 J	< 5.0 U	1,180 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	70.6 J	10,600 EJ	52.4
MW-0101-S1U	10/16/2013	MW-0101-S1U(101613)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	2,990 D	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	66.1	6,920 D	55.8
MW-0101-S1U	5/13/2014	MW-0101-S1U(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	1,240	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	49.0 J	11,200 D	50.0
MW-0101-S1U	9/25/2014	MW-0101-S1U(092514)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,030	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	53.6	18,100 DJ	31.9
MW-0101-S1U	3/31/2015	MW-0101-S1U(033115)-PDB	PDB	< 25.0 U	4.2 J	8.0 J	< 500 U	< 25.0 UB	< 25.0 U	1,060	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	56.1	17,900 D	32.8
MW-0101-S1U	9/30/2015	MW-0101-S1U(093015)PDB	PDB	< 5.0 U	2.7 J	19.8	< 100 UB	2.9 J	< 5.0 U	3,160 D	< 100 U	< 5.0 U	< 5.0 U	0.44 J	114	5,200 D	75.6
MW-0101-S1U	3/9/2016	MW-0101-S1U(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,020	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	62.0	6,560 D	59.3
MW-0101-S1U	9/27/2016	MW-0101-S1U(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 UJ	< 50.0 U	< 50.0 U	2,330	< 1,000 U	< 110 UB	< 50.0 U	< 50.0 U	69.5	18,500 D	33.2
MW-0101-S1U	3/24/2017	MW-0101-S1U(032417)PDB	PDB	< 500 U	< 500 U	< 500 U	< 10,000 U	< 500 U	< 500 U	3,020	< 10,000 U	< 500 U	< 500 U	< 500 U	< 500 U	16,800	< 200 U
MW-0101-S1U	9/27/2017	MW-0101-S1U (092717)	PDB	< 500 U	< 500 U	< 500 U	< 10,000 U	< 500 U	< 500 U	8,670	< 10,000 UJ	< 500 U	< 500 U	< 500 U	< 500 U	< 500 U	268 J
MW-0101-S1U	3/27/2018	MW-0101-S1U (032718)	PDB	< 25.0 U	< 25.0 U	12.9 J	< 500 U	< 25.0 U	< 25.0 U	2,600	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	55.8	3,590	83.6
MW-0101-S1U	10/4/2018	MW-0101-S1U (100418)	PDB	< 25.0 U	< 25.0 U	46.8	< 500 U	< 25.0 U	< 25.0 U	10,800	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	59.4	552	684
MW-0102-S1U	6/22/2001	MW-2 DUP-06/22/2001~N~LB	Low-Flow	< 50 U	< 50 U	< 50 U	--	--	< 200 U	360	--	< 100 U	< 50 U	--	< 50 U	410	< 20 U
MW-0102-S1U	6/22/2001	MW-2-06/22/2001~N~LB	Low-Flow	< 50 U	< 50 U	< 50 U	--	--	< 200 U	340	--	< 100 U	< 50 U	--	< 50 U	370	< 20 U
MW-0102-S1U	11/15/2004	MW-2 (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	770	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	74	4,600	37
MW-0102-S1U	10/20/2005	MW-2-U (102005)	Low-Flow	< 5.0 U	< 5.0 U	5.1	< 50.0 U	< 5.0 U	< 5.0 U	770	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	68	3,800	21
MW-0102-S1U	3/22/2006	MW-0102-S1U (032206)	Low-Flow	< 5.0 U	< 5.0 U	4.5 J	< 50.0 U	< 5.0 U	< 5.0 U	1,000	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	88	4,800	21
MW-0102-S1U	4/19/2012	MW-0102-S1U (041912)-LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	563 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	85.9	2,380 D	21.2
MW-0102-S1U	4/19/2012	MW-0102-S1U (041912)-PDB	PDB	< 5.0 U	< 5.0 U	5.9	< 100 U	< 5.0 U	< 5.0 U	948 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	108	3,970 D	35.1
MW-0102-S1U	10/31/2012	MW-0102-S1U(103112)PDB	PDB	< 5.0 U	< 5.0 U	3.9 J	< 100 U	< 5.0 U	< 5.0 U	916 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	114	3,770 D	35.3
MW-0102-S1U	4/2/2013	MW-0102-S1U (040213)PDB	PDB	< 5.0 U	< 5.0 U	3.1 J	< 100 U	< 5.0 U	< 5.0 U	847 EJ	< 100 U	3.9 J	< 5.0 U	< 5.0 U	103	3,370 EJ	21.5
MW-0102-S1U	10/16/2013	MW-0102-S1U(101613)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	988	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	105	3,870 D	6.5 J
MW-0102-S1U	5/13/2014	MW-0102-S1U (051314)	PDB	< 5.0 U	< 5.0 U	4.9 J	< 100 U	< 5.0 U	< 5.0 U	826 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	103	2,910 D	21.8
MW-0102-S1U	9/25/2014	MW-0102-S1U(092514)PDB	PDB	< 5.0 U	< 5.0 U	3.1 J	< 100 U	< 5.0 U	< 5.0 U	907 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	75.2	2,950 D	17.4
MW-0102-S1U	3/31/2015	MW-0102-S1U(033115)-PDB	PDB	< 25.0 U	< 25.0 U	2.8 J	< 500 U	< 25.0 U	< 25.0 U	867	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	82.8	2,470 D	12.9
MW-0102-S1U	9/30/2015	MW-0102-S1U(093015)PDB	PDB	< 5.0 U	4.4 J	6.5	< 100 UB	< 5.0 U	< 5.0 U	1,280 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	125	4,440 D	28.6
MW-0102-S1U	3/9/2016	MW-0102-S1U(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,010	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	114	2,360 D	17.0

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0102-S1U	9/27/2016	MW-0102-S1U(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	1,230	< 1,000 U	< 106 UB	< 50.0 U	< 50.0 U	104	5,060 D	21.6
MW-0102-S1U	3/24/2017	MW-0102-S1U(032417)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,310	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	120	3,640 D	27.2
MW-0102-S1U	9/27/2017	MW-0102-S1U (092717)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 UJ	< 25.0 U	< 25.0 U	1,310	< 500 UJ	< 25.0 U	< 25.0 U	< 25.0 U	112	3,470	17.9
MW-0102-S1U	3/27/2018	MW-0102-S1U (032718)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	195	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	9.9 J	636	< 10.0 U
MW-0102-S1U	10/4/2018	MW-0102-S1U (100418)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,400	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	102	4,570	19.7
MW-0103-S1U	6/22/2001	MW-3~06/22/2001~N~LB	Low-Flow	< 5.0 U	< 5.0 U	17	--	--	< 20 U	71	--	< 10 U	< 5.0 U	--	18	12	2.2
MW-0103-S1U	11/15/2004	MW-3 (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	110	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	25	< 5.0 U	< 2.0 U
MW-0103-S1U	3/22/2006	MW-0103-S1U (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	150	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	37	13	< 2.0 U
MW-0103-S1U	6/24/2009	MW-0103-S1U (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	264	< 100 U	< 5 U	< 5 U	< 5 U	34.8	< 5 U	3.9
MW-0103-S1U	10/31/2012	MW-0103-S1U(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	4.1 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.7 J	< 2.0 U
MW-0103-S1U	4/2/2013	MW-0103-S1U (040213)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	8.1 J	< 100 U	2.9 J	< 5.0 U	< 5.0 U	< 5.0 U	40.4 J	< 2.0 U
MW-0103-S1U	10/16/2013	MW-0103-S1U(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	14.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	6.0	< 2.0 U
MW-0103-S1U	5/13/2014	MW-0103-S1U (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	62.5 UB	< 5.0 U	< 5.0 U	3.6 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	8.8	< 2.0 U
MW-0103-S1U	9/25/2014	MW-0103-S1U(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.5 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	11.5	< 2.0 U
MW-0103-S1U	3/31/2015	MW-0103-S1U(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	4.1 J	0.39 J	< 5.0 U	< 5.0 U	< 5.0 U	0.31 J	6.7	< 2.0 U
MW-0103-S1U	9/30/2015	MW-0103-S1U(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	293	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	22.4	1.8 J	1.4 J
MW-0103-S1U	3/30/2016	MW-0103-S1U(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	7.6	< 100 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	5.3	< 2.0 UJ
MW-0103-S1U	9/27/2016	MW-0103-S1U(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 7.1 UB	< 5.0 U	< 5.0 U	< 5.0 U	9.3	< 2.0 U
MW-0103-S1U	3/24/2017	MW-0103-S1U(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	6.2	< 2.0 U
MW-0103-S1U	9/27/2017	MW-0103-S1U (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.5	< 2.0 U
MW-0103-S1U	3/27/2018	MW-103-S1U (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	22.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	1.3 J	< 5.6 UB	< 2.0 U
MW-0103-S1U	10/4/2018	MW-0103-S1U (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	9.5	< 2.0 U
MW-0501-P1	10/18/2005	MW-0501-1L (101805)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	5.0	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-P1	3/22/2006	MW-0501-P1 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	20	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.3 J	6.8
MW-0501-S1	3/22/2006	MW-0501-S1 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	4.4 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	11/7/2006	MW-0501-S1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	6/25/2009	MW-0501-S1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0501-S1	6/25/2009	MW-0501-S1-LF (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0501-S1	5/5/2010	MW-0501-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0501-S1	10/28/2010	MW-0501-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	5/13/2011	MW-0501-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	2.8	0.66 J	< 1.0 U	< 1.0 U	< 1.0 U	0.20 J	< 1.0 U	< 1.0 U
MW-0501-S1	10/18/2011	MW-0501-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	10/31/2012	MW-0501-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	4/2/2013	MW-0501-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.7 J	< 2.0 U
MW-0501-S1	10/16/2013	MW-0501-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.8 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	5/13/2014	MW-0501-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	63.4 UB	< 5.0 U	< 5.0 U	3.0 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	9/25/2014	MW-0501-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	85.1 J	< 5.0 U	< 5.0 U	4.5 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.4	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0501-S1	3/31/2015	MW-0501-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	4.1 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.36 J	< 2.0 U
MW-0501-S1	9/30/2015	MW-0501-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	2.6 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	3/30/2016	MW-0501-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0501-S1	9/27/2016	MW-0501-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	180	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 6.8 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	3/24/2017	MW-0501-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	9/27/2017	MW-0501-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	3/27/2018	MW-501-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0501-S1	4/17/2018	MW-0501-S1 (041718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1.3 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	10/4/2018	MW-0501-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S2	10/18/2005	MW-0501-2L (101805)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S2	3/21/2006	MW-0501-S2 (032106)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	26	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.2 J	< 2.0 U
MW-0501-S2	6/24/2009	MW-0501-S2 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0501-S2	5/5/2010	MW-0501-S2 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0501-S2	10/28/2010	MW-0501-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S2	5/13/2011	MW-0501-S2(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.67 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0501-S2	10/18/2011	MW-0501-S2(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S2	3/27/2018	MW-501-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	10.2 J	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0501-S3U	10/20/2005	MW-0501-3L (102005)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	5.9	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S3U	3/21/2006	MW-0501-S3U (032106)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	73	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S3U	6/24/2009	MW-0501-S3U (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0502-S1	10/19/2005	MW-0502-1L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	9.9	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	84	< 2.0 U
MW-0502-S1	3/24/2006	MW-0502-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	15	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	4.8 J	190	< 2.0 U
MW-0502-S1	11/10/2006	MW-0502-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	18	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.7	180	< 2.0 U
MW-0502-S1	10/31/2012	MW-0502-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.2 J	< 2.0 U
MW-0502-S1	10/16/2013	MW-0502-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	5/13/2014	MW-0502-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	9/25/2014	MW-0502-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	3/31/2015	MW-0502-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1.1 J	0.36 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.0 J	< 2.0 U
MW-0502-S1	9/30/2015	MW-0502-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	1.2 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	3/30/2016	MW-0502-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	9/27/2016	MW-0502-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.3 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	3/24/2017	MW-0502-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	9/27/2017	MW-0502-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0502-S1	3/27/2018	MW-0502-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	2.9 J	< 5.0 U	< 5.0 U	5.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	2.7 J	18.8	< 2.0 U
MW-0502-S1	10/4/2018	MW-0502-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/14/2008	MW-0503-B1A (140-150)(111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	10.8 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0503-B1a	11/17/2008	MW-0503-B1A (132-142)(111708)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/18/2008	MW-0503-B1A (102-112)(111808)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	20.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/18/2008	MW-0503-B1A (112-122)(111808)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/18/2008	MW-0503-B1A (122-132)(111808)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	6.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/18/2008	MW-0503-B1A (92-102)(111808)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	29.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/19/2008	MW-0503-B1A (85-95)(111908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	30.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	10/18/2005	MW-0503-1L (101805)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/24/2006	MW-0503-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	6/25/2009	MW-0503-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0503-S1	10/31/2012	MW-0503-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	4/2/2013	MW-0503-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	2.8 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	10/16/2013	MW-0503-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	5/13/2014	MW-0503-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	66.9 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	9/25/2014	MW-0503-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	118	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/31/2015	MW-0503-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.63 J	< 2.0 U
MW-0503-S1	9/30/2015	MW-0503-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/30/2016	MW-0503-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	9/27/2016	MW-0503-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	217 J	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/24/2017	MW-0503-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	9/27/2017	MW-0503-S1 (0-2717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/27/2018	MW-0503-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	10/4/2018	MW-0503-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S2	10/18/2005	MW-0503-2L (101805)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	5.6	9.9	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S2	3/24/2006	MW-0503-S2 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	7.8	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.3 J	< 2.0 U
MW-0503-S2	6/24/2009	MW-0503-S2 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	8.4	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0503-S2	3/27/2018	MW-0503-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	11.4	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	1.1 J	< 5.0 U	< 2.0 U
MW-0504-I2	10/18/2005	MW-0504-2L (101805)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	15	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	17	< 2.0 U
MW-0504-I2	3/27/2006	MW-0504-I2 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	26	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	6.0	< 2.0 U
MW-0504-S1	10/18/2005	MW-0504-1L (101805)	Low-Flow	< 5.0 U	13	5.8	< 50.0 U	< 5.0 U	< 5.0 U	660	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	62	1,500	16
MW-0504-S1	3/27/2006	MW-0504-S1 (032706)	Low-Flow	< 5.0 U	15	4.2 J	< 50.0 U	< 5.0 U	< 5.0 U	1,200	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	90	1,400	23
MW-0504-S1	11/20/2006	MW-0504-S1 (112006)	Direct Fill	< 5.0 U	10	4.0 J	< 50.0 U	< 5.0 U	< 5.0 U	700	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	91	1,400	17
MW-0504-S1	10/31/2012	MW-0504-S1(103112)PDB	PDB	< 5.0 U	7.6	4.7 J	< 100 U	< 5.0 U	< 5.0 U	1,030 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	132	3,040 D	20.9
MW-0504-S1	4/2/2013	MW-0504-S1 (040213) PDB	PDB	< 5.0 U	9.9	6.4	< 100 U	1.1 J	< 5.0 U	1,120 EJ	< 100 U	6.5	< 5.0 U	< 5.0 U	188 EJ	3,370 EJ	25.2
MW-0504-S1	10/16/2013	MW-0504-S1(101613)	PDB	< 5.0 U	10.4	6.3	< 100 U	< 5.0 U	< 5.0 U	1,020 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	175	3,240 D	22.9
MW-0504-S1	5/13/2014	MW-0504-S1 (051314)	PDB	< 5.0 U	7.8	6.4	57.3 UB	< 5.0 U	< 5.0 U	826 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	154	2,740 D	24.4
MW-0504-S1	9/25/2014	MW-0504-S1(092514)PDB	PDB	< 5.0 U	4.8 J	3.2 J	< 100 U	< 5.0 U	< 5.0 U	749 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	109	2,540 D	14.7

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0504-S1	3/31/2015	MW-0504-S1(033115)-PDB	PDB	< 5.0 U	8.9	5.2	< 100 U	< 5.0 UB	< 5.0 U	909 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	183	3,010 D	24.1
MW-0504-S1	9/30/2015	MW-0504-S1(093015)PDB	PDB	< 5.0 U	9.5	5.9	< 100 UB	0.91 J	< 5.0 U	923 D	0.52 J	< 5.0 U	< 5.0 U	0.13 J	179	3,000 D	19.4
MW-0504-S1	3/9/2016	MW-0504-S1(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	571	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	92.2	1,820 D	8.9 J
MW-0504-S1	9/27/2016	MW-0504-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	661	< 1,000 U	< 111 UB	< 50.0 U	< 50.0 U	105	2,620	< 20.0 U
MW-0504-S1	3/24/2017	MW-0504-S1(032417)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	839	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	124	2,640 D	19.7
MW-0504-S1	9/27/2017	MW-0504-S1 (092717)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	714	< 500 UJ	< 25.0 U	< 25.0 U	< 25.0 U	108	2,520	13.3 J
MW-0504-S1	3/27/2018	MW-0504-S1 (032718)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	260	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	31.2	665	< 10.0 U
MW-0504-S1	10/4/2018	MW-0504-S1 (100418)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	507	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	75.2	1,890	12.7
MW-0504-S2	3/27/2006	MW-0504-S2 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	49	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	1.2 J	< 5.0 U	1.5 J	< 2.0 U
MW-0504-S2	11/7/2006	MW-0504-S2 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	300	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	20	100	< 2.0 U
MW-0504-S2	3/27/2018	MW-0504-S2 (032718)	PDB	< 5.0 U	< 5.0 U	0.67 J	< 100 U	< 5.0 U	< 5.0 U	255	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	12.4	< 5.0 UB	0.83 J
MW-0505-B1	11/13/2006	MW-0505-B1 (111306)	Direct push	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-B1	11/13/2008	MW-0505-B1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-B1	5/5/2010	MW-0505-B1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0505-B1	10/28/2010	MW-0505-B1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-B1	5/13/2011	MW-0505-B1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	1.6	0.59 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0505-B1	10/18/2011	MW-0505-B1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S1	10/19/2005	FD-3 (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	24	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	29	< 2.0 U
MW-0505-S1	10/19/2005	MW-0505-1L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	25	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	31	< 2.0 U
MW-0505-S1	3/23/2006	MW-0505-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	19	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	6.0	< 2.0 U
MW-0505-S1	6/24/2009	MW-0505-S1 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	7.9	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0505-S1	10/31/2012	MW-0505-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	5.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.7 J	< 2.0 U
MW-0505-S1	9/25/2014	MW-0505-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	6.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S1	3/31/2015	MW-0505-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	8.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.75 J	< 2.0 U
MW-0505-S1	9/30/2015	MW-0505-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	8.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.33 J	< 2.0 U
MW-0505-S1	3/30/2016	MW-0505-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	6.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S1	9/27/2016	MW-0505-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	5.1	< 100 U	< 7.7 UB	< 5.0 U	< 5.0 U	< 5.0 U	7.6	< 2.0 U
MW-0505-S1	3/24/2017	MW-0505-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S1	9/27/2017	MW-0505-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0505-S1	3/27/2018	MW-0505-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	6.5 J	< 5.0 U	< 5.0 U	4.2 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0505-S1	10/4/2018	MW-0505-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S2	10/19/2005	MW-0505-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S2	3/23/2006	MW-0505-S2 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S2	6/24/2009	MW-0505-S2 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0505-S2	3/27/2018	MW-0505-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	2.3 J	< 5.0 U	< 5.0 U	< 5.0 U	0.34 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0506-I2	10/19/2005	MW-0506-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	11	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-I2	3/27/2006	MW-0506-I2 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	3.6 J	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	4.3 J	< 2.0 U
MW-0506-S1	10/19/2005	MW-0506-1L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	1/3/2006	MW-0506-1L (01/03/06)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/27/2006	FD-1 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	1.6 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/27/2006	MW-0506-S1 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	6/24/2009	MW-0506-S1 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	13.9	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	7.2	< 2 U
MW-0506-S1	10/31/2012	FD-1(103112)PDB-JG	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	4.6 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	10/31/2012	FD-3(103112)LF-WK	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	646 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	72.8	453 D	< 2.0 U
MW-0506-S1	10/31/2012	MW-0506-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	5.4	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	4/2/2013	MW-0506-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	13.3 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	36.3 J	< 2.0 U
MW-0506-S1	10/16/2013	MW-0506-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	3.4 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	5/13/2014	MW-0506-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	56.7 UB	< 5.0 U	< 5.0 U	3.2 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	9/25/2014	MW-0506-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.7 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/31/2015	MW-0506-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.5 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.37 J	< 2.0 U
MW-0506-S1	9/30/2015	MW-0506-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	1.2 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/30/2016	MW-0506-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	9/27/2016	MW-0506-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 7.1 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/24/2017	MW-0506-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	9/27/2017	MW-0506-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0506-S1	3/27/2018	MW-0506-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1.5 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	10/4/2018	MW-0506-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S2	10/19/2005	MW-0506-3L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	470	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	44	630	< 2.0 U
MW-0506-S2	1/3/2006	MW-0506-2L (01/03/06)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	540	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	48	650	< 2.0 U
MW-0506-S2	3/27/2006	MW-0506-S2 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	620	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	50	670	< 2.0 U
MW-0506-S2	6/24/2009	MW-0506-S2 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	634	< 100 U	< 5 U	< 5 U	< 5 U	80.5	445	3.1
MW-0506-S2	4/19/2012	MW-0506-S2 (041912)-LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	565 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	68.5	585 D	< 2.0 U
MW-0506-S2	4/19/2012	MW-0506-S2 (041912)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	520 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	67.1	583 D	< 2.0 U
MW-0506-S2	10/31/2012	MW-0506-S2(103112)LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	635 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	69.7	433 D	< 2.0 U
MW-0506-S2	10/31/2012	MW-0506-S2(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	636 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	34.7	233	< 2.0 U
MW-0506-S2	3/27/2018	MW-0506-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	16.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	3.8 J	32.6	< 2.0 U
MW-0507-S1	10/19/2005	MW-0507-1L (101905)	Low-Flow	9.0	39	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	83	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	16	< 2.0 U
MW-0507-S1	3/27/2006	MW-0507-S1 (032706)	Low-Flow	21	190	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	310	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	6.0	52	< 2.0 U
MW-0507-S1	10/31/2012	MW-0507-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.7 J	< 2.0 U
MW-0507-S1	4/2/2013	MW-0507-S1 (040213) PDB	PDB	4.1 J	8.3	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	27.6	< 100 U	4.2 J	< 5.0 U	< 5.0 U	< 5.0 U	10.1 J	< 2.0 U
MW-0507-S1	10/16/2013	MW-0507-S1(101613)	PDB	4.5 J	6.6	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	19.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.9 J	< 2.0 U
MW-0507-S1	5/13/2014	MW-0507-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	3.2 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0507-S1	9/25/2014	MW-0507-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.8 J	< 2.0 U
MW-0507-S1	3/31/2015	MW-0507-S1(033115)-PDB	PDB	6.8	15.3	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	60.0	< 100 U	< 5.0 U	1.4 J	< 5.0 U	1.1 J	5.6	< 2.0 U
MW-0507-S1	9/30/2015	MW-0507-S1(093015)PDB	PDB	17.7	27.7	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	83.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	1.8 J	3.7 J	< 2.0 U
MW-0507-S1	3/30/2016	MW-0507-S1(033016)PDB	PDB	14.7	24.4	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	75.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.1	< 2.0 U
MW-0507-S1	9/27/2016	MW-0507-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	9.9	< 100 U	< 5.9 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0507-S1	3/24/2017	MW-0507-S1(032417)PDB	PDB	13.2	28.7	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	81.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0507-S1	9/27/2017	MW-0507-S1 (0-2717)	PDB	9.6	21.1	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	53.9	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0507-S1	3/27/2018	MW-0507-S1 (032718)	PDB	8.1	19.5	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	73.7	< 100 U	< 5.0 U	6.7	< 5.0 U	1.1 J	45.4	< 2.0 U
MW-0507-S1	10/4/2018	MW-0507-S1 (100418)	PDB	27.7	41.1	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	135	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-I2	10/19/2005	FD-1 (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-I2	10/19/2005	MW-0509-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-I2	3/23/2006	MW-0509-I2 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	10/19/2005	MW-0509-1L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/23/2006	MW-0509-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	6/24/2009	MW-0509-S1 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0509-S1	10/31/2012	MW-0509-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	4/2/2013	MW-0509-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.1 J	< 2.0 U
MW-0509-S1	10/16/2013	MW-0509-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	5/13/2014	MW-0509-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	9/25/2014	MW-0509-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	87.4 J	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	3.1 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/31/2015	MW-0509-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	9/30/2015	MW-0509-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.53 J	< 2.0 U
MW-0509-S1	3/30/2016	MW-0509-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	9/27/2016	MW-0509-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 6.1 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/24/2017	MW-0509-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	9/27/2017	MW-0509-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/27/2018	MW-0509-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.26 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	10/4/2018	MW-0509-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/19/2005	MW-0516-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/23/2006	MW-0516-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/5/2010	MW-0516-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/6/2010	MW-0516-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	10/28/2010	MW-0516-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2011	MW-0516-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.65 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0516-S1	10/18/2011	MW-0516-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0516-S1	10/31/2012	MW-0516-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	4/2/2013	MW-0516-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/16/2013	MW-0516-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2014	MW-0516-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/25/2014	MW-0516-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/31/2015	MW-0516-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.56 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.26 J	< 2.0 U
MW-0516-S1	9/30/2015	MW-0516-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	FD-1(033016)-LM	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	MW-0516-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2016	MW-0516-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/24/2017	MW-0516-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2017	MW-0516-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/27/2018	MW-0516-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/4/2018	MW-0516-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	10/20/2005	MW-0516-S2 (102005)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	3/23/2006	MW-0516-S2 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	6/25/2009	MW-0516-S2 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S2	3/27/2018	MW-0516-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0517-I2	10/18/2005	MW-0517-2L (101805)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	7.4	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0517-I2	3/22/2006	MW-0517-I2 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0517-S1	10/18/2005	MW-0517-1L (101805)	Low-Flow	< 5.0 UJ	8.4 J	< 5.0 UJ	< 50.0 UJ	< 5.0 UJ	< 5.0 UJ	370 J	< 5.0 UJ	< 5.0 UJ	< 5.0 UJ	< 5.0 UJ	42 J	690 J	15 J
MW-0517-S1	3/22/2006	MW-0517-S1 (032206)	Low-Flow	< 5.0 U	10	2.7 J	< 50.0 U	1.7 J	< 5.0 U	900	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	65	1,800	30
MW-0517-S1	10/31/2012	MW-0517-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	37.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	18.8	103	< 2.0 U
MW-0517-S1	4/2/2013	FD-1 (040213) JG	PDB	< 5.0 U	6.1	2.8 J	< 100 U	1.7 J	< 5.0 U	593 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	77.4	6,440 D	1.6 J
MW-0517-S1	4/2/2013	MW-0517-S1 (040213) PDB	PDB	< 5.0 U	6.1	3.0 J	< 100 U	1.8 J	< 5.0 U	572 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	80.4	6,270 EJ	1.9 J
MW-0517-S1	10/16/2013	FD-1(101613)-WK	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	322 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	68.7	2,570 D	3.1
MW-0517-S1	10/16/2013	MW-0517-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	270 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	65.1	2,010 D	3.0
MW-0517-S1	5/13/2014	FD-1(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	505	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	58.6	4,240 D	< 20.0 U
MW-0517-S1	5/13/2014	MW-0517-S1(051314)	PDB	< 5.0 U	4.3 J	< 5.0 U	< 100 UB	1.1 J	< 5.0 U	582 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	84.5	2,830 D	2.7
MW-0517-S1	9/25/2014	MW-0517-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	303 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	62.3	2,200 D	2.4
MW-0517-S1	3/31/2015	FD-1(033115)-AO-PDB	PDB	< 25.0 U	2.0 J	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	478	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	67.7	2,550 D	3.9 J
MW-0517-S1	3/31/2015	MW-0517-S1(033115)-PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 UB	< 25.0 U	512	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	70.9	2,940 D	4.7 J
MW-0517-S1	9/30/2015	FD-1(093015)-CK	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	80.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	44.5	312 D	< 2.0 U
MW-0517-S1	9/30/2015	MW-0517-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	78.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	44.8	346 D	< 2.0 U
MW-0517-S1	3/9/2016	FD-01(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	601	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	72.0	3,720 D	< 10.0 U
MW-0517-S1	3/9/2016	MW-0517-S1(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	600	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	74.3	3,570 D	< 10.0 U
MW-0517-S1	9/27/2016	FD-1(092716)RW	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	145	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	40.6	809 D	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0517-S1	9/27/2016	MW-0517-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	145	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	42.0	760 D	< 2.0 U
MW-0517-S1	3/24/2017	FD-1(032417)-LF	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,000	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	94.5	5,220 D	< 10.0 U
MW-0517-S1	3/24/2017	MW-0517-S1(032417)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,030	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	92.2	4,740 D	< 10.0 U
MW-0517-S1	9/27/2017	FD-1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	44.9	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	25.2	127	< 2.0 U
MW-0517-S1	9/27/2017	MW-0517-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	43.3	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	25.1	130	< 2.0 U
MW-0517-S1	3/27/2018	FD-1 (032718)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	786	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	77.6	4,400	< 10.0 U
MW-0517-S1	3/27/2018	MW-0517-S1 (032718)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	816	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	77.0	4,480	< 10.0 U
MW-0517-S1	10/4/2018	FD-1-(100418)-KA	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	194	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	44.3	1,040	< 10.0 U
MW-0517-S1	10/4/2018	MW-0517-S1 (100418)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	216	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	41.3	985	< 10.0 U
MW-0602-B1	3/24/2006	MW-0602-B1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	300	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	24	< 5.0 U	< 2.0 U
MW-0602-B1	11/7/2006	MW-0602-B1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	300	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	29	< 5.0 U	1.6 J
MW-0602-B1	6/26/2009	MW-0602-B1 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	13.1	83.7	< 100 U	< 5 U	< 5 U	< 5 U	6.9	< 5 U	< 2 U
MW-0602-S1	3/24/2006	MW-0602-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	11/7/2006	MW-0602-S1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/31/2012	MW-0602-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/16/2013	MW-0602-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	5/13/2014	MW-0602-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/25/2014	MW-0602-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/30/2016	MW-0602-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2016	MW-0602-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 7.6 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/24/2017	MW-0602-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2017	MW-0602-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/27/2018	MW-0602-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/4/2018	MW-0602-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-B1	3/24/2006	MW-0603-B1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	730	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	44	20	< 2.0 U
MW-0603-B1	11/8/2006	MW-0603-B1 (110806)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	620	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	39	< 5.0 U	2.0
MW-0603-B1	6/25/2009	MW-0603-B1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	545	< 100 U	< 5 U	< 5 U	< 5 U	79.2	< 5 U	< 2 U
MW-0603-B1	6/25/2009	MW-0603-B1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	557	< 100 U	< 5 U	< 5 U	< 5 U	77.4	< 5 U	3.6
MW-0603-S1	3/24/2006	MW-0603-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	11/8/2006	MW-0603-S1 (110806)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	6/25/2009	MW-0603-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	5/5/2010	MW-0603-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	10/28/2010	MW-0603-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2011	MW-0603-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0603-S1	10/18/2011	MW-0603-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/31/2012	MW-0603-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0603-S1	10/16/2013	MW-0603-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2014	MW-0603-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/25/2014	MW-0603-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/31/2015	MW-0603-S1(033115)-AO-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.36 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/30/2015	MW-0603-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.27 J	< 2.0 U
MW-0603-S1	3/30/2016	MW-0603-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2016	MW-0603-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2017	MW-0603-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2017	MW-0603-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/27/2018	MW-0603-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/4/2018	MW-0603-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S2	3/24/2006	MW-0603-S2 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	270	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	8.6	< 5.0 U	< 2.0 U
MW-0603-S2	11/8/2006	MW-0603-S2 (110806)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	270	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	8.7	< 5.0 U	2.0
MW-0603-S2	6/25/2009	MW-0603-S2 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	293	< 100 U	< 5 U	< 5 U	< 5 U	11.5	< 5 U	< 2 U
MW-0603-S2	5/5/2010	FD-1 (050510)-TP	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	68.7	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S2	5/5/2010	MW-0603-S2 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	65.7	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S2	5/6/2010	MW-0603-S2 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	291	< 100 U	< 5 U	< 5 U	< 5 U	10.6	< 5 U	< 2 U
MW-0603-S2	10/28/2010	MW-0603-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	74.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S2	5/13/2011	FD-(051311)-EG	PDB	< 1.7 U	< 1.7 U	< 1.7 U	< 27 UB	< 1.7 U	< 1.7 U	64	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	2.2	< 1.7 U	< 1.7 U
MW-0603-S2	5/13/2011	MW-0603-S2(051311)	PDB	< 1.7 U	< 1.7 U	< 1.7 U	< 25 UB	< 1.7 U	< 1.7 U	69	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	2.2	< 1.7 U	0.79 J
MW-0603-S2	10/18/2011	FD-1(101811)-EG	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	60.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S2	10/18/2011	MW-0603-S2(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	61.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0604-S1	3/22/2006	MW-0604-S1 (032206)	Low-Flow	< 5.0 U	11	7.9	< 50.0 U	< 5.0 U	< 5.0 U	1,400	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	120	4,900	43
MW-0604-S1	11/8/2006	MW-0604-S1 (110806)	Low-Flow	< 5.0 U	6.5	5.4	< 50.0 U	< 5.0 U	< 5.0 U	600	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	76	2,700	31
MW-0604-S1	10/31/2012	MW-0604(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	7.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	59.5	< 2.0 U
MW-0604-S1	4/2/2013	MW-0604-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	2.8 J	60.2 J	< 5.0 U	< 5.0 U	698 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	76.4 J	2,720 EJ	36.2 J
MW-0604-S1	10/16/2013	MW-0604-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	368 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	43.1	1,100 D	19.4
MW-0604-S1	5/13/2014	MW-0604-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	62.5 UB	< 5.0 U	< 5.0 U	271	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	27.2	747 D	16.2
MW-0604-S1	9/25/2014	FD-1(092514)-AO	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	489 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	39.7	1,480 D	20.3
MW-0604-S1	9/25/2014	MW-0604-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	414 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	51.5	1,410 D	24.8
MW-0604-S1	3/31/2015	MW-0604-S1(033115)-PDB	PDB	< 5.0 U	2.6 J	3.5 J	< 100 U	< 5.0 UB	< 5.0 U	878 D	0.65 J	< 5.0 U	< 5.0 U	< 5.0 U	112	2,690 D	57.6
MW-0604-S1	9/30/2015	MW-0604-S1(093015)PDB	PDB	< 5.0 U	0.98 J	1.5 J	< 100 UB	< 5.0 U	< 5.0 U	353 D	0.37 J	< 5.0 U	< 5.0 U	< 5.0 U	52.7	1,240 D	12.5
MW-0604-S1	3/30/2016	MW-0604-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1,030 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	97.2	3,340 D	37.7
MW-0604-S1	9/27/2016	MW-0604-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	344	< 100 U	< 5.1 UB	< 5.0 U	< 5.0 U	37.8	1,190 D	11.8
MW-0604-S1	3/24/2017	MW-0604-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1,280 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	101	3,250 D	33.8
MW-0604-S1	9/27/2017	MW-0604-S1 (092717)	PDB	< 5.0 U	< 5.0 U	5.1	< 100 U	< 5.0 U	< 5.0 U	1,260	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	101	3,870	34.4 J
MW-0604-S1	3/27/2018	MW-0604-S1 (032718)	PDB	< 5.0 U	< 5.0 U	0.92 J	< 100 U	< 5.0 U	< 5.0 U	208	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	23.3	555	5.1
MW-0604-S1	10/4/2018	MW-0604-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	81.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	10.9	247	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0604-S2	3/22/2006	MW-0604-S2 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	39	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	20	100	< 2.0 U
MW-0604-S2	11/9/2006	MW-0604-S2 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	60	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	10	27	< 2.0 U
MW-0604-S2	6/24/2009	MW-0604-S2 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	94.6	< 100 U	< 5 U	< 5 U	< 5 U	8.9	< 5 U	< 2 U
MW-0604-S2	3/27/2018	MW-0604-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.27 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0605-B1	3/22/2006	MW-0605-B1 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	11	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0605-B1	11/9/2006	MW-0605-B1 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0605-S1	3/22/2006	MW-0605-S1 (032206)	Low-Flow	< 5.0 U	2.6 J	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	19	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	920	< 2.0 U
MW-0605-S1	11/9/2006	MW-0605-S1 (110906)	Low-Flow	< 5.0 U	3.2 J	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	26	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,400	< 2.0 U
MW-0605-S1	10/31/2012	MW-0605-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	15.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,480 D	< 2.0 U
MW-0605-S1	4/2/2013	MW-0605-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	16.9 J	< 100 U	2.6 J	< 5.0 U	< 5.0 U	< 5.0 U	1,180 EJ	< 2.0 U
MW-0605-S1	10/16/2013	MW-0605-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	17.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,580 D	< 2.0 U
MW-0605-S1	5/13/2014	MW-0605-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	14.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2,630 D	< 2.0 U
MW-0605-S1	12/1/2014	MW-0605-S1(120114)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	99.2 J	< 5.0 U	< 5.0 U	12.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	629 D	< 2.0 U
MW-0605-S1	3/31/2015	MW-0605-S1(033115)-PDB	PDB	< 5.0 U	1.8 J	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	12.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	1.0 J	983 D	< 2.0 U
MW-0605-S1	9/30/2015	MW-0605-S1(093015)PDB	PDB	< 5.0 U	2.8 J	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	16.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	1.4 J	1,210 D	< 2.0 U
MW-0605-S1	3/30/2016	MW-0605-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	14.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	742 D	< 2.0 U
MW-0605-S1	9/27/2016	MW-0605-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 116 UB	< 50.0 U	< 50.0 U	< 50.0 U	1,100	< 20.0 U
MW-0605-S1	3/24/2017	MW-0605-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	12.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,170 D	< 2.0 U
MW-0605-S1	9/27/2017	MW-0605-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	14.3	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	992	< 2.0 U
MW-0605-S1	3/27/2018	MW-0605-S1 (032718)	PDB	< 5.0 U	2.8 J	< 5.0 U	5.5 J	< 5.0 U	< 5.0 U	14.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	2.2 J	1,170	< 2.0 U
MW-0605-S1	10/4/2018	MW-0605-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	15.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	911	< 2.0 U
MW-0605-S2	3/22/2006	FD-1 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	50	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	7.4	27	< 2.0 U
MW-0605-S2	3/22/2006	MW-0605-S2 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	49	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	7.1	21	< 2.0 U
MW-0605-S2	11/9/2006	MW-0605-S2 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	100	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	7.8	< 5.0 U	< 2.0 U
MW-0605-S2	3/27/2018	MW-0605-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	3.2 J	< 5.0 U	< 5.0 U	7.0	0.39 J	< 5.0 U	< 5.0 U	0.13 J	0.33 J	< 5.0 UB	< 2.0 U
MW-0606-S1	3/23/2006	MW-0606-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	230	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	42	970	< 2.0 U
MW-0606-S1	11/6/2006	MW-0606-S1 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	210	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	43	770	1.0 J
MW-0606-S1	10/31/2012	MW-0606-S1(103112)LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	288 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	76.5	2,410 D	< 2.0 U
MW-0606-S1	10/31/2012	MW-0606-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	281 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	78.8	2,380 D	1.2 J
MW-0606-S1	4/2/2013	MW-0606-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	394 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	105	4,490 EJ	2.0
MW-0606-S1	10/16/2013	MW-0606-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	314 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	92.8	2,650 D	1.3 J
MW-0606-S1	5/13/2014	MW-0606-S1(051314)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	365	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	75.9	3,280 D	< 10.0 U
MW-0606-S1	9/25/2014	MW-0606-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	448 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	81.0	2,580 DJ	1.2 J
MW-0606-S1	3/31/2015	MW-0606-S1(033115)-PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	428	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	94.6	3,030 D	< 20.0 U
MW-0606-S1	9/30/2015	MW-0606-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	0.42 J	< 100 UB	< 5.0 U	< 5.0 U	285	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	45.6	1,260 D	0.43 J

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethane	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0606-S1	3/9/2016	MW-0606-S1(030916)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	329 D	< 100 U	< 5.0 UJ	< 5.0 U	< 5.0 U	62.6	1,960 D	< 2.0 U
MW-0606-S1	9/27/2016	MW-0606-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	633	< 1,000 U	< 113 UB	< 50.0 U	< 50.0 U	58.0	1,130	< 20.0 U
MW-0606-S1	3/24/2017	MW-0606-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	441	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	97.8	2,820 D	< 2.0 U
MW-0606-S1	9/27/2017	MW-0606-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	250	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	51.0	1,470	< 2.0 U
MW-0606-S1	3/27/2018	MW-0606-S1 (032718)	PDB	< 5.0 U	< 5.0 U	1.1 J	2.8 J	< 5.0 U	< 5.0 U	279	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	81.5	1,880	0.92 J
MW-0606-S1	10/4/2018	MW-0606-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	453	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	97.0	1,960	< 2.0 U
MW-0606-S2	3/23/2006	MW-0606-S2 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	1.8 J	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	2.8 J	< 2.0 U
MW-0606-S2	11/6/2006	MW-0606-S2 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 7.2 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.3 J	< 2.0 U
MW-0606-S2	6/26/2009	MW-0606-S2 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	245	< 100 U	< 5 U	< 5 U	< 5 U	50.9	390	< 2 U
MW-0606-S2	4/19/2012	MW-0606-S2 (041912)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	194	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	47.5	729 D	< 2.0 U
MW-0606-S2	10/31/2012	MW-0606-S2(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	192	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	43.6	532 D	< 2.0 U
MW-0606-S2	3/27/2018	MW-0606-S2 (032718)	PDB	< 5.0 U	< 5.0 U	0.62 J	< 100 U	< 5.0 U	< 5.0 U	309	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	73.2	458	< 2.0 U
MW-0607-B1	11/12/2008	MW-0607-B1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-B1	6/25/2009	MW-0607-B1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-B1	5/5/2010	MW-0607-B1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-B1	10/28/2010	MW-0607-B1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-B1	5/13/2011	MW-0607-B1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 14 UB	< 1.0 U	< 1.0 U	3.2	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.44 J	< 1.0 U	< 1.0 U
MW-0607-B1	10/18/2011	MW-0607-B1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/24/2006	MW-0607-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	11/6/2006	MW-0607-S1 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	6/25/2009	MW-0607-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/5/2010	MW-0607-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/6/2010	MW-0607-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	10/28/2010	MW-0607-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2011	MW-0607-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.63 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0607-S1	10/18/2011	MW-0607-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/31/2012	MW-0607-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0607-S1	4/2/2013	MW-0607-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.9 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	36.9 J	< 2.0 U
MW-0607-S1	10/16/2013	MW-0607-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2014	MW-0607-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	1.6 J	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/25/2014	MW-0607-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.0 J	< 2.0 U
MW-0607-S1	3/31/2015	MW-0607-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.23 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/30/2015	MW-0607-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.24 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/30/2016	MW-0607-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2016	MW-0607-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.2 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/24/2017	MW-0607-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2017	MW-0607-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0607-S1	3/27/2018	MW-0607-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/4/2018	MW-0607-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	3/7/2007	MW-0607-S2 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	11/12/2008	MW-0607-S2 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	5/5/2010	MW-0607-S2 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	5.5	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S2	5/6/2010	MW-0607-S2 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S2	10/28/2010	MW-0607-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	5/13/2011	MW-0607-S2(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.80 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.66 J
MW-0607-S2	10/18/2011	MW-0607-S2(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	3/27/2018	MW-0607-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-B1	3/23/2006	MW-0608-B1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	8.4	150	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	87	2.3 J	< 2.0 U
MW-0608-B1	11/7/2006	MW-0608-B1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	180	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	150	< 5.0 U	1.3 J
MW-0608-B1	6/25/2009	MW-0608-B1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	6.0	125	< 100 U	< 5 U	< 5 U	< 5 U	123	< 5 U	< 2 U
MW-0608-B1	6/25/2009	MW-0608-B1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	169	< 100 U	< 5 U	< 5 U	< 5 U	188	6.6	3.2
MW-0608-S1	3/23/2006	MW-0608-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	2.9 J	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	2.0 J	< 2.0 U
MW-0608-S1	11/7/2006	MW-0608-S1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	35	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3.3 J	1.7 J	< 2.0 U
MW-0608-S1	6/26/2009	MW-0608-S1 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	24.5	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	4.9
MW-0608-S1	10/31/2012	MW-0608-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0608-S1	4/2/2013	MW-0608-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	30.9	< 100 U	2.5 J	< 5.0 U	< 5.0 U	< 5.0 U	5.2 J	1.7 J
MW-0608-S1	10/16/2013	MW-0608-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	5/13/2014	MW-0608-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	148	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	11.7	3.5 J	5.4
MW-0608-S1	9/25/2014	MW-0608-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.5 J	< 2.0 U
MW-0608-S1	3/31/2015	MW-0608-S1(033115)-PDB	PDB	< 5.0 U	1.4 J	0.33 J	< 100 UB	< 5.0 U	< 5.0 U	144	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	13.1	< 5.0 U	4.0
MW-0608-S1	9/30/2015	MW-0608-S1(093015)PDB	PDB	< 5.0 U	3.9 J	0.54 J	< 100 UB	< 5.0 U	< 5.0 U	243 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	35.3	< 5.0 U	5.8
MW-0608-S1	3/30/2016	MW-0608-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	97.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.3	< 5.0 U	2.6
MW-0608-S1	9/27/2016	MW-0608-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 7.3 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/24/2017	MW-0608-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	30.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	9/27/2017	MW-0608-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	427	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	44.0	< 5.0 U	5.1
MW-0608-S1	3/27/2018	MW-0608-S1 (032718)	PDB	< 5.0 U	3.6 J	1.5 J	< 100 U	< 5.0 U	< 5.0 U	371	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	45.1	< 5.0 U	5.1
MW-0608-S1	10/4/2018	MW-0608-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	453	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	58.3	< 5.0 U	6.5
MW-0608-S2	3/23/2006	MW-0608-S2 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	900	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	100	100	< 2.0 U
MW-0608-S2	11/7/2006	MW-0608-S2 (110706)	Low-Flow	< 5.0 U	< 5.0 UJ	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 UJ	630	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	88 J	63	< 2.0 U
MW-0608-S2	6/26/2009	FD-2-PS (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	635	< 100 U	< 5 U	< 5 U	< 5 U	109	12.4	2.5
MW-0608-S2	6/26/2009	MW-0608-S2 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	605	< 100 U	< 5 U	< 5 U	< 5 U	113	12.2	2.6
MW-0608-S2	3/27/2018	MW-0608-S2 (032718)	PDB	< 5.0 U	< 5.0 U	1.7 J	< 100 U	< 5.0 U	< 5.0 U	801	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	112	< 5.0 UB	2.1

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0609-S1	3/23/2006	MW-0609-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	61	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	9.7	260	< 2.0 U
MW-0609-S1	11/9/2006	MW-0609-S1 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	55	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	9.0	220	< 2.0 U
MW-0609-S1	6/26/2009	FD-1-PS (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	225	< 100 U	< 5 U	< 5 U	< 5 U	25.4	69.4	3.7
MW-0609-S1	6/26/2009	MW-0609-S1 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	226	< 100 U	< 5 U	< 5 U	< 5 U	26.1	69.9	3.6
MW-0609-S1	10/31/2012	MW-0609-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	3.8 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	4/2/2013	MW-0609-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	18.9	< 100 U	2.9 J	< 5.0 U	< 5.0 U	< 5.0 U	8.2 J	< 2.0 U
MW-0609-S1	10/16/2013	MW-0609-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	489 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	40.1	5.9	7.8
MW-0609-S1	5/13/2014	MW-0609-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	198 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	16.2	40.1	5.4
MW-0609-S1	9/25/2014	MW-0609-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	26.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	2.7 J	< 5.0 U	6.2
MW-0609-S1	9/30/2015	MW-0609-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	347 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	53.1	248	3.2
MW-0609-S1	3/30/2016	MW-0609-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	18.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	7.9	< 2.0 U
MW-0609-S1	9/27/2016	MW-0609-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	496	< 100 U	< 7.9 UB	< 5.0 U	< 5.0 U	49.7	17.1	18.1
MW-0609-S1	3/24/2017	MW-0609-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	7.5	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	9/27/2017	MW-0609-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	147	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	8.1	< 5.0 U	15.0
MW-0609-S1	4/17/2018	MW-0609-S1 (041718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1.1 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	10/4/2018	MW-0609-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S2	11/10/2006	MW-0609-S2 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	73	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	10	< 5.0 U	4.1
MW-0609-S2	11/12/2008	MW-0609-S2 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	22.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S2	5/5/2010	MW-0609-S2 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	127	< 100 U	< 5 U	< 5 U	< 5 U	17.0	< 5 U	4.1
MW-0609-S2	5/6/2010	MW-0609-S2 (050610)JLF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	102	< 100 U	< 5 U	< 5 U	< 5 U	13.0	< 5 U	3.5
MW-0609-S2	10/28/2010	MW-0609-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	20.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S2	5/13/2011	MW-0609-S2(051311)	PDB	< 4.0 U	< 4.0 U	< 4.0 U	< 40 U	< 4.0 U	< 4.0 U	130	< 4.0 U	< 4.0 UB	< 4.0 U	< 4.0 U	17	< 4.0 U	4.8
MW-0609-S2	10/18/2011	MW-0609-S2(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	24.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S2	4/20/2012	MW-0609-S2_20120420	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	175	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	21.1	< 5.0 U	3.2
MW-0609-S2	10/31/2012	MW-0609-S2(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	21.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S2	3/27/2018	MW-0609-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	202	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	24.6	< 5.0 U	9.3
MW-0610-S1	11/10/2006	MW-0610-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	40	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.2 J	< 5.0 U	1.9 J
MW-0610-S1	11/12/2008	MW-0610-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	19.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/5/2010	MW-0610-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0610-S1	10/28/2010	MW-0610-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2011	MW-0610-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.67 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0610-S1	10/18/2011	MW-0610-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/31/2012	MW-0610-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/16/2013	MW-0610-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2014	MW-0610-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/25/2014	MW-0610-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.0 J	< 2.0 U
MW-0610-S1	3/31/2015	MW-0610-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.43 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/30/2015	MW-0610-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	2.1 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0610-S1	3/30/2016	MW-0610-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2016	MW-0610-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.4 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/24/2017	MW-0610-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2017	MW-0610-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/27/2018	MW-0610-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/4/2018	MW-0610-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	11/13/2006	MW-0611-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	11/13/2008	MW-0611-S1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	4/29/2016	MW-0611-S1 (042916) (LOW FLOW)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0611-S1	3/24/2017	MW-0611-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	10/11/2017	MW-0611-S1 (101117) LF	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	4/25/2018	MW-0611-S1(042518)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	10/4/2018	MW-0611-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0612-S1	11/9/2006	MW-0612-S1 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	130	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	43	3,300	2.4
MW-0612-S1	3/7/2007	FD-1-MG (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	132	< 100 U	< 5.0 UJ	< 5.0 U	< 5.0 U	38.6	3,760	3.1
MW-0612-S1	3/7/2007	MW-0612-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	161	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	38.9	3,950	< 2.0 U
MW-0612-S1	6/25/2009	MW-0612-S1 (062509)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 1,000 UJ	< 5.0 U	< 5.0 U	207	< 1,000 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4,370	< 2.0 U
MW-0612-S1	4/19/2012	MW-0612-S1 (041912)-PDB	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	223	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	44.9	4,750 D	15.1
MW-0612-S1	10/31/2012	FD-2(103112)PDB-WK	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	850 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	141	675 D	< 2.0 U
MW-0612-S1	10/31/2012	MW-0612-S1(103112)LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	185	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	45.8	2,490 D	11.8
MW-0612-S1	10/31/2012	MW-0612-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	275	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	48.5	5,440 D	24.5
MW-0612-S1	4/2/2013	MW-0612-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	191	< 100 U	3.5 J	< 5.0 U	< 5.0 U	41.0	3,720 EJ	9.3
MW-0612-S1	10/16/2013	MW-0612-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	242	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	49.1	3,220 D	12.4
MW-0612-S1	5/13/2014	MW-0612-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	248 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	46.2	3,400 D	13.2
MW-0612-S1	9/25/2014	MW-0612-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	251	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	43.2	3,190 DJ	13.7
MW-0612-S1	3/31/2015	MW-0612-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	0.65 J	< 100 UB	< 5.0 U	< 5.0 U	292	0.32 J	< 5.0 U	< 5.0 U	< 5.0 U	49.6	3,870 D	11.6
MW-0612-S1	9/30/2015	MW-0612-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	0.43 J	< 100 UB	< 5.0 U	< 5.0 U	268 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	62.5	4,420 D	7.6
MW-0612-S1	3/9/2016	MW-0612-S1(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	193	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	47.2	2,380 D	< 10.0 U
MW-0612-S1	9/27/2016	MW-0612-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	249	< 1,000 U	< 112 UB	< 50.0 U	< 50.0 U	< 50.0 U	4,630 D	< 20.0 U
MW-0612-S1	3/24/2017	MW-0612-S1(032417)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	254	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	49.4	3,960 D	< 10.0 U
MW-0612-S1	9/27/2017	MW-0612-S1 (092717)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 UJ	< 25.0 U	< 25.0 U	100	< 500 UJ	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	674	< 10.0 U
MW-0612-S1	3/27/2018	MW-0612-S1 (032718)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	278	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	47.8	4,360	6.6 J
MW-0612-S1	10/4/2018	MW-0612-S1 (100418)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	306	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	47.0	4,180	< 10.0 U
MW-0612-S2	11/10/2006	MW-0612-S2 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	360	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	130	1,400	< 2.0 U
MW-0612-S2	3/7/2007	MW-0612-S2 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	827	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	160	1,320	< 2.0 U
MW-0612-S2	6/25/2009	MW-0612-S2 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	1,440	< 100 U	< 5 U	< 5 U	< 5 U	199	353	< 2 U
MW-0612-S2	6/25/2009	MW-0612-S2 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	1,360	< 100 U	< 5 U	< 5 U	< 5 U	183	268	< 2 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0612-S2	4/19/2012	MW-0612-S2 (041912)-LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	663 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	148	747 D	< 2.0 U
MW-0612-S2	4/19/2012	MW-0612-S2 (041912)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	678 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	140	625 D	< 2.0 U
MW-0612-S2	10/31/2012	MW-0612-S2(103112)LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	871 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	150	857 D	< 2.0 U
MW-0612-S2	10/31/2012	MW-0612-S2(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	868 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	127	647 D	< 2.0 U
MW-0612-S2	3/27/2018	MW-0612-S2 (032718)	PDB	< 5.0 U	< 5.0 U	1.4 J	< 100 U	< 5.0 U	< 5.0 U	698	0.31 J	< 5.0 U	< 5.0 U	< 5.0 U	91.3	237	2.2
MW-0613-S1	11/10/2006	MW-0613-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	11/12/2008	MW-0613-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/5/2010	MW-0613-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0613-S1	10/28/2010	MW-0613-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2011	MW-0613-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.65 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0613-S1	10/18/2011	MW-0613-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/31/2012	MW-0613-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.2 UB	< 2.0 U
MW-0613-S1	4/2/2013	MW-0613-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	24.0 J	< 2.0 U
MW-0613-S1	10/16/2013	MW-0613-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2014	MW-0613-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/25/2014	MW-0613-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.9 J	< 2.0 U
MW-0613-S1	3/31/2015	MW-0613-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/30/2015	MW-0613-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.55 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/30/2016	MW-0613-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2016	MW-0613-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.4 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/24/2017	MW-0613-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2017	MW-0613-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/27/2018	MW-0613-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/4/2018	MW-0613-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-B1	11/16/2006	MW-0614-B1 (111606)	Direct Fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	3.9 J	3.1 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-B1	11/12/2008	MW-0614-B1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	17.5	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	11/16/2006	MW-0614-S2 (111606)	Direct Fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	2.6 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	11/12/2008	MW-0614-S2 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	5/5/2010	MW-0614-S2 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0614-S2	10/28/2010	MW-0614-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	5/13/2011	MW-0614-S2(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	1.6	0.63 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0614-S2	10/18/2011	MW-0614-S2(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	3/27/2018	MW-0614-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.0 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1	11/20/2006	FD-2-MG (112006)	Direct Fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1	11/20/2006	MW-0615-B1 (112006)	Direct Fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	1.6 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.8 J	< 2.0 U
MW-0615-B1	11/14/2008	MW-0615-B1 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0615-B1	5/5/2010	MW-0615-B1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0615-B1	10/28/2010	MW-0615-B1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1	5/13/2011	MW-0615-B1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	1.8	0.16 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0615-B1	10/18/2011	MW-0615-B1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1a	11/13/2008	FD-1-MG (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	5.1	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1a	11/13/2008	MW-0615-B1A (103-113)(111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	5.4	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1a	11/13/2008	MW-0615-B1A (137-145.2)(111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1a	11/13/2008	MW-0615-B1A (93-103)(111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	5.2	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1a	11/14/2008	MW-0615-B1A (80-90)(111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	10.0	< 5.0 U	< 5.0 U	< 2.0 U
MW-0616-B1	11/27/2006	MW-0616-B1 (112706)	Direct Fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	14	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0616-B1	11/13/2008	MW-0616-B1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	10.8	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0616-B1a	11/19/2008	MW-0616-B1A (117-127)(111908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0616-B1a	11/19/2008	MW-0616-B1A (127-137)(111908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	13.7	< 5.0 U	< 5.0 U	< 2.0 U
MW-0616-B1a	11/19/2008	MW-0616-B1A (137-145.6)(111908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0616-B1a	11/20/2008	MW-0616-B1A (107-117)(112008)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	7.7	< 5.0 U	< 5.0 U	< 2.0 U
MW-0616-S1	11/13/2006	MW-0616-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	2.1 J	< 50.0 U	< 5.0 U	< 5.0 U	880	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	54	5.7	3.7
MW-0616-S1	11/14/2008	MW-0616-S1 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	226	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	18.6	< 5.0 U	10.3
MW-0616-S1	10/31/2012	MW-0616(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	111	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	3.3 J	< 5.0 U	11.1
MW-0617-B1	3/7/2007	MW-0617-B1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	105	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	15.7	< 5.0 U	< 2.0 U
MW-0617-B1	11/12/2008	MW-0617-B1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	122	< 100 U	< 5.0 U	289	< 5.0 U	25.8	301	< 2.0 U
MW-0617-B1	12/29/2008	MW-0617-B1 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	162	< 100 U	< 5.0 U	561	< 5.0 U	35.8	405	< 2.0 U
MW-0617-S1	3/7/2007	MW-0617-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 UJ	48.1	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	11/12/2008	MW-0617-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	18.3	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	12/29/2008	MW-0617-S1 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/31/2012	MW-0617-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/16/2013	MW-0617-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	5/13/2014	MW-0617-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	56.5 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/25/2014	MW-0617-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/31/2015	MW-0617-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 2.0 U
MW-0617-S1	9/30/2015	MW-0617-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/30/2016	MW-0617-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2016	MW-0617-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 6.3 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/24/2017	MW-0617-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2017	MW-0617-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0617-S1	3/27/2018	MW-0617-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/4/2018	MW-0617-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S2	3/7/2007	MW-0617-S2 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	518	< 100 U	< 5.0 U	9.0	< 5.0 U	74.5	386	< 2.0 U
MW-0617-S2	11/14/2008	MW-0617-S2 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	342	< 100 U	< 5.0 U	5.8	< 5.0 U	34.4	209	< 2.0 U
MW-0617-S2	12/29/2008	FD-1-MAH (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	668	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	60.2	221	< 2.0 U
MW-0617-S2	12/29/2008	MW-0617-S2 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	586	< 100 U	< 5.0 U	8.4	< 5.0 U	62.4	227	< 2.0 U
MW-0617-S2	3/27/2018	MW-0617-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	4.6 J	< 100 U	< 5.0 U	3.1 J	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0618-S1	11/13/2006	MW-0618-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/12/2008	MW-0618-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/31/2012	MW-0618-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0618-S1	4/2/2013	MW-0618-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.2 J	< 2.0 U
MW-0618-S1	10/16/2013	MW-0618-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	5/13/2014	MW-0618-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/31/2015	MW-0618-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.49 J	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 5.0 U	< 2.0 U
MW-0618-S1	9/30/2015	MW-0618-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	0.91 J	0.36 J	< 5.0 U	< 5.0 U	< 5.0 U	0.74 J	0.28 J	< 2.0 U
MW-0618-S1	3/30/2016	MW-0618-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2016	MW-0618-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 6.1 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/24/2017	MW-0618-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2017	MW-0618-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/27/2018	MW-0618-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/4/2018	MW-0618-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0619-S1	11/20/2006	MW-0619-S1 (112006)	Direct Fill	< 5.0 U	< 5.0 U	1.8 J	< 50.0 U	< 5.0 U	< 5.0 U	390	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	26	1,900	1.8 J
MW-0619-S1	11/14/2008	FD-2-TK (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	347	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	31.8	3,140	5.0
MW-0619-S1	11/14/2008	MW-0619-S1 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	345	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	33.8	3,200	4.9
MW-0619-S1	10/31/2012	MW-0619-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	143	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	6.7	963 D	< 2.0 U
MW-0619-S1	4/2/2013	MW-0619-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	18.4 J	< 100 U	4.0 J	< 5.0 U	< 5.0 U	< 5.0 U	4.7 J	< 2.0 U
MW-0619-S1	10/16/2013	MW-0619-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	165	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	8.4	929 D	< 2.0 U
MW-0619-S1	5/13/2014	MW-0619-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	54.4 UB	< 5.0 U	< 5.0 U	19.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.3 J	< 2.0 U
MW-0619-S1	9/25/2014	MW-0619-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	17.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	20.1	< 2.0 U
MW-0619-S1	3/31/2015	MW-0619-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	25.1	0.38 J	< 5.0 U	< 5.0 U	< 5.0 U	0.94 J	3.0 J	1.8 J
MW-0619-S1	9/30/2015	MW-0619-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	0.89 J	< 100 UB	< 5.0 U	< 5.0 U	195	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	13.0	1,310 D	1.5 J
MW-0619-S1	3/30/2016	MW-0619-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	23.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0619-S1	9/27/2016	MW-0619-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	50.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	202	< 2.0 U
MW-0619-S1	3/24/2017	MW-0619-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	20.5	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0619-S1	9/27/2017	MW-0619-S1 (092717)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	114	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	8.0	818	< 2.0 U
MW-0619-S1	3/27/2018	MW-0619-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	22.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	1.5 J
MW-0619-S1	10/4/2018	MW-0619-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	110	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	7.8	533	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0620-S1	11/21/2006	MW-0620-S1 (112106)	Direct Fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	110	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	11	5,900	< 2.0 U
MW-0620-S1	11/14/2008	MW-0620-S1 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	75.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	10.4	5,940	< 2.0 U
MW-0620-S1	4/19/2012	MW-0620-S1 (041912)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	7.1	86.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4,830 D	< 2.0 U
MW-0620-S1	10/31/2012	MW-0620-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	4.1 J	213	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	10	5,660 D	< 2.0 U
MW-0620-S1	4/2/2013	MW-0620-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	12.3 J	17.8 J	< 100 U	3.1 J	< 5.0 U	< 5.0 U	< 5.0 U	12,400 EJ	< 2.0 U
MW-0620-S1	10/16/2013	MW-0620-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1,820 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	5.0	1,780 D	< 2.0 U
MW-0620-S1	12/16/2013	MW-0620-S1(121613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1,930	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	17.8	2,520	< 2.0 U
MW-0620-S1	1/30/2014	MW-0620-S1(013014)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	9.2	39.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	10,200	< 2.0 U
MW-0620-S1	5/13/2014	MW-0620-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	7.7	167 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5,770 D	< 2.0 U
MW-0620-S1	9/25/2014	MW-0620-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	6.4	9.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4,830 D	< 2.0 U
MW-0620-S1	3/31/2015	MW-0620-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	6.3	19.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3,000 D	1.1 J
MW-0620-S1	9/30/2015	MW-0620-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	2.3 J	< 100 UB	< 5.0 U	1.5 J	1,100 D	0.35 J	< 5.0 U	< 5.0 U	< 5.0 U	11.3	1,150 D	6.4
MW-0620-S1	3/30/2016	FD-2(033016)-LM	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	5.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4,410 D	< 2.0 U
MW-0620-S1	3/30/2016	MW-0620-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	6.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4,690 D	< 2.0 U
MW-0620-S1	9/27/2016	MW-0620-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	1,150	< 1,000 U	< 133 UB	< 50.0 U	< 50.0 U	< 50.0 U	1,680	< 20.0 U
MW-0620-S1	3/24/2017	MW-0620-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	6.4	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3,360 D	< 2.0 U
MW-0620-S1	9/27/2017	MW-0620-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	369	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	823	< 2.0 U
MW-0620-S1	3/27/2018	MW-0620-S1 (032718)	PDB	< 5.0 U	< 5.0 U	0.38 J	6.4 J	< 5.0 U	6.6	88.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	1.1 J	7,540	0.28 J
MW-0620-S1	10/4/2018	MW-0620-S1 (100418)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	4,080	< 10.0 U
MW-0621-S1	11/20/2006	FD-3-MG (112006)	Direct Fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	82	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	20	3,500 J	< 2.0 U
MW-0621-S1	11/20/2006	MW-0621-S1 (112006)	Direct Fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	80	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	19	6,400	< 2.0 U
MW-0621-S1	11/14/2008	MW-0621-S1 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	119	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	19.4	3,110	< 2.0 U
MW-0621-S1	10/31/2012	MW-0621-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	72.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	25.6	1,790 D	< 2.0 U
MW-0621-S1	4/2/2013	MW-0621-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	70.0 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	24.8 J	1,640 EJ	< 2.0 U
MW-0621-S1	10/16/2013	MW-0621-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	109	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	30.6	3,220 D	< 2.0 U
MW-0621-S1	5/13/2014	MW-0621-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	55.5 UB	< 5.0 U	< 5.0 U	71.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	28.5	1,070 D	< 2.0 U
MW-0621-S1	9/25/2014	MW-0621-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	118	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	36.1	3,300 DJ	2.0 J
MW-0621-S1	3/31/2015	FD-2(033115)-AO-PDB	PDB	< 125 U	< 125 U	< 125 U	< 2,500 U	< 125 U	< 125 U	1,840	< 2,500 U	< 125 U	< 125 U	< 125 U	42.3 J	16,300 D	< 50.0 U
MW-0621-S1	3/31/2015	MW-0621-S1(033115)-PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	80.4	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	27.6	2,110 D	< 10.0 U
MW-0621-S1	9/30/2015	MW-0621-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	95.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	32.1	2,760 D	1.4 J
MW-0621-S1	3/9/2016	MW-0621-S1(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	124	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	38.1	3,030 D	< 10.0 U
MW-0621-S1	9/27/2016	MW-0621-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	174	< 1,000 U	< 111 UB	< 50.0 U	< 50.0 U	< 50.0 U	4,000 D	< 20.0 U
MW-0621-S1	3/24/2017	MW-0621-S1(032417)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	104	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	33.3	1,280	< 10.0 U
MW-0621-S1	9/27/2017	MW-0621-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	220	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	29.5	2,010	< 2.0 UJ
MW-0621-S1	3/27/2018	MW-0621-S1 (032718)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	11.0 J	< 25.0 U	< 25.0 U	247	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	31.5	1,460	< 10.0 U
MW-0621-S1	10/4/2018	MW-0621-S1 (100418)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	389	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	31.7	2,170	< 10.0 U
MW-0622-S1	11/21/2006	MW-0622-S1 (112106)	Direct Fill	< 5.0 U	4.0 J	3.9 J	< 50.0 U	< 5.0 U	< 5.0 U	520	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	18	6,000	2.1

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0622-S1	11/14/2008	MW-0622-S1 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	248	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	7.9	2,510	< 2.0 U
MW-0622-S1	10/31/2012	MW-0622-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	11.5	< 100 U	< 5.0 U	< 5.0 U	2,100 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	40.1	20,800 D	3.3
MW-0622-S1	4/2/2013	FD-2 (040213) JG	PDB	< 5.0 U	< 5.0 U	8.9	< 100 U	< 5.0 U	< 5.0 U	2,330 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	84.8	26,800 D	3.2
MW-0622-S1	4/2/2013	MW-0622-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	13.7 J	< 100 U	< 5.0 U	< 5.0 U	2,670 EJ	< 100 U	6.5 J	< 5.0 U	< 5.0 U	83.3 J	20,100 EJ	4.6 J
MW-0622-S1	10/16/2013	FD-2(101613)-WK	PDB	< 5.0 U	2.8 J	5.9	< 100 U	< 5.0 U	< 5.0 U	1,800 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	30.5 J	15,700 D	< 2.0 U
MW-0622-S1	10/16/2013	MW-0622-S1(101613)	PDB	< 100 U	< 100 U	< 100 U	< 100 U	< 100 U	< 100 U	1,700	< 2,000 U	< 100 U	< 100 U	< 100 U	79.9 J	18,800 D	< 40.0 U
MW-0622-S1	5/13/2014	FD-2(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	2,660	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	28.8 J	22,700 D	< 20.0 U
MW-0622-S1	5/13/2014	MW-0622-S1(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	2,650	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	29.8 J	18,400 D	< 20.0 U
MW-0622-S1	9/25/2014	FD-2(092514)-AO	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 UJ	< 25.0 U	1,660 DJ	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	29.0	10,400 DJ	< 10.0 U
MW-0622-S1	9/25/2014	MW-0622-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	7.3	54.0 J	< 5.0 U	< 5.0 U	1,960 DJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	27.1	16,000 D	1.9 J
MW-0622-S1	3/31/2015	MW-0622-S1(033115)-PDB	PDB	< 100 U	< 100 U	< 100 U	< 2,000 U	< 100 U	< 100 U	1,790	< 2,000 U	< 100 U	< 100 U	< 100 U	35.8 J	21,800 D	< 40.0 U
MW-0622-S1	9/30/2015	FD-2(093015)-CK	PDB	< 5.0 U	3.4 J	7.2	< 100 UB	< 5.0 U	< 5.0 U	1,550 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	33.4	11,900 D	1.8 J
MW-0622-S1	9/30/2015	MW-0622-S1(093015)PDB	PDB	< 5.0 U	3.5 J	7.6	< 100 UB	< 5.0 U	< 5.0 U	1,520 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	32.9	14,700 D	1.8 J
MW-0622-S1	3/9/2016	MW-0622-S1(030916)	Low-Flow	< 100 U	< 100 U	< 100 U	< 2,000 U	< 100 U	< 100 U	946	< 2,000 U	< 100 UJ	< 100 U	< 100 U	< 100 U	9,610 D	< 40.0 U
MW-0622-S1	9/27/2016	FD-2(092716)RW	PDB	< 5.0 U	< 5.0 U	6.2	< 100 U	< 5.0 U	< 5.0 U	1,470 D	< 100 U	< 6.0 UB	< 5.0 U	< 5.0 U	22.7	11,500 D	< 2.0 U
MW-0622-S1	9/27/2016	MW-0622-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	1,420	< 1,000 U	< 132 UB	< 50.0 U	< 50.0 U	< 50.0 U	12,100 D	< 20.0 U
MW-0622-S1	3/24/2017	FD-2(032417)-LF	PDB	< 100 U	< 100 U	< 100 U	< 2,000 U	< 100 U	< 100 U	2,270	< 2,000 U	< 100 U	< 100 U	< 100 U	< 100 U	28,800 D	< 40.0 U
MW-0622-S1	3/24/2017	MW-0622-S1(032417)PDB	PDB	< 100 U	< 100 U	< 100 U	< 2,000 U	< 100 U	< 100 U	2,370	< 2,000 U	< 100 U	< 100 U	< 100 U	< 100 U	27,300 D	< 40.0 U
MW-0622-S1	9/27/2017	FD-2 (092717)	PDB	< 100 U	< 100 U	< 100 U	< 2,000 UJ	< 100 U	< 100 U	1,300	< 2,000 UJ	< 100 U	< 100 U	< 100 U	< 100 U	7,690	< 40.0 U
MW-0622-S1	9/27/2017	MW-0622-S1 (092717)	PDB	< 100 U	< 100 U	< 100 U	< 2,000 UJ	< 100 U	< 100 U	1,290	< 2,000 UJ	< 100 U	< 100 U	< 100 U	< 100 U	10,300	< 40.0 U
MW-0622-S1	3/27/2018	FD-2 (032718)	PDB	< 50.0 U	< 50.0 U	12.0 J	< 1,000 U	< 50.0 U	< 50.0 U	2,510	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	31.6 J	25,900	< 20.0 U
MW-0622-S1	3/27/2018	MW-0622-S1 (032718)	PDB	1.3 J	3.1 J	13.9	< 100 U	< 5.0 U	< 5.0 U	2,320	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	51.0	25,600	3.5
MW-0622-S1	10/4/2018	FD-2 (100418)-KA	PDB	< 100 U	< 100 U	< 100 U	< 2,000 U	< 100 U	< 100 U	1,390	< 2,000 U	< 100 U	< 100 U	< 100 U	< 100 U	10,700	< 40.0 U
MW-0622-S1	10/4/2018	MW-0622-S1 (100418)	PDB	< 100 U	< 100 U	< 100 U	< 2,000 U	< 100 U	< 100 U	1,440	< 2,000 U	< 100 U	< 100 U	< 100 U	< 100 U	11,800	< 40.0 U
MW-0622-S2	11/21/2006	MW-0622-S2 (112106)	Direct Fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	3.1 J	1.7 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0622-S2	11/13/2008	MW-0622-S2 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0622-S2	5/5/2010	MW-0622-S2 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0622-S2	10/28/2010	MW-0622-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0622-S2	5/13/2011	MW-0622-S2(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.75 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0622-S2	10/18/2011	MW-0622-S2(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0622-S2	4/19/2012	MW-0622-S2 (041912)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0622-S2	10/31/2012	MW-0622-S2(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0622-S2	3/27/2018	FD-3 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	2.2 J	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	0.097 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0622-S2	3/27/2018	MW-0622-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/7/2007	MW-0623-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	11/12/2008	FD-3-MAH (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 2.0 U
MW-0623-S1	11/12/2008	MW-0623-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	20.3 J	< 2.0 U
MW-0623-S1	12/29/2008	MW-0623-S1 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0623-S1	5/5/2010	MW-0623-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0623-S1	10/28/2010	MW-0623-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	5/13/2011	MW-0623-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.67 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0623-S1	10/18/2011	MW-0623-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	10/31/2012	MW-0623-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	4/2/2013	MW-0623-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	20.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	228	< 2.0 U
MW-0623-S1	10/16/2013	MW-0623-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3.1 J	< 2.0 U
MW-0623-S1	5/13/2014	MW-0623-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	9/25/2014	MW-0623-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/31/2015	MW-0623-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.46 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	9/30/2015	MW-0623-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.82 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.47 J	< 2.0 U
MW-0623-S1	3/30/2016	MW-0623-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	9/27/2016	MW-0623-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 6.9 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/24/2017	MW-0623-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	9/27/2017	MW-0623-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/27/2018	MW-0623-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	10/4/2018	MW-0623-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0701-B1a	11/12/2008	MW-0701-B1A (88-98)(111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	12.8	< 5.0 U	< 5.0 U	< 2.0 U
MW-0701-B1a	11/12/2008	MW-0701-B1A (98-108)(111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	5.8	< 5.0 U	< 5.0 U	< 2.0 U
MW-0702-B1	11/13/2008	MW-0702-B1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0702-B1	6/26/2009	MW-0702-B1 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0703-B1	11/12/2008	MW-0703-B1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0703-B1	6/26/2009	MW-0703-B1 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0703-B1	5/5/2010	MW-0703-B1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0703-B1	10/28/2010	MW-0703-B1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0703-B1	5/13/2011	MW-0703-B1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.62 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0703-B1	10/18/2011	MW-0703-B1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0704-S1	11/13/2008	MW-0704-S1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	408	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	71.8	1,370	< 2.0 U
MW-0704-S1	6/25/2009	MW-0704-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	571	< 100 U	< 5 U	< 5 U	< 5 U	103	1,200	5.6
MW-0704-S1	10/31/2012	MW-0704-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	635 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	81.3	1,640 D	2.9
MW-0704-S1	4/2/2013	MW-0704-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	714 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	96.1	2,000 D	2.6
MW-0704-S1	10/16/2013	MW-0704-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	628 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	99.5	1,830 D	4.5
MW-0704-S1	5/13/2014	MW-0704-S1(051314)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	606	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	77.4	2,080 D	< 10.0 U
MW-0704-S1	9/25/2014	MW-0704-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	3.1 J	< 100 U	< 5.0 U	< 5.0 U	704 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	109	3,240 DJ	5.1
MW-0704-S1	3/31/2015	MW-0704-S1(033115)-PDB	PDB	< 25.0 U	< 25.0 U	2.8 J	< 500 U	< 25.0 U	< 25.0 U	740	< 500 U	3.3 J	< 25.0 U	< 25.0 U	101	2,640 D	3.7 J
MW-0704-S1	9/30/2015	MW-0704-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	1.1 J	< 100 UB	< 5.0 U	< 5.0 U	620 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	94.9	1,880 D	4.8

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0704-S1	3/9/2016	MW-0704-S1(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	660	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	89.5	1,370 D	< 10.0 U
MW-0704-S1	9/27/2016	MW-0704-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	668	< 1,000 U	< 107 UB	< 50.0 U	< 50.0 U	88.9	2,480	< 20.0 U
MW-0704-S1	3/24/2017	MW-0704-S1(032417)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	569	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	76.0	2,000 D	< 10.0 U
MW-0704-S1	9/27/2017	MW-0704-S1 (092717)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 UJ	< 25.0 U	< 25.0 U	614	< 500 UJ	< 25.0 U	< 25.0 U	< 25.0 U	83.0	2,150	< 10.0 U
MW-0704-S1	3/27/2018	MW-0704-S1 (032718)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	532	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	73.5	1,890	< 10.0 U
MW-0704-S1	10/4/2018	MW-0704-S1 (100418)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	578	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	83.1	1,120	< 10.0 U
MW-0705-S1	11/13/2008	MW-0705-S1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	37.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.4	187	< 2.0 U
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	50.0	< 100 U	< 5 U	< 5 U	< 5 U	14.9	178	5.1
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	34.0	< 100 U	< 5 U	< 5 U	< 5 U	9.0	86.3	4.8
MW-0705-S1	10/31/2012	MW-0705-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	39.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.4	146	4.2
MW-0705-S1	4/2/2013	MW-0705-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	46.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	13.7	177	4.1
MW-0705-S1	10/16/2013	MW-0705-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	50.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	11.9	185	3.9
MW-0705-S1	5/13/2014	MW-0705-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	42.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	10.7	131	4.2
MW-0705-S1	9/25/2014	MW-0705-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	40.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.3	115	3.1
MW-0705-S1	3/31/2015	MW-0705-S1(033115)-PDB	PDB	< 5.0 U	0.80 J	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	47.9	0.25 J	< 5.0 U	< 5.0 U	< 5.0 U	12.1	148	3.6
MW-0705-S1	9/30/2015	MW-0705-S1(093015)PDB	PDB	< 5.0 U	0.71 J	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	59.5	0.56 J	< 5.0 U	< 5.0 U	< 5.0 U	18.5	176	3.2
MW-0705-S1	3/30/2016	MW-0705-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	46.5	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	11.6	135	3.4
MW-0705-S1	9/27/2016	MW-0705-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	46.7	< 100 U	< 7.9 UB	< 5.0 U	< 5.0 U	13.0	149	3.2
MW-0705-S1	3/24/2017	MW-0705-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	35.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.4	98.6	< 2.0 U
MW-0705-S1	9/27/2017	MW-0705-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	39.1	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	10.1	107	3.3
MW-0705-S1	3/27/2018	MW-0705-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	44.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	11.7	114	4.2
MW-0705-S1	10/4/2018	MW-0705-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	53.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	13.0	119	3.6
MW-1501-S1	9/2/2015	MW-1501-S1(090215)	Low-Flow	< 5.0 U	< 5.0 U	0.87 J	15.9 J	< 5.0 U	0.30 J	85.5	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	34.1	1,540 D	4.9
MW-1502-S1	9/2/2015	MW-1502-S1(090215)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	148	< 100 U	< 5.0 U	< 5.0 U	0.15 J	1.2 J	42.4	45.0
MW-1502-S1	4/10/2018	MW-1502-S1 (041018)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	73.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	23.2
MW-1503-S1	9/2/2015	MW-1503-S1(090215)	Low-Flow	< 5.0 U	< 5.0 U	16.1	< 100 U	< 5.0 U	0.48 J	1,980 D	< 100 U	< 5.0 U	< 5.0 U	0.22 J	25.7	2,820 D	50.5
MW-1503-S1	4/10/2018	MW-1503-S1 (041018)	PDB	< 5.0 U	< 5.0 U	37.8	< 100 UB	< 5.0 U	< 5.0 U	5,160	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	137	5,980	114
MW-1504-S1	9/2/2015	MW-1504-S1(090215)	Low-Flow	< 5.0 U	< 5.0 U	4.0 J	< 100 U	< 5.0 U	0.27 J	315 D	< 100 U	< 5.0 U	< 5.0 U	0.34 J	13.2	4,680 D	7.0
MW-1504-S1	4/10/2018	MW-1504-S1 (041018)	PDB	< 50.0 U	< 50.0 U	8.1 J	< 1,000 UB	< 50.0 U	< 50.0 U	1,920	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	17.5 J	6,580	204
MW-1505-S1	9/3/2015	MW-1505-S1(090315)	Low-Flow	< 5.0 U	< 5.0 U	0.80 J	< 100 U	< 5.0 U	0.17 J	132	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	5.8	832 D	1.7 J
MW-1505-S1	4/10/2018	MW-1505-S1 (041018)	PDB	< 5.0 U	< 5.0 U	2.4 J	< 100 UB	< 5.0 U	< 5.0 U	483	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	7.5	289	1.7 J
MW-1506-S1	9/3/2015	MW-1506-S1(090315)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	1.3 J	10.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	579 D	< 2.0 U
MW-1506-S1	4/10/2018	MW-1506-S1 (041018)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	8.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	963	< 2.0 U

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-1507-S1	9/3/2015	MW-1507-S1(090315)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	0.58 J	14.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	2.2 J	271 D	< 2.0 U
MW-1507-S1	4/10/2018	MW-1507-S1 (041018)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	123	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.0	591	< 2.0 U
MW-1508-S1	9/3/2015	DUP-01(090315)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	0.36 J	9.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.33 J	102	< 2.0 U
MW-1508-S1	9/3/2015	MW-1508-S1(090315)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	0.51 J	10	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.35 J	105	< 2.0 U
Maximum Contaminant Level‡				200	24	7.0	14,000	5.0	80	70	13,000	5.0	5.0	1,000	100	5.0	2.0
Notes: ‡ The data are screened against United States Environmental Protection Agency (USEPA) Drinking Water Screening Criteria (Maximum Contaminant Levels [MCLs]). * No MCL is established for 1,1-dichloroethane, acetone, or cyclohexane; as such, the Indiana Deptment of Environmental Management Remediation Closure Guide (RCG) Tap Water Criteria Shaded Concentrations highlighted gray exceed the screening criteria µg/L: micrograms per liter D: Concentration is based on a diluted sample analysis E: The compound was quantitated above the calibration range. J: The compound was positively identified; however, the associated numerical value is an estimated concentration only PDB: Passive diffusion bag U: The compound was analyzed for but not detected. The associated value is the compound quantitation limit UB: Compound considered non-detect at the listed value due to associated blank contamination UJ: The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation																	

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0516-S1	10/19/2005	MW-0516-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/23/2006	MW-0516-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/5/2010	MW-0516-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/6/2010	MW-0516-S1 (050610)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	10/28/2010	MW-0516-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2011	MW-0516-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0516-S1	10/18/2011	MW-0516-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/31/2012	MW-0516-S1(103112)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	4/2/2013	MW-0516-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/16/2013	MW-0516-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2014	MW-0516-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/25/2014	MW-0516-S1(092514)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/31/2015	MW-0516-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.26 J	< 2.0 U
MW-0516-S1	9/30/2015	MW-0516-S1(093015)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	FD-1(033016)-LM	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	MW-0516-S1(033016)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2016	MW-0516-S1(091716)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/24/2017	MW-0516-S1(032417)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2017	MW-0516-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/27/2018	MW-0516-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/4/2018	MW-0516-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/24/2006	MW-0602-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	11/7/2006	MW-0602-S1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/31/2012	MW-0602-S1(103112)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/16/2013	MW-0602-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	5/13/2014	MW-0602-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/25/2014	MW-0602-S1(092514)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/30/2016	MW-0602-S1(033016)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2016	MW-0602-S1(092716)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/24/2017	MW-0602-S1(032417)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2017	MW-0602-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/27/2018	MW-0602-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/4/2018	MW-0602-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2006	MW-0603-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	11/8/2006	MW-0603-S1 (110806)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	6/25/2009	MW-0603-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	5/5/2010	MW-0603-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	10/28/2010	MW-0603-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2011	MW-0603-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0603-S1	10/18/2011	MW-0603-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/31/2012	MW-0603-S1(103112)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0603-S1	10/16/2013	MW-0603-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2014	MW-0603-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/25/2014	MW-0603-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/31/2015	MW-0603-S1(033115)-AO-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/30/2015	MW-0603-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.27 J	< 2.0 U
MW-0603-S1	3/30/2016	MW-0603-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2016	MW-0603-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2017	MW-0603-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2017	MW-0603-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/27/2018	MW-0603-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/4/2018	MW-0603-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0606-S1	3/23/2006	MW-0606-S1 (032306)	Low-Flow	< 5.0 U	230	< 5.0 UJ	42	970	< 2.0 U
MW-0606-S1	11/6/2006	MW-0606-S1 (110606)	Low-Flow	< 5.0 U	210	< 5.0 U	43	770	1.0 J
MW-0606-S1	10/31/2012	MW-0606-S1(103112)LF	Low-Flow	< 5.0 U	288 D	< 5.0 U	76.5	2,410 D	< 2.0 U
MW-0606-S1	10/31/2012	MW-0606-S1(103112)PDB	PDB	< 5.0 U	281 D	< 5.0 U	78.8	2,380 D	1.2 J
MW-0606-S1	4/2/2013	MW-0606-S1 (040213) PDB	PDB	< 5.0 U	394 EJ	< 5.0 U	105	4,490 EJ	2.0
MW-0606-S1	10/16/2013	MW-0606-S1(101613)	PDB	< 5.0 U	314 D	< 5.0 U	92.8	2,650 D	1.3 J
MW-0606-S1	5/13/2014	MW-0606-S1(051314)	PDB	< 25.0 U	365	< 25.0 U	75.9	3,280 D	< 10.0 U
MW-0606-S1	9/25/2014	MW-0606-S1(092514)PDB	PDB	< 5.0 U	448 D	< 5.0 U	81.0	2,580 DJ	1.2 J
MW-0606-S1	3/31/2015	MW-0606-S1(033115)-PDB	PDB	< 50.0 U	428	< 50.0 U	94.6	3,030 D	< 20.0 U
MW-0606-S1	9/30/2015	MW-0606-S1(093015)PDB	PDB	0.42 J	285	< 5.0 U	45.6	1,260 D	0.43 J
MW-0606-S1	3/9/2016	MW-0606-S1(030916)	Low-Flow	< 5.0 U	329 D	< 5.0 U	62.6	1,960 D	< 2.0 U
MW-0606-S1	9/27/2016	MW-0606-S1(092716)PDB	PDB	< 50.0 U	633	< 50.0 U	58.0	1,130	< 20.0 U
MW-0606-S1	3/24/2017	MW-0606-S1(032417)PDB	PDB	< 5.0 U	441	< 5.0 U	97.8	2,820 D	< 2.0 U
MW-0606-S1	9/27/2017	MW-0606-S1 (092717)	PDB	< 5.0 U	250	< 5.0 U	51.0	1,470	< 2.0 U
MW-0606-S1	3/27/2018	MW-0606-S1 (032718)	PDB	1.1 J	279	< 5.0 U	81.5	1,880	0.92 J
MW-0606-S1	10/4/2018	MW-0606-S1 (100418)	PDB	< 5.0 U	453	< 5.0 U	97.0	1,960	< 2.0 U
MW-0607-S1	3/24/2006	MW-0607-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	11/6/2006	MW-0607-S1 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	6/25/2009	MW-0607-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/5/2010	MW-0607-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/6/2010	MW-0607-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	10/28/2010	MW-0607-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2011	MW-0607-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0607-S1	10/18/2011	MW-0607-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/31/2012	MW-0607-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0607-S1	4/2/2013	MW-0607-S1 (040213) PDB	PDB	< 5.0 U	2.9 J	< 5.0 U	< 5.0 U	36.9 J	< 2.0 U
MW-0607-S1	10/16/2013	MW-0607-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2014	MW-0607-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/25/2014	MW-0607-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.0 J	< 2.0 U
MW-0607-S1	3/31/2015	MW-0607-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/30/2015	MW-0607-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/30/2016	MW-0607-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0607-S1	9/27/2016	MW-0607-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/24/2017	MW-0607-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2017	MW-0607-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/27/2018	MW-0607-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/4/2018	MW-0607-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/23/2006	MW-0608-S1 (032306)	Low-Flow	< 5.0 U	2.9 J	< 5.0 UJ	< 5.0 U	2.0 J	< 2.0 U
MW-0608-S1	11/7/2006	MW-0608-S1 (110706)	Low-Flow	< 5.0 U	35	< 5.0 U	3.3 J	1.7 J	< 2.0 U
MW-0608-S1	6/26/2009	MW-0608-S1 (062609)	Low-Flow	< 5 U	24.5	< 5 U	< 5 U	< 5 U	4.9
MW-0608-S1	10/31/2012	MW-0608-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0608-S1	4/2/2013	MW-0608-S1 (040213) PDB	PDB	< 5.0 U	30.9	< 5.0 U	< 5.0 U	5.2 J	1.7 J
MW-0608-S1	10/16/2013	MW-0608-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	5/13/2014	MW-0608-S1(051314)	PDB	< 5.0 U	148	< 5.0 U	11.7	3.5 J	5.4
MW-0608-S1	9/25/2014	MW-0608-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.5 J	< 2.0 U
MW-0608-S1	3/31/2015	MW-0608-S1(033115)-PDB	PDB	0.33 J	144	< 5.0 U	13.1	< 5.0 U	4.0
MW-0608-S1	9/30/2015	MW-0608-S1(093015)PDB	PDB	0.54 J	243 D	< 5.0 U	35.3	< 5.0 U	5.8
MW-0608-S1	3/30/2016	MW-0608-S1(033016)PDB	PDB	< 5.0 U	97.8	< 5.0 U	9.3	< 5.0 U	2.6
MW-0608-S1	9/27/2016	MW-0608-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/24/2017	MW-0608-S1(032417)PDB	PDB	< 5.0 U	30.3	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	9/27/2017	MW-0608-S1 (092717)	PDB	< 5.0 U	427	< 5.0 U	44.0	< 5.0 U	5.1
MW-0608-S1	3/27/2018	MW-0608-S1 (032718)	PDB	1.5 J	371	< 5.0 U	45.1	< 5.0 U	5.1
MW-0608-S1	10/4/2018	MW-0608-S1 (100418)	PDB	< 5.0 U	453	< 5.0 U	58.3	< 5.0 U	6.5
MW-0609-S1	3/23/2006	MW-0609-S1 (032306)	Low-Flow	< 5.0 U	61	< 5.0 UJ	9.7	260	< 2.0 U
MW-0609-S1	11/9/2006	MW-0609-S1 (110906)	Low-Flow	< 5.0 U	55	< 5.0 U	9.0	220	< 2.0 U
MW-0609-S1	6/26/2009	FD-1-PS (062609)	Low-Flow	< 5 U	225	< 5 U	25.4	69.4	3.7
MW-0609-S1	6/26/2009	MW-0609-S1 (062609)	Low-Flow	< 5 U	226	< 5 U	26.1	69.9	3.6
MW-0609-S1	10/31/2012	MW-0609-S1(103112)PDB	PDB	< 5.0 U	3.8 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	4/2/2013	MW-0609-S1 (040213) PDB	PDB	< 5.0 U	18.9	< 5.0 U	< 5.0 U	8.2 J	< 2.0 U
MW-0609-S1	10/16/2013	MW-0609-S1(101613)	PDB	< 5.0 U	489 D	< 5.0 U	40.1	5.9	7.8
MW-0609-S1	5/13/2014	MW-0609-S1(051314)	PDB	< 5.0 U	198 D	< 5.0 U	16.2	40.1	5.4
MW-0609-S1	9/25/2014	MW-0609-S1(092514)PDB	PDB	< 5.0 U	26.6	< 5.0 U	2.7 J	< 5.0 U	6.2
MW-0609-S1	9/30/2015	MW-0609-S1(093015)PDB	PDB	< 5.0 U	347 D	< 5.0 U	53.1	248	3.2
MW-0609-S1	3/30/2016	MW-0609-S1(033016)PDB	PDB	< 5.0 U	18.6	< 5.0 U	< 5.0 U	7.9	< 2.0 U
MW-0609-S1	9/27/2016	MW-0609-S1(092716)PDB	PDB	< 5.0 U	496	< 5.0 U	49.7	17.1	18.1
MW-0609-S1	3/24/2017	MW-0609-S1(032417)PDB	PDB	< 5.0 U	7.5	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	9/27/2017	MW-0609-S1 (092717)	PDB	< 5.0 U	147	< 5.0 U	8.1	< 5.0 U	15.0
MW-0609-S1	4/17/2018	MW-0609-S1 (041718)	PDB	< 5.0 U	1.1 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	10/4/2018	MW-0609-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	11/10/2006	MW-0610-S1 (111006)	Low-Flow	< 5.0 U	40	< 5.0 U	4.2 J	< 5.0 U	1.9 J
MW-0610-S1	11/12/2008	MW-0610-S1 (111208)	Low-Flow	< 5.0 U	19.1	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/5/2010	MW-0610-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0610-S1	10/28/2010	MW-0610-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2011	MW-0610-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0610-S1	10/18/2011	MW-0610-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/31/2012	MW-0610-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/16/2013	MW-0610-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2014	MW-0610-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/25/2014	MW-0610-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.0 J	< 2.0 U
MW-0610-S1	3/31/2015	MW-0610-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/30/2015	MW-0610-S1(093015)PDB	PDB	< 5.0 U	2.1 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/30/2016	MW-0610-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2016	MW-0610-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/24/2017	MW-0610-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2017	MW-0610-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/27/2018	MW-0610-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/4/2018	MW-0610-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	11/13/2006	MW-0611-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	11/13/2008	MW-0611-S1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	4/29/2016	MW-0611-S1 (042916) (LOW FLOW)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0611-S1	3/24/2017	MW-0611-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	10/11/2017	MW-0611-S1 (101117) LF	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	4/25/2018	MW-0611-S1(042518)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	10/4/2018	MW-0611-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0612-S1	11/9/2006	MW-0612-S1 (110906)	Low-Flow	< 5.0 U	130	< 5.0 U	43	3,300	2.4
MW-0612-S1	3/7/2007	FD-1-MG (030707)	Low-Flow	< 5.0 U	132	< 5.0 U	38.6	3,760	3.1
MW-0612-S1	3/7/2007	MW-0612-S1 (030707)	Low-Flow	< 5.0 U	161	< 5.0 U	38.9	3,950	< 2.0 U
MW-0612-S1	6/25/2009	MW-0612-S1 (062509)	Low-Flow	< 50 U	207	< 50 U	< 50 U	4,370	< 20 U
MW-0612-S1	4/19/2012	MW-0612-S1 (041912)-PDB	Low-Flow	< 5.0 U	223	< 5.0 U	44.9	4,750 D	15.1
MW-0612-S1	10/31/2012	FD-2(103112)PDB-WK	PDB	< 5.0 U	850 D	< 5.0 U	141	675 D	< 2.0 U
MW-0612-S1	10/31/2012	MW-0612-S1(103112)LF	Low-Flow	< 5.0 U	185	< 5.0 U	45.8	2,490 D	11.8
MW-0612-S1	10/31/2012	MW-0612-S1(103112)PDB	PDB	< 5.0 U	275	< 5.0 U	48.5	5,440 D	24.5
MW-0612-S1	4/2/2013	MW-0612-S1 (040213) PDB	PDB	< 5.0 U	191	< 5.0 U	41.0	3,720 EJ	9.3
MW-0612-S1	10/16/2013	MW-0612-S1(101613)	PDB	< 5.0 U	242	< 5.0 U	49.1	3,220 D	12.4
MW-0612-S1	5/13/2014	MW-0612-S1(051314)	PDB	< 5.0 U	248 D	< 5.0 U	46.2	3,400 D	13.2
MW-0612-S1	9/25/2014	MW-0612-S1(092514)PDB	PDB	< 5.0 U	251	< 5.0 U	43.2	3,190 DJ	13.7
MW-0612-S1	3/31/2015	MW-0612-S1(033115)-PDB	PDB	0.65 J	292	< 5.0 U	49.6	3,870 D	11.6
MW-0612-S1	9/30/2015	MW-0612-S1(093015)PDB	PDB	0.43 J	268 D	< 5.0 U	62.5	4,420 D	7.6
MW-0612-S1	3/9/2016	MW-0612-S1(030916)	Low-Flow	< 25.0 U	193	< 25.0 U	47.2	2,380 D	< 10.0 U
MW-0612-S1	9/27/2016	MW-0612-S1(092716)PDB	PDB	< 50.0 U	249	< 50.0 U	< 50.0 U	4,630 D	< 20.0 U
MW-0612-S1	3/24/2017	MW-0612-S1(032417)PDB	PDB	< 25.0 U	254	< 25.0 U	49.4	3,960 D	< 10.0 U
MW-0612-S1	9/27/2017	MW-0612-S1 (092717)	PDB	< 25.0 U	100	< 25.0 U	< 25.0 U	674	< 10.0 U
MW-0612-S1	3/27/2018	MW-0612-S1 (032718)	PDB	< 25.0 U	278	< 25.0 U	47.8	4,360	6.6 J
MW-0612-S1	10/4/2018	MW-0612-S1 (100418)	PDB	< 25.0 U	306	< 25.0 U	47.0	4,180	< 10.0 U
MW-0613-S1	11/10/2006	MW-0613-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	11/12/2008	MW-0613-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0613-S1	5/5/2010	MW-0613-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0613-S1	10/28/2010	MW-0613-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2011	MW-0613-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0613-S1	10/18/2011	MW-0613-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/31/2012	MW-0613-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.2 UB	< 2.0 U
MW-0613-S1	4/2/2013	MW-0613-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	24.0 J	< 2.0 U
MW-0613-S1	10/16/2013	MW-0613-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2014	MW-0613-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/25/2014	MW-0613-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.9 J	< 2.0 U
MW-0613-S1	3/31/2015	MW-0613-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0613-S1	9/30/2015	MW-0613-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/30/2016	MW-0613-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2016	MW-0613-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/24/2017	MW-0613-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2017	MW-0613-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/27/2018	MW-0613-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/4/2018	MW-0613-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/7/2007	MW-0617-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	48.1	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	11/12/2008	MW-0617-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	18.3	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	12/29/2008	MW-0617-S1 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/31/2012	MW-0617-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/16/2013	MW-0617-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	5/13/2014	MW-0617-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/25/2014	MW-0617-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/31/2015	MW-0617-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 2.0 U
MW-0617-S1	9/30/2015	MW-0617-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/30/2016	MW-0617-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2016	MW-0617-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/24/2017	MW-0617-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2017	MW-0617-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0617-S1	3/27/2018	MW-0617-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/4/2018	MW-0617-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/13/2006	MW-0618-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/12/2008	MW-0618-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/31/2012	MW-0618-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0618-S1	4/2/2013	MW-0618-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.2 J	< 2.0 U
MW-0618-S1	10/16/2013	MW-0618-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	5/13/2014	MW-0618-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/31/2015	MW-0618-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 5.0 U	< 2.0 U
MW-0618-S1	9/30/2015	MW-0618-S1(093015)PDB	PDB	< 5.0 U	0.91 J	< 5.0 U	0.74 J	0.28 J	< 2.0 U
MW-0618-S1	3/30/2016	MW-0618-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2016	MW-0618-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/24/2017	MW-0618-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2017	MW-0618-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/27/2018	MW-0618-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/4/2018	MW-0618-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0704-S1	11/13/2008	MW-0704-S1 (111308)	Low-Flow	< 5.0 U	408	< 5.0 U	71.8	1,370	< 2.0 U
MW-0704-S1	6/25/2009	MW-0704-S1 (062509)	Low-Flow	< 5 U	571	< 5 U	103	1,200	5.6
MW-0704-S1	10/31/2012	MW-0704-S1(103112)PDB	PDB	< 5.0 U	635 D	< 5.0 U	81.3	1,640 D	2.9
MW-0704-S1	4/2/2013	MW-0704-S1 (040213) PDB	PDB	< 5.0 U	714 D	< 5.0 U	96.1	2,000 D	2.6
MW-0704-S1	10/16/2013	MW-0704-S1(101613)	PDB	< 5.0 U	628 D	< 5.0 U	99.5	1,830 D	4.5
MW-0704-S1	5/13/2014	MW-0704-S1(051314)	PDB	< 25.0 U	606	< 25.0 U	77.4	2,080 D	< 10.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0704-S1	9/25/2014	MW-0704-S1(092514)PDB	PDB	3.1 J	704 D	< 5.0 U	109	3,240 DJ	5.1
MW-0704-S1	3/31/2015	MW-0704-S1(033115)-PDB	PDB	2.8 J	740	< 25.0 U	101	2,640 D	3.7 J
MW-0704-S1	9/30/2015	MW-0704-S1(093015)PDB	PDB	1.1 J	620 D	< 5.0 U	94.9	1,880 D	4.8
MW-0704-S1	3/9/2016	MW-0704-S1(030916)	Low-Flow	< 25.0 U	660	< 25.0 U	89.5	1,370 D	< 10.0 U
MW-0704-S1	9/27/2016	MW-0704-S1(092716)PDB	PDB	< 50.0 U	668	< 50.0 U	88.9	2,480	< 20.0 U
MW-0704-S1	3/24/2017	MW-0704-S1(032417)PDB	PDB	< 25.0 U	569	< 25.0 U	76.0	2,000 D	< 10.0 U
MW-0704-S1	9/27/2017	MW-0704-S1 (092717)	PDB	< 25.0 U	614	< 25.0 U	83.0	2,150	< 10.0 U
MW-0704-S1	3/27/2018	MW-0704-S1 (032718)	PDB	< 25.0 U	532	< 25.0 U	73.5	1,890	< 10.0 U
MW-0704-S1	10/4/2018	MW-0704-S1 (100418)	PDB	< 25.0 U	578	< 25.0 U	83.1	1,120	< 10.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0705-S1	11/13/2008	MW-0705-S1 (111308)	Low-Flow	< 5.0 U	37.2	< 5.0 U	9.4	187	< 2.0 U
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-LF	Low-Flow	< 5 U	50.0	< 5 U	14.9	178	5.1
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-PDB	PDB	< 5 U	34.0	< 5 U	9.0	86.3	4.8
MW-0705-S1	10/31/2012	MW-0705-S1(103112)PDB	PDB	< 5.0 U	39.8	< 5.0 U	9.4	146	4.2
MW-0705-S1	4/2/2013	MW-0705-S1 (040213) PDB	PDB	< 5.0 U	46.8	< 5.0 U	13.7	177	4.1
MW-0705-S1	10/16/2013	MW-0705-S1(101613)	PDB	< 5.0 U	50.3	< 5.0 U	11.9	185	3.9
MW-0705-S1	5/13/2014	MW-0705-S1(051314)	PDB	< 5.0 U	42.1	< 5.0 U	10.7	131	4.2
MW-0705-S1	9/25/2014	MW-0705-S1(092514)PDB	PDB	< 5.0 U	40.6	< 5.0 U	9.3	115	3.1
MW-0705-S1	3/31/2015	MW-0705-S1(033115)-PDB	PDB	< 5.0 U	47.9	< 5.0 U	12.1	148	3.6
MW-0705-S1	9/30/2015	MW-0705-S1(093015)PDB	PDB	< 5.0 U	59.5	< 5.0 U	18.5	176	3.2
MW-0705-S1	3/30/2016	MW-0705-S1(033016)PDB	PDB	< 5.0 U	46.5	< 5.0 U	11.6	135	3.4
MW-0705-S1	9/27/2016	MW-0705-S1(092716)PDB	PDB	< 5.0 U	46.7	< 5.0 U	13.0	149	3.2
MW-0705-S1	3/24/2017	MW-0705-S1(032417)PDB	PDB	< 5.0 U	35.3	< 5.0 U	9.4	98.6	< 2.0 U
MW-0705-S1	9/27/2017	MW-0705-S1 (092717)	PDB	< 5.0 U	39.1	< 5.0 U	10.1	107	3.3
MW-0705-S1	3/27/2018	MW-0705-S1 (032718)	PDB	< 5.0 U	44.6	< 5.0 U	11.7	114	4.2
MW-0705-S1	10/4/2018	MW-0705-S1 (100418)	PDB	< 5.0 U	53.7	< 5.0 U	13.0	119	3.6
Residential‡				55,120	41,260	44,270	23,430	1,540	540
Commercial/Industrial‡				77,160	57,760	61,980	32,800	2,150	1,810

Notes:

µg/L Results are reported in micrograms per liter

‡ The data are screened against site-specific Groundwater Vapor Intrusion Screening Criteria for residential and commercial/industrial values

BOLD Results exceed the residential standards

SHADED Results exceed the commercial/industrial standards

D: Concentration is based on a diluted sample analysis

LF: LF - Low Flow Sampling Technique

PDB: PDB - Passive Diffusion Bag Sampling Technique

J: J - The compound was positively identified; however, the associated numerical value is an estimated concentration only


U: U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit

UB: UB - Compound considered non-detect at the listed value due to associated blank contamination

UJ: UJ - The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation


FIGURES





LEGEND


- MW-0608-S2 MONITORING WELL SCREENED IN S2 UNIT
- MW-0603-S2 ABANDONED MONITORING WELL
- AREA OF INTEREST (AOI)
- PROPERTY BOUNDARY
- DENOTES AREA WHERE S2 UNIT IS NOT PRESENT
- (814.56) GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)
- (813.49)* GROUNDWATER ELEVATION NOT USED TO GENERATE CONTOURS
- 812.0 GROUNDWATER CONTOUR (DASHED WHERE INFERRED)



RACER TRUST
FORMER GM DELCO PLANT 5
KOKOMO, INDIANA
SEMI-ANNUAL DATA REPORT -
SECOND HALF 2018

POTENTIOMETRIC SURFACE - S2 UNIT
(SEPTEMBER 12, 2018)





RACER TRUST
FORMER GM DELCO PLANT 5
KOKOMO, INDIANA
**SEMI-ANNUAL DATA REPORT -
SECOND HALF 2018**
**OFF-SITE GROUNDWATER VOLATILE
ORGANIC COMPOUND ANALYTICAL
RESULTS SCREENED WITH GROUNDWATER
VAPOR INTRUSION CRITERIA**

APPENDIX A

Second Half 2018 Progress Report





**Revitalizing Auto Communities
Environmental Response Trust**

Ms. Michelle Kaysen
U.S. Environmental Protection Agency, Region 5
Waste Management Division
77 West Jackson Blvd., DE-9J
Chicago, IL 60604-3590

January 14, 2019

RE: Second Half 2018 Progress Report
RCRA Corrective Action
Former GM Delco Plant 5, Kokomo, IN
USEPA ID No. IND000806844

Dear Ms. Kaysen:

In accordance with the Performance-based Administrative Order on Consent (Order) between the U.S. Environmental Protection Agency Region 5 (USEPA) and Revitalizing Auto Communities Environmental Response (RACER) Trust, please find the attached progress report for the second half of 2018. This progress report details activities that have been completed at the RACER Trust owned Former GM Delco Plant 5 in Kokomo, Indiana (Site) from July 1, 2018 through December 31, 2018.

Please let me know if you have any questions about the report.

Sincerely,

Robert W. Hare, P.E., CHMM
Cleanup Manager – (IL, IN, KS, MO, NJ, WI)

Attachment A – Second Half 2018 Progress Report

C: Glynda Oakes, IDEM Office of Land Quality (E-mail)
Howard County Health Department (CD)
Carey Stranahan, City of Kokomo (CD)
Kokomo Public Library (Public Information Repository) (CD)
Sarah Fisher, Arcadis U.S. (CD)

500 Woodward Avenue, Suite 2650 · Detroit, MI 48226
313.486.2908 www.RACERTrust.org

ATTACHMENT A
SECOND HALF 2018 PROGRESS REPORT
PERFORMANCE-BASED ADMINISTRATIVE ORDER ON CONSENT
RCRA CORRECTIVE ACTION
FORMER GM DELCO PLANT 5, KOKOMO, IN
JULY 1, 2018 TO DECEMBER 31, 2018

WORK PERFORMED THIS HALF

- Completed site-wide groundwater gauging and deployed passive diffusion bag samplers in September 2018. Groundwater samples were collected from passive diffusion bag samplers in October 2018, after a minimum of three weeks of equilibration.
- Performed the treatability studies on site soils including in-situ soil solidification using Portland cement and blast furnace slag and in-situ soil stabilization using zero-valent iron.
- Prepared an updated Corrective Measures Proposal to incorporate new data received in 2018.

DATA AVAILABLE DURING THIS HALF

- Analytical results from the October 2018 groundwater sampling event are included in the *Semi-Annual Progress and Data Report, Second Half 2018*.
- Analytical results from the treatability study are included in the updated *Corrective Measures Proposal*.

PROBLEMS ENCOUNTERED

- None.

SUMMARY OF PROBLEM RESOLUTION

- NA

POTENTIAL PROBLEMS

- None.

ESTIMATED PERCENT COMPLETE AND INFORMATION SUMMARY FOR SELECTED ACTIVITIES

- Description of Current Conditions 100%

Summarized available information for the Site and identified seven Areas of Interest (AOIs), four of which require additional investigation. No ecological habitat was identified at or in the immediate vicinity of the Site. Due May 15, 2006 and submitted October 10, 2005.

- Public Participation Plan 100%
- Resource Conservation and Recovery Act (RCRA) Facility Investigation (RFI) Work Plan 100%

Submitted December 15, 2005.

- RFI Phase I Implementation 100%

Objective was to characterize the hydrogeology, to evaluate potential off-site groundwater impacts and to characterize AOIs at the Site. Phase I included installation of 38 soil borings and 20 monitoring wells. Ninety-five soil, eight borehole water, and 23 groundwater samples were analyzed. Completed in October 2005.

- RFI Data Report (Phase I data) 100%

Major findings included identifying small, isolated zones with perched groundwater, and two continuous saturated sand units over the investigation area with shallow groundwater flow generally to the southeast. Trichloroethene (TCE) is primary chemical of concern, with source areas identified in AOIs 5 and 7. TCE groundwater impacts extend off-site, but are not present in borehole water samples collected approximately 800 feet from the Site. No potable water wells were identified in immediate vicinity of the Site. Currently, no unacceptable risks to human health have been identified. Submitted January 19, 2006.

- RFI Phase II Implementation 100%

Objective was to further characterize on- and off-site groundwater impacts and AOIs on Site. Phase II included installation of 29 soil borings and 20 monitoring wells. Seventy-five soil, two borehole water, and 20 groundwater samples were analyzed. Completed in March 2006.

- RFI Data Report (updated to include Phase II data) 100%

Major findings included more precise delineation of on- and off-site TCE groundwater impacts. Groundwater flow in the bedrock appears to be generally to the northeast. TCE distribution in bedrock groundwater indicates an upgradient source of TCE to the bedrock groundwater. Source area soil impacts were more precisely delineated at AOIs 5 and 7, and a possible additional source area was identified in the vicinity of the former south manufacturing building. Currently, no unacceptable risks to human health have been identified. Submitted May 26, 2006.

- RFI Phase III Implementation 100%

Objective was to further characterize on- and off-site groundwater impacts and AOIs on site. The initial RFI Phase III field work included installation of six soil borings and 13 monitoring wells. Fourteen soil, four borehole water, and 42 groundwater samples were submitted for analysis. An additional six soil borings and four monitoring wells were installed, and 16 soil samples and four groundwater samples were collected as part of additional “step-out” activities (Phase IIb)

performed based on review of preliminary RFI Phase III soil and borehole water sample analytical data. Following review of the preliminary data from Phase IIb, two additional monitoring wells were installed (Phase IIc) to further characterize and delineate the extent of groundwater containing TCE in the S1 unit in the northwestern portion of the Site (MW-0623-S1), and in the S2 unit east of the Site along Lordeman Street (MW-0607-S2). Access was obtained to the adjacent former Midwest Plating property, where three monitoring wells were installed, and soil and groundwater samples were collected. Started on October 9, 2006 and completed in March 2007.

- RFI Data Report (updated to include Phase III data) 100%

Major findings included more precise delineation of on- and off-site groundwater impacts. Groundwater flow in the bedrock appears to generally be to the south. The source of the cis-1,2-dichloroethene (cis-1,2-DCE) in bedrock groundwater is uncertain. Additional characterization of the groundwater in the bedrock is necessary. There are relatively high concentrations of TCE and tetrachloroethene (PCE) in the soil at the former Midwest Plating property. More precise delineation of source area soil impacts is necessary at AOI 5 and the former south manufacturing building. Currently, no unacceptable risks to human health have been identified. Submitted June 1, 2007.

- RFI Soil Gas Sampling 100%

Objective is to allow for verifying the appropriateness of the groundwater vapor intrusion criteria that have been used to guide the RFI field investigation at the Site. A work plan addendum was submitted to USEPA on July 10, 2007. A conference call was held with USEPA to discuss the work plan, and the work plan was subsequently revised. USEPA's comments were incorporated, and the work plan addendum was resubmitted to USEPA. Soil gas monitoring ports were installed in the residential area east of the Site on August 7, 2007, and soil gas samples were collected on August 13, 2007. Preliminary soil gas analytical results were submitted to USEPA on August 28, 2007, and a conference call was held to discuss those results on August 30, 2007. Additional soil gas sampling ports were installed on September 4, 2007, and additional soil gas samples were collected on September 17, 2007. The preliminary analytical results from the second sampling event were submitted to USEPA on September 27, 2007. USEPA provided comments on the preliminary data in a letter dated October 2, 2007. The comment letter and results were discussed during an October 16, 2007, conference call. Additional risk evaluation was completed and submitted to USEPA on October 30, 2007, and a conference call to discuss the additional information was held on November 28, 2007. General Motors Company's (GM's) response to USEPA's October 2, 2007 comment letter was submitted to USEPA on December 3, 2007.

- Soil Gas Investigation Data Report 100%

The final soil gas investigation data report was submitted to USEPA on December 21, 2007.

- RFI Phase IV Implementation 100%

Objectives are to further characterize on-site soil impacts in the former south manufacturing building, to characterize the groundwater flow, and to delineate the horizontal and vertical extent of cis-1,2-DCE in the groundwater in the bedrock.

A total of 62 soil borings were advanced from August 29, 2007 to September 5, 2007 within and in the vicinity of the former north and south manufacturing buildings. These were field screened. Soil samples were collected based on field observations, and a total of 31 soil samples were submitted for laboratory analysis. An additional 26 soil borings were advanced from November 19, 2007 to November 20, 2007 to delineate TCE within, and in the vicinity of the north and south manufacturing buildings. A total of 60 soil samples were submitted for laboratory analysis. An additional 14 soil borings were advanced on January 15, 2008, to delineate TCE within, and in the vicinity of the north and south manufacturing buildings. A total of 15 soil samples were submitted for laboratory analysis. Based on review of these data, TCE is adequately delineated.

Installation of the pilot bedrock boring, packer testing, Flexible Liner Underground Technologies (FLUTE) hydraulic profiling, discrete low-flow vertical groundwater sampling, and isolated groundwater sampling was completed between August 20, 2007, and December 8, 2007. A preliminary report of the results from the pilot bedrock boring was submitted to USEPA on November 16, 2007. An updated report was submitted to USEPA on March 21, 2008. Three additional bedrock monitoring wells were installed in the upper transmissive zone from December 4, 2007 to December 15, 2007. Installation of the additional three deeper bedrock boreholes was completed from April 14, 2008, to May 1, 2008. FLUTE hydraulic profiling of the bedrock boreholes was completed from May 13, 2008, to May 15, 2008. The technical memo with the results of the profiling was submitted to USEPA on July 10, 2008. Discrete depth vertical groundwater sampling (packer sampling) of select intervals in the boreholes was completed in the third quarter 2008. An updated technical memo to summarize the data, and provide recommendations for future groundwater sampling was prepared and submitted to USEPA on October 20, 2008. A groundwater sampling event was completed in November 2008 that included collecting depth to water information across the entire monitoring well network, collecting samples from a subset of approximately 30 existing wells, and discrete depth vertical groundwater sampling (packer sampling) of select intervals in the boreholes; all to confirm the characterization of contaminated groundwater on and off site.

- RFI Supplemental Data Report (updated to include Phase IV soil data) 100%

Major findings included a more complete characterization of on-site soil impacts at AOIs 2 and 3 and the former north and south manufacturing buildings. In addition, the Phase IV soil results were evaluated relative to the determination included in the CA725 Report for the Former GM Delco Plant 5 Facility in Kokomo, Indiana, completed by ENVIRON in 2007, that all current human exposures to “contamination” at or from the Facility are under control, based on soil data collected prior to September 1, 2007. The evaluation of the Phase IV soil data indicated that results do not alter the conclusions presented in the CA725 Report or the “YE” determination for the CA725. Submitted June 27, 2008.

- Groundwater Evaluation 100%

A draft groundwater evaluation was prepared to report GM’s evaluation of groundwater quality and flow data collected through February 2009. Submitted to USEPA on April 10, 2009. This evaluation will be included in the RFI Report. A meeting was held with USEPA on May 19, 2009 to discuss the evaluation and proposed additional investigation.

- Additional Groundwater Investigation 100%
Groundwater sampling completed June 17 through 19, 2009.
- Draft RFI Report 100%
(Submitted October 5, 2009)
A meeting was held with USEPA on October 27, 2009, to review the draft report. USEPA provided comments on the human health risk assessment on December 22, 2009. A call was held with USEPA on February 22, 2010, to discuss USEPA's comments on the RFI risk assessment. Based on that call, a revised RFI Report was submitted to USEPA for review on March 18, 2010.
- Final RFI Report 100%
The final RFI Report was submitted to USEPA on May 21, 2010.
- Human Health EI (CA725) Report 100%
(Submitted November 30, 2007)
Minor comments were received from USEPA on December 12, 2007, and revisions submitted on December 20, 2007. USEPA approved the determination on January 3, 2008.
- Groundwater Migration EI (CA750) 100%
(Submitted November 30, 2009)
A draft determination was submitted to USEPA on October 30, 2009, and was reviewed with USEPA via teleconference on November 12, 2009. The final determination was submitted to USEPA on November 30, 2009. USEPA approved the determination on December 22, 2009.
- Draft Corrective Measures Proposal 100%
(Originally due June 30, 2010, Revised due date of August 31, 2010, Submitted on August 30, 2010)
Motors Liquidation Company (MLC), formerly GM, requested an extension to submit the Corrective Measures Proposal (CMP) on June 22, 2010. USEPA agreed to extend the submittal date for the CMP to August 31, 2010. The draft CMP was submitted to USEPA on August 30, 2010. The draft CMP included proposed corrective measures to mitigate potentially significant future exposures that could result from historical site activities. The draft CMP also included documentation of groundwater modeling performed to support the identification of the area(s) where a groundwater use restriction should be pursued as part of final corrective measures. USEPA and MLC met on November 17, 2010, to discuss the draft CMP. Based on that meeting, MLC prepared and submitted additional information to USEPA on December 23, 2010. USEPA provided comments on the draft CMP on January 7, 2011. Based on the comments, additional evaluation was completed, and the results of that evaluation were submitted to USEPA. A conference call with USEPA was held on February 18, 2011, to discuss the comments and the results of the additional evaluation. April 30, 2011 was the established due date for revised CMP that addresses USEPA comments.
- Corrective Measures Proposal 95%

(The Final CMP was submitted to USEPA on December 6, 2011. Based on change in conceptual site model, a revised draft CMP was prepared in 2017 and 2018.)

The vertical aquifer profiling and hydraulic profiling investigation conducted in 2016 allowed for the development of a refined conceptual site model for the Site and a pre-design investigation and treatability studies were completed in 2018. Subsequently, a new CMP is being prepared to summarize activities and data since the RFI, update the risk evaluation, and evaluate proposed remedial alternatives.

- Semi-Annual Groundwater Monitoring 34%

The second of the 2018 semi-annual groundwater monitoring events was completed on October 4, 2018.

- Vapor Intrusion Conceptual Site Model 100%

A revised version of the Conceptual Site Model (CSM) was reviewed with USEPA on December 10, 2013. Out of the review, the USEPA and RACER Trust, formerly MLC, concluded that additional data are needed to finalize the CSM. As such, RACER Trust is developing an approach to further investigate the risk of vapor intrusion associated with Site-related groundwater impacts. RACER Trust also informed USEPA that the Trust will work with USEPA to address public health concerns within the soil gas focus area. Data from a further vapor intrusion investigation and indoor air testing program were shared with USEPA on March 31, 2014. USEPA concurred that the soil gas and indoor air impacts identified to the east of the Site are not related to RACER Trust. USEPA has referred the soil gas and potential vapor intrusion issue to the east of the Site to Superfund for further evaluation. Per a request by the USEPA, ARCADIS will convert the current CSM from a presentation format into a written document format for submittal into the record. The Vapor Intrusion Conceptual Site Model was finalized and submitted to USEPA on October 19, 2015.

- Monitored Natural Attenuation Evaluation 100%

An evaluation of MNA was completed to determine if MNA could be incorporated into the final corrective measures for the Site. The MNA evaluation report was submitted to USEPA on January 19, 2016.

- Calcium Oxide Pilot Study 100%

A Work Plan for the pilot study was drafted and submitted to USEPA (June 30, 2015). An RFP was prepared and submitted to a selection of contractors (August 8, 2015). The evaluation of remedial technologies is currently on hold until additional data is collected to further enhance the conceptual site model. This additional data collection includes the completion of a vertical aquifer and hydraulic profiling transect along the eastern property boundary. RACER Trust and USEPA made the decision to re-evaluate the corrective measures and RACER Trust will prepare a new CMP to capture all data and information generated since the last submitted CMP, as described above.

- Pre-Design Investigation and Treatability Study 100%

A work plan for the pre-design investigation (PDI) was drafted and submitted to USEPA (March 7, 2018). The PDI was completed from March 20, 2018 through April 5, 2018). Soils were collected in order to complete the treatability study.

SUMMARY OF CONTACTS WITH INTERESTED PARTIES

- The following documents were placed in the public information repository:
 - *Semi-Annual Progress and Data Report, First Half 2018*, Former GM Delco Plant 5, Kokomo, IN, USEPA ID No. IND000806844, July 13, 2018.

CHANGES IN PERSONNEL

- None.

PROJECTED WORK FOR NEXT REPORTING PERIOD

The following activities are anticipated to be completed in the first half of 2019:

- Submit updated Corrective Measures Proposal and evaluate path forward with EPA.
- Complete a site-wide groundwater gauging and sampling event in March 2019.
- Prepare summaries of meetings, data reviews, or conference calls with USEPA, as appropriate.

APPENDIX B

Groundwater Analytical Reports and Data Validation Reports
(Provided on CD)



RACER TRUST
Former GM Delco Plant 5

DATA REVIEW

Kokomo, Indiana

Volatile Organic Compound (VOC) Analyses

SDG #: 50207279

Analyses Performed By:
Pace Analytical Services, Inc.
Indianapolis, Indiana

Report #: 31199R
Review Level: Tier II
Project: IN000884.2018.00006



DATA REVIEW REPORT

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) number 50207279 for samples collected in association with the RACER Trust site in Kokomo, Indiana. The review was conducted as an ARCADIS Tier II evaluation and included review of data package completeness. Only analytical data as reported by the laboratory were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain-of-custody (COC) records. Analyses were performed on the following samples.

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	TPH	Metal	Misc.
50207279	MW-0617-S1 (100418)	50207279001	Water	10/4/2018		X				
	MW-0507-S1 (100418)	50207279002	Water	10/4/2018		X				
	MW-0503-S1 (100418)	50207279003	Water	10/4/2018		X				
	MW-0101-S1U (100418)	50207279004	Water	10/4/2018		X				
	MW-0502-S1 (100418)	50207279005	Water	10/4/2018		X				
	MW-0517-S1 (100418)	50207279006	Water	10/4/2018		X				
	MW-0621-S1 (100418)	50207279007	Water	10/4/2018		X				
	MW-0605-S1 (100418)	50207279008	Water	10/4/2018		X				
	MW-0620-S1 (100418)	50207279009	Water	10/4/2018		X				
	MW-0622-S1 (100418)	50207279010	Water	10/4/2018		X				
	MW-0623-S1 (100418)	50207279011	Water	10/4/2018		X				
	FD-1-(100418)-KA	50207279012	Water	10/4/2018	MW-0517-S1 (100418)	X				
	MW-0501-S1 (100418)	50207279013	Water	10/4/2018		X				
	MW-0603-S1 (100418)	50207279014	Water	10/4/2018		X				
	MW-0602-S1 (100418)	50207279015	Water	10/4/2018		X				
	MW-0705-S1 (100418)	50207279016	Water	10/4/2018		X				
	MW-0704-S1 (100418)	50207279017	Water	10/4/2018		X				
	MW-0618-S1 (100418)	50207279018	Water	10/4/2018		X				
	MW-0613-S1 (100418)	50207279019	Water	10/4/2018		X				
	EB-2 (100418)-SO	50207279020	Water	10/4/2018		X				
	MW-0607-S1 (100418)	50207279021	Water	10/4/2018		X				
	MW-0609-S1 (100418)	50207279022	Water	10/4/2018		X				
	MW-0610-S1 (100418)	50207279023	Water	10/4/2018		X				

DATA REVIEW REPORT

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	TPH	Metal	Misc.
50207279	MW-0608-S1 (100418)	50207279024	Water	10/4/2018		X				
	FD-2 (100418)-KA	50207279025	Water	10/4/2018	MW-0622-S1 (100418)	X				
	MW-0103-S1U (100418)	50207279026	Water	10/4/2018		X				
	MW-0509-S1 (100418)	50207279027	Water	10/4/2018		X				
	MW-0102-S1U (100418)	50207279028	Water	10/4/2018		X				
	MW-0505-S1 (100418)	50207279029	Water	10/4/2018		X				
	EB-1 (100418)-KA	50207279030	Water	10/4/2018		X				
	MW-0604-S1 (100418)	50207279031	Water	10/4/2018		X				
	MW-0504-S1 (100418)	50207279032	Water	10/4/2018		X				
	MW-0506-S1 (100418)	50207279033	Water	10/4/2018		X				
	MW-0619-S1 (100418)	50207279034	Water	10/4/2018		X				
	MW-0612-S1 (100418)	50207279035	Water	10/4/2018		X				
	MW-0606-S1 (100418)	50207279036	Water	10/4/2018		X				
	MW-0516-S1 (100418)	50207279037	Water	10/4/2018		X				
	MW-0611-S1 (100418)	50207279038	Water	10/4/2018		X				
	TB-1-100418-SO	50207279039	Water	10/4/2018		X				

Note: As specified on the COCs, samples MW-0503-S1 (100418) and MW-0501-S1 (100418) were used in the matrix spike/matrix spike duplicate sample analyses.

DATA REVIEW REPORT

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of quality assurance (QA) or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

11. The laboratory used the qualifier "N2" to indicate that it does not hold NELAC accreditation for the flagged compounds (cyclohexane, methyl acetate, and methyl cyclohexane), and the qualifier "M5" to indicate that the analysis was performed in a QA batch that did not include an MS/MSD analysis. These qualifiers were ignored during validation as they have no effect on the sample data quality.

DATA REVIEW REPORT

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260. Data were reviewed in accordance with *USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review* (October 1999).

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected as unusable. The compound may or may not be present in the sample.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is

DATA REVIEW REPORT

that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data, but any value potentially contains error.

DATA REVIEW REPORT

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260	Water	14 days from collection to analysis (preserved)	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e. method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Target compounds were not detected above the MDL in the associated blanks; therefore, detected sample results are not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All samples exhibited surrogate recoveries within the control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) and Laboratory Duplicate Sample Analysis

MS/MSD and laboratory duplicate sample data are used to assess the precision and accuracy of the analytical method.

4.1 MS/MSD Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on samples where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

DATA REVIEW REPORT

Samples MW-0503-S1 (100418) and MW-0501-S1 (100418) were used in the MS/MSD analyses, and sample MW-0506-S1 (100418) was used in the MS analysis. All compounds associated with the MS/MSD and MS analyses exhibited recoveries and RPDs within the control limits.

4.2 Laboratory Duplicate Sample Analysis

Laboratory duplicate sample results are used to assess precision and may be used in addition to or in lieu of the MSD analysis. The laboratory duplicate sample maximum RPD of 30% criterion is applied when the primary and duplicate sample concentrations are at least five times the RL. In the case where the parent and duplicate sample concentrations are less than five times the RL, a control limit of one times the RL for water matrices and two times the RL for soil matrices is applied to the difference between the results.

Sample MW-0505-S1 (100418) was used in the laboratory duplicate sample analysis. All compounds associated with the laboratory duplicate sample analysis exhibited RPDs within the control limit.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the accuracy of the analytical method independent of matrix interferences. The spiked compounds used in the LCS analysis must exhibit recoveries within the laboratory-established acceptance limits.

Samples associated with LCS analyses exhibiting recoveries outside of the control limits are presented in the following table.

Samples	Compound	LCS Recovery
WC-1 (100418)-KA MW-0617-S1 (100418) MW-0507-S1 (100418) MW-0503-S1 (100418) MW-0101-S1U (100418) MW-0502-S1 (100418) MW-0517-S1 (100418) MW-0621-S1 (100418) MW-0605-S1 (100418) MW-0620-S1 (100418) MW-0622-S1 (100418) MW-0623-S1 (100418) MW-0612-S1 (100418) MW-0606-S1 (100418) MW-0516-S1 (100418) MW-0611-S1 (100418) TB-1-100418-SO	Methyl acetate	> UL
FD-1-(100418)-KA MW-0603-S1 (100418) MW-0602-S1 (100418)	1,1-Dichloroethene 1,2,4-Trichlorobenzene Bromodichloromethane	> UL

The criteria used to evaluate the LCS recoveries are presented in the following table. In the case of any LCS deviations, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J

DATA REVIEW REPORT

Control Limit	Sample Result	Qualification
< 10%	Non-detect	R
	Detect	J

The compounds specified in the preceding table were not detected at concentrations greater than the reporting limits in the associated samples; therefore, no qualification is required.

6. Field Duplicate Sample Analysis

The field duplicate sample analysis is used to assess the overall precision of the field sampling procedures and analytical method. The control limits of 35% for water matrices and 50% for soil matrices are applied to the RPD between the parent and field duplicate samples. In the case when the parent and/or duplicate sample concentrations are no greater than five times the reporting limit (RL), the control limit of two times the RL for water matrices or three times the RL for soil matrices is applied to the difference between the results.

Results for the field duplicate samples are summarized in the following tables.

Sample and Field Duplicate Sample: MW-0517-S1 (100418) and FD-1-(100418)-KA						
Compound	Sample Result	Duplicate Result	RPD	Difference	RL	Evaluation
cis-1,2-Dichloroethene	216	194	10.7 %	N/A	25	Acceptable
trans-1,2-Dichloroethene	41.3	44.3	N/A	3.0	25	Acceptable
Trichloroethene	985	1040	5.4 %	N/A	25	Acceptable

Sample and Field Duplicate Sample: MW-0622-S1 (100418) and FD-2 (100418)-KA						
Compound	Sample Result	Duplicate Result	RPD	Difference	RL	Evaluation
cis-1,2-Dichloroethene	1440	1390	3.5 %	N/A	100	Acceptable
Trichloroethene	11800	10700	9.8 %	N/A	1000	Acceptable

Note: N/A = Not applicable

The field duplicate sample analyses exhibited acceptable results.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW REPORT

DATA VALIDATION CHECKLIST FOR VOCS

VOCs: SW-846 8260	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
Gas Chromatography/Mass Spectrometry (GC/MS)					
Holding Times		X		X	
Reporting Limits (Units)		X		X	
Blanks					
A. Method Blanks		X		X	
B. Equipment/Field Blanks		X		X	
C. Trip Blanks		X		X	
Surrogates Accuracy (%R)		X		X	
Matrix Spike (MS) %R		X		X	
Matrix Spike Duplicate (MSD) %R		X		X	
MS/MSD Precision (RPD)		X		X	
Laboratory Control Sample (LCS) %R		X	X		
Laboratory Control Sample Duplicate (LCSD) %R	X				X
LCS/LCSD RPD	X				X
Laboratory Duplicate Sample RPD		X		X	
Field Duplicate Sample RPD		X		X	
Dilution Factor		X		X	
Moisture Content	X				X

Notes:

%R Percent recovery
 RPD Relative percent difference

DATA REVIEW REPORT

Validation Performed By: Dennis Dyke

Signature: 

Date: December 7, 2018

CHAIN OF CUSTODY AND CORRECTED SAMPLE ANALYSIS DATA SHEETS





CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 1 Of 1

Section A

Required Client Information:

Company: Arcadis U.S., Inc.
Address: 150 West Market Street
Suite 728, Indianapolis, IN 46204
Email:
Phone: Fax:
Requested Due Date:

Section B

Required Project Information:

Report To: William Stephens
Copy To:
Purchase Order #:
Project Name: RACER Trust Kokomo
Project #:

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Quote:
Pace Project Manager: donna.spyker@pacelabs.com,
Pace Profile #: 26364 345413 100018

Regulatory Agency

State / Location

Requested Analysis Filtered (Y/N)

Residual Chlorine (Y/N)

50207279

001

002

003

004

005

006

007

008

009

010

011

012

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 /, -) Sample IDs must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G-GRAB C-COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Y/N	Analyses Test IN VOC by 8280																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
--------	---	--	---	---------------------------------------	-----------------------------	-----------	--	--	--	---------------------------	-----------------	---------------	--	--	--	--	--	--	--	-----	---------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed:

TEMP in C

Received on

Ice

(Y/N)

Custody

Sealed

Boiler

Tag

Impacts

(7/0)



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 1 Of 1

Section A

Required Client Information:

Company: Arcadis U.S., Inc.
Address: 150 West Market Street
Suite 728, Indianapolis, IN 46204
Email:
Phone: Fax:
Requested Due Date:

Section B

Required Project Information:

Report To: William Stephens
Copy To:
Purchase Order #:
Project Name: RACER Trust Kokomo
Project #:

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Quote:
Pace Project Manager: donna.spyker@pacelabs.com,
Pace Profile #: 2636/1

Regulatory Agency

State / Location

Requested Analysis Filtered (Y/N)

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 /, -) Sample IDs must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Analyses Test Y/N IN VOC by 8260	Residual Chlorine (Y/N)	50207279											
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other														
						DATE	TIME	DATE	TIME																								
1	MW-0501-S1 (100418)	WG	G					10/4	1010		3																						013
2	MW-0603-S1 (100418)	WG	G					10/4	1050		3					3																	014
3	MW-0602-S1 (100418)	WG	G					10/4	1105		3					3																	015
4	MW-0705-S1 (100418)	WG	G					10/4	1125		3					3																	016
5	MW-0704-S1 (100418)	WG	G					10/4	1200		3					3																	017
6	MW-0618-S1 (100418)	WG	G					10/4	1215		3					3																	018
7	MW-0613-S1 (100418)	WG	G					10/4	1235		3					3																	019
8	EB-2 (100418)-S0	WG	G					10/4	1240		3					3																	020
9	MW-0607-S1 (100418)	WG	G					10/4	1255		3					3																	021
10	MW-0609-S1 (100418)	WG	G					10/4	1315		3					3																	022
11	MW-0610-S1 (100418)	WG	G					10/4	1355		3					3																	023
12	MW-0608-S1 (100418)	WG	G					10/4	1405		3					3																	024

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS			
*MS/MSD collected from MW-0501-S1 (100418)		J. H. Arcadis		10/5/18	1015	J. H. Arcadis		10-5-18	1015	10	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SYDNEY OLUND

SIGNATURE of SAMPLER:

Sydney Olund

DATE Signed:

10/4/18

TEMP in C

Received on

Ice

(Y/N)

Custody

Sealed

Cooler

(Y/N)

Unsealed

Impact

10/18/18



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 1 Of 1

Section A

Required Client Information:

Company: Arcadis U.S., Inc.
Address: 150 West Market Street
Suite 728, Indianapolis, IN 46204
Email:
Phone: Fax:
Requested Due Date:

Section B

Required Project Information:

Report To: William Stephens
Copy To:
Purchase Order #:
Project Name: RACER Trust Kokomo
Project #:

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Quote:
Pace Project Manager: donna.spyker@pacelabs.com,
Pace Profile #: 2636/1

Regulatory Agency

State / Location

Requested Analysis Filtered (Y/N)

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 /, -) Sample Ids must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Analyses Test Y/N IN VOC by 8280	Residual Chlorine (Y/N)	S0207279											
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other														
						DATE	TIME	DATE	TIME																								
1	FD-2 (100418)KR	W66				100418					3				X																	025	
2	MW-0103-S14 (100418)	W66				100418		1320			3				X																	026	
3	MW-0504-S1 (100418)	W66				100418		1345			3				X																	027	
4	MW-0102-S14 (100418)	W66				100418		1400			3				X																	028	
5	MW-0505-S1 (100418)	W66				100418		1410			3				X																	029	
6	EB-1 (100418)-KR	W66	G			100418		1415			3				X																	030	
7	MW-0604-S1 (100418)	W66				100418		1430			3				X																	031	
8	MW-0504-S1 (100418)	W66				100418		1440			3				X																	032	
9	MW-0506-S1 (100418)	W66				100418		1500			3				X																	033	
10	MW-0619-S1 (100418)	W66				100418		1610			3				X																	034	
11																																	
12																																	

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITION			
		EX / Arcadis		10/18/18	10/15	JH / Arcadis		10-5-18	10/15	1.0	1	N	0

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed:

TEMP in C

Received on

Ice

(Y/N)

Custody

Sealed

Boiler

Page

Samples

Impact

(Y/N)

125

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0617-S1 (100418)		Lab ID: 50207279001	Collected: 10/04/18 10:45	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/15/18 19:39	67-64-1	
Benzene	ND	ug/L	5.0	1		10/15/18 19:39	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/15/18 19:39	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/15/18 19:39	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/15/18 19:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/15/18 19:39	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/15/18 19:39	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/15/18 19:39	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/15/18 19:39	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/15/18 19:39	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/15/18 19:39	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/15/18 19:39	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/15/18 19:39	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/15/18 19:39	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/15/18 19:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/15/18 19:39	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/15/18 19:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/15/18 19:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/15/18 19:39	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/15/18 19:39	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/15/18 19:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/15/18 19:39	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/15/18 19:39	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/15/18 19:39	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/15/18 19:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/15/18 19:39	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/15/18 19:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/15/18 19:39	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/15/18 19:39	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/15/18 19:39	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/15/18 19:39	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/15/18 19:39	79-20-9	~~N2~~
Methylcyclohexane	ND	ug/L	50.0	1		10/15/18 19:39	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/15/18 19:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/15/18 19:39	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/15/18 19:39	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/15/18 19:39	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/15/18 19:39	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/15/18 19:39	127-18-4	
Toluene	ND	ug/L	5.0	1		10/15/18 19:39	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/15/18 19:39	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/15/18 19:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/15/18 19:39	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/15/18 19:39	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/15/18 19:39	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/15/18 19:39	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/15/18 19:39	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0617-S1 (100418)		Lab ID: 50207279001		Collected: 10/04/18 10:45		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/15/18 19:39	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		97	%.	89-116	1		10/15/18 19:39	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	85-111	1		10/15/18 19:39	460-00-4	
Toluene-d8 (S)		100	%.	87-110	1		10/15/18 19:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0507-S1 (100418)		Lab ID: 50207279002	Collected: 10/04/18 11:00	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/15/18 20:15	67-64-1	
Benzene	ND	ug/L	5.0	1		10/15/18 20:15	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/15/18 20:15	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/15/18 20:15	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/15/18 20:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/15/18 20:15	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/15/18 20:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/15/18 20:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/15/18 20:15	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/15/18 20:15	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/15/18 20:15	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/15/18 20:15	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/15/18 20:15	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/15/18 20:15	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/15/18 20:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/15/18 20:15	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/15/18 20:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/15/18 20:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/15/18 20:15	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/15/18 20:15	75-71-8	
1,1-Dichloroethane	41.1	ug/L	5.0	1		10/15/18 20:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/15/18 20:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/15/18 20:15	75-35-4	
cis-1,2-Dichloroethene	135	ug/L	5.0	1		10/15/18 20:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/15/18 20:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/15/18 20:15	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/15/18 20:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/15/18 20:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/15/18 20:15	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/15/18 20:15	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/15/18 20:15	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/15/18 20:15	79-20-9	~~1,1~~ N2
Methylcyclohexane	ND	ug/L	50.0	1		10/15/18 20:15	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/15/18 20:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/15/18 20:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/15/18 20:15	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/15/18 20:15	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/15/18 20:15	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/15/18 20:15	127-18-4	
Toluene	ND	ug/L	5.0	1		10/15/18 20:15	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/15/18 20:15	120-82-1	
1,1,1-Trichloroethane	27.7	ug/L	5.0	1		10/15/18 20:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/15/18 20:15	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/15/18 20:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/15/18 20:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/15/18 20:15	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/15/18 20:15	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0507-S1 (100418)		Lab ID: 50207279002		Collected: 10/04/18 11:00		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/15/18 20:15	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		98	%.	89-116	1		10/15/18 20:15	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	85-111	1		10/15/18 20:15	460-00-4	
Toluene-d8 (S)		99	%.	87-110	1		10/15/18 20:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0503-S1 (100418)		Lab ID: 50207279003	Collected: 10/04/18 11:15	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/16/18 01:38	67-64-1	
Benzene	ND	ug/L	5.0	1		10/16/18 01:38	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/18 01:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/18 01:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/18 01:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/18 01:38	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/16/18 01:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/18 01:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/18 01:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/18 01:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/18 01:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/18 01:38	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/16/18 01:38	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/16/18 01:38	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/18 01:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/18 01:38	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 01:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 01:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 01:38	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/18 01:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/18 01:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/18 01:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/18 01:38	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 01:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 01:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/18 01:38	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 01:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 01:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/18 01:38	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/16/18 01:38	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/18 01:38	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/16/18 01:38	79-20-9	L1, N2
Methylcyclohexane	ND	ug/L	50.0	1		10/16/18 01:38	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/16/18 01:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/18 01:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/18 01:38	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/16/18 01:38	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/18 01:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/16/18 01:38	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/18 01:38	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/18 01:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/18 01:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/18 01:38	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/16/18 01:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/18 01:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/16/18 01:38	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/16/18 01:38	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0503-S1 (100418)		Lab ID: 50207279003		Collected: 10/04/18 11:15		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 01:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		97	%.	89-116	1		10/16/18 01:38	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	85-111	1		10/16/18 01:38	460-00-4	
Toluene-d8 (S)		98	%.	87-110	1		10/16/18 01:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0101-S1U (100418)		Lab ID: 50207279004	Collected: 10/04/18 11:35	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	500	5		10/16/18 02:14	67-64-1	
Benzene	ND	ug/L	25.0	5		10/16/18 02:14	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		10/16/18 02:14	75-27-4	
Bromoform	ND	ug/L	25.0	5		10/16/18 02:14	75-25-2	
Bromomethane	ND	ug/L	25.0	5		10/16/18 02:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		10/16/18 02:14	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		10/16/18 02:14	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		10/16/18 02:14	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		10/16/18 02:14	108-90-7	
Chloroethane	ND	ug/L	25.0	5		10/16/18 02:14	75-00-3	
Chloroform	ND	ug/L	25.0	5		10/16/18 02:14	67-66-3	
Chloromethane	ND	ug/L	25.0	5		10/16/18 02:14	74-87-3	
Cyclohexane	ND	ug/L	500	5		10/16/18 02:14	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		10/16/18 02:14	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		10/16/18 02:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		10/16/18 02:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		10/16/18 02:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		10/16/18 02:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		10/16/18 02:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		10/16/18 02:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		10/16/18 02:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		10/16/18 02:14	107-06-2	
1,1-Dichloroethene	46.8	ug/L	25.0	5		10/16/18 02:14	75-35-4	
cis-1,2-Dichloroethene	10800	ug/L	500	100		10/16/18 02:50	156-59-2	
trans-1,2-Dichloroethene	59.4	ug/L	25.0	5		10/16/18 02:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		10/16/18 02:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		10/16/18 02:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		10/16/18 02:14	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		10/16/18 02:14	100-41-4	
2-Hexanone	ND	ug/L	125	5		10/16/18 02:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		10/16/18 02:14	98-82-8	
Methyl acetate	ND	ug/L	250	5		10/16/18 02:14	79-20-9	~~L1~~ ,N2
Methylcyclohexane	ND	ug/L	250	5		10/16/18 02:14	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5		10/16/18 02:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		10/16/18 02:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		10/16/18 02:14	1634-04-4	
Styrene	ND	ug/L	25.0	5		10/16/18 02:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		10/16/18 02:14	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		10/16/18 02:14	127-18-4	
Toluene	ND	ug/L	25.0	5		10/16/18 02:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		10/16/18 02:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		10/16/18 02:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		10/16/18 02:14	79-00-5	
Trichloroethene	552	ug/L	25.0	5		10/16/18 02:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		10/16/18 02:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		10/16/18 02:14	76-13-1	
Vinyl chloride	684	ug/L	10.0	5		10/16/18 02:14	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0101-S1U (100418)		Lab ID: 50207279004		Collected: 10/04/18 11:35		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		10/16/18 02:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		97	%.	89-116	5		10/16/18 02:14	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	85-111	5		10/16/18 02:14	460-00-4	D4
Toluene-d8 (S)		99	%.	87-110	5		10/16/18 02:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0502-S1 (100418)		Lab ID: 50207279005	Collected: 10/04/18 11:50	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/15/18 20:51	67-64-1	
Benzene	ND	ug/L	5.0	1		10/15/18 20:51	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/15/18 20:51	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/15/18 20:51	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/15/18 20:51	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/15/18 20:51	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/15/18 20:51	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/15/18 20:51	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/15/18 20:51	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/15/18 20:51	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/15/18 20:51	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/15/18 20:51	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/15/18 20:51	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/15/18 20:51	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/15/18 20:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/15/18 20:51	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/15/18 20:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/15/18 20:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/15/18 20:51	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/15/18 20:51	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/15/18 20:51	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/15/18 20:51	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/15/18 20:51	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/15/18 20:51	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/15/18 20:51	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/15/18 20:51	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/15/18 20:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/15/18 20:51	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/15/18 20:51	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/15/18 20:51	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/15/18 20:51	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/15/18 20:51	79-20-9	~~L1~~ ,N2
Methylcyclohexane	ND	ug/L	50.0	1		10/15/18 20:51	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/15/18 20:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/15/18 20:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/15/18 20:51	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/15/18 20:51	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/15/18 20:51	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/15/18 20:51	127-18-4	
Toluene	ND	ug/L	5.0	1		10/15/18 20:51	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/15/18 20:51	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/15/18 20:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/15/18 20:51	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/15/18 20:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/15/18 20:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/15/18 20:51	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/15/18 20:51	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0502-S1 (100418)		Lab ID: 50207279005		Collected: 10/04/18 11:50		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/15/18 20:51	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	89-116	1		10/15/18 20:51	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	85-111	1		10/15/18 20:51	460-00-4	
Toluene-d8 (S)		99	%.	87-110	1		10/15/18 20:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0517-S1 (100418)		Lab ID: 50207279006		Collected: 10/04/18 12:00		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			10/16/18 03:26	67-64-1	
Benzene	ND	ug/L	25.0	5			10/16/18 03:26	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			10/16/18 03:26	75-27-4	
Bromoform	ND	ug/L	25.0	5			10/16/18 03:26	75-25-2	
Bromomethane	ND	ug/L	25.0	5			10/16/18 03:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			10/16/18 03:26	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			10/16/18 03:26	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			10/16/18 03:26	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			10/16/18 03:26	108-90-7	
Chloroethane	ND	ug/L	25.0	5			10/16/18 03:26	75-00-3	
Chloroform	ND	ug/L	25.0	5			10/16/18 03:26	67-66-3	
Chloromethane	ND	ug/L	25.0	5			10/16/18 03:26	74-87-3	
Cyclohexane	ND	ug/L	500	5			10/16/18 03:26	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			10/16/18 03:26	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			10/16/18 03:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			10/16/18 03:26	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			10/16/18 03:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			10/16/18 03:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			10/16/18 03:26	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			10/16/18 03:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			10/16/18 03:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			10/16/18 03:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			10/16/18 03:26	75-35-4	
cis-1,2-Dichloroethene	216	ug/L	25.0	5			10/16/18 03:26	156-59-2	
trans-1,2-Dichloroethene	41.3	ug/L	25.0	5			10/16/18 03:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			10/16/18 03:26	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			10/16/18 03:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			10/16/18 03:26	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			10/16/18 03:26	100-41-4	
2-Hexanone	ND	ug/L	125	5			10/16/18 03:26	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			10/16/18 03:26	98-82-8	
Methyl acetate	ND	ug/L	250	5			10/16/18 03:26	79-20-9	L1,N2
Methylcyclohexane	ND	ug/L	250	5			10/16/18 03:26	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			10/16/18 03:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			10/16/18 03:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			10/16/18 03:26	1634-04-4	
Styrene	ND	ug/L	25.0	5			10/16/18 03:26	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			10/16/18 03:26	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			10/16/18 03:26	127-18-4	
Toluene	ND	ug/L	25.0	5			10/16/18 03:26	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			10/16/18 03:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			10/16/18 03:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			10/16/18 03:26	79-00-5	
Trichloroethene	985	ug/L	25.0	5			10/16/18 03:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			10/16/18 03:26	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			10/16/18 03:26	76-13-1	
Vinyl chloride	ND	ug/L	10.0	5			10/16/18 03:26	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0517-S1 (100418)		Lab ID: 50207279006		Collected: 10/04/18 12:00		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		10/16/18 03:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		98	%.	89-116	5		10/16/18 03:26	1868-53-7	D4
4-Bromofluorobenzene (S)		102	%.	85-111	5		10/16/18 03:26	460-00-4	
Toluene-d8 (S)		99	%.	87-110	5		10/16/18 03:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0621-S1 (100418)		Lab ID: 50207279007		Collected: 10/04/18 12:15		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			10/16/18 04:38	67-64-1	
Benzene	ND	ug/L	25.0	5			10/16/18 04:38	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			10/16/18 04:38	75-27-4	
Bromoform	ND	ug/L	25.0	5			10/16/18 04:38	75-25-2	
Bromomethane	ND	ug/L	25.0	5			10/16/18 04:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			10/16/18 04:38	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			10/16/18 04:38	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			10/16/18 04:38	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			10/16/18 04:38	108-90-7	
Chloroethane	ND	ug/L	25.0	5			10/16/18 04:38	75-00-3	
Chloroform	ND	ug/L	25.0	5			10/16/18 04:38	67-66-3	
Chloromethane	ND	ug/L	25.0	5			10/16/18 04:38	74-87-3	
Cyclohexane	ND	ug/L	500	5			10/16/18 04:38	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			10/16/18 04:38	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			10/16/18 04:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			10/16/18 04:38	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			10/16/18 04:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			10/16/18 04:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			10/16/18 04:38	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			10/16/18 04:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			10/16/18 04:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			10/16/18 04:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			10/16/18 04:38	75-35-4	
cis-1,2-Dichloroethene	389	ug/L	25.0	5			10/16/18 04:38	156-59-2	
trans-1,2-Dichloroethene	31.7	ug/L	25.0	5			10/16/18 04:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			10/16/18 04:38	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			10/16/18 04:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			10/16/18 04:38	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			10/16/18 04:38	100-41-4	
2-Hexanone	ND	ug/L	125	5			10/16/18 04:38	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			10/16/18 04:38	98-82-8	
Methyl acetate	ND	ug/L	250	5			10/16/18 04:38	79-20-9	L1,N2
Methylcyclohexane	ND	ug/L	250	5			10/16/18 04:38	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			10/16/18 04:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			10/16/18 04:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			10/16/18 04:38	1634-04-4	
Styrene	ND	ug/L	25.0	5			10/16/18 04:38	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			10/16/18 04:38	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			10/16/18 04:38	127-18-4	
Toluene	ND	ug/L	25.0	5			10/16/18 04:38	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			10/16/18 04:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			10/16/18 04:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			10/16/18 04:38	79-00-5	
Trichloroethene	2170	ug/L	125	25			10/16/18 20:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			10/16/18 04:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			10/16/18 04:38	76-13-1	
Vinyl chloride	ND	ug/L	10.0	5			10/16/18 04:38	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0621-S1 (100418)		Lab ID: 50207279007		Collected: 10/04/18 12:15		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		10/16/18 04:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	89-116	5		10/16/18 04:38	1868-53-7	D4
4-Bromofluorobenzene (S)		99	%.	85-111	5		10/16/18 04:38	460-00-4	
Toluene-d8 (S)		98	%.	87-110	5		10/16/18 04:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0605-S1 (100418)		Lab ID: 50207279008		Collected: 10/04/18 12:25		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			10/16/18 05:14	67-64-1	
Benzene	ND	ug/L	5.0	1			10/16/18 05:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			10/16/18 05:14	75-27-4	
Bromoform	ND	ug/L	5.0	1			10/16/18 05:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1			10/16/18 05:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			10/16/18 05:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			10/16/18 05:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			10/16/18 05:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			10/16/18 05:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1			10/16/18 05:14	75-00-3	
Chloroform	ND	ug/L	5.0	1			10/16/18 05:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1			10/16/18 05:14	74-87-3	
Cyclohexane	ND	ug/L	100	1			10/16/18 05:14	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			10/16/18 05:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			10/16/18 05:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			10/16/18 05:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			10/16/18 05:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			10/16/18 05:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			10/16/18 05:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			10/16/18 05:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			10/16/18 05:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			10/16/18 05:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			10/16/18 05:14	75-35-4	
cis-1,2-Dichloroethene	15.1	ug/L	5.0	1			10/16/18 05:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			10/16/18 05:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			10/16/18 05:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			10/16/18 05:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			10/16/18 05:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			10/16/18 05:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			10/16/18 05:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			10/16/18 05:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			10/16/18 05:14	79-20-9	L1,N2
Methylcyclohexane	ND	ug/L	50.0	1			10/16/18 05:14	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			10/16/18 05:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			10/16/18 05:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			10/16/18 05:14	1634-04-4	
Styrene	ND	ug/L	5.0	1			10/16/18 05:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			10/16/18 05:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			10/16/18 05:14	127-18-4	
Toluene	ND	ug/L	5.0	1			10/16/18 05:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			10/16/18 05:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			10/16/18 05:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			10/16/18 05:14	79-00-5	
Trichloroethene	911	ug/L	125	25			10/16/18 05:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			10/16/18 05:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			10/16/18 05:14	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			10/16/18 05:14	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0605-S1 (100418)		Lab ID: 50207279008		Collected: 10/04/18 12:25		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 05:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	89-116	1		10/16/18 05:14	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	85-111	1		10/16/18 05:14	460-00-4	
Toluene-d8 (S)		99	%.	87-110	1		10/16/18 05:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0620-S1 (100418)		Lab ID: 50207279009		Collected: 10/04/18 12:45		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			10/16/18 06:27	67-64-1	
Benzene	ND	ug/L	25.0	5			10/16/18 06:27	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			10/16/18 06:27	75-27-4	
Bromoform	ND	ug/L	25.0	5			10/16/18 06:27	75-25-2	
Bromomethane	ND	ug/L	25.0	5			10/16/18 06:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			10/16/18 06:27	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			10/16/18 06:27	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			10/16/18 06:27	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			10/16/18 06:27	108-90-7	
Chloroethane	ND	ug/L	25.0	5			10/16/18 06:27	75-00-3	
Chloroform	ND	ug/L	25.0	5			10/16/18 06:27	67-66-3	
Chloromethane	ND	ug/L	25.0	5			10/16/18 06:27	74-87-3	
Cyclohexane	ND	ug/L	500	5			10/16/18 06:27	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			10/16/18 06:27	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			10/16/18 06:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			10/16/18 06:27	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			10/16/18 06:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			10/16/18 06:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			10/16/18 06:27	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			10/16/18 06:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			10/16/18 06:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			10/16/18 06:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			10/16/18 06:27	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	25.0	5			10/16/18 06:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	25.0	5			10/16/18 06:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			10/16/18 06:27	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			10/16/18 06:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			10/16/18 06:27	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			10/16/18 06:27	100-41-4	
2-Hexanone	ND	ug/L	125	5			10/16/18 06:27	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			10/16/18 06:27	98-82-8	
Methyl acetate	ND	ug/L	250	5			10/16/18 06:27	79-20-9	L1,N2
Methylcyclohexane	ND	ug/L	250	5			10/16/18 06:27	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			10/16/18 06:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			10/16/18 06:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			10/16/18 06:27	1634-04-4	
Styrene	ND	ug/L	25.0	5			10/16/18 06:27	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			10/16/18 06:27	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			10/16/18 06:27	127-18-4	
Toluene	ND	ug/L	25.0	5			10/16/18 06:27	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			10/16/18 06:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			10/16/18 06:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			10/16/18 06:27	79-00-5	
Trichloroethene	4080	ug/L	125	25			10/16/18 07:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			10/16/18 06:27	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			10/16/18 06:27	76-13-1	
Vinyl chloride	ND	ug/L	10.0	5			10/16/18 06:27	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0620-S1 (100418)		Lab ID: 50207279009		Collected: 10/04/18 12:45		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		10/16/18 06:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	89-116	5		10/16/18 06:27	1868-53-7	D4
4-Bromofluorobenzene (S)		99	%.	85-111	5		10/16/18 06:27	460-00-4	
Toluene-d8 (S)		99	%.	87-110	5		10/16/18 06:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0622-S1 (100418)		Lab ID: 50207279010	Collected: 10/04/18 13:00	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	2000	20		10/16/18 07:39	67-64-1	
Benzene	ND	ug/L	100	20		10/16/18 07:39	71-43-2	
Bromodichloromethane	ND	ug/L	100	20		10/16/18 07:39	75-27-4	
Bromoform	ND	ug/L	100	20		10/16/18 07:39	75-25-2	
Bromomethane	ND	ug/L	100	20		10/16/18 07:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	500	20		10/16/18 07:39	78-93-3	
Carbon disulfide	ND	ug/L	200	20		10/16/18 07:39	75-15-0	
Carbon tetrachloride	ND	ug/L	100	20		10/16/18 07:39	56-23-5	
Chlorobenzene	ND	ug/L	100	20		10/16/18 07:39	108-90-7	
Chloroethane	ND	ug/L	100	20		10/16/18 07:39	75-00-3	
Chloroform	ND	ug/L	100	20		10/16/18 07:39	67-66-3	
Chloromethane	ND	ug/L	100	20		10/16/18 07:39	74-87-3	
Cyclohexane	ND	ug/L	2000	20		10/16/18 07:39	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	200	20		10/16/18 07:39	96-12-8	
Dibromochloromethane	ND	ug/L	100	20		10/16/18 07:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	100	20		10/16/18 07:39	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	100	20		10/16/18 07:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	100	20		10/16/18 07:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	100	20		10/16/18 07:39	106-46-7	
Dichlorodifluoromethane	ND	ug/L	100	20		10/16/18 07:39	75-71-8	
1,1-Dichloroethane	ND	ug/L	100	20		10/16/18 07:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	100	20		10/16/18 07:39	107-06-2	
1,1-Dichloroethene	ND	ug/L	100	20		10/16/18 07:39	75-35-4	
cis-1,2-Dichloroethene	1440	ug/L	100	20		10/16/18 07:39	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	100	20		10/16/18 07:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	100	20		10/16/18 07:39	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	100	20		10/16/18 07:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	100	20		10/16/18 07:39	10061-02-6	
Ethylbenzene	ND	ug/L	100	20		10/16/18 07:39	100-41-4	
2-Hexanone	ND	ug/L	500	20		10/16/18 07:39	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	100	20		10/16/18 07:39	98-82-8	
Methyl acetate	ND	ug/L	1000	20		10/16/18 07:39	79-20-9	L1,N2
Methylcyclohexane	ND	ug/L	1000	20		10/16/18 07:39	108-87-2	N2
Methylene Chloride	ND	ug/L	100	20		10/16/18 07:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	500	20		10/16/18 07:39	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	80.0	20		10/16/18 07:39	1634-04-4	
Styrene	ND	ug/L	100	20		10/16/18 07:39	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	100	20		10/16/18 07:39	79-34-5	
Tetrachloroethene	ND	ug/L	100	20		10/16/18 07:39	127-18-4	
Toluene	ND	ug/L	100	20		10/16/18 07:39	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	100	20		10/16/18 07:39	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	100	20		10/16/18 07:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	100	20		10/16/18 07:39	79-00-5	
Trichloroethene	11800	ug/L	1000	200		10/16/18 08:16	79-01-6	
Trichlorofluoromethane	ND	ug/L	100	20		10/16/18 07:39	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	100	20		10/16/18 07:39	76-13-1	
Vinyl chloride	ND	ug/L	40.0	20		10/16/18 07:39	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0622-S1 (100418)		Lab ID: 50207279010		Collected: 10/04/18 13:00		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	200	20		10/16/18 07:39	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		98	%.	89-116	20		10/16/18 07:39	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	85-111	20		10/16/18 07:39	460-00-4	D4
Toluene-d8 (S)		99	%.	87-110	20		10/16/18 07:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0623-S1 (100418)		Lab ID: 50207279011	Collected: 10/04/18 13:10	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/16/18 08:52	67-64-1	
Benzene	ND	ug/L	5.0	1		10/16/18 08:52	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/18 08:52	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/18 08:52	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/18 08:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/18 08:52	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/16/18 08:52	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/18 08:52	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/18 08:52	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/18 08:52	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/18 08:52	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/18 08:52	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/16/18 08:52	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/16/18 08:52	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/18 08:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/18 08:52	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 08:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 08:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 08:52	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/18 08:52	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/18 08:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/18 08:52	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/18 08:52	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 08:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 08:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/18 08:52	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 08:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 08:52	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/18 08:52	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/16/18 08:52	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/18 08:52	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/16/18 08:52	79-20-9	~~L1~~ ,N2
Methylcyclohexane	ND	ug/L	50.0	1		10/16/18 08:52	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/16/18 08:52	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/18 08:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/18 08:52	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/16/18 08:52	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/18 08:52	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/16/18 08:52	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/18 08:52	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/18 08:52	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/18 08:52	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/18 08:52	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/16/18 08:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/18 08:52	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/16/18 08:52	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/16/18 08:52	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0623-S1 (100418)		Lab ID: 50207279011		Collected: 10/04/18 13:10		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 08:52	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	89-116	1		10/16/18 08:52	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	85-111	1		10/16/18 08:52	460-00-4	
Toluene-d8 (S)		98	%.	87-110	1		10/16/18 08:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: FD-1-(100418)-KA		Lab ID: 50207279012	Collected: 10/04/18 08:00	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	500	5		10/16/18 07:21	67-64-1	M5
Benzene	ND	ug/L	25.0	5		10/16/18 07:21	71-43-2	M5
Bromodichloromethane	ND	ug/L	25.0	5		10/16/18 07:21	75-27-4	~~L1~~ ,M5
Bromoform	ND	ug/L	25.0	5		10/16/18 07:21	75-25-2	M5
Bromomethane	ND	ug/L	25.0	5		10/16/18 07:21	74-83-9	M5
2-Butanone (MEK)	ND	ug/L	125	5		10/16/18 07:21	78-93-3	M5
Carbon disulfide	ND	ug/L	50.0	5		10/16/18 07:21	75-15-0	M5
Carbon tetrachloride	ND	ug/L	25.0	5		10/16/18 07:21	56-23-5	M5
Chlorobenzene	ND	ug/L	25.0	5		10/16/18 07:21	108-90-7	M5
Chloroethane	ND	ug/L	25.0	5		10/16/18 07:21	75-00-3	M5
Chloroform	ND	ug/L	25.0	5		10/16/18 07:21	67-66-3	M5
Chloromethane	ND	ug/L	25.0	5		10/16/18 07:21	74-87-3	M5
Cyclohexane	ND	ug/L	500	5		10/16/18 07:21	110-82-7	M5, N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		10/16/18 07:21	96-12-8	M5
Dibromochloromethane	ND	ug/L	25.0	5		10/16/18 07:21	124-48-1	M5
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		10/16/18 07:21	106-93-4	M5
1,2-Dichlorobenzene	ND	ug/L	25.0	5		10/16/18 07:21	95-50-1	M5
1,3-Dichlorobenzene	ND	ug/L	25.0	5		10/16/18 07:21	541-73-1	M5
1,4-Dichlorobenzene	ND	ug/L	25.0	5		10/16/18 07:21	106-46-7	M5
Dichlorodifluoromethane	ND	ug/L	25.0	5		10/16/18 07:21	75-71-8	M5
1,1-Dichloroethane	ND	ug/L	25.0	5		10/16/18 07:21	75-34-3	M5
1,2-Dichloroethane	ND	ug/L	25.0	5		10/16/18 07:21	107-06-2	M5
1,1-Dichloroethene	ND	ug/L	25.0	5		10/16/18 07:21	75-35-4	~~L1~~ ,M5
cis-1,2-Dichloroethene	194	ug/L	25.0	5		10/16/18 07:21	156-59-2	M5
trans-1,2-Dichloroethene	44.3	ug/L	25.0	5		10/16/18 07:21	156-60-5	M5
1,2-Dichloropropane	ND	ug/L	25.0	5		10/16/18 07:21	78-87-5	M5
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		10/16/18 07:21	10061-01-5	M5
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		10/16/18 07:21	10061-02-6	M5
Ethylbenzene	ND	ug/L	25.0	5		10/16/18 07:21	100-41-4	M5
2-Hexanone	ND	ug/L	125	5		10/16/18 07:21	591-78-6	M5
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		10/16/18 07:21	98-82-8	M5
Methyl acetate	ND	ug/L	250	5		10/16/18 07:21	79-20-9	M5, N2
Methylcyclohexane	ND	ug/L	250	5		10/16/18 07:21	108-87-2	M5, N2
Methylene Chloride	ND	ug/L	25.0	5		10/16/18 07:21	75-09-2	M5
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		10/16/18 07:21	108-10-1	M5
Methyl-tert-butyl ether	ND	ug/L	20.0	5		10/16/18 07:21	1634-04-4	M5
Styrene	ND	ug/L	25.0	5		10/16/18 07:21	100-42-5	M5
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		10/16/18 07:21	79-34-5	M5
Tetrachloroethene	ND	ug/L	25.0	5		10/16/18 07:21	127-18-4	M5
Toluene	ND	ug/L	25.0	5		10/16/18 07:21	108-88-3	M5
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		10/16/18 07:21	120-82-1	~~L1~~ ,M5
1,1,1-Trichloroethane	ND	ug/L	25.0	5		10/16/18 07:21	71-55-6	M5
1,1,2-Trichloroethane	ND	ug/L	25.0	5		10/16/18 07:21	79-00-5	M5
Trichloroethene	1040	ug/L	25.0	5		10/16/18 07:21	79-01-6	M5
Trichlorofluoromethane	ND	ug/L	25.0	5		10/16/18 07:21	75-69-4	M5
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		10/16/18 07:21	76-13-1	M5
Vinyl chloride	ND	ug/L	10.0	5		10/16/18 07:21	75-01-4	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: FD-1-(100418)-KA		Lab ID: 50207279012		Collected: 10/04/18 08:00		Received: 10/05/18 10:15		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)	ND	ug/L	50.0	5		10/16/18 07:21	1330-20-7	M5	
Surrogates									
Dibromofluoromethane (S)	101	%.	89-116	5		10/16/18 07:21	1868-53-7	M5	
4-Bromofluorobenzene (S)	99	%.	85-111	5		10/16/18 07:21	460-00-4	M5	
Toluene-d8 (S)	100	%.	87-110	5		10/16/18 07:21	2037-26-5	M5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0501-S1 (100418)		Lab ID: 50207279013	Collected: 10/04/18 10:10	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/16/18 16:42	67-64-1	
Benzene	ND	ug/L	5.0	1		10/16/18 16:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/18 16:42	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/18 16:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/18 16:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/18 16:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/16/18 16:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/18 16:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/18 16:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/18 16:42	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/18 16:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/18 16:42	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/16/18 16:42	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/16/18 16:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/18 16:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/18 16:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 16:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 16:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 16:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/18 16:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/18 16:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/18 16:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/18 16:42	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 16:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 16:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/18 16:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 16:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 16:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/18 16:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/16/18 16:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/18 16:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/16/18 16:42	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		10/16/18 16:42	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/16/18 16:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/18 16:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/18 16:42	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/16/18 16:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/18 16:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/16/18 16:42	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/18 16:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/18 16:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/18 16:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/18 16:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/16/18 16:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/18 16:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/16/18 16:42	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/16/18 16:42	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0501-S1 (100418)		Lab ID: 50207279013		Collected: 10/04/18 10:10		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 16:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	89-116	1		10/16/18 16:42	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	85-111	1		10/16/18 16:42	460-00-4	
Toluene-d8 (S)		99	%.	87-110	1		10/16/18 16:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0603-S1 (100418)		Lab ID: 50207279014		Collected: 10/04/18 10:50		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			10/16/18 08:34	67-64-1	M5
Benzene	ND	ug/L	5.0	1			10/16/18 08:34	71-43-2	M5
Bromodichloromethane	ND	ug/L	5.0	1			10/16/18 08:34	75-27-4	L1,M5
Bromoform	ND	ug/L	5.0	1			10/16/18 08:34	75-25-2	M5
Bromomethane	ND	ug/L	5.0	1			10/16/18 08:34	74-83-9	M5
2-Butanone (MEK)	ND	ug/L	25.0	1			10/16/18 08:34	78-93-3	M5
Carbon disulfide	ND	ug/L	10.0	1			10/16/18 08:34	75-15-0	M5
Carbon tetrachloride	ND	ug/L	5.0	1			10/16/18 08:34	56-23-5	M5
Chlorobenzene	ND	ug/L	5.0	1			10/16/18 08:34	108-90-7	M5
Chloroethane	ND	ug/L	5.0	1			10/16/18 08:34	75-00-3	M5
Chloroform	ND	ug/L	5.0	1			10/16/18 08:34	67-66-3	M5
Chloromethane	ND	ug/L	5.0	1			10/16/18 08:34	74-87-3	M5
Cyclohexane	ND	ug/L	100	1			10/16/18 08:34	110-82-7	M5, N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			10/16/18 08:34	96-12-8	M5
Dibromochloromethane	ND	ug/L	5.0	1			10/16/18 08:34	124-48-1	M5
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			10/16/18 08:34	106-93-4	M5
1,2-Dichlorobenzene	ND	ug/L	5.0	1			10/16/18 08:34	95-50-1	M5
1,3-Dichlorobenzene	ND	ug/L	5.0	1			10/16/18 08:34	541-73-1	M5
1,4-Dichlorobenzene	ND	ug/L	5.0	1			10/16/18 08:34	106-46-7	M5
Dichlorodifluoromethane	ND	ug/L	5.0	1			10/16/18 08:34	75-71-8	M5
1,1-Dichloroethane	ND	ug/L	5.0	1			10/16/18 08:34	75-34-3	M5
1,2-Dichloroethane	ND	ug/L	5.0	1			10/16/18 08:34	107-06-2	M5
1,1-Dichloroethene	ND	ug/L	5.0	1			10/16/18 08:34	75-35-4	L1,M5
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			10/16/18 08:34	156-59-2	M5
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			10/16/18 08:34	156-60-5	M5
1,2-Dichloropropane	ND	ug/L	5.0	1			10/16/18 08:34	78-87-5	M5
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			10/16/18 08:34	10061-01-5	M5
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			10/16/18 08:34	10061-02-6	M5
Ethylbenzene	ND	ug/L	5.0	1			10/16/18 08:34	100-41-4	M5
2-Hexanone	ND	ug/L	25.0	1			10/16/18 08:34	591-78-6	M5
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			10/16/18 08:34	98-82-8	M5
Methyl acetate	ND	ug/L	50.0	1			10/16/18 08:34	79-20-9	M5, N2
Methylcyclohexane	ND	ug/L	50.0	1			10/16/18 08:34	108-87-2	M5, N2
Methylene Chloride	ND	ug/L	5.0	1			10/16/18 08:34	75-09-2	M5
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			10/16/18 08:34	108-10-1	M5
Methyl-tert-butyl ether	ND	ug/L	4.0	1			10/16/18 08:34	1634-04-4	M5
Styrene	ND	ug/L	5.0	1			10/16/18 08:34	100-42-5	M5
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			10/16/18 08:34	79-34-5	M5
Tetrachloroethene	ND	ug/L	5.0	1			10/16/18 08:34	127-18-4	M5
Toluene	ND	ug/L	5.0	1			10/16/18 08:34	108-88-3	M5
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			10/16/18 08:34	120-82-1	L1,M5
1,1,1-Trichloroethane	ND	ug/L	5.0	1			10/16/18 08:34	71-55-6	M5
1,1,2-Trichloroethane	ND	ug/L	5.0	1			10/16/18 08:34	79-00-5	M5
Trichloroethene	ND	ug/L	5.0	1			10/16/18 08:34	79-01-6	M5
Trichlorofluoromethane	ND	ug/L	5.0	1			10/16/18 08:34	75-69-4	M5
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			10/16/18 08:34	76-13-1	M5
Vinyl chloride	ND	ug/L	2.0	1			10/16/18 08:34	75-01-4	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0603-S1 (100418)		Lab ID: 50207279014		Collected: 10/04/18 10:50		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 08:34	1330-20-7	M5
Surrogates									
Dibromofluoromethane (S)		102	%.	89-116	1		10/16/18 08:34	1868-53-7	M5
4-Bromofluorobenzene (S)		97	%.	85-111	1		10/16/18 08:34	460-00-4	M5
Toluene-d8 (S)		98	%.	87-110	1		10/16/18 08:34	2037-26-5	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0602-S1 (100418)		Lab ID: 50207279015	Collected: 10/04/18 11:05	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/16/18 09:10	67-64-1	M5
Benzene	ND	ug/L	5.0	1		10/16/18 09:10	71-43-2	M5
Bromodichloromethane	ND	ug/L	5.0	1		10/16/18 09:10	75-27-4	~~L1~~ ,M5
Bromoform	ND	ug/L	5.0	1		10/16/18 09:10	75-25-2	M5
Bromomethane	ND	ug/L	5.0	1		10/16/18 09:10	74-83-9	M5
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/18 09:10	78-93-3	M5
Carbon disulfide	ND	ug/L	10.0	1		10/16/18 09:10	75-15-0	M5
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/18 09:10	56-23-5	M5
Chlorobenzene	ND	ug/L	5.0	1		10/16/18 09:10	108-90-7	M5
Chloroethane	ND	ug/L	5.0	1		10/16/18 09:10	75-00-3	M5
Chloroform	ND	ug/L	5.0	1		10/16/18 09:10	67-66-3	M5
Chloromethane	ND	ug/L	5.0	1		10/16/18 09:10	74-87-3	M5
Cyclohexane	ND	ug/L	100	1		10/16/18 09:10	110-82-7	M5, N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/16/18 09:10	96-12-8	M5
Dibromochloromethane	ND	ug/L	5.0	1		10/16/18 09:10	124-48-1	M5
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/18 09:10	106-93-4	M5
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 09:10	95-50-1	M5
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 09:10	541-73-1	M5
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 09:10	106-46-7	M5
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/18 09:10	75-71-8	M5
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/18 09:10	75-34-3	M5
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/18 09:10	107-06-2	M5
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/18 09:10	75-35-4	~~L1~~ ,M5
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 09:10	156-59-2	M5
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 09:10	156-60-5	M5
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/18 09:10	78-87-5	M5
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 09:10	10061-01-5	M5
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 09:10	10061-02-6	M5
Ethylbenzene	ND	ug/L	5.0	1		10/16/18 09:10	100-41-4	M5
2-Hexanone	ND	ug/L	25.0	1		10/16/18 09:10	591-78-6	M5
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/18 09:10	98-82-8	M5
Methyl acetate	ND	ug/L	50.0	1		10/16/18 09:10	79-20-9	M5, N2
Methylcyclohexane	ND	ug/L	50.0	1		10/16/18 09:10	108-87-2	M5, N2
Methylene Chloride	ND	ug/L	5.0	1		10/16/18 09:10	75-09-2	M5
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/18 09:10	108-10-1	M5
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/18 09:10	1634-04-4	M5
Styrene	ND	ug/L	5.0	1		10/16/18 09:10	100-42-5	M5
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/18 09:10	79-34-5	M5
Tetrachloroethene	ND	ug/L	5.0	1		10/16/18 09:10	127-18-4	M5
Toluene	ND	ug/L	5.0	1		10/16/18 09:10	108-88-3	M5
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/18 09:10	120-82-1	~~L1~~ ,M5
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/18 09:10	71-55-6	M5
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/18 09:10	79-00-5	M5
Trichloroethene	ND	ug/L	5.0	1		10/16/18 09:10	79-01-6	M5
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/18 09:10	75-69-4	M5
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/16/18 09:10	76-13-1	M5
Vinyl chloride	ND	ug/L	2.0	1		10/16/18 09:10	75-01-4	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0602-S1 (100418)		Lab ID: 50207279015		Collected: 10/04/18 11:05		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 09:10	1330-20-7	M5
Surrogates									
Dibromofluoromethane (S)		97	%.	89-116	1		10/16/18 09:10	1868-53-7	M5
4-Bromofluorobenzene (S)		98	%.	85-111	1		10/16/18 09:10	460-00-4	M5
Toluene-d8 (S)		96	%.	87-110	1		10/16/18 09:10	2037-26-5	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0705-S1 (100418)		Lab ID: 50207279016	Collected: 10/04/18 11:25	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/16/18 17:18	67-64-1	
Benzene	ND	ug/L	5.0	1		10/16/18 17:18	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/18 17:18	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/18 17:18	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/18 17:18	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/18 17:18	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/16/18 17:18	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/18 17:18	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/18 17:18	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/18 17:18	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/18 17:18	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/18 17:18	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/16/18 17:18	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/16/18 17:18	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/18 17:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/18 17:18	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 17:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 17:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 17:18	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/18 17:18	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/18 17:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/18 17:18	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/18 17:18	75-35-4	
cis-1,2-Dichloroethene	53.7	ug/L	5.0	1		10/16/18 17:18	156-59-2	
trans-1,2-Dichloroethene	13.0	ug/L	5.0	1		10/16/18 17:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/18 17:18	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 17:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 17:18	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/18 17:18	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/16/18 17:18	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/18 17:18	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/16/18 17:18	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		10/16/18 17:18	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/16/18 17:18	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/18 17:18	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/18 17:18	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/16/18 17:18	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/18 17:18	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/16/18 17:18	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/18 17:18	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/18 17:18	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/18 17:18	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/18 17:18	79-00-5	
Trichloroethene	119	ug/L	5.0	1		10/16/18 17:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/18 17:18	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/16/18 17:18	76-13-1	
Vinyl chloride	3.6	ug/L	2.0	1		10/16/18 17:18	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0705-S1 (100418)		Lab ID: 50207279016		Collected: 10/04/18 11:25		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 17:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		96	%.	89-116	1		10/16/18 17:18	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	85-111	1		10/16/18 17:18	460-00-4	
Toluene-d8 (S)		100	%.	87-110	1		10/16/18 17:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0704-S1 (100418)		Lab ID: 50207279017		Collected: 10/04/18 12:00		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			10/16/18 17:54	67-64-1	
Benzene	ND	ug/L	25.0	5			10/16/18 17:54	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			10/16/18 17:54	75-27-4	
Bromoform	ND	ug/L	25.0	5			10/16/18 17:54	75-25-2	
Bromomethane	ND	ug/L	25.0	5			10/16/18 17:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			10/16/18 17:54	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			10/16/18 17:54	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			10/16/18 17:54	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			10/16/18 17:54	108-90-7	
Chloroethane	ND	ug/L	25.0	5			10/16/18 17:54	75-00-3	
Chloroform	ND	ug/L	25.0	5			10/16/18 17:54	67-66-3	
Chloromethane	ND	ug/L	25.0	5			10/16/18 17:54	74-87-3	
Cyclohexane	ND	ug/L	500	5			10/16/18 17:54	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			10/16/18 17:54	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			10/16/18 17:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			10/16/18 17:54	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			10/16/18 17:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			10/16/18 17:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			10/16/18 17:54	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			10/16/18 17:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			10/16/18 17:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			10/16/18 17:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			10/16/18 17:54	75-35-4	
cis-1,2-Dichloroethene	578	ug/L	25.0	5			10/16/18 17:54	156-59-2	
trans-1,2-Dichloroethene	83.1	ug/L	25.0	5			10/16/18 17:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			10/16/18 17:54	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			10/16/18 17:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			10/16/18 17:54	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			10/16/18 17:54	100-41-4	
2-Hexanone	ND	ug/L	125	5			10/16/18 17:54	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			10/16/18 17:54	98-82-8	
Methyl acetate	ND	ug/L	250	5			10/16/18 17:54	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5			10/16/18 17:54	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			10/16/18 17:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			10/16/18 17:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			10/16/18 17:54	1634-04-4	
Styrene	ND	ug/L	25.0	5			10/16/18 17:54	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			10/16/18 17:54	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			10/16/18 17:54	127-18-4	
Toluene	ND	ug/L	25.0	5			10/16/18 17:54	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			10/16/18 17:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			10/16/18 17:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			10/16/18 17:54	79-00-5	
Trichloroethene	1120	ug/L	125	25			10/16/18 18:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			10/16/18 17:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			10/16/18 17:54	76-13-1	
Vinyl chloride	ND	ug/L	10.0	5			10/16/18 17:54	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0704-S1 (100418)		Lab ID: 50207279017		Collected: 10/04/18 12:00		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		10/16/18 17:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	89-116	5		10/16/18 17:54	1868-53-7	D4
4-Bromofluorobenzene (S)		99	%.	85-111	5		10/16/18 17:54	460-00-4	
Toluene-d8 (S)		97	%.	87-110	5		10/16/18 17:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0618-S1 (100418)		Lab ID: 50207279018	Collected: 10/04/18 12:15	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/16/18 19:06	67-64-1	
Benzene	ND	ug/L	5.0	1		10/16/18 19:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/18 19:06	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/18 19:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/18 19:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/18 19:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/16/18 19:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/18 19:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/18 19:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/18 19:06	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/18 19:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/18 19:06	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/16/18 19:06	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/16/18 19:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/18 19:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/18 19:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 19:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 19:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 19:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/18 19:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/18 19:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/18 19:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/18 19:06	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 19:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 19:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/18 19:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 19:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 19:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/18 19:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/16/18 19:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/18 19:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/16/18 19:06	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		10/16/18 19:06	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/16/18 19:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/18 19:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/18 19:06	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/16/18 19:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/18 19:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/16/18 19:06	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/18 19:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/18 19:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/18 19:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/18 19:06	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/16/18 19:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/18 19:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/16/18 19:06	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/16/18 19:06	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0618-S1 (100418)		Lab ID: 50207279018		Collected: 10/04/18 12:15		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 19:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		96	%.	89-116	1		10/16/18 19:06	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	85-111	1		10/16/18 19:06	460-00-4	
Toluene-d8 (S)		99	%.	87-110	1		10/16/18 19:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0613-S1 (100418)		Lab ID: 50207279019	Collected: 10/04/18 12:35	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/16/18 19:42	67-64-1	
Benzene	ND	ug/L	5.0	1		10/16/18 19:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/18 19:42	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/18 19:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/18 19:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/18 19:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/16/18 19:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/18 19:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/18 19:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/18 19:42	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/18 19:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/18 19:42	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/16/18 19:42	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/16/18 19:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/18 19:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/18 19:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 19:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 19:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 19:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/18 19:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/18 19:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/18 19:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/18 19:42	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 19:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 19:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/18 19:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 19:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 19:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/18 19:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/16/18 19:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/18 19:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/16/18 19:42	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		10/16/18 19:42	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/16/18 19:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/18 19:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/18 19:42	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/16/18 19:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/18 19:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/16/18 19:42	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/18 19:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/18 19:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/18 19:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/18 19:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/16/18 19:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/18 19:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/16/18 19:42	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/16/18 19:42	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0613-S1 (100418)		Lab ID: 50207279019		Collected: 10/04/18 12:35		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 19:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		96	%.	89-116	1		10/16/18 19:42	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	85-111	1		10/16/18 19:42	460-00-4	
Toluene-d8 (S)		97	%.	87-110	1		10/16/18 19:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: EB-2 (100418)-SO		Lab ID: 50207279020	Collected: 10/04/18 12:40	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/16/18 20:19	67-64-1	
Benzene	ND	ug/L	5.0	1		10/16/18 20:19	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/18 20:19	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/18 20:19	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/18 20:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/18 20:19	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/16/18 20:19	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/18 20:19	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/18 20:19	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/18 20:19	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/18 20:19	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/18 20:19	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/16/18 20:19	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/16/18 20:19	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/18 20:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/18 20:19	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 20:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 20:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 20:19	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/18 20:19	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/18 20:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/18 20:19	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/18 20:19	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 20:19	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 20:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/18 20:19	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 20:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 20:19	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/18 20:19	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/16/18 20:19	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/18 20:19	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/16/18 20:19	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		10/16/18 20:19	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/16/18 20:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/18 20:19	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/18 20:19	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/16/18 20:19	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/18 20:19	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/16/18 20:19	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/18 20:19	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/18 20:19	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/18 20:19	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/18 20:19	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/16/18 20:19	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/18 20:19	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/16/18 20:19	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/16/18 20:19	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: EB-2 (100418)-SO		Lab ID: 50207279020		Collected: 10/04/18 12:40		Received: 10/05/18 10:15		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)	ND	ug/L	10.0	1		10/16/18 20:19	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	97	%.	89-116	1		10/16/18 20:19	1868-53-7		
4-Bromofluorobenzene (S)	100	%.	85-111	1		10/16/18 20:19	460-00-4		
Toluene-d8 (S)	96	%.	87-110	1		10/16/18 20:19	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0607-S1 (100418)		Lab ID: 50207279021	Collected: 10/04/18 12:55	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/16/18 20:36	67-64-1	M5
Benzene	ND	ug/L	5.0	1		10/16/18 20:36	71-43-2	M5
Bromodichloromethane	ND	ug/L	5.0	1		10/16/18 20:36	75-27-4	M5
Bromoform	ND	ug/L	5.0	1		10/16/18 20:36	75-25-2	M5
Bromomethane	ND	ug/L	5.0	1		10/16/18 20:36	74-83-9	M5
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/18 20:36	78-93-3	M5
Carbon disulfide	ND	ug/L	10.0	1		10/16/18 20:36	75-15-0	M5
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/18 20:36	56-23-5	M5
Chlorobenzene	ND	ug/L	5.0	1		10/16/18 20:36	108-90-7	M5
Chloroethane	ND	ug/L	5.0	1		10/16/18 20:36	75-00-3	M5
Chloroform	ND	ug/L	5.0	1		10/16/18 20:36	67-66-3	M5
Chloromethane	ND	ug/L	5.0	1		10/16/18 20:36	74-87-3	M5
Cyclohexane	ND	ug/L	100	1		10/16/18 20:36	110-82-7	M5, N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/16/18 20:36	96-12-8	M5
Dibromochloromethane	ND	ug/L	5.0	1		10/16/18 20:36	124-48-1	M5
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/18 20:36	106-93-4	M5
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 20:36	95-50-1	M5
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 20:36	541-73-1	M5
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 20:36	106-46-7	M5
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/18 20:36	75-71-8	M5
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/18 20:36	75-34-3	M5
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/18 20:36	107-06-2	M5
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/18 20:36	75-35-4	M5
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 20:36	156-59-2	M5
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 20:36	156-60-5	M5
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/18 20:36	78-87-5	M5
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 20:36	10061-01-5	M5
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 20:36	10061-02-6	M5
Ethylbenzene	ND	ug/L	5.0	1		10/16/18 20:36	100-41-4	M5
2-Hexanone	ND	ug/L	25.0	1		10/16/18 20:36	591-78-6	M5
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/18 20:36	98-82-8	M5
Methyl acetate	ND	ug/L	50.0	1		10/16/18 20:36	79-20-9	M5, N2
Methylcyclohexane	ND	ug/L	50.0	1		10/16/18 20:36	108-87-2	M5, N2
Methylene Chloride	ND	ug/L	5.0	1		10/16/18 20:36	75-09-2	M5
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/18 20:36	108-10-1	M5
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/18 20:36	1634-04-4	M5
Styrene	ND	ug/L	5.0	1		10/16/18 20:36	100-42-5	M5
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/18 20:36	79-34-5	M5
Tetrachloroethene	ND	ug/L	5.0	1		10/16/18 20:36	127-18-4	M5
Toluene	ND	ug/L	5.0	1		10/16/18 20:36	108-88-3	M5
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/18 20:36	120-82-1	M5
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/18 20:36	71-55-6	M5
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/18 20:36	79-00-5	M5
Trichloroethene	ND	ug/L	5.0	1		10/16/18 20:36	79-01-6	M5
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/18 20:36	75-69-4	M5
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/16/18 20:36	76-13-1	M5
Vinyl chloride	ND	ug/L	2.0	1		10/16/18 20:36	75-01-4	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0607-S1 (100418)		Lab ID: 50207279021		Collected: 10/04/18 12:55		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 20:36	1330-20-7	M5
Surrogates									
Dibromofluoromethane (S)		100	%.	89-116	1		10/16/18 20:36	1868-53-7	M5
4-Bromofluorobenzene (S)		100	%.	85-111	1		10/16/18 20:36	460-00-4	M5
Toluene-d8 (S)		101	%.	87-110	1		10/16/18 20:36	2037-26-5	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0609-S1 (100418)		Lab ID: 50207279022	Collected: 10/04/18 13:15	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/16/18 21:12	67-64-1	M5
Benzene	ND	ug/L	5.0	1		10/16/18 21:12	71-43-2	M5
Bromodichloromethane	ND	ug/L	5.0	1		10/16/18 21:12	75-27-4	M5
Bromoform	ND	ug/L	5.0	1		10/16/18 21:12	75-25-2	M5
Bromomethane	ND	ug/L	5.0	1		10/16/18 21:12	74-83-9	M5
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/18 21:12	78-93-3	M5
Carbon disulfide	ND	ug/L	10.0	1		10/16/18 21:12	75-15-0	M5
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/18 21:12	56-23-5	M5
Chlorobenzene	ND	ug/L	5.0	1		10/16/18 21:12	108-90-7	M5
Chloroethane	ND	ug/L	5.0	1		10/16/18 21:12	75-00-3	M5
Chloroform	ND	ug/L	5.0	1		10/16/18 21:12	67-66-3	M5
Chloromethane	ND	ug/L	5.0	1		10/16/18 21:12	74-87-3	M5
Cyclohexane	ND	ug/L	100	1		10/16/18 21:12	110-82-7	M5, N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/16/18 21:12	96-12-8	M5
Dibromochloromethane	ND	ug/L	5.0	1		10/16/18 21:12	124-48-1	M5
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/18 21:12	106-93-4	M5
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 21:12	95-50-1	M5
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 21:12	541-73-1	M5
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 21:12	106-46-7	M5
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/18 21:12	75-71-8	M5
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/18 21:12	75-34-3	M5
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/18 21:12	107-06-2	M5
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/18 21:12	75-35-4	M5
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 21:12	156-59-2	M5
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 21:12	156-60-5	M5
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/18 21:12	78-87-5	M5
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 21:12	10061-01-5	M5
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 21:12	10061-02-6	M5
Ethylbenzene	ND	ug/L	5.0	1		10/16/18 21:12	100-41-4	M5
2-Hexanone	ND	ug/L	25.0	1		10/16/18 21:12	591-78-6	M5
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/18 21:12	98-82-8	M5
Methyl acetate	ND	ug/L	50.0	1		10/16/18 21:12	79-20-9	M5, N2
Methylcyclohexane	ND	ug/L	50.0	1		10/16/18 21:12	108-87-2	M5, N2
Methylene Chloride	ND	ug/L	5.0	1		10/16/18 21:12	75-09-2	M5
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/18 21:12	108-10-1	M5
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/18 21:12	1634-04-4	M5
Styrene	ND	ug/L	5.0	1		10/16/18 21:12	100-42-5	M5
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/18 21:12	79-34-5	M5
Tetrachloroethene	ND	ug/L	5.0	1		10/16/18 21:12	127-18-4	M5
Toluene	ND	ug/L	5.0	1		10/16/18 21:12	108-88-3	M5
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/18 21:12	120-82-1	M5
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/18 21:12	71-55-6	M5
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/18 21:12	79-00-5	M5
Trichloroethene	ND	ug/L	5.0	1		10/16/18 21:12	79-01-6	M5
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/18 21:12	75-69-4	M5
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/16/18 21:12	76-13-1	M5
Vinyl chloride	ND	ug/L	2.0	1		10/16/18 21:12	75-01-4	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0609-S1 (100418)		Lab ID: 50207279022		Collected: 10/04/18 13:15		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 21:12	1330-20-7	M5
Surrogates									
Dibromofluoromethane (S)		99	%.	89-116	1		10/16/18 21:12	1868-53-7	M5
4-Bromofluorobenzene (S)		96	%.	85-111	1		10/16/18 21:12	460-00-4	M5
Toluene-d8 (S)		101	%.	87-110	1		10/16/18 21:12	2037-26-5	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0610-S1 (100418)		Lab ID: 50207279023	Collected: 10/04/18 13:55	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/16/18 21:48	67-64-1	M5
Benzene	ND	ug/L	5.0	1		10/16/18 21:48	71-43-2	M5
Bromodichloromethane	ND	ug/L	5.0	1		10/16/18 21:48	75-27-4	M5
Bromoform	ND	ug/L	5.0	1		10/16/18 21:48	75-25-2	M5
Bromomethane	ND	ug/L	5.0	1		10/16/18 21:48	74-83-9	M5
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/18 21:48	78-93-3	M5
Carbon disulfide	ND	ug/L	10.0	1		10/16/18 21:48	75-15-0	M5
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/18 21:48	56-23-5	M5
Chlorobenzene	ND	ug/L	5.0	1		10/16/18 21:48	108-90-7	M5
Chloroethane	ND	ug/L	5.0	1		10/16/18 21:48	75-00-3	M5
Chloroform	ND	ug/L	5.0	1		10/16/18 21:48	67-66-3	M5
Chloromethane	ND	ug/L	5.0	1		10/16/18 21:48	74-87-3	M5
Cyclohexane	ND	ug/L	100	1		10/16/18 21:48	110-82-7	M5, N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/16/18 21:48	96-12-8	M5
Dibromochloromethane	ND	ug/L	5.0	1		10/16/18 21:48	124-48-1	M5
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/18 21:48	106-93-4	M5
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 21:48	95-50-1	M5
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 21:48	541-73-1	M5
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 21:48	106-46-7	M5
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/18 21:48	75-71-8	M5
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/18 21:48	75-34-3	M5
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/18 21:48	107-06-2	M5
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/18 21:48	75-35-4	M5
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 21:48	156-59-2	M5
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/18 21:48	156-60-5	M5
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/18 21:48	78-87-5	M5
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 21:48	10061-01-5	M5
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 21:48	10061-02-6	M5
Ethylbenzene	ND	ug/L	5.0	1		10/16/18 21:48	100-41-4	M5
2-Hexanone	ND	ug/L	25.0	1		10/16/18 21:48	591-78-6	M5
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/18 21:48	98-82-8	M5
Methyl acetate	ND	ug/L	50.0	1		10/16/18 21:48	79-20-9	M5, N2
Methylcyclohexane	ND	ug/L	50.0	1		10/16/18 21:48	108-87-2	M5, N2
Methylene Chloride	ND	ug/L	5.0	1		10/16/18 21:48	75-09-2	M5
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/18 21:48	108-10-1	M5
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/18 21:48	1634-04-4	M5
Styrene	ND	ug/L	5.0	1		10/16/18 21:48	100-42-5	M5
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/18 21:48	79-34-5	M5
Tetrachloroethene	ND	ug/L	5.0	1		10/16/18 21:48	127-18-4	M5
Toluene	ND	ug/L	5.0	1		10/16/18 21:48	108-88-3	M5
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/18 21:48	120-82-1	M5
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/18 21:48	71-55-6	M5
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/18 21:48	79-00-5	M5
Trichloroethene	ND	ug/L	5.0	1		10/16/18 21:48	79-01-6	M5
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/18 21:48	75-69-4	M5
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/16/18 21:48	76-13-1	M5
Vinyl chloride	ND	ug/L	2.0	1		10/16/18 21:48	75-01-4	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0610-S1 (100418)		Lab ID: 50207279023		Collected: 10/04/18 13:55		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 21:48	1330-20-7	M5
Surrogates									
Dibromofluoromethane (S)		98	%.	89-116	1		10/16/18 21:48	1868-53-7	M5
4-Bromofluorobenzene (S)		94	%.	85-111	1		10/16/18 21:48	460-00-4	M5
Toluene-d8 (S)		101	%.	87-110	1		10/16/18 21:48	2037-26-5	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0608-S1 (100418)		Lab ID: 50207279024	Collected: 10/04/18 14:05	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/16/18 22:24	67-64-1	M5
Benzene	ND	ug/L	5.0	1		10/16/18 22:24	71-43-2	M5
Bromodichloromethane	ND	ug/L	5.0	1		10/16/18 22:24	75-27-4	M5
Bromoform	ND	ug/L	5.0	1		10/16/18 22:24	75-25-2	M5
Bromomethane	ND	ug/L	5.0	1		10/16/18 22:24	74-83-9	M5
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/18 22:24	78-93-3	M5
Carbon disulfide	ND	ug/L	10.0	1		10/16/18 22:24	75-15-0	M5
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/18 22:24	56-23-5	M5
Chlorobenzene	ND	ug/L	5.0	1		10/16/18 22:24	108-90-7	M5
Chloroethane	ND	ug/L	5.0	1		10/16/18 22:24	75-00-3	M5
Chloroform	ND	ug/L	5.0	1		10/16/18 22:24	67-66-3	M5
Chloromethane	ND	ug/L	5.0	1		10/16/18 22:24	74-87-3	M5
Cyclohexane	ND	ug/L	100	1		10/16/18 22:24	110-82-7	M5, N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/16/18 22:24	96-12-8	M5
Dibromochloromethane	ND	ug/L	5.0	1		10/16/18 22:24	124-48-1	M5
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/18 22:24	106-93-4	M5
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 22:24	95-50-1	M5
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 22:24	541-73-1	M5
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/18 22:24	106-46-7	M5
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/18 22:24	75-71-8	M5
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/18 22:24	75-34-3	M5
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/18 22:24	107-06-2	M5
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/18 22:24	75-35-4	M5
cis-1,2-Dichloroethene	453	ug/L	25.0	5		10/17/18 14:24	156-59-2	M5
trans-1,2-Dichloroethene	58.3	ug/L	5.0	1		10/16/18 22:24	156-60-5	M5
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/18 22:24	78-87-5	M5
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 22:24	10061-01-5	M5
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/18 22:24	10061-02-6	M5
Ethylbenzene	ND	ug/L	5.0	1		10/16/18 22:24	100-41-4	M5
2-Hexanone	ND	ug/L	25.0	1		10/16/18 22:24	591-78-6	M5
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/18 22:24	98-82-8	M5
Methyl acetate	ND	ug/L	50.0	1		10/16/18 22:24	79-20-9	M5, N2
Methylcyclohexane	ND	ug/L	50.0	1		10/16/18 22:24	108-87-2	M5, N2
Methylene Chloride	ND	ug/L	5.0	1		10/16/18 22:24	75-09-2	M5
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/18 22:24	108-10-1	M5
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/18 22:24	1634-04-4	M5
Styrene	ND	ug/L	5.0	1		10/16/18 22:24	100-42-5	M5
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/18 22:24	79-34-5	M5
Tetrachloroethene	ND	ug/L	5.0	1		10/16/18 22:24	127-18-4	M5
Toluene	ND	ug/L	5.0	1		10/16/18 22:24	108-88-3	M5
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/18 22:24	120-82-1	M5
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/18 22:24	71-55-6	M5
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/18 22:24	79-00-5	M5
Trichloroethene	ND	ug/L	5.0	1		10/16/18 22:24	79-01-6	M5
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/18 22:24	75-69-4	M5
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/16/18 22:24	76-13-1	M5
Vinyl chloride	6.5	ug/L	2.0	1		10/16/18 22:24	75-01-4	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0608-S1 (100418)		Lab ID: 50207279024		Collected: 10/04/18 14:05		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/16/18 22:24	1330-20-7	M5
Surrogates									
Dibromofluoromethane (S)		102	%.	89-116	1		10/16/18 22:24	1868-53-7	M5
4-Bromofluorobenzene (S)		95	%.	85-111	1		10/16/18 22:24	460-00-4	M5
Toluene-d8 (S)		100	%.	87-110	1		10/16/18 22:24	2037-26-5	M5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: FD-2 (100418)-KA		Lab ID: 50207279025	Collected: 10/04/18 08:00	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	2000	20		10/16/18 20:54	67-64-1	
Benzene	ND	ug/L	100	20		10/16/18 20:54	71-43-2	
Bromodichloromethane	ND	ug/L	100	20		10/16/18 20:54	75-27-4	
Bromoform	ND	ug/L	100	20		10/16/18 20:54	75-25-2	
Bromomethane	ND	ug/L	100	20		10/16/18 20:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	500	20		10/16/18 20:54	78-93-3	
Carbon disulfide	ND	ug/L	200	20		10/16/18 20:54	75-15-0	
Carbon tetrachloride	ND	ug/L	100	20		10/16/18 20:54	56-23-5	
Chlorobenzene	ND	ug/L	100	20		10/16/18 20:54	108-90-7	
Chloroethane	ND	ug/L	100	20		10/16/18 20:54	75-00-3	
Chloroform	ND	ug/L	100	20		10/16/18 20:54	67-66-3	
Chloromethane	ND	ug/L	100	20		10/16/18 20:54	74-87-3	
Cyclohexane	ND	ug/L	2000	20		10/16/18 20:54	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	200	20		10/16/18 20:54	96-12-8	
Dibromochloromethane	ND	ug/L	100	20		10/16/18 20:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	100	20		10/16/18 20:54	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	100	20		10/16/18 20:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	100	20		10/16/18 20:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	100	20		10/16/18 20:54	106-46-7	
Dichlorodifluoromethane	ND	ug/L	100	20		10/16/18 20:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	100	20		10/16/18 20:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	100	20		10/16/18 20:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	100	20		10/16/18 20:54	75-35-4	
cis-1,2-Dichloroethene	1390	ug/L	100	20		10/16/18 20:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	100	20		10/16/18 20:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	100	20		10/16/18 20:54	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	100	20		10/16/18 20:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	100	20		10/16/18 20:54	10061-02-6	
Ethylbenzene	ND	ug/L	100	20		10/16/18 20:54	100-41-4	
2-Hexanone	ND	ug/L	500	20		10/16/18 20:54	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	100	20		10/16/18 20:54	98-82-8	
Methyl acetate	ND	ug/L	1000	20		10/16/18 20:54	79-20-9	N2
Methylcyclohexane	ND	ug/L	1000	20		10/16/18 20:54	108-87-2	N2
Methylene Chloride	ND	ug/L	100	20		10/16/18 20:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	500	20		10/16/18 20:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	80.0	20		10/16/18 20:54	1634-04-4	
Styrene	ND	ug/L	100	20		10/16/18 20:54	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	100	20		10/16/18 20:54	79-34-5	
Tetrachloroethene	ND	ug/L	100	20		10/16/18 20:54	127-18-4	
Toluene	ND	ug/L	100	20		10/16/18 20:54	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	100	20		10/16/18 20:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	100	20		10/16/18 20:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	100	20		10/16/18 20:54	79-00-5	
Trichloroethene	10700	ug/L	1000	200		10/16/18 21:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	100	20		10/16/18 20:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	100	20		10/16/18 20:54	76-13-1	
Vinyl chloride	ND	ug/L	40.0	20		10/16/18 20:54	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: FD-2 (100418)-KA		Lab ID: 50207279025		Collected: 10/04/18 08:00		Received: 10/05/18 10:15		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)	ND	ug/L	200	20		10/16/18 20:54	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	89-116	20		10/16/18 20:54	1868-53-7	D4	
4-Bromofluorobenzene (S)	100	%.	85-111	20		10/16/18 20:54	460-00-4		
Toluene-d8 (S)	100	%.	87-110	20		10/16/18 20:54	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0103-S1U (100418)		Lab ID: 50207279026	Collected: 10/04/18 13:20	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/17/18 02:00	67-64-1	
Benzene	ND	ug/L	5.0	1		10/17/18 02:00	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/18 02:00	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/18 02:00	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/18 02:00	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/18 02:00	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/17/18 02:00	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/18 02:00	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/18 02:00	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/18 02:00	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/18 02:00	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/18 02:00	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/17/18 02:00	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/17/18 02:00	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/18 02:00	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/18 02:00	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 02:00	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 02:00	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 02:00	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/18 02:00	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/18 02:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/18 02:00	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/18 02:00	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 02:00	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 02:00	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/18 02:00	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 02:00	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 02:00	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/18 02:00	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/17/18 02:00	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/18 02:00	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/17/18 02:00	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		10/17/18 02:00	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/17/18 02:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/18 02:00	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/18 02:00	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/17/18 02:00	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/18 02:00	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/18 02:00	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/18 02:00	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/18 02:00	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/18 02:00	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/18 02:00	79-00-5	
Trichloroethene	9.5	ug/L	5.0	1		10/17/18 02:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/18 02:00	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/17/18 02:00	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/17/18 02:00	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0103-S1U (100418)		Lab ID: 50207279026		Collected: 10/04/18 13:20		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/17/18 02:00	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	89-116	1		10/17/18 02:00	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	85-111	1		10/17/18 02:00	460-00-4	
Toluene-d8 (S)		100	%.	87-110	1		10/17/18 02:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0509-S1 (100418)		Lab ID: 50207279027	Collected: 10/04/18 13:45	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/17/18 02:36	67-64-1	
Benzene	ND	ug/L	5.0	1		10/17/18 02:36	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/18 02:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/18 02:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/18 02:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/18 02:36	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/17/18 02:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/18 02:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/18 02:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/18 02:36	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/18 02:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/18 02:36	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/17/18 02:36	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/17/18 02:36	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/18 02:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/18 02:36	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 02:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 02:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 02:36	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/18 02:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/18 02:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/18 02:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/18 02:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 02:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 02:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/18 02:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 02:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 02:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/18 02:36	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/17/18 02:36	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/18 02:36	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/17/18 02:36	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		10/17/18 02:36	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/17/18 02:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/18 02:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/18 02:36	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/17/18 02:36	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/18 02:36	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/18 02:36	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/18 02:36	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/18 02:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/18 02:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/18 02:36	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/17/18 02:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/18 02:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/17/18 02:36	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/17/18 02:36	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0509-S1 (100418)		Lab ID: 50207279027		Collected: 10/04/18 13:45		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/17/18 02:36	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		93	%.	89-116	1		10/17/18 02:36	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	85-111	1		10/17/18 02:36	460-00-4	
Toluene-d8 (S)		99	%.	87-110	1		10/17/18 02:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0102-S1U (100418)		Lab ID: 50207279028	Collected: 10/04/18 14:00	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	500	5		10/17/18 03:12	67-64-1	
Benzene	ND	ug/L	25.0	5		10/17/18 03:12	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		10/17/18 03:12	75-27-4	
Bromoform	ND	ug/L	25.0	5		10/17/18 03:12	75-25-2	
Bromomethane	ND	ug/L	25.0	5		10/17/18 03:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		10/17/18 03:12	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		10/17/18 03:12	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		10/17/18 03:12	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		10/17/18 03:12	108-90-7	
Chloroethane	ND	ug/L	25.0	5		10/17/18 03:12	75-00-3	
Chloroform	ND	ug/L	25.0	5		10/17/18 03:12	67-66-3	
Chloromethane	ND	ug/L	25.0	5		10/17/18 03:12	74-87-3	
Cyclohexane	ND	ug/L	500	5		10/17/18 03:12	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		10/17/18 03:12	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		10/17/18 03:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		10/17/18 03:12	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		10/17/18 03:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		10/17/18 03:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		10/17/18 03:12	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		10/17/18 03:12	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		10/17/18 03:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		10/17/18 03:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5		10/17/18 03:12	75-35-4	
cis-1,2-Dichloroethene	1400	ug/L	25.0	5		10/17/18 03:12	156-59-2	
trans-1,2-Dichloroethene	102	ug/L	25.0	5		10/17/18 03:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		10/17/18 03:12	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		10/17/18 03:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		10/17/18 03:12	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		10/17/18 03:12	100-41-4	
2-Hexanone	ND	ug/L	125	5		10/17/18 03:12	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		10/17/18 03:12	98-82-8	
Methyl acetate	ND	ug/L	250	5		10/17/18 03:12	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5		10/17/18 03:12	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5		10/17/18 03:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		10/17/18 03:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		10/17/18 03:12	1634-04-4	
Styrene	ND	ug/L	25.0	5		10/17/18 03:12	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		10/17/18 03:12	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		10/17/18 03:12	127-18-4	
Toluene	ND	ug/L	25.0	5		10/17/18 03:12	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		10/17/18 03:12	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		10/17/18 03:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		10/17/18 03:12	79-00-5	
Trichloroethene	4570	ug/L	250	50		10/17/18 03:48	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		10/17/18 03:12	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		10/17/18 03:12	76-13-1	
Vinyl chloride	19.7	ug/L	10.0	5		10/17/18 03:12	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0102-S1U (100418)		Lab ID: 50207279028		Collected: 10/04/18 14:00		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		10/17/18 03:12	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		98	%.	89-116	5		10/17/18 03:12	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	85-111	5		10/17/18 03:12	460-00-4	
Toluene-d8 (S)		99	%.	87-110	5		10/17/18 03:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0505-S1 (100418)		Lab ID: 50207279029	Collected: 10/04/18 14:10	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/17/18 04:24	67-64-1	
Benzene	ND	ug/L	5.0	1		10/17/18 04:24	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/18 04:24	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/18 04:24	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/18 04:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/18 04:24	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/17/18 04:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/18 04:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/18 04:24	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/18 04:24	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/18 04:24	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/18 04:24	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/17/18 04:24	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/17/18 04:24	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/18 04:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/18 04:24	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 04:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 04:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 04:24	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/18 04:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/18 04:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/18 04:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/18 04:24	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 04:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 04:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/18 04:24	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 04:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 04:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/18 04:24	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/17/18 04:24	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/18 04:24	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/17/18 04:24	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		10/17/18 04:24	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/17/18 04:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/18 04:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/18 04:24	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/17/18 04:24	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/18 04:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/18 04:24	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/18 04:24	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/18 04:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/18 04:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/18 04:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/17/18 04:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/18 04:24	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/17/18 04:24	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/17/18 04:24	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0505-S1 (100418)		Lab ID: 50207279029		Collected: 10/04/18 14:10		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/17/18 04:24	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	89-116	1		10/17/18 04:24	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	85-111	1		10/17/18 04:24	460-00-4	
Toluene-d8 (S)		97	%.	87-110	1		10/17/18 04:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: EB-1 (100418)-KA		Lab ID: 50207279030	Collected: 10/04/18 14:15	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/17/18 05:36	67-64-1	
Benzene	ND	ug/L	5.0	1		10/17/18 05:36	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/18 05:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/18 05:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/18 05:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/18 05:36	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/17/18 05:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/18 05:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/18 05:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/18 05:36	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/18 05:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/18 05:36	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/17/18 05:36	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/17/18 05:36	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/18 05:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/18 05:36	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 05:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 05:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 05:36	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/18 05:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/18 05:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/18 05:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/18 05:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 05:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 05:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/18 05:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 05:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 05:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/18 05:36	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/17/18 05:36	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/18 05:36	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/17/18 05:36	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		10/17/18 05:36	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/17/18 05:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/18 05:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/18 05:36	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/17/18 05:36	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/18 05:36	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/18 05:36	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/18 05:36	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/18 05:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/18 05:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/18 05:36	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/17/18 05:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/18 05:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/17/18 05:36	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/17/18 05:36	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: EB-1 (100418)-KA		Lab ID: 50207279030		Collected: 10/04/18 14:15		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/17/18 05:36	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	89-116	1		10/17/18 05:36	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	85-111	1		10/17/18 05:36	460-00-4	
Toluene-d8 (S)		100	%.	87-110	1		10/17/18 05:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0604-S1 (100418)		Lab ID: 50207279031	Collected: 10/04/18 14:30	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/17/18 06:12	67-64-1	
Benzene	ND	ug/L	5.0	1		10/17/18 06:12	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/18 06:12	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/18 06:12	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/18 06:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/18 06:12	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/17/18 06:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/18 06:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/18 06:12	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/18 06:12	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/18 06:12	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/18 06:12	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/17/18 06:12	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/17/18 06:12	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/18 06:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/18 06:12	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 06:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 06:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 06:12	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/18 06:12	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/18 06:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/18 06:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/18 06:12	75-35-4	
cis-1,2-Dichloroethene	81.9	ug/L	5.0	1		10/17/18 06:12	156-59-2	
trans-1,2-Dichloroethene	10.9	ug/L	5.0	1		10/17/18 06:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/18 06:12	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 06:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 06:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/18 06:12	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/17/18 06:12	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/18 06:12	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/17/18 06:12	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		10/17/18 06:12	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/17/18 06:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/18 06:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/18 06:12	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/17/18 06:12	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/18 06:12	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/18 06:12	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/18 06:12	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/18 06:12	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/18 06:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/18 06:12	79-00-5	
Trichloroethene	247	ug/L	5.0	1		10/17/18 06:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/18 06:12	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/17/18 06:12	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/17/18 06:12	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0604-S1 (100418)		Lab ID: 50207279031		Collected: 10/04/18 14:30		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/17/18 06:12	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	89-116	1		10/17/18 06:12	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	85-111	1		10/17/18 06:12	460-00-4	
Toluene-d8 (S)		102	%.	87-110	1		10/17/18 06:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0504-S1 (100418)		Lab ID: 50207279032	Collected: 10/04/18 14:40	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	500	5		10/17/18 07:25	67-64-1	
Benzene	ND	ug/L	25.0	5		10/17/18 07:25	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		10/17/18 07:25	75-27-4	
Bromoform	ND	ug/L	25.0	5		10/17/18 07:25	75-25-2	
Bromomethane	ND	ug/L	25.0	5		10/17/18 07:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		10/17/18 07:25	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		10/17/18 07:25	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		10/17/18 07:25	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		10/17/18 07:25	108-90-7	
Chloroethane	ND	ug/L	25.0	5		10/17/18 07:25	75-00-3	
Chloroform	ND	ug/L	25.0	5		10/17/18 07:25	67-66-3	
Chloromethane	ND	ug/L	25.0	5		10/17/18 07:25	74-87-3	
Cyclohexane	ND	ug/L	500	5		10/17/18 07:25	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		10/17/18 07:25	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		10/17/18 07:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		10/17/18 07:25	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		10/17/18 07:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		10/17/18 07:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		10/17/18 07:25	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		10/17/18 07:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		10/17/18 07:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		10/17/18 07:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5		10/17/18 07:25	75-35-4	
cis-1,2-Dichloroethene	507	ug/L	25.0	5		10/17/18 07:25	156-59-2	
trans-1,2-Dichloroethene	75.2	ug/L	25.0	5		10/17/18 07:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		10/17/18 07:25	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		10/17/18 07:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		10/17/18 07:25	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		10/17/18 07:25	100-41-4	
2-Hexanone	ND	ug/L	125	5		10/17/18 07:25	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		10/17/18 07:25	98-82-8	
Methyl acetate	ND	ug/L	250	5		10/17/18 07:25	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5		10/17/18 07:25	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5		10/17/18 07:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		10/17/18 07:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		10/17/18 07:25	1634-04-4	
Styrene	ND	ug/L	25.0	5		10/17/18 07:25	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		10/17/18 07:25	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		10/17/18 07:25	127-18-4	
Toluene	ND	ug/L	25.0	5		10/17/18 07:25	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		10/17/18 07:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		10/17/18 07:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		10/17/18 07:25	79-00-5	
Trichloroethene	1890	ug/L	250	50		10/17/18 08:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		10/17/18 07:25	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		10/17/18 07:25	76-13-1	
Vinyl chloride	12.7	ug/L	10.0	5		10/17/18 07:25	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0504-S1 (100418)		Lab ID: 50207279032		Collected: 10/04/18 14:40		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		10/17/18 07:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	89-116	5		10/17/18 07:25	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	85-111	5		10/17/18 07:25	460-00-4	D4
Toluene-d8 (S)		101	%.	87-110	5		10/17/18 07:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0506-S1 (100418)		Lab ID: 50207279033	Collected: 10/04/18 15:00	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/17/18 08:38	67-64-1	
Benzene	ND	ug/L	5.0	1		10/17/18 08:38	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/18 08:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/18 08:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/18 08:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/18 08:38	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/17/18 08:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/18 08:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/18 08:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/18 08:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/18 08:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/18 08:38	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/17/18 08:38	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/17/18 08:38	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/18 08:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/18 08:38	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 08:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 08:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 08:38	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/18 08:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/18 08:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/18 08:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/18 08:38	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 08:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 08:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/18 08:38	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 08:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 08:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/18 08:38	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/17/18 08:38	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/18 08:38	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/17/18 08:38	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		10/17/18 08:38	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/17/18 08:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/18 08:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/18 08:38	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/17/18 08:38	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/18 08:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/18 08:38	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/18 08:38	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/18 08:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/18 08:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/18 08:38	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/17/18 08:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/18 08:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/17/18 08:38	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/17/18 08:38	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0506-S1 (100418)		Lab ID: 50207279033		Collected: 10/04/18 15:00		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/17/18 08:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		98	%.	89-116	1		10/17/18 08:38	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	85-111	1		10/17/18 08:38	460-00-4	
Toluene-d8 (S)		99	%.	87-110	1		10/17/18 08:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0619-S1 (100418)		Lab ID: 50207279034	Collected: 10/04/18 16:10	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/17/18 09:14	67-64-1	
Benzene	ND	ug/L	5.0	1		10/17/18 09:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/18 09:14	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/18 09:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/18 09:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/18 09:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/17/18 09:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/18 09:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/18 09:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/18 09:14	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/18 09:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/18 09:14	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/17/18 09:14	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/17/18 09:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/18 09:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/18 09:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 09:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 09:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 09:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/18 09:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/18 09:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/18 09:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/18 09:14	75-35-4	
cis-1,2-Dichloroethene	110	ug/L	5.0	1		10/17/18 09:14	156-59-2	
trans-1,2-Dichloroethene	7.8	ug/L	5.0	1		10/17/18 09:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/18 09:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 09:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 09:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/18 09:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/17/18 09:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/18 09:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/17/18 09:14	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		10/17/18 09:14	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/17/18 09:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/18 09:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/18 09:14	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/17/18 09:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/18 09:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/18 09:14	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/18 09:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/18 09:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/18 09:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/18 09:14	79-00-5	
Trichloroethene	533	ug/L	50.0	10		10/17/18 15:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/18 09:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/17/18 09:14	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/17/18 09:14	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0619-S1 (100418)		Lab ID: 50207279034		Collected: 10/04/18 16:10		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/17/18 09:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		97	%.	89-116	1		10/17/18 09:14	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	85-111	1		10/17/18 09:14	460-00-4	
Toluene-d8 (S)		101	%.	87-110	1		10/17/18 09:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0612-S1 (100418)		Lab ID: 50207279035		Collected: 10/04/18 14:20		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			10/17/18 02:54	67-64-1	
Benzene	ND	ug/L	25.0	5			10/17/18 02:54	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			10/17/18 02:54	75-27-4	
Bromoform	ND	ug/L	25.0	5			10/17/18 02:54	75-25-2	
Bromomethane	ND	ug/L	25.0	5			10/17/18 02:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			10/17/18 02:54	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			10/17/18 02:54	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			10/17/18 02:54	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			10/17/18 02:54	108-90-7	
Chloroethane	ND	ug/L	25.0	5			10/17/18 02:54	75-00-3	
Chloroform	ND	ug/L	25.0	5			10/17/18 02:54	67-66-3	
Chloromethane	ND	ug/L	25.0	5			10/17/18 02:54	74-87-3	
Cyclohexane	ND	ug/L	500	5			10/17/18 02:54	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			10/17/18 02:54	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			10/17/18 02:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			10/17/18 02:54	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			10/17/18 02:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			10/17/18 02:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			10/17/18 02:54	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			10/17/18 02:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			10/17/18 02:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			10/17/18 02:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			10/17/18 02:54	75-35-4	
cis-1,2-Dichloroethene	306	ug/L	25.0	5			10/17/18 02:54	156-59-2	
trans-1,2-Dichloroethene	47.0	ug/L	25.0	5			10/17/18 02:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			10/17/18 02:54	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			10/17/18 02:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			10/17/18 02:54	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			10/17/18 02:54	100-41-4	
2-Hexanone	ND	ug/L	125	5			10/17/18 02:54	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			10/17/18 02:54	98-82-8	
Methyl acetate	ND	ug/L	250	5			10/17/18 02:54	79-20-9	L1,N2
Methylcyclohexane	ND	ug/L	250	5			10/17/18 02:54	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			10/17/18 02:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			10/17/18 02:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			10/17/18 02:54	1634-04-4	
Styrene	ND	ug/L	25.0	5			10/17/18 02:54	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			10/17/18 02:54	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			10/17/18 02:54	127-18-4	
Toluene	ND	ug/L	25.0	5			10/17/18 02:54	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			10/17/18 02:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			10/17/18 02:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			10/17/18 02:54	79-00-5	
Trichloroethene	4180	ug/L	250	50			10/17/18 03:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			10/17/18 02:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			10/17/18 02:54	76-13-1	
Vinyl chloride	ND	ug/L	10.0	5			10/17/18 02:54	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0612-S1 (100418)		Lab ID: 50207279035		Collected: 10/04/18 14:20		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		10/17/18 02:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		97	%.	89-116	5		10/17/18 02:54	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	85-111	5		10/17/18 02:54	460-00-4	D4
Toluene-d8 (S)		98	%.	87-110	5		10/17/18 02:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0606-S1 (100418)		Lab ID: 50207279036	Collected: 10/04/18 14:35	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		10/17/18 04:06	67-64-1	
Benzene	ND	ug/L	5.0	1		10/17/18 04:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/18 04:06	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/18 04:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/18 04:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/18 04:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/17/18 04:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/18 04:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/18 04:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/18 04:06	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/18 04:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/18 04:06	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/17/18 04:06	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/17/18 04:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/18 04:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/18 04:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 04:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 04:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 04:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/18 04:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/18 04:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/18 04:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/18 04:06	75-35-4	
cis-1,2-Dichloroethene	453	ug/L	125	25		10/17/18 04:42	156-59-2	
trans-1,2-Dichloroethene	97.0	ug/L	5.0	1		10/17/18 04:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/18 04:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 04:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 04:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/18 04:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/17/18 04:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/18 04:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/17/18 04:06	79-20-9	~~L1~~ ,N2
Methylcyclohexane	ND	ug/L	50.0	1		10/17/18 04:06	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/17/18 04:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/18 04:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/18 04:06	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/17/18 04:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/18 04:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/18 04:06	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/18 04:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/18 04:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/18 04:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/18 04:06	79-00-5	
Trichloroethene	1960	ug/L	125	25		10/17/18 04:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/18 04:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/17/18 04:06	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/17/18 04:06	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0606-S1 (100418)		Lab ID: 50207279036		Collected: 10/04/18 14:35		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/17/18 04:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	89-116	1		10/17/18 04:06	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	85-111	1		10/17/18 04:06	460-00-4	
Toluene-d8 (S)		97	%.	87-110	1		10/17/18 04:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0516-S1 (100418)		Lab ID: 50207279037		Collected: 10/04/18 14:55		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			10/17/18 05:18	67-64-1	
Benzene	ND	ug/L	5.0	1			10/17/18 05:18	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			10/17/18 05:18	75-27-4	
Bromoform	ND	ug/L	5.0	1			10/17/18 05:18	75-25-2	
Bromomethane	ND	ug/L	5.0	1			10/17/18 05:18	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			10/17/18 05:18	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			10/17/18 05:18	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			10/17/18 05:18	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			10/17/18 05:18	108-90-7	
Chloroethane	ND	ug/L	5.0	1			10/17/18 05:18	75-00-3	
Chloroform	ND	ug/L	5.0	1			10/17/18 05:18	67-66-3	
Chloromethane	ND	ug/L	5.0	1			10/17/18 05:18	74-87-3	
Cyclohexane	ND	ug/L	100	1			10/17/18 05:18	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			10/17/18 05:18	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			10/17/18 05:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			10/17/18 05:18	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			10/17/18 05:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			10/17/18 05:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			10/17/18 05:18	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			10/17/18 05:18	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			10/17/18 05:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			10/17/18 05:18	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			10/17/18 05:18	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			10/17/18 05:18	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			10/17/18 05:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			10/17/18 05:18	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			10/17/18 05:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			10/17/18 05:18	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			10/17/18 05:18	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			10/17/18 05:18	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			10/17/18 05:18	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			10/17/18 05:18	79-20-9	~~L1~~ ,N2
Methylcyclohexane	ND	ug/L	50.0	1			10/17/18 05:18	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			10/17/18 05:18	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			10/17/18 05:18	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			10/17/18 05:18	1634-04-4	
Styrene	ND	ug/L	5.0	1			10/17/18 05:18	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			10/17/18 05:18	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			10/17/18 05:18	127-18-4	
Toluene	ND	ug/L	5.0	1			10/17/18 05:18	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			10/17/18 05:18	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			10/17/18 05:18	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			10/17/18 05:18	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			10/17/18 05:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			10/17/18 05:18	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			10/17/18 05:18	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			10/17/18 05:18	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: MW-0516-S1 (100418)		Lab ID: 50207279037		Collected: 10/04/18 14:55		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/17/18 05:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		97	%.	89-116	1		10/17/18 05:18	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	85-111	1		10/17/18 05:18	460-00-4	
Toluene-d8 (S)		97	%.	87-110	1		10/17/18 05:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: ~~MW-0511-S1 (100418)~~ MW-0611-S1 (100418)		Lab ID: 50207279038	Collected: 10/04/18 15:25	Received: 10/05/18 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/18 05:54	67-64-1	
Benzene	ND	ug/L	5.0	1		10/17/18 05:54	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/18 05:54	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/18 05:54	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/18 05:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/18 05:54	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/17/18 05:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/18 05:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/18 05:54	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/18 05:54	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/18 05:54	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/18 05:54	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/17/18 05:54	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/17/18 05:54	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/18 05:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/18 05:54	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 05:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 05:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 05:54	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/18 05:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/18 05:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/18 05:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/18 05:54	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 05:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 05:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/18 05:54	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 05:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 05:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/18 05:54	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/17/18 05:54	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/18 05:54	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/17/18 05:54	79-20-9	L1,N2
Methylcyclohexane	ND	ug/L	50.0	1		10/17/18 05:54	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		10/17/18 05:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/18 05:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/18 05:54	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/17/18 05:54	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/18 05:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/18 05:54	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/18 05:54	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/18 05:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/18 05:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/18 05:54	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/17/18 05:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/18 05:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/17/18 05:54	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		10/17/18 05:54	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: ~~MW-0511-S1 (100418)~~ MW-0611-S1 (100418)		Lab ID: 50207279038		Collected: 10/04/18 15:25		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)	ND	ug/L	10.0	1		10/17/18 05:54	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	97	%.	89-116	1		10/17/18 05:54	1868-53-7		
4-Bromofluorobenzene (S)	99	%.	85-111	1		10/17/18 05:54	460-00-4		
Toluene-d8 (S)	97	%.	87-110	1		10/17/18 05:54	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: TB-1-100418-SO		Lab ID: 50207279039		Collected: 10/04/18 09:00		Received: 10/05/18 10:15		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/18 06:30	67-64-1		
Benzene	ND	ug/L	5.0	1		10/17/18 06:30	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		10/17/18 06:30	75-27-4		
Bromoform	ND	ug/L	5.0	1		10/17/18 06:30	75-25-2		
Bromomethane	ND	ug/L	5.0	1		10/17/18 06:30	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/18 06:30	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		10/17/18 06:30	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/18 06:30	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		10/17/18 06:30	108-90-7		
Chloroethane	ND	ug/L	5.0	1		10/17/18 06:30	75-00-3		
Chloroform	ND	ug/L	5.0	1		10/17/18 06:30	67-66-3		
Chloromethane	ND	ug/L	5.0	1		10/17/18 06:30	74-87-3		
Cyclohexane	ND	ug/L	100	1		10/17/18 06:30	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/17/18 06:30	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		10/17/18 06:30	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/18 06:30	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 06:30	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 06:30	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/18 06:30	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/18 06:30	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/18 06:30	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/18 06:30	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/18 06:30	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 06:30	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/18 06:30	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/18 06:30	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 06:30	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/18 06:30	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		10/17/18 06:30	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		10/17/18 06:30	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/18 06:30	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		10/17/18 06:30	79-20-9	L1,N2	
Methylcyclohexane	ND	ug/L	50.0	1		10/17/18 06:30	108-87-2	N2	
Methylene Chloride	ND	ug/L	5.0	1		10/17/18 06:30	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/18 06:30	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/18 06:30	1634-04-4		
Styrene	ND	ug/L	5.0	1		10/17/18 06:30	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/18 06:30	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		10/17/18 06:30	127-18-4		
Toluene	ND	ug/L	5.0	1		10/17/18 06:30	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/18 06:30	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/18 06:30	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/18 06:30	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		10/17/18 06:30	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/18 06:30	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/17/18 06:30	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		10/17/18 06:30	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Trust Kokomo

Pace Project No.: 50207279

Sample: TB-1-100418-SO		Lab ID: 50207279039		Collected: 10/04/18 09:00		Received: 10/05/18 10:15		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		10/17/18 06:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	89-116	1		10/17/18 06:30	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	85-111	1		10/17/18 06:30	460-00-4	
Toluene-d8 (S)		99	%.	87-110	1		10/17/18 06:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Arcadis U.S., Inc.

150 W. Market Street

Suite 728

Indianapolis, Indiana 46204

Tel 317 231 6500

Fax 317 231 6514

www.arcadis.com