



November 10, 2010

U.S.EPA Region II
Emergency & Remedial Response Division
290 Broadway, 19th Floor
New York, NY 10007-1866
Attn: Ms. Anne Kelly

RE: Former Central Foundry – Massena Superfund Site, Massena, New York
EPA Orders Index No. II CERCLA-20207 and 20215 -
Monthly Progress Report No. 222 for October 2010

Dear Ms. Kelly:

On behalf of Motors Liquidation Company (MLC), BOW Environmental Solutions, Inc., enclosed please find 2 copies of the Monthly Progress Report relating to the activities performed during the month of October 2010, in conformance with the Unilateral Administrative Orders for both operable units of the Former Central Foundry, Massena Superfund Site.

Should you or your staff have any questions regarding the contents of the Progress Report, please contact me at (937) 478-8221.

Sincerely,

A handwritten signature in cursive script that reads "Pamela L. Barnett".

Pamela L. Barnett, PG
Project Manager
BOW Environmental Solutions, Inc. on behalf of MLC

Monthly Progress Report No. 222 – October 2010
Former Central Foundry Massena Superfund Site - Operable Units 1 & 2
USEPA Unilateral Administrative Orders Nos. II CERCLA - 20207 & 20215

I. Compliance Activities Completed for the Period (October 1 through October 30, 2010)

Remedial Design / Remedial Action

On October 7, 2010, MLC received conditional approval of the Draft Pre-Design Investigation Work Plan for Operable Units 1 and 2, dated July, 2010.

During the week of October 18, 2010 through October 22, preliminary activities associated with the Pre-Design Investigation Work Plan for Operable Units 1 and 2 began. ARCADIS personnel were onsite to perform an update of the previous wetlands delineation conducted by Kimball & Associates in 1995. The wetlands delineation team collected field data and flagged the jurisdictional boundaries of federal wetlands within the wetland assessment areas in the disturbed areas. The boundaries were identified based on observed characteristics of site soils, vegetation and hydrology, consistent with the requirements of the Routine Method presented in the 1987 Federal Wetlands Delineation Manual (Manual) (Environmental Laboratory 1987a) and the Pre-Design Investigation Work Plan. Also onsite during the week, were NYS certified surveyors to survey wetlands areas.

Maintenance Activities

As reported in the September monthly report, on September 29, 2010, quarterly water samples were collected from the sump northeast of the Industrial Landfill and the Process Water Lagoon underdrain as well as bi-annual water samples from the Cove Holding Pond. Results are now presented in Attachment 1.

Outfall 002 (at the Raquette River) and Outfall 004 (north of the Industrial Landfill) were both sampled on October 1, 2010. The analytical results for these water samples are presented in Attachment 1.

Also during the month of October, a total of approximately 104,790 gallons of water (approximately 67,280 gallons from the sump northeast of the Industrial Landfill, 11,900 gallons from the containment cell areas, and 25,610 gallons from the Process Water lagoon underdrain) were transferred to the site's Waste Water Treatment Plant WWTP for treatment.

MLC inspected site remedial areas and addressed maintenance needs at the containment cell sumps (assembled pumps and piping) and coordinated with contractor to provide site mowing.

MLC completed installation of electric heaters in the waste water treatment building to replace the gas heat source which will be inoperable when facility gas line is interrupted due to planned demolition.

II. Analytical Data

Analytical results received during the month of October for the Massena Superfund Site include the following:

- Table 1 – Summary of Outfall 002 Water Sampling Analytical Results.
- Table 2 – Summary of Outfall 004 Water Sampling Analytical Results.

Monthly Progress Report No. 222 – October 2010
Former Central Foundry Massena Superfund Site - Operable Units 1 & 2
USEPA Unilateral Administrative Orders Nos. II CERCLA - 20207 & 20215

- Table 3 – Summary of Quarterly Water Samples NE Industrial Landfill Groundwater Sump
- Table 4 - Groundwater Sump Process Water Lagoon #2 Water Analytical Results.
- Table 5 – Turtle Creek Holding Pond Bi-annual Water Sample PCB Analytical Results

Results are provided in the tables in Attachment 1.

III. Project Tasks Scheduled for the Coming Month (November 2010)

MLC will continue implementation of the *Pre-Design Investigation for Operable Units 1 and 2* during November. Direct push (Geoprobng) will begin on November 8, 2010. The drilling for the PDI is scheduled to begin on November 15, 2010 and pump test well rotary drilling is scheduled to begin on November 22, 2010.

IV. Project Status, Delays and Recovery Plans

The following table summarizes submittals made during the month, submittals responded to during the month, and submittals which continue to be under review.

<u>Submitted to EPA / NYSDEC</u>	<u>Date</u>
MLC letter to NYSDEC notification of change of licensed operator associated SPDES Permit	October 28, 2010
<u>Previously Submitted to EPA – Pending Comment or Approval</u>	
Draft Remedial Action Waste Management Plan	January 7, 2010
Draft Preliminary Remedial Design / Remedial Action Work Plan Combined East Disposal Area and Industrial Landfill	February 8, 2010
Draft Preliminary Remedial Design/Remedial Action Work Plan for the North Disposal Area and Active/Inactive Lagoons for the Central Foundry Site, Massena, NY	March 8, 2010
Draft Preliminary Remedial Design/Remedial Action Work Plan Groundwater Collection and Treatment System	March 8, 2010
Draft Preliminary Remedial Design/Remedial Action Work Plan for the Combined East Disposal Area and Industrial Landfill for the Central Foundry Site	April 7, 2010
<u>Comments/Approvals Received from EPA/NYSDEC during the current Reporting Month</u>	
EPA conditional approval letter of the Draft Pre-design Investigation Work Plan	October 7, 2010

**Monthly Progress Report No. 222 – October 2010
Former Central Foundry Massena Superfund Site - Operable Units 1 & 2
USEPA Unilateral Administrative Orders Nos. II CERCLA - 20207 & 20215**

ATTACHMENT 1

Analytical Data

Table 1

Summary of Outfall 002 Water Sampling Analytical Results
Former Central Foundry Massena Superfund Site, New York

PCBs EPA 608 - Hexane Extractable EPA 413.1 - Total Suspended Solids EPA 160.2 - Metals EPA 200.7

#	Sample ID	Date Sampled	Polychlorinated Biphenyls (PCBs) EPA 608			Hexane Extractable (Oil & Grease) EPA 1664A			Total Suspended Solids (TSS) EPA 160.2			Metals USEPA 200.7			
			Detection Limit (ug/l)	Analytical Results (ug/l)	SPDES Permit Limits (ug/l)	Detection Limit (mg/l)	Analytical Results (mg/l)	SPDES Permit Limits (mg/l)	Detection Limit (mg/l)	Analytical Results (mg/l)	SPDES Permit Limits (mg/l)	Aluminum (mg/l)	SPDES Permit Limits (mg/l)	Iron (mg/l)	SPDES Permit Limits (mg/l)
1	13205	27-Oct-08	0.0500	U	0.3	1.0	1.20	15	1.00	2.60	50	0.108	see note 1, below	0.242	see note 1, below
2	13258	18-Nov-08	0.0505	U	0.3	1.0	< 1.00	15	1.00	< 1.00	50	< 0.0500	see note 1, below	0.0532	see note 1, below
3	13296	2-Dec-08	0.0526	U	0.3	1.0	3.20	15	1.00	< 1.00	50	0.0560	see note 1, below	0.0600	see note 1, below
4	-	No sample collected during January due to frozen conditions.													
5	13347	12-Feb-09	0.0532	U	0.3	1.0	6.30	15	1.00	4.30	50	1.12	see note 1, below	1.16	see note 1, below
6	13382	12-Mar-09	0.0515	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	0.0646	see note 1, below	0.130	see note 1, below
7	13406	2-Apr-09	0.0515	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	< 0.0500	see note 1, below	0.217	see note 1, below
8	13433	21-May-09	0.0510	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	< 0.0500	see note 1, below	0.0848	see note 1, below
9	-	No stormwater runoff at Outfall when checked													
10	13529	6-Aug-09	0.0515	U	0.3	1.00	< 1.00	15	1.00	2.00	50	0.0748	see note 1, below	0.2340	see note 1, below
11	13564	15-Sep-09	0.0521	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	< 0.0500	see note 1, below	0.0885	see note 1, below
12	13598	8-Oct-09	0.0520	U	0.3	1.00	2.30	15	1.00	< 1.00	50	< 0.0500	see note 1, below	0.1430	see note 1, below
13	13632	3-Nov-09	0.0515	U	0.3	1.00	7.70	15	1.00	< 1.00	50	< 0.0500	see note 1, below	0.1880	see note 1, below
14	13667	3-Dec-09	0.0515	U	0.3	1.00	< 1.00	15	1.00	3.60	50	0.3550	see note 1, below	0.3790	see note 1, below
15	13700	7-Jan-10	0.0500	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	< 0.0500	see note 1, below	0.1640	see note 1, below
16	13730	2-Feb-10	0.0500	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	< 0.0500	see note 1, below	0.0745	see note 1, below
17	13765	1-Mar-10	0.0526	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	< 0.0500	see note 1, below	< 0.0500	see note 1, below
18	13795	8-Apr-10	0.0532	U	0.3	1.0	< 1.00	15	1.00	1.00	50	< 0.0500	see note 1, below	0.188	see note 1, below
19	13828	6-May-10	0.0526	U	0.3	1.0	< 1.00	15	1.00	< 1.00	50	< 0.0500	see note 1, below	0.188	see note 1, below
20	13859	3-Jun-10	0.0500	U	0.3	1.0	2.30	15	1.00	4.50	50	< 0.0500	see note 1, below	< 0.0500	see note 1, below
21	13900	1-Jul-10	0.0505	U	0.3	1.0	2.10	15	1.00	< 1.00	50	< 0.0500	see note 1, below	0.420	see note 1, below
22	13931	5-Aug-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	1.10	50	0.0612	see note 1, below	0.149	see note 1, below
23	13963	30-Sep-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	3.00	50	< 0.0500	see note 1, below	0.235	see note 1, below
24	14000	1-Oct-10	0.0500	U	0.3	1.0	2.30	15	1.00	1.70	50	0.2030	see note 1, below	0.286	see note 1, below

Notes:

- 1). There is no effluent limit on metals for the SPDES Permit.
- 2). Analyses performed by Analytics Corporation, Inc.

Table 2
Summary of Outfall 004 Water Sampling Analytical Results
Former Central Foundry Massena Superfund Site, New York
 PCBs EPA 608 - Hexane Extractable EPA 1664A - Total Suspended Solids EPA 160.2 - Metals EPA 200.7

#	Sample ID	Date Sampled	Polychlorinated Biphenyls (PCBs) EPA 608			Oil & Grease (Hexane Extractable) EPA 1664A			Total Suspended Solids (TSS) EPA 160.2			Metals USEPA 200.7		
			Detection Limit (ug/l)	Analytical Results (ug/l)	SPDES Permit Limits (ug/l)	Detection Limit (mg/l)	Analytical Results (mg/l)	SPDES Permit Limits (mg/l)	Detection Limit (mg/l)	Analytical Results (mg/l)	SPDES Permit Limits (mg/l)	Aluminum (mg/l)	SPDES Permit Limits (mg/l)	Iron (mg/l)
1	13259	18-Nov-08	0.0515	U	0.3	1.0	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.380	see note 1. below
2	13297	02-Dec-08	0.0515	U	0.3	1.0	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.244	see note 1. below
3	-	No sample collected during January due to frozen conditions.												
4	13348	02-Feb-09	0.0500	U	0.3	1.0	2.30	15	1.00	1.60	50	0.130	0.152	see note 1. below
5	13383	11-Mar-09	0.0500	U	0.3	1.0	< 1.00	15	1.00	4.40	50	0.129	0.177	see note 1. below
6	13407	02-Apr-09	0.0510	U	0.3	1.0	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.311	see note 1. below
7	13434	21-May-09	0.0521	U	0.3	1.0	< 1.00	15	1.00	5.70	50	< 0.0500	2.75	see note 1. below
8	13469	30-Jun-09	0.0515	U	0.3	1.0	< 1.00	15	1.00	28.50	50	< 0.0500	10.80	see note 1. below
9	13530	06-Aug-09	0.0510	U	0.3	1.0	< 1.00	15	1.00	12.60	50	< 0.0500	4.74	see note 1. below
10	13565	15-Sep-09	0.0521	U	0.3	1.0	2.30	15	1.00	4.40	50	< 0.0500	7.59	see note 1. below
11	13599	13-Oct-09	0.0510	U	0.3	1.0	< 1.00	15	1.00	7.80	50	< 0.0500	3.44	see note 1. below
12	13633	03-Nov-09	0.0515	U	0.3	1.0	< 1.00	15	1.00	1.10	50	< 0.0500	0.489	see note 1. below
13	13668	03-Dec-09	0.0521	U	0.3	1.0	< 1.00	15	1.00	4.00	50	0.8130	0.868	see note 1. below
14	13701	07-Jan-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	2.50	50	< 0.0500	1.00	see note 1. below
15	13731	02-Feb-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	3.30	50	< 0.0500	1.29	see note 1. below
16	13766	04-Mar-10	0.0526	U	0.3	1.0	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.162	see note 1. below
17	13796	08-Apr-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	4.00	50	< 0.0500	1.44	see note 1. below
18	13829	06-May-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	3.50	50	< 0.0500	1.00	see note 1. below
19	13860	03-Jun-10	0.0500	U	0.3	1.0	1.10	15	1.00	5.80	50	0.0641	1.46	see note 1. below
20	13901	01-Jul-10	0.0505	U	0.3	1.0	< 1.00	15	1.00	7.20	50	< 0.0500	3.650	see note 1. below
21	13144	01-Jul-08	0.0543	U	0.3	1.0	< 1.00	15	1.00	17.80	50	< 0.0500	7.10	see note 1. below
22	13932	26-Aug-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	14.20	50	< 0.0500	5.210	see note 1. below
23	13964	30-Sep-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	6.40	50	< 0.0500	2.430	see note 1. below
24	14001	1-Oct-10	0.0500	U	0.3	1.0	3.50	15	1.00	1.70	50	0.1520	0.221	see note 1. below

Notes:

- 1). There is no effluent limit on metals for the SPDES Permit.
- 2). Analyses performed by Analytics Corporation, Inc.

Table 3
MLC Massena Facility
Quarterly Water Samples
NE Industrial Landfill Groundwater Sump
PCB and Phenolics Analytical Results
 USEPA Method SW 846 8082 and 420.1

#	Sample ID	Sample Date	PCBs Detection Limit (ug/L)	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs (ug/L)	Total Phenolics Detection Limit (ug/L)	Total Phenolics (ug/L)
1	090805-KC-001	8-Sep-05	1.6	16	U	U	U	U	U	U	16.0	5.0	U
2	122005AM-001DL	20-Dec-05	1.6	U	U	U	17.0	U	U	U	17.0	5.0	U
3	032106MP-002	21-Mar-06	1.3	U	U	U	13.0	U	U	U	13.0	5.0	U
4	061406MP-002	14-Jun-06	0.065	U	U	U	0.48	U	U	U	0.48	5.0	U
5	091206GD-002DL	12-Sep-06	3.2	UY	U	U	34 D	U	U	U	34 D	5.0	U
6	122006MP-002DL	20-Dec-06	1.6	U	U	U	19 D	U	U	U	19 D	5.0	U
7	031307MN-002DL	13-Mar-07	3.2	U	U	U	25 D	U	U	U	25 D	5.0	U
8	SNEIL-05232007-003	23-May-07	1.6	U	U	U	22	U	U	U	22	2.0	4.8
9	100207RB-002DL	2-Oct-07	3.2	U	U	U	17 D	U	U	U	17 D	5.0	U
10	121007RB-002	10-Dec-07	3.2	U	U	U	20 D	U	U	U	20 D	5.0	U
11	32708RB-002	27-Mar-08	1.6	U	U	U	16 D	U	U	U	16 D	5.0	6.7
12	SSNEIL 062508-002	25-Jun-08	6.5	U	U	U	45 D	U	U	U	45 D	5.0	6.7
13	ILF 100108-002	1-Oct-08	6.5	U	U	U	27 D	U	U	U	27 D	5.0	U
14	ILF 121008-002DL	10-Dec-08	1.6	U	U	U	26 D	U	U	U	26 D	5.0	6.6
15	ILF032509-002DL	25-Mar-09	0.65	U	U	U	14 D	U	U	U	14 D	5.0	U
16	ILF062409-001DL	24-Jun-09	0.65	U	U	U	15 D	U	U	U	15 D	5.0	U
17	ILF090909-002DL	9-Sep-09	0.65	U	U	U	14 D	U	U	U	14 D	5.0	U
18	ILF122809-002DL	28-Dec-09	0.65	U	U	U	22 D	U	U	U	22 D	5.0	U
19	ILF033010-002DL	30-Mar-10	1.6	U	U	U	37 D	U	U	U	37 D	5.0	U
20	ILF062310-002	23-Jun-10	1.6	U	U	U	23.0	U	U	U	23.0	40.0	6 B, J
21	ILF092910-002	29-Sep-10	0.65	U	U	U	U	19	U	U	19.0	40.0	U

Notes:

All results reported in units of micrograms per liter (ug/L) for PCBs and Phenolics; U = Non-detect.; D = Diluted Sample
 Y = AR 1016, if present is included in the value reported for AR1242 B = Estimated result. Result is less than RL

Table 4
MLC Massena Facility
Groundwater Sump Process Water Lagoon #2
PCB Analytical Results

USEPA Method SW 846 8082 - All results reported in ug/L.

#	Sample ID	Sample Date	Detection Limit	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs
1	PW#2 2-11-04	11-Feb-04	0.05	U	U	U	2.17	U	U	U	2.17
2	PW#2 2-18-04	18-Feb-04	0.05	U	U	U	U	U	U	U	U
3	PW#2 2-24-04	24-Feb-04	0.05	U	U	U	U	U	U	U	U
4	PW#2 5-26-05	26-May-05	0.05	U	U	U	U	U	U	U	U
5	PW#2 3-29-06	29-Mar-06	0.0526	U	U	U	U	U	U	U	U
6	121007RBIL-003	10-Dec-07	0.065	U	U	U	0.16	U	U	U	0.16
7	32708RB-001	27-Mar-08	0.065	U	U	U	0.17	U	U	U	0.17
8	IAL 062508-003	25-Jun-08	0.065	U	U	U	0.18 P	U	U	U	0.18 P
9	IAL 100108-001	1-Oct-08	0.065	U	U	U	0.19 P	U	U	U	0.19 P
10	IAL 121008-001	10-Dec-08	0.065	U	U	U	0.78	U	U	U	0.78
11	IAL 032509-001	25-Mar-09	0.065	U	U	U	0.25	U	U	U	0.25
12	IAL 062409-001	24-Jun-09	0.065	U	U	U	0.54	U	U	U	0.54
13	IAL 090909-001	9-Sep-09	0.065	U	U	U	0.27 P	U	U	U	0.27 P
14	IAL 122809-001	28-Dec-09	0.065	U	U	U	2.5 D	U	U	U	2.5 D
15	IAL 033010-001	30-Mar-10	0.065	U	U	U	0.16 P	U	U	U	0.16 P
16	IAL062310-001	23-Jun-10	0.32	U	U	U	1.3	U	U	U	1.3
17	IAL092910-001	29-Sep-10	0.65	U	U	U	0.33	U	U	U	0.33

Notes:

All results reported in units of micrograms per liter (ug/L); U = Non-detect.

P = Indicates when there is greater than 25% difference for detected concentrations between the 2 GC columns. The lower of the 2 values is reported.

D = Indicates diluted sample.

Table 5
MLC Massena Facility
Turtle Creek Holding Pond
Bi-Annual Water Sample PCB Analytical Results

USEPA Method SW 846 8082

#	Sample ID	Sample Date	PCBs Detection Limit (ug/L)	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs (ug/L)
1	WS-122005AM-001	12/20/05	0.065	U	U	U	U	U	U	U	U
2	032106MP-001	3/21/06	0.065	U	U	U	U	U	U	U	U
3	061406MP-001	6/14/06	0.065	U	U	U	U	U	U	U	U
4	091206GD-001	9/12/06	0.065	U	U	U	U	U	U	U	U
5	122006MP-001	12/20/07	0.065	U	U	U	U	U	U	U	U
6	031307MN-001	3/13/07	0.065	U	U	U	U	U	U	U	U
7	061907RB-001	6/19/07	0.065	U	U	U	U	U	U	U	U
8	100207RB-001	10/2/07	0.065	U	U	U	U	U	U	U	U
9	121007RB-001	12/10/07	0.065	U	U	U	U	U	U	U	U
10	COVE 062508-001	6/25/08	0.065	U	U	U	U	U	U	U	U
11	COVE 100108-01	10/1/08	0.065	U	U	U	U	U	U	U	U
12	COVE 062409-003	6/24/09	0.065	U	U	U	U	U	U	U	U
13	COVE 090909-003	9/9/09	0.065	U	U	U	U	U	U	U	U
14	COVE062310-003	6/23/10	0.065	U	U	U	U	U	U	U	U
15	COVE092910-003	9/29/10	0.065	U	U	U	U	U	U	U	U

Notes:

All results reported in units of micrograms per liter (ug/L) for PCBs; U = Non-detect.

Massena Remediation Program Report Distribution List

1 copy (excluding plans or reports):

Chief, New York/Caribbean Superfund Branch
Office of Regional Counsel
U.S. Environmental Protection Agency, Region II
290 Broadway, 20th Floor
New York, New York 10007-1866
Attention: GM/Massena Superfund Site Attorney

2 copies (or 5 copies if plan or report):

Emergency and Remedial Response Division
U.S. Environmental Protection Agency, Region II
290 Broadway, 20th Floor
New York, New York 10007-1866
Attention: Anne Kelly

2 copies (or 3 if plan or report):

Mr. Ken Jock
Environmental Director
St. Regis Mohawk Tribe
412 State Route 37
Akwesasne, New York 13655

for Federal Express Packages:
SRMT Environmental Division
449 Frogtown Road
Akwesasne, NY 13655

3 copies (or 3 copies if plan or report):

New York State Department of Environmental Conservation
317 Washington Street
Watertown, New York 13601-3787
Attention: Regional Hazardous Waste Engineer – Peter Taylor, P.E.
Peter S. Ouderkirk, P.E. (1 copy)
Lincoln Fancher, Project Geologist (1 copy)

1 copy:

Wendy S. Keuhner, P.E.
New York State Department of Health
Flanigan Square, Room 300
547 River Street
Troy, New York 12180

Massena Remediation Program Report Distribution List

All Reports and Government Correspondence:

James M. Redwine, Esq.

Motors Liquidation Company
500 Renaissance Dr., Suite 1400
Detroit, MI 48243
Phone: 214-906-2146

Scott Haeger

Motors Liquidation Company
500 Renaissance Dr., Suite 1400
Detroit, MI 48243
Phone: 312-206-9574

Raymond M. Kapp

ARCADIS
One International Boulevard, Suite 406
Mahwah, NJ 07495
Phone: 201-684-1410
Fax: 201-684-1420

Richard G. Boelter

ARCADIS
c/o MLC (former GM)
Route 37 East, Box 460
Massena, NY 13662
Phone: 315-764-2299

Terry W. Young

ARCADIS
6723 Towpath Road
P.O. Box 66
Syracuse, NY 13662
Phone: 315-671-9478