

March 18, 2005

Reference No. 17303

Mr. Peter T. Masson
Department of Environmental Quality
Jackson District Office
301 East Louis Glick Highway
Jackson, Michigan 49201-1556

Dear Mr. Masson:

Re: 2004 Groundwater Monitoring Summary
Company Vehicle Operations Area
Former Willow Run Assembly Plant
Washtenaw County, Michigan

On behalf of ENCORE, a wholly owned subsidiary of General Motors Corporation (GM), Conestoga-Rovers & Associates, Inc. (CRA) is providing this Groundwater Monitoring Summary covering the period between January 2004 and December 2004 for the Company Vehicle Operations (CVO) property located in Ypsilanti, Michigan (Site). Regular groundwater sampling events are being conducted to monitor constituent concentrations over time and to monitor concentrations at the property boundaries.

The shallow groundwater at the Site has been impacted with chlorinated and non-chlorinated volatile organic compounds (VOCs). An Interim Response Action (IRA), specifically chemical oxidation using potassium permanganate (KMnO₄) to treat the impacted groundwater, was conducted between December 2001 and June 2002, in two source areas at the Site. The constituents of concern (COC) at the Site are trichloroethylene (TCE), cis-1,2-dichloroethylene (cis-DCE), and vinyl chloride. The Michigan Department of Environmental Quality (MDEQ) granted a *groundwater not in an aquifer determination* for the surficial unit from which this groundwater is sampled (letter to Ken Richards dated September 1, 2004). Accordingly, drinking water criteria are not applicable.

GROUNDWATER SAMPLING IN 2004

Regular groundwater monitoring was completed on a quarterly basis in 2004. The sampling locations remained the same as the 2003 semi-annual locations with the exception of replacing MW5 with MW19-07 and the addition of four monitoring points along the southern property boundary (MW19-01, MW19-02, MW19-03, and MW19-24). The quarterly monitoring included the five regularly sampled injection wells (IW-9, IW-12, IW-33, IW-46, and IW-49). Injection

well IW-49 could not be located during the December 2004 sampling event and is assumed to have been covered and potentially damaged during the installation of the sheet pile wall in October 2004. Consequently, samples were collected from IW-44, located near IW-49, in the December 2004 sampling event.

Groundwater surface water interface (GSI) monitoring wells (GS3, GS4, and GS5) installed at the GSI compliance points were also sampled on a quarterly basis to monitor the groundwater VOC concentrations immediately adjacent to Tyler Pond. In October 2004, a sheet pile wall was installed, adjacent to Tyler Pond, to prevent migration of dense non-aqueous phase liquid (DNAPL) into Tyler Pond. Monitoring well GS5 is now located within the sheet pile wall; therefore, this location is no longer representative of groundwater venting to surface water at the Site. Additional monitoring is discussed in the forthcoming Supplemental Phase III EOC Work Plan.

Groundwater samples were also collected from monitoring well MW6, which is located between the two source areas.

Groundwater samples were collected from these wells and were analyzed for target compound list (TCL) VOCs.

Table 1 presents the 2004 groundwater monitoring results for these wells, and includes historical data collected from December 2001 through December 2003. The table indicates that during the December 2004 sampling event four constituents, cis-1,2-DCE, vinyl chloride, TCE, and toluene were detected above GSI criteria at interior, perimeter and GSI locations; however, there are no exceedances of the final acute value (FAV) at GSI or perimeter locations (see Table 1). Trichloroethylene was detected above GSI at interior wells only. Generally concentrations of the constituents detected in the groundwater are stable and decreasing at the Site.

GROUNDWATER LEVEL MONITORING

Water levels were collected on a bi-monthly basis to determine groundwater flow conditions throughout the 2004 calendar year. Figures 1 through 6 present the locations for all the monitoring wells where water levels were collected and the groundwater flow pattern exhibited from these readings.

The figures generally show consistent flow direction at the Site, with a groundwater divide that extends through the center portion of the Site running northwest to southeast. Flow north of this divide moves towards Tyler Pond to the north, while flow south of the divide moves towards Tyler Road.

March 18, 2005

3

Reference No. 17303

2005 PROPOSED MONITORING

Regular groundwater monitoring is planned on a quarterly basis for the 2005 calendar year. The sampling locations will remain the same as the 2004 quarterly locations with the exception of adding a new GSI monitoring well southeast of the Site, immediately downstream of the Tyler Pond dam, adjacent to Willow Run Creek. Water levels will also be collected, on a quarterly basis in 2005, prior to each sampling event.

If you have any questions, please do not hesitate to contact me at (734) 453-5123.

Yours truly,

CONESTOGA-ROVERS & ASSOCIATES

Fred W. Blickle, P.E

AB/bw/9/Det.

Encl.

c.c.: Ken Richards - ENCORE
Beth Landale - CRA
Gary Klepper - CRA

2001-2004 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells/Volatile Organic Compounds				1,1,1-Trichloroethane mg/L	1,1,2,2-Tetrachloroethane mg/L	1,1,2-Trichloroethane mg/L	1,1-Dichloroethane mg/L	1,1-Dichloroethene mg/L	1,2,3-Trichloropropane mg/L	1,2,4-Trichlorobenzene mg/L	1,2,4-Trimethylbenzene mg/L	1,2-Dibromo-3-chloropropane (DBCP) mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	1,2-Dichlorobenzene mg/L	1,2-Dichloroethane mg/L	1,2-Dichloropropane mg/L	1,3,5-Trimethylbenzene mg/L	
	Well ID	Top of Casing	Screen (ft BGS)	Sample Date														
1.	IW-9	716.45	11 - 16	12/13/2001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.015	ND(0.001)	ND(0.005)	0.005	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	0.002
				1/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.005)	0.011	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	0.004
				3/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.005)	0.009	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	0.003
				5/6/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.005)	0.002	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				7/22/2002	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	0.012 / 0.011	ND(0.001)/ND(0.001)	ND(0.005) /ND(0.005)	0.005 / 0.004	ND(0.001) /ND(0.001)	--	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) / 0.002
				11/25/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.01	ND(0.001)	--	0.001	ND(0.001)	ND(0.001)	0.004
				6/26/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.005	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				12/2/2003	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	--	ND(10)	--	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	--
				3/31/2004	ND(1.4) /ND(1.4)	ND(1.4) /ND(1.4)	ND(1.4) /ND(1.4)	ND(1.4) /ND(1.4)	ND(1.4) /ND(1.4)	--	ND(7.1) /ND(7.1)	--	ND(1.4) /ND(1.4)	ND(1.4) /ND(1.4)	ND(1.4) /ND(1.4)	ND(1.4) /ND(1.4)	ND(1.4) /ND(1.4)	--
				6/30/2004	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	--	ND(6.2)	--	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	--
				9/22/2004	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	ND(5)	--	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--
				12/8/2004	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	--	ND(6.2)	--	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	--
2.	IW-12	717.28	7 - 17	12/13/2001	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.17 ^a	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	0.002	ND(0.001)	ND(0.001)
				1/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				3/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				5/6/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				7/22/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.059	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				11/25/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.22 ^b	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				6/26/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				12/2/2003	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	--	ND(10)	--	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	--
				3/31/2004	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	--	ND(12)	--	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	--
				7/1/2004	ND(0.56)	ND(0.56)	ND(0.56)	ND(0.56)	ND(0.56)	--	ND(2.8)	--	ND(0.56)	ND(0.56)	ND(0.56)	ND(0.56)	ND(0.56)	--
				9/22/2004	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--	ND(5)	--	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	--
				12/7/2004	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	--	ND(8.3)	--	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	--
3.	IW-33	717.82	13-18	12/13/2001	ND(0.001)	ND(0.001)	0.034	0.003	0.031	0.003	ND(0.005)	0.002	ND(0.001)	--	ND(0.001)	0.009	0.006	ND(0.001)
				1/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.012	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	0.001	ND(0.001)	ND(0.001)
				3/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	0.001	0.002	ND(0.001)
				5/6/2002	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.005) /ND(0.005)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	--	ND(0.001) /ND(0.001)	0.001 / 0.001	0.001 / 0.002	ND(0.001) /ND(0.001)
				7/22/2002	ND(0.001)	ND(0.001)	0.002	0.002	0.003	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	0.003	ND(0.001)	ND(0.001)
				11/26/2002	ND(0.001)	ND(0.001)	0.003	0.002	0.033	ND(0.001)	ND(0.001)	0.003	ND(0.001)	--	ND(0.001)	0.004	ND(0.001)	ND(0.001)
				6/26/2003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.057	ND(0.001)	ND(0.001)	0.002	ND(0.001)	--	ND(0.001)	0.004	ND(0.001)	ND(0.001)
				12/2/2003	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	--	ND(10)	--	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	--
				4/1/2004	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	--	ND(6.2)	--	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	--
				7/1/2004	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	--	ND(8.3)	--	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	--
				9/22/2004	ND(3.3) /ND(3.3)	ND(3.3) /ND(3.3)	ND(3.3) /ND(3.3)	ND(3.3) /ND(3.3)	ND(3.3) /ND(3.3)	--	ND(17) /ND(17)	--	ND(3.3)/ND(3.3)	ND(3.3) /ND(3.3)	ND(3.3) /ND(3.3)	ND(3.3) /ND(3.3)	ND(3.3) /ND(3.3)	--
				12/8/2004	ND(3.3)	ND(3.3)	ND(3.3)	ND(3.3)	ND(3.3)	--	ND(17)	--	ND(3.3)	ND(3.3)	ND(3.3)	ND(3.3)	ND(3.3)	--
4.	IW-46	714.80	12 - 17	12/14/2001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.02	ND(0.001)	ND(0.005)	0.01	ND(0.001)	--	ND(0.001)	0.016	ND(0.001)	0.003
				1/14/2002	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	0.002 / 0.002	ND(0.001)/ND(0.001)	ND(0.005) /ND(0.005)	0.005 / 0.006	ND(0.001)/ND(0.001)	--	ND(0.001) /ND(0.001)	0.004 / 0.004	ND(0.001) /ND(0.001)	0.002 / 0.002
				3/14/2002	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	0.009 / 0.008	ND(0.001) /ND(0.001)	0.006 / 0.006	ND(0.001)/ND(0.001)	ND(0.005) /ND(0.005)	ND(0.001) / 0.016	ND(0.001) /ND(0.001)	--	ND(0.001) /ND(0.001)	0.016 / 0.016	ND(0.001) /ND(0.001)	0.006 / 0.006
				5/6/2002	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)UJ	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	0.007	ND(0.001)	ND(0.001)
				7/22/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	0.009	ND(0.001)	ND(0.001)
				11/25/2002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.001	ND(0.001)	--	ND(0.001)	0.012	ND(0.001)	ND(0.001)
				6/26/2003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)UJ	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	0.009	ND(0.001)	ND(0.001)
				8/13/2003	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	0.002 / 0.002	ND(0.001) /ND(0.001)	0.007 / 0.007	--	ND(0.005) /ND(0.005)	--	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	0.003 / 0.003	ND(0.001) /ND(0.001)	--
				12/3/2003	ND(0.17)	ND(0.17)	ND(0.17)	ND(0.17)	ND(0.17)	--	ND(0.83)	--	ND(0.17)	ND(0.17)	ND(0.17)	ND(0.17)	ND(0.17)	--
				4/1/2004	ND(0.42)	ND(0.42)	ND(0.42)	ND(0.42)	ND(0.42)	--	ND(2.1)	--	ND(0.42)	ND(0.42)	ND(0.42)	ND(0.42)	ND(0.42)	--
				6/30/2004	ND(0.12)	ND(0.12)	ND(0.12)	ND(0.12)	ND(0.12)	--	ND(0.62)	--	ND(0.12)	ND(0.12)	ND(0.12)	ND(0.12)	ND(0.12)	--
				9/22/2004	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	--	ND(1.7)	--	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	--
12/8/2004	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	--	ND(8.3)	--	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	--				
5 A.	IW-49	715.22	7 - 17	12/14/2001	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	0.002 / 0.002	ND(0.001)/ND(0.001)	ND(0.005) /ND(0.005)	ND(0.001) /ND(0.001)	ND(0.001)/ND(0.001)	--	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)
				1/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				3/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				5/6/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				7/22/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				11/25/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				6/26/2003	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(								

2001-2004 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells/Volatile Organic Compounds				1,1,1-Trichloroethane mg/L	1,1,2,2-Tetrachloroethane mg/L	1,1,2-Trichloroethane mg/L	1,1-Dichloroethane mg/L	1,1-Dichloroethene mg/L	1,2,3-Trichloropropane mg/L	1,2,4-Trichlorobenzene mg/L	1,2,4-Trimethylbenzene mg/L	1,2-Dibromo-3-chloropropane (DBCP) mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	1,2-Dichlorobenzene mg/L	1,2-Dichloroethane mg/L	1,2-Dichloropropane mg/L	1,3,5-Trimethylbenzene mg/L	
	Well ID	Top of Casing	Screen (ft BGS)	Sample Date														
6.	GS-3	704.61	3-5	4/3/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				6/27/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	
				12/2/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				4/1/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				7/1/2004	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	--	ND(0.25)	--	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	--	
				9/23/2004	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	--	ND(0.33)	--	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	--	
				12/10/2004	ND(0.015)	ND(0.015)	ND(0.015)	ND(0.015)	ND(0.015)	--	ND(0.077)	--	ND(0.015)	ND(0.015)	ND(0.015)	ND(0.015)	--	
				4/3/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	
				6/27/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	
				12/2/2003	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	--	ND(0.005) /ND(0.005)	--	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	--	
7.	GS-4	702.93	3-5	4/1/2004	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	--	ND(0.05)	--	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	--	
				7/1/2004	ND(0.0071)	ND(0.0071)	ND(0.0071)	ND(0.0071)	ND(0.0071)	--	ND(0.036)	--	ND(0.0071)	ND(0.0071)	ND(0.0071)	ND(0.0071)	--	
				9/23/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				12/10/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				4/10/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)
				6/27/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				12/3/2003	ND(0.056)	ND(0.056)	ND(0.056)	ND(0.056)	ND(0.056)	--	ND(0.28)	--	ND(0.056)	ND(0.056)	ND(0.056)	ND(0.056)	--	
				4/1/2004	ND(0.056)	ND(0.056)	ND(0.056)	ND(0.056)	ND(0.056)	--	ND(0.28)	--	ND(0.056)	ND(0.056)	ND(0.056)	ND(0.056)	--	
				7/1/2004	ND(0.083)	ND(0.083)	ND(0.083)	ND(0.083)	ND(0.083)	--	ND(0.42)	--	ND(0.083)	ND(0.083)	ND(0.083)	ND(0.083)	--	
				9/23/2004	ND(0.071)	ND(0.071)	ND(0.071)	ND(0.071)	ND(0.071)	--	ND(0.36)	--	ND(0.071)	ND(0.071)	ND(0.071)	ND(0.071)	--	
9.	MW-5	715.00	10-20	12/10/2004	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	--	ND(0.04)	--	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	--	
				6/26/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				12/3/2003	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	--	ND(1)	--	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	--	
				6/26/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
				12/3/2003	ND(0.0067)	ND(0.0067)	ND(0.0067)	ND(0.0067)	ND(0.0067)	--	ND(0.033)	--	ND(0.0067)	ND(0.0067)	ND(0.0067)	ND(0.0067)	--	
				4/1/2004	ND(0.0067)	ND(0.0067)	ND(0.0067)	ND(0.0067)	ND(0.0067)	--	ND(0.033)	--	ND(0.0067)	ND(0.0067)	ND(0.0067)	ND(0.0067)	--	
				6/30/2004	ND(0.0091)	ND(0.0091)	ND(0.0091)	ND(0.0091)	ND(0.0091)	--	ND(0.045)	--	ND(0.0091)	ND(0.0091)	ND(0.0091)	ND(0.0091)	--	
				9/22/2004	ND(0.011)	ND(0.011)	ND(0.011)	ND(0.011)	ND(0.011)	--	ND(0.056)	--	ND(0.011)	ND(0.011)	ND(0.011)	ND(0.011)	--	
				12/8/2004	ND(0.011)	ND(0.011)	ND(0.011)	ND(0.011)	ND(0.011)	--	ND(0.056)	--	ND(0.011)	ND(0.011)	ND(0.011)	ND(0.011)	--	
				12/1/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
11.	MW19-01	716.37	8-18	4/1/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				6/30/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				9/22/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				12/8/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				12/1/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				4/1/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				6/30/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				9/22/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				12/8/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.005)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	
				12/1/2003	ND(0.71) /ND(0.83)	ND(0.83) /ND(0.71)	ND(0.71) /ND(0.83)	ND(0.83) /ND(0.71)	ND(0.71) /ND(0.83)	--	ND(4.2) /ND(3.6)	--	ND(0.71) /ND(0.83)	ND(0.71) /ND(0.83)	ND(0.83) /ND(0.71)	ND(0.83) /ND(0.71)	ND(0.71) /ND(0.83)	--
12.	MW19-02	716.15	9-19	4/1/2004	ND(0.42)	ND(0.42)	ND(0.42)	ND(0.42)	ND(0.42)	--	ND(2.1)	--	ND(0.42)	ND(0.42)	ND(0.42)	ND(0.42)	--	
				6/30/2004	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	ND(2.5)	--	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	
				9/22/2004	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	ND(2.5)	--	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	
				12/8/2004	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	ND(2.5)	--	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	
				12/1/2003	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	--	ND(0.25)	--	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	--	
				4/1/2004	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	--	ND(0.17)	--	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	--	
				6/30/2004	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	--	ND(0.17)	--	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	--	
				9/22/2004	ND(0.077)	ND(0.077)	ND(0.077)	ND(0.077)	ND(0.077)	--	ND(0.38)	--	ND(0.077)	ND(0.077)	ND(0.077)	ND(0.077)	--	
				12/8/2004	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	--	ND(0.33)	--	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	--	
				12/1/2003	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	ND(2.5)	--	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	
13.	MW19-03	714.44	7-17	4/1/2004	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	--	ND(1.7)	--	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	--	
				6/30/2004	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	--	ND(0.17)	--	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	--	
				9/22/2004	ND(0.077)	ND(0.077)	ND(0.077)	ND(0.077)	ND(0.077)	--	ND(0.38)	--	ND(0.077)	ND(0.077)	ND(0.077)	ND(0.077)	--	
				12/8/2004	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	--	ND(0.33)	--	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	--	
				12/1/2003	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	--	ND(0.25)	--	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	--	
				4/1/2004	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	--	ND(0.17)	--	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	--	
				6/30/2004	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	--	ND(0.17)	--	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	--	
				9/22/2004	ND(0.077)	ND(0.077)	ND(0.077)	ND(0.077)	ND(0.077)	--	ND(0.38)	--	ND(0.077)	ND(0.077)	ND(0.077)	ND(0.077)	--	
				12/8/2004	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	--	ND(0.33)	--	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	--	
				12/1/2003	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	ND(2.5)	--	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	
14.	MW19-07	715.72	7-17	4/1/2004	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	--	ND(1.7)	--	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	--	
				6/30/2004	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	ND(2.5)	--	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	
				9/22/2004	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	ND(2.5)	--	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	
				12/8/2004	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	ND(2.5)	--	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	
				12/1/2003	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	ND(2.5)	--	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	--	
				4/1/2004	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	--	ND(1.7)	--	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	--	
				6/30/2004	ND(0.5)	ND(0.5)	ND(0.5)	ND(										

TABLE 1

2001-2004 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells/Volatile Organic Compounds				1,3-Dichlorobenzene mg/L	1,4-Dichlorobenzene mg/L	2-Butanone (Methyl Ethyl Ketone) mg/L	2-Hexanone mg/L	4-Methyl-2-Pentanone (Methyl Isobutyl Ketone) mg/L	Acetone mg/L	Benzene mg/L	Bromodichloromethane mg/L	Bromoform mg/L	omethane (Methyl Bron mg/L	Carbon disulfide mg/L	Carbon tetrachloride mg/L	Chlorobenzene mg/L	Chloroethane mg/L
Well ID	Top of Casing	Screen (ft BGS)	Sample Date														
1.	IW-9	716.45	11 - 16	12/13/2001	ND(0.001)	ND(0.001)	0.64 J	ND(0.05)	ND(0.05)	ND(0.1)	0.02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				1/14/2002	ND(0.001)	ND(0.001)	0.16	ND(0.05)	ND(0.05)	0.13	0.034	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)
				3/14/2002	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	0.16	0.041	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)
				5/6/2002	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.1)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)
				7/22/2002	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.05) / ND(0.05)	ND(0.05) / ND(0.05)	ND(0.05) / ND(0.05)	0.1 / 0.1	0.038 / 0.037	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	0.006 / 0.007	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)
				11/25/2002	ND(0.001)	ND(0.001)	ND(0.025)	ND(0.05)	ND(0.05)	ND(0.025)	0.043	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				6/26/2003	ND(0.001)	ND(0.001)	ND(0.025)	ND(0.05)	ND(0.05)	ND(0.025)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				12/2/2003	ND(2)	ND(2)	ND(50)	ND(100)	ND(100)	ND(50)U	ND(2)	ND(2)	ND(2)	ND(10)	ND(2)	ND(2)	ND(2)
				3/31/2004	ND(1.4) / ND(1.4)	ND(1.4) / ND(1.4)	ND(36) / ND(36)	ND(71) / ND(71)	ND(71) / ND(71)	ND(36) / ND(36)	ND(1.4) / ND(1.4)	ND(1.4) / ND(1.4)	ND(1.4) / ND(1.4)	ND(1.4) / ND(1.4)	ND(7.1) / ND(7.1)	ND(1.4) / ND(1.4)	ND(1.4) / ND(1.4)
				6/30/2004	ND(1.2)	ND(1.2)	ND(31)	ND(62)	ND(31)	ND(31)	ND(1.2)	ND(1.2)	ND(1.2)	ND(6.2)	ND(1.2)	ND(1.2)	ND(1.2)
				9/22/2004	ND(1)	ND(1)	ND(25)	ND(50)	ND(25)	ND(1)U	ND(1)	ND(1)	ND(1)	ND(5)	ND(1)	ND(1)	ND(1)
				12/8/2004	ND(1.2)	ND(1.2)	ND(31)	ND(62)	ND(31)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(6.2)	ND(1.2)	ND(1.2)	ND(1.2)
2.	IW-12	717.28	7 - 17	12/13/2001	ND(0.001)	ND(0.001)	0.23	ND(0.05)	ND(0.05)	ND(0.1)	0.1	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				1/14/2002	ND(0.001)	ND(0.001)	0.11	ND(0.05)	ND(0.05)	0.34	0.053	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)
				3/14/2002	ND(0.001)	ND(0.001)	0.07	ND(0.05)	ND(0.05)	0.28	0.042	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)
				5/6/2002	ND(0.001)	ND(0.001)	0.099	ND(0.05)	ND(0.05)	2.6 ^a	0.088	0.001	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				7/22/2002	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.1)	0.085	0.002	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)
				11/25/2002	ND(0.001)	ND(0.001)	ND(0.025)	ND(0.05)	ND(0.05)	ND(0.025)	0.16	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)
				6/26/2003	ND(0.001)	ND(0.001)	ND(0.025)	ND(0.05)	ND(0.05)	ND(0.025)	0.1	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	0.005
				12/2/2003	ND(2)	ND(2)	ND(50)	ND(100)	ND(100)	ND(50)U	ND(2)	ND(2)	ND(2)	ND(10)	ND(2)	ND(2)	ND(2)
				3/31/2004	ND(2.5)	ND(2.5)	ND(62)	ND(120)	ND(120)	ND(62)	ND(2.5)	ND(2.5)	ND(2.5)	ND(12)	ND(2.5)	ND(2.5)	ND(2.5)
				7/1/2004	ND(0.56)	ND(0.56)	ND(14)	ND(28)	ND(28)	0.64 J	0.17 J	ND(0.56)	ND(0.56)	ND(0.56)	ND(2.8)	ND(0.56)	ND(0.56)
				9/22/2004	ND(1)	ND(1)	ND(25)	ND(50)	ND(25)	ND(1)U	ND(1)	ND(1)	ND(1)	ND(5)	ND(1)	ND(1)	ND(1)
				12/7/2004	ND(1.7)	ND(1.7)	ND(42)	ND(83)	ND(42)	ND(83)	ND(1.7)	ND(1.7)	ND(1.7)	ND(8.3)	ND(1.7)	ND(1.7)	ND(1.7)
3.	IW-33	717.82	13-18	12/13/2001	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	0.26	0.18	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				1/14/2002	ND(0.001)	ND(0.001)	0.11	ND(0.05)	ND(0.05)	0.49	0.08	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)
				3/14/2002	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	0.24	0.068	0.002	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)
				5/6/2002	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.05) / ND(0.05)	ND(0.05) / ND(0.05)	ND(0.05) / ND(0.05)	0.38 / 0.4	0.058 / 0.062	0.002 / 0.002	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	0.01 / 0.011	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)
				7/22/2002	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.1)	0.11	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)
				11/26/2002	ND(0.001)	ND(0.001)	ND(0.025)	ND(0.05)	ND(0.05)	ND(0.025)	0.18	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				6/26/2003	ND(0.001)	ND(0.001)	ND(0.025)	ND(0.05)	ND(0.025)	ND(0.025)	0.12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				12/2/2003	ND(2)	ND(2)	ND(50)	ND(100)	ND(100)	ND(50)U	ND(2)	ND(2)	ND(2)	ND(10)	ND(2)	ND(2)	ND(2)
				4/1/2004	ND(1.2)	ND(1.2)	ND(31)	ND(62)	ND(31)U	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(6.2)	ND(1.2)	ND(1.2)	ND(1.2)
				7/1/2004	ND(1.7)	ND(1.7)	ND(42)	ND(83)	ND(83)	1.5 J	ND(1.7)	ND(1.7)	ND(1.7)	ND(8.3)	ND(1.7)	ND(1.7)	ND(1.7)
				9/22/2004	ND(3.3) / ND(3.3)	ND(3.3) / ND(3.3)	ND(83) / ND(83)	ND(170) / ND(170)	ND(170) / ND(170)	ND(83) / ND(83)	ND(3.3) / ND(3.3)U	ND(3.3) / ND(3.3)	ND(3.3) / ND(3.3)	ND(17) / ND(17)	ND(3.3) / ND(3.3)	ND(3.3) / ND(3.3)	ND(3.3) / ND(3.3)
				12/8/2004	ND(3.3)	ND(3.3)	ND(83)	ND(170)	ND(170)	ND(83)	ND(3.3)	ND(3.3)	ND(3.3)	ND(17)	ND(3.3)	ND(3.3)	ND(3.3)
4.	IW-46	714.80	12 - 17	12/14/2001	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.1)	0.02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				1/14/2002	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.05) / ND(0.05)	ND(0.05) / ND(0.05)	ND(0.05) / ND(0.05)	ND(0.1) / ND(0.1)	0.005 / 0.005	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.005) / ND(0.005)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)
				3/14/2002	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.05) / ND(0.05)	ND(0.05) / ND(0.05)	ND(0.05) / ND(0.05)	ND(0.1) / ND(0.1)	0.021 / 0.022	0.001 / 0.001	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.005) / ND(0.005)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)
				5/6/2002	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	0.25	0.01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				7/22/2002	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	0.82	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				11/25/2002	ND(0.001)	ND(0.001)	ND(0.025)	ND(0.05)	ND(0.05)	ND(0.025)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				6/26/2003	ND(0.001)	ND(0.001)	ND(0.025)	ND(0.05)	ND(0.05)	0.17	0.016	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				8/13/2003	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.025) / ND(0.025)	ND(0.05) / ND(0.05)	ND(0.05) / ND(0.05)	ND(0.025) / ND(0.025)	0.011 / 0.011	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.005) / ND(0.005)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)
				12/3/2003	ND(0.17)	ND(0.17)	ND(4.2)	ND(8.3)	ND(8.3)	ND(4.2)	ND(0.17)	ND(0.17)	ND(0.17)	ND(0.83)	ND(0.17)	ND(0.17)	ND(0.17)
				4/1/2004	ND(0.42)	ND(0.42)	ND(10)	ND(21)	ND(10)	ND(10)	ND(0.42)	ND(0.42)	ND(0.42)	ND(2.1)	ND(0.42)	ND(0.42)	ND(0.42)
				6/30/2004	ND(0.12)	ND(0.12)	ND(3.1)	ND(6.2)	ND(3.1)	ND(6.2)	ND(0.12)	ND(0.12)	ND(0.12)	ND(0.62)	ND(0.12)	ND(0.12)	ND(0.12)
				9/22/2004	ND(0.33)	ND(0.33)	ND(8.3)	ND(17)	ND(8.3)	ND(8.3)	ND(0.33)	ND(0.33)	ND(0.33)	ND(1.7)	ND(0.33)	ND(0.33)	ND(0.33)
12/8/2004	ND(1.7)	ND(1.7)	ND(42)	ND(83)	ND(42)	ND(83)	ND(1.7)	ND(1.7)	ND(1.7)	ND(8.3)	ND(1.7)	ND(1.7)	ND(1.7)				
5 A.	IW-49	715.22	7 - 17	12/14/2001	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.05) / ND(0.05)	ND(0.05) / ND(0.05)	ND(0.05) / ND(0.05)	ND(0.1) / ND(0.1)	0.005 / 0.005	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.005) / ND(0.005)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)
				1/14/2002	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.1)	0.003	0.001	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				3/14/2002	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.1)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				5/6/2002	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	0.14	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				7/22/2002	ND(0.001)	ND(0.001)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.1)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				11/25/2002	ND(0.001)	ND(0.001)	ND(0.025)	ND(0.05)	ND(0.05)	ND(0.025)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)
				6/26/2003	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.025) / ND(0.025)	ND(0.05) / ND(0.05)	ND(0.05) / ND(0.05)	0.072 / ND(0.025)	0.0021 / 0.0022	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.005) / ND(0.005)	ND(0.001) / ND(0.001)	ND(0

2001-2004 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells/Volatile Organic Compounds				Chloroform (Trichloromethane) mg/L	Chloromethane (Methyl Chloride) mg/L	cis-1,2-Dichloroethene mg/L	cis-1,3-Dichloropropene mg/L	Cyclohexane mg/L	Dibromochloromethane mg/L	Dichlorodifluoromethane (CFC-12) mg/L	Ethylbenzene mg/L	Isopropylbenzene mg/L	Methyl acetate mg/L	Methyl cyclohexane mg/L	Methyl Tert Butyl Ether mg/L	Methylene chloride mg/L	Naphthalene mg/L		
Well ID	Top of Casing	Screen (ft BGS)	Sample Date																
1.	IW-9	716.45	11 - 16	12/13/2001	ND(0.001)	ND(0.001)	16 ^{2B}	ND(0.001)	--	ND(0.001)	ND(0.001)	0.071 ^A	0.023	--	--	--	0.005	0.045 ^A	
				1/14/2002	0.001	ND(0.001)	21 ^{2B}	ND(0.001)	--	ND(0.001)	ND(0.001)	0.11 ^A	0.026	--	--	--	ND(0.005)	0.075 ^A	
				3/14/2002	0.002	ND(0.001)	24 ^{2B}	ND(0.001)	--	ND(0.001)	ND(0.001)	0.15 ^A	0.028	--	--	--	ND(0.005)	0.05 ^A	
				5/6/2002	0.002	ND(0.001)	4.8 ^A	ND(0.001)	--	ND(0.001)	ND(0.001)	0.04 ^A	0.01	--	--	--	ND(0.005)	0.009	
				7/22/2002	0.002 / 0.001	ND(0.001)/ND(0.001)	20 ^{2B} / 20 ^{2B}	ND(0.001)/ND(0.001)	--	ND(0.001)/ND(0.001)	ND(0.001)/ND(0.001)	0.11 ^A / 0.12 ^A	ND(0.001)/0.025	--	--	--	ND(0.005) / ND(0.005)	0.033 ^A / 0.033 ^A	
				11/25/2002	ND(0.001)	ND(0.001)	29 ^{2B}	ND(0.001)	--	ND(0.001)	ND(0.001)	0.03 ^A	0.038	--	--	--	ND(0.005)	ND(0.005)	
				6/26/2003	ND(0.001)	ND(0.001)	16 ^{2B}	ND(0.001)	--	ND(0.001)	ND(0.001)	0.012	0.016	--	--	--	ND(0.005)	0.01	
				12/2/2003	ND(2)	ND(2)	22 ^{2B}	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(10)	ND(20)	ND(2)	ND(10)	ND(10)U	--	
				3/31/2004	ND(1.4) / ND(1.4)	ND(1.4)/ND(1.4)	14 ^{2B} / 14 ^{2B}	ND(1.4)/ND(1.4)	ND(1.4)/ND(1.4)	ND(1.4)/ND(1.4)	ND(1.4) / ND(1.4)	ND(7.1)/ND(7.1)	ND(14)/ND(14)	ND(1.4)/ND(1.4)	ND(7.1) / ND(7.1)	ND(7.1) / ND(7.1)	ND(7.1) / ND(7.1)	--	
				6/30/2004	ND(1.2)	ND(1.2)	9.6 ^A	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(6.2)	ND(12)	ND(1.2)	ND(6.2)	ND(6.2)U	--	--	
				9/22/2004	ND(1)	ND(1)	10 ^A	ND(1)	ND(1)	ND(1)	ND(1)	ND(5)	ND(10)	ND(1)	ND(5)	ND(5)U	--	--	
				12/8/2004	ND(1.2)	ND(1.2)	13 ^{2B}	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(6.2)	ND(12)	ND(1.2)	ND(6.2)	ND(6.2)U	--	--	
2.	IW-12	717.28	7 - 17	12/13/2001	ND(0.001)	ND(0.001)	64 ^{2B}	ND(0.001)	--	ND(0.001)	ND(0.001)	0.015	ND(0.001)	--	--	--	0.005	ND(0.005)	
				1/14/2002	0.003	ND(0.001)	5 ^A	ND(0.001)	--	ND(0.001)	ND(0.001)	0.006	ND(0.001)	--	--	--	--	ND(0.005)	0.007
				3/14/2002	0.004	ND(0.001)	1.1 ^A	ND(0.001)	--	ND(0.001)	ND(0.001)	0.005	ND(0.001)	--	--	--	--	ND(0.005)	0.006
				5/6/2002	0.004	ND(0.001)	ND(0.001)	ND(0.001)	--	0.003	ND(0.001)	ND(0.001)	ND(0.001)	--	--	--	--	ND(0.005)	ND(0.005)
				7/22/2002	0.005	ND(0.001)	16 ^{2B}	ND(0.001)	--	ND(0.001)	ND(0.001)	0.011	ND(0.001)	--	--	--	--	ND(0.005)	ND(0.005)
				11/25/2002	ND(0.001)	ND(0.001)	60 ^{2B}	ND(0.001)	--	ND(0.001)	ND(0.001)	0.007	ND(0.005)	--	--	--	--	ND(0.005)	ND(0.005)
				6/26/2003	ND(0.001)	ND(0.001)	6.2 ^A	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	--	--	--	--	ND(0.005)	ND(0.005)
				12/2/2003	ND(2)	ND(2)	44 ^{2B}	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(10)	ND(20)	ND(2)	ND(10)	ND(10)U	--	
				3/31/2004	ND(2.5)	ND(2.5)	50 ^{2B}	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(12)	ND(25)	ND(2.5)	ND(12)	ND(12)U	--	--	
				7/1/2004	ND(0.56)	ND(0.56)	12 ^{2B}	ND(0.56)	ND(0.56)	ND(0.56)	ND(0.56)	ND(2.8)	ND(5.6)	ND(0.56)	ND(2.8)	ND(2.8)	--	--	
				9/22/2004	ND(1)	ND(1)	31 ^{2B}	ND(1)	ND(1)	ND(1)	ND(1)	ND(5)	ND(10)	ND(1)	ND(5)	ND(5)U	--	--	
				12/7/2004	ND(1.7)	ND(1.7)	46 ^{2B}	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	ND(8.3)	ND(17)	ND(1.7)	ND(8.3)	ND(8.3)U	--	--	
3.	IW-33	717.82	13-18	12/13/2001	ND(0.001)	ND(0.001)	12 ^{2B}	ND(0.001)	--	ND(0.001)	ND(0.001)	0.026 ^A	ND(0.001)	--	--	--	0.008	ND(0.005)	
				1/14/2002	0.004	ND(0.001)	2.8 ^A	ND(0.001)	--	ND(0.001)	ND(0.001)	0.01	ND(0.001)	--	--	--	--	ND(0.005)	ND(0.005)
				3/14/2002	0.005	ND(0.001)	0.59	ND(0.001)	--	ND(0.001)	ND(0.001)	0.001	ND(0.001)	--	--	--	--	ND(0.005)	ND(0.005)
				5/6/2002	0.006 / 0.006	ND(0.001)/ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001)/ND(0.001)	--	0.003 / 0.003	ND(0.001)/ND(0.001)	0.002 / 0.001	ND(0.001)/ND(0.001)	--	--	--	ND(0.005) / ND(0.005)	ND(0.005) / ND(0.005)	
				7/22/2002	0.006	ND(0.001)	1.5 ^A	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	--	--	--	ND(0.005)	ND(0.005)
				11/26/2002	0.001	ND(0.001)	7.4 ^A	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	--	--	--	ND(0.005)	ND(0.005)
				6/26/2003	ND(0.001)	ND(0.001)	15 ^{2B}	ND(0.001)	--	ND(0.001)	ND(0.001)	0.052 ^A	ND(0.005)	--	--	--	--	ND(0.005)	ND(0.005)
				12/2/2003	ND(2)	ND(2)	5.1 ^A	ND(2)	ND(2)	ND(2)	ND(2)	ND(10)	ND(20)	ND(2)	ND(10)	ND(10)U	--	--	
				4/1/2004	ND(1.2)	ND(1.2)	2.3 ^A	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(6.2)	ND(12)	ND(1.2)	ND(6.2)	ND(6.2)U	--	--	
				7/1/2004	ND(1.7)	ND(1.7)	4.4 ^A	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	ND(8.3)	ND(17)	ND(1.7)	ND(8.3)	ND(8.3)	--	--	
				9/22/2004	ND(3.3) / ND(3.3)	ND(3.3)/ND(3.3)	5.6 ^A / 5.5 ^A	ND(3.3)/ND(3.3)	ND(3.3)/ND(3.3)	ND(3.3) / ND(3.3)	ND(17)/ND(17)	ND(33)/ND(33)	ND(3.3)/ND(3.3)	ND(17) / ND(17)	ND(17)U / ND(17)U	--	--		
				12/8/2004	ND(3.3)	ND(3.3)	45 ^{2B}	ND(3.3)	ND(3.3)	ND(3.3)	ND(3.3)	ND(17)	ND(33)	ND(3.3)	ND(17)	ND(17)	--	--	
4.	IW-46	714.80	12 - 17	12/14/2001	0.005	ND(0.001)	16 ^{2B}	ND(0.001)	--	ND(0.001)	ND(0.001)	0.055 ^A	0.002	--	--	--	ND(0.005)	ND(0.005)	
				1/14/2002	0.003 / 0.003	ND(0.001)/ND(0.001)	1.2 ^A / 1.4 ^A	ND(0.001)/ND(0.001)	--	ND(0.001)/ND(0.001)	ND(0.001)/ND(0.001)	0.023 ^A / 0.021 ^A	ND(0.001)/ND(0.001)	--	--	--	ND(0.005) / ND(0.005)	ND(0.005) / ND(0.005)	
				3/14/2002	0.016 / 0.016	ND(0.001)/ND(0.001)	11 ^{2B} / 13 ^{2B}	ND(0.001)/ND(0.001)	--	ND(0.001)/ND(0.001)	ND(0.001)/ND(0.001)	0.061 ^A / 0.061 ^A	0.003 / 0.003	--	--	--	ND(0.005) / ND(0.005)	0.005 / 0.006	
				5/6/2002	0.007	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	0.034 ^A	0.002	--	--	--	--	ND(0.005)	ND(0.005)
				7/22/2002	0.004	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	--	--	--	--	ND(0.005)	ND(0.005)	
				11/25/2002	0.005	ND(0.001)	13 ^{2B}	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	--	--	--	--	ND(0.005)	ND(0.005)
				6/26/2003	0.007	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	--	--	--	--	ND(0.005)	ND(0.005)
				8/13/2003	0.003 / 0.003	ND(0.001)/ND(0.001)	4.9 ^A / 4.5 ^A	ND(0.001)/ND(0.001)	0.007 / 0.007	ND(0.001)/ND(0.001)	ND(0.001)/ND(0.001)	ND(0.001) / ND(0.001)	ND(0.005)/ND(0.005)	ND(0.01)/ND(0.01)	0.014 / 0.014	ND(0.005) / ND(0.005)	ND(0.005) / ND(0.005)	--	
				12/3/2003	ND(0.17)	ND(0.17)	5.5 ^A	ND(0.17)	ND(0.17)	ND(0.17)	ND(0.17)	ND(0.83)	ND(1.7)	ND(0.17)	ND(0.83)	ND(0.83)U	--	--	
				4/1/2004	ND(0.42)	ND(0.42)	10 ^A	ND(0.42)	ND(0.42)	ND(0.42)	ND(0.42)	ND(2.1)	ND(4.2)	ND(0.42)	ND(2.1)	ND(2.1)	--	--	
				6/30/2004	ND(0.12)	ND(0.12)	2.9 ^A	ND(0.12)	ND(0.12)	ND(0.12)	ND(0.12)	ND(0.62)	ND(1.2)	ND(0.12)	ND(0.62)	ND(0.62)U	--	--	
				9/22/2004	ND(0.33)	ND(0.33)U	8.8 ^A	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	ND(1.7)	ND(3.3)	ND(0.33)	ND(1.7)	ND(1.7)	--	--	
12/8/2004	ND(1.7)	ND(1.7)	59 ^{2B}	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	ND(8.3)	ND(17)	ND(1.7)	ND(8.3)	ND(8.3)	--	--					
5 A.	IW-49	715.22	7 - 17	12/14/2001	0.01 / 0.009	ND(0.001)/ND(0.001)	2.1 ^A / 2.3 ^A	ND(0.001)/ND(0.001)	--	ND(0.001)/ND(0.001)	ND(0.001) / 0.001	ND(0.001)/ND(0.001)	--	--	--	--	ND(0.005) / ND(0.005)	ND(0.005) / ND(0.005)	
				1/14/2002	0.01	ND(0.001)	0.31	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	--	--	--	ND(0.005)	ND(0.005)
				3/14/2002	0.016	ND(0.001)	0.7 ^A	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	--	--	--	ND(0.005)	ND(0.005)
				5/6/2002	0.011	ND(0.001)	0.36	ND(0.001)	--	0.003	ND(0.001)	ND(0.001)	ND(0.001)	--	--	--	--	ND(0.005)	ND(0.005)
				7/22/2002	0.004	ND(0.001)	0.18	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	--	--	--	ND(0.005)	ND(0.005)
				11/25/2002	0.002	ND(0.001)	0.57	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	--	--	--	--	ND(0.005)	ND(0.005)
				6/26/2003	0.0027 / 0.0029	ND(0.001)/ND(0.001)	ND(0.001) / 0.9 ^A	ND(0.001)/ND(0.001)	--	ND(0.001)/ND(0.001)	ND(0.001)/ND(0.001)	ND(0.001) / ND(0.001)	ND(0.005)/ND(0.005)	--	--	--	--	ND(0.005) / ND(0.005)	ND(0.005) / ND(0.005)
				8/13/2003	ND(0.001)	ND(0.001)	0.59	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.01)	ND(0.001)	ND(0.005)	ND(0.005)	--	--	
				12/3/2003	ND(0.083)	ND(0.083)	1.1 ^A	ND(0.083)	ND(0.083)	ND(0.083)	ND(0.083)	ND(0.42)	ND(0.83)	ND(0.083)	ND(0.42)	ND(0.42)U	--	--	
				4/1/2004	ND(0.017)	ND(0.017)	0.65 ^A	ND(0.017)	0.012 J	ND(0.017)									

TABLE 1

2001-2004 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells/Volatile Organic Compounds				Chloroform (Trichloromethane) mg/L	Chloromethane (Methyl Chloride) mg/L	cis-1,2-Dichloroethene mg/L	cis-1,3-Dichloropropene mg/L	Cyclohexane mg/L	Dibromochloromethane mg/L	Dichlorodifluoromethane (CFC-12) mg/L	Ethylbenzene mg/L	Isopropylbenzene mg/L	Methyl acetate mg/L	Methyl cyclohexane mg/L	Methyl Tert Butyl Ether mg/L	Methylene chloride mg/L	Naphthalene mg/L										
Well ID	Top of Casing	Screen (ft BGS)	Sample Date																								
6.	GS-3	704.61	3-5	4/3/2003	ND(0.001)	ND(0.001)	0.014	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.005)	--	--	--	ND(0.005)	ND(0.005)										
				6/27/2003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.005)	--	--	--	ND(0.005)	ND(0.005)										
				12/2/2003	ND(0.001)	ND(0.001)	0.0025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.01)	ND(0.001)	ND(0.005)	ND(0.005)	--										
				4/1/2004	ND(0.001)	ND(0.001)	0.00066 J	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.01)	ND(0.001)	ND(0.005)	ND(0.005)	--										
				7/1/2004	ND(0.05)	ND(0.05)	0.13	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.25)	ND(0.5)	ND(0.05)	ND(0.25)	ND(0.25)	--										
				9/23/2004	ND(0.067)	ND(0.067)	0.19	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.33)	ND(0.67)	ND(0.33)	ND(0.67)	ND(0.33)U	--										
				12/10/2004	ND(0.015)	ND(0.015)	0.081	ND(0.015)	ND(0.015)	ND(0.015)	ND(0.015)	ND(0.077)	ND(0.15)	ND(0.015)	ND(0.077)	ND(0.077)U	--										
				4/3/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.005)	--	--	--	ND(0.005)	ND(0.005)										
				6/27/2003	ND(0.001)	ND(0.001)	0.002	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.005)	--	--	--	ND(0.005)	ND(0.005)										
7.	GS-4	702.93	3-5	12/2/2003	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.001) / ND(0.001)	ND(0.005) / ND(0.005)	ND(0.005) / ND(0.005)	--									
				4/1/2004	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.05)	ND(0.1)	ND(0.01)	ND(0.05)	ND(0.05)	ND(0.05)	--									
				7/1/2004	ND(0.0071)	ND(0.0071)	0.0019 J	ND(0.0071)	ND(0.0071)	ND(0.0071)	ND(0.0071)	ND(0.036)	ND(0.071)	ND(0.0071)	ND(0.036)	ND(0.036)	ND(0.036)	--									
				9/23/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.01)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	--									
				12/10/2004	ND(0.001)	ND(0.001)	0.00027 J	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.01)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	--									
				4/10/2003	ND(0.001)	ND(0.001)	1.2 ²	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.005)	--	--	--	ND(0.005)	ND(0.005)	ND(0.005)									
				6/27/2003	ND(0.001)	ND(0.001)	3.2 ¹	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.005)	--	--	--	ND(0.005)	ND(0.005)	ND(0.005)									
				12/3/2003	ND(0.056)	ND(0.056)	2.1 ¹	ND(0.056)	ND(0.056)	ND(0.056)	ND(0.056)	ND(0.28)	ND(0.56)	ND(0.056)	ND(0.28)	ND(0.28)U	--										
				4/1/2004	ND(0.056)	ND(0.056)	2.1 ¹	ND(0.056)	ND(0.056)	ND(0.056)	ND(0.056)	ND(0.28)	ND(0.56)	ND(0.056)	ND(0.28)	ND(0.28)U	--										
8.	GS-5	702.99	3-5	7/1/2004	ND(0.083)	ND(0.083)	2.4 ¹	ND(0.083)	ND(0.083)	ND(0.083)	ND(0.083)	ND(0.42)	ND(0.83)	ND(0.083)	ND(0.42)	ND(0.42)	--										
				9/23/2004	ND(0.071)	ND(0.071)	2.2 ²	ND(0.071)	ND(0.071)	ND(0.071)	ND(0.071)	ND(0.36)	ND(0.71)	ND(0.071)	ND(0.36)	ND(0.36)U	--										
				12/10/2004	ND(0.04)	ND(0.04)	1.3 ²	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.2)	ND(0.4)	ND(0.04)	ND(0.2)	ND(0.2)U	--										
				6/26/2003	ND(0.001)	ND(0.001)	3.4 ¹	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.005)	--	--	--	ND(0.005)	ND(0.005)	ND(0.005)									
				12/3/2003	ND(0.2)	ND(0.2)	4 ¹	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(1)	ND(2)	ND(0.2)	ND(1)	ND(1)U	--										
				6/26/2003	ND(0.001)	ND(0.001)	0.015	ND(0.001)	--	ND(0.001)	ND(0.001)	ND(0.005)	--	--	--	ND(0.005)	ND(0.005)	ND(0.005)									
				12/3/2003	ND(0.0067)	ND(0.0067)	0.0064 J	ND(0.0067)	ND(0.0067)	ND(0.0067)	ND(0.0067)	ND(0.033)	ND(0.067)	ND(0.0067)	ND(0.033)	ND(0.033)U	--										
				4/1/2004	ND(0.0067)	ND(0.0067)	0.011	ND(0.0067)	ND(0.0067)	ND(0.0067)	ND(0.0067)	ND(0.033)	ND(0.067)	ND(0.0067)	ND(0.033)	ND(0.033)	--										
				6/30/2004	ND(0.0091)	ND(0.0091)	0.011	ND(0.0091)	ND(0.0091)	ND(0.0091)	ND(0.0091)	ND(0.045)	ND(0.091)	ND(0.0091)	ND(0.045)	ND(0.045)U	--										
9.	MW-5	715.00	10-20	9/22/2004	ND(0.011)	ND(0.011)U	0.035	ND(0.011)	ND(0.011)	ND(0.011)	ND(0.011)	ND(0.056)	ND(0.11)	ND(0.011)	ND(0.056)	ND(0.056)	--										
				12/8/2004	ND(0.011)	ND(0.011)	0.055	ND(0.011)	ND(0.011)	ND(0.011)	ND(0.011)	ND(0.056)	ND(0.11)	ND(0.011)	ND(0.056)	ND(0.056)	--										
				12/1/2003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.01)	ND(0.001)	ND(0.005)	ND(0.005)	--										
				4/1/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.01)	ND(0.001)	ND(0.005)	ND(0.005)	--										
				6/30/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.01)	ND(0.001)	ND(0.005)	ND(0.005)	--										
				9/22/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.01)	ND(0.001)	ND(0.005)	ND(0.005)	--										
				12/8/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.01)	ND(0.001)	ND(0.005)	ND(0.005)	--										
				12/1/2003	ND(0.71) / ND(0.83)	ND(0.83) / ND(0.71)	15 ^{2B} / 16 ^{2B}	ND(0.71) / ND(0.83)	ND(0.71) / ND(0.83)	ND(0.83) / ND(0.71)	ND(0.71) / ND(0.83)	ND(4.2) / ND(3.6)	ND(7.1) / ND(8.3)	ND(0.71) / ND(0.83)	ND(3.6) / ND(4.2)	ND(3.6)U / ND(4.2)U	--										
				4/1/2004	ND(0.42)	ND(0.42)	11 ¹	ND(0.42)	ND(0.42)	ND(0.42)	ND(0.42)	ND(2.1)	ND(4.2)	ND(0.42)	ND(2.1)	ND(2.1)	--										
10.	MW-6	714.84	10-20	6/30/2004	ND(0.5)	ND(0.5)	9.7 ¹	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(2.5)	ND(5)	ND(0.5)	ND(2.5)	ND(2.5)U	--										
				9/22/2004	ND(0.5)	ND(0.5)U	13 ^{2B}	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(2.5)	ND(5)	ND(0.5)	ND(2.5)	ND(2.5)	--										
				12/8/2004	ND(0.5)	ND(0.5)	17 ^{2B}	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(2.5)	ND(5)	ND(0.5)	ND(2.5)	ND(2.5)	--										
				12/1/2003	ND(0.05)	ND(0.05)	2 ¹	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.25)	ND(0.5)	ND(0.05)	ND(0.25)	ND(0.25)U	--										
				4/1/2004	ND(0.033)	ND(0.033)	1 ¹	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.17)	ND(0.33)	ND(0.033)	ND(0.17)	ND(0.17)	--										
				6/30/2004	ND(0.033)	ND(0.033)	0.84 ¹	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.033)	ND(0.17)	ND(0.33)	ND(0.033)	ND(0.17)	ND(0.17)U	--										
				9/22/2004	ND(0.077)	ND(0.077)U	1.5 ²	ND(0.077)	ND(0.077)	ND(0.077)	ND(0.077)	ND(0.38)	ND(0.77)	ND(0.077)	ND(0.38)	ND(0.38)	--										
				12/8/2004	ND(0.067)	ND(0.067)	1.3 ¹	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.067)	ND(0.33)	ND(0.67)	ND(0.067)	ND(0.33)	ND(0.33)	--										
				14.	MW19-07	715.72	7-17	12/1/2003	ND(0.5)	ND(0.5)	12 ^{2B}	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(2.5)	ND(5)	ND(0.5)	ND(2.5)	ND(2.5)U	--						
4/1/2004	ND(0.33)	ND(0.33)	9.1 ¹					ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	ND(1.7)	ND(3.3)	ND(0.33)	ND(1.7)	ND(1.7)	--										
6/30/2004	ND(0.5)	ND(0.5)	5.4 ¹					ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(2.5)	ND(5)	ND(0.5)	ND(2.5)	ND(2.5)	--										
9/22/2004	ND(0.5)	ND(0.5)U	7.1 ¹					ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(2.5)	ND(5)	ND(0.5)	ND(2.5)	ND(2.5)	--										
12/8/2004	ND(0.5)	ND(0.5)	11 ¹					ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(2.5)	ND(5)	ND(0.5)	ND(2.5)	ND(2.5)	--										
5/28/2004	ND(0.1)	ND(0.1)	0.2					ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.5)	ND(1)	ND(0.1)	ND(0.5)	ND(0.5)	--										
15.	MW19-24	716.64	8-18	6/30/2004	ND(0.25) / ND(0.2)	ND(0.25) / ND(0.2)	0.24 J / 0.29	ND(0.2) / ND(0.25)	ND(0.25) / ND(0.2)	ND(0.2) / ND(0.25)	ND(0.25) / ND(0.2)	ND(0.2) / ND(0.25)	ND(2) / ND(2.5)	ND(0.25) / ND(0.2)	ND(1.2) / ND(1)	ND(1.2)U / ND(1)U	--										
				9/22/2004	ND(0.25)	ND(0.25)U	0.32	ND(0.25)	ND(0.25)	ND(0.25)	ND(0.25)	ND(1.2)	ND(2.5)	ND(0.25)	ND(1.2)	ND(1.2)	--										
				12/8/2004	ND(0.2) / ND(0.2)	ND(0.2) / ND(0.2)	0.35 / 0.31	ND(0.2) / ND(0.2)	ND(0.2) / ND(0.2)	ND(0.2) / ND(0.2)	ND(0.2) / ND(0.2)	ND(0.2) / ND(0.2)	ND(1) / ND(1)	ND(2) / ND(2)	ND(0.2) / ND(0.2)	ND(1) / ND(1)	ND(1) / ND(1)	--									
				CRITERIA*																							
*Groundwater Surface Water Interface														0.17	ID	0.62	-	-	ID	ID	0.018	ID	-	-	0.73	0.94	0.013
*Final Acute Value														2.6	ID	11	NA	-	-	ID	ID	0.32	-	-	-	17	0.2

TABLE 1

2001-2004 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells/Volatile Organic Compounds				<i>n</i> -Propylbenzene mg/L	Styrene mg/L	Tetrachloroethene mg/L	Toluene mg/L	<i>trans</i> -1,2-Dichloroethene mg/L	<i>trans</i> -1,3-Dichloropropene mg/L	Trichloroethene mg/L	Trichlorofluoromethane (CFC-11) mg/L	Trifluorotrichloroethane (Freon 113) mg/L	Vinyl chloride mg/L	Xylene (total) mg/L	
Well ID	Top of Casing	Screen (ft BGS)	Sample Date												
1.	IW-9	716.45	11 - 16	12/13/2001	0.001	ND(0.001)	ND(0.001)	0.38 ^a	0.46	ND(0.001)	0.45 ^a	--	--	31 ^{nb}	0.268 ^a
				1/14/2002	0.001	ND(0.001)	ND(0.001)	2.1 ^{nb}	0.67	ND(0.001)	0.17	--	--	18 ^{nb}	0.57 ^a
				3/14/2002	0.001	ND(0.001)	ND(0.001)	1.1 ^a	1	ND(0.001)	0.16	--	--	42 ^{nb}	ND(6)
				5/6/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.22 ^a	0.18	ND(0.001)	0.15	--	--	4 ^a	0.167 ^a
				7/22/2002	ND(0.001)/ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	1.1 ^a / 0.9 ^a	0.81 / 0.86	ND(0.001)/ND(0.001)	0.054 / 0.051	--	--	36 ^{nb} / 39 ^{nb}	0.5 ^a / 0.52 ^a
				11/25/2002	ND(0.005)	0.007	ND(0.001)	1.2 ^a	0.86 J	ND(0.001)	0.014	--	--	73 ^{nb}	ND(3)
				6/26/2003	ND(0.005)	ND(0.001)	ND(0.001)	0.64 ^a	ND(0.5)	ND(0.001)	0.008	--	--	74 ^{nb}	0.3 ^a
				12/2/2003	--	ND(2)	ND(2)	2 ^{nb}	0.56 J	ND(2)	ND(2)	ND(2)	ND(2)	68 ^{nb}	ND(4)
				3/31/2004	--	ND(1.4) /ND(1.4)	ND(1.4) /ND(1.4)	0.48 J ^a / 0.43 J ^a	0.41 J /ND(1.4)	ND(1.4)/ND(1.4)	ND(1.4) /ND(1.4)	ND(1.4)/ND(1.4)	ND(1.4) /ND(1.4)	50 ^{nb} / 50 ^{nb}	ND(2.9) /ND(2.9)
				6/30/2004	--	ND(1.2)	ND(1.2)	ND(1.2)	0.33 J	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	43 ^{nb}	ND(2.5)
				9/22/2004	--	ND(1)	ND(1)	0.3 J ^a	0.29 J	ND(1)	ND(1)	ND(1)	ND(1)	36 ^{nb}	ND(2)
				12/8/2004	--	ND(1.2)	ND(1.2)	0.3 J ^a	0.36 J	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	36 ^{nb}	ND(2.5)
2.	IW-12	717.28	7 - 17	12/13/2001	ND(0.001)	ND(0.001)	ND(0.001)	0.26 ^a	0.76	ND(0.001)	0.008	--	--	39 ^{nb}	0.039 ^a
				1/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.16 ^a	0.26	ND(0.001)	ND(0.001)	--	--	2.2 ^a	0.017
				3/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.13	0.1	ND(0.001)	ND(0.001)	--	--	0.21 ^a	0.01
				5/6/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.17 ^a	ND(0.001)	ND(0.001)	ND(0.001)	--	--	ND(0.001)	ND(0.003)
				7/22/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.2 ^a	0.95	ND(0.001)	ND(0.001)	--	--	14 ^a	0.039 ^a
				11/25/2002	ND(0.005)	ND(0.001)	ND(0.001)	0.48 J ^a	2.2 ^a	ND(0.001)	0.78 J ^a	--	--	74 ^{nb}	0.1 ^a
				6/26/2003	ND(0.005)	ND(0.001)	ND(0.001)	0.08	0.27	ND(0.001)	0.001	--	--	13 ^a	0.006
				12/2/2003	--	ND(2)	ND(2)	ND(2)	1.5 J	ND(2)	ND(2)	ND(2)	ND(2)	22 ^{nb}	ND(4)
				3/31/2004	--	ND(2.5)	ND(2.5)	ND(2.5)	2 J ^a	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	31 ^{nb}	ND(5)
				7/1/2004	--	ND(0.56)	ND(0.56)	0.13 J	0.45 J	ND(0.56)	ND(0.56)	ND(0.56)	ND(0.56)	9.9 ^a	ND(1.1)
				9/22/2004	--	ND(1)	ND(1)	ND(1)	0.75 J	ND(1)	ND(1)	ND(1)	ND(1)	21 ^{nb}	ND(2)
				12/7/2004	--	ND(1.7)	ND(1.7)	ND(1.7)	1.1 J	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	28 ^{nb}	ND(3.3)
3.	IW-33	717.82	13-18	12/13/2001	ND(0.001)	ND(0.001)	ND(0.001)	0.17 ^a	0.6	ND(0.001)	0.012	--	--	200 ^{nb}	0.115 ^a
				1/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.084	0.21	ND(0.001)	0.03	--	--	14 ^a	0.063 ^a
				3/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.066	0.006	ND(0.001)	0.012	--	--	0.42 ^a	0.036 ^a
				5/6/2002	ND(0.001)/ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	0.053 / 0.048	ND(0.001) /ND(0.001)	ND(0.001)/ND(0.001)	ND(0.001) /ND(0.001)	--	--	ND(0.001) /ND(0.001)	0.02 / 0.021
				7/22/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.12	0.15	ND(0.001)	0.065	--	--	27 ^{nb}	0.093 ^a
				11/26/2002	ND(0.005)	ND(0.001)	ND(0.001)	0.21 J ^a	0.6 J	ND(0.001)	0.15	--	--	100 ^{nb}	0.196 ^a
				6/26/2003	ND(0.005)	0.001	ND(0.001)	0.11	ND(1)	ND(0.001)	0.14	--	--	120 ^{nb}	0.082 ^a
				12/2/2003	--	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	48 ^{nb}	ND(4)
				4/1/2004	--	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	40 ^{nb}	ND(2.5)
				7/1/2004	--	ND(1.7)	ND(1.7)	ND(1.7)	0.31 J	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	45 ^{nb}	ND(3.3)
				9/22/2004	--	ND(3.3) /ND(3.3)	ND(3.3) /ND(3.3)	ND(3.3) /ND(3.3)	ND(3.3) /ND(3.3)	ND(3.3)/ND(3.3)	ND(3.3) /ND(3.3)	ND(3.3) /ND(3.3)	ND(3.3) /ND(3.3)	98 ^{nb} / 90 ^{nb}	ND(6.7) /ND(6.7)
				12/8/2004	--	ND(3.3)	ND(3.3)	ND(3.3)	0.99 J	ND(3.3)	ND(3.3)	ND(3.3)	ND(3.3)	120 ^{nb}	ND(6.7)
4.	IW-46	714.80	12 - 17	12/14/2001	ND(0.001)	ND(0.001)	ND(0.001)	0.095	0.062	ND(0.001)	1.2 ^a	--	--	2.1 ^a	0.35 ^a
				1/14/2002	ND(0.001)/ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	0.025 / 0.025	0.051 / 0.05	ND(0.001)/ND(0.001)	0.38 ^a / 0.38 ^a	--	--	1.2 ^a / 1.1 ^a	0.17 ^a / 0.158 ^a
				3/14/2002	0.002 / 0.002	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	0.088 / 0.083	0.75 / 0.66	ND(0.001)/ND(0.001)	0.35 ^a / 0.36 ^a	--	--	1.4 ^a / 1.6 ^a	0.44 ^a / 0.43 ^a
				5/6/2002	0.001	ND(0.001)	ND(0.001)	0.044 J	ND(0.001)	ND(0.001)	ND(0.001)UJ	--	--	ND(0.001)	0.104 ^a
				7/22/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	--	--	ND(0.001)	ND(0.003)
				11/25/2002	ND(0.005)	ND(0.001)	ND(0.001)	0.04	0.36 J	ND(0.001)	0.22 J ^a	--	--	2.8 ^a	0.049 ^a
				6/26/2003	ND(0.005)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)UJ	--	--	ND(0.001)	ND(0.003)
				8/13/2003	--	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	0.019 / 0.019	0.2 / 0.21	ND(0.001)/ND(0.001)	0.15 / 0.16	ND(0.001)/ND(0.001)	ND(0.001) /ND(0.001)	1.6 ^a / 1.7 ^a	0.079 ^a / 0.079 ^a
				12/3/2003	--	ND(0.17)	ND(0.17)	ND(0.17)	0.21	ND(0.17)	0.22 ^a	ND(0.17)	ND(0.17)	3.5 ^a	ND(0.33)
				4/1/2004	--	ND(0.42)	ND(0.42)	ND(0.42)	0.26 J	ND(0.42)	0.15 J	ND(0.42)	ND(0.42)	3.4 ^a	ND(0.83)
				6/30/2004	--	ND(0.12)	ND(0.12)	ND(0.12)	0.098 J	ND(0.12)	0.085 J	ND(0.12)	ND(0.12)	3.1 ^a	ND(0.25)
				9/22/2004	--	ND(0.33)	ND(0.33)	ND(0.33)	0.22 J	ND(0.33)	0.1 J	ND(0.33)	ND(0.33)	3 ^a	ND(0.67)
12/8/2004	--	ND(1.7)	ND(1.7)	0.37 J ^a	0.83 J	ND(1.7)	1.1 J ^a	ND(1.7)	ND(1.7)	5.8 ^a	ND(3.3)				
5 A.	IW-49	715.22	7 - 17	12/14/2001	ND(0.001)/ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	0.004 / 0.004	0.078 / 0.069	ND(0.001)/ND(0.001)	13 ^{nb} / 10 ^{nb}	--	--	0.096 J ^a / 0.087 J ^a	ND(0.003) /ND(0.003)
				1/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.012	ND(0.001)	8.4 ^{nb}	--	--	0.019 ^a	ND(0.003)
				3/14/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.05)	ND(0.001)	8.3 ^{nb}	--	--	0.11 ^a	ND(0.003)
				5/6/2002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.01	ND(0.001)	5.8 ^{nb}	--	--	0.019 ^a	ND(0.003)
				7/22/2002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.045	ND(0.001)	1.7 ^a	--	--	0.04 ^a	ND(0.003)
				11/25/2002	ND(0.005)	ND(0.001)	ND(0.001)	0.001	0.027	ND(0.001)	1.4 ^a	--	--	0.086 ^a	ND(0.003)
				6/26/2003	ND(0.005)/ND(0.005)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.001) /ND(0.001)	ND(0.02) /ND(0.001)	ND(0.001)/ND(0.001)	ND(0.001) /1.6 ^a	--	--	ND(0.001) / 0.033 ^a	ND(0.003) /ND(0.003)
				8/13/2003	--	ND(0.001)	ND(0.001)	ND(0.001)	0.03	ND(0.001)	1.5 ^a	ND(0.001)	ND(0.001)	0.14 ^a	ND(0.003)
				12/3/2003	--	ND(0.083)	ND(0.083)	ND(0.083)	0.052 J	ND(0.083)	2.7 ^a	ND(0.083)	ND(0.083)	0.061 J ^a	ND(0.17)
				4/1/2004	--	ND(0.017)	ND(0.017)	0.46 ^a	0.019	ND(0.017)	0.61 ^a	ND(0.017)	ND(0.017)	0.028 ^a	0.48 ^a
				6/30/2004	--	ND(0.083)	ND(0.083)	0.29 ^a	0.026 J	ND(0.083)	2.2 ^a	ND(0.083)	ND(0.083)	0.048 J ^a	0.25 ^a
				9/23/2004	--	ND(0.05)	ND(0.05)	0.15 ^a	0.013 J	ND(0.05)	1.3 ^a	ND(0.05)	ND(0.05)	0.034 J ^a	0.14 ^a
12/10/2004	--	ND(0.056)	ND(0.056)	ND(0.056)	0.077	ND(0.056)	0.41 ^a	ND(0.056)	ND(0.056)	1.9 ^a	ND(0.11)				
CRITERIA*				ID	0.08	0.045	0.14	1.5	-	0.2	-	0.032	0.015	0.035	
^a Groundwater Surface Water Interface				ID	2.9	0.71	1.7	28	NA	3.5	-	-	17	0.63	
^b Final Acute Value															

Groundwater Monitoring Wells/Volatile Organic Compounds

Notes:

- ¹ IW-49 was destroyed during December 2004 quarterly sampling. Samples were destroyed.
- ND (J) - Not detected above the value in parenthesis.
- U - The analyte was analyzed for, but was qualified not detected above the value in parenthesis.
- J - The associated value is qualified as an estimated quantity.
- UJ - The analyte was reported or qualified as not detected however, the sample was analyzed.
- NA - Criterion or Value is not available or applicable.
- ID - Inadequate data to develop criterion.

² Screening Criteria is from Michigan Department of Environmental Quality.