

RESULTS OF CONFIRMATORY SAMPLING PROGRAM

**FORMER GENERAL MOTORS FAIRFAX I PLANT
KANSAS CITY, KANSAS**

APRIL 2005

REF. NO. 012559 (10)

This report is printed on recycled paper.

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
1.1 SITE LOCATION AND DESCRIPTION	1
1.2 ENVIRONMENTAL SETTING	2
1.3 OPERATIONAL HISTORY	2
1.4 PLANT DECOMMISSIONING	2
1.5 PREVIOUS INVESTIGATIONS	3
1.5.1 HOLLOW STEM AUGER SOIL SAMPLING	4
1.5.2 HOLLOW STEM AUGER GROUNDWATER SAMPLING	4
1.5.3 THE AREA OF INTEREST	4
2.0 CONFIRMATORY SAMPLING SCOPE OF WORK	6
3.0 FIELD ACTIVITIES	7
3.1 SOIL BORING ADVANCEMENT	7
3.2 MONITORING WELL SAMPLING	8
3.3 HYDRAULIC MONITORING	9
3.4 DATA VALIDATION	9
3.5 SURVEYING	9
4.0 SUMMARY OF CONFIRMATORY SOIL SAMPLING	10
4.1 UNDERGROUND STORAGE TANKS 1 AND 2	10
4.2 UNDERGROUND STORAGE TANKS B AND C	10
4.3 FUEL ISLAND AND TRUCK MAINTENANCE FACILITY	11
4.4 UNDERGROUND STORAGE TANK 10 AND BALER ROOM	11
4.5 POWERHOUSE AREA	12
4.6 WASTE AND PAINT SLUDGE SUMP	12
4.7 PAINT MIX AND SLUDGE STORAGE/PAINT SLUDGE OVERFLOW TANKS	13
5.0 INVESTIGATIVE RESULTS	14
5.1 SOIL ANALYTICAL DATA	14
5.1.1 UNDERGROUND STORAGE TANKS 1 AND 2	14
5.1.2 UNDERGROUND STORAGE TANKS B AND C	14
5.1.3 FUEL ISLAND AND TRUCK MAINTENANCE FACILITIES	14
5.1.4 UNDERGROUND STORAGE TANK 10 AND BALER ROOM	14
5.1.5 POWERHOUSE AREA	15
5.1.6 WASTE AND PAINT SLUDGE SUMP	15
5.1.7 PAINT MIX AND SLUDGE STORAGE/PAINT SLUDGE OVERFLOW TANKS	15
5.2 GROUNDWATER ANALYTICAL DATA	15
5.3 HYDRAULIC MONITORING RESULTS	16
6.0 SUMMARY AND CONCLUSIONS	17

LIST OF FIGURES
(Following Text)

FIGURE 1.1	SITE LOCATION MAP
FIGURE 1.2	SITE PLAN
FIGURE 1.3	AREAS OF CONCERN
FIGURE 1.4	HDR SAMPLING LOCATIONS
FIGURE 3.1	CRA SOIL SAMPLE LOCATIONS
FIGURE 3.2	MONITORING WELL LOCATIONS
FIGURE 5.1	SUMMARY OF DETECTED ANALYTES IN SOIL
FIGURE 5.2	SUMMARY OF DETECTED ANALYTES IN GROUNDWATER
FIGURE 5.3	GROUNDWATER CONTOUR MAP – DECEMBER 2004

LIST OF TABLES
(Following Text)

TABLE 3.1	SUMMARY OF MONITORING WELL PURGING PARAMETERS
TABLE 5.1	SUMMARY OF SOIL DETECTED ANALYTICAL DATA
TABLE 5.2	SUMMARY OF GROUNDWATER DETECTED ANALYTICAL DATA
TABLE 5.3	SUMMARY OF GROUNDWATER ELEVATIONS

LIST OF APPENDICES

APPENDIX A	STRATIGRAPHIC LOGS
APPENDIX B	LABORATORY ANALYTICAL DATA
APPENDIX C	DATA VALIDATION MEMORANDUM

1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) was retained by General Motors Corporation to conduct soil and groundwater investigations at the former General Motors (GM) Fairfax I Plant Site in Kansas City, Kansas (Site).

CRA's August 2001 Voluntary Cleanup Investigation (VCI) report entitled "Pre-Design Investigations Work Plan" was submitted to the Kansas Department of Health and Environment (KDHE) for review and comment. In a July 23, 2002 response to GM, KDHE requested that additional soil and groundwater samples be collected across the Fairfax I Plant property to verify previous investigation activities. KDHE also requested that the monitoring wells to be sampled under the pre-design investigations include additional parameters. GM agreed to perform the additional sampling. The supplemental work was outlined in the September 10, 2004 letter from CRA to KDHE entitled "Amendment to Pre-Design Work Plan". KDHE reviewed the work plan amendment and stated in a November 24, 2004 letter to GM that the VCI work plan appears to be complete and is therefore approved. CRA conducted the supplemental confirmatory sampling at the former Fairfax I Plant Site in December 2004.

While both the pre-design investigations sampling and the supplemental confirmatory sampling were conducted at the same time, this report does not discuss the groundwater natural attenuation portion or the soil sampling portion of the pre-design investigations sampling. The results of the pre-design investigations groundwater natural attenuation sampling and soil sampling will be discussed in a separate report.

1.1 SITE LOCATION AND DESCRIPTION

The Former Fairfax I Plant Site is located at 100 Kindelberger Road in Kansas City, Kansas in an industrial area known as the Fairfax District. The Site is located south of a bend in the Missouri River, with the river located north, east, and southeast of the Site. A levee is present between the Site and the Missouri River. The Site location is shown on Figure 1.1, and the Site plan is shown on Figure 1.2.

The Fairfax I Plant is no longer operating and was decommissioned in 1987. Previously the facility consisted of several buildings totaling approximately 2.2 million square feet of covered work area on a Site comprised of roughly 132 acres. As is typical of large industrial facilities, several support buildings, such as a power house, cooling towers, and maintenance areas, were present along with above and below ground product tanks and various waste storage areas.

1.2 ENVIRONMENTAL SETTING

The Site is located in the floodplain of the Missouri River. The geology of underlying soils typically consists of an upper layer of silty clay ranging in thickness from approximately 7 to 15 feet. The silty clay is underlain by fine to medium sands to depths of 25 to 40 feet that grade into medium to coarse sands with some gravel and clay interbeds to depths of 60 to 80 feet. This layer is underlain by medium to coarse sands and gravels to the top of the bedrock. The thick sequence of sands and gravels comprise alluvial deposits that are underlain by shale bedrock at approximately 102 to 117 feet below grade. This was determined during a 1985 subsurface investigation at the adjacent Fairfax II Plant.

The present Missouri River channel follows a deeper valley cut into the bedrock by the ancestral Missouri River.

1.3 OPERATIONAL HISTORY

The Fairfax I Plant consisted of several buildings, a tank farm, rail support, and drum storage areas. The assembly building and former aircraft hangar provided over 2.2 million square feet of covered work space. The U.S. Government constructed the Fairfax I Plant in 1940 for North American Aviation. North American Aviation assembled B-25 bombers at the facility through 1944 for use in World War II. In 1945, GM negotiated a lease for this facility from the U.S. Government and began assembling automobiles. During the Korean conflict GM assembled F84F jet aircraft in addition to continuing to assemble automobiles. GM purchased the facility from the U.S. Government in 1960 and continued automobile assembly operations until 1986/1987. Prior to demolition a number of environmental studies were performed by GM, including monitoring well installation and sampling. Some of these monitoring wells remain on the Fairfax I Plant Site.

1.4 PLANT DECOMMISSIONING

In May of 1987, automobile production at the Site was permanently terminated at the Site. In preparation of the demolition of the buildings associated with this facility an Environmental Site Assessment (ESA) was performed between August of 1987 and January of 1988. Asbestos abatement activities were completed from June to October of

1988. All above ground storage tanks (ASTs) and underground storage tanks (USTs) were cleaned and removed from the Site during this same time period. The demolition of the Site buildings was conducted from July 1988 to May of 1989.

1.5 PREVIOUS INVESTIGATIONS

Previous ESA investigative activities conducted by HDR Engineering, Inc. (HDR) in 1987/1988 focused on, but were not limited to, the following areas which represented the greatest potential for impacted media:

- above ground or underground storage tanks;
- product conveyance lines;
- waste and paint storage areas;
- process sumps;
- refuse burning areas;
- fueling stations; and
- areas where historic spill incidents occurred.

Areas of concern (AOCs), shown on Figure 1.3, were identified for potential investigation during the ESA. Given the nature of the facility, the majority of the areas identified for potential investigation focused on bulk product storage tanks and their associated conveyance lines. Product was historically stored at the Site using a combination of ASTs and USTs. The majority of the USTs were removed concurrent with the performance of the ESA in August 1987. ASTs associated with the Site were also removed later in the decommissioning process.

In general, soil and groundwater samples collected by HDR in 1987/1988 were from the identified AOCs from locations most likely to have been impacted by past Site activities. Sampling locations were determined by HDR based on the past use of the Site, and in conjunction with information previously submitted to KDHE concerning environmental impacts documented during the operation of the Site (i.e., areas where historic spill incidents occurred).

1.5.1 HOLLOW STEM AUGER SOIL SAMPLING

In total, 76 soil borings were advanced during the ESA performed by HDR in 1987/1988. Although these borings were advanced in areas most likely to have been impacted by plant operations, they were also placed to ensure that a representative characterization of the Site was developed during the ESA. Figure 1.4 provides the locations of the borings advanced during the ESA.

Soil borings S-1 through S-41 and S-101 through S-124 were advanced to depths of 30 feet below ground surface (bgs) using hollow stem auger drilling techniques. Soil borings S-101 through S-106, S-109, S-110, S-113, S-123, and S-124 were sampled for stratigraphic logging purposes only. Eleven additional borings (F-11 through F-16 and F-23 through F-26, and F-28) were advanced to 5 feet bgs.

Soil samples were collected from the majority of these borings for chemical analyses using split-spoon sampling procedures at 5-foot intervals to the base of the boring. Soil was taken for analyses from the lower 1.5 feet of each 5-foot interval. The three 5-foot sample intervals from the upper 15 feet of each boring were analyzed. The remaining samples from the lower portion of the boring were archived pending the results from the upper 15 feet of the boring. Samples from borings S-8, S-29, and S-37 were the only borings in which analyses of the lower three sample intervals were requested.

1.5.2 HOLLOW STEM AUGER GROUNDWATER SAMPLING

In addition to soil sampling, groundwater samples were collected by HDR in 1987/1988 from the 30-foot borings during both phases of the investigation. Soil borings S-101 through S-106, S-109, S-110, S-113, S-123, and S-124 were sampled for groundwater only during the January 1988 phase of the investigation. Figure 1.4 provides the boring locations.

Groundwater samples were collected directly from the borehole using the hollow stem augers as casing. Samples were collected using a Teflon bailer and without purging any volume of groundwater prior to sample collection.

1.5.3 THE AREA OF INTEREST

Soil and groundwater contamination was discovered at the north end of the main plant building in the area of a rail spur and an above ground tank farm in 1987 during the

ESA that was completed prior to demolition of the Fairfax I Plant. The primary sources of contamination of soil and groundwater discovered at the Site during the ESA were determined to be gasoline and paint thinner from a tank farm. In addition, suspect historic releases of perchloroethylene (PCE), which likely occurred prior to GM operations (U.S. Government) or from adjacent properties, have been determined.

Subsurface environmental investigations and remediation systems were completed by GM in this Area of Interest (AOI) subsequent to discovery of soil and groundwater contamination. GM initiated its own voluntary cleanup program in 1988, which included semi-annual groundwater monitoring, groundwater contamination plume definition, and remedial design and construction. The remediation system for the small tank farm area included groundwater extraction and treatment by air stripping along with soil vapor extraction and treatment by thermal oxidation. The remedial action was initiated in 1991 and shut down in 1994. The semi-annual groundwater monitoring (which included analysis for benzene, toluene, ethylbenzene, and xylenes (BTEX); and 1,2-dichloroethylene (1,2-DCE)) was also discontinued in 1994.

Groundwater quality data collected in October 1998 by CRA indicated that a localized area of groundwater contaminated by volatile organic compounds (VOCs) remains in this area. Soil and groundwater investigations have delineated the source and extent of this localized area of contamination.

2.0 CONFIRMATORY SAMPLING SCOPE OF WORK

Activities completed at the Site by CRA in December 2004 included:

- Located and marked ten AOCs prior to sampling;
- Collected soil samples from ten AOCs and submitted the samples for laboratory analysis of target compound list (TCL) VOCs, TCL semivolatile organic compounds (SVOCs), and target analyte list (TAL) metals;
- Collected water level measurements from 11 monitoring wells;
- Collected groundwater samples from eight monitoring wells¹ and submitted the samples for laboratory analysis of TCL VOCs, TCL SVOCs, and TAL total metals; and
- Surveyed the soil boring locations for location and elevation.

¹ More wells were planned to be sampled. However, MW-106 has been damaged, MW-107 was not located, MW-103A contained free product, and low water table conditions prevented sampling at MW-102A, MW-104, MW-108, and MW-115A.

3.0 FIELD ACTIVITIES

The following section describes the field procedures and analytical protocols used in the soil and groundwater sampling conducted in December 2004.

3.1 SOIL BORING ADVANCEMENT

Plains Environmental Services (Plains) of Salina, Kansas provided Geoprobe drilling services. A total of ten soil borings were advanced, one in each of the ten AOCs. Each soil boring was advanced to a predetermined depth ranging from 6 to 12 feet bgs. Soil samples were collected continuously for field screening and stratigraphic classification. The soil sample collected at the base of each borehole was submitted for laboratory analysis. Soil boring locations are shown on Figure 3.1.

Before initiating intrusive activities and between each borehole location, down hole equipment was decontaminated using an Alconox™ detergent and potable water wash and a potable water rinse to prevent cross-contamination from the previous location. Decontamination water was collected in a 55-gallon drum and staged on Site pending disposal.

Soil borings were completed using a Geoprobe direct push technology (DPT) rig. Soil borings were sampled continuously in 5-foot intervals using the DPT sampling device.

At each location, drilling proceeded as described below:

- i) A decontaminated DPT sampler with acetate liner was driven 5 feet into the soil.
- ii) The sampler was retrieved and the acetate liner was removed and cut open.
- iii) A representative sample was obtained from the opened sampler and placed in a clean plastic bag for head space analysis. The remaining sample was retained for visual examination, and the sample from the base of the borehole was retained for laboratory analysis. Soils were described according to the Uniform Soil Classification System (USCS).
- iv) The soil samples placed in a plastic bag for head space analysis were monitored with a photoionization detector (PID) for total organic vapor content.
- v) Soil samples were placed in appropriate laboratory-supplied containers, labeled, and placed in a cooler that contained sealed plastic bags of ice.

- vi) Upon completion of each boring, each borehole was backfilled with cement-bentonite grout tremmied from the bottom up. Soil cuttings were collected in a 55-gallon drum and staged on Site pending disposal.

Soil samples were shipped under chain-of-custody protocol to Severn Trent Labs (STL) of North Canton, Ohio via overnight courier.

Stratigraphic logs from the soil borings are presented in Appendix A.

3.2 MONITORING WELL SAMPLING

Groundwater monitoring wells were sampled on December 20 and 21, 2004. As outlined in the September 10, 2004 letter from CRA to KDHE entitled "Amendment to Pre-Design Work Plan", the intent was to sample five monitoring wells, MW-1A, MW-106, MW-107, MW-110, and MW-111. However, only three wells were sampled. Monitoring well MW-106 has been damaged and cannot be sampled, and monitoring well MW-107 was not located. Monitoring well locations are shown on Figure 3.2.

The procedures used for groundwater sampling are summarized below:

- i) The depth to water and the total depth were measured at each monitoring well prior to sampling using an electronic water level probe that was decontaminated with Alconox™ and distilled water.
- ii) A minimum of three well volumes were purged prior to sampling using an electronic submersible pump or a peristaltic pump. Sample collection occurred once three consistent field parameter readings of pH, conductivity, and temperature were obtained and had stabilized.
- iii) Upon stabilization, groundwater samples were collected for analyses of TCL VOCs, TCL SVOCs, and TAL total metals.
- iv) Quality assurance/quality control (QA/QC) samples including one duplicate sample and a matrix spike/matrix spike duplicate (MS/MSD) sample were collected during the monitoring well sampling activities.
- v) Groundwater samples were collected in laboratory-supplied containers, labeled, and placed in a cooler that contained sealed plastic bags of ice.

Groundwater samples were shipped under chain-of-custody protocol to STL via overnight courier.

Purging parameters are presented in Table 3.1.

3.3 HYDRAULIC MONITORING

On December 20, 2004, water level measurements were obtained from 11 groundwater monitoring wells. Monitoring well locations are shown on Figure 3.2. Water levels were measured to the nearest 0.01 feet using an electronic water level indicator that was decontaminated after each use, and these measurements were recorded in the field logbook.

3.4 DATA VALIDATION

All analytical data were validated and the precision and accuracy of the analyses were assessed based on surrogate spike recoveries, MS/MSD recoveries and relative percent differences, sample/sample duplicate relative percent differences, field duplicate sample results, and check sample results. The results of the data quality assessment and validation procedure indicated that the soil and groundwater data are suitable for the intended use with the qualifications presented in the validation memorandum. Laboratory data and chain-of-custody forms are provided in Appendix B, and a copy of the data validation memorandum is provided in Appendix C.

3.5 SURVEYING

Anderson Survey Company (Anderson) of Lee's Summit, Missouri provided surveying services.

Based on historical facility drawings, historical surveys, and historical photos, Anderson staked the corners of the ten AOCs prior to field work being conducted. After the soil borings were advanced, Anderson surveyed the borehole locations for location and elevation². The horizontal locations were referenced to the GM Plant Grid Coordinate System.

² Monitoring wells locations and elevations were surveyed previously by Anderson.

4.0 SUMMARY OF CONFIRMATORY SOIL SAMPLING

Soil samples were collected by CRA in December 2004 at locations identified in previous studies as AOCs. The following provides a brief description of the AOC sampled, the rationale for the sampling, and a summary of samples collected. HDR sample locations are presented on Figure 1.4, and CRA December 2004 sample locations (“SB” designations) are presented on Figure 3.1. The December 2004 soil samples were analyzed for TCL VOCs, TCL SVOCs, and TAL metals.

4.1 UNDERGROUND STORAGE TANKS 1 AND 2

UST 1 contained gasoline and diesel fuel, and UST 2 contained automatic transmission fluid. The tanks, associated soil, and appurtenances were removed in August 1987. HDR collected three soil samples at the base of the excavation at that time. Ethylbenzene at 2,200 micrograms per kilogram ($\mu\text{g}/\text{kg}$) and xylenes at 17,000 $\mu\text{g}/\text{kg}$ were detected in one of the soil samples while the other two samples had no detections. Soil from S-39, S-119, and S-120 and groundwater from S-119 and S-120 did not contain VOCs. Toluene was detected in groundwater at S-39 at a concentration of 39 micrograms per liter ($\mu\text{g}/\text{L}$).

CRA collected soil sample SB-111 in the vicinity of USTs 1 and 2 at a depth of 10 to 12 feet bgs to verify that soil at the approximate depth of the base of the tanks is not impacted at levels above KDHE risk based standards.

4.2 UNDERGROUND STORAGE TANKS B AND C

USTs B and C contained gasoline. HDR advanced three borings proximal to the USTs. Soil from boring S-40 did not contain VOCs. VOCs detected in groundwater at S-109 were 1,2-dichloroethene (1,2-DCE) (23 $\mu\text{g}/\text{L}$) and trichloroethene (TCE) (7 $\mu\text{g}/\text{L}$); at S-110 were 1,2-DCE (16 $\mu\text{g}/\text{L}$), TCE (13 $\mu\text{g}/\text{L}$), and tetrachloroethene (PCE) (5 $\mu\text{g}/\text{L}$); and at S-40 was 1,2-DCE (13 $\mu\text{g}/\text{L}$).

CRA collected soil sample SB-112 in the vicinity of USTs B and C at a depth of 10 to 12 feet bgs to verify that soil at the approximate depth of the base of the tanks is not impacted at levels above KDHE risk based standards.

4.3 FUEL ISLAND AND TRUCK MAINTENANCE FACILITY

Five USTs at the fuel island contained gasoline, diesel fuel, lubricating oil, and antifreeze. These five USTs were removed in August 1987. Two of the three soil samples collected from beneath the fuel island had VOCs detected. Sample 87-204 contained ethylbenzene at 15,000 µg/kg and xylenes at 26,000 µg/kg. Sample 87-205 contained xylenes at 620 µg/kg. Three soil and groundwater samples (S-1, S-2, and S-3) collected in August 1987 in the vicinity of the fuel island had no VOC detections.

Four USTs at the truck maintenance facility contained fuel oil and waste oil and were removed August 1987. Soils samples beneath these USTs were not analyzed at that time due to exceeding the sample holding times. Three soil and groundwater samples collected in August 1987 in the vicinity of the truck maintenance building had no VOC detections, with one exception. Groundwater collected from boring S-4 contained benzene (82 µg/L), toluene (40 µg/L), ethylbenzene (63 µg/L), and xylenes (31 µg/L).

This area includes two AOCs, the fuel island and the truck maintenance facility. CRA collected soil samples to verify that soil at the approximate depth of the base of the tanks is not impacted at levels above KDHE risk based standards. Soil sample SB-115 was collected in the vicinity of the fuel island at a depth 10 to 12 feet bgs, and soil sample SB-114 was collected in the vicinity of the truck maintenance facility at a depth 10 to 12 feet bgs.

4.4 UNDERGROUND STORAGE TANK 10 AND BALER ROOM

The baler room was used to collect general plant refuse and contained a large trash compactor/baler. UST 10, which contained unleaded gasoline and was removed August 1987, was located adjacent to the northern exterior wall of the baler room. Soil boring S-8 contained PCE at 10 feet bgs (2,500 µg/kg) and 15 feet bgs (760 µg/kg). Groundwater collected from S-8 contained 1,2-DCE (110/140 µg/L), PCE (160/180 µg/L), and TCE (93/100 µg/L). Soil boring S-9 did not contain VOCs. Groundwater from S-9 contained benzene (25 µg/L) and toluene (14 µg/L). Soil borings S-107 and S-108, installed in January 1988, contained no VOCs. 1,2-DCE was detected in groundwater from S-107 (197/202 µg/L) and S-108 (29 µg/L).

CRA collected soil sample SB-113 in the vicinity of UST 10 and the baler room at a depth of 10 to 12 feet bgs to verify that soil at the approximate depth of the base of the tank is not impacted at levels above KDHE risk based standards.

4.5 POWERHOUSE AREA

Eight USTs in the powerhouse area contained diesel fuel, waste fuel oil, and gasoline. These tanks were removed in August 1987.

Three soil samples were collected beneath USTs 3 and 4. No VOCs were detected in one of the August 1987 soil samples while ethylbenzene was detected at 87-209 (7,300 µg/kg) and toluene was detected in 87-211 (1,200 µg/kg). No VOCs were detected in soil collected at S-15 (August 1987) or S-111 (January 1988). 1,2-DCE was detected in groundwater at S-111 (15 µg/L).

Three soil samples were collected beneath USTs 5, 6, and 11. No VOCs were detected in two of the August 1987 soil samples while PCE (626 µg/kg) and xylenes (1,100 µg/kg) were detected in 87-206. No VOCs were detected in soil collected in August 1987 at S-16, S-17, and S-18 or in soil collected in January 1988 at S-112. No VOCs were detected in groundwater at S-16 and S-18. 1,2-DCE was detected in groundwater at S-17 (16 µg/L) and S-112 (133 µg/L). PCE and 1,2-DCE were detected in groundwater at S-17 (16 µg/L).

No VOCs were detected in soil collected August 1987 in the vicinity of USTs 7, 8, and 9 (samples S-19 through S-22).

Three AOCs (USTs 3 and 4; USTs 5, 6, and 11; and USTs 7, 8, and 9) are located in the powerhouse area. CRA collected soil samples at a depth of 10 to 12 feet bgs to verify that soil at the approximate depth of the base of the tanks is not impacted at levels above KDHE risk based standards. Soil sample SB-110 collected in the vicinity of USTs 3 and 4, soil sample SB-109 was collected in the vicinity of USTs 5, 6, and 11, and soil sample SB-108 was collected in the vicinity of USTs 7, 8, and 9.

4.6 WASTE AND PAINT SLUDGE SUMP

Soil collected in August 1987 at boring S-37 at 15 feet bgs contained toluene (3,000 µg/kg), ethylbenzene (870 µg/kg), and xylenes (1,800 µg/kg). Soil collected at 20 feet bgs contained only toluene (650 µg/kg). No VOCs were detected in groundwater at S-37 or in soil or groundwater at boreholes S-121 and S-122, installed in January 1988.

CRA collected soil sample SB-116 at a depth of 4 to 6 feet bgs to verify that soil in the vicinity of the sump is not impacted at levels above KDHE risk based standards.

4.7 PAIN MIX AND SLUDGE STORAGE/PAINT SLUDGE OVERFLOW TANKS

No VOCs were detected in soil and groundwater collected in August 1987 at borehole S-38 which was placed near these tanks.

CRA collected soil sample SB-117 at a depth of 4 to 6 feet bgs to verify that soil in this area is not impacted at levels above KDHE risk based standards.

5.0 INVESTIGATIVE RESULTS

5.1 SOIL ANALYTICAL DATA

Soil analytical results were compared to KDHE Tier 2 non-residential scenario soil pathway and soil to groundwater protection pathway values.³ Soil analytical data are summarized in Table 5.1 and on Figure 5.1. STL analytical data are provided in Appendix B.

5.1.1 UNDERGROUND STORAGE TANKS 1 AND 2

No VOCs or SVOCs were detected at concentrations above KDHE Tier 2 values at SB-111. Arsenic was detected above the Tier 2 soil to groundwater protection pathway value of 5.84 mg/kg at a concentration of 8.5 mg/kg at a depth of 10 to 12 feet bgs.

5.1.2 UNDERGROUND STORAGE TANKS B AND C

No VOCs, SVOCs, or metals were detected at concentrations above Tier 2 values at SB-112.

5.1.3 FUEL ISLAND AND TRUCK MAINTENANCE FACILITIES

No VOCs or SVOCs were detected at concentrations above Tier 2 values at SB-114 (truck maintenance facility) and SB-115 (fuel island). Arsenic was detected above the Tier 2 soil to groundwater protection pathway value of 5.84 mg/kg at a concentration of 6.7 mg/kg at SB-114 at a depth of 10 to 12 feet bgs and at a concentration of 6.6 mg/kg at SB-115 at a depth of 10 to 12 feet bgs.

5.1.4 UNDERGROUND STORAGE TANK 10 AND BALER ROOM

No VOCs, SVOCs, or metals were detected at concentrations above Tier 2 values at SB-113.

³ Estimated detection concentrations were not considered exceedences of the Tier 2 objectives.

5.1.5 POWERHOUSE AREA

No SVOCs or metals were detected at concentrations above Tier 2 values at SB-110. PCE was detected above the soil to groundwater protection pathway value of 0.18 mg/kg at a concentration of 0.19 mg/kg at a depth of 10 to 12 feet bgs.

No VOCs, SVOCs, or metals were detected at concentrations above Tier 2 values at SB-109 or SB-108.

5.1.6 WASTE AND PAINT SLUDGE SUMP

No VOCs or SVOCs were detected at concentrations above Tier 2 values at SB-116. Arsenic was detected above the Tier 2 soil to groundwater protection pathway value of 5.84 mg/kg at a concentration of 6.6 mg/kg at a depth of 10 to 12 feet bgs.

5.1.7 PAINT MIX AND SLUDGE STORAGE/PAINT SLUDGE OVERFLOW TANKS

No VOCs, SVOCs, or metals were detected at concentrations above Tier 2 values at SB-117.

5.2 GROUNDWATER ANALYTICAL DATA

Groundwater analytical results were compared to KDHE Tier 2 non-residential scenario groundwater pathway values.⁴ Groundwater analytical data is summarized in Table 5.2 and on Figure 5.2. STL analytical data is provided in Appendix B.

At monitoring well MW-111, cis-1,2-dichloroethene was detected above the Tier 2 value of 0.07 mg/L at a concentration of 0.15 mg/L, and vinyl chloride was detected above the Tier 2 value of 0.002 mg/L at a concentration of 0.017 mg/L.

Bis(2-ethylhexyl)phthalate was detected at monitoring well MW-1A above the Tier 2 value of 0.006 mg/L at a concentration of 0.024 mg/L.

Arsenic was detected at monitoring well MW-1A above the Tier 2 value of 0.01 at a concentration of 0.015 mg/L. Manganese was detected at concentrations above the

⁴ Estimated detection concentrations were not considered exceedences of the Tier 2 objectives.

Tier 2 value of 0.05 mg/L at monitoring wells MW-105 (1.5 mg/L) and MW-109 (1.9 mg/L). Selenium was detected at monitoring well MW-1 above the Tier 2 value of 0.05 mg/L at a concentration of 0.19 mg/L.

5.3 HYDRAULIC MONITORING RESULTS

The general groundwater flow direction measured in December 2004 is to the north and east, toward the Missouri River. Groundwater flow direction, however, is seasonal, and is influenced by the amount of precipitation that has occurred and the elevation of the water in the Missouri River.

Groundwater elevation data are summarized in Table 5.3. Figure 5.3 presents the December 2004 groundwater contour map.

6.0 SUMMARY AND CONCLUSIONS

The purpose of the Confirmatory Sampling Program completed at the Fairfax I Site in December 2004 was to verify and validate previous studies and remedial actions completed at AOCs. This sampling program was outlined in CRA's September 10, 2004 Work Plan and focused on a number of AOCs identified at the Site previously. Many of these AOCs included former underground storage tanks, above ground storage tanks, sumps, and other historical operations at the Fairfax I Facility. Soil sample locations and parameters were selected to address each specific AOC. In addition, a round of groundwater sampling from existing wells was also planned in order to evaluate current conditions of groundwater near and around the AOCs.

Soil Data

The results of soil sample analyses from the Confirmatory Sampling Program validated the historical sample data and indicated that each AOC does not pose a risk to human health or the environment. A total of ten soil samples were collected as part of the program with laboratory analyses for the full list of TCL VOCs and SVOCS and TAL metals (over 120 parameters). There were only two parameters, in five soil samples, that were detected above the RSK Tier 2 soil to groundwater protection criteria. PCE was detected (0.19 mg/kg) at one location just slightly above the Tier 2 criteria of 0.18 mg/kg. Arsenic was detected over the Tier 2 criteria of 5.84 mg/kg at four locations (range of 6.6 to 8.5 mg/kg).

The PCE in the soil at this location is expected to be an isolated incident and not representative of the materials handled at this AOC (the powerhouse area where USTs contained fuel oil and gasoline). The arsenic detections are likely a reflection of Site wide conditions and are not related to any activity at these specific AOCs. Arsenic was detected above the Tier 2 soil to groundwater protection criteria at soil boring locations that contained former USTs used for fuels, fuel oils, and petroleum products. The arsenic is not likely associated with the USTs, but with the natural quality of the soils.


The PCE and arsenic detections above the Tier 2 criteria are not considered to be representative of soils impacted by the AOCs. The PCE and arsenic exceed the Tier 2 soil to groundwater (groundwater protection) criteria. Although the PCE and arsenic detections above the Tier 2 criteria are not considered to be representative of soils impacted by the AOCs, they will be addressed by the groundwater use prohibition (land use restriction) which GM is planning to implement for the Fairfax I property. This prohibition against groundwater use will eliminate any potential hypothetical exposure to the soils containing the PCE and arsenic exceedences.

Groundwater Data

Confirmation sampling data collected from the existing monitoring wells further support previous conclusions reached at the Fairfax I Site, specifically, (1) that there is a localized area of groundwater contamination (and soil contamination) in the vicinity of MW 103A; and (2) that there are plume(s) of VOC migrating onto the Fairfax property from industrial areas located south of the Site. There were isolated incidences of detections of metals (i.e., manganese, arsenic, and selenium) above the Tier 2 criteria in samples of groundwater collected during this event. These metals are considered to be either a result of natural background conditions (e.g., manganese) or due to the regional industrial area located upgradient of the Site. Detections of chlorinated solvents were found above the Tier 2 criteria in MW-111, which is upgradient of sources on the Fairfax I property. The groundwater quality of this well more likely represents the contamination originating from off-Site sources located in the industrial park area south of the Fairfax I property.

The historical exceedences of Tier 2 criteria detected in past sampling events in groundwater near and around MW-103A will be addressed through the remedial program currently being designed by GM. The exceedences in other areas of the Site which are likely a result of either background or of off-Site and upgradient sources will be addressed through the groundwater use prohibition which is planned for the property.

In summary, delineation is complete, and the results of the recently completed soil and groundwater confirmation sampling program have not changed the remedial plans currently being pursued by GM for the Fairfax I property.



BASE SOURCE: USGS 7.5 MINUTE TOPOGRAPHIC QUADRANGLE;
NORTH KANSAS CITY, MO-KS 1990







figure 1.1


SITE LOCATION MAP
FORMER FAIRFAX I PLANT SITE
Kansas City, Kansas


CRA

















LEGEND:

- *---*---*--- FENCE LINE
- +++++ RAILROAD TRACK
- MW-1 ● EXISTING MONITORING WELL LOCATION AND IDENTIFIER
- MW-3 ○ FORMER MONITORING WELL LOCATION AND IDENTIFIER

SAMPLE IDENTIFIER		SAMPLE DATE
Units	mg/L	
MW-1A	12/21/2004	
Acetophenone	1.5 J	

DETECTED ANALYTE
J ESTIMATED CONCENTRATION

MW-109	12/21/2004
Units	mg/L
Acetone	2.2 J
Aluminum	0.085 J
Arsenic	0.0029 J
Barium	0.094 J
Cadmium	0.00047 J
Calcium	201
Caprolactam	1.1 J
cis-1,2-Dichloroethene	20
Cobalt	0.0037 J
Copper	0.0023 J
Iron	1.2 J
Magnesium	46.1 J
Manganese	1.9
Nickel	0.015 J
Potassium	11.6
Selenium	0.037
Sodium	32.1
trans-1,2-Dichloroethene	1.3
Vinyl chloride	1.0

MW-1	12/21/2004
Units	mg/L
Acetophenone	2.4 J
Barium	0.16 J
Calcium	204
cis-1,2-Dichloroethene	0.36 J
Cobalt	0.0074 J
Di-n-butylphthalate	2.8 J
Iron	0.096 J
Lead	0.0086
Magnesium	49.0 J
Manganese	1.5 J
Nickel	0.014 J
Phenol	12
Potassium	9.6 J
Selenium	0.19
Sodium	45.7

MW-110	12/21/2004
Units	mg/L
Acetophenone	1.3 J
Barium	0.69
Calcium	124
cis-1,2-Dichloroethene	0.74 J
Iron	14.1
Magnesium	33.3 J
Manganese	1.4 J
Potassium	8.1 J
Sodium	88.1

MW-111	12/21/2004
Units	mg/L
Acetophenone	3.9 J
Arsenic	0.0035 J
Barium	0.50
Calcium	176
Caprolactam	0.91 J
cis-1,2-Dichloroethene	150
Iron	23.2 J
Magnesium	50.9 J
Manganese	1.7 J
Potassium	7.1
Sodium	30.1
Thallium	0.0051 J
trans-1,2-Dichloroethene	11
Vinyl chloride	17

MW-110A	12/21/2004
Units	mg/L
Barium	0.19 J
Beryllium	0.00078 J
Calcium	159
cis-1,2-Dichloroethene	4.0
Cobalt	0.0035 J
Iron	0.57
Magnesium	48.3 J
Manganese	1.5 J
Nickel	0.0090 J
Phenol	4.5 J
Potassium	9.5 J
Selenium	0.026
Sodium	84.7
Tetrachloroethene	4.8
trans-1,2-Dichloroethene	0.21 J
Trichloroethene	1.9

MW-105	12/20/2004
Units	mg/L
2,4-Dimethylphenol	0.55 J
2,6-Dinitrotoluene	1.0 J
Acetophenone	0.53 J
Arsenic	0.0062 J
Barium	0.24
bis(2-Ethylhexyl)phthalate	2.3 J
Calcium	172
cis-1,2-Dichloroethene	6.3
Cobalt	0.0034 J
Iron	10.4
Magnesium	43.1
Manganese	1.5
Nickel	0.0052 J
Potassium	10.2 J
Selenium	0.0076
Sodium	71.8

MW-160A	12/21/2004
Units	mg/L
Barium	0.23
Beryllium	0.00070 J
Calcium	228
Cobalt	0.0014 J
Di-n-butylphthalate	1.2 J
Iron	30.9
Magnesium	31.6 J
Manganese	2.4 J
Potassium	7.5 J
Sodium	6.3

MW-1A	12/21/2004
Units	mg/L
Acetophenone	1.5 J
Arsenic	0.015
Barium	0.33
Beryllium	0.00079 J
bis(2-Ethylhexyl)phthalate	24
Calcium	129
Caprolactam	1.3 J
Carbon disulfide	0.74 J
cis-1,2-Dichloroethene	0.87 J
Di-n-butylphthalate	1.8 J
Iron	17.5
Magnesium	35.1 J
Manganese	1.7 J
Phenol	6.2 J
Potassium	7.7 J
Selenium	0.0048 J
Sodium	43.5

figure 5.2

SUMMARY OF DETECTED ANALYTES IN GROUNDWATER
CONFIRMATORY SAMPLING PROGRAM
FORMER FAIRFAX I PLANT SITE
Kansas City, Kansas






figure 5.3
GROUNDWATER CONTOUR MAP
DECEMBER 2004
FORMER FAIRFAX I PLANT SITE
Kansas City, Kansas



TABLE 3.1

**SUMMARY OF MONITORING WELL PURGING PARAMETERS
CONFIRMATORY SAMPLING PROGRAM
FORMER GM FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS**

<i>Well Number</i>	<i>Date Conducted</i>	<i>Depth to Water (ft BTOC) ¹</i>	<i>Total Depth (ft BTOC)</i>	<i>Well Volume (gallons)</i>	<i>Volume Removed (gallons)</i>	<i>pH (standard units)</i>	<i>Conductivity (μS/cm) ²</i>	<i>Temperature (°C) ³</i>	<i>Dissolved Oxygen (mg/L) ⁴</i>	<i>ORP (mV) ⁵</i>	<i>Pump</i>
MW-1	12/21/04	28.49	32.25	0.6	1.5	6.87	1,352	16.6	3.25	95.4	Whale
					3.0	6.84	1,355	18.3	0.52	117.6	
					4.5	6.75	1,363	18.3	NM ⁶	119.2	
MW-1A	12/21/04	28.58	37.19	1.4	3	7.14	926	15.1	0.58	NM	Whale
					4	7.04	926	15.2	0.25	NM	
					6	7.00	931	15.2	0.16	-111.5	
					8	7.00	931	15.2	0.14	-112.0	
MW-105	12/20/04	29.37	32.75	0.5	0.5	7.05	1,391	13.4	5.5	-30.7	Whale
					1.0	6.87	1,402	14.7	NM	-51.9	
					1.5	6.82	1,405	15.0	NM	NM	
					2.0	6.78	1,404	15.1	NM	NM	
					2.5	6.77	1,402	15.1	NM	-67.6	
MW-109	12/21/04	28.41	32.50	0.7	1.25	6.83	1,302	14.6	NM	76.7	Peristaltic
					2.50	6.76	1,348	15.6	0.9	61.2	
					3.75	6.75	1,357	15.6	0.7	59.2	
					5.00	6.94	1,359	15.7	0.5	73.8	
MW-110	12/21/04	28.24	63.71	5.7	6	7.10	1,270	14.4	0.3	-126.0	Whale
					12	7.10	1,270	14.6	0.65	-144.5	
					17	7.00	1,260	14.7	0.25	-150.3	

TABLE 3.1

**SUMMARY OF MONITORING WELL PURGING PARAMETERS
CONFIRMATORY SAMPLING PROGRAM
FORMER GM FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS**

<i>Well Number</i>	<i>Date Conducted</i>	<i>Depth to Water (ft BTOC) ¹</i>	<i>Total Depth (ft BTOC)</i>	<i>Well Volume (gallons)</i>	<i>Volume Removed (gallons)</i>	<i>pH (standard units)</i>	<i>Conductivity (μS/cm) ²</i>	<i>Temperature (°C) ³</i>	<i>Dissolved Oxygen (mg/L) ⁴</i>	<i>ORP (mV) ⁵</i>	<i>Pump</i>
MW-110A	12/21/04	26.42	36.45	1.6	4	6.90	1,295	16.9	0.67	45.7	Whale
					6	6.85	1,300	17.0	0.55	37.8	
					7	6.82	1,303	17.0	0.40	31.4	
MW-111	12/21/04	28.37	61.10	5.2	6	6.92	1,351	16.9	0.12	NM	Whale
					12	6.87	1,379	15.1	0.5	NM	
					19	6.86	1,381	15.1	0.3	-50.2	
MW-160A	12/21/04	29.83	37.55	1.2	1.6	6.75	1,336	16.0	0.38	-91.2	Peristaltic
					3	6.78	1,353	16.2	0.33	-99.9	
					5	6.78	1,342	16.4	0.39	-110.5	
					7	6.78	1,349	16.4	0.37	-113.5	
					10	6.39	1,360	13.4	0.37	-118.2	

¹ ft BTOC - feet below top of casing

² μS/cm - microsiemens per centimeter

³ °C - degrees celcius

⁴ mg/L - milligrams per liter

⁵ ORP (mV) - oxidation-reduction potential (millivolts)

⁶ NM - not measured

TABLE 5.1

SUMMARY OF SOIL DETECTED ANALYTICAL DATA
CONFIRMATORY SAMPLING PROGRAM
FORMER GM FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Sample Location:</i>		<i>SB-108</i>	<i>SB-109</i>	<i>SB-110</i>	<i>SB-111</i>	<i>SB-112</i>
<i>Sample ID:</i>		<i>S-122004-DS-115</i>	<i>S-122004-DS-116</i>	<i>S-122004-DS-117</i>	<i>S-122104-DS-118</i>	<i>S-122104-DS-119</i>
<i>Sample Date:</i>		<i>12/20/2004</i>	<i>12/20/2004</i>	<i>12/20/2004</i>	<i>12/21/2004</i>	<i>12/21/2004</i>
<i>Sample Depth (ft bgs)²:</i>		<i>10 - 12 ft</i>	<i>10 - 12 ft</i>	<i>10 - 12 ft</i>	<i>10 - 12 ft</i>	<i>10 - 12 ft</i>
<i>Parameters (mg/kg)³:</i>						
<i>Volatile Organic Compounds</i>						
1,2-Dichloroethane	0.04	0.0046 U ⁴	0.0065 U	0.0063 U	0.0061 U	0.0061 U
Acetone	3.8	0.018 U	0.0092 J ⁵	0.025 U	0.025 U	0.0039 J
Ethylbenzene	55	0.0046 U	0.0065 U	0.0063 U	0.0061 U	0.0011 J
Methylene chloride	0.03	0.0046 U	0.0065 U	0.0063 U	0.0041 J	0.011
Tetrachloroethene	0.18	0.0046 U	0.0065 U	0.19 ⁶	0.0061 U	0.0039 J
Toluene	40	0.0025 J	0.0065 U	0.00091 J	0.0005 J	0.0011 J
Trichloroethene	0.20	0.0046 U	0.0065 U	0.001 J	0.0061 U	0.0005 J
Xylene (total)	700	0.0081 J	0.013 U	0.013 U	0.012 U	0.00094 J
<i>Semivolatile Organic Compounds</i>						
2,4-Dimethylphenol	81	0.39 U	0.45 U	0.048 J	0.44 U	0.41 U
Anthracene	13	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U
Benzo(a)anthracene	26	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U
Benzo(a)pyrene	2.6	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U
Benzo(b)fluoranthene	19	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U
Benzo(g,h,i)perylene	NS ⁷	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U
Benzo(k)fluoranthene	10	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U
Butyl benzylphthalate	1500	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U
Caprolactam	NS	0.39 U	0.45 U	0.45 U	0.041 J	0.41 U
Chrysene	6.4	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U
Dibenz(a,h)anthracene	2.6	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U
Fluoranthene	220	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U
Indeno(1,2,3-cd)pyrene	0.76	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U
Phenanthrene	NS	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U
Pyrene	140	0.39 U	0.45 U	0.45 U	0.44 U	0.41 U

TABLE 5.1

SUMMARY OF SOIL DETECTED ANALYTICAL DATA
CONFIRMATORY SAMPLING PROGRAM
FORMER GM FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Sample Location:</i>		<i>SB-108</i>	<i>SB-109</i>	<i>SB-110</i>	<i>SB-111</i>	<i>SB-112</i>
<i>Sample ID:</i>		S-122004-DS-115	S-122004-DS-116	S-122004-DS-117	S-122104-DS-118	S-122104-DS-119
<i>Sample Date:</i>		RSK ¹	12/20/2004	12/20/2004	12/20/2004	12/21/2004
<i>Sample Depth (ft bgs)²:</i>		Tier 2	10 - 12 ft	10 - 12 ft	10 - 12 ft	10 - 12 ft
<i>Parameters (mg/kg)³:</i>						
<i>Metals</i>						
Aluminum	NS	5660	5690	7340	7320	3760
Arsenic	5.84	5.3	3.9	4.6	8.5	5.6
Barium	140000	183	205	208	239	136
Beryllium	4100	0.17 J	0.14 J	0.21 J	0.27 J	0.093 J
Cadmium	1000	0.20 U	0.15 U	0.19 U	0.11 J	0.61 U
Calcium	NS	13000	21200	20200	19400 J	14500 J
Chromium Total	4000	10.3	10.7	12.3	12.3 J	7.5 J
Cobalt	NS	4.8 J	6.7 J	6.8 J	8.4	5.2 J
Copper	76000	11.8	12.3	18.2	15.6	5.8
Iron	NS	9460 J	12900 J	12200 J	15000	10000
Lead	1000	9.0	9.3	10.5	10.4	6.7
Magnesium	NS	3810	8270	7500	7480	5550
Manganese	95000	247	274	277	465	229
Mercury	20	0.013 J	0.0099 J	0.016 J	0.012 J	0.12 U
Nickel	41000	12.4	16.9	17.0	21.4 J	12.8 J
Potassium	NS	1160	1530	2110	1830 J	902 J
Selenium	10000	0.43 J	0.68 U	0.69 U	0.67 U	0.61 U
Sodium	NS	267 J	121 J	176 J	189 U	121 U
Vanadium	14000	16.6	18.8	19.6	21.6	13.1
Zinc	610000	38.5	47.7	51.5	52.6	31.7

TABLE 5.1

SUMMARY OF SOIL DETECTED ANALYTICAL DATA
CONFIRMATORY SAMPLING PROGRAM
FORMER GM FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Sample Location:</i>		<i>SB-113</i>	<i>SB-114</i>	<i>SB-115</i>	<i>SB-116</i>	<i>SB-117</i>
<i>Sample ID:</i>		<i>S-122104-DS-120</i>	<i>S-122104-DS-121</i>	<i>S-122104-DS-122</i>	<i>S-122104-DS-123</i>	<i>S-122104-DS-124</i>
<i>Sample Date:</i>		<i>RSK¹</i>	<i>12/21/2004</i>	<i>12/21/2004</i>	<i>12/21/2004</i>	<i>12/21/2004</i>
<i>Sample Depth (ft bgs)²:</i>		<i>Tier 2</i>	<i>10 - 12 ft</i>	<i>10 - 12 ft</i>	<i>4 - 6 ft</i>	<i>4 - 6 ft</i>
<i>Parameters (mg/kg)³:</i>						
<i>Volatile Organic Compounds</i>						
1,2-Dichloroethane	0.04	0.0057 U	0.006 U	0.0019 J	0.0079 U	0.0048 U
Acetone	3.8	0.0033 J	0.024 U	0.023 U	0.0044 J	0.0033 J
Ethylbenzene	55	0.0057 U	0.006 U	0.0059 U	0.0079 U	0.0048 U
Methylene chloride	0.03	0.0083	0.0083	0.012	0.011	0.0067
Tetrachloroethene	0.18	0.0026 J	0.006 U	0.0059 U	0.0079 U	0.0048 U
Toluene	40	0.00061 J	0.00087 J	0.00051 J	0.00084 J	0.00045 J
Trichloroethene	0.20	0.0057 U	0.006 U	0.0059 U	0.0079 U	0.0048 U
Xylene (total)	700	0.011 U	0.012 U	0.012 U	0.016 U	0.0096 U
<i>Semivolatile Organic Compounds</i>						
2,4-Dimethylphenol	81	0.35 U	0.46 U	0.41 U	0.42 U	4.2 U
Anthracene	13	0.35 U	0.46 U	0.41 U	0.42 U	0.53 J
Benzo(a)anthracene	26	0.35 U	0.46 U	0.41 U	0.42 U	1.5 J
Benzo(a)pyrene	2.6	0.35 U	0.46 U	0.41 U	0.42 U	1.3 J
Benzo(b)fluoranthene	19	0.35 U	0.46 U	0.41 U	0.42 U	1.8 J
Benzo(g,h,i)perylene	NS ⁷	0.35 U	0.46 U	0.41 U	0.42 U	0.84 J
Benzo(k)fluoranthene	10	0.35 U	0.46 U	0.41 U	0.42 U	0.79 J
Butyl benzylphthalate	1500	0.35 U	0.46 U	0.41 U	0.42 U	18
Caprolactam	NS	0.35 U	0.46 U	0.41 U	0.42 U	4.2 U
Chrysene	6.4	0.35 U	0.46 U	0.41 U	0.42 U	1.5 J
Dibenz(a,h)anthracene	2.6	0.35 U	0.46 U	0.41 U	0.42 U	0.2 J
Fluoranthene	220	0.35 U	0.46 U	0.41 U	0.42 U	3.7 J
Indeno(1,2,3-cd)pyrene	0.76	0.35 U	0.46 U	0.41 U	0.42 U	0.92 J
Phenanthrene	NS	0.35 U	0.46 U	0.41 U	0.42 U	1.9 J
Pyrene	140	0.35 U	0.46 U	0.41 U	0.42 U	2.8 J

TABLE 5.1

SUMMARY OF SOIL DETECTED ANALYTICAL DATA
CONFIRMATORY SAMPLING PROGRAM
FORMER GM FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Sample Location:</i>		<i>SB-113</i>	<i>SB-114</i>	<i>SB-115</i>	<i>SB-116</i>	<i>SB-117</i>
<i>Sample ID:</i>		<i>S-122104-DS-120</i>	<i>S-122104-DS-121</i>	<i>S-122104-DS-122</i>	<i>S-122104-DS-123</i>	<i>S-122104-DS-124</i>
<i>Sample Date:</i>	<i>RSK¹</i>	<i>12/21/2004</i>	<i>12/21/2004</i>	<i>12/21/2004</i>	<i>12/21/2004</i>	<i>12/21/2004</i>
<i>Sample Depth (ft bgs)²:</i>	<i>Tier 2</i>	<i>10 - 12 ft</i>	<i>10 - 12 ft</i>	<i>10 - 12 ft</i>	<i>4 - 6 ft</i>	<i>4 - 6 ft</i>
<i>Parameters (mg/kg)³:</i>						
<i>Metals</i>						
Aluminum	NS	1520	7130	5790	3970	339
Arsenic	5.84	2.3	6.7	6.6	6.6	1.5
Barium	140000	50.1	201	189	170	17.9 J
Beryllium	4100	0.52 U	0.26 J	0.16 J	0.12 J	0.51 U
Cadmium	1000	0.52 U	0.70 U	0.62 U	0.63 U	0.51 U
Calcium	NS	4250 J	19000 J	18700 J	11600 J	305 J
Chromium Total	4000	3.4 J	12.7 J	9.8 J	8.3 J	2.1 J
Cobalt	NS	2.6 J	5.9 J	6.3	5.3 J	0.76 J
Copper	76000	1.6 J	19.5	9.8	8.2	1.2 J
Iron	NS	4400	14200	12700	10300	1870
Lead	1000	2.9	10.5	8.6	7.8	2.4
Magnesium	NS	1850	7090	7060	5700	112 J
Manganese	95000	81.6	270	298	251	7.4
Mercury	20	0.10 U	0.035 J	0.0077 J	0.13 U	0.10 U
Nickel	41000	6.7 J	17.3 J	15.6 J	13.0 J	1.2 U
Potassium	NS	329 J	1630 J	1480 J	941 J	124 J
Selenium	10000	0.52 U	0.70 U	0.62 U	0.63 U	0.51 U
Sodium	NS	523 U	144 U	154 U	218 U	514 U
Vanadium	14000	6.1	19.9	17.1	14.1	3.2 J
Zinc	610000	13.3	50.1	42.9	34.1	4.2

¹ Risk Based Standards for Kansas (RSK Manual), Appendix A, Tier 2, Non-Residential Scenarios, Kansas Department of Health and Environment, March 1, 2003; the value listed is the lowest objective of the soil and the soil to ground water protection pathways.

² ft bgs - feet below ground surface

³ mg/kg - milligrams per kilogram

⁴ U - not detected at the associated value

⁵ J - estimated at the associated value

⁶ 0.19 - shading denotes exceedence of regulatory standard

⁷ NS - no regulatory standard

TABLE 5.2

SUMMARY OF GROUNDWATER DETECTED ANALYTICAL DATA
CONFIRMATORY SAMPLING PROGRAM
FORMER GM FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

Sample Location:		MW-1	MW-1A	MW-105	MW-109	MW-110
Sample ID:		GW-122104-DS-006	GW-122104-DS-013	GW-122004-DS-003	GW-122104-DS-005	GW-122104-DS-012
Sample Date:	RSK ¹	12/21/2004	12/21/2004	12/20/2004	12/21/2004	12/21/2004
QA/QC ² :	Tier 2					
<i>Parameters (mg/L)³:</i>						
Volatile Organic Compounds						
Acetone	0.93	0.01 U ⁴	0.01 U	0.01 U	0.0022 J ⁵	0.01 U
Carbon disulfide	0.03	0.001 U	0.00074 J	0.001 U	0.001 U	0.001 U
cis-1,2-Dichloroethene	0.07	0.00036 J	0.00087 J	0.0063	0.02	0.00074 J
Tetrachloroethene	0.005	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U
trans-1,2-Dichloroethene	0.1	0.001 U	0.001 U	0.001 U	0.0013	0.001 U
Trichloroethene	0.005	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U
Vinyl chloride	0.002	0.001 U	0.001 U	0.001 U	0.001	0.001 U
Semivolatile Organic Compounds						
2,4-Dimethylphenol	1.8	0.01 U	0.01 U	0.00055 J	0.01 U	0.01 U
2,6-Dinitrotoluene	0.004	0.01 U	0.01 U	0.001 J	0.01 U	0.01 U
Acetophenone	0.00006	0.0024 J	0.0015 J	0.00053 J	0.01 U	0.0013 J
bis(2-Ethylhexyl)phthalate	0.006	0.01 U	0.024 ⁶	0.0023 J	0.01 U	0.01 U
Caprolactam	NS ⁷	0.01 U	0.0013 J	0.01 U	0.0011 J	0.01 U
Di-n-butylphthalate	NS	0.0028 J	0.0018 J	0.01 U	0.01 U	0.01 U
Phenol	58	0.012	0.0062 J	0.01 U	0.01 U	0.01 U
Metals						
Aluminum	NS	0.064 U	0.054 U	0.033 U	0.085 J	0.066 U
Arsenic	0.01	0.010 U	0.015	0.0062 J	0.0029 J	0.010 U
Barium	2.0	0.16 J	0.33	0.24	0.094 J	0.69
Beryllium	0.004	0.00074 U	0.00079 J	0.0050 U	0.0050 U	0.00078 U
Cadmium	0.005	0.00051 U	0.0050 U	0.0050 U	0.00047 J	0.0050 U
Calcium	NS	204	129	172	201	124
Cobalt	NS	0.0074 J	0.050 U	0.0034 J	0.0037 J	0.050 U
Copper	1.3	0.025 U	0.025 U	0.025 U	0.0023 J	0.025 U
Iron	NS	0.096 J	17.5	10.4	1.2 J	14.1
Lead	0.015	0.0086	0.0030 U	0.0030 U	0.0030 U	0.0030 U
Magnesium	NS	49.0 J	35.1 J	43.1	46.1 J	33.3 J
Metals						

TABLE 5.2

SUMMARY OF GROUNDWATER DETECTED ANALYTICAL DATA
 CONFIRMATORY SAMPLING PROGRAM
 FORMER GM FAIRFAX I PLANT SITE
 KANSAS CITY, KANSAS

<i>Sample Location:</i>		MW-1	MW-1A	MW-105	MW-109	MW-110
<i>Sample ID:</i>		GW-122104-DS-006	GW-122104-DS-013	GW-122004-DS-003	GW-122104-DS-005	GW-122104-DS-012
<i>Sample Date:</i>	RSK ¹	12/21/2004	12/21/2004	12/20/2004	12/21/2004	12/21/2004
<i>QA/QC²:</i>	Tier 2					
<i>Parameters (mg/L)³:</i>						
Manganese	0.05	1.5 J	1.7 J	1.5	1.9	1.4 J
Nickel	0.10	0.014 J	0.040 U	0.0052 J	0.015 J	0.040 U
Potassium	NS	9.6 J	7.7 J	10.2 J	11.6	8.1 J
Selenium	0.05	0.19	0.0048 J	0.0076	0.037	0.0050 U
Sodium	NS	45.7	43.5	71.8	32.1	88.1
Thallium	NS	0.0067 U	0.010 U	0.010 U	0.010 U	0.009 U

TABLE 5.2

SUMMARY OF GROUNDWATER DETECTED ANALYTICAL DATA
CONFIRMATORY SAMPLING PROGRAM
FORMER GM FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Sample Location:</i>		<i>MW-110</i>	<i>MW-110A</i>	<i>MW-111</i>	<i>MW-160A</i>
<i>Sample ID:</i>		<i>GW-122104-DS DUP</i>	<i>GW-122104-DS-008</i>	<i>GW-122104-DS-011</i>	<i>GW-122104-DS-007</i>
<i>Sample Date:</i>	<i>RSK¹</i>	<i>12/21/2004</i>	<i>12/21/2004</i>	<i>12/21/2004</i>	<i>12/21/2004</i>
<i>QA/QC²:</i>	<i>Tier 2</i>	<i>Duplicate</i>			
<i>Parameters (mg/L)³:</i>					
<i>Volatile Organic Compounds</i>					
Acetone	0.93	0.01 U	0.01 U	0.05 U	0.01 U
Carbon disulfide	0.03	0.00049 J	0.001 U	0.005 U	0.001 U
cis-1,2-Dichloroethene	0.07	0.00067 J	0.004	0.15	0.001 U
Tetrachloroethene	0.005	0.001 U	0.0048	0.005 U	0.001 U
trans-1,2-Dichloroethene	0.1	0.001 U	0.00021 J	0.011	0.001 U
Trichloroethene	0.005	0.001 U	0.0019	0.005 U	0.001 U
Vinyl chloride	0.002	0.001 U	0.001 U	0.017	0.001 U
<i>Semivolatile Organic Compounds</i>					
2,4-Dimethylphenol	1.8	0.01 U	0.01 U	0.01 U	0.01 U
2,6-Dinitrotoluene	0.004	0.01 U	0.01 U	0.01 U	0.01 U
Acetophenone	0.00006	0.0027 J	0.01 U	0.0039 J	0.01 U
bis(2-Ethylhexyl)phthalate	0.006	0.01 U	0.01 U	0.01 U	0.01 U
Caprolactam	NS ⁷	0.001 J	0.01 U	0.00091 J	0.01 U
Di-n-butylphthalate	NS	0.01 U	0.01 U	0.01 U	0.0012 J
Phenol	58	0.01 U	0.0045 J	0.01 U	0.01 U
<i>Metals</i>					
Aluminum	NS	0.073 U	0.053 U	0.20 U	0.094 U
Arsenic	0.01	0.010 U	0.010 U	0.0035 J	0.010 U
Barium	2.0	0.80	0.19 J	0.50	0.23
Beryllium	0.004	0.00079 U	0.00078 J	0.0050 U	0.00070 J
Cadmium	0.005	0.0050 U	0.00061 U	0.0050 U	0.0050 U
Calcium	NS	141	159	176	228
Cobalt	NS	0.050 U	0.0035 J	0.050 U	0.0014 J
Copper	1.3	0.025 U	0.025 U	0.025 U	0.025 U
Iron	NS	16.0	0.57	23.2 J	30.9
Lead	0.015	0.0030 U	0.0030 U	0.0030 U	0.0030 U
Magnesium	NS	38.0 J	48.3 J	50.9 J	31.6 J

TABLE 5.2

SUMMARY OF GROUNDWATER DETECTED ANALYTICAL DATA
CONFIRMATORY SAMPLING PROGRAM
FORMER GM FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Sample Location:</i>		<i>MW-110</i>	<i>MW-110A</i>	<i>MW-111</i>	<i>MW-160A</i>
<i>Sample ID:</i>		<i>GW-122104-DSDUP</i>	<i>GW-122104-DS-008</i>	<i>GW-122104-DS-011</i>	<i>GW-122104-DS-007</i>
<i>Sample Date:</i>	<i>RSK¹</i>	<i>12/21/2004</i>	<i>12/21/2004</i>	<i>12/21/2004</i>	<i>12/21/2004</i>
<i>QA/QC²:</i>	<i>Tier 2</i>	<i>Duplicate</i>			
<i>Parameters (mg/L)³:</i>					
Manganese	0.05	1.5 J	1.5 J	1.7 J	2.4 J
Nickel	0.10	0.040 U	0.0090 J	0.040 U	0.040 U
Potassium	NS	9.3 J	9.5 J	7.1	7.5 J
Selenium	0.05	0.0050 U	0.026	0.0050 U	0.0050 U
Sodium	NS	101	84.7	30.1	6.3
Thallium	NS	0.0061 U	0.010 U	0.0051 J	0.010 U

¹ RSK - Appendix A, Tier 2, non-residential groundwater pathway objective in "Risk Based Standards for Kansas (RSK Manual)", Kansas Department of Health and Environment, March 1, 2003

² QA/QC - Quality Assurance/Quality Control

³ mg/L - milligrams per liter

⁴ U - not detected at the associated value

⁵ J - estimated at the associated value

⁶ 0.024 - shading denotes exceedence of regulatory standard

⁷ NS - no regulatory standard

TABLE 5.3

**SUMMARY OF GROUNDWATER ELEVATIONS
CONFIRMATORY SAMPLING PROGRAM
FORMER GM FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS**

<i>Monitoring Well</i>	<i>Top of Casing Elevation (ft AMSL)¹</i>	<i>Total Depth (ft BTOC)²</i>	<i>October 1998</i>		<i>May 1999</i>		<i>December 2004</i>	
			<i>Groundwater</i>		<i>Groundwater</i>		<i>Groundwater</i>	
			<i>Water Level (ft BTOC)</i>	<i>Elevation (ft AMSL)</i>	<i>Water Level (ft BTOC)</i>	<i>Elevation (ft AMSL)</i>	<i>Water Level (ft BTOC)</i>	<i>Elevation (ft AMSL)</i>
MW-1	746.43	32.25	19.23	727.20	16.84	729.59	28.49	717.94
MW-1A	745.93	37.19	18.95	726.98	15.54	726.98	28.58	717.35
MW-102A	748.82	31.02	NM ³	NM	17.24	731.58	31.72	717.10
MW-103A	747.71	32.30	20.99	726.72	16.27	731.44	NM	NM
MW-104	746.51	30.05	NM	NM	15.02	731.49	29.37	717.14
MW-105	746.70	32.75	NM	NM	15.29	731.41	29.57	717.13
MW-108	747.17	31.61	19.40	727.77	16.08	731.09	29.93	717.24
MW-109	746.11	32.50	19.03	727.08	16.07	730.04	28.41	717.70
MW-110	745.79	63.71	18.83	726.96	15.26	730.53	28.24	717.55
MW-110A	743.89	36.45	16.35	727.54	15.58	728.31	26.42	717.47
MW-111	745.96	61.10	NM	NM	NM	NM	28.37	717.59
MW-115A	748.07	29.35	NI ⁴	NI	16.52	731.55	Dry	NM
MW-160A	746.56	37.55	20.35	726.21	15.11	731.45	29.83	716.73

¹ ft AMSL - feet above mean sea level² ft BTOC - feet below top of casing³ NM - not measured at this time⁴ NI - well not yet installed

APPENDIX A
STRATIGRAPHIC LOGS



STRATIGRAPHIC AND INSTRUMENTATION LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: Fairfax I Plant Site

HOLE DESIGNATION: SB-108

PROJECT NUMBER: 012559

DATE COMPLETED: December 20, 2004

CLIENT: GM-ENCORE

DRILLING METHOD: Geoprobe

LOCATION: Kansas City, Kansas

FIELD PERSONNEL: C. Cantrell

DRILLING CONTRACTOR: Plains Environmental

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	ELEV. ft AMSL	BOREHOLE	SAMPLE				
				NUMBER	INTERVAL	REC (ft)	'N' VALUE	PID (ppm)
	GROUND SURFACE	743.0						
2	CL CLAY, with fine to medium grained sand, soft, brown-gray, moist, grades to more sand with depth			1	P/S			15.6
4				1	P/S			13.3
6				2	P/S			8.9
8				2	P/S			11.1
10				3	P/S			8.9
12	END OF BOREHOLE @ 12.0ft BGS	731.0						
14								
16								

Backfilled with
cement
bentonite
grout

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

CHEMICAL ANALYSIS

OVERBURDEN LOG 012559-BH.GPJ CRA_CORP GDT 4/15/05



STRATIGRAPHIC AND INSTRUMENTATION LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: Fairfax I Plant Site

HOLE DESIGNATION: SB-109

PROJECT NUMBER: 012559

DATE COMPLETED: December 20, 2004

CLIENT: GM-ENCORE

DRILLING METHOD: Geoprobe

LOCATION: Kansas City, Kansas

FIELD PERSONNEL: C. Cantrell

DRILLING CONTRACTOR: Plains Environmental

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	ELEV. ft AMSL	BOREHOLE	SAMPLE				
				NUMBER	INTERVAL	REC (ft)	'N' VALUE	PID (ppm)
	GROUND SURFACE	742.5						
2	CL CLAY, with fine to medium grained sand, soft, brown-gray		 Backfilled with cement bentonite grout	1	P/S			15.3
4				1	P/S			11.1
6				2	P/S			11.1
8				2	P/S			11.1
10				3	P/S			15.3
12	END OF BOREHOLE @ 12.0ft BGS	730.5						
14								
16								

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

CHEMICAL ANALYSIS

OVERBURDEN LOG 012559-BH.GPJ CRA CORP GDT 4/15/05



STRATIGRAPHIC AND INSTRUMENTATION LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: Fairfax I Plant Site

HOLE DESIGNATION: SB-110

PROJECT NUMBER: 012559

DATE COMPLETED: December 20, 2004

CLIENT: GM-ENCORE

DRILLING METHOD: Geoprobe

LOCATION: Kansas City, Kansas

FIELD PERSONNEL: C. Cantrell

DRILLING CONTRACTOR: Plains Environmental

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	ELEV. ft AMSL	BOREHOLE	SAMPLE				
				NUMBER	INTERVAL	REC (ft)	'N' VALUE	PID (ppm)
	GROUND SURFACE	742.3						
2	CL CLAY, with fine to medium grained sand, soft, brown-gray, moist			1	P/S			15.3
4				1	P/S			15.3
6				2	P/S			15.3
8				2	P/S			11.1
10	SM SILTY SAND, fine to medium grained, gray	732.3						
12	END OF BOREHOLE @ 12.0ft BGS	730.3		3	P/S			8.9
14								
16								

Backfilled with
cement
bentonite
grout

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

CHEMICAL ANALYSIS

OVERBURDEN LOG 012559-BH.GPJ CRA_CORP.GDT 4/15/05



STRATIGRAPHIC AND INSTRUMENTATION LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: Fairfax I Plant Site

HOLE DESIGNATION: SB-111

PROJECT NUMBER: 012559

DATE COMPLETED: December 21, 2004

CLIENT: GM-ENCORE

DRILLING METHOD: Geoprobe

LOCATION: Kansas City, Kansas

FIELD PERSONNEL: C. Cantrell

DRILLING CONTRACTOR: Plains Environmental

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	ELEV. ft AMSL	BOREHOLE	SAMPLE				
				NUMBER	INTERVAL	REC (ft)	'N' VALUE	PID (ppm)
	GROUND SURFACE	744.1						
2	CL SANDY CLAY, fine grained, brown, moist			1	P/S			0.2
4				1	P/S			1.8
6			Backfilled with cement bentonite grout	2	P/S			2.1
8				2	P/S			3.8
10	SM SILTY SAND, fine to medium grained, brown, moist	735.1						
12	END OF BOREHOLE @ 12.0ft BGS	732.1		3	P/S			3.5
14								
16								

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

CHEMICAL ANALYSIS



OVERBURDEN LOG 012559-BH.GPJ CRA_CORP GDT 4/15/05



STRATIGRAPHIC AND INSTRUMENTATION LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: Fairfax I Plant Site

HOLE DESIGNATION: SB-112

PROJECT NUMBER: 012559

DATE COMPLETED: December 21, 2004

CLIENT: GM-ENCORE

DRILLING METHOD: Geoprobe

LOCATION: Kansas City, Kansas

FIELD PERSONNEL: C. Cantrell

DRILLING CONTRACTOR: Plains Environmental

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	ELEV. ft AMSL	BOREHOLE	SAMPLE				
				NUMBER	INTERVAL	REC (ft)	'N' VALUE	P/D (ppm)
	GROUND SURFACE	743.1						
2	CL SANDY CLAY, fine to medium grained, tan-brown			1	P/S			0.6
4				1	P/S			0.5
6	SM SILTY SAND, medium grained, 1 to 2 centimeter layers, tan-brown, moist	738.1		2	P/S			0.8
8				2	P/S			1.5
10				3	P/S			1.1
12	END OF BOREHOLE @ 12.0ft BGS	731.1						
14								
16								

Backfilled with
cement
bentonite
grout

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

CHEMICAL ANALYSIS



OVERBURDEN LOG 012559-BH.GPJ CRA_CORP.GDT 4/15/05



STRATIGRAPHIC AND INSTRUMENTATION LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: Fairfax I Plant Site

HOLE DESIGNATION: SB-113

PROJECT NUMBER: 012559

DATE COMPLETED: December 21, 2004

CLIENT: GM-ENCORE

DRILLING METHOD: Geoprobe

LOCATION: Kansas City, Kansas

FIELD PERSONNEL: C. Cantrell

DRILLING CONTRACTOR: Plains Environmental

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	ELEV. ft AMSL	BOREHOLE	SAMPLE				
				NUMBER	INTERVAL	REC (ft)	'N' VALUE	PID (ppm)
	GROUND SURFACE	742.9						
2	SW SAND, very loose, medium to coarse grained, poorly sorted, tan-brown			1	P/S			0.2
4				1	P/S			0.7
6	SC SAND, with clay, soft, fine to medium grained, tan-brown, moist	737.9		2	P/S			0.3
8	SW SAND, very loose, medium to coarse grained, poorly sorted, tan-brown	735.9		2	P/S			0.6
10				3	P/S			0.5
12	END OF BOREHOLE @ 12.0ft BGS	730.9						
14								
16								

Backfilled with
cement
bentonite
grout

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

CHEMICAL ANALYSIS

OVERBURDEN LOG 012559-BH.GPJ CRA_CORP.GDT 4/15/05



STRATIGRAPHIC AND INSTRUMENTATION LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: Fairfax I Plant Site

HOLE DESIGNATION: SB-114

PROJECT NUMBER: 012559

DATE COMPLETED: December 21, 2004

CLIENT: GM-ENCORE

DRILLING METHOD: Geoprobe

LOCATION: Kansas City, Kansas

FIELD PERSONNEL: C. Cantrell

DRILLING CONTRACTOR: Plains Environmental

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	ELEV. ft AMSL	BOREHOLE	SAMPLE				
				NUMBER	INTERVAL	REC (ft)	'N' VALUE	PID (ppm)
	GROUND SURFACE	744.0						
	ASPHALT, parking lot		Asphalt					
	SM SILTY SAND, fine grained, tan-brown, moist	743.5		1	P/S			0.9
2								
4				1	P/S			0.8
6			Backfilled with cement bentonite grout	2	P/S			1.2
8								
10				2	P/S			0.3
12	END OF BOREHOLE @ 12.0ft BGS	732.0		3	P/S			0.4
14								
16								

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

CHEMICAL ANALYSIS



OVERBURDEN LOG 012559-BH.GPJ CRA CORP GDT 4/15/05



STRATIGRAPHIC AND INSTRUMENTATION LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: Fairfax I Plant Site

HOLE DESIGNATION: SB-115

PROJECT NUMBER: 012559

DATE COMPLETED: December 21, 2004

CLIENT: GM-ENCORE

DRILLING METHOD: Geoprobe

LOCATION: Kansas City, Kansas

FIELD PERSONNEL: C. Cantrell

DRILLING CONTRACTOR: Plains Environmental

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	ELEV. ft AMSL	BOREHOLE	SAMPLE				
				NUMBER	INTERVAL	REC (ft)	'N' VALUE	PID (ppm)
	GROUND SURFACE	744.1						
	ASPHALT, parking lot		Asphalt					
	SM SILTY SAND, fine grained, poorly sorted, tan-brown, moist	743.6		1	P/S			1.9
2								
4				1	P/S			3.1
6			Backfilled with cement bentonite grout	2	P/S			2.8
8								
10				2	P/S			0.9
12	END OF BOREHOLE @ 12.0ft BGS	732.1		3	P/S			0.7
14								
16								

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

CHEMICAL ANALYSIS



OVERBURDEN LOG 012559-BH.GPJ CRA_CORP GDT 4/15/05



STRATIGRAPHIC AND INSTRUMENTATION LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: Fairfax I Plant Site

HOLE DESIGNATION: SB-116

PROJECT NUMBER: 012559

DATE COMPLETED: December 21, 2004

CLIENT: GM-ENCORE

DRILLING METHOD: Geoprobe

LOCATION: Kansas City, Kansas

FIELD PERSONNEL: C. Cantrell

DRILLING CONTRACTOR: Plains Environmental

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	ELEV. ft AMSL	BOREHOLE	SAMPLE				
				NUMBER	INTERVAL	REC (ft)	N' VALUE	PID (ppm)
	GROUND SURFACE	743.8						
	ASPHALT/GRAVEL, parking lot		Asphalt					
2		741.8		1	P/S			0.3
4	CL SANDY CLAY, medium to coarse grained, soft, tan-brown, moist		Backfilled with cement bentonite grout	1	P/S			0.9
6		737.8		2	P/S			0.5
6	END OF BOREHOLE @ 6.0ft BGS							
8								
10								
12								
14								
16								

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

CHEMICAL ANALYSIS



OVERBURDEN LOG 012559-BH.GPJ CRA_CORP.GDT 4/15/05



STRATIGRAPHIC AND INSTRUMENTATION LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: Fairfax I Plant Site

PROJECT NUMBER: 012559

CLIENT: GM-ENCORE

LOCATION: Kansas City, Kansas

DRILLING CONTRACTOR: Plains Environmental

HOLE DESIGNATION: SB-117

DATE COMPLETED: December 21, 2004

DRILLING METHOD: Geoprobe

FIELD PERSONNEL: C. Cantrell

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	ELEV. ft AMSL	BOREHOLE	SAMPLE				
				NUMBER	INTERVAL	REC (ft)	'N' VALUE	PID (ppm)
	GROUND SURFACE	743.0						
	ASPHALT/GRAVEL, parking lot		 Asphalt					
2	SW - SAND, medium grained grading to coarse grained with depth, tan-brown	742.0		1	P/S			0.4
4	SP SAND, coarse grained, tan-brown, moist	739.0	 Backfilled with cement bentonite grout	1	P/S			0.3
6	END OF BOREHOLE @ 6.0ft BGS	737.0		2	P/S			0.4
8								
10								
12								
14								
16								

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

CHEMICAL ANALYSIS 

OVERBURDEN LOG 012559-BH.GPJ CRA CORP.GDT 4/15/05

APPENDIX B

LABORATORY ANALYTICAL DATA

TABLE B.1

SAMPLE KEY
CONFIRMATORY SAMPLING PROGRAM
FORMER GM FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Sample Number</i>	<i>Date</i>	<i>Location; Depth (ft bgs)¹</i>	<i>Area of Concern</i>	<i>Analysis²</i>
S-122004-DS-115	12/20/2004	SB-108; 10-12	USTs 7, 8, & 9	TCL VOC, TCL SVOC, TAL Metals
S-122004-DS-116	12/20/2004	SB-109; 10-12	USTs 5, 6, & 11	TCL VOC, TCL SVOC, TAL Metals
S-122004-DS-117	12/20/2004	SB-110; 10-12	USTs 3 & 4	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-118	12/21/2004	SB-111; 10-12	USTs 1 & 2	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-119	12/21/2004	SB-112; 10-12	USTs B & C	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-120	12/21/2004	SB-113; 10-12	UST 10 & Baler Room	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-121	12/21/2004	SB-114; 10-12	Truck Maintenance Facility	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-122	12/21/2004	SB-115; 10-12	Fuel Island	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-123	12/21/2004	SB-116; 4-6	Waste & Paint Sump	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-124	12/21/2004	SB-117; 4-6	Paint Mix & Sludge Tanks	TCL VOC, TCL SVOC, TAL Metals
GW-122004-DS-001	12/20/2004	Rinsate (SB-104)	--	TCL VOC
GW-122004-DS-002	12/20/2004	Rinsate (SB-110)	--	TCL VOC, TCL SVOC, TAL Total Metals
GW-122004-DS-003	12/20/2004	MW-105	--	TCL VOC, TCL SVOC, TAL Total Metals, NAP
GW-122004-DS-004	12/20/2004	Trip Blank	--	TCL VOC
GW-122104-DS-005	12/21/2004	MW-109	--	TCL VOC, TCL SVOC, TAL Total Metals, NAP
GW-122104-DS-006	12/21/2004	MW-1	--	TCL VOC, TCL SVOC, TAL Total Metals, NAP
GW-122104-DS-007	12/21/2004	MW-160A	--	TCL VOC, TCL SVOC, TAL Total Metals, NAP
GW-122104-DS-008	12/21/2004	MW-110A	--	TCL VOC, TCL SVOC, TAL Total Metals, NAP
GW-122104-DS-010	12/21/2004	Trip Blank	--	TCL VOC, TCL SVOC, TAL Total Metals, NAP
GW-122104-DS-011	12/21/2004	MW-111	--	TCL VOC
GW-122104-DS-012	12/21/2004	MW-110	--	TCL VOC, TCL SVOC, TAL Total Metals
GW-122104-DS-DUP	12/21/2004	MW-110 Duplicate	--	TCL VOC, TCL SVOC, TAL Total Metals
GW-122104-DS-013	12/21/2004	MW-1A	--	TCL VOC, TCL SVOC, TAL Total Metals

¹ ft bgs - feet below ground surface

² TCL VOC - target compound list volatile organic compounds

TCL SVOC - target compound list semivolatle organic compounds

TAL Metals - target analyte list metals

NAP - natural attenuation parameters (total and dissolved calcium, magnesium, and manganese, total kjeldal nitrogen, ammonia-N, nitrate-N, chemical oxygen demand, total organic carbon, ortho phosphate, and pH)



STL

STL North Canton
4101 Shuffel Drive NW
North Canton, OH 44720

Tel: 330 497 9396 Fax: 330 497 0772
www.stl-inc.com

ANALYTICAL REPORT

PROJECT NO. 12559-52

GM FAIRFAX


Lot #: A4L210190

Phil Harvey

Conestoga-Rovers & Associates
8615 W. Bryn Mawr
Chicago, IL 60631

SEVERN TRENT LABORATORIES, INC.


Amy L. McCormick
Project Manager

VALIDATED DATA	
Project	012559-52
Lot #	A4L210190
Signature	
Date	02/01/05

January 13, 2005

CASE NARRATIVE

A4L210190

The following report contains the analytical results for four water samples submitted to STL North Canton by Conestoga-Rovers & Associates, Inc. from the GM Fairfax Site, project number 12559-52. The samples were received December 21, 2004, according to documented sample acceptance procedures.

STL utilizes USEPA approved methods in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. Preliminary results were provided to Susan Scrocchi on January 5, 2005. A summary of QC data for these analyses is included at the back of the report.

STL North Canton attests to the validity of the laboratory data generated by STL facilities reported herein. All analyses performed by STL facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. STL's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions, please call the Project Manager, Amy L. McCormick, at 330-497-9396.

This report is sequentially paginated. The final page of the report is labeled as "END OF REPORT."

SUPPLEMENTAL QC INFORMATION

SAMPLE RECEIVING

The temperatures of the coolers upon sample receipt were 3.4 and 3.9°C.

QUALITY CONTROL ELEMENTS OF SW-846 METHODS (Continued)

MATRIX SPIKE/MATRIX SPIKE DUPLICATE

A Matrix Spike and a Matrix Spike Duplicate are a pair of environmental samples to which known concentrations of a full or partial set of target analytes are added. The MS/MSD results are determined in the same manner as the results of the environmental sample used to prepare the MS/MSD. The analyte recoveries and the relative percent differences (RPDs) of the recoveries are calculated and used to evaluate the effect of the sample matrix on the analytical results. Due to the potential variability of the matrix of each sample, the MS/MSD results may not have an immediate bearing on any samples except the one spiked; therefore, the associated batch MS/MSD may not reflect the same compounds as the samples contained in the analytical report. When these MS/MSD results fail to meet acceptance criteria, the data is evaluated. If the LCS is within acceptance criteria, the batch is considered acceptable. The acceptance criteria does not apply to samples that are diluted for organics if the native sample amount is 4x the concentration of the spike for inorganics.

For certain methods, a Matrix Spike/Sample Duplicate (MS/DU) may be included in the QC batch in place of the MS/MSD. For the parameters (i.e. pH, ignitability) where it is not possible to prepare a spiked sample, a Sample Duplicate may be included in the QC batch. However, a Sample Duplicate is less likely to provide usable precision statistics depending on the likelihood of finding concentrations below the standard reporting limit. When the Sample Duplicate result fails to meet acceptance criteria, the data is evaluated.

SURROGATE COMPOUNDS

In addition to these batch-related QC indicators, each organic environmental and QC sample are spiked with surrogate compounds. Surrogates are organic chemicals that behave similarly to the analytes of interest and that are rarely present in the environment. Surrogate recoveries are used to monitor the individual performance of a sample in the analytical system.

If the surrogate recoveries are outside criteria for environmental or MS/MSD samples, the batch is acceptable if the Method Blank, LCS, and LCSD surrogate recoveries are within acceptance criteria. The only exception is if the surrogate recoveries are biased high in the LCS, LCSD, or the Method Blank and the associated sample(s) are ND, the batch is acceptable. If the LCS, LCSD, or Method Blank surrogate(s) fail to meet recovery criteria, the entire sample batch is reprepared and reanalyzed.

For the GC/MS BNA methods, the surrogate criterion is that two of the three surrogates for each fraction must meet acceptance criteria. The third surrogate must have a recovery of ten percent or greater.

For the Pesticide/PCB and PAH methods, the surrogate criteria is that one of two surrogate compounds meet acceptance criteria.

STL North Canton, Certifications and Approvals:

California (#01144CA), Connecticut (#PH-0590), Florida (#E87225), Georgia (None), Illinois (#100439), Kansas (#E-10336), Louisiana (#04112), Minnesota (#39-999-348), New Jersey (#OH001), New York (#10975), Ohio (#6090), OhioVAP (#CL0024), Rhode Island (#237), South Carolina (#92007001), Utah (#QUAN9), West Virginia (#210), Wisconsin (#999518190), NAVY, ARMY, USDA Soil Permit, ACIL Seal of Excellence

Revision 10, 10/12/04
n:\gagc\narrativ\stl.doc

EXECUTIVE SUMMARY - Detection Highlights

A4L210190

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
GW-122004-DS-001 12/20/04 13:55 001				
Acetone	4.8 J	10	ug/L	SW846 8260B
GW-122004-DS-002 12/20/04 17:35 002				
Aluminum	0.29 J	0.20	mg/L	SW846 6010B
Barium	0.00085 B	0.20	mg/L	SW846 6010B
Cadmium	0.00036	0.0050	mg/L	SW846 6010B
Qualifiers: B,J				
Calcium	0.58 B	5.0	mg/L	SW846 6010B
Potassium	0.18 B,J	5.0	mg/L	SW846 6010B
bis(2-Ethylhexyl) phthalate	1.2 J	10	ug/L	SW846 8270C
Caprolactam	1.4 J,B	10	ug/L	SW846 8270C
Di-n-butyl phthalate	1.0 J	10	ug/L	SW846 8270C
Di-n-octyl phthalate	1.2 J	10	ug/L	SW846 8270C
Fluoranthene	0.79 J	10	ug/L	SW846 8270C
4-Methylphenol	0.59 J,#	10	ug/L	SW846 8270C
Acetone	5.1 J	10	ug/L	SW846 8260B
2-Butanone	0.44 J	10	ug/L	SW846 8260B
GW-122004-DS-003 12/20/04 16:32 003				
Calcium - DISSOLVED	169	5.0	mg/L	SW846 6010B
Magnesium - DISSOLVED	42.3	5.0	mg/L	SW846 6010B
Manganese - DISSOLVED	1.5	0.015	mg/L	SW846 6010B
Arsenic	0.0062 B	0.010	mg/L	SW846 6010B
Selenium	0.0076	0.0050	mg/L	SW846 6010B
Calcium	172	5.0	mg/L	SW846 6010B
Magnesium	43.1	5.0	mg/L	SW846 6010B
Manganese	1.5	0.015	mg/L	SW846 6010B
Aluminum	0.033 B,J	0.20	mg/L	SW846 6010B
Barium	0.24	0.20	mg/L	SW846 6010B
Cobalt	0.0034 B	0.050	mg/L	SW846 6010B
Iron	10.4	0.10	mg/L	SW846 6010B
Nickel	0.0052 B	0.040	mg/L	SW846 6010B
Potassium	10.2 J	5.0	mg/L	SW846 6010B
Sodium	71.8	5.0	mg/L	SW846 6010B
Acetophenone	0.53 J	10	ug/L	SW846 8270C
bis(2-Ethylhexyl) phthalate	2.3 J	10	ug/L	SW846 8270C
Caprolactam	1.2 J,B	10	ug/L	SW846 8270C
2,4-Dimethylphenol	0.55 J	10	ug/L	SW846 8270C
2,6-Dinitrotoluene	1.0 J	10	ug/L	SW846 8270C

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW-122004-DS-001

GC/MS Volatiles

Lot-Sample #....: A4L210190-001 Work Order #....: G1K1Q1AA Matrix.....: WG
 Date Sampled....: 12/20/04 13:55 Date Received...: 12/21/04
 Prep Date.....: 12/30/04 Analysis Date...: 12/30/04
 Prep Batch #....: 5003065
 Dilution Factor: 1 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.21
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.16
Chloromethane	ND	1.0	ug/L	0.14
Bromomethane	ND	1.0	ug/L	0.36
Vinyl chloride	ND	1.0	ug/L	0.21
Chloroethane	ND	1.0	ug/L	0.24
Methylene chloride	ND	1.0	ug/L	0.19
Acetone	4.8 J	10	ug/L	0.74
Carbon disulfide	ND	1.0	ug/L	0.28
1,1-Dichloroethene	ND	1.0	ug/L	0.18
1,1-Dichloroethane	ND	1.0	ug/L	0.21
Chloroform	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.16
2-Butanone	ND	10	ug/L	0.39
1,1,1-Trichloroethane	ND	1.0	ug/L	0.21
Carbon tetrachloride	ND	1.0	ug/L	0.19
Bromodichloromethane	ND	1.0	ug/L	0.14
1,2-Dichloropropane	ND	1.0	ug/L	0.15
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.28
Dibromochloromethane	ND	1.0	ug/L	0.19
1,1,2-Trichloroethane	ND	1.0	ug/L	0.22
Benzene	ND	1.0	ug/L	0.22
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.17
Bromoform	ND	1.0	ug/L	0.17
4-Methyl-2-pentanone	ND	10	ug/L	0.32
2-Hexanone	ND	10	ug/L	0.35
Tetrachloroethene	ND	1.0	ug/L	0.19
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.22
Toluene	ND	1.0	ug/L	0.17
Chlorobenzene	ND	1.0	ug/L	0.20
Ethylbenzene	ND	1.0	ug/L	0.19
Styrene	ND	1.0	ug/L	0.13
Xylenes (total)	ND	2.0	ug/L	0.44

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	108	(73 - 122)
1,2-Dichloroethane-d4	112	(61 - 128)
Toluene-d8	94	(76 - 110)
4-Bromofluorobenzene	94	(74 - 116)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW-122004-DS-002

GC/MS Volatiles

Lot-Sample #....: A4L210190-002 Work Order #....: G1K191A3 Matrix.....: WG
 Date Sampled....: 12/20/04 17:35 Date Received...: 12/21/04
 Prep Date.....: 12/30/04 Analysis Date...: 12/30/04
 Prep Batch #....: 5003065
 Dilution Factor: 1 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.21
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.16
Chloromethane	ND	1.0	ug/L	0.14
Bromomethane	ND	1.0	ug/L	0.36
Vinyl chloride	ND	1.0	ug/L	0.21
Chloroethane	ND	1.0	ug/L	0.24
Methylene chloride	ND	1.0	ug/L	0.19
Acetone	5.1 J	10	ug/L	0.74
Carbon disulfide	ND	1.0	ug/L	0.28
1,1-Dichloroethene	ND	1.0	ug/L	0.18
1,1-Dichloroethane	ND	1.0	ug/L	0.21
Chloroform	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.16
2-Butanone	0.44 J	10	ug/L	0.39
1,1,1-Trichloroethane	ND	1.0	ug/L	0.21
Carbon tetrachloride	ND	1.0	ug/L	0.19
Bromodichloromethane	ND	1.0	ug/L	0.14
1,2-Dichloropropane	ND	1.0	ug/L	0.15
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.28
Dibromochloromethane	ND	1.0	ug/L	0.19
1,1,2-Trichloroethane	ND	1.0	ug/L	0.22
Benzene	ND	1.0	ug/L	0.22
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.17
Bromoform	ND	1.0	ug/L	0.17
4-Methyl-2-pentanone	ND	10	ug/L	0.32
2-Hexanone	ND	10	ug/L	0.35
Tetrachloroethene	ND	1.0	ug/L	0.19
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.22
Toluene	ND	1.0	ug/L	0.17
Chlorobenzene	ND	1.0	ug/L	0.20
Ethylbenzene	ND	1.0	ug/L	0.19
Styrene	ND	1.0	ug/L	0.13
Xylenes (total)	ND	2.0	ug/L	0.44
SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS		
Dibromofluoromethane	110	(73 - 122)		
1,2-Dichloroethane-d4	113	(61 - 128)		
Toluene-d8	94	(76 - 110)		
4-Bromofluorobenzene	93	(74 - 116)		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW-122004-DS-002

GC/MS Semivolatiles

Lot-Sample #....: A4L210190-002 Work Order #....: G1K191A4 Matrix.....: WG
 Date Sampled....: 12/20/04 17:35 Date Received...: 12/21/04
 Prep Date.....: 12/21/04 Analysis Date...: 12/28/04
 Prep Batch #....: 4356549
 Dilution Factor: 1 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	10	ug/L	0.028
Acenaphthylene	ND	10	ug/L	0.030
Acetophenone	ND	10	ug/L	0.19
Anthracene	ND	10	ug/L	0.030
Atrazine	ND	10	ug/L	0.36
Benzo(a)anthracene	ND	10	ug/L	0.028
Benzo(a)pyrene	ND	10	ug/L	0.022
Benzo(b)fluoranthene	ND	10	ug/L	0.043
Benzo(ghi)perylene	ND	10	ug/L	0.044
Benzo(k)fluoranthene	ND	10	ug/L	0.071
Benzaldehyde	ND	10	ug/L	0.17
1,1'-Biphenyl	ND	10	ug/L	0.30
bis(2-Chloroethoxy) methane	ND	10	ug/L	0.24
bis(2-Chloroethyl) - ether	ND	10	ug/L	0.19
bis(2-Ethylhexyl) phthalate	1.2 J	10	ug/L	0.36
4-Bromophenyl phenyl ether	ND	10	ug/L	0.29
Butyl benzyl phthalate	ND	10	ug/L	0.14
Caprolactam	1.4 J,B	10	ug/L	0.73
Carbazole	ND	10	ug/L	0.17
4-Chloroaniline	ND	10	ug/L	0.31
4-Chloro-3-methylphenol	ND	10	ug/L	0.18
2-Chloronaphthalene	ND	10	ug/L	0.29
2-Chlorophenol	ND	10	ug/L	0.14
4-Chlorophenyl phenyl ether	ND	10	ug/L	0.21
Chrysene	ND	10	ug/L	0.035
Dibenz(a,h)anthracene	ND	10	ug/L	0.054
Dibenzofuran	ND	10	ug/L	0.025
3,3'-Dichlorobenzidine	ND	50	ug/L	0.19
2,4-Dichlorophenol	ND	10	ug/L	0.24
Diethyl phthalate	ND	10	ug/L	0.12
2,4-Dimethylphenol	ND	10	ug/L	0.23
Dimethyl phthalate	ND	10	ug/L	0.27
Di-n-butyl phthalate	1.0 J	10	ug/L	0.13
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	1.8

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW-122004-DS-002

GC/MS Semivolatiles

Lot-Sample #....: A4L210190-002 Work Order #....: G1K191A4 Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2,4-Dinitrophenol	ND	50	ug/L	1.3
2,4-Dinitrotoluene	ND	10	ug/L	0.16
2,6-Dinitrotoluene	ND	10	ug/L	0.17
Di-n-octyl phthalate	1.2 J	10	ug/L	0.16
Fluoranthene	0.79 J	10	ug/L	0.024
Fluorene	ND	10	ug/L	0.035
Hexachlorobenzene	ND	10	ug/L	0.075
Hexachlorobutadiene	ND	10	ug/L	0.11
Hexachlorocyclopenta- diene	ND	50	ug/L	1.5
Hexachloroethane	ND	10	ug/L	0.21
Indeno (1,2,3-cd) pyrene	ND	10	ug/L	0.081
Isophorone	ND	10	ug/L	0.16
2-Methylnaphthalene	ND	10	ug/L	0.028
2-Methylphenol	ND	10	ug/L	0.15
4-Methylphenol	0.59 J, #	10	ug/L	0.20
Naphthalene	ND	10	ug/L	0.031
2-Nitroaniline	ND	50	ug/L	0.18
3-Nitroaniline	ND	50	ug/L	0.094
4-Nitroaniline	ND	50	ug/L	0.11
Nitrobenzene	ND	10	ug/L	0.21
2-Nitrophenol	ND	10	ug/L	0.14
4-Nitrophenol	ND	50	ug/L	1.0
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	0.21
N-Nitrosodiphenylamine	ND	10	ug/L	0.18
2,2'-oxybis (1-Chloropropane)	ND	10	ug/L	0.21
Pentachlorophenol	ND	10	ug/L	2.0
Phenanthrene	ND	10	ug/L	0.044
Phenol	ND	10	ug/L	0.14
Pyrene	ND	10	ug/L	0.051
2,4,5-Trichloro- phenol	ND	10	ug/L	0.13
2,4,6-Trichloro- phenol	ND	10	ug/L	0.16

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	74	(32 - 112)
2-Fluorobiphenyl	69	(30 - 110)
Terphenyl-d14	89	(10 - 144)
Phenol-d5	18	(10 - 113)
2-Fluorophenol	32	(13 - 110)
2,4,6-Tribromophenol	63	(21 - 122)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW-122004-DS-002

TOTAL Metals

Lot-Sample #....: A4L210190-002

Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Magnesium	ND	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1K191AM
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	ND	0.015	mg/L	SW846 6010B	12/28-12/30/04	G1K191AN
		Dilution Factor: 1		MDL.....: 0.0012		
Nickel	ND	0.040	mg/L	SW846 6010B	12/28-12/30/04	G1K191AP
		Dilution Factor: 1		MDL.....: 0.0025		
Potassium	0.18 B,J	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1K191AQ
		Dilution Factor: 1		MDL.....: 0.063		
Silver	ND	0.010	mg/L	SW846 6010B	12/28-12/30/04	G1K191AR
		Dilution Factor: 1		MDL.....: 0.00074		
Sodium	ND	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1K191AT
		Dilution Factor: 1		MDL.....: 0.54		
Vanadium	ND	0.050	mg/L	SW846 6010B	12/28-12/30/04	G1K191AU
		Dilution Factor: 1		MDL.....: 0.00071		
Zinc	ND	0.020	mg/L	SW846 6010B	12/28-12/30/04	G1K191AV
		Dilution Factor: 1		MDL.....: 0.014		
Mercury	ND	0.00020	mg/L	SW846 7470A	12/28/04	G1K191A2
		Dilution Factor: 1		MDL.....: 0.000029		

NOTE(S):

- I Method blank contamination. The associated method blank contains the target analyte at a reportable level.
 B Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW-122004-DS-003

GC/MS Volatiles

Lot-Sample #....: A4L210190-003 Work Order #....: G1K2F1CD Matrix.....: WG
 Date Sampled....: 12/20/04 16:32 Date Received...: 12/21/04
 Prep Date.....: 12/30/04 Analysis Date...: 12/30/04
 Prep Batch #....: 5003065
 Dilution Factor: 1 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	6.3	1.0	ug/L	0.21
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.16
Chloromethane	ND	1.0	ug/L	0.14
Bromomethane	ND	1.0	ug/L	0.36
Vinyl chloride	ND	1.0	ug/L	0.21
Chloroethane	ND	1.0	ug/L	0.24
Methylene chloride	ND	1.0	ug/L	0.19
Acetone	2.2 J	10	ug/L	0.74
Carbon disulfide	ND	1.0	ug/L	0.28
1,1-Dichloroethene	ND	1.0	ug/L	0.18
1,1-Dichloroethane	ND	1.0	ug/L	0.21
Chloroform	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.16
2-Butanone	ND	10	ug/L	0.39
1,1,1-Trichloroethane	ND	1.0	ug/L	0.21
Carbon tetrachloride	ND	1.0	ug/L	0.19
Bromodichloromethane	ND	1.0	ug/L	0.14
1,2-Dichloropropane	ND	1.0	ug/L	0.15
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.12
Trichloroethene	0.69 J	1.0	ug/L	0.28
Dibromochloromethane	ND	1.0	ug/L	0.19
1,1,2-Trichloroethane	ND	1.0	ug/L	0.22
Benzene	ND	1.0	ug/L	0.22
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.17
Bromoform	ND	1.0	ug/L	0.17
4-Methyl-2-pentanone	ND	10	ug/L	0.32
2-Hexanone	ND	10	ug/L	0.35
Tetrachloroethene	ND	1.0	ug/L	0.19
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.22
Toluene	ND	1.0	ug/L	0.17
Chlorobenzene	ND	1.0	ug/L	0.20
Ethylbenzene	ND	1.0	ug/L	0.19
Styrene	ND	1.0	ug/L	0.13
Xylenes (total)	ND	2.0	ug/L	0.44

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	110	(73 - 122)
1,2-Dichloroethane-d4	112	(61 - 128)
Toluene-d8	93	(76 - 110)
4-Bromofluorobenzene	92	(74 - 116)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW-122004-DS-003

GC/MS Semivolatiles

Lot-Sample #....: A4L210190-003 Work Order #....: G1K2F1CE Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2,4-Dinitrophenol	ND	50	ug/L	1.3
2,4-Dinitrotoluene	ND	10	ug/L	0.16
2,6-Dinitrotoluene	1.0 J	10	ug/L	0.17
Di-n-octyl phthalate	ND	10	ug/L	0.16
Fluoranthene	ND	10	ug/L	0.024
Fluorene	ND	10	ug/L	0.035
Hexachlorobenzene	ND	10	ug/L	0.075
Hexachlorobutadiene	ND	10	ug/L	0.11
Hexachlorocyclopenta- diene	ND	50	ug/L	1.5
Hexachloroethane	ND	10	ug/L	0.21
Indeno(1,2,3-cd)pyrene	ND	10	ug/L	0.081
Isophorone	ND	10	ug/L	0.16
2-Methylnaphthalene	ND	10	ug/L	0.028
2-Methylphenol	ND	10	ug/L	0.15
4-Methylphenol	ND	10	ug/L	0.20
Naphthalene	ND	10	ug/L	0.031
2-Nitroaniline	ND	50	ug/L	0.18
3-Nitroaniline	ND	50	ug/L	0.094
4-Nitroaniline	ND	50	ug/L	0.11
Nitrobenzene	ND	10	ug/L	0.21
2-Nitrophenol	ND	10	ug/L	0.14
4-Nitrophenol	ND	50	ug/L	1.0
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	0.21
N-Nitrosodiphenylamine	ND	10	ug/L	0.18
2,2'-oxybis(1-Chloropropane)	ND	10	ug/L	0.21
Pentachlorophenol	ND	10	ug/L	2.0
Phenanthrene	ND	10	ug/L	0.044
Phenol	ND	10	ug/L	0.14
Pyrene	ND	10	ug/L	0.051
2,4,5-Trichloro- phenol	ND	10	ug/L	0.13
2,4,6-Trichloro- phenol	ND	10	ug/L	0.16

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	91	(32 - 112)
2-Fluorobiphenyl	84	(30 - 110)
Terphenyl-d14	96	(10 - 144)
Phenol-d5	23	(10 - 113)
2-Fluorophenol	42	(13 - 110)
2,4,6-Tribromophenol	75	(21 - 122)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW-122004-DS-003

TOTAL Metals

Lot-Sample #....: A4L210190-003

Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Copper	ND	0.025	mg/L	SW846 6010B	12/28-12/30/04	G1K2F1AK
		Dilution Factor: 1		MDL.....: 0.0023		
Iron	10.4	0.10	mg/L	SW846 6010B	12/28-12/30/04	G1K2F1AL
		Dilution Factor: 1		MDL.....: 0.049		
Nickel	0.0052 B	0.040	mg/L	SW846 6010B	12/28-12/30/04	G1K2F1AP
		Dilution Factor: 1		MDL.....: 0.0025		
Potassium	10.2 J	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1K2F1AQ
		Dilution Factor: 1		MDL.....: 0.063		
Silver	ND	0.010	mg/L	SW846 6010B	12/28-12/30/04	G1K2F1AR
		Dilution Factor: 1		MDL.....: 0.00074		
Sodium	71.8	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1K2F1AT
		Dilution Factor: 1		MDL.....: 0.54		
Vanadium	ND	0.050	mg/L	SW846 6010B	12/28-12/30/04	G1K2F1AU
		Dilution Factor: 1		MDL.....: 0.00071		
Zinc	ND	0.020	mg/L	SW846 6010B	12/28-12/30/04	G1K2F1AV
		Dilution Factor: 1		MDL.....: 0.014		
Mercury	ND	0.00020	mg/L	SW846 7470A	12/28/04	G1K2F1A2
		Dilution Factor: 1		MDL.....: 0.000029		

NOTE(S):

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW-122004-DS-004

GC/MS Volatiles

Lot-Sample #....: A4L210190-004 Work Order #....: G1K2K1AA Matrix.....: WG
 Date Sampled....: 12/20/04 18:01 Date Received...: 12/21/04
 Prep Date.....: 12/30/04 Analysis Date...: 12/30/04
 Prep Batch #....: 5003065
 Dilution Factor: 1 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	6.3	1.0	ug/L	0.21
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.16
Chloromethane	ND	1.0	ug/L	0.14
Bromomethane	ND	1.0	ug/L	0.36
Vinyl chloride	ND	1.0	ug/L	0.21
Chloroethane	ND	1.0	ug/L	0.24
Methylene chloride	ND	1.0	ug/L	0.19
Acetone	1.6 J	10	ug/L	0.74
Carbon disulfide	ND	1.0	ug/L	0.28
1,1-Dichloroethene	ND	1.0	ug/L	0.18
1,1-Dichloroethane	ND	1.0	ug/L	0.21
Chloroform	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.16
2-Butanone	ND	10	ug/L	0.39
1,1,1-Trichloroethane	ND	1.0	ug/L	0.21
Carbon tetrachloride	ND	1.0	ug/L	0.19
Bromodichloromethane	ND	1.0	ug/L	0.14
1,2-Dichloropropane	ND	1.0	ug/L	0.15
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.12
Trichloroethene	0.67 J	1.0	ug/L	0.28
Dibromochloromethane	ND	1.0	ug/L	0.19
1,1,2-Trichloroethane	ND	1.0	ug/L	0.22
Benzene	ND	1.0	ug/L	0.22
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.17
Bromoform	ND	1.0	ug/L	0.17
4-Methyl-2-pentanone	ND	10	ug/L	0.32
2-Hexanone	ND	10	ug/L	0.35
Tetrachloroethene	ND	1.0	ug/L	0.19
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.22
Toluene	ND	1.0	ug/L	0.17
Chlorobenzene	ND	1.0	ug/L	0.20
Ethylbenzene	ND	1.0	ug/L	0.19
Styrene	ND	1.0	ug/L	0.13
Xylenes (total)	ND	2.0	ug/L	0.44

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	111	(73 - 122)
1,2-Dichloroethane-d4	109	(61 - 128)
Toluene-d8	92	(76 - 110)
4-Bromofluorobenzene	89	(74 - 116)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW-122004-DS-004

GC/MS Volatiles

Lot-Sample #....: A4L210190-004 Work Order #....: G1K2K1AA Matrix.....: WG

NOTE(S):

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW-122004-DS-003

DISSOLVED Metals

Lot-Sample #....: A4L2T0190-003

Matrix.....: WG

Date Sampled....: 12/20/04 16:32 Date Received...: 12/21/04

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #....: 4363026						
Calcium	169	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1K2F1A3
		Dilution Factor: 1		MDL.....: 0.33		
Magnesium	42.3	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1K2F1A4
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	1.5	0.015	mg/L	SW846 6010B	12/28-12/30/04	G1K2F1A5
		Dilution Factor: 1		MDL.....: 0.0012		

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW-122004-DS-003

General Chemistry

Lot-Sample #....: A4L210190-003 Work Order #....: G1K2F Matrix.....: WG
Date Sampled....: 12/20/04 16:32 Date Received...: 12/21/04

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphorus as orthophosphate	0.009 B,J	0.1	mg/L	MCAWW 365.2	12/22/04	4357504
				Dilution Factor: 1		
				MDL.....: 0.006		
Chemical Oxygen Demand (COD)	ND	10.0	mg/L	MCAWW 410.4	12/28/04	4363430
				Dilution Factor: 1		
				MDL.....: 7.1		
Nitrate as N	0.032 B	0.10	mg/L	MCAWW 300.0A	12/22/04	4362292
				Dilution Factor: 1		
				MDL.....: 0.016		
Nitrogen, as Ammonia	0.2 J	0.2	mg/L	MCAWW 350.3	12/30/04	4365465
				Dilution Factor: 1		
				MDL.....: 0.07		
Total Kjeldahl Nitrogen	ND	3	mg/L	MCAWW 351.3	01/03/05	5003487
				Dilution Factor: 1		
				MDL.....: 2		
Total Organic Carbon	1	1	mg/L	MCAWW 415.1	01/04/05	5004303
				Dilution Factor: 1		
				MDL.....: 0.08		

NOTE(S):

RL Reporting Limit

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

QUALITY CONTROL SECTION

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L210190
 MB Lot-Sample #: A5A030000-065

Work Order #....: G12V81AA

Matrix.....: WATER

Prep Date.....: 12/30/04

Prep Batch #....: 5003065

Analysis Date...: 12/30/04

Dilution Factor: 1

PARAMETER	RESULT	REPORTING		METHOD
		LIMIT	UNITS	
cis-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
trans-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
Chloromethane	ND	1.0	ug/L	SW846 8260B
Bromomethane	ND	1.0	ug/L	SW846 8260B
Vinyl chloride	ND	1.0	ug/L	SW846 8260B
Chloroethane	ND	1.0	ug/L	SW846 8260B
Methylene chloride	0.44 J	1.0	ug/L	SW846 8260B
Acetone	ND	10	ug/L	SW846 8260B
Carbon disulfide	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethene	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B
Chloroform	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethane	ND	1.0	ug/L	SW846 8260B
2-Butanone	ND	10	ug/L	SW846 8260B
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Carbon tetrachloride	ND	1.0	ug/L	SW846 8260B
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
cis-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Trichloroethene	ND	1.0	ug/L	SW846 8260B
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Benzene	ND	1.0	ug/L	SW846 8260B
trans-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Bromoform	ND	1.0	ug/L	SW846 8260B
4-Methyl-2-pentanone	ND	10	ug/L	SW846 8260B
2-Hexanone	ND	10	ug/L	SW846 8260B
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
Toluene	ND	1.0	ug/L	SW846 8260B
Chlorobenzene	ND	1.0	ug/L	SW846 8260B
Ethylbenzene	ND	1.0	ug/L	SW846 8260B
Styrene	ND	1.0	ug/L	SW846 8260B
Xylenes (total)	ND	2.0	ug/L	SW846 8260B

SURROGATE	PERCENT	RECOVERY
	RECOVERY	LIMITS
Dibromofluoromethane	109	(73 - 122)
1,2-Dichloroethane-d4	109	(61 - 128)
Toluene-d8	93	(76 - 110)
4-Bromofluorobenzene	93	(74 - 116)

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L210190

Work Order #....: G12V81AA

Matrix.....: WATER

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

J Estimated result. Result is less than RL.

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L210190
 MB Lot-Sample #: A4L210000-549
 Analysis Date...: 12/28/04
 Dilution Factor: 1

Work Order #....: G1L3E1AA
 Prep Date.....: 12/21/04
 Prep Batch #....: 4356549

Matrix.....: WATER

PARAMETER	RESULT	REPORTING		METHOD
		LIMIT	UNITS	
Acenaphthene	ND	10	ug/L	SW846 8270C
Acenaphthylene	ND	10	ug/L	SW846 8270C
Acetophenone	ND	10	ug/L	SW846 8270C
Anthracene	ND	10	ug/L	SW846 8270C
Atrazine	ND	10	ug/L	SW846 8270C
Benzo(a)anthracene	ND	10	ug/L	SW846 8270C
Benzo(a)pyrene	ND	10	ug/L	SW846 8270C
Benzo(b)fluoranthene	ND	10	ug/L	SW846 8270C
Benzo(ghi)perylene	ND	10	ug/L	SW846 8270C
Benzo(k)fluoranthene	ND	10	ug/L	SW846 8270C
Benzaldehyde	ND	10	ug/L	SW846 8270C
1,1'-Biphenyl	ND	10	ug/L	SW846 8270C
bis(2-Chloroethoxy) methane	ND	10	ug/L	SW846 8270C
bis(2-Chloroethyl)- ether	ND	10	ug/L	SW846 8270C
bis(2-Ethylhexyl) phthalate	ND	10	ug/L	SW846 8270C
4-Bromophenyl phenyl ether	ND	10	ug/L	SW846 8270C
Butyl benzyl phthalate	ND	10	ug/L	SW846 8270C
Caprolactam	0.79 J	10	ug/L	SW846 8270C
Carbazole	ND	10	ug/L	SW846 8270C
4-Chloroaniline	ND	10	ug/L	SW846 8270C
4-Chloro-3-methylphenol	ND	10	ug/L	SW846 8270C
2-Chloronaphthalene	ND	10	ug/L	SW846 8270C
2-Chlorophenol	ND	10	ug/L	SW846 8270C
4-Chlorophenyl phenyl ether	ND	10	ug/L	SW846 8270C
Chrysene	ND	10	ug/L	SW846 8270C
Dibenz(a,h)anthracene	ND	10	ug/L	SW846 8270C
Dibenzofuran	ND	10	ug/L	SW846 8270C
3,3'-Dichlorobenzidine	ND	50	ug/L	SW846 8270C
2,4-Dichlorophenol	ND	10	ug/L	SW846 8270C
Diethyl phthalate	ND	10	ug/L	SW846 8270C
2,4-Dimethylphenol	ND	10	ug/L	SW846 8270C
Dimethyl phthalate	ND	10	ug/L	SW846 8270C
Di-n-butyl phthalate	ND	10	ug/L	SW846 8270C
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	SW846 8270C
2,4-Dinitrophenol	ND	50	ug/L	SW846 8270C

(Continued on next page)

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L210190

Work Order #....: G1L3E1AA

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
2,4-Dinitrotoluene	ND	10	ug/L	SW846 8270C
2,6-Dinitrotoluene	ND	10	ug/L	SW846 8270C
Di-n-octyl phthalate	ND	10	ug/L	SW846 8270C
Fluoranthene	ND	10	ug/L	SW846 8270C
Fluorene	ND	10	ug/L	SW846 8270C
Hexachlorobenzene	ND	10	ug/L	SW846 8270C
Hexachlorobutadiene	ND	10	ug/L	SW846 8270C
Hexachlorocyclopenta- diene	ND	50	ug/L	SW846 8270C
Hexachloroethane	ND	10	ug/L	SW846 8270C
Indeno (1,2,3-cd)pyrene	ND	10	ug/L	SW846 8270C
Isophorone	ND	10	ug/L	SW846 8270C
2-Methylnaphthalene	ND	10	ug/L	SW846 8270C
2-Methylphenol	ND	10	ug/L	SW846 8270C
4-Methylphenol	ND	10	ug/L	SW846 8270C
Naphthalene	ND	10	ug/L	SW846 8270C
2-Nitroaniline	ND	50	ug/L	SW846 8270C
3-Nitroaniline	ND	50	ug/L	SW846 8270C
4-Nitroaniline	ND	50	ug/L	SW846 8270C
Nitrobenzene	ND	10	ug/L	SW846 8270C
2-Nitrophenol	ND	10	ug/L	SW846 8270C
4-Nitrophenol	ND	50	ug/L	SW846 8270C
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	SW846 8270C
N-Nitrosodiphenylamine	ND	10	ug/L	SW846 8270C
2,2'-oxybis(1-Chloropropa	ND	10	ug/L	SW846 8270C
Pentachlorophenol	ND	10	ug/L	SW846 8270C
Phenanthrene	ND	10	ug/L	SW846 8270C
Phenol	ND	10	ug/L	SW846 8270C
Pyrene	ND	10	ug/L	SW846 8270C
2,4,5-Trichloro- phenol	ND	10	ug/L	SW846 8270C
2,4,6-Trichloro- phenol	ND	10	ug/L	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	75	(32 - 112)
2-Fluorobiphenyl	74	(30 - 110)
Terphenyl-d14	86	(10 - 144)
Phenol-d5	54	(10 - 113)
2-Fluorophenol	66	(13 - 110)
2,4,6-Tribromophenol	64	(21 - 122)

(Continued on next page)

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L210190

Work Order #....: G1L3E1AA

Matrix.....: WATER

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

J Estimated result. Result is less than RL.

METHOD BLANK REPORT

TOTAL Metals

Client Lot #....: A4L210190

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MB Lot-Sample #: A4L280000-026 Prep Batch #....: 4363026						
Aluminum	0.046 B	0.20	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AG
		Dilution Factor: 1				
Arsenic	ND	0.010	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AC
		Dilution Factor: 1				
Antimony	ND	0.060	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AH
		Dilution Factor: 1				
Lead	ND	0.0030	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AD
		Dilution Factor: 1				
Barium	ND	0.20	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AJ
		Dilution Factor: 1				
Selenium	ND	0.0050	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AE
		Dilution Factor: 1				
Beryllium	ND	0.0050	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AK
		Dilution Factor: 1				
Thallium	0.0067 B	0.010	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AF
		Dilution Factor: 1				
Cadmium	0.00042 B	0.0050	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AL
		Dilution Factor: 1				
Calcium	ND	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AM
		Dilution Factor: 1				
Chromium	ND	0.010	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AN
		Dilution Factor: 1				
Cobalt	ND	0.050	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AP
		Dilution Factor: 1				
Copper	ND	0.025	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AQ
		Dilution Factor: 1				
Iron	ND	0.10	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AR
		Dilution Factor: 1				
Magnesium	ND	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AT
		Dilution Factor: 1				

(Continued on next page)

METHOD BLANK REPORT

TOTAL Metals

Client Lot #....: A4L210190

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Manganese	ND	0.015	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AU
		Dilution Factor: 1				
Nickel	ND	0.040	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AV
		Dilution Factor: 1				
Potassium	0.16 B	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AW
		Dilution Factor: 1				
Silver	ND	0.010	mg/L	SW846 6010B	12/28-12/30/04	G1TW31AX
		Dilution Factor: 1				
Sodium	ND	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1TW31A0
		Dilution Factor: 1				
Vanadium	ND	0.050	mg/L	SW846 6010B	12/28-12/30/04	G1TW31A1
		Dilution Factor: 1				
Zinc	ND	0.020	mg/L	SW846 6010B	12/28-12/30/04	G1TW31A2
		Dilution Factor: 1				
Mercury	ND	0.00020	mg/L	SW846 7470A	12/28/04	G1TW31AA
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

B Estimated result. Result is less than RL.

METHOD BLANK REPORT

DISSOLVED Metals

Client Lot #....: A4L210190

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MB Lot-Sample #: A4L280000-026 Prep Batch #....: 4363026						
Calcium	ND	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1TW31C6
		Dilution Factor: 1				
Magnesium	ND	5.0	mg/L	SW846 6010B	12/28-12/30/04	G1TW31DC
		Dilution Factor: 1				
Manganese	ND	0.015	mg/L	SW846 6010B	12/28-12/30/04	G1TW31DD
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

General Chemistry

Client Lot #....: A4L210190

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Chemical Oxygen Demand (COD)	ND	10.0	mg/L	MCAWW 410.4	12/28/04	4363430
		Work Order #: G1V7X1AA MB Lot-Sample #: A4L280000-430				
		Dilution Factor: 1				
Nitrate as N	ND	0.10	mg/L	MCAWW 300.0A	12/22/04	4362292
		Work Order #: G1R4D1AA MB Lot-Sample #: A4L270000-292				
		Dilution Factor: 1				
Nitrogen, as Ammonia	0.09 B	0.2	mg/L	MCAWW 350.3	12/30/04	4365465
		Work Order #: G12AR1AA MB Lot-Sample #: A4L300000-465				
		Dilution Factor: 1				
Phosphorus as orthophosphate	0.01 B	0.1	mg/L	MCAWW 365.2	12/22/04	4357504
		Work Order #: G1PXL1AA MB Lot-Sample #: A4L220000-504				
		Dilution Factor: 1				
Total Kjeldahl Nitrogen	ND	3	mg/L	MCAWW 351.3	01/03/05	5003487
		Work Order #: G13RX1AA MB Lot-Sample #: A5A030000-487				
		Dilution Factor: 1				
Total Organic Carbon	ND	1	mg/L	MCAWW 415.1	01/04/05	5004303
		Work Order #: G14LC1AA MB Lot-Sample #: A5A040000-303				
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

B Estimated result. Result is less than RL.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L210190 Work Order #....: G12V81AC-LCS Matrix.....: WATER
 LCS Lot-Sample#: A5A030000-065 G12V81AD-LCSD
 Prep Date.....: 12/30/04 Analysis Date...: 12/30/04
 Prep Batch #....: 5003065
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	130	(63 - 130)			SW846 8260B
	124	(63 - 130)	4.6	(0-20)	SW846 8260B
Trichloroethene	110	(75 - 122)			SW846 8260B
	108	(75 - 122)	1.4	(0-20)	SW846 8260B
Benzene	112	(80 - 116)			SW846 8260B
	110	(80 - 116)	1.3	(0-20)	SW846 8260B
Toluene	105	(74 - 119)			SW846 8260B
	104	(74 - 119)	1.2	(0-20)	SW846 8260B
Chlorobenzene	105	(76 - 117)			SW846 8260B
	104	(76 - 117)	0.40	(0-20)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	108	(73 - 122)
	103	(73 - 122)
1,2-Dichloroethane-d4	105	(61 - 128)
	103	(61 - 128)
Toluene-d8	101	(76 - 110)
	100	(76 - 110)
4-Bromofluorobenzene	110	(74 - 116)
	109	(74 - 116)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.
 Bold print denotes control parameters.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L210190 Work Order #....: G1L3E1AC-LCS Matrix.....: WATER
 LCS Lot-Sample#: A4L210000-549 G1L3E1AD-LCSD
 Prep Date.....: 12/21/04 Analysis Date...: 12/28/04
 Prep Batch #....: 4356549
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Acenaphthene	58	(39 - 118)			SW846 8270C
	70	(39 - 118)	18	(0-35)	SW846 8270C
1,2,4-Trichloro- benzene	60	(31 - 110)			SW846 8270C
	69	(31 - 110)	15	(0-37)	SW846 8270C
1,4-Dichlorobenzene	69	(28 - 110)			SW846 8270C
	80	(28 - 110)	15	(0-36)	SW846 8270C
4-Chloro-3-methylphenol	55	(29 - 124)			SW846 8270C
	66	(29 - 124)	17	(0-55)	SW846 8270C
2-Chlorophenol	54	(19 - 124)			SW846 8270C
	65	(19 - 124)	18	(0-43)	SW846 8270C
2,4-Dinitrotoluene	62	(47 - 131)			SW846 8270C
	69	(47 - 131)	11	(0-32)	SW846 8270C
4-Nitrophenol	44	(19 - 144)			SW846 8270C
	49	(19 - 144)	12	(0-34)	SW846 8270C
N-Nitrosodi-n-propyl- amine	67	(30 - 115)			SW846 8270C
	79	(30 - 115)	16	(0-36)	SW846 8270C
Pentachlorophenol	52	(10 - 140)			SW846 8270C
	63	(10 - 140)	18	(0-56)	SW846 8270C
Phenol	46	(10 - 131)			SW846 8270C
	53	(10 - 131)	15	(0-43)	SW846 8270C
Pyrene	67	(46 - 130)			SW846 8270C
	79	(46 - 130)	17	(0-31)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	62	(32 - 112)
	74	(32 - 112)
2-Fluorobiphenyl	57	(30 - 110)
	69	(30 - 110)
Terphenyl-d14	65	(10 - 144)
	78	(10 - 144)
Phenol-d5	45	(10 - 113)
	53	(10 - 113)
2-Fluorophenol	55	(13 - 110)
	60	(13 - 110)
2,4,6-Tribromophenol	53	(21 - 122)

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L210190 Work Order #....: G1L3E1AC-LCS Matrix.....: WATER
LCS Lot-Sample#: A4L210000-549 G1L3E1AD-LCSD

<u>SURROGATE</u>	<u>PERCENT</u> <u>RECOVERY</u>	<u>RECOVERY</u> <u>LIMITS</u>
	60	(21 - 122)

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: A4L210190

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
LCS Lot-Sample#: A4L280000-026 Prep Batch #...: 4363026					
Calcium	98	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CE
Magnesium	97	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CK
Manganese	102	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CL
Arsenic	99	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31A4
Aluminum	101	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31A8
Lead	98	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31A5
Antimony	99	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31A9
Selenium	104	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31A6
Barium	96	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CA
Thallium	98	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31A7
Beryllium	102	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CC
Cadmium	99	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CD
Chromium	99	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CF
Cobalt	96	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CG

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L210190

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Copper	99	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CH
Iron	106	(77 - 127)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CJ
Nickel	96	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CM
Potassium	98	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CN
Silver	107	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CP
Sodium	92	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CQ
Vanadium	96	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CR
Zinc	101	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TW31CT
Mercury	103	(82 - 131)	SW846 7470A Dilution Factor: 1	12/28/04	G1TW31A3

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

DISSOLVED Metals

Client Lot #....: A4L210190

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
LCS Lot-Sample#: A4L280000-026 Prep Batch #....: 4363026					
Calcium	98	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TW31D6
		Dilution Factor: 1			
Magnesium	97	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TW31EC
		Dilution Factor: 1			
Manganese	102	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TW31ED
		Dilution Factor: 1			

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

General Chemistry

Lot-Sample #....: A4L210190

Matrix.....: WATER

	PERCENT	RECOVERY	RPD		PREPARATION-	PREP	
<u>PARAMETER</u>	<u>RECOVERY</u>	<u>LIMITS</u>	<u>RPD</u>	<u>LIMITS</u>	<u>METHOD</u>	<u>ANALYSIS DATE</u>	<u>BATCH #</u>
Chemical Oxygen Demand (COD)		WO#:G1V7X1AC-LCS/G1V7X1AD-LCSD LCS Lot-Sample#: A4L280000-430					
	97	(90 - 110)			MCAWW 410.4	12/28/04	4363430
	94	(90 - 110)	2.6	(0-20)	MCAWW 410.4	12/28/04	4363430
		Dilution Factor: 1					
Nitrate as N		WO#:G1R4D1AC-LCS/G1R4D1AD-LCSD LCS Lot-Sample#: A4L270000-292					
	98	(90 - 110)			MCAWW 300.0A	12/22/04	4362292
	100	(90 - 110)	1.1	(0-20)	MCAWW 300.0A	12/22/04	4362292
		Dilution Factor: 1					

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #....: A4L210190

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Nitrogen, as Ammonia	93	Work Order #: G12AR1AC (85 - 114)	LCS Lot-Sample#: A4L300000-465 MCAWW 350.3	12/30/04	4365465
		Dilution Factor: 1			
Phosphorus as orthophosphate	92	Work Order #: G1PXL1AC (89 - 115)	LCS Lot-Sample#: A4L220000-504 MCAWW 365.2	12/22/04	4357504
		Dilution Factor: 1			
Total Kjeldahl Nitrogen	142	Work Order #: G13RX1AC (65 - 144)	LCS Lot-Sample#: A5A030000-487 MCAWW 351.3	01/03/05	5003487
		Dilution Factor: 1			
Total Organic Carbon	102	Work Order #: G14LC1AC (88 - 115)	LCS Lot-Sample#: A5A040000-303 MCAWW 415.1	01/04/05	5004303
		Dilution Factor: 1			

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L210190 Work Order #....: G1M1K1AM-MS Matrix.....: WATER
 MS Lot-Sample #: A4L220154-004 G1M1K1AN-MSD
 Date Sampled....: 12/21/04 08:05 Date Received...: 12/22/04
 Prep Date.....: 12/30/04 Analysis Date...: 12/30/04
 Prep Batch #....: 5003065
 Dilution Factor: 25

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	121	(62 - 130)			SW846 8260B
	132 a	(62 - 130)	8.9	(0-20)	SW846 8260B
Trichloroethene	103	(62 - 130)			SW846 8260B
	121	(62 - 130)	4.9	(0-20)	SW846 8260B
Benzene	104	(78 - 118)			SW846 8260B
	116	(78 - 118)	11	(0-20)	SW846 8260B
Toluene	94	(70 - 119)			SW846 8260B
	104	(70 - 119)	10	(0-20)	SW846 8260B
Chlorobenzene	94	(76 - 117)			SW846 8260B
	105	(76 - 117)	11	(0-20)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	107	(73 - 122)
	107	(73 - 122)
1,2-Dichloroethane-d4	106	(61 - 128)
	106	(61 - 128)
Toluene-d8	97	(76 - 110)
	97	(76 - 110)
4-Bromofluorobenzene	108	(74 - 116)
	109	(74 - 116)

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

a Spiked analyte recovery is outside stated control limits.

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: A4L210190

Matrix.....: WATER

Date Sampled...: 12/15/04 14:50 Date Received...: 12/17/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: A4L170233-001 Prep Batch #...: 4363026							
Calcium	92	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1CF
	75	(75 - 125)	6.4	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1CG
		Dilution Factor: 1					
Magnesium	99	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1CX
	90	(75 - 125)	6.4	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1C0
		Dilution Factor: 1					
Manganese	103	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1C2
	95	(75 - 125)	6.2	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1C3
		Dilution Factor: 1					
Aluminum	103	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1AX
	96	(75 - 125)	6.7	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1A0
		Dilution Factor: 1					
Arsenic	102	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1AJ
	96	(75 - 125)	5.9	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1AK
		Dilution Factor: 1					
Antimony	103	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1A2
	97	(75 - 125)	5.8	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1A3
		Dilution Factor: 1					
Lead	100	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1AM
	95	(75 - 125)	5.6	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1AN
		Dilution Factor: 1					
Barium	99	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1A5
	92	(75 - 125)	6.6	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1A6
		Dilution Factor: 1					
Selenium	107	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1AQ
	101	(75 - 125)	5.4	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1AR
		Dilution Factor: 1					
Beryllium	104	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1A8
	98	(75 - 125)	6.0	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1A9
		Dilution Factor: 1					

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L210190

Matrix.....: WATER

Date Sampled....: 12/15/04 14:50 Date Received...: 12/17/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Thallium	100	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1AU
	94	(75 - 125)	5.4	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1AV
		Dilution Factor: 1					
Cadmium	99	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1CC
	93	(75 - 125)	5.4	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1CD
		Dilution Factor: 1					
Chromium	100	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1CJ
	94	(75 - 125)	5.7	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1CK
		Dilution Factor: 1					
Cobalt	98	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1CM
	92	(75 - 125)	5.8	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1CN
		Dilution Factor: 1					
Copper	103	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1CQ
	97	(75 - 125)	6.5	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1CR
		Dilution Factor: 1					
Iron	104	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1CU
	90	(75 - 125)	7.0	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1CV
		Dilution Factor: 1					
Nickel	98	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1C5
	92	(75 - 125)	5.9	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1C6
		Dilution Factor: 1					
Potassium	103	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1C8
	96	(75 - 125)	6.0	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1C9
		Dilution Factor: 1					
Silver	110	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1DC
	103	(75 - 125)	6.2	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1DD
		Dilution Factor: 1					
Sodium	96	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1DF
	84	(75 - 125)	6.7	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1DG
		Dilution Factor: 1					
Vanadium	98	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1DJ
	92	(75 - 125)	6.0	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1DK
		Dilution Factor: 1					

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: A4L210190

Matrix.....: WATER

Date Sampled...: 12/15/04 14:50 Date Received...: 12/17/04

PARAMETER	PERCENT	RECOVERY	RPD		METHOD	PREPARATION-	WORK
	RECOVERY	LIMITS	RPD	LIMITS		ANALYSIS DATE	ORDER #
Zinc	103	(75 - 125)			SW846 6010B	12/28-12/30/04	G1C5R1DM
	98	(75 - 125)	5.6	(0-20)	SW846 6010B	12/28-12/30/04	G1C5R1DN
		Dilution Factor: 1					
Mercury	113	(68 - 149)			SW846 7470A	12/28/04	G1C5R1AF
	105	(68 - 149)	7.8	(0-20)	SW846 7470A	12/28/04	G1C5R1AG
		Dilution Factor: 1					

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #....: A4L210190

Matrix.....: WATER

Date Sampled....: 12/20/04 08:00 Date Received...: 12/21/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Chemical Oxygen Demand (COD)	95	(90 - 110)	MCAWW 410.4	12/28/04	A4L210176-002 4363430
		Dilution Factor: 1			
		Work Order #....: G1KXH1AJ			MS Lot-Sample #:

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #....: A4L210190

Date Sampled....: 12/17/04

Date Received...: 12/18/04

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Chemical Oxygen Demand (COD)			WO#:	G1FV81AM-MS/G1FV81AN-MSD	MS Lot-Sample #:	A4L180161-002	
	93	(90 - 110)			MCAWW 410.4	12/28/04	4363430
	96	(90 - 110)	2.8	(0-20)	MCAWW 410.4	12/28/04	4363430
			Dilution Factor: 1				
Nitrate as N			WO#:	G1KJL1AJ-MS/G1KJL1AK-MSD	MS Lot-Sample #:	A4L210138-001	
	108	(80 - 120)			MCAWW 300.0A	12/22/04	4362292
	107	(80 - 120)	0.70	(0-20)	MCAWW 300.0A	12/22/04	4362292
			Dilution Factor: 1				
Nitrogen, as Ammonia			WO#:	G1F371C6-MS/G1F371C7-MSD	MS Lot-Sample #:	A4L180188-001	
	92	(63 - 126)			MCAWW 350.3	12/30/04	4365465
	90	(63 - 126)	1.2	(0-29)	MCAWW 350.3	12/30/04	4365465
			Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #....: A4L210190

Matrix.....: WG

Date Sampled....: 12/20/04 16:32 Date Received...: 12/21/04

PARAMETER	PERCENT RECOVERY	RPD	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
RECOVERY	LIMITS	LIMITS			
Phosphorus as orthophosphate		WO#: G1K2F1CF-MS/G1K2F1CG-MSD	MS Lot-Sample #: A4L210190-003		
99	(56 - 139)		MCAWW 365.2	12/22/04	4357504
99	(56 - 139)	0.19 (0-20)	MCAWW 365.2	12/22/04	4357504
		Dilution Factor: 1			
Total Kjeldahl Nitrogen		WO#: G1K2F1CH-MS/G1K2F1CJ-MSD	MS Lot-Sample #: A4L210190-003		
101	(10 - 200)		MCAWW 351.3	01/03/05	5003487
72 *	(10 - 200)	33 (0-20)	MCAWW 351.3	01/03/05	5003487
		Dilution Factor: 1			
Total Organic Carbon		WO#: G1K2F1CK-MS/G1K2F1CL-MSD	MS Lot-Sample #: A4L210190-003		
96	(72 - 136)		MCAWW 415.1	01/04/05	5004303
97	(72 - 136)	0.90 (0-20)	MCAWW 415.1	01/04/05	5004303
		Dilution Factor: 1			

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

* Relative percent difference (RPD) is outside stated control limits.



CONESTOGA-ROVERS & ASSOCIATES

8615 W. Bryn Mawr Avenue
Chicago, Illinois 60631
(773)380-9933 phone
(773)380-6421 fax

SHIPPED TO
(Laboratory Name):

STL - OHIO

CHAIN-OF-CUSTODY RECORD

REFERENCE NUMBER:

12559-52

PROJECT NAME:

GM FAIRFAX

SAMPLER'S SIGNATURE:

David Kendrick

PRINTED NAME:

David Kendrick

SEQ. No.

DATE

TIME

SAMPLE IDENTIFICATION NO.

SAMPLE MATRIX

No. OF CONTAINERS

PARAMETERS

REMARKS

550W # 095001

TOTAL NUMBER OF CONTAINERS

23

RELINQUISHED BY:

David Kendrick

DATE: 12/20/04
TIME: 11:20

RECEIVED BY:

②

DATE:

TIME:

RELINQUISHED BY:

②

DATE:

RECEIVED BY:

③

DATE:

TIME:

RELINQUISHED BY:

③

DATE:

RECEIVED BY:

④

DATE:

TIME:

METHOD OF SHIPMENT:

AIR BILL No.

White

-Fully Executed Copy

SAMPLE TEAM:

SP, DSK, Cantrell

RECEIVED FOR LABORATORY BY:

12305

Yellow

-Receiving Laboratory Copy

Pink

-Shipper Copy

Goldenrod

-Sampler Copy

STL Cooler Receipt Form/Narrative

North Canton Facility

Lot Number: 44210190

Client: CRA
Cooler Received on: 12/21/04

Project: GM-Fairfax
Opened on: 12/21/04

Quote#: 62183
by: [Signature]
(Signature)

Fedx ☒ Client Drop Off ☐ UPS ☐ DHL ☐ FAS ☐ Other: _____

STL Cooler No# See back Foam Box ☐ Client Cooler ☐ Other _____

- Were custody seals on the outside of the cooler? Yes ☐ No ☒ Intact? Yes ☐ No ☐ NA ☒
If YES, Quantity _____
Were the custody seals signed and dated? Yes ☐ No ☐ NA ☒
- Shipper's packing slip attached to this form? Yes ☒ No ☐ NA ☐
- Did custody papers accompany the samples? Yes ☒ No ☐ Relinquished by client? Yes ☒ No ☐
- Did you sign the custody papers in the appropriate place? Yes ☒ No ☐
- Packing material used: Bubble Wrap ☐ Foam ☐ None ☐ Other: _____
- Cooler temperature upon receipt _____ °C (see back) of form for multiple coolers/temp

METHOD: Temp Vial ☐ Coolant & Sample ☐ Against Bottles ☐ IR ☒ ICE/H₂O Slurry ☐

COOLANT: Wet Ice ☒ Blue Ice ☐ Dry Ice ☐ Water ☐ None ☐

- Did all bottles arrive in good condition (Unbroken)? Yes ☒ No ☐
- Could all bottle labels and/or tags be reconciled with the COC? Yes ☒ No ☐ NA ☐
- Were samples at the correct pH? (record below/on back) Yes ☒ No ☐ NA ☐
- Were correct bottles used for the tests indicated? Yes ☒ No ☐ NA ☐
- Were air bubbles >6 mm in any VOA vials? Yes ☒ No ☐ NA ☐
- Sufficient quantity received to perform indicated analyses? Yes ☒ No ☐

Contacted PM _____ Date: _____ by: _____ via Voice Mail ☐ Verbal ☐ Other ☐

Concerning: _____

1. CHAIN OF CUSTODY

The following discrepancies occurred:

2. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

3. SAMPLE PRESERVATION

Sample(s) 002 (1x1L) were further preserved in sample receiving to meet recommended pH level(s) Nitric Acid Lot # 101104HNO3; Sulfuric Acid Lot # 102804-H2SO4; Sodium Hydroxide Lot # -082404-NaOH; Hydrochloric Acid Lot # 100902-HCl; Sodium Hydroxide and Zinc Acetate Lot # 071604-CH3COO2Zn/NaOH

Sample(s) _____ were received with bubble > 6 mm in diameter (cc: PM)

4. Other (see below or back)

Client ID	pH	Date	Initials
<u>002</u>	<u><2</u>	<u>12/21/04</u>	<u>[Signature]</u>
<u>003</u>	<u><2 <2 <2 <2</u>	<u>[Signature]</u>	<u>[Signature]</u>

**STL Cooler Receipt Form/Narrative
North Canton Facility**

[illegible]

Discrepancies Cont.

END OF REPORT



STL

STL North Canton
4101 Shuffel Drive NW
North Canton, OH 44720

Tel: 330 497 9396 Fax: 330 497 0772
www.stl-inc.com

ANALYTICAL REPORT

PROJECT NO. 12559-52

GM-FAIRFAX

Lot #: A4L220190

Phil Harvey

Conestoga-Rovers & Associates
8615 W. Bryn Mawr
Chicago, IL 60631

SEVERN TRENT LABORATORIES, INC.


Amy L. McCormick
Project Manager

YAL-12559-52	
Project	012559-52
Lot	A4L220190
	
Date	02/01/05

January 13, 2005

CASE NARRATIVE

A4L220190

The following report contains the analytical results for two water samples submitted to STL North Canton by Conestoga-Rovers & Associates, Inc. from the GM-Fairfax Site, project number 12559-52. The samples were received December 22, 2004, according to documented sample acceptance procedures.

Sample GW122104DS011, submitted for Dissolved Metals, was placed on hold as instructed by Susan Scrocchi on December 22, 2004.

STL utilizes USEPA approved methods in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. Preliminary results were provided to Susan Scrocchi on January 5, 2005. A summary of QC data for these analyses is included at the back of the report.

STL North Canton attests to the validity of the laboratory data generated by STL facilities reported herein. All analyses performed by STL facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. STL's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions, please call the Project Manager, Amy L. McCormick, at 330-497-9396.

This report is sequentially paginated. The final page of the report is labeled as "END OF REPORT."

SUPPLEMENTAL QC INFORMATION

SAMPLE RECEIVING

The temperatures of the coolers upon sample receipt were 3.3 and 3.8°C.

CASE NARRATIVE (continued)

GC/MS VOLATILES

The sample(s) that contain results between the MDL and the RL were flagged with "J". There is a possibility of false positive or mis-identification at these quantitation levels. In analytical methods requiring confirmation of the analyte reported, confirmation was performed only down to the standard reporting limit (SRL). The acceptance criteria for QC samples may not be met at these quantitation levels.

GC/MS SEMIVOLATILES

The sample(s) that contained concentrations of target analyte(s) at a reportable level in the associated Method Blank(s) were flagged with "B". All target analytes in the Method Blank must be below the reporting limit (RL) or the associated sample(s) must be ND with the exception of common laboratory contaminants.

The sample(s) that contain results between the MDL and the RL were flagged with "J". There is a possibility of false positive or mis-identification at these quantitation levels. In analytical methods requiring confirmation of the analyte reported, confirmation was performed only down to the standard reporting limit (SRL). The acceptance criteria for QC samples may not be met at these quantitation levels.

METALS

The sample(s) that contain results between the MDL and the RL were flagged with "B". There is the possibility of false positive of mis-identification at these quantitation levels. The acceptance criteria for the ICB, CCB, and Method Blank are +/- the standard reporting limit (SRL).

Serial dilution of a sample in this lot indicates that physical and chemical interferences were present. Refer to the sample report pages for the affected analytes flagged with "E".

The sample(s) that contained concentrations of target analyte(s) at a reportable level in the associated Method Blank(s) were flagged with "J". Refer to the sample report pages for the affected analyte(s).

Matrix spike recovery and relative percent difference (RPD) data were not calculated for some analytes for GW122104DS011 due to the sample concentration reading greater than four times the spike amount. See the Matrix Spike Report for the affected analytes which will be flagged with "NC, MSB".

CASE NARRATIVE (continued)

GENERAL CHEMISTRY

The sample(s) that contain results between the MDL and the RL were flagged with "B". There is the possibility of false positive of mis-identification at these quantitation levels. The acceptance criteria for the ICB, CCB, and Method Blank are +/- the standard reporting limit (SRL).

The sample(s) that contained concentrations of target analyte(s) at a reportable level in the associated Method Blank(s) were flagged with "J". Refer to the sample report pages for the affected analytes(s).

The Total Kjeldahl Nitrogen matrix spike/matrix spike duplicate(s) for batch(es) 5003487 had RPD's outside acceptance limits. However, since the associated method blank(s) and laboratory control sample(s) were in control, no corrective action was necessary.

QUALITY CONTROL ELEMENTS OF SW-846 METHODS

STL North Canton conducts a quality assurance/quality control (QA/QC) program designed to provide scientifically valid and legally defensible data. Toward this end, several types of quality control indicators are incorporated into the QA/QC program, which is described in detail in QA Policy, QA-003. These indicators are introduced into the sample testing process to provide a mechanism for the assessment of the analytical data.

QC BATCH

Environmental samples are taken through the testing process in groups called QUALITY CONTROL BATCHES (QC batches). A QC batch contains up to twenty environmental samples of a similar matrix (water, soil) that are processed using the same reagents and standards. STL North Canton requires that each environmental sample be associated with a QC batch.

Several quality control samples are included in each QC batch and are processed identically to the twenty environmental samples. These QC samples include a METHOD BLANK (MB), a LABORATORY CONTROL SAMPLE (LCS) and, where appropriate, a MATRIX SPIKE/MATRIX SPIKE DUPLICATE (MS/MSD) pair or a MATRIX SPIKE/SAMPLE DUPLICATE (MS/DU) pair. If there is insufficient sample to perform an MS/MSD or an MS/DU, then a LABORATORY CONTROL SAMPLE DUPLICATE (LCSD) is included in the QC batch.

LABORATORY CONTROL SAMPLE

The Laboratory Control Sample is a QC sample that is created by adding known concentrations of a full or partial set of target analytes to a matrix similar to that of the environmental samples in the QC batch. The LCS analyte recovery results are used to monitor the analytical process and provide evidence that the laboratory is performing the method within acceptable guidelines. All control analytes indicated by a bold type in the LCS must meet acceptance criteria. Failure to meet the established recovery guidelines requires the reparation and reanalysis of all samples in the QC batch. The only exception is that if the LCS recoveries are biased high and the associated sample is ND for the parameter(s) of interest, the batch is acceptable.

At times, a Laboratory Control Sample Duplicate (LCSD) is also included in the QC batch. An LCSD is a QC sample that is created and handled identically to the LCS. Analyte recovery data from the LCSD is assessed in the same way as that of the LCS. The LCSD recoveries, together with the LCS recoveries, are used to determine the reproducibility (precision) of the analytical system. Precision data are expressed as relative percent differences (RPDs). If the RPD fails for an LCS/LCSD and yet the recoveries are within acceptance criteria, the batch is still acceptable.

METHOD BLANK

The Method Blank is a QC sample consisting of all the reagents used in analyzing the environmental samples contained in the QC batch. Method Blank results are used to determine if interference or contamination in the analytical system could lead to the reporting of false positive data or elevated analyte concentrations. All target analytes must be below the reporting limits (RL), the analytes were greater than 10 times the blank level for organics or 20 times for inorganics, or the associated sample(s) must be ND except for the common laboratory contaminants indicated below.

Volatile (GC or GC/MS)

Methylene chloride
Acetone
2-Butanone

Semivolatile (GC/MS)

Phthalate Esters

Metals

Copper
Iron
Zinc
Lead*

** for analyses run on TJA Trace ICP only*

The listed volatile and semivolatile compounds may be present in concentrations up to 5 times the reporting limits. Failure to meet these Method Blank criteria requires the reparation and reanalysis of all samples in the QC batch.

QUALITY CONTROL ELEMENTS OF SW-846 METHODS (Continued)

MATRIX SPIKE/MATRIX SPIKE DUPLICATE

A Matrix Spike and a Matrix Spike Duplicate are a pair of environmental samples to which known concentrations of a full or partial set of target analytes are added. The MS/MSD results are determined in the same manner as the results of the environmental sample used to prepare the MS/MSD. The analyte recoveries and the relative percent differences (RPDs) of the recoveries are calculated and used to evaluate the effect of the sample matrix on the analytical results. Due to the potential variability of the matrix of each sample, the MS/MSD results may not have an immediate bearing on any samples except the one spiked; therefore, the associated batch MS/MSD may not reflect the same compounds as the samples contained in the analytical report. When these MS/MSD results fail to meet acceptance criteria, the data is evaluated. If the LCS is within acceptance criteria, the batch is considered acceptable. The acceptance criteria does not apply to samples that are diluted for organics if the native sample amount is 4x the concentration of the spike for inorganics.

For certain methods, a Matrix Spike/Sample Duplicate (MS/DU) may be included in the QC batch in place of the MS/MSD. For the parameters (i.e. pH, ignitability) where it is not possible to prepare a spiked sample, a Sample Duplicate may be included in the QC batch. However, a Sample Duplicate is less likely to provide usable precision statistics depending on the likelihood of finding concentrations below the standard reporting limit. When the Sample Duplicate result fails to meet acceptance criteria, the data is evaluated.

SURROGATE COMPOUNDS

In addition to these batch-related QC indicators, each organic environmental and QC sample are spiked with surrogate compounds. Surrogates are organic chemicals that behave similarly to the analytes of interest and that are rarely present in the environment. Surrogate recoveries are used to monitor the individual performance of a sample in the analytical system.

If the surrogate recoveries are outside criteria for environmental or MS/MSD samples, the batch is acceptable if the Method Blank, LCS, and LCSD surrogate recoveries are within acceptance criteria. The only exception is if the surrogate recoveries are biased high in the LCS, LCSD, or the Method Blank and the associated sample(s) are ND, the batch is acceptable. If the LCS, LCSD, or Method Blank surrogate(s) fail to meet recovery criteria, the entire sample batch is reprepared and reanalyzed.

For the GC/MS BNA methods, the surrogate criterion is that two of the three surrogates for each fraction must meet acceptance criteria. The third surrogate must have a recovery of ten percent or greater.

For the Pesticide/PCB and PAH methods, the surrogate criteria is that one of two surrogate compounds meet acceptance criteria.

STL North Canton, Certifications and Approvals:

California (#01144CA), Connecticut (#PH-0590), Florida (#E87225), Georgia (None), Illinois (#100439), Kansas (#E-10336), Louisiana (#04112), Minnesota (#39-999-348), New Jersey (#OH001), New York (#10975), Ohio (#6090), OhioVAP (#CL0024), Rhode Island (#237), South Carolina (#92007001), Utah (#QUAN9), West Virginia (#210), Wisconsin (#999518190), NAVY, ARMY, USDA Soil Permit, ACIL Seal of Excellence

EXECUTIVE SUMMARY - Detection Highlights

A4L220190

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
GW122104DS005 12/21/04 10:40 001				
Calcium - DISSOLVED	205	5.0	mg/L	SW846 6010B
Magnesium - DISSOLVED	48.2 J	5.0	mg/L	SW846 6010B
Manganese - DISSOLVED	1.8	0.015	mg/L	SW846 6010B
Arsenic	0.0029 B	0.010	mg/L	SW846 6010B
Selenium	0.037	0.0050	mg/L	SW846 6010B
Calcium	201	5.0	mg/L	SW846 6010B
Magnesium	46.1 J	5.0	mg/L	SW846 6010B
Manganese	1.9	0.015	mg/L	SW846 6010B
Aluminum	0.085 B	0.20	mg/L	SW846 6010B
Barium	0.094 B	0.20	mg/L	SW846 6010B
Cadmium	0.00047 B	0.0050	mg/L	SW846 6010B
Chromium	0.0033	0.010	mg/L	SW846 6010B
Qualifiers: B, J				
Cobalt	0.0037 B	0.050	mg/L	SW846 6010B
Copper	0.0023 B	0.025	mg/L	SW846 6010B
Iron	1.2 J, E	0.10	mg/L	SW846 6010B
Nickel	0.015 B	0.040	mg/L	SW846 6010B
Potassium	11.6	5.0	mg/L	SW846 6010B
Sodium	32.1	5.0	mg/L	SW846 6010B
Vanadium	0.0012	0.050	mg/L	SW846 6010B
Qualifiers: B, J				
Caprolactam	1.1 J	10	ug/L	SW846 8270C
cis-1,2-Dichloroethene	20	1.0	ug/L	SW846 8260B
trans-1,2-Dichloroethene	1.3	1.0	ug/L	SW846 8260B
Vinyl chloride	1.0	1.0	ug/L	SW846 8260B
Acetone	2.2 J	10	ug/L	SW846 8260B
Phosphorus as orthophosphate	0.02 B, J	0.1	mg/L	MCAWW 365.2
Nitrate as N	0.12	0.10	mg/L	MCAWW 300.0A
Total Organic Carbon	5	1	mg/L	MCAWW 415.1
Nitrogen, as Ammonia	0.09 B, J	0.2	mg/L	MCAWW 350.3
GW122104DS011 12/21/04 09:25 002				
Arsenic	0.0035 B	0.010	mg/L	SW846 6010B
Thallium	0.0051 B	0.010	mg/L	SW846 6010B
Barium	0.50	0.20	mg/L	SW846 6010B
Calcium	176	5.0	mg/L	SW846 6010B
Iron	23.2 J	0.10	mg/L	SW846 6010B
Magnesium	50.9 J	5.0	mg/L	SW846 6010B
Manganese	1.7 J	0.015	mg/L	SW846 6010B
Potassium	7.1	5.0	mg/L	SW846 6010B
Sodium	30.1	5.0	mg/L	SW846 6010B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L220190

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
GW122104DS011 12/21/04 09:25 002				
Acetophenone	3.9 J	10	ug/L	SW846 8270C
bis(2-Ethylhexyl) phthalate	1.2 J,B	10	ug/L	SW846 8270C
Caprolactam	0.91 J	10	ug/L	SW846 8270C
cis-1,2-Dichloroethene	150	5.0	ug/L	SW846 8260B
trans-1,2-Dichloroethene	11	5.0	ug/L	SW846 8260B
Vinyl chloride	17	5.0	ug/L	SW846 8260B

ANALYTICAL METHODS SUMMARY

AAL220190

PARAMETER	ANALYTICAL METHOD
ortho-Phosphate	MCAWW 365.2
Ammonia Nitrogen	MCAWW 350.3
Chemical Oxygen Demand	MCAWW 410.4
Inductively Coupled Plasma (ICP) Metals	SW846 6010B
Mercury in Liquid Waste (Manual Cold-Vapor)	SW846 7470A
Nitrate as N	MCAWW 300.0A
Semivolatile Organic Compounds by GC/MS	SW846 8270C
Total Kjeldahl Nitrogen	MCAWW 351.3
Total Organic Carbon	MCAWW 415.1
Trace Inductively Coupled Plasma (ICP) Metals	SW846 6010B
Volatile Organics by GC/MS	SW846 8260B

References:

- MCAWW "Methods for Chemical Analysis of Water and Wastes",
EPA-600/4-79-020, March 1983 and subsequent revisions.
- SW846 "Test Methods for Evaluating Solid Waste, Physical/Chemical
Methods", Third Edition, November 1986 and its updates.

SAMPLE SUMMARY

A4L220190

WO #	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
G1NA7	001	GW122104DS005	12/21/04	10:40
G1NCP	002	GW122104DS011	12/21/04	09:25

NOTE(S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS005

GC/MS Volatiles

Lot-Sample #....: A4L220190-001 **Work Order #....:** G1NA71CD **Matrix.....:** WG
Date Sampled....: 12/21/04 10:40 **Date Received...:** 12/22/04
Prep Date.....: 12/30/04 **Analysis Date...:** 12/30/04
Prep Batch #....: 5003461
Dilution Factor: 1 **Method.....:** SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	20	1.0	ug/L	0.21
trans-1,2-Dichloroethene	1.3	1.0	ug/L	0.16
Chloromethane	ND	1.0	ug/L	0.14
Bromomethane	ND	1.0	ug/L	0.36
Vinyl chloride	1.0	1.0	ug/L	0.21
Chloroethane	ND	1.0	ug/L	0.24
Methylene chloride	ND	1.0	ug/L	0.19
Acetone	2.2 J	10	ug/L	0.74
Carbon disulfide	ND	1.0	ug/L	0.28
1,1-Dichloroethene	ND	1.0	ug/L	0.18
1,1-Dichloroethane	ND	1.0	ug/L	0.21
Chloroform	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.16
2-Butanone	ND	10	ug/L	0.39
1,1,1-Trichloroethane	ND	1.0	ug/L	0.21
Carbon tetrachloride	ND	1.0	ug/L	0.19
Bromodichloromethane	ND	1.0	ug/L	0.14
1,2-Dichloropropane	ND	1.0	ug/L	0.15
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.28
Dibromochloromethane	ND	1.0	ug/L	0.19
1,1,2-Trichloroethane	ND	1.0	ug/L	0.22
Benzene	ND	1.0	ug/L	0.22
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.17
Bromoform	ND	1.0	ug/L	0.17
4-Methyl-2-pentanone	ND	10	ug/L	0.32
2-Hexanone	ND	10	ug/L	0.35
Tetrachloroethene	ND	1.0	ug/L	0.19
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.22
Toluene	ND	1.0	ug/L	0.17
Chlorobenzene	ND	1.0	ug/L	0.20
Ethylbenzene	ND	1.0	ug/L	0.19
Styrene	ND	1.0	ug/L	0.13
Xylenes (total)	ND	2.0	ug/L	0.44

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	98	(73 - 122)
1,2-Dichloroethane-d4	88	(61 - 128)
Toluene-d8	89	(76 - 110)
4-Bromofluorobenzene	79	(74 - 116)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS005

GC/MS Volatiles

Lot-Sample #....: A4L220190-001 Work Order #....: G1NA71CD Matrix.....: WG

NOTE(S):

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS005

GC/MS Semivolatiles

Lot-Sample #....: A4L220190-001 Work Order #....: G1NA71CE Matrix.....: WG
 Date Sampled....: 12/21/04 10:40 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/04/05
 Prep Batch #....: 4362021
 Dilution Factor: 1 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	10	ug/L	0.028
Acenaphthylene	ND	10	ug/L	0.030
Acetophenone	ND	10	ug/L	0.19
Anthracene	ND	10	ug/L	0.030
Atrazine	ND	10	ug/L	0.36
Benzo(a)anthracene	ND	10	ug/L	0.028
Benzo(a)pyrene	ND	10	ug/L	0.022
Benzo(b)fluoranthene	ND	10	ug/L	0.043
Benzo(ghi)perylene	ND	10	ug/L	0.044
Benzo(k)fluoranthene	ND	10	ug/L	0.071
Benzaldehyde	ND	10	ug/L	0.17
1,1'-Biphenyl	ND	10	ug/L	0.30
bis(2-Chloroethoxy) methane	ND	10	ug/L	0.24
bis(2-Chloroethyl)- ether	ND	10	ug/L	0.19
bis(2-Ethylhexyl) phthalate	ND	10	ug/L	0.36
4-Bromophenyl phenyl ether	ND	10	ug/L	0.29
Butyl benzyl phthalate	ND	10	ug/L	0.14
Caprolactam	1.1 J	10	ug/L	0.73
Carbazole	ND	10	ug/L	0.17
4-Chloroaniline	ND	10	ug/L	0.31
4-Chloro-3-methylphenol	ND	10	ug/L	0.18
2-Chloronaphthalene	ND	10	ug/L	0.29
2-Chlorophenol	ND	10	ug/L	0.14
4-Chlorophenyl phenyl ether	ND	10	ug/L	0.21
Chrysene	ND	10	ug/L	0.035
Dibenz(a,h)anthracene	ND	10	ug/L	0.054
Dibenzofuran	ND	10	ug/L	0.025
3,3'-Dichlorobenzidine	ND	50	ug/L	0.19
2,4-Dichlorophenol	ND	10	ug/L	0.24
Diethyl phthalate	ND	10	ug/L	0.12
2,4-Dimethylphenol	ND	10	ug/L	0.23
Dimethyl phthalate	ND	10	ug/L	0.27
Di-n-butyl phthalate	ND	10	ug/L	0.13
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	1.8

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS005

GC/MS Semivolatiles

Lot-Sample #....: A4L220190-001 Work Order #....: G1NA71CE Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2,4-Dinitrophenol	ND	50	ug/L	1.3
2,4-Dinitrotoluene	ND	10	ug/L	0.16
2,6-Dinitrotoluene	ND	10	ug/L	0.17
Di-n-octyl phthalate	ND	10	ug/L	0.16
Fluoranthene	ND	10	ug/L	0.024
Fluorene	ND	10	ug/L	0.035
Hexachlorobenzene	ND	10	ug/L	0.075
Hexachlorobutadiene	ND	10	ug/L	0.11
Hexachlorocyclopenta- diene	ND	50	ug/L	1.5
Hexachloroethane	ND	10	ug/L	0.21
Indeno(1,2,3-cd)pyrene	ND	10	ug/L	0.081
Isophorone	ND	10	ug/L	0.16
2-Methylnaphthalene	ND	10	ug/L	0.028
2-Methylphenol	ND	10	ug/L	0.15
4-Methylphenol	ND	10	ug/L	0.20
Naphthalene	ND	10	ug/L	0.031
2-Nitroaniline	ND	50	ug/L	0.18
3-Nitroaniline	ND	50	ug/L	0.094
4-Nitroaniline	ND	50	ug/L	0.11
Nitrobenzene	ND	10	ug/L	0.21
2-Nitrophenol	ND	10	ug/L	0.14
4-Nitrophenol	ND	50	ug/L	1.0
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	0.21
N-Nitrosodiphenylamine	ND	10	ug/L	0.18
2,2'-oxybis(1-Chloropropane)	ND	10	ug/L	0.21
Pentachlorophenol	ND	10	ug/L	2.0
Phenanthrene	ND	10	ug/L	0.044
Phenol	ND	10	ug/L	0.14
Pyrene	ND	10	ug/L	0.051
2,4,5-Trichloro- phenol	ND	10	ug/L	0.13
2,4,6-Trichloro- phenol	ND	10	ug/L	0.16

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	68	(32 - 112)
2-Fluorobiphenyl	60	(30 - 110)
Terphenyl-d14	79	(10 - 144)
Phenol-d5	32	(10 - 113)
2-Fluorophenol	33	(13 - 110)
2,4,6-Tribromophenol	32	(21 - 122)

NOTE(S):

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS005

TOTAL Metals

Lot-Sample #...: A4L220190-001

Matrix.....: WG

Date Sampled...: 12/21/04 10:40 Date Received...: 12/22/04

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Prep Batch #...: 4363030						
Calcium	201	5.0	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AG
		Dilution Factor: 1		MDL.....: 0.33		
Magnesium	46.1 J	5.0	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AM
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	1.9	0.015	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AN
		Dilution Factor: 1		MDL.....: 0.0012		
Aluminum	0.085 B	0.20	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AA
		Dilution Factor: 1		MDL.....: 0.023		
Arsenic	0.0029 B	0.010	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AW
		Dilution Factor: 1		MDL.....: 0.0026		
Lead	ND	0.0030	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AX
		Dilution Factor: 1		MDL.....: 0.0017		
Antimony	ND	0.060	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AC
		Dilution Factor: 1		MDL.....: 0.0041		
Barium	0.094 B	0.20	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AD
		Dilution Factor: 1		MDL.....: 0.00075		
Selenium	0.037	0.0050	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AO
		Dilution Factor: 1		MDL.....: 0.0037		
Beryllium	ND	0.0050	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AE
		Dilution Factor: 1		MDL.....: 0.00043		
Thallium	ND	0.010	mg/L	SW846 6010B	12/28-01/04/05	G1NA71A1
		Dilution Factor: 1		MDL.....: 0.0045		
Cadmium	0.00047 B	0.0050	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AF
		Dilution Factor: 1		MDL.....: 0.00028		
Chromium	0.0033 B,J	0.010	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AH
		Dilution Factor: 1		MDL.....: 0.0019		
Cobalt	0.0037 B	0.050	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AJ
		Dilution Factor: 1		MDL.....: 0.00096		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS005

TOTAL Metals

Lot-Sample #...: A4L220190-001

Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Copper	0.0023 B	0.025	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AK
		Dilution Factor: 1		MDL.....: 0.0023		
Iron	1.2 J,E	0.10	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AL
		Dilution Factor: 1		MDL.....: 0.049		
Nickel	0.015 B	0.040	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AP
		Dilution Factor: 1		MDL.....: 0.0025		
Potassium	11.6	5.0	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AQ
		Dilution Factor: 1		MDL.....: 0.063		
Silver	ND	0.010	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AR
		Dilution Factor: 1		MDL.....: 0.00074		
Sodium	32.1	5.0	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AT
		Dilution Factor: 1		MDL.....: 0.54		
Vanadium	0.0012 B,J	0.050	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AU
		Dilution Factor: 1		MDL.....: 0.00071		
Zinc	ND	0.020	mg/L	SW846 6010B	12/28-01/04/05	G1NA71AV
		Dilution Factor: 1		MDL.....: 0.014		
Mercury	ND	0.00020	mg/L	SW846 7470A	12/28-12/29/04	G1NA71A2
		Dilution Factor: 1		MDL.....: 0.000029		

NOTE(S):

- J Method blank contamination. The associated method blank contains the target analyte at a reportable level.
- B Estimated result. Result is less than RL.
- E Matrix interference.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS005

DISSOLVED Metals

Lot-Sample #....: A4L220190-001

Matrix.....: WG

Date Sampled...: 12/21/04 10:40 Date Received...: 12/22/04

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #....: 4363030						
Calcium	205	5.0	mg/L	SW846 6010B	12/28-01/04/05	GINA71A3
		Dilution Factor: 1		MDL.....: 0.33		
Magnesium	48.2 J	5.0	mg/L	SW846 6010B	12/28-01/04/05	GINA71A4
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	1.8	0.015	mg/L	SW846 6010B	12/28-01/04/05	GINA71A5
		Dilution Factor: 1		MDL.....: 0.0012		

NOTE(S):

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS005

General Chemistry

Lot-Sample #....: A4L220190-001 Work Order #....: G1NA7 Matrix.....: WG
Date Sampled....: 12/21/04 10:40 Date Received...: 12/22/04

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphorus as orthophosphate	0.02 B,J	0.1	mg/L	MCAWW 365.2	12/22/04	4357504
				Dilution Factor: 1	MDL.....: 0.006	
Chemical Oxygen Demand (COD)	ND	10.0	mg/L	MCAWW 410.4	12/28/04	4363430
				Dilution Factor: 1	MDL.....: 7.1	
Nitrate as N	0.12	0.10	mg/L	MCAWW 300.0A	12/23/04	4362292
				Dilution Factor: 1	MDL.....: 0.016	
Nitrogen, as Ammonia	0.09 B,J	0.2	mg/L	MCAWW 350.3	12/30/04	4365465
				Dilution Factor: 1	MDL.....: 0.07	
Total Kjeldahl Nitrogen	ND	3	mg/L	MCAWW 351.3	01/03/05	5003487
				Dilution Factor: 1	MDL.....: 2	
Total Organic Carbon	5	1	mg/L	MCAWW 415.1	01/04/05	5004303
				Dilution Factor: 1	MDL.....: 0.08	

NOTE(S):

RL Reporting Limit

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS011

GC/MS Volatiles

Lot-Sample #....: A4L220190-002 Work Order #....: G1NCP1DW Matrix.....: WG
 Date Sampled....: 12/21/04 09:25 Date Received...: 12/22/04
 Prep Date.....: 12/30/04 Analysis Date...: 12/30/04
 Prep Batch #....: 5003461
 Dilution Factor: 5 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	150	5.0	ug/L	1.0
trans-1,2-Dichloroethene	11	5.0	ug/L	0.80
Chloromethane	ND	5.0	ug/L	0.70
Bromomethane	ND	5.0	ug/L	1.8
Vinyl chloride	17	5.0	ug/L	1.0
Chloroethane	ND	5.0	ug/L	1.2
Methylene chloride	ND	5.0	ug/L	0.95
Acetone	ND	50	ug/L	3.7
Carbon disulfide	ND	5.0	ug/L	1.4
1,1-Dichloroethene	ND	5.0	ug/L	0.90
1,1-Dichloroethane	ND	5.0	ug/L	1.0
Chloroform	ND	5.0	ug/L	0.80
1,2-Dichloroethane	ND	5.0	ug/L	0.80
2-Butanone	ND	50	ug/L	2.0
1,1,1-Trichloroethane	ND	5.0	ug/L	1.0
Carbon tetrachloride	ND	5.0	ug/L	0.95
Bromodichloromethane	ND	5.0	ug/L	0.70
1,2-Dichloropropane	ND	5.0	ug/L	0.75
cis-1,3-Dichloropropene	ND	5.0	ug/L	0.60
Trichloroethene	ND	5.0	ug/L	1.4
Dibromochloromethane	ND	5.0	ug/L	0.95
1,1,2-Trichloroethane	ND	5.0	ug/L	1.1
Benzene	ND	5.0	ug/L	1.1
trans-1,3-Dichloropropene	ND	5.0	ug/L	0.85
Bromoform	ND	5.0	ug/L	0.85
4-Methyl-2-pentanone	ND	50	ug/L	1.6
2-Hexanone	ND	50	ug/L	1.8
Tetrachloroethene	ND	5.0	ug/L	0.95
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	1.1
Toluene	ND	5.0	ug/L	0.85
Chlorobenzene	ND	5.0	ug/L	1.0
Ethylbenzene	ND	5.0	ug/L	0.95
Styrene	ND	5.0	ug/L	0.65
Xylenes (total)	ND	10	ug/L	2.2

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	96	(73 - 122)
1,2-Dichloroethane-d4	88	(61 - 128)
Toluene-d8	90	(76 - 110)
4-Bromofluorobenzene	79	(74 - 116)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS011

GC/MS Semivolatiles

Lot-Sample #....: A4L220190-002 Work Order #....: G1NCP1D1 Matrix.....: WG
 Date Sampled....: 12/21/04 09:25 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/04/05
 Prep Batch #....: 4362021
 Dilution Factor: 1 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Acenaphthene	ND	10	ug/L	0.028
Acenaphthylene	ND	10	ug/L	0.030
Acetophenone	3.9 J	10	ug/L	0.19
Anthracene	ND	10	ug/L	0.030
Atrazine	ND	10	ug/L	0.36
Benzo(a)anthracene	ND	10	ug/L	0.028
Benzo(a)pyrene	ND	10	ug/L	0.022
Benzo(b)fluoranthene	ND	10	ug/L	0.043
Benzo(ghi)perylene	ND	10	ug/L	0.044
Benzo(k)fluoranthene	ND	10	ug/L	0.071
Benzaldehyde	ND	10	ug/L	0.17
1,1'-Biphenyl	ND	10	ug/L	0.30
bis(2-Chloroethoxy) methane	ND	10	ug/L	0.24
bis(2-Chloroethyl)- ether	ND	10	ug/L	0.19
bis(2-Ethylhexyl) phthalate	1.2 J,B	10	ug/L	0.36
4-Bromophenyl phenyl ether	ND	10	ug/L	0.29
Butyl benzyl phthalate	ND	10	ug/L	0.14
Caprolactam	0.91 J	10	ug/L	0.73
Carbazole	ND	10	ug/L	0.17
4-Chloroaniline	ND	10	ug/L	0.31
4-Chloro-3-methylphenol	ND	10	ug/L	0.18
2-Chloronaphthalene	ND	10	ug/L	0.29
2-Chlorophenol	ND	10	ug/L	0.14
4-Chlorophenyl phenyl ether	ND	10	ug/L	0.21
Chrysene	ND	10	ug/L	0.035
Dibenz(a,h)anthracene	ND	10	ug/L	0.054
Dibenzofuran	ND	10	ug/L	0.025
3,3'-Dichlorobenzidine	ND	50	ug/L	0.19
2,4-Dichlorophenol	ND	10	ug/L	0.24
Diethyl phthalate	ND	10	ug/L	0.12
2,4-Dimethylphenol	ND	10	ug/L	0.23
Dimethyl phthalate	ND	10	ug/L	0.27
Di-n-butyl phthalate	ND	10	ug/L	0.13
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	1.8

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS011

GC/MS Semivolatiles

Lot-Sample #....: A4L220190-002 Work Order #....: G1NCP1D1 Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2,4-Dinitrophenol	ND	50	ug/L	1.3
2,4-Dinitrotoluene	ND	10	ug/L	0.16
2,6-Dinitrotoluene	ND	10	ug/L	0.17
Di-n-octyl phthalate	ND	10	ug/L	0.16
Fluoranthene	ND	10	ug/L	0.024
Fluorene	ND	10	ug/L	0.035
Hexachlorobenzene	ND	10	ug/L	0.075
Hexachlorobutadiene	ND	10	ug/L	0.11
Hexachlorocyclopenta- diene	ND	50	ug/L	1.5
Hexachloroethane	ND	10	ug/L	0.21
Indeno(1,2,3-cd)pyrene	ND	10	ug/L	0.081
Isophorone	ND	10	ug/L	0.16
2-Methylnaphthalene	ND	10	ug/L	0.028
2-Methylphenol	ND	10	ug/L	0.15
4-Methylphenol	ND	10	ug/L	0.20
Naphthalene	ND	10	ug/L	0.031
2-Nitroaniline	ND	50	ug/L	0.18
3-Nitroaniline	ND	50	ug/L	0.094
4-Nitroaniline	ND	50	ug/L	0.11
Nitrobenzene	ND	10	ug/L	0.21
2-Nitrophenol	ND	10	ug/L	0.14
4-Nitrophenol	ND	50	ug/L	1.0
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	0.21
N-Nitrosodiphenylamine	ND	10	ug/L	0.18
2,2'-oxybis(1-Chloropropane)	ND	10	ug/L	0.21
Pentachlorophenol	ND	10	ug/L	2.0
Phenanthrene	ND	10	ug/L	0.044
Phenol	ND	10	ug/L	0.14
Pyrene	ND	10	ug/L	0.051
2,4,5-Trichloro- phenol	ND	10	ug/L	0.13
2,4,6-Trichloro- phenol	ND	10	ug/L	0.16

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	74	(32 - 112)
2-Fluorobiphenyl	59	(30 - 110)
Terphenyl-d14	84	(10 - 144)
Phenol-d5	67	(10 - 113)
2-Fluorophenol	53	(13 - 110)
2,4,6-Tribromophenol	51	(21 - 122)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS011

GC/MS Semivolatiles

Lot-Sample #....: A4L220190-002 Work Order #....: G1NCP1D1 Matrix.....: WG

NOTE(S):

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS011

TOTAL Metals

Lot-Sample #....: A4L220190-002

Matrix.....: WG

Date Sampled...: 12/21/04 09:25 Date Received...: 12/22/04

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Prep Batch #....: 4364023						
Aluminum	ND	0.20	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1AA
		Dilution Factor: 1		MDL.....: 0.023		
Arsenic	0.0035 B	0.010	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1CA
		Dilution Factor: 1		MDL.....: 0.0026		
Lead	ND	0.0030	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1C7
		Dilution Factor: 1		MDL.....: 0.0017		
Antimony	ND	0.060	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1AE
		Dilution Factor: 1		MDL.....: 0.0041		
Barium	0.50	0.20	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1AH
		Dilution Factor: 1		MDL.....: 0.00075		
Selenium	ND	0.0050	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1DA
		Dilution Factor: 1		MDL.....: 0.0037		
Beryllium	ND	0.0050	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1AL
		Dilution Factor: 1		MDL.....: 0.00043		
Thallium	0.0051 B	0.010	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1DE
		Dilution Factor: 1		MDL.....: 0.0045		
Cadmium	ND	0.0050	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1AP
		Dilution Factor: 1		MDL.....: 0.00028		
Calcium	176	5.0	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1AT
		Dilution Factor: 1		MDL.....: 0.33		
Chromium	ND	0.010	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1AW
		Dilution Factor: 1		MDL.....: 0.0019		
Cobalt	ND	0.050	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1A1
		Dilution Factor: 1		MDL.....: 0.00096		
Copper	ND	0.025	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1A4
		Dilution Factor: 1		MDL.....: 0.0023		
Iron	23.2 J	0.10	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1A7
		Dilution Factor: 1		MDL.....: 0.049		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS011

TOTAL Metals

Lot-Sample #....: A4L220190-002

Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Magnesium	50.9 J	5.0	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1CA
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	1.7 J	0.015	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1CE
		Dilution Factor: 1		MDL.....: 0.0012		
Nickel	ND	0.040	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1CH
		Dilution Factor: 1		MDL.....: 0.0025		
Potassium	7.1	5.0	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1CL
		Dilution Factor: 1		MDL.....: 0.063		
Silver	ND	0.010	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1CP
		Dilution Factor: 1		MDL.....: 0.00074		
Sodium	30.1	5.0	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1CT
		Dilution Factor: 1		MDL.....: 0.54		
Vanadium	ND	0.050	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1CW
		Dilution Factor: 1		MDL.....: 0.00071		
Zinc	ND	0.020	mg/L	SW846 6010B	12/29-01/04/05	G1NCP1C1
		Dilution Factor: 1		MDL.....: 0.014		
Mercury	ND	0.00020	mg/L	SW846 7470A	12/29/04	G1NCP1DH
		Dilution Factor: 1		MDL.....: 0.000029		

NOTE(S):

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

QUALITY CONTROL SECTION

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L220190
MB Lot-Sample #: A5A030000-461

Work Order #....: G13Q61AA

Matrix.....: WATER

Analysis Date...: 12/30/04
Dilution Factor: 1

Prep Date.....: 12/30/04

Prep Batch #....: 5003461

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
cis-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
trans-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
Chloromethane	ND	1.0	ug/L	SW846 8260B
Bromomethane	ND	1.0	ug/L	SW846 8260B
Vinyl chloride	ND	1.0	ug/L	SW846 8260B
Chloroethane	ND	1.0	ug/L	SW846 8260B
Methylene chloride	ND	1.0	ug/L	SW846 8260B
Acetone	ND	10	ug/L	SW846 8260B
Carbon disulfide	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethene	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B
Chloroform	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethane	ND	1.0	ug/L	SW846 8260B
2-Butanone	ND	10	ug/L	SW846 8260B
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Carbon tetrachloride	ND	1.0	ug/L	SW846 8260B
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
cis-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Trichloroethene	ND	1.0	ug/L	SW846 8260B
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Benzene	ND	1.0	ug/L	SW846 8260B
trans-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Bromoform	ND	1.0	ug/L	SW846 8260B
4-Methyl-2-pentanone	ND	10	ug/L	SW846 8260B
2-Hexanone	ND	10	ug/L	SW846 8260B
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
Toluene	ND	1.0	ug/L	SW846 8260B
Chlorobenzene	ND	1.0	ug/L	SW846 8260B
Ethylbenzene	ND	1.0	ug/L	SW846 8260B
Styrene	ND	1.0	ug/L	SW846 8260B
Xylenes (total)	ND	2.0	ug/L	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	98	(73 - 122)
1,2-Dichloroethane-d4	87	(61 - 128)
Toluene-d8	92	(76 - 110)
4-Bromofluorobenzene	83	(74 - 116)

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L220190

Work Order #....: G13Q61AA

Matrix.....: WATER

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L220190
MB Lot-Sample #: A4L270000-021

Work Order #....: G1Q7A1AA

Matrix.....: WATER

Analysis Date...: 01/04/05
Dilution Factor: 1

Prep Date.....: 12/27/04

Prep Batch #....: 4362021

PARAMETER	RESULT	REPORTING		METHOD
		LIMIT	UNITS	
Acenaphthene	ND	10	ug/L	SW846 8270C
Acenaphthylene	ND	10	ug/L	SW846 8270C
Acetophenone	ND	10	ug/L	SW846 8270C
Anthracene	ND	10	ug/L	SW846 8270C
Atrazine	ND	10	ug/L	SW846 8270C
Benzo(a)anthracene	ND	10	ug/L	SW846 8270C
Benzo(a)pyrene	ND	10	ug/L	SW846 8270C
Benzo(b)fluoranthene	ND	10	ug/L	SW846 8270C
Benzo(ghi)perylene	ND	10	ug/L	SW846 8270C
Benzo(k)fluoranthene	ND	10	ug/L	SW846 8270C
Benzaldehyde	ND	10	ug/L	SW846 8270C
1,1'-Biphenyl	ND	10	ug/L	SW846 8270C
bis(2-Chloroethoxy) methane	ND	10	ug/L	SW846 8270C
bis(2-Chloroethyl)- ether	ND	10	ug/L	SW846 8270C
bis(2-Ethylhexyl) phthalate	0.91 J	10	ug/L	SW846 8270C
4-Bromophenyl phenyl ether	ND	10	ug/L	SW846 8270C
Butyl benzyl phthalate	ND	10	ug/L	SW846 8270C
Caprolactam	ND	10	ug/L	SW846 8270C
Carbazole	ND	10	ug/L	SW846 8270C
4-Chloroaniline	ND	10	ug/L	SW846 8270C
4-Chloro-3-methylphenol	ND	10	ug/L	SW846 8270C
2-Chloronaphthalene	ND	10	ug/L	SW846 8270C
2-Chlorophenol	ND	10	ug/L	SW846 8270C
4-Chlorophenyl phenyl ether	ND	10	ug/L	SW846 8270C
Chrysene	ND	10	ug/L	SW846 8270C
Dibenz(a,h)anthracene	ND	10	ug/L	SW846 8270C
Dibenzofuran	ND	10	ug/L	SW846 8270C
3,3'-Dichlorobenzidine	ND	50	ug/L	SW846 8270C
2,4-Dichlorophenol	ND	10	ug/L	SW846 8270C
Diethyl phthalate	ND	10	ug/L	SW846 8270C
2,4-Dimethylphenol	ND	10	ug/L	SW846 8270C
Dimethyl phthalate	ND	10	ug/L	SW846 8270C
Di-n-butyl phthalate	ND	10	ug/L	SW846 8270C
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	SW846 8270C
2,4-Dinitrophenol	ND	50	ug/L	SW846 8270C

(Continued on next page)

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L220190

Work Order #....: G1Q7A1AA

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
2,4-Dinitrotoluene	ND	10	ug/L	SW846 8270C
2,6-Dinitrotoluene	ND	10	ug/L	SW846 8270C
Di-n-octyl phthalate	ND	10	ug/L	SW846 8270C
Fluoranthene	ND	10	ug/L	SW846 8270C
Fluorene	ND	10	ug/L	SW846 8270C
Hexachlorobenzene	ND	10	ug/L	SW846 8270C
Hexachlorobutadiene	ND	10	ug/L	SW846 8270C
Hexachlorocyclopenta- diene	ND	50	ug/L	SW846 8270C
Hexachloroethane	ND	10	ug/L	SW846 8270C
Indeno(1,2,3-cd)pyrene	ND	10	ug/L	SW846 8270C
Isophorone	ND	10	ug/L	SW846 8270C
2-Methylnaphthalene	ND	10	ug/L	SW846 8270C
2-Methylphenol	ND	10	ug/L	SW846 8270C
4-Methylphenol	ND	10	ug/L	SW846 8270C
Naphthalene	ND	10	ug/L	SW846 8270C
2-Nitroaniline	ND	50	ug/L	SW846 8270C
3-Nitroaniline	ND	50	ug/L	SW846 8270C
4-Nitroaniline	ND	50	ug/L	SW846 8270C
Nitrobenzene	ND	10	ug/L	SW846 8270C
2-Nitrophenol	ND	10	ug/L	SW846 8270C
4-Nitrophenol	ND	50	ug/L	SW846 8270C
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	SW846 8270C
N-Nitrosodiphenylamine	ND	10	ug/L	SW846 8270C
2,2'-oxybis(1-Chloropropa	ND	10	ug/L	SW846 8270C
Pentachlorophenol	ND	10	ug/L	SW846 8270C
Phenanthrene	ND	10	ug/L	SW846 8270C
Phenol	ND	10	ug/L	SW846 8270C
Pyrene	ND	10	ug/L	SW846 8270C
2,4,5-Trichloro- phenol	ND	10	ug/L	SW846 8270C
2,4,6-Trichloro- phenol	ND	10	ug/L	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	60	(32 - 112)
2-Fluorobiphenyl	53	(30 - 110)
Terphenyl-d14	72	(10 - 144)
Phenol-d5	55	(10 - 113)
2-Fluorophenol	48	(13 - 110)
2,4,6-Tribromophenol	50	(21 - 122)

(Continued on next page)

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L220190

Work Order #....: G1Q7A1AA

Matrix.....: WATER

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

J Estimated result. Result is less than RL.

METHOD BLANK REPORT

TOTAL Metals

Client Lot #...: A4L220190

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MB Lot-Sample #: A4L280000-030 Prep Batch #...: 4363030						
Calcium	ND	5.0	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1AX
		Dilution Factor: 1				
Magnesium	0.034 B	5.0	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1A3
		Dilution Factor: 1				
Manganese	ND	0.015	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1A4
		Dilution Factor: 1				
Aluminum	ND	0.20	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1AU
		Dilution Factor: 1				
Arsenic	ND	0.010	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1AF
		Dilution Factor: 1				
Antimony	ND	0.060	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1AV
		Dilution Factor: 1				
Lead	ND	0.0030	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1AG
		Dilution Factor: 1				
Barium	ND	0.20	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1AA
		Dilution Factor: 1				
Selenium	ND	0.0050	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1AH
		Dilution Factor: 1				
Beryllium	ND	0.0050	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1AW
		Dilution Factor: 1				
Thallium	ND	0.010	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1CA
		Dilution Factor: 1				
Cadmium	ND	0.0050	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1AC
		Dilution Factor: 1				
Chromium	0.0028 B	0.010	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1AD
		Dilution Factor: 1				
Cobalt	ND	0.050	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1AO
		Dilution Factor: 1				
Copper	ND	0.025	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1A1
		Dilution Factor: 1				

(Continued on next page)

METHOD BLANK REPORT

TOTAL Metals

Client Lot #...: A4L220190

Matrix.....: WATER

PARAMETER	RESULT	REPORTING		METHOD	PREPARATION-	WORK
		LIMIT	UNITS		ANALYSIS DATE	ORDER #
Iron	0.060 B	0.10	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1A2
		Dilution Factor: 1				
Nickel	ND	0.040	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1A5
		Dilution Factor: 1				
Potassium	ND	5.0	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1A6
		Dilution Factor: 1				
Silver	ND	0.010	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1A8
		Dilution Factor: 1				
Sodium	ND	5.0	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1A7
		Dilution Factor: 1				
Vanadium	0.0012 B	0.050	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1A8
		Dilution Factor: 1				
Zinc	ND	0.020	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1A9
		Dilution Factor: 1				
Mercury	ND	0.00020	mg/L	SW846 7470A	12/28-12/29/04	G1TXC1AJ
		Dilution Factor: 1				
MB Lot-Sample #: A4L290000-023 Prep Batch #....: 4364023						
Aluminum	ND	0.20	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1CU
		Dilution Factor: 1				
Arsenic	ND	0.010	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1DF
		Dilution Factor: 1				
Antimony	0.0044 B	0.060	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1CV
		Dilution Factor: 1				
Lead	ND	0.0030	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1DG
		Dilution Factor: 1				
Barium	ND	0.20	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1CW
		Dilution Factor: 1				
Selenium	ND	0.0050	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1DH
		Dilution Factor: 1				
Beryllium	ND	0.0050	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1CX
		Dilution Factor: 1				

(Continued on next page)

METHOD BLANK REPORT

TOTAL Metals

Client Lot #....: A4L220190

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Thallium	ND	0.010	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1DJ
		Dilution Factor: 1				
Cadmium	ND	0.0050	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1C0
		Dilution Factor: 1				
Calcium	ND	5.0	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1C1
		Dilution Factor: 1				
Chromium	ND	0.010	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1C2
		Dilution Factor: 1				
Cobalt	ND	0.050	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1C3
		Dilution Factor: 1				
Copper	ND	0.025	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1C4
		Dilution Factor: 1				
Iron	0.056 B	0.10	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1C5
		Dilution Factor: 1				
Magnesium	0.025 B	5.0	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1C6
		Dilution Factor: 1				
Manganese	0.0090 B	0.015	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1C7
		Dilution Factor: 1				
Nickel	ND	0.040	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1C8
		Dilution Factor: 1				
Potassium	ND	5.0	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1C9
		Dilution Factor: 1				
Silver	ND	0.010	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1DA
		Dilution Factor: 1				
Sodium	ND	5.0	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1DC
		Dilution Factor: 1				
Vanadium	0.00079 B	0.050	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1DD
		Dilution Factor: 1				
Zinc	ND	0.020	mg/L	SW846 6010B	12/29-01/04/05	G1WVG1DE
		Dilution Factor: 1				
Mercury	ND	0.00020	mg/L	SW846 7470A	12/29/04	G1WVG1DK
		Dilution Factor: 1				

(Continued on next page)

METHOD BLANK REPORT

TOTAL Metals

Client Lot #...: A4L220190

Matrix.....: WATER

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

B Estimated result, Result is less than RL.

METHOD BLANK REPORT

DISSOLVED Metals

Client Lot #....: A4L220190

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MB Lot-Sample #: A4L280000-030 Prep Batch #....: 4363030						
Calcium	ND	5.0	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1CC
		Dilution Factor: 1				
Magnesium	0.034 B	5.0	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1CD
		Dilution Factor: 1				
Manganese	ND	0.015	mg/L	SW846 6010B	12/28-01/04/05	G1TXC1CE
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

B Estimated result. Result is less than RL.

METHOD BLANK REPORT

General Chemistry

Client Lot #....: A4L220190

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Chemical Oxygen Demand (COD)	ND	10.0	mg/L	MCAWW 410.4	12/28/04	4363430
		Dilution Factor: 1				
Nitrate as N	ND	0.10	mg/L	MCAWW 300.0A	12/22/04	4362292
		Dilution Factor: 1				
Nitrogen, as Ammonia	0.09 B	0.2	mg/L	MCAWW 350.3	12/30/04	4365465
		Dilution Factor: 1				
Phosphorus as orthophosphate	0.01 B	0.1	mg/L	MCAWW 365.2	12/22/04	4357504
		Dilution Factor: 1				
Total Kjeldahl Nitrogen	ND	3	mg/L	MCAWW 351.3	01/03/05	5003487
		Dilution Factor: 1				
Total Organic Carbon	ND	1	mg/L	MCAWW 415.1	01/04/05	5004303
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

B Estimated result. Result is less than RL.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220190

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
LCS Lot-Sample#: A4L280000-030 Prep Batch #....: 4363030					
Calcium	101	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CK
Magnesium	101	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CP
Manganese	99	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CQ
Arsenic	97	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1AP
Aluminum	99	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CG
Lead	98	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1AQ
Antimony	99	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CH
Barium	95	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1AK
Selenium	101	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1AR
Beryllium	103	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CJ
Thallium	100	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CX
Cadmium	101	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1AL
Chromium	106	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1AM
Cobalt	99	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CL

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220190

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Copper	102	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CM
Iron	109	(77 - 127)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CN
Nickel	100	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CR
Potassium	100	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CT
Silver	111	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1AN
Sodium	95	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CU
Vanadium	101	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CV
Zinc	103	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/04/05	G1TXC1CW
Mercury	105	(82 - 131)	SW846 7470A Dilution Factor: 1	12/28-12/29/04	G1TXC1AT
LCS Lot-Sample#: A4L290000-023 Prep Batch #....: 4364023					
Arsenic	93	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1A9
Aluminum	90	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1D7
Lead	93	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1CH
Antimony	94	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1D8
Selenium	96	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1CN

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L220190 Work Order #....: G13Q61AC-LCS Matrix.....: WATER
 LCS Lot-Sample#: A5A030000-461 G13Q61AD-LCSD
 Prep Date.....: 12/30/04 Analysis Date...: 12/30/04
 Prep Batch #....: 5003461
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	103	(63 - 130)			SW846 8260B
	104	(63 - 130)	0.23	(0-20)	SW846 8260B
Trichloroethene	99	(75 - 122)			SW846 8260B
	97	(75 - 122)	1.8	(0-20)	SW846 8260B
Benzene	100	(80 - 116)			SW846 8260B
	99	(80 - 116)	1.6	(0-20)	SW846 8260B
Toluene	103	(74 - 119)			SW846 8260B
	101	(74 - 119)	1.8	(0-20)	SW846 8260B
Chlorobenzene	101	(76 - 117)			SW846 8260B
	99	(76 - 117)	1.3	(0-20)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	93	(73 - 122)
	91	(73 - 122)
1,2-Dichloroethane-d4	89	(61 - 128)
	86	(61 - 128)
Toluene-d8	95	(76 - 110)
	94	(76 - 110)
4-Bromofluorobenzene	98	(74 - 116)
	97	(74 - 116)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L220190 Work Order #....: G1Q7A1AC Matrix.....: WATER
 LCS Lot-Sample#: A4L270000-021
 Prep Date.....: 12/27/04 Analysis Date...: 01/04/05
 Prep Batch #....: 4362021
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
Acenaphthene	75	(39 - 118)	SW846 8270C
1,2,4-Trichloro- benzene	56	(31 - 110)	SW846 8270C
1,4-Dichlorobenzene	46	(28 - 110)	SW846 8270C
4-Chloro-3-methylphenol	62	(29 - 124)	SW846 8270C
2-Chlorophenol	70	(19 - 124)	SW846 8270C
2,4-Dinitrotoluene	74	(47 - 131)	SW846 8270C
4-Nitrophenol	49	(19 - 144)	SW846 8270C
N-Nitrosodi-n-propyl- amine	83	(30 - 115)	SW846 8270C
Pentachlorophenol	38	(10 - 140)	SW846 8270C
Phenol	47	(10 - 131)	SW846 8270C
Pyrene	71	(46 - 130)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	81	(32 - 112)
2-Fluorobiphenyl	75	(30 - 110)
Terphenyl-d14	80	(10 - 144)
Phenol-d5	67	(10 - 113)
2-Fluorophenol	58	(13 - 110)
2,4,6-Tribromophenol	71	(21 - 122)

NOTE (S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220190

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Barium	88	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1D9
Beryllium	98	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1EA
Thallium	92	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1ET
Cadmium	97	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1EC
Calcium	96	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1ED
Chromium	97	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1EE
Cobalt	94	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1EF
Copper	93	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1EG
Iron	104	(77 - 127)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1EH
Magnesium	97	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1EJ
Manganese	94	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1EK
Nickel	96	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1EL
Potassium	94	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1EM
Silver	105	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1EN
Sodium	85	(80 - 120)	SW846 6010B Dilution Factor: 1	12/29-01/04/05	G1WVG1EP

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220190

Matrix.....: WATER

<u>PARAMETER</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Vanadium	95	(80 - 120)	SW846 6010B	12/29-01/04/05	G1WVG1EQ
		Dilution Factor: 1			
Zinc	101	(80 - 120)	SW846 6010B	12/29-01/04/05	G1WVG1ER
		Dilution Factor: 1			
Mercury	105	(82 - 131)	SW846 7470A	12/29/04	G1WVG1A8
		Dilution Factor: 1			

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

DISSOLVED Metals

Client Lot #....: A4L220190

Matrix.....: WATER

<u>PARAMETER</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
LCS Lot-Sample#: A4L280000-030 Prep Batch #....: 4363030					
Calcium	101	(80 - 120)	SW846 6010B	12/28-01/04/05	G1TXC1C0
		Dilution Factor: 1			
Magnesium	101	(80 - 120)	SW846 6010B	12/28-01/04/05	G1TXC1C1
		Dilution Factor: 1			
Manganese	99	(80 - 120)	SW846 6010B	12/28-01/04/05	G1TXC1C2
		Dilution Factor: 1			

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

General Chemistry

Lot-Sample #....: A4L220190

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
WO#:G1V7X1AC-LCS/G1V7X1AD-LCSD LCS Lot-Sample#: A4L280000-430						
Chemical Oxygen Demand (COD)						
97		(90 - 110)		MCAWW 410.4	12/28/04	4363430
94		(90 - 110)	2.6 (0-20)	MCAWW 410.4	12/28/04	4363430
Dilution Factor: 1						
WO#:G1R4D1AC-LCS/G1R4D1AD-LCSD LCS Lot-Sample#: A4L270000-292						
Nitrate as N						
98		(90 - 110)		MCAWW 300.0A	12/22/04	4362292
100		(90 - 110)	1.1 (0-20)	MCAWW 300.0A	12/22/04	4362292
Dilution Factor: 1						

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #....: A4L220190

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Nitrogen, as Ammonia	93	Work Order #: G12AR1AC (85 - 114)	LCS Lot-Sample#: A4L300000-465 MCAWW 350.3	12/30/04	4365465
		Dilution Factor: 1			
Phosphorus as orthophosphate	92	Work Order #: G1PXL1AC (89 - 115)	LCS Lot-Sample#: A4L220000-504 MCAWW 365.2	12/22/04	4357504
		Dilution Factor: 1			
Total Kjeldahl Nitrogen	142	Work Order #: G13RX1AC (65 - 144)	LCS Lot-Sample#: A5A030000-487 MCAWW 351.3	01/03/05	5003487
		Dilution Factor: 1			
Total Organic Carbon	102	Work Order #: G14LC1AC (88 - 115)	LCS Lot-Sample#: A5A040000-303 MCAWW 415.1	01/04/05	5004303
		Dilution Factor: 1			

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L220190 Work Order #....: G1NCP1DX-MS Matrix.....: WG
 MS Lot-Sample #: A4L220190-002 G1NCP1D0-MSD
 Date Sampled....: 12/21/04 09:25 Date Received...: 12/22/04
 Prep Date.....: 12/30/04 Analysis Date...: 12/30/04
 Prep Batch #....: 5003461
 Dilution Factor: 5

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	110	(62 - 130)			SW846 8260B
	106	(62 - 130)	3.5	(0-20)	SW846 8260B
Trichloroethene	102	(62 - 130)			SW846 8260B
	99	(62 - 130)	2.5	(0-20)	SW846 8260B
Benzene	102	(78 - 118)			SW846 8260B
	100	(78 - 118)	1.9	(0-20)	SW846 8260B
Toluene	102	(70 - 119)			SW846 8260B
	100	(70 - 119)	2.1	(0-20)	SW846 8260B
Chlorobenzene	97	(76 - 117)			SW846 8260B
	95	(76 - 117)	2.6	(0-20)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	96	(73 - 122)
	94	(73 - 122)
1,2-Dichloroethane-d4	90	(61 - 128)
	91	(61 - 128)
Toluene-d8	93	(76 - 110)
	95	(76 - 110)
4-Bromofluorobenzene	93	(74 - 116)
	97	(74 - 116)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L220190 Work Order #....: G1M101A8-MS Matrix.....: WATER
 MS Lot-Sample #: A4L220154-009 G1M101A9-MSD
 Date Sampled....: 12/21/04 12:15 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/06/05
 Prep Batch #....: 4362021
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Acenaphthene	69	(26 - 118)			SW846 8270C
	62	(26 - 118)	10	(0-35)	SW846 8270C
1,2,4-Trichloro- benzene	53	(22 - 110)			SW846 8270C
	46	(22 - 110)	14	(0-37)	SW846 8270C
1,4-Dichlorobenzene	58	(18 - 110)			SW846 8270C
	51	(18 - 110)	14	(0-36)	SW846 8270C
4-Chloro-3-methylphenol	72	(21 - 124)			SW846 8270C
	67	(21 - 124)	6.9	(0-55)	SW846 8270C
2-Chlorophenol	65	(19 - 124)			SW846 8270C
	59	(19 - 124)	8.5	(0-43)	SW846 8270C
2,4-Dinitrotoluene	81	(31 - 131)			SW846 8270C
	79	(31 - 131)	2.0	(0-32)	SW846 8270C
4-Nitrophenol	67	(10 - 145)			SW846 8270C
	65	(10 - 145)	2.8	(0-34)	SW846 8270C
N-Nitrosodi-n-propyl- amine	75	(18 - 115)			SW846 8270C
	67	(18 - 115)	11	(0-36)	SW846 8270C
Pentachlorophenol	80	(10 - 140)			SW846 8270C
	78	(10 - 140)	1.6	(0-56)	SW846 8270C
Phenol	65	(10 - 131)			SW846 8270C
	60	(10 - 131)	6.8	(0-43)	SW846 8270C
Pyrene	76	(27 - 138)			SW846 8270C
	74	(27 - 138)	2.2	(0-31)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	72	(32 - 112)
	65	(32 - 112)
2-Fluorobiphenyl	64	(30 - 110)
	59	(30 - 110)
Terphenyl-d14	77	(10 - 144)
	74	(10 - 144)
Phenol-d5	65	(10 - 113)
	61	(10 - 113)
2-Fluorophenol	64	(13 - 110)
	60	(13 - 110)

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #...: A4L220190 Work Order #...: G1M101A8-MS Matrix.....: WATER
MS Lot-Sample #: A4L220154-009 G1M101A9-MSD

<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>
2,4,6-Tribromophenol	78	(21 - 122)
	74	(21 - 122)

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results..

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L220190 Work Order #....: G1NCP1D2-MS Matrix.....: WG
 MS Lot-Sample #: A4L220190-002 G1NCP1D3-MSD
 Date Sampled....: 12/21/04 09:25 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/04/05
 Prep Batch #....: 4362021
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Acenaphthene	67	(26 - 118)			SW846 8270C
	65	(26 - 118)	1.8	(0-35)	SW846 8270C
4-Chloro-3-methylphenol	62	(21 - 124)			SW846 8270C
	72	(21 - 124)	15	(0-55)	SW846 8270C
2-Chlorophenol	66	(19 - 124)			SW846 8270C
	52	(19 - 124)	25	(0-43)	SW846 8270C
2,4-Dinitrotoluene	70	(31 - 131)			SW846 8270C
	62	(31 - 131)	12	(0-32)	SW846 8270C
4-Nitrophenol	71	(10 - 145)			SW846 8270C
	63	(10 - 145)	11	(0-34)	SW846 8270C
N-Nitrosodi-n-propyl- amine	75	(18 - 115)			SW846 8270C
	75	(18 - 115)	0.51	(0-36)	SW846 8270C
Pentachlorophenol	53	(10 - 140)			SW846 8270C
	44	(10 - 140)	18	(0-56)	SW846 8270C
Phenol	61	(10 - 131)			SW846 8270C
	61	(10 - 131)	0.83	(0-43)	SW846 8270C
Pyrene	72	(27 - 138)			SW846 8270C
	71	(27 - 138)	2.3	(0-31)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	72	(32 - 112)
	81	(32 - 112)
2-Fluorobiphenyl	67	(30 - 110)
	62	(30 - 110)
Terphenyl-d14	82	(10 - 144)
	80	(10 - 144)
Phenol-d5	63	(10 - 113)
	55	(10 - 113)
2-Fluorophenol	47	(13 - 110)
	44	(13 - 110)
2,4,6-Tribromophenol	74	(21 - 122)
	62	(21 - 122)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.
 Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220190

Matrix.....: WATER

Date Sampled....: 12/21/04 12:15 Date Received...: 12/22/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: A4L220154-009 Prep Batch #....: 4363030						
Calcium	99	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101CM
	90	(75 - 125)	2.9 (0-20)	SW846 6010B	12/28-01/04/05	G1M101CN
		Dilution Factor: 1				
Magnesium	105	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101C2
	101	(75 - 125)	2.5 (0-20)	SW846 6010B	12/28-01/04/05	G1M101C3
		Dilution Factor: 1				
Manganese	100	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101C5
	99	(75 - 125)	1.4 (0-20)	SW846 6010B	12/28-01/04/05	G1M101C6
		Dilution Factor: 1				
Aluminum	97	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101CC
	95	(75 - 125)	2.2 (0-20)	SW846 6010B	12/28-01/04/05	G1M101CD
		Dilution Factor: 1				
Arsenic	100	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101AU
	99	(75 - 125)	0.82 (0-20)	SW846 6010B	12/28-01/04/05	G1M101AV
		Dilution Factor: 1				
Antimony	101	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101CF
	99	(75 - 125)	1.4 (0-20)	SW846 6010B	12/28-01/04/05	G1M101CG
		Dilution Factor: 1				
Lead	98	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101AX
	97	(75 - 125)	1.1 (0-20)	SW846 6010B	12/28-01/04/05	G1M101A0
		Dilution Factor: 1				
Barium	95	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101AF
	93	(75 - 125)	1.7 (0-20)	SW846 6010B	12/28-01/04/05	G1M101AG
		Dilution Factor: 1				
Selenium	104	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101A2
	103	(75 - 125)	1.0 (0-20)	SW846 6010B	12/28-01/04/05	G1M101A3
		Dilution Factor: 1				
Beryllium	102	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101CJ
	101	(75 - 125)	1.3 (0-20)	SW846 6010B	12/28-01/04/05	G1M101CK
		Dilution Factor: 1				

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: A4L220190

Matrix.....: WATER

Date Sampled...: 12/21/04 12:15 Date Received...: 12/22/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Thallium	98	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101DQ
	97	(75 - 125)	1.5 (0-20)	SW846 6010B	12/28-01/04/05	G1M101DR
		Dilution Factor: 1				
Cadmium	101	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101AJ
	100	(75 - 125)	0.97 (0-20)	SW846 6010B	12/28-01/04/05	G1M101AK
		Dilution Factor: 1				
Chromium	103	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101AM
	101	(75 - 125)	1.7 (0-20)	SW846 6010B	12/28-01/04/05	G1M101AN
		Dilution Factor: 1				
Cobalt	101	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101CQ
	99	(75 - 125)	1.2 (0-20)	SW846 6010B	12/28-01/04/05	G1M101CR
		Dilution Factor: 1				
Copper	101	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101CU
	99	(75 - 125)	2.0 (0-20)	SW846 6010B	12/28-01/04/05	G1M101CV
		Dilution Factor: 1				
Iron	109	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101CX
	108	(75 - 125)	0.99 (0-20)	SW846 6010B	12/28-01/04/05	G1M101CO
		Dilution Factor: 1				
Nickel	101	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101C8
	100	(75 - 125)	0.81 (0-20)	SW846 6010B	12/28-01/04/05	G1M101C9
		Dilution Factor: 1				
Potassium	101	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101DC
	98	(75 - 125)	2.6 (0-20)	SW846 6010B	12/28-01/04/05	G1M101DD
		Dilution Factor: 1				
Silver	111	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101AQ
	110	(75 - 125)	0.80 (0-20)	SW846 6010B	12/28-01/04/05	G1M101AR
		Dilution Factor: 1				
Sodium	102	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101DF
	84	(75 - 125)	4.7 (0-20)	SW846 6010B	12/28-01/04/05	G1M101DG
		Dilution Factor: 1				
Vanadium	101	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101DJ
	99	(75 - 125)	1.6 (0-20)	SW846 6010B	12/28-01/04/05	G1M101DK
		Dilution Factor: 1				

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220190

Matrix.....: WATER

Date Sampled....: 12/21/04 12:15 Date Received...: 12/22/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Zinc	105	(75 - 125)		SW846 6010B	12/28-01/04/05	G1M101DM
	104	(75 - 125)	1.1 (0-20)	SW846 6010B	12/28-01/04/05	G1M101DN
		Dilution Factor: 1				
Mercury	111	(68 - 149)		SW846 7470A	12/28-12/29/04	G1M101A5
	108	(68 - 149)	2.5 (0-20)	SW846 7470A	12/28-12/29/04	G1M101A6
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220190

Matrix.....: WG

Date Sampled....: 12/21/04 09:25 Date Received...: 12/22/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: A4L220190-002 Prep Batch #....: 4364023						
Aluminum	97	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1AC
	97	(75 - 125)	0.12 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1AD
		Dilution Factor: 1				
Arsenic	100	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1C5
	100	(75 - 125)	0.07 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1C6
		Dilution Factor: 1				
Antimony	100	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1AF
	100	(75 - 125)	0.25 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1AG
		Dilution Factor: 1				
Lead	97	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1C8
	98	(75 - 125)	0.37 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1C9
		Dilution Factor: 1				
Barium	96	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1AJ
	95	(75 - 125)	0.44 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1AK
		Dilution Factor: 1				
Selenium	102	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1DC
	102	(75 - 125)	0.18 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1DD
		Dilution Factor: 1				
Beryllium	103	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1AM
	102	(75 - 125)	0.06 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1AN
		Dilution Factor: 1				
Thallium	97	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1DF
	97	(75 - 125)	0.36 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1DG
		Dilution Factor: 1				
Cadmium	100	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1AQ
	100	(75 - 125)	0.15 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1AR
		Dilution Factor: 1				
Calcium	106	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1AU
	106	(75 - 125)	0.0 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1AV
		Dilution Factor: 1				

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220190

Matrix.....: WG

Date Sampled....: 12/21/04 09:25 Date Received...: 12/22/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Chromium	102	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1A2
	102	(75 - 125)	0.49 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1A0
		Dilution Factor: 1				
Cobalt	98	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1A2
	98	(75 - 125)	0.0 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1A3
		Dilution Factor: 1				
Copper	100	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1A5
	99	(75 - 125)	0.71 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1A6
		Dilution Factor: 1				
Iron	NC,MSB	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1A8
	NC,MSB	(75 - 125)	(0-20)	SW846 6010B	12/29-01/04/05	G1NCP1A9
		Dilution Factor: 1				
Magnesium	107	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1CC
	107	(75 - 125)	0.02 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1CD
		Dilution Factor: 1				
Manganese	111	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1CF
	109	(75 - 125)	0.28 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1CG
		Dilution Factor: 1				
Nickel	100	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1CJ
	100	(75 - 125)	0.07 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1CK
		Dilution Factor: 1				
Potassium	103	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1CM
	102	(75 - 125)	1.0 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1CN
		Dilution Factor: 1				
Silver	112	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1CQ
	112	(75 - 125)	0.26 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1CR
		Dilution Factor: 1				
Sodium	96	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1CU
	96	(75 - 125)	0.20 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1CV
		Dilution Factor: 1				
Vanadium	100	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1CX
	100	(75 - 125)	0.36 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1CO
		Dilution Factor: 1				

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: A4L220190

Matrix.....: WG

Date Sampled...: 12/21/04 09:25 Date Received...: 12/22/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Zinc	104	(75 - 125)		SW846 6010B	12/29-01/04/05	G1NCP1C2
	103	(75 - 125)	0.74 (0-20)	SW846 6010B	12/29-01/04/05	G1NCP1C3
		Dilution Factor: 1				
Mercury	93	(68 - 149)		SW846 7470A	12/29/04	G1NCP1DJ
	96	(68 - 149)	2.8 (0-20)	SW846 7470A	12/29/04	G1NCP1DK
		Dilution Factor: 1				

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

NC The recovery and/or RPD were not calculated.

MSB The recovery and RPD were not calculated because the sample amount was greater than four times the spike amount.

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220190

Matrix.....: WATER

Date Sampled....: 12/23/04 11:41 Date Received...: 12/28/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD RPD	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: A4L280149-003 Prep Batch #....: 4364023							
Aluminum	95	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1D2
	96	(75 - 125) 1.2	(0-20)		SW846 6010B	12/29-01/04/05	G1VJR1D3
		Dilution Factor: 1					
Arsenic	97	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1FU
	98	(75 - 125) 0.69	(0-20)		SW846 6010B	12/29-01/04/05	G1VJR1FV
		Dilution Factor: 1					
Antimony	97	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1D5
	98	(75 - 125) 0.66	(0-20)		SW846 6010B	12/29-01/04/05	G1VJR1D6
		Dilution Factor: 1					
Lead	96	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1FX
	97	(75 - 125) 0.59	(0-20)		SW846 6010B	12/29-01/04/05	G1VJR1F0
		Dilution Factor: 1					
Barium	92	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1D8
	93	(75 - 125) 0.64	(0-20)		SW846 6010B	12/29-01/04/05	G1VJR1D9
		Dilution Factor: 1					
Selenium	99	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1F2
	100	(75 - 125) 0.67	(0-20)		SW846 6010B	12/29-01/04/05	G1VJR1F3
		Dilution Factor: 1					
Beryllium	100	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1EC
	101	(75 - 125) 0.94	(0-20)		SW846 6010B	12/29-01/04/05	G1VJR1ED
		Dilution Factor: 1					
Thallium	96	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1F5
	96	(75 - 125) 0.20	(0-20)		SW846 6010B	12/29-01/04/05	G1VJR1F6
		Dilution Factor: 1					
Cadmium	99	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1EF
	100	(75 - 125) 0.72	(0-20)		SW846 6010B	12/29-01/04/05	G1VJR1EG
		Dilution Factor: 1					
Calcium	89	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1EJ
	98	(75 - 125) 2.6	(0-20)		SW846 6010B	12/29-01/04/05	G1VJR1EK
		Dilution Factor: 1					

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220190

Matrix.....: WATER

Date Sampled....: 12/23/04 11:41 Date Received...: 12/28/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Chromium	100	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1EM
	101	(75 - 125)	0.86	(0-20)	SW846 6010B	12/29-01/04/05	G1VJR1EN
		Dilution Factor: 1					
Cobalt	96	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1EQ
	97	(75 - 125)	0.87	(0-20)	SW846 6010B	12/29-01/04/05	G1VJR1ER
		Dilution Factor: 1					
Copper	97	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1EU
	98	(75 - 125)	0.49	(0-20)	SW846 6010B	12/29-01/04/05	G1VJR1EV
		Dilution Factor: 1					
Iron	99	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1EX
	99	(75 - 125)	0.18	(0-20)	SW846 6010B	12/29-01/04/05	G1VJR1EO
		Dilution Factor: 1					
Magnesium	100	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1E2
	103	(75 - 125)	1.6	(0-20)	SW846 6010B	12/29-01/04/05	G1VJR1E3
		Dilution Factor: 1					
Manganese	97	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1E5
	97	(75 - 125)	0.81	(0-20)	SW846 6010B	12/29-01/04/05	G1VJR1E6
		Dilution Factor: 1					
Nickel	98	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1E8
	99	(75 - 125)	0.85	(0-20)	SW846 6010B	12/29-01/04/05	G1VJR1E9
		Dilution Factor: 1					
Potassium	102	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1FC
	102	(75 - 125)	0.28	(0-20)	SW846 6010B	12/29-01/04/05	G1VJR1FD
		Dilution Factor: 1					
Silver	109	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1FF
	111	(75 - 125)	1.5	(0-20)	SW846 6010B	12/29-01/04/05	G1VJR1FG
		Dilution Factor: 1					
Sodium	92	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1FJ
	93	(75 - 125)	0.78	(0-20)	SW846 6010B	12/29-01/04/05	G1VJR1FK
		Dilution Factor: 1					
Vanadium	98	(75 - 125)			SW846 6010B	12/29-01/04/05	G1VJR1FM
	98	(75 - 125)	0.59	(0-20)	SW846 6010B	12/29-01/04/05	G1VJR1FN
		Dilution Factor: 1					

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220190

Matrix.....: WATER

Date Sampled....: 12/23/04 11:41 Date Received...: 12/28/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Zinc	97	(75 - 125)		SW846 6010B	12/29-01/04/05	G1VJR1FQ
	98	(75 - 125)	0.87 (0-20)	SW846 6010B	12/29-01/04/05	G1VJR1FR
		Dilution Factor: 1				
Mercury	99	(68 - 149)		SW846 7470A	12/29/04	G1VJR1F8
	98	(68 - 149)	1.5 (0-20)	SW846 7470A	12/29/04	G1VJR1F9
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #...: A4L220190

Matrix.....: WATER

Date Sampled...: 12/20/04 16:32 Date Received...: 12/21/04

PARAMETER	PERCENT RECOVERY	RPD	PREPARATION-	PREP
RECOVERY	LIMITS	LIMITS	ANALYSIS DATE	BATCH #
Chemical Oxygen Demand (COD)	WO#: G1FV81AM-MS/G1FV81AN-MSD	MS Lot-Sample #: A4L180161-002		
93	(90 - 110)	MCAWW 410.4	12/28/04	4363430
96	(90 - 110) 2.8 (0-20)	MCAWW 410.4	12/28/04	4363430
	Dilution Factor: 1			
Nitrate as N	WO#: G1KJL1AJ-MS/G1KJL1AK-MSD	MS Lot-Sample #: A4L210138-001		
108	(80 - 120)	MCAWW 300.0A	12/22/04	4362292
107	(80 - 120) 0.70 (0-20)	MCAWW 300.0A	12/22/04	4362292
	Dilution Factor: 1			
Nitrogen, as Ammonia	WO#: G1F371C6-MS/G1F371C7-MSD	MS Lot-Sample #: A4L180188-001		
92	(63 - 126)	MCAWW 350.3	12/30/04	4365465
90	(63 - 126) 1.2 (0-29)	MCAWW 350.3	12/30/04	4365465
	Dilution Factor: 1			
Phosphorus as orthophosphate	WO#: G1K2F1CF-MS/G1K2F1CG-MSD	MS Lot-Sample #: A4L210190-003		
99	(56 - 139)	MCAWW 365.2	12/22/04	4357504
99	(56 - 139) 0.19 (0-20)	MCAWW 365.2	12/22/04	4357504
	Dilution Factor: 1			
Total Kjeldahl Nitrogen	WO#: G1K2F1CH-MS/G1K2F1CJ-MSD	MS Lot-Sample #: A4L210190-003		
101	(10 - 200)	MCAWW 351.3	01/03/05	5003487
72 *	(10 - 200) 33 (0-20)	MCAWW 351.3	01/03/05	5003487
	Dilution Factor: 1			
Total Organic Carbon	WO#: G1K2F1CK-MS/G1K2F1CL-MSD	MS Lot-Sample #: A4L210190-003		
96	(72 - 136)	MCAWW 415.1	01/04/05	5004303
97	(72 - 136) 0.90 (0-20)	MCAWW 415.1	01/04/05	5004303
	Dilution Factor: 1			

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

* Relative percent difference (RPD) is outside stated control limits.

MATRIX SPIKE SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #....: A4L220190

Matrix.....: WATER

Date Sampled....: 12/20/04 08:00 Date Received...: 12/21/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Chemical Oxygen Demand (COD)	95	(90 - 110)	MCAWW 410.4 Dilution Factor: 1	MS Lot-Sample #: 12/28/04	A4L210176-002 4363430

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

SHIPPED TO
(Laboratory Name): *STL - 0110*

**8615 W. Bryn Mawr Avenue
Chicago, Illinois 60631
(773)380-9933 phone
(773)380-6421 fax**

CHAIN-OF-CUSTODY RECORD

James R. Cardinale

PRINTED NAME:

David Kendrick

REFERENCE NUMBER:

12559-52

PROJECT NAME:

GM-FA125-12X

PARAMETERS

PARAMETERS	
TOL	
TLV VOC	
Disolvub matals	
9-TAL metals	
CAD	
TKN + Ammonia	
SPEC	
ortho-phos...	

REMARKS

17-10-19

with questions

SSOW # 095001

2/21/04	1040	Gu122104 DS 005	011
↓	0945	↓	011 MS
↓	↓	↓	011 MSD

[illegible]**TOTAL NUMBER OF CONTAINERS**

RELINQUISHED BY:

① 29/12/11

②

③

METHOD OF SHIPMENT:

AIR BILL No.

Alfabeto

Yellow

Pink

Goldenroo

SAMPLE TEAM:

$$3 + 2 \sqrt{2} / \sqrt{2} = 3 + 2 = 5$$

Kendrick

RECEIVED FOR LABORATORY BY:

Yes 11/11

DATE: 12/22/04 TIME: 10.40

18
1
3
2
1

1001-00(SOURCE)GN-C0004

STL Cooler Receipt Form/Narrative

North Canton Facility

Lot Number: A4L 220190

Client: CRA
Cooler Received on: 12/22/04

Project: GM-Fairfax
Opened on: 12/22/04

Quote#: 62183
by: [Signature]
(Signature)

Fedx ☒ Client Drop Off ☐ UPS ☐ DHL ☐ FAS ☐ Other: _____

STL Cooler No# See back Foam Box ☐ Client Cooler ☐ Other _____

- Were custody seals on the outside of the cooler? Yes ☒ No ☐ Intact? Yes ☒ No ☐ NA ☐
If YES, Quantity 2
Were the custody seals signed and dated? Yes ☐ No ☒ NA ☐
- Shipper's packing slip attached to this form? Yes ☒ No ☐ NA ☐
- Did custody papers accompany the samples? Yes ☒ No ☐ Relinquished by client? Yes ☒ No ☐
- Did you sign the custody papers in the appropriate place? Yes ☒ No ☐
- Packing material used: Bubble Wrap ☒ Foam ☐ None ☐ Other: _____
- Cooler temperature upon receipt 0 (see back of form for multiple coolers/temp)

METHOD: Temp Vial ☐ Coolant & Sample ☐ Against Bottles ☐ IR ☒ ICE/H₂O Slurry ☐
COOLANT: Wet Ice ☒ Blue Ice ☐ Dry Ice ☐ Water ☐ None ☐

- Did all bottles arrive in good condition (Unbroken)? Yes ☒ No ☐
- Could all bottle labels and/or tags be reconciled with the COC? Yes ☒ No ☐
- Were samples at the correct pH? (record below/on back) Yes ☐ No ☒ NA ☐
- Were correct bottles used for the tests indicated? Yes ☒ No ☐
- Were air bubbles >6 mm in any VOA vials? Yes ☐ No ☒ NA ☐
- Sufficient quantity received to perform indicated analyses? Yes ☒ No ☐

Contacted PM _____ Date: _____ by: _____ via Voice Mail ☐ Verbal ☐ Other ☐
Concerning: _____

1. CHAIN OF CUSTODY

The following discrepancies occurred:

On COC there are no dashes between numbers on labels
however there are. Ex. COC = GW122104DS005 Label = GW-122104-
DS-005.

2. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

3. SAMPLE PRESERVATION

Sample(s) 005 (1x1L) + 011 (3x1L) w/ HNO₃ were further preserved in sample receiving to meet recommended pH level(s). Nitric Acid Lot # 101104-HNO₃; Sulfuric Acid Lot # 102804-H₂SO₄; Sodium Hydroxide Lot # -082404-NaOH; Hydrochloric Acid Lot # 100902-HCl; Sodium Hydroxide and Zinc Acetate Lot # 071604-CH₃COO₂ZN/NaOH

Sample(s) _____ were received with bubble > 6 mm in diameter (cc: PM)

4. Other (see below or back)

logged samples per COC IDs.

Client ID	pH	Date	Initials
005	4.2 < 2 < 2 < 2	12/22/04	gmk
011	4.2 < 2 < 2 < 2 < 2 < 2		

[illegible]

END OF REPORT



STL

STL North Canton
4101 Shuffel Drive NW
North Canton, OH 44720

Tel: 330 497 9396 Fax: 330 497 0772
www.stl-inc.com

ANALYTICAL REPORT

PROJECT NO. 12559-52

GM-FAIRFAX


Lot #: A4L230127

Phil Harvey

Conestoga-Rovers & Associates
8615 W. Bryn Mawr
Chicago, IL 60631

SEVERN TRENT LABORATORIES, INC.


Amy L. McCormick
Project Manager

VALIDATED DATA	
Project #	012559-52
Lot #	A4L230127
By	
Date	02/01/05

January 12, 2005

CASE NARRATIVE

A4L230127

The following report contains the analytical results for six water samples and one quality control sample submitted to STL North Canton by Conestoga-Rovers & Associates, Inc. from the GM-Fairfax Site, project number 12559-52. The samples were received December 23, 2004, according to documented sample acceptance procedures.

Samples GW122104DS012, GW122104DSDUP, and GW122104DS013, submitted for Dissolved Metals, were placed on hold as instructed by Susan Scrocchi on December 22, 2004.

STL utilizes USEPA approved methods in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. Preliminary results were provided to Susan Scrocchi on January 12, 2005. A summary of QC data for these analyses is included at the back of the report.

STL North Canton attests to the validity of the laboratory data generated by STL facilities reported herein. All analyses performed by STL facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. STL's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions, please call the Project Manager, Amy L. McCormick, at 330-497-9396.

This report is sequentially paginated. The final page of the report is labeled as "END OF REPORT."

SUPPLEMENTAL QC INFORMATION

SAMPLE RECEIVING

The temperatures of the coolers upon sample receipt were 1.9 and 2.2°C.

CASE NARRATIVE (continued)

GC/MS VOLATILES

The sample(s) that contain results between the MDL and the RL were flagged with "J". There is a possibility of false positive or mis-identification at these quantitation levels. In analytical methods requiring confirmation of the analyte reported, confirmation was performed only down to the standard reporting limit (SRL). The acceptance criteria for QC samples may not be met at these quantitation levels.

GC/MS SEMIVOLATILES

The sample(s) that contained concentrations of target analyte(s) at a reportable level in the associated Method Blank(s) were flagged with "B". All target analytes in the Method Blank must be below the reporting limit (RL) or the associated sample(s) must be ND with the exception of common laboratory contaminants.

The sample(s) that contain results between the MDL and the RL were flagged with "J". There is a possibility of false positive or mis-identification at these quantitation levels. In analytical methods requiring confirmation of the analyte reported, confirmation was performed only down to the standard reporting limit (SRL). The acceptance criteria for QC samples may not be met at these quantitation levels.

METALS

The sample(s) that contain results between the MDL and the RL were flagged with "B". There is the possibility of false positive of mis-identification at these quantitation levels. The acceptance criteria for the ICB, CCB, and Method Blank are +/- the standard reporting limit (SRL).

The sample(s) that contained concentrations of target analyte(s) at a reportable level in the associated Method Blank(s) were flagged with "J". Refer to the sample report pages for the affected analyte(s).

Matrix spike recovery and relative percent difference (RPD) data were not calculated for some analytes for GW122104DS006 due to the sample concentration reading greater than four times the spike amount. See the Matrix Spike Report for the affected analytes which will be flagged with "NC, MSB".

The matrix spike/matrix spike duplicate(s) for GW122104DS006 had recoveries outside acceptance limits. However, since the associated method blank(s) and laboratory control sample(s) were in control, no corrective action was necessary.

CASE NARRATIVE (continued)

GENERAL CHEMISTRY

The sample(s) that contain results between the MDL and the RL were flagged with "B". There is the possibility of false positive of mis-identification at these quantitation levels. The acceptance criteria for the ICB, CCB, and Method Blank are +/- the standard reporting limit (SRL).

The Total Kjeldahl Nitrogen matrix spike/matrix spike duplicate(s) for batch(es) 5003485 had recoveries outside acceptance limits. However, since the associated method blank(s) and laboratory control sample(s) were in control, no corrective action was necessary.

QUALITY CONTROL ELEMENTS OF SW-846 METHODS

STL North Canton conducts a quality assurance/quality control (QA/QC) program designed to provide scientifically valid and legally defensible data. Toward this end, several types of quality control indicators are incorporated into the QA/QC program, which is described in detail in QA Policy, QA-003. These indicators are introduced into the sample testing process to provide a mechanism for the assessment of the analytical data.

QC BATCH

Environmental samples are taken through the testing process in groups called QUALITY CONTROL BATCHES (QC batches). A QC batch contains up to twenty environmental samples of a similar matrix (water, soil) that are processed using the same reagents and standards. STL North Canton requires that each environmental sample be associated with a QC batch.

Several quality control samples are included in each QC batch and are processed identically to the twenty environmental samples. These QC samples include a METHOD BLANK (MB), a LABORATORY CONTROL SAMPLE (LCS) and, where appropriate, a MATRIX SPIKE/MATRIX SPIKE DUPLICATE (MS/MSD) pair or a MATRIX SPIKE/SAMPLE DUPLICATE (MS/DU) pair. If there is insufficient sample to perform an MS/MSD or an MS/DU, then a LABORATORY CONTROL SAMPLE DUPLICATE (LCSD) is included in the QC batch.

LABORATORY CONTROL SAMPLE

The Laboratory Control Sample is a QC sample that is created by adding known concentrations of a full or partial set of target analytes to a matrix similar to that of the environmental samples in the QC batch. The LCS analyte recovery results are used to monitor the analytical process and provide evidence that the laboratory is performing the method within acceptable guidelines. All control analytes indicated by a bold type in the LCS must meet acceptance criteria. Failure to meet the established recovery guidelines requires the reparation and reanalysis of all samples in the QC batch. The only exception is that if the LCS recoveries are biased high and the associated sample is ND for the parameter(s) of interest, the batch is acceptable.

At times, a Laboratory Control Sample Duplicate (LCSD) is also included in the QC batch. An LCSD is a QC sample that is created and handled identically to the LCS. Analyte recovery data from the LCSD is assessed in the same way as that of the LCS. The LCSD recoveries, together with the LCS recoveries, are used to determine the reproducibility (precision) of the analytical system. Precision data are expressed as relative percent differences (RPDs). If the RPD fails for an LCS/LCSD and yet the recoveries are within acceptance criteria, the batch is still acceptable.

METHOD BLANK

The Method Blank is a QC sample consisting of all the reagents used in analyzing the environmental samples contained in the QC batch. Method Blank results are used to determine if interference or contamination in the analytical system could lead to the reporting of false positive data or elevated analyte concentrations. All target analytes must be below the reporting limits (RL), the analytes were greater than 10 times the blank level for organics or 20 times for inorganics, or the associated sample(s) must be ND except for the common laboratory contaminants indicated below.

<u>Volatile (GC or GC/MS)</u>	<u>Semivolatile (GC/MS)</u>	<u>Metals</u>
Methylene chloride	Phthalate Esters	Copper
Acetone		Iron
2-Butanone		Zinc
		Lead*

** for analyses run on TJA Trace ICP only*

The listed volatile and semivolatile compounds may be present in concentrations up to 5 times the reporting limits. Failure to meet these Method Blank criteria requires the reparation and reanalysis of all samples in the QC batch.

QUALITY CONTROL ELEMENTS OF SW-846 METHODS (Continued)

MATRIX SPIKE/MATRIX SPIKE DUPLICATE

A Matrix Spike and a Matrix Spike Duplicate are a pair of environmental samples to which known concentrations of a full or partial set of target analytes are added. The MS/MSD results are determined in the same manner as the results of the environmental sample used to prepare the MS/MSD. The analyte recoveries and the relative percent differences (RPDs) of the recoveries are calculated and used to evaluate the effect of the sample matrix on the analytical results. Due to the potential variability of the matrix of each sample, the MS/MSD results may not have an immediate bearing on any samples except the one spiked; therefore, the associated batch MS/MSD may not reflect the same compounds as the samples contained in the analytical report. When these MS/MSD results fail to meet acceptance criteria, the data is evaluated. If the LCS is within acceptance criteria, the batch is considered acceptable. The acceptance criteria does not apply to samples that are diluted for organics if the native sample amount is 4x the concentration of the spike for inorganics.

For certain methods, a Matrix Spike/Sample Duplicate (MS/DU) may be included in the QC batch in place of the MS/MSD. For the parameters (i.e. pH, ignitability) where it is not possible to prepare a spiked sample, a Sample Duplicate may be included in the QC batch. However, a Sample Duplicate is less likely to provide usable precision statistics depending on the likelihood of finding concentrations below the standard reporting limit. When the Sample Duplicate result fails to meet acceptance criteria, the data is evaluated.

SURROGATE COMPOUNDS

In addition to these batch-related QC indicators, each organic environmental and QC sample are spiked with surrogate compounds. Surrogates are organic chemicals that behave similarly to the analytes of interest and that are rarely present in the environment. Surrogate recoveries are used to monitor the individual performance of a sample in the analytical system.

If the surrogate recoveries are outside criteria for environmental or MS/MSD samples, the batch is acceptable if the Method Blank, LCS, and LCSD surrogate recoveries are within acceptance criteria. The only exception is if the surrogate recoveries are biased high in the LCS, LCSD, or the Method Blank and the associated sample(s) are ND, the batch is acceptable. If the LCS, LCSD, or Method Blank surrogate(s) fail to meet recovery criteria, the entire sample batch is reprepared and reanalyzed.

For the GC/MS BNA methods, the surrogate criterion is that two of the three surrogates for each fraction must meet acceptance criteria. The third surrogate must have a recovery of ten percent or greater.

For the Pesticide/PCB and PAH methods, the surrogate criteria is that one of two surrogate compounds meet acceptance criteria.

STL North Canton, Certifications and Approvals:

California (#01144CA), Connecticut (#PH-0590), Florida (#E87225), Georgia (None), Illinois (#100439), Kansas (# E-10336), Louisiana (#04112), Minnesota (#39-999-348), New Jersey (#OH001), New York (#10975), Ohio (#6090), OhioVAP (#CL0024), Rhode Island (#237), South Carolina (#92007001), Utah (#QUAN9), West Virginia (#210), Wisconsin (#999518190), NAVY, ARMY, USDA Soil Permit, ACIL Seal of Excellence

Revision 10, 10/12/04
n:\qac\narrativ\stl.doc

EXECUTIVE SUMMARY - Detection Highlights

A4L230127

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
GW122104DS006 12/21/04 11:45 001				
Calcium - DISSOLVED	194	5.0	mg/L	SW846 6010B
Magnesium - DISSOLVED	46.9 J	5.0	mg/L	SW846 6010B
Manganese - DISSOLVED	1.5	0.015	mg/L	SW846 6010B
Lead	0.0086	0.0030	mg/L	SW846 6010B
Selenium	0.19	0.0050	mg/L	SW846 6010B
Thallium	0.0067	0.010	mg/L	SW846 6010B
Qualifiers: B,J				
Calcium	204	5.0	mg/L	SW846 6010B
Magnesium	49.0 J	5.0	mg/L	SW846 6010B
Manganese	1.5	0.015	mg/L	SW846 6010B
Aluminum	0.064 B,J	0.20	mg/L	SW846 6010B
Barium	0.16 B	0.20	mg/L	SW846 6010B
Beryllium	0.00074	0.0050	mg/L	SW846 6010B
Qualifiers: B,J				
Cadmium	0.00051	0.0050	mg/L	SW846 6010B
Qualifiers: B,J				
Cobalt	0.0074 B	0.050	mg/L	SW846 6010B
Iron	0.096 B	0.10	mg/L	SW846 6010B
Nickel	0.014 B	0.040	mg/L	SW846 6010B
Potassium	9.6 J	5.0	mg/L	SW846 6010B
Sodium	45.7	5.0	mg/L	SW846 6010B
Acetophenone	2.4 J	10	ug/L	SW846 8270C
bis(2-Ethylhexyl) phthalate	8.0 J,B	10	ug/L	SW846 8270C
Di-n-butyl phthalate	2.8 J	10	ug/L	SW846 8270C
Phenol	12	10	ug/L	SW846 8270C
cis-1,2-Dichloroethene	0.36 J	1.0	ug/L	SW846 8260B
Phosphorus as orthophosphate	0.04 B	0.1	mg/L	MCAWW 365.2
Nitrate as N	8.7	0.10	mg/L	MCAWW 300.0A
Total Organic Carbon	4	1	mg/L	MCAWW 415.1
Nitrogen, as Ammonia	0.09 B	0.2	mg/L	MCAWW 350.3

GW122104DS012 12/21/04 10:20 002

Thallium	0.0090	0.010	mg/L	SW846 6010B
Qualifiers: B,J				
Calcium	124	5.0	mg/L	SW846 6010B
Magnesium	33.3 J	5.0	mg/L	SW846 6010B
Manganese	1.4	0.015	mg/L	SW846 6010B
Aluminum	0.066 B,J	0.20	mg/L	SW846 6010B
Barium	0.69	0.20	mg/L	SW846 6010B
Beryllium	0.00078	0.0050	mg/L	SW846 6010B
Qualifiers: B,J				

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L230127

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
GW122104DS012 12/21/04 10:20 002				
Iron	14.1	0.10	mg/L	SW846 6010B
Potassium	8.1 J	5.0	mg/L	SW846 6010B
Sodium	88.1	5.0	mg/L	SW846 6010B
Acetophenone	1.3 J	10	ug/L	SW846 8270C
bis(2-Ethylhexyl) phthalate	1.4 J,B	10	ug/L	SW846 8270C
cis-1,2-Dichloroethene	0.74 J	1.0	ug/L	SW846 8260B
GW122104DSDUP 12/21/04 003				
Thallium	0.0061	0.010	mg/L	SW846 6010B
Qualifiers: B,J				
Calcium	141	5.0	mg/L	SW846 6010B
Magnesium	38.0 J	5.0	mg/L	SW846 6010B
Manganese	1.5	0.015	mg/L	SW846 6010B
Aluminum	0.073 B,J	0.20	mg/L	SW846 6010B
Barium	0.80	0.20	mg/L	SW846 6010B
Beryllium	0.00079	0.0050	mg/L	SW846 6010B
Qualifiers: B,J				
Iron	16.0	0.10	mg/L	SW846 6010B
Potassium	9.3 J	5.0	mg/L	SW846 6010B
Sodium	101	5.0	mg/L	SW846 6010B
Acetophenone	2.7 J	10	ug/L	SW846 8270C
bis(2-Ethylhexyl) phthalate	4.5 J,B	10	ug/L	SW846 8270C
Caprolactam	1.0 J	10	ug/L	SW846 8270C
cis-1,2-Dichloroethene	0.67 J	1.0	ug/L	SW846 8260B
Carbon disulfide	0.49 J	1.0	ug/L	SW846 8260B
GW122104DS010TRIP 12/21/04 004				
Methylene chloride	4.3	1.0	ug/L	SW846 8260B
Acetone	2.6 J	10	ug/L	SW846 8260B
2-Butanone	3.4 J	10	ug/L	SW846 8260B
2-Hexanone	0.57 J	10	ug/L	SW846 8260B
Toluene	0.24 J	1.0	ug/L	SW846 8260B
GW122104DS007 12/21/04 13:46 005				
Calcium - DISSOLVED	231	5.0	mg/L	SW846 6010B
Magnesium - DISSOLVED	30.7 J	5.0	mg/L	SW846 6010B
Manganese - DISSOLVED	2.3	0.015	mg/L	SW846 6010B
Calcium	228	5.0	mg/L	SW846 6010B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L230127

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
GW122104DS007 12/21/04 13:46 005				
Magnesium	31.6 J	5.0	mg/L	SW846 6010B
Manganese	2.4	0.015	mg/L	SW846 6010B
Aluminum	0.094 B,J	0.20	mg/L	SW846 6010B
Barium	0.23	0.20	mg/L	SW846 6010B
Beryllium	0.00070	0.0050	mg/L	SW846 6010B
Qualifiers: B,J				
Cobalt	0.0014 B	0.050	mg/L	SW846 6010B
Iron	30.9	0.10	mg/L	SW846 6010B
Potassium	7.5 J	5.0	mg/L	SW846 6010B
Sodium	6.3	5.0	mg/L	SW846 6010B
bis(2-Ethylhexyl) phthalate	1.4 J,B	10	ug/L	SW846 8270C
Di-n-butyl phthalate	1.2 J	10	ug/L	SW846 8270C
Phosphorus as orthophosphate	0.009 B	0.1	mg/L	MCAWW 365.2
Total Organic Carbon	0.8 B	1	mg/L	MCAWW 415.1
Nitrogen, as Ammonia	0.2	0.2	mg/L	MCAWW 350.3
GW122104DS008 12/21/04 15:01 006				
Calcium - DISSOLVED	155	5.0	mg/L	SW846 6010B
Magnesium - DISSOLVED	47.1 J	5.0	mg/L	SW846 6010B
Manganese - DISSOLVED	1.2	0.015	mg/L	SW846 6010B
Selenium	0.026	0.0050	mg/L	SW846 6010B
Calcium	159	5.0	mg/L	SW846 6010B
Magnesium	48.3 J	5.0	mg/L	SW846 6010B
Manganese	1.5	0.015	mg/L	SW846 6010B
Aluminum	0.053 B,J	0.20	mg/L	SW846 6010B
Barium	0.19 B	0.20	mg/L	SW846 6010B
Beryllium	0.00078	0.0050	mg/L	SW846 6010B
Qualifiers: B,J				
Cadmium	0.00061	0.0050	mg/L	SW846 6010B
Qualifiers: B,J				
Cobalt	0.0035 B	0.050	mg/L	SW846 6010B
Iron	0.57	0.10	mg/L	SW846 6010B
Nickel	0.0090 B	0.040	mg/L	SW846 6010B
Potassium	9.5 J	5.0	mg/L	SW846 6010B
Sodium	84.7	5.0	mg/L	SW846 6010B
bis(2-Ethylhexyl) phthalate	1.3 J,B	10	ug/L	SW846 8270C
Phenol	4.5 J	10	ug/L	SW846 8270C
cis-1,2-Dichloroethene	4.0	1.0	ug/L	SW846 8260B
trans-1,2-Dichloroethene	0.21 J	1.0	ug/L	SW846 8260B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L230127

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
GWL22104DS008 12/21/04 15:01 006				
Trichloroethene	1.9	1.0	ug/L	SW846 8260B
Tetrachloroethene	4.8	1.0	ug/L	SW846 8260B
Phosphorus as orthophosphate	0.01 B	0.1	mg/L	MCAWW 365.2
Nitrate as N	1.0	0.10	mg/L	MCAWW 300.0A
Total Organic Carbon	4	1	mg/L	MCAWW 415.1
Nitrogen, as Ammonia	0.1 B	0.2	mg/L	MCAWW 350.3
Chemical Oxygen Demand (COD)	24.3	10.0	mg/L	MCAWW 410.4
GWL22104DS013 12/21/04 13:07 007				
Arsenic	0.015	0.010	mg/L	SW846 6010B
Selenium	0.0048 B	0.0050	mg/L	SW846 6010B
Calcium	129	5.0	mg/L	SW846 6010B
Magnesium	35.1 J	5.0	mg/L	SW846 6010B
Manganese	1.7	0.015	mg/L	SW846 6010B
Aluminum	0.054 B,J	0.20	mg/L	SW846 6010B
Barium	0.33	0.20	mg/L	SW846 6010B
Beryllium	0.00079	0.0050	mg/L	SW846 6010B
Qualifiers: B,J				
Iron	17.5	0.10	mg/L	SW846 6010B
Potassium	7.7 J	5.0	mg/L	SW846 6010B
Sodium	43.5	5.0	mg/L	SW846 6010B
Acetophenone	1.5 J	10	ug/L	SW846 8270C
bis(2-Ethylhexyl) phthalate	24 B	10	ug/L	SW846 8270C
Caprolactam	1.3 J	10	ug/L	SW846 8270C
Di-n-butyl phthalate	1.8 J	10	ug/L	SW846 8270C
Phenol	6.2 J	10	ug/L	SW846 8270C
cis-1,2-Dichloroethene	0.87 J	1.0	ug/L	SW846 8260B
Carbon disulfide	0.74 J	1.0	ug/L	SW846 8260B

ANALYTICAL METHODS SUMMARY

A4L230127

PARAMETER	ANALYTICAL METHOD
ortho-Phosphate	MCAWW 365.2
Ammonia Nitrogen	MCAWW 350.3
Chemical Oxygen Demand	MCAWW 410.4
Inductively Coupled Plasma (ICP) Metals	SW846 6010B
Mercury in Liquid Waste (Manual Cold-Vapor)	SW846 7470A
Nitrate as N	MCAWW 300.0A
Semivolatile Organic Compounds by GC/MS	SW846 8270C
Total Kjeldahl Nitrogen	MCAWW 351.3
Total Organic Carbon	MCAWW 415.1
Trace Inductively Coupled Plasma (ICP) Metals	SW846 6010B
Volatile Organics by GC/MS	SW846 8260B

References:

- MCAWW "Methods for Chemical Analysis of Water and Wastes",
EPA-600/4-79-020, March 1983 and subsequent revisions.
- SW846 "Test Methods for Evaluating Solid Waste, Physical/Chemical
Methods", Third Edition, November 1986 and its updates.

SAMPLE SUMMARY

A4L230127

WO #	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
GIQPP	001	GW122104DS006	12/21/04	11:45
GIQPX	002	GW122104DS012	12/21/04	10:20
GIQP2	003	GW122104DSDUP	12/21/04	
GIQP3	004	GW122104DS010TRIP	12/21/04	
GIQP7	005	GW122104DS007	12/21/04	13:46
GIQP9	006	GW122104DS008	12/21/04	15:01
GIQQC	007	GW122104DS013	12/21/04	13:07

NOTE(S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS006

GC/MS Volatiles

Lot-Sample #....: A4L230127-001 Work Order #....: G1QPP1CD Matrix.....: WG
 Date Sampled....: 12/21/04 11:45 Date Received...: 12/23/04
 Prep Date.....: 12/29/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4365190
 Dilution Factor: 1 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	0.36 J	1.0	ug/L	0.21
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.16
Chloromethane	ND	1.0	ug/L	0.14
Bromomethane	ND	1.0	ug/L	0.36
Vinyl chloride	ND	1.0	ug/L	0.21
Chloroethane	ND	1.0	ug/L	0.24
Methylene chloride	ND	1.0	ug/L	0.19
Acetone	ND	10	ug/L	0.74
Carbon disulfide	ND	1.0	ug/L	0.28
1,1-Dichloroethene	ND	1.0	ug/L	0.18
1,1-Dichloroethane	ND	1.0	ug/L	0.21
Chloroform	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.16
2-Butanone	ND	10	ug/L	0.39
1,1,1-Trichloroethane	ND	1.0	ug/L	0.21
Carbon tetrachloride	ND	1.0	ug/L	0.19
Bromodichloromethane	ND	1.0	ug/L	0.14
1,2-Dichloropropane	ND	1.0	ug/L	0.15
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.28
Dibromochloromethane	ND	1.0	ug/L	0.19
1,1,2-Trichloroethane	ND	1.0	ug/L	0.22
Benzene	ND	1.0	ug/L	0.22
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.17
Bromoform	ND	1.0	ug/L	0.17
4-Methyl-2-pentanone	ND	10	ug/L	0.32
2-Hexanone	ND	10	ug/L	0.35
Tetrachloroethene	ND	1.0	ug/L	0.19
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.22
Toluene	ND	1.0	ug/L	0.17
Chlorobenzene	ND	1.0	ug/L	0.20
Ethylbenzene	ND	1.0	ug/L	0.19
Styrene	ND	1.0	ug/L	0.13
Xylenes (total)	ND	2.0	ug/L	0.44

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	97	(73 - 122)
1,2-Dichloroethane-d4	92	(61 - 128)
Toluene-d8	104	(76 - 110)
4-Bromofluorobenzene	91	(74 - 116)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS006

GC/MS Volatiles

Lot-Sample #...: A4L230127-001 Work Order #...: G1QPP1CD Matrix.....: WG

NOTE(S):

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS006

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-001 Work Order #....: G1QPP1CE Matrix.....: WG
 Date Sampled....: 12/21/04 11:45 Date Received...: 12/23/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/04/05
 Prep Batch #....: 4362021
 Dilution Factor: 1 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	10	ug/L	0.028
Acenaphthylene	ND	10	ug/L	0.030
Acetophenone	2.4 J	10	ug/L	0.19
Anthracene	ND	10	ug/L	0.030
Atrazine	ND	10	ug/L	0.36
Benzo(a)anthracene	ND	10	ug/L	0.028
Benzo(a)pyrene	ND	10	ug/L	0.022
Benzo(b)fluoranthene	ND	10	ug/L	0.043
Benzo(ghi)perylene	ND	10	ug/L	0.044
Benzo(k)fluoranthene	ND	10	ug/L	0.071
Benzaldehyde	ND	10	ug/L	0.17
1,1'-Biphenyl	ND	10	ug/L	0.30
bis(2-Chloroethoxy) methane	ND	10	ug/L	0.24
bis(2-Chloroethyl)- ether	ND	10	ug/L	0.19
bis(2-Ethylhexyl) phthalate	8.0 J,B	10	ug/L	0.36
4-Bromophenyl phenyl ether	ND	10	ug/L	0.29
Butyl benzyl phthalate	ND	10	ug/L	0.14
Caprolactam	ND	10	ug/L	0.73
Carbazole	ND	10	ug/L	0.17
4-Chloroaniline	ND	10	ug/L	0.31
4-Chloro-3-methylphenol	ND	10	ug/L	0.18
2-Chloronaphthalene	ND	10	ug/L	0.29
2-Chlorophenol	ND	10	ug/L	0.14
4-Chlorophenyl phenyl ether	ND	10	ug/L	0.21
Chrysene	ND	10	ug/L	0.035
Dibenz(a,h)anthracene	ND	10	ug/L	0.054
Dibenzofuran	ND	10	ug/L	0.025
3,3'-Dichlorobenzidine	ND	50	ug/L	0.19
2,4-Dichlorophenol	ND	10	ug/L	0.24
Diethyl phthalate	ND	10	ug/L	0.12
2,4-Dimethylphenol	ND	10	ug/L	0.23
Dimethyl phthalate	ND	10	ug/L	0.27
Di-n-butyl phthalate	2.8 J	10	ug/L	0.13
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	1.8

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS006

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-001 Work Order #....: G1QPP1CE Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2,4-Dinitrophenol	ND	50	ug/L	1.3
2,4-Dinitrotoluene	ND	10	ug/L	0.16
2,6-Dinitrotoluene	ND	10	ug/L	0.17
Di-n-octyl phthalate	ND	10	ug/L	0.16
Fluoranthene	ND	10	ug/L	0.024
Fluorene	ND	10	ug/L	0.035
Hexachlorobenzene	ND	10	ug/L	0.075
Hexachlorobutadiene	ND	10	ug/L	0.11
Hexachlorocyclopenta- diene	ND	50	ug/L	1.5
Hexachloroethane	ND	10	ug/L	0.21
Indeno(1,2,3-cd)pyrene	ND	10	ug/L	0.081
Isophorone	ND	10	ug/L	0.16
2-Methylnaphthalene	ND	10	ug/L	0.028
2-Methylphenol	ND	10	ug/L	0.15
4-Methylphenol	ND	10	ug/L	0.20
Naphthalene	ND	10	ug/L	0.031
2-Nitroaniline	ND	50	ug/L	0.18
3-Nitroaniline	ND	50	ug/L	0.094
4-Nitroaniline	ND	50	ug/L	0.11
Nitrobenzene	ND	10	ug/L	0.21
2-Nitrophenol	ND	10	ug/L	0.14
4-Nitrophenol	ND	50	ug/L	1.0
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	0.21
N-Nitrosodiphenylamine	ND	10	ug/L	0.18
2,2'-oxybis(1-Chloropropane)	ND	10	ug/L	0.21
Pentachlorophenol	ND	10	ug/L	2.0
Phenanthrene	ND	10	ug/L	0.044
Phenol	12	10	ug/L	0.14
Pyrene	ND	10	ug/L	0.051
2,4,5-Trichloro- phenol	ND	10	ug/L	0.13
2,4,6-Trichloro- phenol	ND	10	ug/L	0.16

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	63	(32 - 112)
2-Fluorobiphenyl	48	(30 - 110)
Terphenyl-d14	71	(10 - 144)
Phenol-d5	63	(10 - 113)
2-Fluorophenol	55	(13 - 110)
2,4,6-Tribromophenol	41	(21 - 122)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS006

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-001 Work Order #....: G1QPP1CE Matrix.....: WG

NOTE(S):

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS006

TOTAL Metals

Lot-Sample #....: A4L230127-001

Matrix.....: WG

Date Sampled....: 12/21/04 11:45 Date Received...: 12/23/04

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Prep Batch #....: 4362038						
Calcium	204	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AG
		Dilution Factor: 1		MDL.....: 0.33		
Magnesium	49.0 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AM
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	1.5	0.015	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AN
		Dilution Factor: 1		MDL.....: 0.0012		
Aluminum	0.064 B,J	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AA
		Dilution Factor: 1		MDL.....: 0.023		
Arsenic	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AW
		Dilution Factor: 1		MDL.....: 0.0026		
Lead	0.0086	0.0030	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AX
		Dilution Factor: 1		MDL.....: 0.0017		
Antimony	ND	0.060	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AC
		Dilution Factor: 1		MDL.....: 0.0041		
Barium	0.16 B	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AD
		Dilution Factor: 1		MDL.....: 0.00075		
Selenium	0.19	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AO
		Dilution Factor: 1		MDL.....: 0.0037		
Beryllium	0.00074 B,J	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AE
		Dilution Factor: 1		MDL.....: 0.00043		
Thallium	0.0067 B,J	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AI
		Dilution Factor: 1		MDL.....: 0.0045		
Cadmium	0.00051 B,J	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AF
		Dilution Factor: 1		MDL.....: 0.00028		
Chromium	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AH
		Dilution Factor: 1		MDL.....: 0.0019		
Cobalt	0.0074 B	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AJ
		Dilution Factor: 1		MDL.....: 0.00096		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS006

TOTAL Metals

Lot-Sample #....: A4L230127-001

Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Copper	ND	0.025	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AK
		Dilution Factor: 1		MDL.....: 0.0023		
Iron	0.096 B	0.10	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AL
		Dilution Factor: 1		MDL.....: 0.049		
Nickel	0.014 B	0.040	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AP
		Dilution Factor: 1		MDL.....: 0.0025		
Potassium	9.6 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AQ
		Dilution Factor: 1		MDL.....: 0.063		
Silver	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AR
		Dilution Factor: 1		MDL.....: 0.00074		
Sodium	45.7	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AT
		Dilution Factor: 1		MDL.....: 0.54		
Vanadium	ND	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AU
		Dilution Factor: 1		MDL.....: 0.00071		
Zinc	ND	0.020	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1AV
		Dilution Factor: 1		MDL.....: 0.014		
Mercury	ND	0.00020	mg/L	SW846 7470A	12/27-12/28/04	G1QPP1A2
		Dilution Factor: 1		MDL.....: 0.000029		

NOTE(S):

I Method blank contamination. The associated method blank contains the target analyte at a reportable level.

B Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS006

DISSOLVED Metals

Lot-Sample #....: A4L230127-001

Matrix.....: WG

Date Sampled....: 12/21/04 11:45 Date Received...: 12/23/04

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #....: 4362038						
Calcium	194	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1A3
		Dilution Factor: 1		MDL.....: 0.33		
Magnesium	46.9 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1A4
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	1.5	0.015	mg/L	SW846 6010B	12/27-12/28/04	G1QPP1A5
		Dilution Factor: 1		MDL.....: 0.0012		

NOTE(S):

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS006

General Chemistry

Lot-Sample #....: A4L230127-001 Work Order #....: G1QPP Matrix.....: WG
Date Sampled....: 12/21/04 11:45 Date Received...: 12/23/04

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphorus as orthophosphate	0.04 B	0.1	mg/L	MCAWW 365.2	12/23/04	4362173
				Dilution Factor: 1	MDL.....: 0.006	
Chemical Oxygen Demand (COD)	ND	10.0	mg/L	MCAWW 410.4	12/28/04	4363430
				Dilution Factor: 1	MDL.....: 7.1	
Nitrate as N	8.7	0.10	mg/L	MCAWW 300.0A	12/23/04	4362292
				Dilution Factor: 1	MDL.....: 0.016	
Nitrogen, as Ammonia	0.09 B	0.2	mg/L	MCAWW 350.3	12/28/04	4363594
				Dilution Factor: 1	MDL.....: 0.07	
Total Kjeldahl Nitrogen	ND	3	mg/L	MCAWW 351.3	01/03/05	5003485
				Dilution Factor: 1	MDL.....: 2	
Total Organic Carbon	4	1	mg/L	MCAWW 415.1	12/30/04	4365241
				Dilution Factor: 1	MDL.....: 0.08	

NOTE(S):

RL Reporting Limit

B Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS012

GC/MS Volatiles

Lot-Sample #....: A4L230127-002 **Work Order #....:** G1QPX1A6 **Matrix.....:** WG
Date Sampled....: 12/21/04 10:20 **Date Received...:** 12/23/04
Prep Date.....: 12/29/04 **Analysis Date...:** 12/29/04
Prep Batch #....: 4365190
Dilution Factor: 1 **Method.....:** SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	0.74 J	1.0	ug/L	0.21
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.16
Chloromethane	ND	1.0	ug/L	0.14
Bromomethane	ND	1.0	ug/L	0.36
Vinyl chloride	ND	1.0	ug/L	0.21
Chloroethane	ND	1.0	ug/L	0.24
Methylene chloride	ND	1.0	ug/L	0.19
Acetone	ND	10	ug/L	0.74
Carbon disulfide	ND	1.0	ug/L	0.28
1,1-Dichloroethene	ND	1.0	ug/L	0.18
1,1-Dichloroethane	ND	1.0	ug/L	0.21
Chloroform	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.16
2-Butanone	ND	10	ug/L	0.39
1,1,1-Trichloroethane	ND	1.0	ug/L	0.21
Carbon tetrachloride	ND	1.0	ug/L	0.19
Bromodichloromethane	ND	1.0	ug/L	0.14
1,2-Dichloropropane	ND	1.0	ug/L	0.15
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.28
Dibromochloromethane	ND	1.0	ug/L	0.19
1,1,2-Trichloroethane	ND	1.0	ug/L	0.22
Benzene	ND	1.0	ug/L	0.22
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.17
Bromoform	ND	1.0	ug/L	0.17
4-Methyl-2-pentanone	ND	10	ug/L	0.32
2-Hexanone	ND	10	ug/L	0.35
Tetrachloroethene	ND	1.0	ug/L	0.19
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.22
Toluene	ND	1.0	ug/L	0.17
Chlorobenzene	ND	1.0	ug/L	0.20
Ethylbenzene	ND	1.0	ug/L	0.19
Styrene	ND	1.0	ug/L	0.13
Xylenes (total)	ND	2.0	ug/L	0.44

SURROGATE	PERCENT	RECOVERY
	RECOVERY	LIMITS
Dibromofluoromethane	100	(73 - 122)
1,2-Dichloroethane-d4	96	(61 - 128)
Toluene-d8	103	(76 - 110)
4-Bromofluorobenzene	96	(74 - 116)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS012

GC/MS Volatiles

Lot-Sample #....: A4L230127-002 Work Order #....: G1QPX1A6 Matrix.....: WG

NOTE(S):

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS012

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-002 Work Order #....: G1QPX1A7 Matrix.....: WG
 Date Sampled....: 12/21/04 10:20 Date Received...: 12/23/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/04/05
 Prep Batch #....: 4362021
 Dilution Factor: 1 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	10	ug/L	0.028
Acenaphthylene	ND	10	ug/L	0.030
Acetophenone	1.3 J	10	ug/L	0.19
Anthracene	ND	10	ug/L	0.030
Atrazine	ND	10	ug/L	0.36
Benzo(a)anthracene	ND	10	ug/L	0.028
Benzo(a)pyrene	ND	10	ug/L	0.022
Benzo(b)fluoranthene	ND	10	ug/L	0.043
Benzo(ghi)perylene	ND	10	ug/L	0.044
Benzo(k)fluoranthene	ND	10	ug/L	0.071
Benzaldehyde	ND	10	ug/L	0.17
1,1'-Biphenyl	ND	10	ug/L	0.30
bis(2-Chloroethoxy) methane	ND	10	ug/L	0.24
bis(2-Chloroethyl)- ether	ND	10	ug/L	0.19
bis(2-Ethylhexyl) phthalate	1.4 J,B	10	ug/L	0.36
4-Bromophenyl phenyl ether	ND	10	ug/L	0.29
Butyl benzyl phthalate	ND	10	ug/L	0.14
Caprolactam	ND	10	ug/L	0.73
Carbazole	ND	10	ug/L	0.17
4-Chloroaniline	ND	10	ug/L	0.31
4-Chloro-3-methylphenol	ND	10	ug/L	0.18
2-Chloronaphthalene	ND	10	ug/L	0.29
2-Chlorophenol	ND	10	ug/L	0.14
4-Chlorophenyl phenyl ether	ND	10	ug/L	0.21
Chrysene	ND	10	ug/L	0.035
Dibenz(a,h)anthracene	ND	10	ug/L	0.054
Dibenzofuran	ND	10	ug/L	0.025
3,3'-Dichlorobenzidine	ND	50	ug/L	0.19
2,4-Dichlorophenol	ND	10	ug/L	0.24
Diethyl phthalate	ND	10	ug/L	0.12
2,4-Dimethylphenol	ND	10	ug/L	0.23
Dimethyl phthalate	ND	10	ug/L	0.27
Di-n-butyl phthalate	ND	10	ug/L	0.13
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	1.8

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS012

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-002 Work Order #....: G1QPX1A7 Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2,4-Dinitrophenol	ND	50	ug/L	1.3
2,4-Dinitrotoluene	ND	10	ug/L	0.16
2,6-Dinitrotoluene	ND	10	ug/L	0.17
Di-n-octyl phthalate	ND	10	ug/L	0.16
Fluoranthene	ND	10	ug/L	0.024
Fluorene	ND	10	ug/L	0.035
Hexachlorobenzene	ND	10	ug/L	0.075
Hexachlorobutadiene	ND	10	ug/L	0.11
Hexachlorocyclopenta- diene	ND	50	ug/L	1.5
Hexachloroethane	ND	10	ug/L	0.21
Indeno(1,2,3-cd)pyrene	ND	10	ug/L	0.081
Isophorone	ND	10	ug/L	0.16
2-Methylnaphthalene	ND	10	ug/L	0.028
2-Methylphenol	ND	10	ug/L	0.15
4-Methylphenol	ND	10	ug/L	0.20
Naphthalene	ND	10	ug/L	0.031
2-Nitroaniline	ND	50	ug/L	0.18
3-Nitroaniline	ND	50	ug/L	0.094
4-Nitroaniline	ND	50	ug/L	0.11
Nitrobenzene	ND	10	ug/L	0.21
2-Nitrophenol	ND	10	ug/L	0.14
4-Nitrophenol	ND	50	ug/L	1.0
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	0.21
N-Nitrosodiphenylamine	ND	10	ug/L	0.18
2,2'-oxybis(1-Chloropropane)	ND	10	ug/L	0.21
Pentachlorophenol	ND	10	ug/L	2.0
Phenanthrene	ND	10	ug/L	0.044
Phenol	ND	10	ug/L	0.14
Pyrene	ND	10	ug/L	0.051
2,4,5-Trichloro- phenol	ND	10	ug/L	0.13
2,4,6-Trichloro- phenol	ND	10	ug/L	0.16

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	68	(32 - 112)
2-Fluorobiphenyl	56	(30 - 110)
Terphenyl-d14	79	(10 - 144)
Phenol-d5	65	(10 - 113)
2-Fluorophenol	51	(13 - 110)
2,4,6-Tribromophenol	54	(21 - 122)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS012

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-002 Work Order #....: G1QPX1A7 Matrix.....: WG

NOTE (S) :

I Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS012

TOTAL Metals

Lot-Sample #....: A4L230127-002

Matrix.....: WG

Date Sampled....: 12/21/04 10:20 Date Received...: 12/23/04

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Prep Batch #....: 4362038						
Calcium	124	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AG
		Dilution Factor: 1		MDL.....: 0.33		
Magnesium	33.3 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AM
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	1.4	0.015	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AN
		Dilution Factor: 1		MDL.....: 0.0012		
Aluminum	0.066 B,J	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AA
		Dilution Factor: 1		MDL.....: 0.023		
Arsenic	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AW
		Dilution Factor: 1		MDL.....: 0.0026		
Lead	ND	0.0030	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AX
		Dilution Factor: 1		MDL.....: 0.0017		
Antimony	ND	0.060	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AC
		Dilution Factor: 1		MDL.....: 0.0041		
Barium	0.69	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AD
		Dilution Factor: 1		MDL.....: 0.00075		
Selenium	ND	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AO
		Dilution Factor: 1		MDL.....: 0.0037		
Beryllium	0.00078 B,J	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AE
		Dilution Factor: 1		MDL.....: 0.00043		
Thallium	0.0090 B,J	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AI
		Dilution Factor: 1		MDL.....: 0.0045		
Cadmium	ND	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AF
		Dilution Factor: 1		MDL.....: 0.00028		
Chromium	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AH
		Dilution Factor: 1		MDL.....: 0.0019		
Cobalt	ND	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AJ
		Dilution Factor: 1		MDL.....: 0.00096		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS012

TOTAL Metals

Lot-Sample #....: A4L230127-002

Matrix.....: WG

PARAMETER	RESULT	REPORTING		METHOD	PREPARATION-	WORK
		LIMIT	UNITS		ANALYSIS DATE	ORDER #
Copper	ND	0.025	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AK
		Dilution Factor: 1		MDL.....: 0.0023		
Iron	14.1	0.10	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AL
		Dilution Factor: 1		MDL.....: 0.049		
Nickel	ND	0.040	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AP
		Dilution Factor: 1		MDL.....: 0.0025		
Potassium	8.1 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AQ
		Dilution Factor: 1		MDL.....: 0.063		
Silver	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AR
		Dilution Factor: 1		MDL.....: 0.00074		
Sodium	88.1	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AT
		Dilution Factor: 1		MDL.....: 0.54		
Vanadium	ND	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AU
		Dilution Factor: 1		MDL.....: 0.00071		
Zinc	ND	0.020	mg/L	SW846 6010B	12/27-12/28/04	G1QPX1AV
		Dilution Factor: 1		MDL.....: 0.014		
Mercury	ND	0.00020	mg/L	SW846 7470A	12/27-12/28/04	G1QPX1A2
		Dilution Factor: 1		MDL.....: 0.000029		

NOTE(S):

- J Method blank contamination. The associated method blank contains the target analyte at a reportable level.
 B Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DSDUP

GC/MS Volatiles

Lot-Sample #....: A4L230127-003 Work Order #....: G1QP21AH Matrix.....: WG
 Date Sampled....: 12/21/04 Date Received...: 12/23/04
 Prep Date.....: 12/29/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4365190
 Dilution Factor: 1 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	0.67 J	1.0	ug/L	0.21
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.16
Chloromethane	ND	1.0	ug/L	0.14
Bromomethane	ND	1.0	ug/L	0.36
Vinyl chloride	ND	1.0	ug/L	0.21
Chloroethane	ND	1.0	ug/L	0.24
Methylene chloride	ND	1.0	ug/L	0.19
Acetone	ND	10	ug/L	0.74
Carbon disulfide	0.49 J	1.0	ug/L	0.28
1,1-Dichloroethene	ND	1.0	ug/L	0.18
1,1-Dichloroethane	ND	1.0	ug/L	0.21
Chloroform	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.16
2-Butanone	ND	10	ug/L	0.39
1,1,1-Trichloroethane	ND	1.0	ug/L	0.21
Carbon tetrachloride	ND	1.0	ug/L	0.19
Bromodichloromethane	ND	1.0	ug/L	0.14
1,2-Dichloropropane	ND	1.0	ug/L	0.15
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.28
Dibromochloromethane	ND	1.0	ug/L	0.19
1,1,2-Trichloroethane	ND	1.0	ug/L	0.22
Benzene	ND	1.0	ug/L	0.22
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.17
Bromoform	ND	1.0	ug/L	0.17
4-Methyl-2-pentanone	ND	10	ug/L	0.32
2-Hexanone	ND	10	ug/L	0.35
Tetrachloroethene	ND	1.0	ug/L	0.19
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.22
Toluene	ND	1.0	ug/L	0.17
Chlorobenzene	ND	1.0	ug/L	0.20
Ethylbenzene	ND	1.0	ug/L	0.19
Styrene	ND	1.0	ug/L	0.13
Xylenes (total)	ND	2.0	ug/L	0.44

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	95	(73 - 122)
1,2-Dichloroethane-d4	89	(61 - 128)
Toluene-d8	101	(76 - 110)
4-Bromofluorobenzene	95	(74 - 116)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DSDUP

GC/MS Volatiles

Lot-Sample #....: A4L230127-003 Work Order #....: G1QP21AH Matrix.....: WG

NOTE(S):

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DSDUP

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-003	Work Order #....: G1QP21AJ	Matrix.....: WG
Date Sampled....: 12/21/04	Date Received...: 12/23/04	
Prep Date.....: 12/27/04	Analysis Date...: 01/04/05	
Prep Batch #....: 4362022		
Dilution Factor: 1	Method.....: SW846 8270C	

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	10	ug/L	0.028
Acenaphthylene	ND	10	ug/L	0.030
Acetophenone	2.7 J	10	ug/L	0.19
Anthracene	ND	10	ug/L	0.030
Atrazine	ND	10	ug/L	0.36
Benzo(a)anthracene	ND	10	ug/L	0.028
Benzo(a)pyrene	ND	10	ug/L	0.022
Benzo(b)fluoranthene	ND	10	ug/L	0.043
Benzo(ghi)perylene	ND	10	ug/L	0.044
Benzo(k)fluoranthene	ND	10	ug/L	0.071
Benzaldehyde	ND	10	ug/L	0.17
1,1'-Biphenyl	ND	10	ug/L	0.30
bis(2-Chloroethoxy) methane	ND	10	ug/L	0.24
bis(2-Chloroethyl)- ether	ND	10	ug/L	0.19
bis(2-Ethylhexyl) phthalate	4.5 J,B	10	ug/L	0.36
4-Bromophenyl phenyl ether	ND	10	ug/L	0.29
Butyl benzyl phthalate	ND	10	ug/L	0.14
Caprolactam	1.0 J	10	ug/L	0.73
Carbazole	ND	10	ug/L	0.17
4-Chloroaniline	ND	10	ug/L	0.31
4-Chloro-3-methylphenol	ND	10	ug/L	0.18
2-Chloronaphthalene	ND	10	ug/L	0.29
2-Chlorophenol	ND	10	ug/L	0.14
4-Chlorophenyl phenyl ether	ND	10	ug/L	0.21
Chrysene	ND	10	ug/L	0.035
Dibenz(a,h)anthracene	ND	10	ug/L	0.054
Dibenzofuran	ND	10	ug/L	0.025
3,3'-Dichlorobenzidine	ND	50	ug/L	0.19
2,4-Dichlorophenol	ND	10	ug/L	0.24
Diethyl phthalate	ND	10	ug/L	0.12
2,4-Dimethylphenol	ND	10	ug/L	0.23
Dimethyl phthalate	ND	10	ug/L	0.27
Di-n-butyl phthalate	ND	10	ug/L	0.13
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	1.8

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DSDUP

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-003 Work Order #....: G1QP21AJ Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2,4-Dinitrophenol	ND	50	ug/L	1.3
2,4-Dinitrotoluene	ND	10	ug/L	0.16
2,6-Dinitrotoluene	ND	10	ug/L	0.17
Di-n-octyl phthalate	ND	10	ug/L	0.16
Fluoranthene	ND	10	ug/L	0.024
Fluorene	ND	10	ug/L	0.035
Hexachlorobenzene	ND	10	ug/L	0.075
Hexachlorobutadiene	ND	10	ug/L	0.11
Hexachlorocyclopenta- diene	ND	50	ug/L	1.5
Hexachloroethane	ND	10	ug/L	0.21
Indeno(1,2,3-cd)pyrene	ND	10	ug/L	0.081
Isophorone	ND	10	ug/L	0.16
2-Methylnaphthalene	ND	10	ug/L	0.028
2-Methylphenol	ND	10	ug/L	0.15
4-Methylphenol	ND	10	ug/L	0.20
Naphthalene	ND	10	ug/L	0.031
2-Nitroaniline	ND	50	ug/L	0.18
3-Nitroaniline	ND	50	ug/L	0.094
4-Nitroaniline	ND	50	ug/L	0.11
Nitrobenzene	ND	10	ug/L	0.21
2-Nitrophenol	ND	10	ug/L	0.14
4-Nitrophenol	ND	50	ug/L	1.0
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	0.21
N-Nitrosodiphenylamine	ND	10	ug/L	0.18
2,2'-oxybis(1-Chloropropane)	ND	10	ug/L	0.21
Pentachlorophenol	ND	10	ug/L	2.0
Phenanthrene	ND	10	ug/L	0.044
Phenol	ND	10	ug/L	0.14
Pyrene	ND	10	ug/L	0.051
2,4,5-Trichloro- phenol	ND	10	ug/L	0.13
2,4,6-Trichloro- phenol	ND	10	ug/L	0.16

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	92	(32 - 112)
2-Fluorobiphenyl	71	(30 - 110)
Terphenyl-d14	91	(10 - 144)
Phenol-d5	81	(10 - 113)
2-Fluorophenol	74	(13 - 110)
2,4,6-Tribromophenol	69	(21 - 122)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DSDUP

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-003 Work Order #....: G1QP21AJ Matrix.....: WG

NOTE(S) :

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DSDUP

TOTAL Metals

Lot-Sample #....: A4L230127-003

Matrix.....: WG

Date Sampled....: 12/21/04

Date Received...: 12/23/04

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #....: 4362038						
Calcium	141	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AQ
		Dilution Factor: 1		MDL.....: 0.33		
Magnesium	38.0 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AW
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	1.5	0.015	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AX
		Dilution Factor: 1		MDL.....: 0.0012		
Aluminum	0.073 B,J	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AK
		Dilution Factor: 1		MDL.....: 0.023		
Arsenic	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QP21A6
		Dilution Factor: 1		MDL.....: 0.0026		
Lead	ND	0.0030	mg/L	SW846 6010B	12/27-12/28/04	G1QP21A7
		Dilution Factor: 1		MDL.....: 0.0017		
Antimony	ND	0.060	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AL
		Dilution Factor: 1		MDL.....: 0.0041		
Barium	0.80	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AM
		Dilution Factor: 1		MDL.....: 0.00075		
Selenium	ND	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AA
		Dilution Factor: 1		MDL.....: 0.0037		
Beryllium	0.00079 B,J	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AN
		Dilution Factor: 1		MDL.....: 0.00043		
Thallium	0.0061 B,J	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AC
		Dilution Factor: 1		MDL.....: 0.0045		
Cadmium	ND	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AP
		Dilution Factor: 1		MDL.....: 0.00028		
Chromium	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AR
		Dilution Factor: 1		MDL.....: 0.0019		
Cobalt	ND	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AT
		Dilution Factor: 1		MDL.....: 0.00096		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DSDUP

TOTAL Metals

Lot-Sample #...: A4L230127-003

Matrix.....: WG

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Copper	ND	0.025	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AU
		Dilution Factor: 1		MDL.....: 0.0023		
Iron	16.0	0.10	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AV
		Dilution Factor: 1		MDL.....: 0.049		
Nickel	ND	0.040	mg/L	SW846 6010B	12/27-12/28/04	G1QP21AO
		Dilution Factor: 1		MDL.....: 0.0025		
Potassium	9.3 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP21A1
		Dilution Factor: 1		MDL.....: 0.063		
Silver	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QP21A2
		Dilution Factor: 1		MDL.....: 0.00074		
Sodium	101	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP21A3
		Dilution Factor: 1		MDL.....: 0.54		
Vanadium	ND	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1QP21A4
		Dilution Factor: 1		MDL.....: 0.00071		
Zinc	ND	0.020	mg/L	SW846 6010B	12/27-12/28/04	G1QP21A5
		Dilution Factor: 1		MDL.....: 0.014		
Mercury	ND	0.00020	mg/L	SW846 7470A	12/27-12/28/04	G1QP21AD
		Dilution Factor: 1		MDL.....: 0.000029		

NOTE(S) :

- J Method blank contamination. The associated method blank contains the target analyte at a reportable level.
 B Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS010TRIP

GC/MS Volatiles

Lot-Sample #....: A4L230127-004 Work Order #....: G1QP31AA Matrix.....: WG
 Date Sampled....: 12/21/04 Date Received...: 12/23/04
 Prep Date.....: 12/29/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4365190
 Dilution Factor: 1 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.21
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.16
Chloromethane	ND	1.0	ug/L	0.14
Bromomethane	ND	1.0	ug/L	0.36
Vinyl chloride	ND	1.0	ug/L	0.21
Chloroethane	ND	1.0	ug/L	0.24
Methylene chloride	4.3	1.0	ug/L	0.19
Acetone	2.6 J	10	ug/L	0.74
Carbon disulfide	ND	1.0	ug/L	0.28
1,1-Dichloroethene	ND	1.0	ug/L	0.18
1,1-Dichloroethane	ND	1.0	ug/L	0.21
Chloroform	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.16
2-Butanone	3.4 J	10	ug/L	0.39
1,1,1-Trichloroethane	ND	1.0	ug/L	0.21
Carbon tetrachloride	ND	1.0	ug/L	0.19
Bromodichloromethane	ND	1.0	ug/L	0.14
1,2-Dichloropropane	ND	1.0	ug/L	0.15
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.28
Dibromochloromethane	ND	1.0	ug/L	0.19
1,1,2-Trichloroethane	ND	1.0	ug/L	0.22
Benzene	ND	1.0	ug/L	0.22
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.17
Bromoform	ND	1.0	ug/L	0.17
4-Methyl-2-pentanone	ND	10	ug/L	0.32
2-Hexanone	0.57 J	10	ug/L	0.35
Tetrachloroethene	ND	1.0	ug/L	0.19
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.22
Toluene	0.24 J	1.0	ug/L	0.17
Chlorobenzene	ND	1.0	ug/L	0.20
Ethylbenzene	ND	1.0	ug/L	0.19
Styrene	ND	1.0	ug/L	0.13
Xylenes (total)	ND	2.0	ug/L	0.44

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	99	(73 - 122)
1,2-Dichloroethane-d4	91	(61 - 128)
Toluene-d8	100	(76 - 110)
4-Bromofluorobenzene	97	(74 - 116)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS010TRIP

GC/MS Volatiles

Lot-Sample #....: A4L230127-004 Work Order #....: G1QP31AA Matrix.....: WG

NOTE(S) :

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS007

GC/MS Volatiles

Lot-Sample #....: A4L230127-005 Work Order #....: G1QP71CD Matrix.....: WG
 Date Sampled....: 12/21/04 13:46 Date Received...: 12/23/04
 Prep Date.....: 12/29/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4365190
 Dilution Factor: 1 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.21
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.16
Chloromethane	ND	1.0	ug/L	0.14
Bromomethane	ND	1.0	ug/L	0.36
Vinyl chloride	ND	1.0	ug/L	0.21
Chloroethane	ND	1.0	ug/L	0.24
Methylene chloride	ND	1.0	ug/L	0.19
Acetone	ND	10	ug/L	0.74
Carbon disulfide	ND	1.0	ug/L	0.28
1,1-Dichloroethene	ND	1.0	ug/L	0.18
1,1-Dichloroethane	ND	1.0	ug/L	0.21
Chloroform	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.16
2-Butanone	ND	10	ug/L	0.39
1,1,1-Trichloroethane	ND	1.0	ug/L	0.21
Carbon tetrachloride	ND	1.0	ug/L	0.19
Bromodichloromethane	ND	1.0	ug/L	0.14
1,2-Dichloropropane	ND	1.0	ug/L	0.15
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.28
Dibromochloromethane	ND	1.0	ug/L	0.19
1,1,2-Trichloroethane	ND	1.0	ug/L	0.22
Benzene	ND	1.0	ug/L	0.22
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.17
Bromoform	ND	1.0	ug/L	0.17
4-Methyl-2-pentanone	ND	10	ug/L	0.32
2-Hexanone	ND	10	ug/L	0.35
Tetrachloroethene	ND	1.0	ug/L	0.19
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.22
Toluene	ND	1.0	ug/L	0.17
Chlorobenzene	ND	1.0	ug/L	0.20
Ethylbenzene	ND	1.0	ug/L	0.19
Styrene	ND	1.0	ug/L	0.13
Xylenes (total)	ND	2.0	ug/L	0.44

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	102	(73 - 122)
1,2-Dichloroethane-d4	98	(61 - 128)
Toluene-d8	103	(76 - 110)
4-Bromofluorobenzene	92	(74 - 116)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS007

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-005 Work Order #....: G1QP71CE Matrix.....: WG
 Date Sampled....: 12/21/04 13:46 Date Received...: 12/23/04
 Prep Date.....: 12/27/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4362022
 Dilution Factor: 1 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	10	ug/L	0.028
Acenaphthylene	ND	10	ug/L	0.030
Acetophenone	ND	10	ug/L	0.19
Anthracene	ND	10	ug/L	0.030
Atrazine	ND	10	ug/L	0.36
Benzo(a)anthracene	ND	10	ug/L	0.028
Benzo(a)pyrene	ND	10	ug/L	0.022
Benzo(b)fluoranthene	ND	10	ug/L	0.043
Benzo(ghi)perylene	ND	10	ug/L	0.044
Benzo(k)fluoranthene	ND	10	ug/L	0.071
Benzaldehyde	ND	10	ug/L	0.17
1,1'-Biphenyl	ND	10	ug/L	0.30
bis(2-Chloroethoxy) methane	ND	10	ug/L	0.24
bis(2-Chloroethyl)- ether	ND	10	ug/L	0.19
bis(2-Ethylhexyl) phthalate	1.4 J,B	10	ug/L	0.36
4-Bromophenyl phenyl ether	ND	10	ug/L	0.29
Butyl benzyl phthalate	ND	10	ug/L	0.14
Caprolactam	ND	10	ug/L	0.73
Carbazole	ND	10	ug/L	0.17
4-Chloroaniline	ND	10	ug/L	0.31
4-Chloro-3-methylphenol	ND	10	ug/L	0.18
2-Chloronaphthalene	ND	10	ug/L	0.29
2-Chlorophenol	ND	10	ug/L	0.14
4-Chlorophenyl phenyl ether	ND	10	ug/L	0.21
Chrysene	ND	10	ug/L	0.035
Dibenz(a,h)anthracene	ND	10	ug/L	0.054
Dibenzofuran	ND	10	ug/L	0.025
3,3'-Dichlorobenzidine	ND	50	ug/L	0.19
2,4-Dichlorophenol	ND	10	ug/L	0.24
Diethyl phthalate	ND	10	ug/L	0.12
2,4-Dimethylphenol	ND	10	ug/L	0.23
Dimethyl phthalate	ND	10	ug/L	0.27
Di-n-butyl phthalate	1.2 J	10	ug/L	0.13
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	1.8

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS007

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-005 Work Order #....: G1QP71CE Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2,4-Dinitrophenol	ND	50	ug/L	1.3
2,4-Dinitrotoluene	ND	10	ug/L	0.16
2,6-Dinitrotoluene	ND	10	ug/L	0.17
Di-n-octyl phthalate	ND	10	ug/L	0.16
Fluoranthene	ND	10	ug/L	0.024
Fluorene	ND	10	ug/L	0.035
Hexachlorobenzene	ND	10	ug/L	0.075
Hexachlorobutadiene	ND	10	ug/L	0.11
Hexachlorocyclopenta- diene	ND	50	ug/L	1.5
Hexachloroethane	ND	10	ug/L	0.21
Indeno (1,2,3-cd) pyrene	ND	10	ug/L	0.081
Isophorone	ND	10	ug/L	0.16
2-Methylnaphthalene	ND	10	ug/L	0.028
2-Methylphenol	ND	10	ug/L	0.15
4-Methylphenol	ND	10	ug/L	0.20
Naphthalene	ND	10	ug/L	0.031
2-Nitroaniline	ND	50	ug/L	0.18
3-Nitroaniline	ND	50	ug/L	0.094
4-Nitroaniline	ND	50	ug/L	0.11
Nitrobenzene	ND	10	ug/L	0.21
2-Nitrophenol	ND	10	ug/L	0.14
4-Nitrophenol	ND	50	ug/L	1.0
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	0.21
N-Nitrosodiphenylamine	ND	10	ug/L	0.18
2,2'-oxybis (1-Chloropropane)	ND	10	ug/L	0.21
Pentachlorophenol	ND	10	ug/L	2.0
Phenanthrene	ND	10	ug/L	0.044
Phenol	ND	10	ug/L	0.14
Pyrene	ND	10	ug/L	0.051
2,4,5-Trichloro- phenol	ND	10	ug/L	0.13
2,4,6-Trichloro- phenol	ND	10	ug/L	0.16

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	75	(32 - 112)
2-Fluorobiphenyl	61	(30 - 110)
Terphenyl-d14	83	(10 - 144)
Phenol-d5	67	(10 - 113)
2-Fluorophenol	69	(13 - 110)
2,4,6-Tribromophenol	65	(21 - 122)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS007

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-005 Work Order #....: G1QP71CE Matrix.....: WG

NOTE(S):

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS007

TOTAL Metals

Lot-Sample #....: A4L230127-005

Matrix.....: WG

Date Sampled....: 12/21/04 13:46 Date Received...: 12/23/04

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Prep Batch #....: 4362038						
Calcium	228	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP71AT
		Dilution Factor: 1		MDL.....: 0.33		
Magnesium	31.6 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP71A0
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	2.4	0.015	mg/L	SW846 6010B	12/27-12/28/04	G1QP71A1
		Dilution Factor: 1		MDL.....: 0.0012		
Aluminum	0.094 B,J	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1QP71AM
		Dilution Factor: 1		MDL.....: 0.023		
Arsenic	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QP71A8
		Dilution Factor: 1		MDL.....: 0.0026		
Lead	ND	0.0030	mg/L	SW846 6010B	12/27-12/28/04	G1QP71A9
		Dilution Factor: 1		MDL.....: 0.0017		
Antimony	ND	0.060	mg/L	SW846 6010B	12/27-12/28/04	G1QP71AN
		Dilution Factor: 1		MDL.....: 0.0041		
Barium	0.23	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1QP71AP
		Dilution Factor: 1		MDL.....: 0.00075		
Selenium	ND	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QP71AA
		Dilution Factor: 1		MDL.....: 0.0037		
Beryllium	0.00070 B,J	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QP71AQ
		Dilution Factor: 1		MDL.....: 0.00043		
Thallium	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QP71AC
		Dilution Factor: 1		MDL.....: 0.0045		
Cadmium	ND	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QP71AR
		Dilution Factor: 1		MDL.....: 0.00028		
Chromium	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QP71AU
		Dilution Factor: 1		MDL.....: 0.0019		
Cobalt	0.0014 B	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1QP71AV
		Dilution Factor: 1		MDL.....: 0.00096		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS007

TOTAL Metals

Lot-Sample #....: A4L230127-005

Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Copper	ND	0.025	mg/L	SW846 6010B	12/27-12/28/04	G1QP71AW
		Dilution Factor: 1		MDL.....: 0.0023		
Iron	30.9	0.10	mg/L	SW846 6010B	12/27-12/28/04	G1QP71AX
		Dilution Factor: 1		MDL.....: 0.049		
Nickel	ND	0.040	mg/L	SW846 6010B	12/27-12/28/04	G1QP71A2
		Dilution Factor: 1		MDL.....: 0.0025		
Potassium	7.5 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP71A3
		Dilution Factor: 1		MDL.....: 0.063		
Silver	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QP71A4
		Dilution Factor: 1		MDL.....: 0.00074		
Sodium	6.3	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP71A5
		Dilution Factor: 1		MDL.....: 0.54		
Vanadium	ND	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1QP71A6
		Dilution Factor: 1		MDL.....: 0.00071		
Zinc	ND	0.020	mg/L	SW846 6010B	12/27-12/28/04	G1QP71A7
		Dilution Factor: 1		MDL.....: 0.014		
Mercury	ND	0.00020	mg/L	SW846 7470A	12/27-12/28/04	G1QP71AD
		Dilution Factor: 1		MDL.....: 0.000029		

NOTE(S):

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

B Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS007

DISSOLVED Metals

Lot-Sample #....: A4L230127-005

Matrix.....: WG

Date Sampled....: 12/21/04 13:46 Date Received...: 12/23/04

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #....: 4362038						
Calcium	231	5.0	mg/L	SW846 6010B	12/27-12/29/04	G1QP71AE
		Dilution Factor: 1		MDL.....: 0.33		
Magnesium	30.7 J	5.0	mg/L	SW846 6010B	12/27-12/29/04	G1QP71AF
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	2.3	0.015	mg/L	SW846 6010B	12/27-12/29/04	G1QP71AG
		Dilution Factor: 1		MDL.....: 0.0012		

NOTE(S):

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS007

General Chemistry

Lot-Sample #....: A4L230127-005 Work Order #....: G1QP7 Matrix.....: WG
Date Sampled....: 12/21/04 13:46 Date Received...: 12/23/04

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphorus as orthophosphate	0.009 B	0.1	mg/L	MCAWW 365.2	12/23/04	4362173
				Dilution Factor: 1	MDL.....: 0.006	
Chemical Oxygen Demand (COD)	ND	10.0	mg/L	MCAWW 410.4	12/28/04	4363430
				Dilution Factor: 1	MDL.....: 7.1	
Nitrate as N	ND	0.10	mg/L	MCAWW 300.0A	12/23/04	4362292
				Dilution Factor: 1	MDL.....: 0.016	
Nitrogen, as Ammonia	0.2	0.2	mg/L	MCAWW 350.3	12/28/04	4363594
				Dilution Factor: 1	MDL.....: 0.07	
Total Kjeldahl Nitrogen	ND	3	mg/L	MCAWW 351.3	01/03/05	5003485
				Dilution Factor: 1	MDL.....: 2	
Total Organic Carbon	0.8 B	1	mg/L	MCAWW 415.1	12/30/04	4365241
				Dilution Factor: 1	MDL.....: 0.08	

NOTE(S):

RL Reporting Limit

B Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS008

GC/MS Volatiles

Lot-Sample #....: A4L230127-006 Work Order #....: G1QP91CD Matrix.....: WG
 Date Sampled....: 12/21/04 15:01 Date Received...: 12/23/04
 Prep Date.....: 12/29/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4365190
 Dilution Factor: 1 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	4.0	1.0	ug/L	0.21
trans-1,2-Dichloroethene	0.21 J	1.0	ug/L	0.16
Chloromethane	ND	1.0	ug/L	0.14
Bromomethane	ND	1.0	ug/L	0.36
Vinyl chloride	ND	1.0	ug/L	0.21
Chloroethane	ND	1.0	ug/L	0.24
Methylene chloride	ND	1.0	ug/L	0.19
Acetone	ND	10	ug/L	0.74
Carbon disulfide	ND	1.0	ug/L	0.28
1,1-Dichloroethene	ND	1.0	ug/L	0.18
1,1-Dichloroethane	ND	1.0	ug/L	0.21
Chloroform	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.16
2-Butanone	ND	10	ug/L	0.39
1,1,1-Trichloroethane	ND	1.0	ug/L	0.21
Carbon tetrachloride	ND	1.0	ug/L	0.19
Bromodichloromethane	ND	1.0	ug/L	0.14
1,2-Dichloropropane	ND	1.0	ug/L	0.15
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.12
Trichloroethene	1.9	1.0	ug/L	0.28
Dibromochloromethane	ND	1.0	ug/L	0.19
1,1,2-Trichloroethane	ND	1.0	ug/L	0.22
Benzene	ND	1.0	ug/L	0.22
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.17
Bromoform	ND	1.0	ug/L	0.17
4-Methyl-2-pentanone	ND	10	ug/L	0.32
2-Hexanone	ND	10	ug/L	0.35
Tetrachloroethene	4.8	1.0	ug/L	0.19
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.22
Toluene	ND	1.0	ug/L	0.17
Chlorobenzene	ND	1.0	ug/L	0.20
Ethylbenzene	ND	1.0	ug/L	0.19
Styrene	ND	1.0	ug/L	0.13
Xylenes (total)	ND	2.0	ug/L	0.44

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	100	(73 - 122)
1,2-Dichloroethane-d4	95	(61 - 128)
Toluene-d8	102	(76 - 110)
4-Bromofluorobenzene	94	(74 - 116)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS008

GC/MS Volatiles

Lot-Sample #....: A4L230127-006 Work Order #....: G1QP91CD Matrix.....: WG

NOTE(S):

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS008

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-006 Work Order #....: G1QP91CE Matrix.....: WG
 Date Sampled....: 12/21/04 15:01 Date Received...: 12/23/04
 Prep Date.....: 12/27/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4362022
 Dilution Factor: 1 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	10	ug/L	0.028
Acenaphthylene	ND	10	ug/L	0.030
Acetophenone	ND	10	ug/L	0.19
Anthracene	ND	10	ug/L	0.030
Atrazine	ND	10	ug/L	0.36
Benzo(a)anthracene	ND	10	ug/L	0.028
Benzo(a)pyrene	ND	10	ug/L	0.022
Benzo(b)fluoranthene	ND	10	ug/L	0.043
Benzo(ghi)perylene	ND	10	ug/L	0.044
Benzo(k)fluoranthene	ND	10	ug/L	0.071
Benzaldehyde	ND	10	ug/L	0.17
1,1'-Biphenyl	ND	10	ug/L	0.30
bis(2-Chloroethoxy) methane	ND	10	ug/L	0.24
bis(2-Chloroethyl)- ether	ND	10	ug/L	0.19
bis(2-Ethylhexyl) phthalate	1.3 J,B	10	ug/L	0.36
4-Bromophenyl phenyl ether	ND	10	ug/L	0.29
Butyl benzyl phthalate	ND	10	ug/L	0.14
Caprolactam	ND	10	ug/L	0.73
Carbazole	ND	10	ug/L	0.17
4-Chloroaniline	ND	10	ug/L	0.31
4-Chloro-3-methylphenol	ND	10	ug/L	0.18
2-Chloronaphthalene	ND	10	ug/L	0.29
2-Chlorophenol	ND	10	ug/L	0.14
4-Chlorophenyl phenyl ether	ND	10	ug/L	0.21
Chrysene	ND	10	ug/L	0.035
Dibenz(a,h)anthracene	ND	10	ug/L	0.054
Dibenzofuran	ND	10	ug/L	0.025
3,3'-Dichlorobenzidine	ND	50	ug/L	0.19
2,4-Dichlorophenol	ND	10	ug/L	0.24
Diethyl phthalate	ND	10	ug/L	0.12
2,4-Dimethylphenol	ND	10	ug/L	0.23
Dimethyl phthalate	ND	10	ug/L	0.27
Di-n-butyl phthalate	ND	10	ug/L	0.13
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	1.8

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS008

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-006 Work Order #....: G1QP91CE Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2,4-Dinitrophenol	ND	50	ug/L	1.3
2,4-Dinitrotoluene	ND	10	ug/L	0.16
2,6-Dinitrotoluene	ND	10	ug/L	0.17
Di-n-octyl phthalate	ND	10	ug/L	0.16
Fluoranthene	ND	10	ug/L	0.024
Fluorene	ND	10	ug/L	0.035
Hexachlorobenzene	ND	10	ug/L	0.075
Hexachlorobutadiene	ND	10	ug/L	0.11
Hexachlorocyclopenta- diene	ND	50	ug/L	1.5
Hexachloroethane	ND	10	ug/L	0.21
Indeno(1,2,3-cd)pyrene	ND	10	ug/L	0.081
Isophorone	ND	10	ug/L	0.16
2-Methylnaphthalene	ND	10	ug/L	0.028
2-Methylphenol	ND	10	ug/L	0.15
4-Methylphenol	ND	10	ug/L	0.20
Naphthalene	ND	10	ug/L	0.031
2-Nitroaniline	ND	50	ug/L	0.18
3-Nitroaniline	ND	50	ug/L	0.094
4-Nitroaniline	ND	50	ug/L	0.11
Nitrobenzene	ND	10	ug/L	0.21
2-Nitrophenol	ND	10	ug/L	0.14
4-Nitrophenol	ND	50	ug/L	1.0
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	0.21
N-Nitrosodiphenylamine	ND	10	ug/L	0.18
2,2'-oxybis(1-Chloropropane)	ND	10	ug/L	0.21
Pentachlorophenol	ND	10	ug/L	2.0
Phenanthrene	ND	10	ug/L	0.044
Phenol	4.5 J	10	ug/L	0.14
Pyrene	ND	10	ug/L	0.051
2,4,5-Trichloro- phenol	ND	10	ug/L	0.13
2,4,6-Trichloro- phenol	ND	10	ug/L	0.16

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	66	(32 - 112)
2-Fluorobiphenyl	59	(30 - 110)
Terphenyl-d14	71	(10 - 144)
Phenol-d5	58	(10 - 113)
2-Fluorophenol	58	(13 - 110)
2,4,6-Tribromophenol	58	(21 - 122)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS008

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-006 Work Order #....: G1QP91CE Matrix.....: WG

NOTE(S):

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS008

TOTAL Metals

Lot-Sample #....: A4L230127-006

Matrix.....: WG

Date Sampled....: 12/21/04 15:01 Date Received...: 12/23/04

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #....: 4362038						
Calcium	159	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AT
		Dilution Factor: 1		MDL.....: 0.33		
Magnesium	48.3 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP91A0
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	1.5	0.015	mg/L	SW846 6010B	12/27-12/28/04	G1QP91A1
		Dilution Factor: 1		MDL.....: 0.0012		
Aluminum	0.053 B,J	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AM
		Dilution Factor: 1		MDL.....: 0.023		
Arsenic	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QP91A8
		Dilution Factor: 1		MDL.....: 0.0026		
Lead	ND	0.0030	mg/L	SW846 6010B	12/27-12/28/04	G1QP91A9
		Dilution Factor: 1		MDL.....: 0.0017		
Antimony	ND	0.060	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AN
		Dilution Factor: 1		MDL.....: 0.0041		
Barium	0.19 B	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AP
		Dilution Factor: 1		MDL.....: 0.00075		
Selenium	0.026	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AA
		Dilution Factor: 1		MDL.....: 0.0037		
Beryllium	0.00078 B,J	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AQ
		Dilution Factor: 1		MDL.....: 0.00043		
Thallium	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AC
		Dilution Factor: 1		MDL.....: 0.0045		
Cadmium	0.00061 B,J	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AR
		Dilution Factor: 1		MDL.....: 0.00028		
Chromium	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AU
		Dilution Factor: 1		MDL.....: 0.0019		
Cobalt	0.0035 B	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AV
		Dilution Factor: 1		MDL.....: 0.00096		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS008

TOTAL Metals

Lot-Sample #....: A4L230127-006

Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Copper	ND	0.025	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AW
		Dilution Factor: 1		MDL.....: 0.0023		
Iron	0.57	0.10	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AX
		Dilution Factor: 1		MDL.....: 0.049		
Nickel	0.0090 B	0.040	mg/L	SW846 6010B	12/27-12/28/04	G1QP91A2
		Dilution Factor: 1		MDL.....: 0.0025		
Potassium	9.5 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP91A3
		Dilution Factor: 1		MDL.....: 0.063		
Silver	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QP91A4
		Dilution Factor: 1		MDL.....: 0.00074		
Sodium	84.7	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP91A5
		Dilution Factor: 1		MDL.....: 0.54		
Vanadium	ND	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1QP91A6
		Dilution Factor: 1		MDL.....: 0.00071		
Zinc	ND	0.020	mg/L	SW846 6010B	12/27-12/28/04	G1QP91A7
		Dilution Factor: 1		MDL.....: 0.014		
Mercury	ND	0.00020	mg/L	SW846 7470A	12/27-12/28/04	G1QP91AD
		Dilution Factor: 1		MDL.....: 0.000029		

NOTE(S):

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

B Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS008

DISSOLVED Metals

Lot-Sample #...: A4L230127-006

Matrix.....: WG

Date Sampled...: 12/21/04 15:01 Date Received...: 12/23/04

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 4362038						
Calcium	155	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AE
		Dilution Factor: 1		MDL.....: 0.33		
Magnesium	47.1 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AF
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	1.2	0.015	mg/L	SW846 6010B	12/27-12/28/04	G1QP91AG
		Dilution Factor: 1		MDL.....: 0.0012		

NOTE(S):

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS008

General Chemistry

Lot-Sample #....: A4L230127-006 Work Order #....: G1QP9 Matrix.....: WG
 Date Sampled....: 12/21/04 15:01 Date Received...: 12/23/04

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphorus as orthophosphate	0.01 B	0.1	mg/L	MCAWW 365.2	12/23/04	4362173
				Dilution Factor: 1		
				MDL.....: 0.006		
Chemical Oxygen Demand (COD)	24.3	10.0	mg/L	MCAWW 410.4	12/28/04	4363430
				Dilution Factor: 1		
				MDL.....: 7.1		
Nitrate as N	1.0	0.10	mg/L	MCAWW 300.0A	12/23/04	4362292
				Dilution Factor: 1		
				MDL.....: 0.016		
Nitrogen, as Ammonia	0.1 B	0.2	mg/L	MCAWW 350.3	12/28/04	4363594
				Dilution Factor: 1		
				MDL.....: 0.07		
Total Kjeldahl Nitrogen	ND	3	mg/L	MCAWW 351.3	01/03/05	5003485
				Dilution Factor: 1		
				MDL.....: 2		
Total Organic Carbon	4	1	mg/L	MCAWW 415.1	12/30/04	4365241
				Dilution Factor: 1		
				MDL.....: 0.08		

NOTE(S):

RL Reporting Limit

B Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS013

GC/MS Volatiles

Lot-Sample #....: A4L230127-007 Work Order #....: G1QQC1AH Matrix.....: WG
 Date Sampled....: 12/21/04 13:07 Date Received...: 12/23/04
 Prep Date.....: 12/29/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4365251
 Dilution Factor: 1 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	0.87 J	1.0	ug/L	0.21
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.16
Chloromethane	ND	1.0	ug/L	0.14
Bromomethane	ND	1.0	ug/L	0.36
Vinyl chloride	ND	1.0	ug/L	0.21
Chloroethane	ND	1.0	ug/L	0.24
Methylene chloride	ND	1.0	ug/L	0.19
Acetone	ND	10	ug/L	0.74
Carbon disulfide	0.74 J	1.0	ug/L	0.28
1,1-Dichloroethene	ND	1.0	ug/L	0.18
1,1-Dichloroethane	ND	1.0	ug/L	0.21
Chloroform	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.16
2-Butanone	ND	10	ug/L	0.39
1,1,1-Trichloroethane	ND	1.0	ug/L	0.21
Carbon tetrachloride	ND	1.0	ug/L	0.19
Bromodichloromethane	ND	1.0	ug/L	0.14
1,2-Dichloropropane	ND	1.0	ug/L	0.15
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.28
Dibromochloromethane	ND	1.0	ug/L	0.19
1,1,2-Trichloroethane	ND	1.0	ug/L	0.22
Benzene	ND	1.0	ug/L	0.22
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.17
Bromoform	ND	1.0	ug/L	0.17
4-Methyl-2-pentanone	ND	10	ug/L	0.32
2-Hexanone	ND	10	ug/L	0.35
Tetrachloroethene	ND	1.0	ug/L	0.19
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.22
Toluene	ND	1.0	ug/L	0.17
Chlorobenzene	ND	1.0	ug/L	0.20
Ethylbenzene	ND	1.0	ug/L	0.19
Styrene	ND	1.0	ug/L	0.13
Xylenes (total)	ND	2.0	ug/L	0.44

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	111	(73 - 122)
1,2-Dichloroethane-d4	98	(61 - 128)
Toluene-d8	104	(76 - 110)
4-Bromofluorobenzene	89	(74 - 116)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS013

GC/MS Volatiles

Lot-Sample #....: A4L230127-007 Work Order #....: G1QQC1AH Matrix.....: WG

NOTE(S):

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS013

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-007 Work Order #....: G1QQC1AJ Matrix.....: WG
 Date Sampled....: 12/21/04 13:07 Date Received...: 12/23/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/04/05
 Prep Batch #....: 4362022
 Dilution Factor: 1 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	10	ug/L	0.028
Acenaphthylene	ND	10	ug/L	0.030
Acetophenone	1.5 J	10	ug/L	0.19
Anthracene	ND	10	ug/L	0.030
Atrazine	ND	10	ug/L	0.36
Benzo(a)anthracene	ND	10	ug/L	0.028
Benzo(a)pyrene	ND	10	ug/L	0.022
Benzo(b)fluoranthene	ND	10	ug/L	0.043
Benzo(ghi)perylene	ND	10	ug/L	0.044
Benzo(k)fluoranthene	ND	10	ug/L	0.071
Benzaldehyde	ND	10	ug/L	0.17
1,1'-Biphenyl	ND	10	ug/L	0.30
bis(2-Chloroethoxy) methane	ND	10	ug/L	0.24
bis(2-Chloroethyl)- ether	ND	10	ug/L	0.19
bis(2-Ethylhexyl) phthalate	24 B	10	ug/L	0.36
4-Bromophenyl phenyl ether	ND	10	ug/L	0.29
Butyl benzyl phthalate	ND	10	ug/L	0.14
Caprolactam	1.3 J	10	ug/L	0.73
Carbazole	ND	10	ug/L	0.17
4-Chloroaniline	ND	10	ug/L	0.31
4-Chloro-3-methylphenol	ND	10	ug/L	0.18
2-Chloronaphthalene	ND	10	ug/L	0.29
2-Chlorophenol	ND	10	ug/L	0.14
4-Chlorophenyl phenyl ether	ND	10	ug/L	0.21
Chrysene	ND	10	ug/L	0.035
Dibenz(a,h)anthracene	ND	10	ug/L	0.054
Dibenzofuran	ND	10	ug/L	0.025
3,3'-Dichlorobenzidine	ND	50	ug/L	0.19
2,4-Dichlorophenol	ND	10	ug/L	0.24
Diethyl phthalate	ND	10	ug/L	0.12
2,4-Dimethylphenol	ND	10	ug/L	0.23
Dimethyl phthalate	ND	10	ug/L	0.27
Di-n-butyl phthalate	1.8 J	10	ug/L	0.13
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	1.8

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS013

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-007 Work Order #....: G1QQC1AJ Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2,4-Dinitrophenol	ND	50	ug/L	1.3
2,4-Dinitrotoluene	ND	10	ug/L	0.16
2,6-Dinitrotoluene	ND	10	ug/L	0.17
Di-n-octyl phthalate	ND	10	ug/L	0.16
Fluoranthene	ND	10	ug/L	0.024
Fluorene	ND	10	ug/L	0.035
Hexachlorobenzene	ND	10	ug/L	0.075
Hexachlorobutadiene	ND	10	ug/L	0.11
Hexachlorocyclopenta- diene	ND	50	ug/L	1.5
Hexachloroethane	ND	10	ug/L	0.21
Indeno (1,2,3-cd) pyrene	ND	10	ug/L	0.081
Isophorone	ND	10	ug/L	0.16
2-Methylnaphthalene	ND	10	ug/L	0.028
2-Methylphenol	ND	10	ug/L	0.15
4-Methylphenol	ND	10	ug/L	0.20
Naphthalene	ND	10	ug/L	0.031
2-Nitroaniline	ND	50	ug/L	0.18
3-Nitroaniline	ND	50	ug/L	0.094
4-Nitroaniline	ND	50	ug/L	0.11
Nitrobenzene	ND	10	ug/L	0.21
2-Nitrophenol	ND	10	ug/L	0.14
4-Nitrophenol	ND	50	ug/L	1.0
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	0.21
N-Nitrosodiphenylamine	ND	10	ug/L	0.18
2,2'-oxybis(1-Chloropropane)	ND	10	ug/L	0.21
Pentachlorophenol	ND	10	ug/L	2.0
Phenanthrene	ND	10	ug/L	0.044
Phenol	6.2 J	10	ug/L	0.14
Pyrene	ND	10	ug/L	0.051
2,4,5-Trichloro- phenol	ND	10	ug/L	0.13
2,4,6-Trichloro- phenol	ND	10	ug/L	0.16

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	89	(32 - 112)
2-Fluorobiphenyl	74	(30 - 110)
Terphenyl-d14	96	(10 - 144)
Phenol-d5	83	(10 - 113)
2-Fluorophenol	78	(13 - 110)
2,4,6-Tribromophenol	76	(21 - 122)

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS013

GC/MS Semivolatiles

Lot-Sample #....: A4L230127-007 Work Order #....: G1QQC1AJ Matrix.....: WG

NOTE(S):

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS013

TOTAL Metals

Lot-Sample #....: A4L230127-007

Matrix.....: WG

Date Sampled....: 12/21/04 13:07 Date Received...: 12/23/04

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #....: 4362038						
Calcium	129	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AQ
		Dilution Factor: 1		MDL.....: 0.33		
Magnesium	35.1 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AW
		Dilution Factor: 1		MDL.....: 0.024		
Manganese	1.7	0.015	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AX
		Dilution Factor: 1		MDL.....: 0.0012		
Aluminum	0.054 B,J	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AK
		Dilution Factor: 1		MDL.....: 0.023		
Arsenic	0.015	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AG
		Dilution Factor: 1		MDL.....: 0.0026		
Lead	ND	0.0030	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1A7
		Dilution Factor: 1		MDL.....: 0.0017		
Antimony	ND	0.060	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AL
		Dilution Factor: 1		MDL.....: 0.0041		
Barium	0.33	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AM
		Dilution Factor: 1		MDL.....: 0.00075		
Selenium	0.0048 B	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AA
		Dilution Factor: 1		MDL.....: 0.0037		
Beryllium	0.00079 B,J	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AN
		Dilution Factor: 1		MDL.....: 0.00043		
Thallium	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AC
		Dilution Factor: 1		MDL.....: 0.0045		
Cadmium	ND	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AP
		Dilution Factor: 1		MDL.....: 0.00028		
Chromium	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AR
		Dilution Factor: 1		MDL.....: 0.0019		
Cobalt	ND	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AT
		Dilution Factor: 1		MDL.....: 0.00096		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: GW122104DS013

TOTAL Metals

Lot-Sample #....: A4L230127-007

Matrix.....: WG

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Copper	ND	0.025	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AU
		Dilution Factor: 1		MDL.....: 0.0023		
Iron	17.5	0.10	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1AV
		Dilution Factor: 1		MDL.....: 0.049		
Nickel	ND	0.040	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1A0
		Dilution Factor: 1		MDL.....: 0.0025		
Potassium	7.7 J	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1A1
		Dilution Factor: 1		MDL.....: 0.063		
Silver	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1A2
		Dilution Factor: 1		MDL.....: 0.00074		
Sodium	43.5	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1A3
		Dilution Factor: 1		MDL.....: 0.54		
Vanadium	ND	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1A4
		Dilution Factor: 1		MDL.....: 0.00071		
Zinc	ND	0.020	mg/L	SW846 6010B	12/27-12/28/04	G1QQC1A5
		Dilution Factor: 1		MDL.....: 0.014		
Mercury	ND	0.00020	mg/L	SW846 7470A	12/27-12/28/04	G1QQC1AD
		Dilution Factor: 1		MDL.....: 0.000029		

NOTE(S):

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

B Estimated result. Result is less than RL.

QUALITY CONTROL SECTION

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L230127
 MB Lot-Sample #: A4L300000-190
 Analysis Date...: 12/29/04
 Dilution Factor: 1

Work Order #....: G10731AA
 Prep Date.....: 12/29/04
 Prep Batch #....: 4365190

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
cis-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
trans-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
Chloromethane	ND	1.0	ug/L	SW846 8260B
Bromomethane	ND	1.0	ug/L	SW846 8260B
Vinyl chloride	ND	1.0	ug/L	SW846 8260B
Chloroethane	ND	1.0	ug/L	SW846 8260B
Methylene chloride	ND	1.0	ug/L	SW846 8260B
Acetone	ND	10	ug/L	SW846 8260B
Carbon disulfide	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethene	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B
Chloroform	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethane	ND	1.0	ug/L	SW846 8260B
2-Butanone	ND	10	ug/L	SW846 8260B
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Carbon tetrachloride	ND	1.0	ug/L	SW846 8260B
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
cis-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Trichloroethene	ND	1.0	ug/L	SW846 8260B
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Benzene	ND	1.0	ug/L	SW846 8260B
trans-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Bromoform	ND	1.0	ug/L	SW846 8260B
4-Methyl-2-pentanone	ND	10	ug/L	SW846 8260B
2-Hexanone	ND	10	ug/L	SW846 8260B
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
Toluene	ND	1.0	ug/L	SW846 8260B
Chlorobenzene	ND	1.0	ug/L	SW846 8260B
Ethylbenzene	ND	1.0	ug/L	SW846 8260B
Styrene	ND	1.0	ug/L	SW846 8260B
Xylenes (total)	ND	2.0	ug/L	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	97	(73 - 122)
1,2-Dichloroethane-d4	94	(61 - 128)
Toluene-d8	100	(76 - 110)
4-Bromofluorobenzene	99	(74 - 116)

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L230127

Work Order #....: G10731AA

Matrix.....: WATER

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L230127
MB Lot-Sample #: A4L300000-251

Work Order #....: G11JL1AA

Matrix.....: WATER

Analysis Date...: 12/29/04
Dilution Factor: 1

Prep Date.....: 12/29/04

Prep Batch #....: 4365251

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
cis-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
trans-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
Chloromethane	ND	1.0	ug/L	SW846 8260B
Bromomethane	ND	1.0	ug/L	SW846 8260B
Vinyl chloride	ND	1.0	ug/L	SW846 8260B
Chloroethane	ND	1.0	ug/L	SW846 8260B
Methylene chloride	ND	1.0	ug/L	SW846 8260B
Acetone	ND	10	ug/L	SW846 8260B
Carbon disulfide	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethene	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B
Chloroform	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethane	ND	1.0	ug/L	SW846 8260B
2-Butanone	ND	10	ug/L	SW846 8260B
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Carbon tetrachloride	ND	1.0	ug/L	SW846 8260B
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
cis-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Trichloroethene	ND	1.0	ug/L	SW846 8260B
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Benzene	ND	1.0	ug/L	SW846 8260B
trans-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Bromoform	ND	1.0	ug/L	SW846 8260B
4-Methyl-2-pentanone	ND	10	ug/L	SW846 8260B
2-Hexanone	ND	10	ug/L	SW846 8260B
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
Toluene	ND	1.0	ug/L	SW846 8260B
Chlorobenzene	ND	1.0	ug/L	SW846 8260B
Ethylbenzene	ND	1.0	ug/L	SW846 8260B
Styrene	ND	1.0	ug/L	SW846 8260B
Xylenes (total)	ND	2.0	ug/L	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	106	(73 - 122)
1,2-Dichloroethane-d4	94	(61 - 128)
Toluene-d8	102	(76 - 110)
4-Bromofluorobenzene	91	(74 - 116)

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L230127

Work Order #....: G11JL1AA

Matrix.....: WATER

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L230127
MB Lot-Sample #: A4L270000-021

Work Order #....: G1Q7A1AA

Matrix.....: WATER

Analysis Date...: 01/04/05
Dilution Factor: 1

Prep Date.....: 12/27/04

Prep Batch #....: 4362021

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Acenaphthene	ND	10	ug/L	SW846 8270C
Acenaphthylene	ND	10	ug/L	SW846 8270C
Acetophenone	ND	10	ug/L	SW846 8270C
Anthracene	ND	10	ug/L	SW846 8270C
Atrazine	ND	10	ug/L	SW846 8270C
Benzo(a)anthracene	ND	10	ug/L	SW846 8270C
Benzo(a)pyrene	ND	10	ug/L	SW846 8270C
Benzo(b)fluoranthene	ND	10	ug/L	SW846 8270C
Benzo(ghi)perylene	ND	10	ug/L	SW846 8270C
Benzo(k)fluoranthene	ND	10	ug/L	SW846 8270C
Benzaldehyde	ND	10	ug/L	SW846 8270C
1,1'-Biphenyl	ND	10	ug/L	SW846 8270C
bis(2-Chloroethoxy) methane	ND	10	ug/L	SW846 8270C
bis(2-Chloroethyl)- ether	ND	10	ug/L	SW846 8270C
bis(2-Ethylhexyl) phthalate	0.91 J	10	ug/L	SW846 8270C
4-Bromophenyl phenyl ether	ND	10	ug/L	SW846 8270C
Butyl benzyl phthalate	ND	10	ug/L	SW846 8270C
Caprolactam	ND	10	ug/L	SW846 8270C
Carbazole	ND	10	ug/L	SW846 8270C
4-Chloroaniline	ND	10	ug/L	SW846 8270C
4-Chloro-3-methylphenol	ND	10	ug/L	SW846 8270C
2-Chloronaphthalene	ND	10	ug/L	SW846 8270C
2-Chlorophenol	ND	10	ug/L	SW846 8270C
4-Chlorophenyl phenyl ether	ND	10	ug/L	SW846 8270C
Chrysene	ND	10	ug/L	SW846 8270C
Dibenz(a,h)anthracene	ND	10	ug/L	SW846 8270C
Dibenzofuran	ND	10	ug/L	SW846 8270C
3,3'-Dichlorobenzidine	ND	50	ug/L	SW846 8270C
2,4-Dichlorophenol	ND	10	ug/L	SW846 8270C
Diethyl phthalate	ND	10	ug/L	SW846 8270C
2,4-Dimethylphenol	ND	10	ug/L	SW846 8270C
Dimethyl phthalate	ND	10	ug/L	SW846 8270C
Di-n-butyl phthalate	ND	10	ug/L	SW846 8270C
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	SW846 8270C
2,4-Dinitrophenol	ND	50	ug/L	SW846 8270C

(Continued on next page)

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L230127

Work Order #....: G1Q7A1AA

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
2,4-Dinitrotoluene	ND	10	ug/L	SW846 8270C
2,6-Dinitrotoluene	ND	10	ug/L	SW846 8270C
Di-n-octyl phthalate	ND	10	ug/L	SW846 8270C
Fluoranthene	ND	10	ug/L	SW846 8270C
Fluorene	ND	10	ug/L	SW846 8270C
Hexachlorobenzene	ND	10	ug/L	SW846 8270C
Hexachlorobutadiene	ND	10	ug/L	SW846 8270C
Hexachlorocyclopenta- diene	ND	50	ug/L	SW846 8270C
Hexachloroethane	ND	10	ug/L	SW846 8270C
Indeno(1,2,3-cd)pyrene	ND	10	ug/L	SW846 8270C
Isophorone	ND	10	ug/L	SW846 8270C
2-Methylnaphthalene	ND	10	ug/L	SW846 8270C
2-Methylphenol	ND	10	ug/L	SW846 8270C
4-Methylphenol	ND	10	ug/L	SW846 8270C
Naphthalene	ND	10	ug/L	SW846 8270C
2-Nitroaniline	ND	50	ug/L	SW846 8270C
3-Nitroaniline	ND	50	ug/L	SW846 8270C
4-Nitroaniline	ND	50	ug/L	SW846 8270C
Nitrobenzene	ND	10	ug/L	SW846 8270C
2-Nitrophenol	ND	10	ug/L	SW846 8270C
4-Nitrophenol	ND	50	ug/L	SW846 8270C
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	SW846 8270C
N-Nitrosodiphenylamine	ND	10	ug/L	SW846 8270C
2,2'-oxybis(1-Chloropropa	ND	10	ug/L	SW846 8270C
Pentachlorophenol	ND	10	ug/L	SW846 8270C
Phenanthrene	ND	10	ug/L	SW846 8270C
Phenol	ND	10	ug/L	SW846 8270C
Pyrene	ND	10	ug/L	SW846 8270C
2,4,5-Trichloro- phenol	ND	10	ug/L	SW846 8270C
2,4,6-Trichloro- phenol	ND	10	ug/L	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	60	(32 - 112)
2-Fluorobiphenyl	53	(30 - 110)
Terphenyl-d14	72	(10 - 144)
Phenol-d5	55	(10 - 113)
2-Fluorophenol	48	(13 - 110)
2,4,6-Tribromophenol	50	(21 - 122)

(Continued on next page)

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #...: A4L230127

Work Order #...: G1Q7A1AA

Matrix.....: WATER

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

J Estimated result. Result is less than RL.

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #...: A4L230127
 MB Lot-Sample #: A4L270000-022
 Analysis Date...: 12/29/04
 Dilution Factor: 1

Work Order #...: G1Q7C1AA
 Prep Date.....: 12/27/04
 Prep Batch #...: 4362022

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Acenaphthene	ND	10	ug/L	SW846 8270C
Acenaphthylene	ND	10	ug/L	SW846 8270C
Acetophenone	ND	10	ug/L	SW846 8270C
Anthracene	ND	10	ug/L	SW846 8270C
Atrazine	ND	10	ug/L	SW846 8270C
Benzo(a)anthracene	ND	10	ug/L	SW846 8270C
Benzo(a)pyrene	ND	10	ug/L	SW846 8270C
Benzo(b)fluoranthene	ND	10	ug/L	SW846 8270C
Benzo(ghi)perylene	ND	10	ug/L	SW846 8270C
Benzo(k)fluoranthene	ND	10	ug/L	SW846 8270C
Benzaldehyde	ND	10	ug/L	SW846 8270C
1,1'-Biphenyl	ND	10	ug/L	SW846 8270C
bis(2-Chloroethoxy) methane	ND	10	ug/L	SW846 8270C
bis(2-Chloroethyl)- ether	ND	10	ug/L	SW846 8270C
bis(2-Ethylhexyl) phthalate	1.3 J	10	ug/L	SW846 8270C
4-Bromophenyl phenyl ether	ND	10	ug/L	SW846 8270C
Butyl benzyl phthalate	ND	10	ug/L	SW846 8270C
Caprolactam	ND	10	ug/L	SW846 8270C
Carbazole	ND	10	ug/L	SW846 8270C
4-Chloroaniline	ND	10	ug/L	SW846 8270C
4-Chloro-3-methylphenol	ND	10	ug/L	SW846 8270C
2-Chloronaphthalene	ND	10	ug/L	SW846 8270C
2-Chlorophenol	ND	10	ug/L	SW846 8270C
4-Chlorophenyl phenyl ether	ND	10	ug/L	SW846 8270C
Chrysene	ND	10	ug/L	SW846 8270C
Dibenz(a,h)anthracene	ND	10	ug/L	SW846 8270C
Dibenzofuran	ND	10	ug/L	SW846 8270C
3,3'-Dichlorobenzidine	ND	50	ug/L	SW846 8270C
2,4-Dichlorophenol	ND	10	ug/L	SW846 8270C
Diethyl phthalate	ND	10	ug/L	SW846 8270C
2,4-Dimethylphenol	ND	10	ug/L	SW846 8270C
Dimethyl phthalate	ND	10	ug/L	SW846 8270C
Di-n-butyl phthalate	ND	10	ug/L	SW846 8270C
4,6-Dinitro- 2-methylphenol	ND	50	ug/L	SW846 8270C
2,4-Dinitrophenol	ND	50	ug/L	SW846 8270C

(Continued on next page)

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L230127

Work Order #....: G1Q7C1AA

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
2,4-Dinitrotoluene	ND	10	ug/L	SW846 8270C
2,6-Dinitrotoluene	ND	10	ug/L	SW846 8270C
Di-n-octyl phthalate	ND	10	ug/L	SW846 8270C
Fluoranthene	ND	10	ug/L	SW846 8270C
Fluorene	ND	10	ug/L	SW846 8270C
Hexachlorobenzene	ND	10	ug/L	SW846 8270C
Hexachlorobutadiene	ND	10	ug/L	SW846 8270C
Hexachlorocyclopenta- diene	ND	50	ug/L	SW846 8270C
Hexachloroethane	ND	10	ug/L	SW846 8270C
Indeno(1,2,3-cd)pyrene	ND	10	ug/L	SW846 8270C
Isophorone	ND	10	ug/L	SW846 8270C
2-Methylnaphthalene	ND	10	ug/L	SW846 8270C
2-Methylphenol	ND	10	ug/L	SW846 8270C
4-Methylphenol	ND	10	ug/L	SW846 8270C
Naphthalene	ND	10	ug/L	SW846 8270C
2-Nitroaniline	ND	50	ug/L	SW846 8270C
3-Nitroaniline	ND	50	ug/L	SW846 8270C
4-Nitroaniline	ND	50	ug/L	SW846 8270C
Nitrobenzene	ND	10	ug/L	SW846 8270C
2-Nitrophenol	ND	10	ug/L	SW846 8270C
4-Nitrophenol	ND	50	ug/L	SW846 8270C
N-Nitrosodi-n-propyl- amine	ND	10	ug/L	SW846 8270C
N-Nitrosodiphenylamine	ND	10	ug/L	SW846 8270C
2,2'-oxybis(1-Chloropropa	ND	10	ug/L	SW846 8270C
Pentachlorophenol	ND	10	ug/L	SW846 8270C
Phenanthrene	ND	10	ug/L	SW846 8270C
Phenol	ND	10	ug/L	SW846 8270C
Pyrene	ND	10	ug/L	SW846 8270C
2,4,5-Trichloro- phenol	ND	10	ug/L	SW846 8270C
2,4,6-Trichloro- phenol	ND	10	ug/L	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	76	(32 - 112)
2-Fluorobiphenyl	63	(30 - 110)
Terphenyl-d14	82	(10 - 144)
Phenol-d5	67	(10 - 113)
2-Fluorophenol	65	(13 - 110)
2,4,6-Tribromophenol	58	(21 - 122)

(Continued on next page)

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L230127

Work Order #....: G1Q7C1AA

Matrix.....: WATER

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Estimated result. Result is less than RL.

METHOD BLANK REPORT

TOTAL Metals

Client Lot #....: A4L230127

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MB Lot-Sample #: A4L270000-038 Prep Batch #....: 4362038						
Calcium	ND	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AG
		Dilution Factor: 1				
Magnesium	0.040 B	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AM
		Dilution Factor: 1				
Manganese	ND	0.015	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AN
		Dilution Factor: 1				
Aluminum	0.051 B	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AA
		Dilution Factor: 1				
Arsenic	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AW
		Dilution Factor: 1				
Antimony	ND	0.060	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AC
		Dilution Factor: 1				
Lead	ND	0.0030	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AX
		Dilution Factor: 1				
Barium	ND	0.20	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AD
		Dilution Factor: 1				
Selenium	ND	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AO
		Dilution Factor: 1				
Beryllium	0.00064 B	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AE
		Dilution Factor: 1				
Thallium	0.0075 B	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AI
		Dilution Factor: 1				
Cadmium	0.00053 B	0.0050	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AF
		Dilution Factor: 1				
Chromium	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AH
		Dilution Factor: 1				
Cobalt	ND	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AJ
		Dilution Factor: 1				
Copper	ND	0.025	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AK
		Dilution Factor: 1				

(Continued on next page)

METHOD BLANK REPORT

TOTAL Metals

Client Lot #....: A4L230127

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Iron	ND	0.10	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AL
		Dilution Factor: 1				
Nickel	ND	0.040	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AP
		Dilution Factor: 1				
Potassium	0.17 B	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AQ
		Dilution Factor: 1				
Silver	ND	0.010	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AR
		Dilution Factor: 1				
Sodium	ND	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AT
		Dilution Factor: 1				
Vanadium	ND	0.050	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AU
		Dilution Factor: 1				
Zinc	0.022	0.020	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1AV
		Dilution Factor: 1				
Mercury	ND	0.00020	mg/L	SW846 7470A	12/27-12/28/04	G1Q7N1A2
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

B Estimated result. Result is less than RL.

METHOD BLANK REPORT

DISSOLVED Metals

Client Lot #....: A4L230127

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MB Lot-Sample #: A4L270000-038 Prep Batch #....: 4362038						
Calcium	ND	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1CU
		Dilution Factor: 1				
Magnesium	0.040 B	5.0	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1CV
		Dilution Factor: 1				
Manganese	ND	0.015	mg/L	SW846 6010B	12/27-12/28/04	G1Q7N1CW
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

B Estimated result. Result is less than RL.

METHOD BLANK REPORT

General Chemistry

Client Lot #....: A4L230127

Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Chemical Oxygen Demand (COD)	ND	10.0	mg/L	MCAWW 410.4	12/28/04	4363430
		Work Order #: G1V7X1AA MB Lot-Sample #: A4L280000-430				
		Dilution Factor: 1				
Nitrate as N	ND	0.10	mg/L	MCAWW 300.0A	12/22/04	4362292
		Work Order #: G1R4D1AA MB Lot-Sample #: A4L270000-292				
		Dilution Factor: 1				
Nitrogen, as Ammonia	ND	0.2	mg/L	MCAWW 350.3	12/28/04	4363594
		Work Order #: G1WP81AA MB Lot-Sample #: A4L280000-594				
		Dilution Factor: 1				
Phosphorus as orthophosphate	ND	0.1	mg/L	MCAWW 365.2	12/23/04	4362173
		Work Order #: G1RMV1AA MB Lot-Sample #: A4L270000-173				
		Dilution Factor: 1				
Total Kjeldahl Nitrogen	ND	3	mg/L	MCAWW 351.3	01/03/05	5003485
		Work Order #: G13RW1AA MB Lot-Sample #: A5A030000-485				
		Dilution Factor: 1				
Total Organic Carbon	ND	1	mg/L	MCAWW 415.1	12/30/04	4365241
		Work Order #: G11GE1AA MB Lot-Sample #: A4L300000-241				
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: A4L230127 Work Order #...: G10731AC-LCS Matrix.....: WATER
 LCS Lot-Sample#: A4L300000-190 G10731AD-LCSD
 Prep Date.....: 12/29/04 Analysis Date...: 12/29/04
 Prep Batch #...: 4365190
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	101	(63 - 130)			SW846 8260B
	101	(63 - 130)	0.82	(0-20)	SW846 8260B
Trichloroethene	98	(75 - 122)			SW846 8260B
	97	(75 - 122)	0.65	(0-20)	SW846 8260B
Benzene	99	(80 - 116)			SW846 8260B
	97	(80 - 116)	1.5	(0-20)	SW846 8260B
Toluene	96	(74 - 119)			SW846 8260B
	94	(74 - 119)	1.7	(0-20)	SW846 8260B
Chlorobenzene	94	(76 - 117)			SW846 8260B
	96	(76 - 117)	1.1	(0-20)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	99	(73 - 122)
	100	(73 - 122)
1,2-Dichloroethane-d4	102	(61 - 128)
	100	(61 - 128)
Toluene-d8	99	(76 - 110)
	99	(76 - 110)
4-Bromofluorobenzene	98	(74 - 116)
	99	(74 - 116)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.
 Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L230127 Work Order #....: G11JL1AC-LCS Matrix.....: WATER
 LCS Lot-Sample#: A4L300000-251 G11JL1AD-LCSD
 Prep Date.....: 12/29/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4365251
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	101	(63 - 130)			SWB46 8260B
	105	(63 - 130)	3.6	(0-20)	SWB46 8260B
Trichloroethene	94	(75 - 122)			SWB46 8260B
	98	(75 - 122)	3.8	(0-20)	SWB46 8260B
Benzene	96	(80 - 116)			SWB46 8260B
	99	(80 - 116)	3.1	(0-20)	SWB46 8260B
Toluene	96	(74 - 119)			SWB46 8260B
	99	(74 - 119)	3.1	(0-20)	SWB46 8260B
Chlorobenzene	95	(76 - 117)			SWB46 8260B
	96	(76 - 117)	1.6	(0-20)	SWB46 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	101	(73 - 122)
	101	(73 - 122)
1,2-Dichloroethane-d4	90	(61 - 128)
	89	(61 - 128)
Toluene-d8	104	(76 - 110)
	105	(76 - 110)
4-Bromofluorobenzene	99	(74 - 116)
	100	(74 - 116)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L230127 Work Order #....: G1Q7A1AC Matrix.....: WATER
 LCS Lot-Sample#: A4L270000-021
 Prep Date.....: 12/27/04 Analysis Date...: 01/04/05
 Prep Batch #....: 4362021
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
Acenaphthene	75	(39 - 118)	SW846 8270C
1,2,4-Trichloro- benzene	56	(31 - 110)	SW846 8270C
1,4-Dichlorobenzene	46	(28 - 110)	SW846 8270C
4-Chloro-3-methylphenol	62	(29 - 124)	SW846 8270C
2-Chlorophenol	70	(19 - 124)	SW846 8270C
2,4-Dinitrotoluene	74	(47 - 131)	SW846 8270C
4-Nitrophenol	49	(19 - 144)	SW846 8270C
N-Nitrosodi-n-propyl- amine	83	(30 - 115)	SW846 8270C
Pentachlorophenol	38	(10 - 140)	SW846 8270C
Phenol	47	(10 - 131)	SW846 8270C
Pyrene	71	(46 - 130)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	81	(32 - 112)
2-Fluorobiphenyl	75	(30 - 110)
Terphenyl-d14	80	(10 - 144)
Phenol-d5	67	(10 - 113)
2-Fluorophenol	58	(13 - 110)
2,4,6-Tribromophenol	71	(21 - 122)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L230127 Work Order #....: G1Q7C1AC-LCS Matrix.....: WATER
 LCS Lot-Sample#: A4L270000-022 G1Q7C1AD-LCSD
 Prep Date.....: 12/27/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4362022
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Acenaphthene	68	(39 - 118)			SW846 8270C
	72	(39 - 118)	6.8	(0-35)	SW846 8270C
1,2,4-Trichloro- benzene	51	(31 - 110)			SW846 8270C
	55	(31 - 110)	6.6	(0-37)	SW846 8270C
1,4-Dichlorobenzene	55	(28 - 110)			SW846 8270C
	62	(28 - 110)	12	(0-36)	SW846 8270C
4-Chloro-3-methylphenol	65	(29 - 124)			SW846 8270C
	66	(29 - 124)	0.57	(0-55)	SW846 8270C
2-Chlorophenol	66	(19 - 124)			SW846 8270C
	71	(19 - 124)	7.2	(0-43)	SW846 8270C
2,4-Dinitrotoluene	75	(47 - 131)			SW846 8270C
	78	(47 - 131)	4.5	(0-32)	SW846 8270C
4-Nitrophenol	64	(19 - 144)			SW846 8270C
	63	(19 - 144)	1.3	(0-34)	SW846 8270C
N-Nitrosodi-n-propyl- amine	76	(30 - 115)			SW846 8270C
	85	(30 - 115)	11	(0-36)	SW846 8270C
Pentachlorophenol	67	(10 - 140)			SW846 8270C
	69	(10 - 140)	2.4	(0-56)	SW846 8270C
Phenol	64	(10 - 131)			SW846 8270C
	70	(10 - 131)	8.8	(0-43)	SW846 8270C
Pyrene	84	(46 - 130)			SW846 8270C
	84	(46 - 130)	0.91	(0-31)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	72	(32 - 112)
	76	(32 - 112)
2-Fluorobiphenyl	64	(30 - 110)
	66	(30 - 110)
Terphenyl-d14	84	(10 - 144)
	82	(10 - 144)
Phenol-d5	67	(10 - 113)
	70	(10 - 113)
2-Fluorophenol	63	(13 - 110)
	70	(13 - 110)
2,4,6-Tribromophenol	67	(21 - 122)

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #...: A4L230127 Work Order #...: G1Q7C1AC-LCS Matrix.....: WATER
LCS Lot-Sample#: A4L270000-022 G1Q7C1AD-LCSD

<u>SURROGATE</u>	<u>PERCENT</u> <u>RECOVERY</u>	<u>RECOVERY</u> <u>LIMITS</u>
	67	(21 - 122)

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L230127

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
LCS Lot-Sample#: A4L270000-038 Prep Batch #....: 4362038					
Calcium	88	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1A8
Magnesium	90	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CE
Manganese	94	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CF
Aluminum	97	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1A3
Arsenic	91	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CN
Antimony	94	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1A4
Lead	90	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CP
Barium	93	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1A5
Selenium	99	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CQ
Beryllium	95	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1A6
Thallium	92	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CR
Cadmium	91	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1A7
Chromium	90	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1A9
Cobalt	89	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CA

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L230127

Matrix.....: WATER

<u>PARAMETER</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Copper	96	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CC
Iron	98	(77 - 127)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CD
Nickel	91	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CG
Potassium	97	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CH
Silver	101	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CJ
Sodium	87	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CK
Vanadium	88	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CL
Zinc	95	(80 - 120)	SW846 6010B Dilution Factor: 1	12/27-12/28/04	G1Q7N1CM
Mercury	106	(82 - 131)	SW846 7470A Dilution Factor: 1	12/27-12/28/04	G1Q7N1CT

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

DISSOLVED Metals

Client Lot #...: A4L230127

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
LCS Lot-Sample#: A4L270000-038 Prep Batch #...: 4362038					
Calcium	88	(80 - 120)	SW846 6010B	12/27-12/28/04	G1Q7N1D2
		Dilution Factor: 1			
Magnesium	90	(80 - 120)	SW846 6010B	12/27-12/28/04	G1Q7N1D3
		Dilution Factor: 1			
Manganese	94	(80 - 120)	SW846 6010B	12/27-12/28/04	G1Q7N1D4
		Dilution Factor: 1			

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

General Chemistry

Lot-Sample #....: A4L230127

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Chemical Oxygen Demand (COD)						
WO#:G1V7X1AC-LCS/G1V7X1AD-LCSD LCS Lot-Sample#: A4L280000-430						
	97	(90 - 110)		MCAWW 410.4	12/28/04	4363430
	94	(90 - 110)	2.6 (0-20)	MCAWW 410.4	12/28/04	4363430
Dilution Factor: 1						
Nitrate as N						
WO#:G1R4D1AC-LCS/G1R4D1AD-LCSD LCS Lot-Sample#: A4L270000-292						
	98	(90 - 110)		MCAWW 300.0A	12/22/04	4362292
	100	(90 - 110)	1.1 (0-20)	MCAWW 300.0A	12/22/04	4362292
Dilution Factor: 1						
Total Kjeldahl Nitrogen						
WO#:G13RW1AC-LCS/G13RW1AD-LCSD LCS Lot-Sample#: A5A030000-485						
	88	(65 - 144)		MCAWW 351.3	01/03/05	5003485
	102	(65 - 144)	15 (0-20)	MCAWW 351.3	01/03/05	5003485
Dilution Factor: 1						

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #....: A4L230127

Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Nitrogen, as Ammonia	97	Work Order #: G1WP81AC (85 - 114)	LCS Lot-Sample#: A4L280000-594 MCAWW 350.3	12/28/04	4363594
		Dilution Factor: 1			
Phosphorus as orthophosphate	97	Work Order #: G1RMV1AC (89 - 115)	LCS Lot-Sample#: A4L270000-173 MCAWW 365.2	12/23/04	4362173
		Dilution Factor: 1			
Total Organic Carbon	108	Work Order #: G11GE1AC (88 - 115)	LCS Lot-Sample#: A4L300000-241 MCAWW 415.1	12/30/04	4365241
		Dilution Factor: 1			

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L230127 Work Order #....: G1EPH1A1-MS Matrix.....: WATER
 MS Lot-Sample #: A4L170425-008 G1EPH1A2-MSD
 Date Sampled....: 12/16/04 11:30 Date Received...: 12/17/04
 Prep Date.....: 12/29/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4365190
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	126	(62 - 130)			SW846 8260B
	118	(62 - 130)	6.3	(0-20)	SW846 8260B
Trichloroethene	105	(62 - 130)			SW846 8260B
	101	(62 - 130)	4.0	(0-20)	SW846 8260B
Benzene	103	(78 - 118)			SW846 8260B
	99	(78 - 118)	4.1	(0-20)	SW846 8260B
Toluene	102	(70 - 119)			SW846 8260B
	99	(70 - 119)	3.4	(0-20)	SW846 8260B
Chlorobenzene	98	(76 - 117)			SW846 8260B
	97	(76 - 117)	1.1	(0-20)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	99	(73 - 122)
	98	(73 - 122)
1,2-Dichloroethane-d4	102	(61 - 128)
	96	(61 - 128)
Toluene-d8	105	(76 - 110)
	103	(76 - 110)
4-Bromofluorobenzene	95	(74 - 116)
	94	(74 - 116)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.
 Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L230127 Work Order #....: G1KJL1AC-MS Matrix.....: WATER
 MS Lot-Sample #: A4L210138-001 G1KJL1AD-MSD
 Date Sampled....: 12/20/04 09:20 Date Received...: 12/21/04
 Prep Date.....: 12/29/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4365251
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	103	(62 - 130)			SW846 8260B
	107	(62 - 130)	3.4	(0-20)	SW846 8260B
Trichloroethene	90	(62 - 130)			SW846 8260B
	98	(62 - 130)	7.7	(0-20)	SW846 8260B
Benzene	97	(78 - 118)			SW846 8260B
	107	(78 - 118)	9.4	(0-20)	SW846 8260B
Toluene	94	(70 - 119)			SW846 8260B
	104	(70 - 119)	10	(0-20)	SW846 8260B
Chlorobenzene	91	(76 - 117)			SW846 8260B
	102	(76 - 117)	11	(0-20)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	106	(73 - 122)
	105	(73 - 122)
1,2-Dichloroethane-d4	95	(61 - 128)
	96	(61 - 128)
Toluene-d8	106	(76 - 110)
	106	(76 - 110)
4-Bromofluorobenzene	100	(74 - 116)
	101	(74 - 116)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.
 Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L230127 Work Order #....: G1M101A8-MS Matrix.....: WATER
 MS Lot-Sample #: A4L220154-009 G1M101A9-MSD
 Date Sampled....: 12/21/04 12:15 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/06/05
 Prep Batch #....: 4362021
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Acenaphthene	69	(26 - 118)			SW846 8270C
	62	(26 - 118)	10	(0-35)	SW846 8270C
1,2,4-Trichloro- benzene	53	(22 - 110)			SW846 8270C
	46	(22 - 110)	14	(0-37)	SW846 8270C
1,4-Dichlorobenzene	58	(18 - 110)			SW846 8270C
	51	(18 - 110)	14	(0-36)	SW846 8270C
4-Chloro-3-methylphenol	72	(21 - 124)			SW846 8270C
	67	(21 - 124)	6.9	(0-55)	SW846 8270C
2-Chlorophenol	65	(19 - 124)			SW846 8270C
	59	(19 - 124)	8.5	(0-43)	SW846 8270C
2,4-Dinitrotoluene	81	(31 - 131)			SW846 8270C
	79	(31 - 131)	2.0	(0-32)	SW846 8270C
4-Nitrophenol	67	(10 - 145)			SW846 8270C
	65	(10 - 145)	2.8	(0-34)	SW846 8270C
N-Nitrosodi-n-propyl- amine	75	(18 - 115)			SW846 8270C
	67	(18 - 115)	11	(0-36)	SW846 8270C
Pentachlorophenol	80	(10 - 140)			SW846 8270C
	78	(10 - 140)	1.6	(0-56)	SW846 8270C
Phenol	65	(10 - 131)			SW846 8270C
	60	(10 - 131)	6.8	(0-43)	SW846 8270C
Pyrene	76	(27 - 138)			SW846 8270C
	74	(27 - 138)	2.2	(0-31)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	72	(32 - 112)
	65	(32 - 112)
2-Fluorobiphenyl	64	(30 - 110)
	59	(30 - 110)
Terphenyl-d14	77	(10 - 144)
	74	(10 - 144)
Phenol-d5	65	(10 - 113)
	61	(10 - 113)
2-Fluorophenol	64	(13 - 110)
	60	(13 - 110)

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L230127 Work Order #....: G1M101A8-MS Matrix.....: WATER
MS Lot-Sample #: A4L220154-009 G1M101A9-MSD

<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>
2,4,6-Tribromophenol	78	(21 - 122)
	74	(21 - 122)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #...: A4L230127 Work Order #...: G1NCP1D2-MS Matrix.....: WATER
 MS Lot-Sample #: A4L220190-002 G1NCP1D3-MSD
 Date Sampled...: 12/21/04 09:25 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/04/05
 Prep Batch #...: 4362021
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Acenaphthene	67	(26 - 118)			SW846 8270C
	65	(26 - 118)	1.8	(0-35)	SW846 8270C
4-Chloro-3-methylphenol	62	(21 - 124)			SW846 8270C
	72	(21 - 124)	15	(0-55)	SW846 8270C
2-Chlorophenol	66	(19 - 124)			SW846 8270C
	52	(19 - 124)	25	(0-43)	SW846 8270C
2,4-Dinitrotoluene	70	(31 - 131)			SW846 8270C
	62	(31 - 131)	12	(0-32)	SW846 8270C
4-Nitrophenol	71	(10 - 145)			SW846 8270C
	63	(10 - 145)	11	(0-34)	SW846 8270C
N-Nitrosodi-n-propyl-amine	75	(18 - 115)			SW846 8270C
	75	(18 - 115)	0.51	(0-36)	SW846 8270C
Pentachlorophenol	53	(10 - 140)			SW846 8270C
	44	(10 - 140)	18	(0-56)	SW846 8270C
Phenol	61	(10 - 131)			SW846 8270C
	61	(10 - 131)	0.83	(0-43)	SW846 8270C
Pyrene	72	(27 - 138)			SW846 8270C
	71	(27 - 138)	2.3	(0-31)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	72	(32 - 112)
	81	(32 - 112)
2-Fluorobiphenyl	67	(30 - 110)
	62	(30 - 110)
Terphenyl-d14	82	(10 - 144)
	80	(10 - 144)
Phenol-d5	63	(10 - 113)
	55	(10 - 113)
2-Fluorophenol	47	(13 - 110)
	44	(13 - 110)
2,4,6-Tribromophenol	74	(21 - 122)
	62	(21 - 122)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L230127

Matrix.....: WG

Date Sampled....: 12/21/04 11:45 Date Received...: 12/23/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: A4L230127-001 Prep Batch #....: 4362038						
Calcium	NC,MSB	(75 - 125)		SW846 6010B	12/27-12/28/04	GIQPP1CR
	NC,MSB	(75 - 125)	(0-20)	SW846 6010B	12/27-12/28/04	GIQPP1CT
Dilution Factor: 1						
Magnesium	75	(75 - 125)		SW846 6010B	12/27-12/28/04	GIQPP1C4
	79	(75 - 125)	2.1 (0-20)	SW846 6010B	12/27-12/28/04	GIQPP1C5
Dilution Factor: 1						
Manganese	44 N	(75 - 125)		SW846 6010B	12/27-12/28/04	GIQPP1C6
	53 N	(75 - 125)	2.6 (0-20)	SW846 6010B	12/27-12/28/04	GIQPP1C7
Dilution Factor: 1						
Aluminum	97	(75 - 125)		SW846 6010B	12/27-12/28/04	GIQPP1CF
	97	(75 - 125)	0.10 (0-20)	SW846 6010B	12/27-12/28/04	GIQPP1CG
Dilution Factor: 1						
Arsenic	92	(75 - 125)		SW846 6010B	12/27-12/28/04	GIQPP1DM
	93	(75 - 125)	0.50 (0-20)	SW846 6010B	12/27-12/28/04	GIQPP1DN
Dilution Factor: 1						
Antimony	96	(75 - 125)		SW846 6010B	12/27-12/28/04	GIQPP1CH
	96	(75 - 125)	0.08 (0-20)	SW846 6010B	12/27-12/28/04	GIQPP1CJ
Dilution Factor: 1						
Lead	89	(75 - 125)		SW846 6010B	12/27-12/28/04	GIQPP1DF
	90	(75 - 125)	0.30 (0-20)	SW846 6010B	12/27-12/28/04	GIQPP1DQ
Dilution Factor: 1						
Barium	93	(75 - 125)		SW846 6010B	12/27-12/28/04	GIQPP1CK
	93	(75 - 125)	0.33 (0-20)	SW846 6010B	12/27-12/28/04	GIQPP1CL
Dilution Factor: 1						
Selenium	97	(75 - 125)		SW846 6010B	12/27-12/28/04	GIQPP1DR
	97	(75 - 125)	0.03 (0-20)	SW846 6010B	12/27-12/28/04	GIQPP1DT
Dilution Factor: 1						
Beryllium	91	(75 - 125)		SW846 6010B	12/27-12/28/04	GIQPP1CM
	92	(75 - 125)	0.48 (0-20)	SW846 6010B	12/27-12/28/04	GIQPP1CN
Dilution Factor: 1						

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: A4L230127

Matrix.....: WG

Date Sampled...: 12/21/04 11:45 Date Received...: 12/23/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Thallium	92	(75 - 125)		SW846 6010B	12/27-12/28/04	G1QPP1DU
	92	(75 - 125)	0.70 (0-20)	SW846 6010B	12/27-12/28/04	G1QPP1DV
		Dilution Factor: 1				
Cadmium	88	(75 - 125)		SW846 6010B	12/27-12/28/04	G1QPP1CP
	89	(75 - 125)	1.1 (0-20)	SW846 6010B	12/27-12/28/04	G1QPP1CQ
		Dilution Factor: 1				
Chromium	88	(75 - 125)		SW846 6010B	12/27-12/28/04	G1QPP1CU
	88	(75 - 125)	0.65 (0-20)	SW846 6010B	12/27-12/28/04	G1QPP1CV
		Dilution Factor: 1				
Cobalt	86	(75 - 125)		SW846 6010B	12/27-12/28/04	G1QPP1CW
	87	(75 - 125)	0.50 (0-20)	SW846 6010B	12/27-12/28/04	G1QPP1CX
		Dilution Factor: 1				
Copper	98	(75 - 125)		SW846 6010B	12/27-12/28/04	G1QPP1C0
	98	(75 - 125)	0.09 (0-20)	SW846 6010B	12/27-12/28/04	G1QPP1C1
		Dilution Factor: 1				
Iron	92	(75 - 125)		SW846 6010B	12/27-12/28/04	G1QPP1C2
	92	(75 - 125)	0.25 (0-20)	SW846 6010B	12/27-12/28/04	G1QPP1C3
		Dilution Factor: 1				
Nickel	89	(75 - 125)		SW846 6010B	12/27-12/28/04	G1QPP1C8
	89	(75 - 125)	0.46 (0-20)	SW846 6010B	12/27-12/28/04	G1QPP1C9
		Dilution Factor: 1				
Potassium	99	(75 - 125)		SW846 6010B	12/27-12/28/04	G1QPP1DA
	99	(75 - 125)	0.65 (0-20)	SW846 6010B	12/27-12/28/04	G1QPP1DC
		Dilution Factor: 1				
Silver	104	(75 - 125)		SW846 6010B	12/27-12/28/04	G1QPP1DD
	105	(75 - 125)	0.71 (0-20)	SW846 6010B	12/27-12/28/04	G1QPP1DE
		Dilution Factor: 1				
Sodium	78	(75 - 125)		SW846 6010B	12/27-12/28/04	G1QPP1DF
	80	(75 - 125)	1.4 (0-20)	SW846 6010B	12/27-12/28/04	G1QPP1DG
		Dilution Factor: 1				
Vanadium	87	(75 - 125)		SW846 6010B	12/27-12/28/04	G1QPP1DH
	88	(75 - 125)	0.69 (0-20)	SW846 6010B	12/27-12/28/04	G1QPP1DJ
		Dilution Factor: 1				

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L230127

Matrix.....: WG

Date Sampled....: 12/21/04 11:45 Date Received...: 12/23/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Zinc	95	(75 - 125)		SW846 6010B	12/27-12/28/04	G1QPP1DK
	95	(75 - 125)	0.72 (0-20)	SW846 6010B	12/27-12/28/04	G1QPP1DL
		Dilution Factor: 1				
Mercury	104	(68 - 149)		SW846 7470A	12/27-12/28/04	G1QPP1DW
	109	(68 - 149)	4.3 (0-20)	SW846 7470A	12/27-12/28/04	G1QPP1DX
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

NC The recovery and/or RPD were not calculated.

MSB The recovery and RPD were not calculated because the sample amount was greater than four times the spike amount.

N Spiked analyte recovery is outside stated control limits.

MATRIX SPIKE SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #...: A4L230127

Matrix.....: WG

Date Sampled...: 12/21/04 15:01 Date Received...: 12/23/04

PARAMETER	PERCENT RECOVERY	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphorus as orthophosphate		WO#: G1QP91CF-MS/G1QP91CG-MSD	MS Lot-Sample #: A4L230127-006		
92	(56 - 139)		MCAWW 365.2	12/23/04	4362173
93	(56 - 139)	1.7 (0-20)	MCAWW 365.2	12/23/04	4362173
	Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #....: A4L230127

Matrix.....: WATER

Date Sampled....: 12/08/04

Date Received...: 12/10/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Chemical Oxygen Demand (COD)			WO#:	G1FV81AM-MS/G1FV81AN-MSD	MS Lot-Sample #:	A4L180161-002	
	93	(90 - 110)			MCAWW 410.4	12/28/04	4363430
	96	(90 - 110)	2.8	(0-20)	MCAWW 410.4	12/28/04	4363430
			Dilution Factor: 1				
Nitrate as N			WO#:	G1KJL1AJ-MS/G1KJL1AK-MSD	MS Lot-Sample #:	A4L210138-001	
	108	(80 - 120)			MCAWW 300.0A	12/22/04	4362292
	107	(80 - 120)	0.70	(0-20)	MCAWW 300.0A	12/22/04	4362292
			Dilution Factor: 1				
Nitrogen, as Ammonia			WO#:	G059H1CN-MS/G059H1CP-MSD	MS Lot-Sample #:	A4L150376-007	
	99	(63 - 126)			MCAWW 350.3	12/28/04	4363594
	99	(63 - 126)	0.40	(0-29)	MCAWW 350.3	12/28/04	4363594
			Dilution Factor: 1				
Total Kjeldahl Nitrogen			WO#:	G0Q371AT-MS/G0Q371AU-MSD	MS Lot-Sample #:	C4L100258-020	
	0.0 N	(10 - 200)			MCAWW 351.3	01/03/05	5003485
	0.0 N	(10 - 200)	0.0	(0-20)	MCAWW 351.3	01/03/05	5003485
			Dilution Factor: 1				
Total Organic Carbon			WO#:	G08F31CA-MS/G08F31CC-MSD	MS Lot-Sample #:	A4L160271-005	
	101	(72 - 136)			MCAWW 415.1	12/30/04	4365241
	102	(72 - 136)	1.0	(0-20)	MCAWW 415.1	12/30/04	4365241
			Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

N Spiked analyte recovery is outside stated control limits.

MATRIX SPIKE SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #....: A4L230127

Matrix.....: WATER

Date Sampled....: 12/20/04 08:00 Date Received...: 12/21/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Chemical Oxygen Demand (COD)	95	(90 - 110)	MCAWW 410.4 Dilution Factor: 1	MS Lot-Sample #: 12/28/04	A4L210176-002 4363430

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.



CONESTOGA-ROVERS & ASSOCIATES

8615 W. Bryn Mawr Avenue
Chicago, Illinois 60631
(773)380-8933 phone
(773)380-6421 fax

SHIPPED TO
(Laboratory Name): STL North Canton

REFERENCE NUMBER:

12559-52

PROJECT NAME:

GM-FAIRCA X

CHAIN-OF-CUSTODY RECORD

SAMPLERS SIGNATURE: David Kendrick PRINTED NAME: David Kendrick

SEQ. NO. DATE TIME SAMPLE IDENTIFICATION No. SAMPLE MATRIX

No. OF CONTAINERS

PARAMETERS

REMARKS

100% TLC VOL
Dissolved metals
T. Fat metals
COD
TKN
SUDC
Grit bottom-plates, pos

CALL PAT
Klick
with
Quest Harts

Batch complete
SSOW #095001

TOTAL NUMBER OF CONTAINERS

28

RELINQUISHED BY:

RELINQUISHED BY:

RELINQUISHED BY:

RELINQUISHED BY:

METHOD OF SHIPMENT: FEDX

AIR BILL NO.

SAMPLE TEAM:

STG/LD Kendrick

RECEIVED FOR LABORATORY BY:

David Kendrick

12320

White -Fully Executed Copy
Yellow -Receiving Laboratory Copy
Pink -Shipper Copy
Goldenrod -Sampler Copy

STL-0410



12554-52

GM-FAIRFAX

SAMPLER'S
SIGNATURE: [Signature]

PRINTED
NAME: DAVE KENDRICK

PRINTED NAME: DAVE KENDRICK

SEQ. No.	DATE	TIME	SAMPLE IDENTIFICATION No.
-------------	------	------	---------------------------

**SAMPLE
MATRIX**

**No. OF
CONTAINERS**

PARAMETERS
TOL
TLC VCD
Disordered meta
T-TAL meta
COD
TRANS-AMMONIA
SVOC
OR-the-plas-AM

REMARKS

[illegible]

TOTAL NUMBER OF CONTAINERS

5

RELINQUISHED BY:	DATE: 12/2/04	RECEIVED BY:	DATE:
① <i>Walter J. Henderson</i>	TIME: 1:30	② _____	TIME:
RELINQUISHED BY:	DATE:	RECEIVED BY:	DATE:
② _____	TIME:	③ _____	TIME:
RELINQUISHED BY:	DATE:	RECEIVED BY:	DATE:
③ _____	TIME:	④ _____	TIME:

METHOD OF SHIPMENT: *EXP*

AIR BILL No.

SAMPLE TEAM:

RECEIVED FOR LABORATORY BY:

12323

White	-Fully Executed Copy
Yellow	-Receiving Laboratory Copy
Pink	-Shipper Copy
Goldenrod	-Sampler Copy

DEKBY, CC
SITEID, KENDICK CANTIER

DATE: 12/23/04 TIME: 12:20

STL Cooler Receipt Form/Narrative
North Canton Facility

Lot Number: A4L230127

Client: CRA

Project: _____

Quote#: 62183

Cooler Received on: 12/23/04

Opened on: 12/23/04

by: Shahid Hareed
 (Signature)

Fedx ☒ Client Drop Off ☐ UPS ☐ DHL ☐ FAS ☐ Other: _____

STL Cooler No# See back Foam Box ☐ Client Cooler ☐ Other _____

- Were custody seals on the outside of the cooler? Yes ☒ No ☐ Intact? Yes ☒ No ☐ NA ☐
 If YES, Quantity _____
 Were the custody seals signed and dated? Yes ☐ No ☒ NA ☐
- Shipper's packing slip attached to this form? Yes ☒ No ☐ NA ☐
- Did custody papers accompany the samples? Yes ☒ No ☐
- Did you sign the custody papers in the appropriate place? Yes ☒ No ☐
- Packing material used: Bubble Wrap ☐ Foam ☒ None ☐ Other: _____
- Cooler temperature upon receipt See back (see back of form for multiple coolers/temp)
 METHOD: Temp Vial ☐ Coolant & Sample ☐ Against Bottles ☐ IR ☒ ICE/H₂O Slurry ☐
 COOLANT: Wet Ice ☒ Blue Ice ☐ Dry Ice ☐ Water ☐ None ☐
- Did all bottles arrive in good condition (Unbroken)? Yes ☒ No ☐
- Could all bottle labels and/or tags be reconciled with the COC? Yes ☒ No ☐
- Were samples at the correct pH? (record below/on back) Yes ☒ No ☐ NA ☐
- Were correct bottles used for the tests indicated? Yes ☒ No ☐
- Were air bubbles >6 mm in any VOA vials? Yes ☐ No ☒ NA ☐
- Sufficient quantity received to perform indicated analyses? Yes ☒ No ☐

Contacted PM _____ Date: _____ by: _____ via Voice Mail ☐ Verbal ☐ Other ☐

Concerning: _____

1. CHAIN OF CUSTODY

The following discrepancies occurred:

2. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

3. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in sample receiving to meet recommended pH level(s). Nitric Acid Lot # 101104HNO₃; Sulfuric Acid Lot # 102804-H₂SO₄; Sodium Hydroxide Lot # -082404-NaOH; Hydrochloric Acid Lot # 100902-HCl; Sodium Hydroxide and Zinc Acetate Lot # 071604-CH₃COO₂ZN/NaOH

Sample(s) _____ were received with bubble > 6 mm in diameter (cc: PM)

4. Other (see below or back)

Client ID	pH	Date	Initials
DS 006	12/2 12/2	12-23-04	Am
012	12/2		
D4P	12/2		
DS 007	12/2 12/2		
008	12/2 12/2		

[illegible]

END OF REPORT



STL

STL North Canton
4101 Shuffel Drive NW
North Canton, OH 44720

Tel: 330 497 9396 Fax: 330 497 0772
www.stl-inc.com

ANALYTICAL REPORT

PROJECT NO. 12559-52

GM FAIRFAX

Lot #: A4L210179

Phil Harvey

Conestoga-Rovers & Associates
8615 W. Bryn Mawr
Chicago, IL 60631

SEVERN TRENT LABORATORIES, INC.

Amy L. McCormick

Amy L. McCormick
Project Manager

VALIDATED DATA	
Proj #	012559-52
Lot #	A4L210179
Initials	<i>[Signature]</i>
Date	02/01/05

January 13, 2005

CASE NARRATIVE

A4L210179

The following report contains the analytical results for seventeen solid samples submitted to STL North Canton by Conestoga-Rovers & Associates, Inc. from the GM Fairfax Site, project number 12559-52. The samples were received December 21, 2004, according to documented sample acceptance procedures.

STL utilizes USEPA approved methods in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. Preliminary results were provided to Susan Scrocchi on January 05, 2005. A summary of QC data for these analyses is included at the back of the report.

STL North Canton attests to the validity of the laboratory data generated by STL facilities reported herein. All analyses performed by STL facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. STL's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by a dry weight adjustment footnote at the bottom of the analytical report page. The list of parameters which are never reported on a dry weight basis is included on the Sample Summary.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions, please call the Project Manager, Amy L. McCormick, at 330-497-9396.

This report is sequentially paginated. The final page of the report is labeled as "END OF REPORT."

SUPPLEMENTAL QC INFORMATION

SAMPLE RECEIVING

The temperatures of the coolers upon sample receipt were 3.4 and 3.9°C.

CASE NARRATIVE (continued)

GC/MS VOLATILES

The sample(s) that contained concentrations of target analyte(s) at a reportable level in the associated Method Blank(s) were flagged with "B". All target analytes in the Method Blank must be below the reporting limit (RL) or the associated sample(s) must be ND with the exception of common laboratory contaminants.

The sample(s) that contain results between the MDL and the RL were flagged with "J". There is a possibility of false positive or mis-identification at these quantitation levels. In analytical methods requiring confirmation of the analyte reported, confirmation was performed only down to the standard reporting limit (SRL). The acceptance criteria for QC samples may not be met at these quantitation levels.

Surrogate recoveries were outside criteria for sample(s) S-122004-DS-106. Due to insufficient sample volume, re-preparation and reanalysis could not occur.

GC/MS SEMIVOLATILES

The sample(s) that contained concentrations of target analyte(s) at a reportable level in the associated Method Blank(s) were flagged with "B". All target analytes in the Method Blank must be below the reporting limit (RL) or the associated sample(s) must be ND with the exception of common laboratory contaminants.

The sample(s) that contain results between the MDL and the RL were flagged with "J". There is a possibility of false positive or mis-identification at these quantitation levels. In analytical methods requiring confirmation of the analyte reported, confirmation was performed only down to the standard reporting limit (SRL). The acceptance criteria for QC samples may not be met at these quantitation levels.

METALS

The sample(s) that contain results between the MDL and the RL were flagged with "B". There is the possibility of false positive of mis-identification at these quantitation levels. The acceptance criteria for the ICB, CCB, and Method Blank are +/- the standard reporting limit (SRL).

Serial dilution of a sample in this lot indicates that physical and chemical interferences were present. Refer to the sample report pages for the affected analytes flagged with "E".

CASE NARRATIVE (continued)

METALS (continued)

The sample(s) that contained concentrations of target analyte(s) at a reportable level in the associated Method Blank(s) were flagged with "J". Refer to the sample report pages for the affected analyte(s).

Matrix spike recovery and relative percent difference (RPD) data were not calculated for some analytes for batch(s) 4363035 due to the sample concentration reading greater than four times the spike amount. See the Matrix Spike Report for the affected analytes which will be flagged with "NC, MSB".

The matrix spike/matrix spike duplicate(s) for batch(es) 4363035 had RPD's and recoveries outside acceptance limits. However, since the associated method blank(s) and laboratory control sample(s) were in control, no corrective action was necessary.

GENERAL CHEMISTRY

The sample(s) that contain results between the MDL and the RL were flagged with "B". There is the possibility of false positive of mis-identification at these quantitation levels. The acceptance criteria for the ICB, CCB, and Method Blank are +/- the standard reporting limit (SRL).

The sample(s) that contained concentrations of target analyte(s) at a reportable level in the associated Method Blank(s) were flagged with "J". Refer to the sample report pages for the affected analytes(s).

The Total Kjeldahl Nitrogen matrix spike/matrix spike duplicate(s) for S-122004-DS-101 had recoveries outside acceptance limits. However, since the associated method blank(s) and laboratory control sample(s) were in control, no corrective action was necessary.

QUALITY CONTROL ELEMENTS OF SW-846 METHODS

STL North Canton conducts a quality assurance/quality control (QA/QC) program designed to provide scientifically valid and legally defensible data. Toward this end, several types of quality control indicators are incorporated into the QA/QC program, which is described in detail in QA Policy, QA-003. These indicators are introduced into the sample testing process to provide a mechanism for the assessment of the analytical data.

QC BATCH

Environmental samples are taken through the testing process in groups called QUALITY CONTROL BATCHES (QC batches). A QC batch contains up to twenty environmental samples of a similar matrix (water, soil) that are processed using the same reagents and standards. STL North Canton requires that each environmental sample be associated with a QC batch.

Several quality control samples are included in each QC batch and are processed identically to the twenty environmental samples. These QC samples include a METHOD BLANK (MB), a LABORATORY CONTROL SAMPLE (LCS) and, where appropriate, a MATRIX SPIKE/MATRIX SPIKE DUPLICATE (MS/MSD) pair or a MATRIX SPIKE/SAMPLE DUPLICATE (MS/DU) pair. If there is insufficient sample to perform an MS/MSD or an MS/DU, then a LABORATORY CONTROL SAMPLE DUPLICATE (LCSD) is included in the QC batch.

LABORATORY CONTROL SAMPLE

The Laboratory Control Sample is a QC sample that is created by adding known concentrations of a full or partial set of target analytes to a matrix similar to that of the environmental samples in the QC batch. The LCS analyte recovery results are used to monitor the analytical process and provide evidence that the laboratory is performing the method within acceptable guidelines. All control analytes indicated by a bold type in the LCS must meet acceptance criteria. Failure to meet the established recovery guidelines requires the reparation and reanalysis of all samples in the QC batch. The only exception is that if the LCS recoveries are biased high and the associated sample is ND for the parameter(s) of interest, the batch is acceptable.

At times, a Laboratory Control Sample Duplicate (LCSD) is also included in the QC batch. An LCSD is a QC sample that is created and handled identically to the LCS. Analyte recovery data from the LCSD is assessed in the same way as that of the LCS. The LCSD recoveries, together with the LCS recoveries, are used to determine the reproducibility (precision) of the analytical system. Precision data are expressed as relative percent differences (RPDs). If the RPD fails for an LCS/LCSD and yet the recoveries are within acceptance criteria, the batch is still acceptable.

METHOD BLANK

The Method Blank is a QC sample consisting of all the reagents used in analyzing the environmental samples contained in the QC batch. Method Blank results are used to determine if interference or contamination in the analytical system could lead to the reporting of false positive data or elevated analyte concentrations. All target analytes must be below the reporting limits (RL), the analytes were greater than 10 times the blank level for organics or 20 times for inorganics, or the associated sample(s) must be ND except for the common laboratory contaminants indicated below.

<u>Volatile (GC or GC/MS)</u>	<u>Semivolatile (GC/MS)</u>	<u>Metals</u>
Methylene chloride	Phthalate Esters	Copper
Acetone		Iron
2-Butanone		Zinc
		Lead*

** for analyses run on TJA Trace ICP only*

The listed volatile and semivolatile compounds may be present in concentrations up to 5 times the reporting limits. Failure to meet these Method Blank criteria requires the reparation and reanalysis of all samples in the QC batch.

QUALITY CONTROL ELEMENTS OF SW-846 METHODS (Continued)

MATRIX SPIKE/MATRIX SPIKE DUPLICATE

A Matrix Spike and a Matrix Spike Duplicate are a pair of environmental samples to which known concentrations of a full or partial set of target analytes are added. The MS/MSD results are determined in the same manner as the results of the environmental sample used to prepare the MS/MSD. The analyte recoveries and the relative percent differences (RPDs) of the recoveries are calculated and used to evaluate the effect of the sample matrix on the analytical results. Due to the potential variability of the matrix of each sample, the MS/MSD results may not have an immediate bearing on any samples except the one spiked; therefore, the associated batch MS/MSD may not reflect the same compounds as the samples contained in the analytical report. When these MS/MSD results fail to meet acceptance criteria, the data is evaluated. If the LCS is within acceptance criteria, the batch is considered acceptable. The acceptance criteria does not apply to samples that are diluted for organics if the native sample amount is 4x the concentration of the spike for inorganics.

For certain methods, a Matrix Spike/Sample Duplicate (MS/DU) may be included in the QC batch in place of the MS/MSD. For the parameters (i.e. pH, ignitability) where it is not possible to prepare a spiked sample, a Sample Duplicate may be included in the QC batch. However, a Sample Duplicate is less likely to provide usable precision statistics depending on the likelihood of finding concentrations below the standard reporting limit. When the Sample Duplicate result fails to meet acceptance criteria, the data is evaluated.

SURROGATE COMPOUNDS

In addition to these batch-related QC indicators, each organic environmental and QC sample are spiked with surrogate compounds. Surrogates are organic chemicals that behave similarly to the analytes of interest and that are rarely present in the environment. Surrogate recoveries are used to monitor the individual performance of a sample in the analytical system.

If the surrogate recoveries are outside criteria for environmental or MS/MSD samples, the batch is acceptable if the Method Blank, LCS, and LCSD surrogate recoveries are within acceptance criteria. The only exception is if the surrogate recoveries are biased high in the LCS, LCSD, or the Method Blank and the associated sample(s) are ND, the batch is acceptable. If the LCS, LCSD, or Method Blank surrogate(s) fail to meet recovery criteria, the entire sample batch is reprepared and reanalyzed.

For the GC/MS BNA methods, the surrogate criterion is that two of the three surrogates for each fraction must meet acceptance criteria. The third surrogate must have a recovery of ten percent or greater.

For the Pesticide/PCB and PAH methods, the surrogate criteria is that one of two surrogate compounds meet acceptance criteria.

STL North Canton, Certifications and Approvals:

California (#01144CA), Connecticut (#PH-0590), Florida (#E87225), Georgia (None), Illinois (#100439), Kansas (#E-10336), Louisiana (#04112), Minnesota (#39-999-348), New Jersey (#OH001), New York (#10975), Ohio (#6090), OhioVAP (#CL0024), Rhode Island (#237), South Carolina (#92007001), Utah (#QUAN9), West Virginia (#210), Wisconsin (#999518190), NAVY, ARMY, USDA Soil Permit, ACIL Seal of Excellence

Revision 10, 10/12/04
n:\qagc\narrativ\stl.doc

EXECUTIVE SUMMARY - Detection Highlights

A4L210179

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
S-122004-DS-101 12/20/04 11:24 001				
Acetone	15 J	25	ug/kg	SW846 8260B
Benzene	24	6.3	ug/kg	SW846 8260B
4-Methyl-2-pentanone	9.0 J	25	ug/kg	SW846 8260B
Toluene	5.9 J	6.3	ug/kg	SW846 8260B
Ethylbenzene	5.7 J	6.3	ug/kg	SW846 8260B
Xylenes (total)	11 J	13	ug/kg	SW846 8260B
Total Kjeldahl Nitrogen	260	200	mg/kg	MCAWW 351.3
Phosphate as P, Ortho	0.2 B,J	1.3	mg/kg	MCAWW 365.2
Nitrogen, as Ammonia	5.5	2.7	mg/kg	MCAWW 350.3
pH (solid)	7.3		No Units	SW846 9045C
Percent Solids	74.9	10.0	%	MCAWW 160.3 MOD
S-122004-DS-102 12/20/04 11:35 002				
Acetone	650000	2400000	ug/kg	SW846 8260B
	Qualifiers: J,B			
Ethylbenzene	2100000	610000	ug/kg	SW846 8260B
4-Methyl-2-pentanone	1700000 J	2400000	ug/kg	SW846 8260B
Toluene	18000000	610000	ug/kg	SW846 8260B
	Qualifiers: B			
Xylenes (total)	12000000	1200000	ug/kg	SW846 8260B
Total Kjeldahl Nitrogen	960	210	mg/kg	MCAWW 351.3
Phosphate as P, Ortho	0.1 B,J	1.4	mg/kg	MCAWW 365.2
Nitrogen, as Ammonia	13	2.8	mg/kg	MCAWW 350.3
pH (solid)	6.2		No Units	SW846 9045C
Percent Solids	72.6	10.0	%	MCAWW 160.3 MOD
S-122004-DS-103 12/20/04 11:58 003				
Benzene	270 J	5800	ug/kg	SW846 8260B
Ethylbenzene	13000	5800	ug/kg	SW846 8260B
Toluene	890 J,B	5800	ug/kg	SW846 8260B
Xylenes (total)	250000	12000	ug/kg	SW846 8260B
Total Kjeldahl Nitrogen	540	190	mg/kg	MCAWW 351.3
Phosphate as P, Ortho	0.2 B,J	1.3	mg/kg	MCAWW 365.2
Nitrogen, as Ammonia	14	2.6	mg/kg	MCAWW 350.3
pH (solid)	7.1		No Units	SW846 9045C

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L210179

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
S-122004-DS-103 12/20/04 11:58 003				
Percent Solids	77.1	10.0	%	MCAWW 160.3 MOD
S-122004-DS-104 12/20/04 12:05 004				
Benzene	7900 J	130000	ug/kg	SW846 8260B
Ethylbenzene	2000000	130000	ug/kg	SW846 8260B
Toluene	4100000 B	130000	ug/kg	SW846 8260B
Xylenes (total)	10000000	250000	ug/kg	SW846 8260B
Total Kjeldahl	250	170	mg/kg	MCAWW 351.3
Nitrogen				
Phosphate as P, Ortho	0.2 B,J	1.1	mg/kg	MCAWW 365.2
Nitrogen, as Ammonia	3.1	2.2	mg/kg	MCAWW 350.3
pH (solid)	7.0		No Units	SW846 9045C
Percent Solids	90.9	10.0	%	MCAWW 160.3 MOD
S-122004-DS-105 12/20/04 13:20 005				
Acetone	16 J	23	ug/kg	SW846 8260B
Benzene	0.56 J	5.7	ug/kg	SW846 8260B
2-Butanone	2.5 J	23	ug/kg	SW846 8260B
Ethylbenzene	2.2 J	5.7	ug/kg	SW846 8260B
Toluene	1.7 J	5.7	ug/kg	SW846 8260B
Xylenes (total)	1.8 J	11	ug/kg	SW846 8260B
Total Kjeldahl	130 B	180	mg/kg	MCAWW 351.3
Nitrogen				
Phosphate as P, Ortho	0.2 B,J	1.2	mg/kg	MCAWW 365.2
Nitrogen, as Ammonia	2.9	2.4	mg/kg	MCAWW 350.3
pH (solid)	7.9		No Units	SW846 9045C
Percent Solids	84.5	10.0	%	MCAWW 160.3 MOD
S-122004-DS-106 12/20/04 13:29 006				
Benzene	86 J	300	ug/kg	SW846 8260B
Ethylbenzene	130 J	300	ug/kg	SW846 8260B
Toluene	430 B	300	ug/kg	SW846 8260B
Xylenes (total)	4300	590	ug/kg	SW846 8260B
Total Kjeldahl	1200	190	mg/kg	MCAWW 351.3
Nitrogen				
Phosphate as P, Ortho	0.2 B,J	1.3	mg/kg	MCAWW 365.2
Nitrate as N	0.22 B	6.3	mg/kg	MCAWW 300.0A

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L210179

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
S-122004-DS-106 12/20/04 13:29 006				
Nitrogen, as Ammonia	14	2.5	mg/kg	MCAWW 350.3
pH (solid)	7.5		No Units	SW846 9045C
Percent Solids	79.4	10.0	%	MCAWW 160.3 MOD
S-122004-DS-107 12/20/04 13:55 007				
Ethylbenzene	540000	32000	ug/kg	SW846 8260B
Toluene	630000 B	32000	ug/kg	SW846 8260B
Xylenes (total)	3200000	64000	ug/kg	SW846 8260B
Total Kjeldahl Nitrogen	350	210	mg/kg	MCAWW 351.3
Phosphate as P, Ortho	0.4 B,J	1.4	mg/kg	MCAWW 365.2
Nitrogen, as Ammonia	7.0	2.8	mg/kg	MCAWW 350.3
pH (solid)	7.8		No Units	SW846 9045C
Percent Solids	72.6	10.0	%	MCAWW 160.3 MOD
S-122004-DS-108 12/20/04 14:02 008				
Acetone	280000	2500000	ug/kg	SW846 8260B
Qualifiers: J,B				
Ethylbenzene	4800000	620000	ug/kg	SW846 8260B
Toluene	21000000	620000	ug/kg	SW846 8260B
Qualifiers: B				
Xylenes (total)	24000000	1200000	ug/kg	SW846 8260B
Phosphate as P, Ortho	0.3 B,J	1.3	mg/kg	MCAWW 365.2
Nitrogen, as Ammonia	7.7	2.7	mg/kg	MCAWW 350.3
pH (solid)	8.0		No Units	SW846 9045C
Percent Solids	74.4	10.0	%	MCAWW 160.3 MOD
S-122004-DS-109 12/20/04 14:35 009				
Ethylbenzene	26000	2800	ug/kg	SW846 8260B
Toluene	3700 B	2800	ug/kg	SW846 8260B
Xylenes (total)	230000	5600	ug/kg	SW846 8260B
Total Kjeldahl Nitrogen	450	190	mg/kg	MCAWW 351.3
Phosphate as P, Ortho	0.3 B,J	1.2	mg/kg	MCAWW 365.2
Nitrogen, as Ammonia	11	2.5	mg/kg	MCAWW 350.3
pH (solid)	7.8		No Units	SW846 9045C
Percent Solids	80.4	10.0	%	MCAWW 160.3 MOD

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L210179

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
S-122004-DS-110 12/20/04 14:41 010				
Acetone	120000	710000	ug/kg	SW846 8260B
Qualifiers: J,B				
Ethylbenzene	1500000	180000	ug/kg	SW846 8260B
Toluene	5000000 B	180000	ug/kg	SW846 8260B
Xylenes (total)	7900000	360000	ug/kg	SW846 8260B
Total Kjeldahl Nitrogen	98 B	180	mg/kg	MCAWW 351.3
Phosphate as P, Ortho	0.2 B,J	1.2	mg/kg	MCAWW 365.2
Nitrogen, as Ammonia	2.3	2.3	mg/kg	MCAWW 350.3
pH (solid)	8.0		No Units	SW846 9045C
Percent Solids	85.1	10.0	%	MCAWW 160.3 MOD
S-122004-DS-111 12/20/04 15:23 011				
Acetone	7.1 J	23	ug/kg	SW846 8260B
Toluene	2.8 J	5.7	ug/kg	SW846 8260B
Fraction of Organic Carbon (Ash)	3.6	0.13	%	ASTM D2974
Percent Solids	75.3	10.0	%	MCAWW 160.3 MOD
S-122004-DS-112 12/20/04 15:33 012				
Acetone	130 J,B	1200	ug/kg	SW846 8260B
Ethylbenzene	130 J	310	ug/kg	SW846 8260B
Toluene	300 J,B	310	ug/kg	SW846 8260B
Xylenes (total)	670	610	ug/kg	SW846 8260B
Fraction of Organic Carbon (Ash)	3.6	0.12	%	ASTM D2974
Percent Solids	81.7	10.0	%	MCAWW 160.3 MOD
S-122004-DS-113 12/20/04 16:01 013				
Toluene	1.4 J	5.7	ug/kg	SW846 8260B
Fraction of Organic Carbon (Ash)	1.7	0.12	%	ASTM D2974
Percent Solids	80.9	10.0	%	MCAWW 160.3 MOD
S-122004-DS-114 12/20/04 16:12 014				
Acetone	9.1 J	24	ug/kg	SW846 8260B
Toluene	10	6.1	ug/kg	SW846 8260B
Ethylbenzene	3.3 J	6.1	ug/kg	SW846 8260B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L210179

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
S-122004-DS-114 12/20/04 16:12 014				
Xylenes (total)	18	12	ug/kg	SW846 8260B
Fraction of Organic Carbon (Ash)	2.7	0.13	%	ASTM D2974
Percent Solids	77.2	10.0	%	MCAWW 160.3 MOD
S-122004-DS-115 12/20/04 16:39 015				
Mercury	0.013 B	0.12	mg/kg	SW846 7471A
Arsenic	5.3	1.2	mg/kg	SW846 6010B
Lead	9.0	0.35	mg/kg	SW846 6010B
Selenium	0.43 B	0.59	mg/kg	SW846 6010B
Aluminum	5660	23.4	mg/kg	SW846 6010B
Antimony	0.39 B,J	7.0	mg/kg	SW846 6010B
Barium	183	23.4	mg/kg	SW846 6010B
Beryllium	0.17 B	0.59	mg/kg	SW846 6010B
Cadmium	0.20 B	0.59	mg/kg	SW846 6010B
Calcium	13000	585	mg/kg	SW846 6010B
Chromium	10.3	1.2	mg/kg	SW846 6010B
Cobalt	4.8 B	5.9	mg/kg	SW846 6010B
Copper	11.8	2.9	mg/kg	SW846 6010B
Iron	9460 J	11.7	mg/kg	SW846 6010B
Magnesium	3810	585	mg/kg	SW846 6010B
Manganese	247	1.8	mg/kg	SW846 6010B
Nickel	12.4	4.7	mg/kg	SW846 6010B
Potassium	1160	585	mg/kg	SW846 6010B
Sodium	267 B	585	mg/kg	SW846 6010B
Vanadium	16.6	5.9	mg/kg	SW846 6010B
Zinc	38.5	2.3	mg/kg	SW846 6010B
Toluene	2.5 J	4.6	ug/kg	SW846 8260B
Xylenes (total)	8.1 J	9.1	ug/kg	SW846 8260B
Percent Solids	85.4	10.0	%	MCAWW 160.3 MOD
S-122004-DS-116 12/20/04 17:15 016				
Mercury	0.0099 B	0.14	mg/kg	SW846 7471A
Arsenic	3.9	1.4	mg/kg	SW846 6010B
Lead	9.3	0.41	mg/kg	SW846 6010B
Aluminum	5690	27.3	mg/kg	SW846 6010B
Antimony	0.51 B,J	8.2	mg/kg	SW846 6010B
Barium	205	27.3	mg/kg	SW846 6010B
Beryllium	0.14 B	0.68	mg/kg	SW846 6010B
Cadmium	0.15 B	0.68	mg/kg	SW846 6010B
Calcium	21200	681	mg/kg	SW846 6010B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L210179

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
S-122004-DS-116 12/20/04 17:15 016				
Chromium	10.7	1.4	mg/kg	SW846 6010B
Cobalt	6.7 B	6.8	mg/kg	SW846 6010B
Copper	12.3	3.4	mg/kg	SW846 6010B
Iron	12900 J	13.6	mg/kg	SW846 6010B
Magnesium	8270	681	mg/kg	SW846 6010B
Manganese	274	2.0	mg/kg	SW846 6010B
Nickel	16.9	5.5	mg/kg	SW846 6010B
Potassium	1530	681	mg/kg	SW846 6010B
Sodium	121 B	681	mg/kg	SW846 6010B
Vanadium	18.8	6.8	mg/kg	SW846 6010B
Zinc	47.7	2.7	mg/kg	SW846 6010B
Acetone	9.2 J	26	ug/kg	SW846 8260B
Percent Solids	73.4	10.0	%	MCAWW 160.3 MOD

S-122004-DS-117 12/20/04 17:35 017

Mercury	0.016 B	0.14	mg/kg	SW846 7471A
Arsenic	4.6	1.4	mg/kg	SW846 6010B
Lead	10.5 E	0.41	mg/kg	SW846 6010B
Aluminum	7340	27.6	mg/kg	SW846 6010B
Antimony	0.69 B, J	8.3	mg/kg	SW846 6010B
Barium	208	27.6	mg/kg	SW846 6010B
Beryllium	0.21 B, E	0.69	mg/kg	SW846 6010B
Cadmium	0.19 B	0.69	mg/kg	SW846 6010B
Calcium	20200	689	mg/kg	SW846 6010B
Chromium	12.3	1.4	mg/kg	SW846 6010B
Cobalt	6.8 B	6.9	mg/kg	SW846 6010B
Copper	18.2	3.4	mg/kg	SW846 6010B
Iron	12200 J	13.8	mg/kg	SW846 6010B
Magnesium	7500	689	mg/kg	SW846 6010B
Manganese	277	2.1	mg/kg	SW846 6010B
Nickel	17.0	5.5	mg/kg	SW846 6010B
Potassium	2110	689	mg/kg	SW846 6010B
Sodium	176 B	689	mg/kg	SW846 6010B
Vanadium	19.6	6.9	mg/kg	SW846 6010B
Zinc	51.5 E	2.8	mg/kg	SW846 6010B
bis(2-Ethylhexyl) phthalate	51 J	450	ug/kg	SW846 8270C
Caprolactam	50 J, B	450	ug/kg	SW846 8270C
2,4-Dimethylphenol	48 J	450	ug/kg	SW846 8270C
Tetrachloroethene	190	6.3	ug/kg	SW846 8260B
Toluene	0.91 J	6.3	ug/kg	SW846 8260B
Trichloroethene	1.0 J	6.3	ug/kg	SW846 8260B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L210179

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>ANALYTICAL METHOD</u>
S-122004-DS-117 12/20/04 17:35 017				
Percent Solids	72.6	10.0	%	MCAWW 160.3 MOD

ANALYTICAL METHODS SUMMARY

A4L210179

PARAMETER	ANALYTICAL METHOD
ortho-Phosphate	MCAWW 365.2
Ammonia Nitrogen	MCAWW 350.3
Fraction of Organic Carbo	ASTM D2974
Inductively Coupled Plasma (ICP) Metals	SW846 6010B
Mercury in Solid Waste (Manual Cold-Vapor)	SW846 7471A
Nitrate as N	MCAWW 300.0A
Semivolatile Organic Compounds by GC/MS	SW846 8270C
Soil and Waste pH	SW846 9045C
Total Kjeldahl Nitrogen	MCAWW 351.3
Total Residue as Percent Solids	MCAWW 160.3 MOD
Trace Inductively Coupled Plasma (ICP) Metals	SW846 6010B
Volatile Organics by GC/MS	SW846 8260B

References:

- ASTM Annual Book Of ASTM Standards.
- MCAWW "Methods for Chemical Analysis of Water and Wastes",
EPA-600/4-79-020, March 1983 and subsequent revisions.
- SW846 "Test Methods for Evaluating Solid Waste, Physical/Chemical
Methods", Third Edition, November 1986 and its updates.

SAMPLE SUMMARY

A4L210179

WO #	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
G1KXP	001	S-122004-DS-101	12/20/04	11:24
G1KX1	002	S-122004-DS-102	12/20/04	11:35
G1KX2	003	S-122004-DS-103	12/20/04	11:58
G1KX3	004	S-122004-DS-104	12/20/04	12:05
G1KX8	005	S-122004-DS-105	12/20/04	13:20
G1K0K	006	S-122004-DS-106	12/20/04	13:29
G1K0L	007	S-122004-DS-107	12/20/04	13:55
G1K0M	008	S-122004-DS-108	12/20/04	14:02
G1K0P	009	S-122004-DS-109	12/20/04	14:35
G1K0Q	010	S-122004-DS-110	12/20/04	14:41
G1K0T	011	S-122004-DS-111	12/20/04	15:23
G1K02	012	S-122004-DS-112	12/20/04	15:33
G1K04	013	S-122004-DS-113	12/20/04	16:01
G1K06	014	S-122004-DS-114	12/20/04	16:12
G1K09	015	S-122004-DS-115	12/20/04	16:39
G1K1D	016	S-122004-DS-116	12/20/04	17:15
G1K1F	017	S-122004-DS-117	12/20/04	17:35

NOTE(S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-101

GC/MS Volatiles

Lot-Sample #....: A4L210179-001 Work Order #....: G1KXP1AF Matrix.....: SO
 Date Sampled....: 12/20/04 11:24 Date Received...: 12/21/04
 Prep Date.....: 12/31/04 Analysis Date...: 12/31/04
 Prep Batch #....: 5003069
 Dilution Factor: 0.94
 % Moisture.....: 25 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	ND	6.3	ug/kg	1.1
trans-1,2-Dichloroethene	ND	6.3	ug/kg	0.95
Chloromethane	ND	6.3	ug/kg	2.3
Bromomethane	ND	6.3	ug/kg	1.8
Vinyl chloride	ND	6.3	ug/kg	1.5
Chloroethane	ND	6.3	ug/kg	1.8
Methylene chloride	ND	6.3	ug/kg	1.5
Acetone	15 J	25	ug/kg	7.3
Carbon disulfide	ND	6.3	ug/kg	1.3
1,1-Dichloroethene	ND	6.3	ug/kg	1.0
1,1-Dichloroethane	ND	6.3	ug/kg	0.84
Chloroform	ND	6.3	ug/kg	0.89
1,2-Dichloroethane	ND	6.3	ug/kg	0.75
2-Butanone	ND	25	ug/kg	3.4
1,1,1-Trichloroethane	ND	6.3	ug/kg	0.87
Carbon tetrachloride	ND	6.3	ug/kg	0.80
Bromodichloromethane	ND	6.3	ug/kg	0.88
1,2-Dichloropropane	ND	6.3	ug/kg	0.78
cis-1,3-Dichloropropene	ND	6.3	ug/kg	0.79
Trichloroethene	ND	6.3	ug/kg	1.0
Dibromochloromethane	ND	6.3	ug/kg	0.75
1,1,2-Trichloroethane	ND	6.3	ug/kg	0.63
Benzene	24	6.3	ug/kg	0.87
trans-1,3-Dichloropropene	ND	6.3	ug/kg	0.83
Bromoform	ND	6.3	ug/kg	0.90
4-Methyl-2-pentanone	9.0 J	25	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	1.9
Tetrachloroethene	ND	6.3	ug/kg	1.5
1,1,2,2-Tetrachloroethane	ND	6.3	ug/kg	1.0
Toluene	5.9 J	6.3	ug/kg	0.90
Chlorobenzene	ND	6.3	ug/kg	1.4
Ethylbenzene	5.7 J	6.3	ug/kg	1.5
Styrene	ND	6.3	ug/kg	1.4
Xylenes (total)	11 J	13	ug/kg	4.8

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	97	(59 - 138)
1,2-Dichloroethane-d4	91	(61 - 130)
Toluene-d8	111	(60 - 143)
4-Bromofluorobenzene	93	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-101

GC/MS Volatiles

Lot-Sample #....: A4L210179-001 Work Order #....: G1KXP1AF Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-101

General Chemistry

Lot-Sample #....: A4L210179-001 Work Order #....: G1KXP Matrix.....: SO
 Date Sampled....: 12/20/04 11:24 Date Received...: 12/21/04
 % Moisture.....: 25

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphate as P, Ortho	0.2 B,J	1.3	mg/kg	MCAWW 365.2	12/30-12/31/04	4366010
		Dilution Factor: 1		MDL.....: 0.08		
pH (solid)	7.3		No Units	SWB46 9045C	12/22/04	4362439
		Dilution Factor: 1		MDL.....:		
Nitrate as N	ND	6.7	mg/kg	MCAWW 300.0A	01/03/05	5004039
		Dilution Factor: 1		MDL.....: 0.21		
Nitrogen, as Ammonia	5.5	2.7	mg/kg	MCAWW 350.3	01/04/05	5004450
		Dilution Factor: 1		MDL.....: 1		
Percent Solids	74.9	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
		Dilution Factor: 1		MDL.....: 10.0		
Total Kjeldahl Nitrogen	260	200	mg/kg	MCAWW 351.3	01/04/05	5004445
		Dilution Factor: 1		MDL.....: 64		

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

B Estimated result, Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-102

GC/MS Volatiles

Lot-Sample #....: A4L210179-002 Work Order #....: G1KX11AF Matrix.....: SO
 Date Sampled....: 12/20/04 11:35 Date Received...: 12/21/04
 Prep Date.....: 12/22/04 Analysis Date...: 01/03/05
 Prep Batch #....: 4364523
 Dilution Factor: 1773.05
 % Moisture.....: 27 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	650000 J,B	2400000	ug/kg	240000
Benzene	ND	610000	ug/kg	16000
Bromodichloromethane	ND	610000	ug/kg	29000
Bromoform	ND	610000	ug/kg	32000
Bromomethane	ND	610000	ug/kg	61000
2-Butanone	ND	2400000	ug/kg	120000
Carbon disulfide	ND	610000	ug/kg	49000
Carbon tetrachloride	ND	610000	ug/kg	29000
Chlorobenzene	ND	610000	ug/kg	15000
Dibromochloromethane	ND	610000	ug/kg	17000
Chloroethane	ND	610000	ug/kg	160000
Chloroform	ND	610000	ug/kg	29000
Chloromethane	ND	610000	ug/kg	13000
1,1-Dichloroethane	ND	610000	ug/kg	18000
1,2-Dichloroethane	ND	610000	ug/kg	23000
1,1-Dichloroethene	ND	610000	ug/kg	20000
cis-1,2-Dichloroethene	ND	610000	ug/kg	34000
trans-1,2-Dichloroethene	ND	610000	ug/kg	27000
1,2-Dichloropropane	ND	610000	ug/kg	18000
cis-1,3-Dichloropropene	ND	610000	ug/kg	13000
trans-1,3-Dichloropropene	ND	610000	ug/kg	13000
Ethylbenzene	2100000	610000	ug/kg	17000
2-Hexanone	ND	2400000	ug/kg	59000
Methylene chloride	ND	610000	ug/kg	240000
4-Methyl-2-pentanone	1700000 J	2400000	ug/kg	27000
Styrene	ND	610000	ug/kg	68000
1,1,2,2-Tetrachloroethane	ND	610000	ug/kg	20000
Tetrachloroethene	ND	610000	ug/kg	22000
Toluene	18000000 B	610000	ug/kg	22000
1,1,1-Trichloroethane	ND	610000	ug/kg	23000
1,1,2-Trichloroethane	ND	610000	ug/kg	24000
Trichloroethene	ND	610000	ug/kg	29000
Vinyl chloride	ND	610000	ug/kg	39000
Xylenes (total)	12000000	1200000	ug/kg	37000

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	20 DIL, *	(59 - 138)
1,2-Dichloroethane-d4	0.0 DIL, *	(61 - 130)
Toluene-d8	32 DIL, *	(60 - 143)
4-Bromofluorobenzene	50 DIL	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-102

GC/MS Volatiles

Lot-Sample #....: A4L210179-002 Work Order #....: G1KX11AF Matrix.....: SO

NOTE(S):

DIL The concentration is estimated or not reported due to dilution or the presence of interfering analytes.

* Surrogate recovery is outside stated control limits.

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-102

General Chemistry

Lot-Sample #....: A4L210179-002 Work Order #....: G1KX1 Matrix.....: SO
 Date Sampled....: 12/20/04 11:35 Date Received...: 12/21/04
 % Moisture.....: 27

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphate as P, Ortho	0.1 B,J	1.4	mg/kg	MCAWW 365.2	12/30-12/31/04	4366010
				Dilution Factor: 1	MDL.....: 0.08	
pH (solid)	6.2		No Units	SW846 9045C	12/22/04	4362439
				Dilution Factor: 1	MDL.....:	
Nitrate as N	ND	6.9	mg/kg	MCAWW 300.0A	01/03/05	5004039
				Dilution Factor: 1	MDL.....: 0.22	
Nitrogen, as Ammonia 13		2.8	mg/kg	MCAWW 350.3	01/04/05	5004450
				Dilution Factor: 1	MDL.....: 1	
Percent Solids	72.6	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
				Dilution Factor: 1	MDL.....: 10.0	
Total Kjeldahl Nitrogen	960	210	mg/kg	MCAWW 351.3	01/04/05	5004445
				Dilution Factor: 1	MDL.....: 66	

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Comestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-103

GC/MS Volatiles

Lot-Sample #....: A4L210179-003 Work Order #....: G1KX21AF Matrix.....: SO
 Date Sampled....: 12/20/04 11:58 Date Received...: 12/21/04
 Prep Date.....: 12/22/04 Analysis Date...: 12/30/04
 Prep Batch #....: 4364523
 Dilution Factor: 17.86
 % Moisture.....: 23 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	23000	ug/kg	2300
Benzene	270 J	5800	ug/kg	150
Bromodichloromethane	ND	5800	ug/kg	280
Bromoform	ND	5800	ug/kg	300
Bromomethane	ND	5800	ug/kg	580
2-Butanone	ND	23000	ug/kg	1100
Carbon disulfide	ND	5800	ug/kg	460
Carbon tetrachloride	ND	5800	ug/kg	280
Chlorobenzene	ND	5800	ug/kg	150
Dibromochloromethane	ND	5800	ug/kg	160
Chloroethane	ND	5800	ug/kg	1500
Chloroform	ND	5800	ug/kg	280
Chloromethane	ND	5800	ug/kg	120
1,1-Dichloroethane	ND	5800	ug/kg	170
1,2-Dichloroethane	ND	5800	ug/kg	220
1,1-Dichloroethene	ND	5800	ug/kg	190
cis-1,2-Dichloroethene	ND	5800	ug/kg	320
trans-1,2-Dichloroethene	ND	5800	ug/kg	250
1,2-Dichloropropane	ND	5800	ug/kg	170
cis-1,3-Dichloropropene	ND	5800	ug/kg	130
trans-1,3-Dichloropropene	ND	5800	ug/kg	130
Ethylbenzene	13000	5800	ug/kg	160
2-Hexanone	ND	23000	ug/kg	560
Methylene chloride	ND	5800	ug/kg	2300
4-Methyl-2-pentanone	ND	23000	ug/kg	250
Styrene	ND	5800	ug/kg	650
1,1,2,2-Tetrachloroethane	ND	5800	ug/kg	190
Tetrachloroethene	ND	5800	ug/kg	210
Toluene	890 J,B	5800	ug/kg	210
1,1,1-Trichloroethane	ND	5800	ug/kg	220
1,1,2-Trichloroethane	ND	5800	ug/kg	230
Trichloroethene	ND	5800	ug/kg	280
Vinyl chloride	ND	5800	ug/kg	370
Xylenes (total)	250000	12000	ug/kg	350

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	58 DIL, *	(59 - 138)
1,2-Dichloroethane-d4	0.0 DIL, *	(61 - 130)
Toluene-d8	82 DIL	(60 - 143)
4-Bromofluorobenzene	113 DIL	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-103

GC/MS Volatiles

Lot-Sample #....: A4L210179-003 Work Order #....: G1KX21AF Matrix.....: SO

NOTE(S):

DIL The concentration is estimated or not reported due to dilution or the presence of interfering analytes.

* Surrogate recovery is outside stated control limits.

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-103

General Chemistry

Lot-Sample #....: A4L210179-003 Work Order #....: G1KX2 Matrix.....: SO
 Date Sampled....: 12/20/04 11:58 Date Received...: 12/21/04
 % Moisture.....: 23

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphate as P, Ortho	0.2 B,J	1.3	mg/kg	MCAWW 365.2	12/30-12/31/04	4366010
				Dilution Factor: 1		
				MDL.....: 0.08		
pH (solid)	7.1		No Units	SW846 9045C	12/22/04	4362439
				Dilution Factor: 1		
				MDL.....:		
Nitrate as N	ND	6.5	mg/kg	MCAWW 300.0A	01/03/05	5004039
				Dilution Factor: 1		
				MDL.....: 0.21		
Nitrogen, as Ammonia 14		2.6	mg/kg	MCAWW 350.3	01/04/05	5004450
				Dilution Factor: 1		
				MDL.....: 0.9		
Percent Solids	77.1	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
				Dilution Factor: 1		
				MDL.....: 10.0		
Total Kjeldahl Nitrogen	540	190	mg/kg	MCAWW 351.3	01/04/05	5004445
				Dilution Factor: 1		
				MDL.....: 62		

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-104

GC/MS Volatiles

Lot-Sample #....: A4L210179-004 Work Order #....: G1KX31AF Matrix.....: SO
 Date Sampled....: 12/20/04 12:05 Date Received...: 12/21/04
 Prep Date.....: 12/22/04 Analysis Date...: 12/30/04
 Prep Batch #....: 4364523
 Dilution Factor: 462.96
 % Moisture.....: 9.1 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	510000	ug/kg	50000
Benzene	7900 J	130000	ug/kg	3300
Bromodichloromethane	ND	130000	ug/kg	6100
Bromoform	ND	130000	ug/kg	6600
Bromomethane	ND	130000	ug/kg	13000
2-Butanone	ND	510000	ug/kg	25000
Carbon disulfide	ND	130000	ug/kg	10000
Carbon tetrachloride	ND	130000	ug/kg	6100
Chlorobenzene	ND	130000	ug/kg	3200
Dibromochloromethane	ND	130000	ug/kg	3500
Chloroethane	ND	130000	ug/kg	33000
Chloroform	ND	130000	ug/kg	6100
Chloromethane	ND	130000	ug/kg	2600
1,1-Dichloroethane	ND	130000	ug/kg	3700
1,2-Dichloroethane	ND	130000	ug/kg	4700
1,1-Dichloroethene	ND	130000	ug/kg	4200
cis-1,2-Dichloroethene	ND	130000	ug/kg	7100
trans-1,2-Dichloroethene	ND	130000	ug/kg	5600
1,2-Dichloropropane	ND	130000	ug/kg	3800
cis-1,3-Dichloropropene	ND	130000	ug/kg	2800
trans-1,3-Dichloropropene	ND	130000	ug/kg	2800
Ethylbenzene	2000000	130000	ug/kg	3500
2-Hexanone	ND	510000	ug/kg	12000
Methylene chloride	ND	130000	ug/kg	50000
4-Methyl-2-pentanone	ND	510000	ug/kg	5600
Styrene	ND	130000	ug/kg	14000
1,1,2,2-Tetrachloroethane	ND	130000	ug/kg	4200
Tetrachloroethene	ND	130000	ug/kg	4600
Toluene	4100000 B	130000	ug/kg	4600
1,1,1-Trichloroethane	ND	130000	ug/kg	4800
1,1,2-Trichloroethane	ND	130000	ug/kg	5000
Trichloroethene	ND	130000	ug/kg	6100
Vinyl chloride	ND	130000	ug/kg	8200
Xylenes (total)	10000000	250000	ug/kg	7600

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	0.0 DIL, *	(59 - 138)
1,2-Dichloroethane-d4	0.0 DIL, *	(61 - 130)
Toluene-d8	50 DIL, *	(60 - 143)
4-Bromofluorobenzene	36 DIL, *	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-104

GC/MS Volatiles

Lot-Sample #....: A4L210179-004 Work Order #....: G1KX31AF Matrix.....: SO

NOTE(S) :

DIL The concentration is estimated or not reported due to dilution or the presence of interfering analytes.

* Surrogate recovery is outside stated control limits.

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-104

General Chemistry

Lot-Sample #....: A4L210179-004 Work Order #....: G1KX3 Matrix.....: SO
 Date Sampled....: 12/20/04 12:05 Date Received...: 12/21/04
 % Moisture.....: 9.1

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphate as P, Ortho	0.2 B,J	1.1	mg/kg	MCAWW 365.2	12/30-12/31/04	4366010
				Dilution Factor: 1		
				MDL.....: 0.07		
pH (solid)	7.0		No Units	SW846 9045C	12/22/04	4362439
				Dilution Factor: 1		
				MDL.....:		
Nitrate as N	ND	5.5	mg/kg	MCAWW 300.0A	01/03/05	5004039
				Dilution Factor: 1		
				MDL.....: 0.18		
Nitrogen, as Ammonia	3.1	2.2	mg/kg	MCAWW 350.3	01/04/05	5004450
				Dilution Factor: 1		
				MDL.....: 0.8		
Percent Solids	90.9	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
				Dilution Factor: 1		
				MDL.....: 10.0		
Total Kjeldahl Nitrogen	250	170	mg/kg	MCAWW 351.3	01/04/05	5004445
				Dilution Factor: 1		
				MDL.....: 53		

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-105

GC/MS Volatiles

Lot-Sample #....: A4L210179-005 Work Order #....: G1KX81AF Matrix.....: SO
 Date Sampled....: 12/20/04 13:20 Date Received...: 12/21/04
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5005200
 Dilution Factor: 0.96
 % Moisture.....: 15 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	16 J	23	ug/kg	3.1
Benzene	0.56 J	5.7	ug/kg	0.26
Bromodichloromethane	ND	5.7	ug/kg	0.55
Bromoform	ND	5.7	ug/kg	0.74
Bromomethane	ND	5.7	ug/kg	0.69
2-Butanone	2.5 J	23	ug/kg	1.1
Carbon disulfide	ND	5.7	ug/kg	0.23
Carbon tetrachloride	ND	5.7	ug/kg	0.51
Chlorobenzene	ND	5.7	ug/kg	0.32
Dibromochloromethane	ND	5.7	ug/kg	0.41
Chloroethane	ND	5.7	ug/kg	0.61
Chloroform	ND	5.7	ug/kg	0.45
Chloromethane	ND	5.7	ug/kg	0.28
1,1-Dichloroethane	ND	5.7	ug/kg	0.36
1,2-Dichloroethane	ND	5.7	ug/kg	0.55
1,1-Dichloroethene	ND	5.7	ug/kg	0.68
cis-1,2-Dichloroethene	ND	5.7	ug/kg	0.47
trans-1,2-Dichloroethene	ND	5.7	ug/kg	0.62
1,2-Dichloropropane	ND	5.7	ug/kg	0.40
cis-1,3-Dichloropropene	ND	5.7	ug/kg	0.40
trans-1,3-Dichloropropene	ND	5.7	ug/kg	0.40
Ethylbenzene	2.2 J	5.7	ug/kg	0.60
2-Hexanone	ND	23	ug/kg	0.95
Methylene chloride	ND	5.7	ug/kg	1.5
4-Methyl-2-pentanone	ND	23	ug/kg	0.61
Styrene	ND	5.7	ug/kg	0.23
1,1,2,2-Tetrachloroethane	ND	5.7	ug/kg	0.52
Tetrachloroethene	ND	5.7	ug/kg	0.94
Toluene	1.7 J	5.7	ug/kg	0.33
1,1,1-Trichloroethane	ND	5.7	ug/kg	0.86
1,1,2-Trichloroethane	ND	5.7	ug/kg	0.47
Trichloroethene	ND	5.7	ug/kg	0.47
Vinyl chloride	ND	5.7	ug/kg	0.50
Xylenes (total)	1.8 J	11	ug/kg	0.86

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	85	(59 - 138)
1,2-Dichloroethane-d4	76	(61 - 130)
Toluene-d8	86	(60 - 143)
4-Bromofluorobenzene	90	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-105

GC/MS Volatiles

Lot-Sample #...: A4L210179-005 Work Order #...: G1KX81AF Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-105

General Chemistry

Lot-Sample #....: A4L210179-005 Work Order #....: G1KX8 Matrix.....: SO
 Date Sampled....: 12/20/04 13:20 Date Received...: 12/21/04
 % Moisture.....: 15

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphate as P, Ortho	0.2 B,J	1.2	mg/kg	MCAWW 365.2	12/30-12/31/04	4366010
			Dilution Factor: 1	MDL.....: 0.07		
pH (solid)	7.9		No Units	SW846 9045C	12/22/04	4362439
			Dilution Factor: 1	MDL.....:		
Nitrate as N	ND	5.9	mg/kg	MCAWW 300.0A	01/03/05	5004039
			Dilution Factor: 1	MDL.....: 0.19		
Nitrogen, as Ammonia	2.9	2.4	mg/kg	MCAWW 350.3	01/04/05	5004450
			Dilution Factor: 1	MDL.....: 0.9		
Percent Solids	84.5	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
			Dilution Factor: 1	MDL.....: 10.0		
Total Kjeldahl Nitrogen	130 B	180	mg/kg	MCAWW 351.3	01/04/05	5004445
			Dilution Factor: 1	MDL.....: 57		

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-106

GC/MS Volatiles

Lot-Sample #....: A4L210179-006 Work Order #....: G1K0K1AF Matrix.....: SO
 Date Sampled....: 12/20/04 13:29 Date Received...: 12/21/04
 Prep Date.....: 12/22/04 Analysis Date...: 12/31/04
 Prep Batch #....: 4364523
 Dilution Factor: 0.94
 % Moisture.....: 21 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	1200	ug/kg	120
Benzene	86 J	300	ug/kg	7.6
Bromodichloromethane	ND	300	ug/kg	14
Bromoform	ND	300	ug/kg	15
Bromomethane	ND	300	ug/kg	30
2-Butanone	ND	1200	ug/kg	58
Carbon disulfide	ND	300	ug/kg	24
Carbon tetrachloride	ND	300	ug/kg	14
Chlorobenzene	ND	300	ug/kg	7.5
Dibromochloromethane	ND	300	ug/kg	8.2
Chloroethane	ND	300	ug/kg	77
Chloroform	ND	300	ug/kg	14
Chloromethane	ND	300	ug/kg	6.2
1,1-Dichloroethane	ND	300	ug/kg	8.6
1,2-Dichloroethane	ND	300	ug/kg	11
1,1-Dichloroethene	ND	300	ug/kg	9.8
cis-1,2-Dichloroethene	ND	300	ug/kg	17
trans-1,2-Dichloroethene	ND	300	ug/kg	13
1,2-Dichloropropane	ND	300	ug/kg	8.8
cis-1,3-Dichloropropene	ND	300	ug/kg	6.5
trans-1,3-Dichloropropene	ND	300	ug/kg	6.4
Ethylbenzene	130 J	300	ug/kg	8.1
2-Hexanone	ND	1200	ug/kg	28
Methylene chloride	ND	300	ug/kg	120
4-Methyl-2-pentanone	ND	1200	ug/kg	13
Styrene	ND	300	ug/kg	33
1,1,2,2-Tetrachloroethane	ND	300	ug/kg	9.7
Tetrachloroethene	ND	300	ug/kg	11
Toluene	430 B	300	ug/kg	11
1,1,1-Trichloroethane	ND	300	ug/kg	11
1,1,2-Trichloroethane	ND	300	ug/kg	12
Trichloroethene	ND	300	ug/kg	14
Vinyl chloride	ND	300	ug/kg	19
Xylenes (total)	4300	590	ug/kg	18

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	60	(59 - 138)
1,2-Dichloroethane-d4	58 *	(61 - 130)
Toluene-d8	62	(60 - 143)
4-Bromofluorobenzene	72	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-106

GC/MS Volatiles

Lot-Sample #...: A4L210179-006 Work Order #...: G1K0K1AF Matrix.....: SO

NOTE(S):

* Surrogate recovery is outside stated control limits.

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-106

General Chemistry

Lot-Sample #.... A4L210179-006 Work Order #.... G1K0K Matrix.....: SO
 Date Sampled.... 12/20/04 13:29 Date Received... 12/21/04
 % Moisture.....: 21

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphate as P, Ortho	0.2 B,J	1.3	mg/kg	MCAWW 365.2	12/30-12/31/04	4366010
				Dilution Factor: 1		
				MDL.....: 0.08		
pH (solid)	7.5		No Units	SW846 9045C	12/22/04	4362439
				Dilution Factor: 1		
				MDL.....:		
Nitrate as N	0.22 B	6.3	mg/kg	MCAWW 300.0A	01/03/05	5004039
				Dilution Factor: 1		
				MDL.....: 0.20		
Nitrogen, as Ammonia 14		2.5	mg/kg	MCAWW 350.3	01/04/05	5004450
				Dilution Factor: 1		
				MDL.....: 0.9		
Percent Solids	79.4	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
				Dilution Factor: 1		
				MDL.....: 10.0		
Total Kjeldahl Nitrogen	1200	190	mg/kg	MCAWW 351.3	01/04/05	5004445
				Dilution Factor: 1		
				MDL.....: 60		

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-107

GC/MS Volatiles

Lot-Sample #....: A4L210179-007 Work Order #....: G1K0L1AF Matrix.....: SO
 Date Sampled....: 12/20/04 13:55 Date Received...: 12/21/04
 Prep Date.....: 12/22/04 Analysis Date...: 12/31/04
 Prep Batch #....: 4364523
 Dilution Factor: 92.59
 % Moisture.....: 27 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	130000	ug/kg	13000
Benzene	ND	32000	ug/kg	820
Bromodichloromethane	ND	32000	ug/kg	1500
Bromoform	ND	32000	ug/kg	1700
Bromomethane	ND	32000	ug/kg	3200
2-Butanone	ND	130000	ug/kg	6200
Carbon disulfide	ND	32000	ug/kg	2500
Carbon tetrachloride	ND	32000	ug/kg	1500
Chlorobenzene	ND	32000	ug/kg	800
Dibromochloromethane	ND	32000	ug/kg	880
Chloroethane	ND	32000	ug/kg	8300
Chloroform	ND	32000	ug/kg	1500
Chloromethane	ND	32000	ug/kg	660
1,1-Dichloroethane	ND	32000	ug/kg	930
1,2-Dichloroethane	ND	32000	ug/kg	1200
1,1-Dichloroethene	ND	32000	ug/kg	1100
cis-1,2-Dichloroethene	ND	32000	ug/kg	1800
trans-1,2-Dichloroethene	ND	32000	ug/kg	1400
1,2-Dichloropropane	ND	32000	ug/kg	940
cis-1,3-Dichloropropene	ND	32000	ug/kg	700
trans-1,3-Dichloropropene	ND	32000	ug/kg	690
Ethylbenzene	540000	32000	ug/kg	870
2-Hexanone	ND	130000	ug/kg	3100
Methylene chloride	ND	32000	ug/kg	13000
4-Methyl-2-pentanone	ND	130000	ug/kg	1400
Styrene	ND	32000	ug/kg	3600
1,1,2,2-Tetrachloroethane	ND	32000	ug/kg	1000
Tetrachloroethene	ND	32000	ug/kg	1100
Toluene	630000 B	32000	ug/kg	1200
1,1,1-Trichloroethane	ND	32000	ug/kg	1200
1,1,2-Trichloroethane	ND	32000	ug/kg	1300
Trichloroethene	ND	32000	ug/kg	1500
Vinyl chloride	ND	32000	ug/kg	2000
Xylenes (total)	3200000	64000	ug/kg	1900

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	48 DIL, *	(59 - 138)
1,2-Dichloroethane-d4	0.0 DIL, *	(61 - 130)
Toluene-d8	106 DIL	(60 - 143)
4-Bromofluorobenzene	124 DIL	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-107

GC/MS Volatiles

Lot-Sample #...: A4L210179-007 Work Order #...: G1K0L1AF Matrix.....: SO

NOTE(S):

DIL The concentration is estimated or not reported due to dilution or the presence of interfering analytes.

* Surrogate recovery is outside stated control limits.

Results and reporting limits have been adjusted for dry weight.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Comestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-107

General Chemistry

Lot-Sample #....: A4L210179-007 Work Order #....: G1K0L
 Date Sampled....: 12/20/04 13:55 Date Received...: 12/21/04
 % Moisture.....: 27

Matrix.....: SO

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphate as P, Ortho	0.4 B,J	1.4	mg/kg	MCAWW 365.2	12/30-12/31/04	4366010
				Dilution Factor: 1		
				MDL.....: 0.08		
pH (solid)	7.8		No Units	SW846 9045C	12/22/04	4362439
				Dilution Factor: 1		
				MDL.....:		
Nitrate as N	ND	6.9	mg/kg	MCAWW 300.0A	01/03/05	5004039
				Dilution Factor: 1		
				MDL.....: 0.22		
Nitrogen, as Ammonia	7.0	2.8	mg/kg	MCAWW 350.3	01/04/05	5004450
				Dilution Factor: 1		
				MDL.....: 1		
Percent Solids	72.6	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
				Dilution Factor: 1		
				MDL.....: 10.0		
Total Kjeldahl Nitrogen	350	210	mg/kg	MCAWW 351.3	01/04/05	5004445
				Dilution Factor: 1		
				MDL.....: 66		

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-108

GC/MS Volatiles

Lot-Sample #....: A4L210179-008 Work Order #....: G1K0M1AF Matrix.....: SO
 Date Sampled....: 12/20/04 14:02 Date Received...: 12/21/04
 Prep Date.....: 12/22/04 Analysis Date...: 01/03/05
 Prep Batch #....: 4364523
 Dilution Factor: 1851.85
 % Moisture.....: 26 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	280000 J,B	2500000	ug/kg	250000
Benzene	ND	620000	ug/kg	16000
Bromodichloromethane	ND	620000	ug/kg	30000
Bromoform	ND	620000	ug/kg	32000
Bromomethane	ND	620000	ug/kg	62000
2-Butanone	ND	2500000	ug/kg	120000
Carbon disulfide	ND	620000	ug/kg	50000
Carbon tetrachloride	ND	620000	ug/kg	30000
Chlorobenzene	ND	620000	ug/kg	16000
Dibromochloromethane	ND	620000	ug/kg	17000
Chloroethane	ND	620000	ug/kg	160000
Chloroform	ND	620000	ug/kg	30000
Chloromethane	ND	620000	ug/kg	13000
1,1-Dichloroethane	ND	620000	ug/kg	18000
1,2-Dichloroethane	ND	620000	ug/kg	23000
1,1-Dichloroethene	ND	620000	ug/kg	21000
cis-1,2-Dichloroethene	ND	620000	ug/kg	35000
trans-1,2-Dichloroethene	ND	620000	ug/kg	27000
1,2-Dichloropropane	ND	620000	ug/kg	18000
cis-1,3-Dichloropropene	ND	620000	ug/kg	14000
trans-1,3-Dichloropropene	ND	620000	ug/kg	13000
Ethylbenzene	4800000	620000	ug/kg	17000
2-Hexanone	ND	2500000	ug/kg	60000
Methylene chloride	ND	620000	ug/kg	250000
4-Methyl-2-pentanone	ND	2500000	ug/kg	27000
Styrene	ND	620000	ug/kg	70000
1,1,2,2-Tetrachloroethane	ND	620000	ug/kg	20000
Tetrachloroethene	ND	620000	ug/kg	22000
Toluene	21000000 B	620000	ug/kg	23000
1,1,1-Trichloroethane	ND	620000	ug/kg	24000
1,1,2-Trichloroethane	ND	620000	ug/kg	25000
Trichloroethene	ND	620000	ug/kg	30000
Vinyl chloride	ND	620000	ug/kg	40000
Xylenes (total)	24000000	1200000	ug/kg	37000

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	19 DIL,*	(59 - 138)
1,2-Dichloroethane-d4	0.0 DIL,*	(61 - 130)
Toluene-d8	32 DIL,*	(60 - 143)
4-Bromofluorobenzene	40 DIL,*	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-108

GC/MS Volatiles

Lot-Sample #....: A4L210179-008 Work Order #....: G1KOM1AF Matrix.....: SO

NOTE(S):

DIL The concentration is estimated or not reported due to dilution or the presence of interfering analytes.

* Surrogate recovery is outside stated control limits.

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-108

General Chemistry

Lot-Sample #....: A4L210179-008 Work Order #....: G1K0M Matrix.....: SO
 Date Sampled....: 12/20/04 14:02 Date Received...: 12/21/04
 % Moisture.....: 26

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphate as P, Ortho	0.3 B,J	1.3	mg/kg	MCAWW 365.2	12/30-12/31/04	4366010
				Dilution Factor: 1		
				MDL.....: 0.08		
pH (solid)	8.0		No Units	SW846 9045C	12/22/04	4362439
				Dilution Factor: 1		
				MDL.....:		
Nitrate as N	ND	6.7	mg/kg	MCAWW 300.0A	01/03/05	5004039
				Dilution Factor: 1		
				MDL.....: 0.21		
Nitrogen, as Ammonia	7.7	2.7	mg/kg	MCAWW 350.3	01/04/05	5004450
				Dilution Factor: 1		
				MDL.....: 1		
Percent Solids	74.4	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
				Dilution Factor: 1		
				MDL.....: 10.0		
Total Kjeldahl Nitrogen	ND	200	mg/kg	MCAWW 351.3	01/04/05	5004445
				Dilution Factor: 1		
				MDL.....: 64		

NOTE(S) :

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-109

GC/MS Volatiles

Lot-Sample #....: A4L210179-009 Work Order #....: G1K0P1AF Matrix.....: SO
 Date Sampled....: 12/20/04 14:35 Date Received...: 12/21/04
 Prep Date.....: 12/22/04 Analysis Date...: 12/31/04
 Prep Batch #....: 4364523
 Dilution Factor: 8.93
 % Moisture.....: 20 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	11000	ug/kg	1100
Benzene	ND	2800	ug/kg	71
Bromodichloromethane	ND	2800	ug/kg	130
Bromoform	ND	2800	ug/kg	140
Bromomethane	ND	2800	ug/kg	280
2-Butanone	ND	11000	ug/kg	540
Carbon disulfide	ND	2800	ug/kg	220
Carbon tetrachloride	ND	2800	ug/kg	130
Chlorobenzene	ND	2800	ug/kg	70
Dibromochloromethane	ND	2800	ug/kg	77
Chloroethane	ND	2800	ug/kg	720
Chloroform	ND	2800	ug/kg	130
Chloromethane	ND	2800	ug/kg	58
1,1-Dichloroethane	ND	2800	ug/kg	81
1,2-Dichloroethane	ND	2800	ug/kg	100
1,1-Dichloroethene	ND	2800	ug/kg	92
cis-1,2-Dichloroethene	ND	2800	ug/kg	160
trans-1,2-Dichloroethene	ND	2800	ug/kg	120
1,2-Dichloropropane	ND	2800	ug/kg	82
cis-1,3-Dichloropropene	ND	2800	ug/kg	61
trans-1,3-Dichloropropene	ND	2800	ug/kg	60
Ethylbenzene	26000	2800	ug/kg	75
2-Hexanone	ND	11000	ug/kg	270
Methylene chloride	ND	2800	ug/kg	1100
4-Methyl-2-pentanone	ND	11000	ug/kg	120
Styrene	ND	2800	ug/kg	310
1,1,2,2-Tetrachloroethane	ND	2800	ug/kg	91
Tetrachloroethene	ND	2800	ug/kg	100
Toluene	3700 B	2800	ug/kg	100
1,1,1-Trichloroethane	ND	2800	ug/kg	110
1,1,2-Trichloroethane	ND	2800	ug/kg	110
Trichloroethene	ND	2800	ug/kg	130
Vinyl chloride	ND	2800	ug/kg	180
Xylenes (total)	230000	5600	ug/kg	170

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	72 DIL	(59 - 138)
1,2-Dichloroethane-d4	71 DIL	(61 - 130)
Toluene-d8	81 DIL	(60 - 143)
4-Bromofluorobenzene	107 DIL	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-109

GC/MS Volatiles

Lot-Sample #....: A4L210179-009 Work Order #....: G1K0P1AF Matrix.....: SO

NOTE(S) :

DIL The concentration is estimated or not reported due to dilution or the presence of interfering analytes.

Results and reporting limits have been adjusted for dry weight.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-109

General Chemistry

Lot-Sample #....: A4L210179-009 Work Order #....: G1K0P
 Date Sampled....: 12/20/04 14:35 Date Received...: 12/21/04
 % Moisture.....: 20

Matrix.....: SO

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphate as P, Ortho	0.3 B,J	1.2	mg/kg	MCAWW 365.2	12/30-12/31/04	4366010
			Dilution Factor: 1	MDL.....: 0.07		
pH (solid)	7.8		No Units	SW846 9045C	12/22/04	4362439
			Dilution Factor: 1	MDL.....:		
Nitrate as N	ND	6.2	mg/kg	MCAWW 300.0A	01/03/05	5004039
			Dilution Factor: 1	MDL.....: 0.20		
Nitrogen, as Ammonia 11		2.5	mg/kg	MCAWW 350.3	01/04/05	5004450
			Dilution Factor: 1	MDL.....: 0.9		
Percent Solids	80.4	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
			Dilution Factor: 1	MDL.....: 10.0		
Total Kjeldahl Nitrogen	450	190	mg/kg	MCAWW 351.3	01/04/05	5004445
			Dilution Factor: 1	MDL.....: 60		

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Comestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-110

GC/MS Volatiles

Lot-Sample #....: A4L210179-010 Work Order #....: G1K0Q1AF Matrix.....: SO
 Date Sampled....: 12/20/04 14:41 Date Received...: 12/21/04
 Prep Date.....: 12/22/04 Analysis Date...: 01/03/05
 Prep Batch #....: 4364523
 Dilution Factor: 606.06
 % Moisture.....: 15 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	120000 J,B	710000	ug/kg	70000
Benzene	ND	180000	ug/kg	4600
Bromodichloromethane	ND	180000	ug/kg	8500
Bromoform	ND	180000	ug/kg	9300
Bromomethane	ND	180000	ug/kg	18000
2-Butanone	ND	710000	ug/kg	35000
Carbon disulfide	ND	180000	ug/kg	14000
Carbon tetrachloride	ND	180000	ug/kg	8500
Chlorobenzene	ND	180000	ug/kg	4500
Dibromochloromethane	ND	180000	ug/kg	4900
Chloroethane	ND	180000	ug/kg	46000
Chloroform	ND	180000	ug/kg	8500
Chloromethane	ND	180000	ug/kg	3700
1,1-Dichloroethane	ND	180000	ug/kg	5200
1,2-Dichloroethane	ND	180000	ug/kg	6600
1,1-Dichloroethene	ND	180000	ug/kg	5900
cis-1,2-Dichloroethene	ND	180000	ug/kg	10000
trans-1,2-Dichloroethene	ND	180000	ug/kg	7800
1,2-Dichloropropane	ND	180000	ug/kg	5300
cis-1,3-Dichloropropene	ND	180000	ug/kg	3900
trans-1,3-Dichloropropene	ND	180000	ug/kg	3800
Ethylbenzene	1500000	180000	ug/kg	4800
2-Hexanone	ND	710000	ug/kg	17000
Methylene chloride	ND	180000	ug/kg	70000
4-Methyl-2-pentanone	ND	710000	ug/kg	7800
Styrene	ND	180000	ug/kg	20000
1,1,2,2-Tetrachloroethane	ND	180000	ug/kg	5800
Tetrachloroethene	ND	180000	ug/kg	6400
Toluene	5000000 B	180000	ug/kg	6500
1,1,1-Trichloroethane	ND	180000	ug/kg	6800
1,1,2-Trichloroethane	ND	180000	ug/kg	7000
Trichloroethene	ND	180000	ug/kg	8500
Vinyl chloride	ND	180000	ug/kg	11000
Xylenes (total)	7900000	360000	ug/kg	11000

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	0.0 DIL,*	(59 - 138)
1,2-Dichloroethane-d4	0.0 DIL,*	(61 - 130)
Toluene-d8	9.6 DIL,*	(60 - 143)
4-Bromofluorobenzene	14 DIL,*	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-110

GC/MS Volatiles

Lot-Sample #....: A4L210179-010 Work Order #....: G1K0Q1AF Matrix.....: SO

NOTE(S) :

DIL The concentration is estimated or not reported due to dilution or the presence of interfering analytes.

* Surrogate recovery is outside stated control limits.

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-110

General Chemistry

Lot-Sample #....: A4L210179-010 Work Order #....: G1K0Q Matrix.....: SO
 Date Sampled....: 12/20/04 14:41 Date Received...: 12/21/04
 % Moisture.....: 15

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Phosphate as P, Ortho	0.2 B,J	1.2	mg/kg	MCAWW 365.2	12/30-12/31/04	4366010
				Dilution Factor: 1		
				MDL.....: 0.07		
pH (solid)	8.0		No Units	SW846 9045C	12/22/04	4362422
				Dilution Factor: 1		
				MDL.....:		
Nitrate as N	ND	5.9	mg/kg	MCAWW 300.0A	01/03/05	5004039
				Dilution Factor: 1		
				MDL.....: 0.19		
Nitrogen, as Ammonia	2.3	2.3	mg/kg	MCAWW 350.3	01/04/05	5004450
				Dilution Factor: 1		
				MDL.....: 0.8		
Percent Solids	85.1	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
				Dilution Factor: 1		
				MDL.....: 10.0		
Total Kjeldahl Nitrogen	98 B	180	mg/kg	MCAWW 351.3	01/04/05	5004445
				Dilution Factor: 1		
				MDL.....: 56		

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-111

GC/MS Volatiles

Lot-Sample #....: A4L210179-011 Work Order #....: G1K0T1AD Matrix.....: SO
 Date Sampled....: 12/20/04 15:23 Date Received...: 12/21/04
 Prep Date.....: 12/31/04 Analysis Date...: 12/31/04
 Prep Batch #....: 5003069
 Dilution Factor: 0.86
 % Moisture.....: 25 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	ND	5.7	ug/kg	1.0
trans-1,2-Dichloroethene	ND	5.7	ug/kg	0.87
Chloromethane	ND	5.7	ug/kg	2.1
Bromomethane	ND	5.7	ug/kg	1.6
Vinyl chloride	ND	5.7	ug/kg	1.4
Chloroethane	ND	5.7	ug/kg	1.6
Methylene chloride	ND	5.7	ug/kg	1.4
Acetone	7.1 J	23	ug/kg	6.6
Carbon disulfide	ND	5.7	ug/kg	1.1
1,1-Dichloroethene	ND	5.7	ug/kg	0.93
1,1-Dichloroethane	ND	5.7	ug/kg	0.77
Chloroform	ND	5.7	ug/kg	0.81
1,2-Dichloroethane	ND	5.7	ug/kg	0.69
2-Butanone	ND	23	ug/kg	3.1
1,1,1-Trichloroethane	ND	5.7	ug/kg	0.79
Carbon tetrachloride	ND	5.7	ug/kg	0.73
Bromodichloromethane	ND	5.7	ug/kg	0.80
1,2-Dichloropropane	ND	5.7	ug/kg	0.71
cis-1,3-Dichloropropene	ND	5.7	ug/kg	0.72
Trichloroethene	ND	5.7	ug/kg	0.91
Dibromochloromethane	ND	5.7	ug/kg	0.69
1,1,2-Trichloroethane	ND	5.7	ug/kg	0.57
Benzene	ND	5.7	ug/kg	0.79
trans-1,3-Dichloropropene	ND	5.7	ug/kg	0.75
Bromoform	ND	5.7	ug/kg	0.82
4-Methyl-2-pentanone	ND	23	ug/kg	1.8
2-Hexanone	ND	23	ug/kg	1.7
Tetrachloroethene	ND	5.7	ug/kg	1.4
1,1,2,2-Tetrachloroethane	ND	5.7	ug/kg	0.95
Toluene	2.8 J	5.7	ug/kg	0.82
Chlorobenzene	ND	5.7	ug/kg	1.3
Ethylbenzene	ND	5.7	ug/kg	1.4
Styrene	ND	5.7	ug/kg	1.3
Xylenes (total)	ND	11	ug/kg	4.3

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	97	(59 - 138)
1,2-Dichloroethane-d4	92	(61 - 130)
Toluene-d8	105	(60 - 143)
4-Bromofluorobenzene	93	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-111

GC/MS Volatiles

Lot-Sample #...: A4L210179-011 Work Order #...: G1K0T1AD Matrix.....: SO

NOTE(S) :

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-111

General Chemistry

Lot-Sample #....: A4L210179-011 Work Order #....: G1K0T Matrix.....: SO
Date Sampled....: 12/20/04 15:23 Date Received...: 12/21/04
% Moisture.....: 25

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Fraction of Organic Carbon (Ash)	3.6	0.13	%	ASTM D2974	01/05/05	5005241
		Dilution Factor: 1		MDL.....: 0.13		
Percent Solids	75.3	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
		Dilution Factor: 1		MDL.....: 10.0		

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

Comestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-112

GC/MS Volatiles

Lot-Sample #....: A4L210179-012 Work Order #....: G1K021AD Matrix.....: SO
 Date Sampled....: 12/20/04 15:33 Date Received...: 12/21/04
 Prep Date.....: 12/22/04 Analysis Date...: 12/31/04
 Prep Batch #....: 4364523
 Dilution Factor: 1
 % Moisture.....: 18 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	130 J,B	1200	ug/kg	120
Benzene	ND	310	ug/kg	7.8
Bromodichloromethane	ND	310	ug/kg	15
Bromoform	ND	310	ug/kg	16
Bromomethane	ND	310	ug/kg	31
2-Butanone	ND	1200	ug/kg	60
Carbon disulfide	ND	310	ug/kg	24
Carbon tetrachloride	ND	310	ug/kg	15
Chlorobenzene	ND	310	ug/kg	7.7
Dibromochloromethane	ND	310	ug/kg	8.4
Chloroethane	ND	310	ug/kg	80
Chloroform	ND	310	ug/kg	15
Chloromethane	ND	310	ug/kg	6.4
1,1-Dichloroethane	ND	310	ug/kg	8.9
1,2-Dichloroethane	ND	310	ug/kg	11
1,1-Dichloroethene	ND	310	ug/kg	10
cis-1,2-Dichloroethene	ND	310	ug/kg	17
trans-1,2-Dichloroethene	ND	310	ug/kg	13
1,2-Dichloropropane	ND	310	ug/kg	9.1
cis-1,3-Dichloropropene	ND	310	ug/kg	6.7
trans-1,3-Dichloropropene	ND	310	ug/kg	6.6
Ethylbenzene	130 J	310	ug/kg	8.3
2-Hexanone	ND	1200	ug/kg	29
Methylene chloride	ND	310	ug/kg	120
4-Methyl-2-pentanone	ND	1200	ug/kg	13
Styrene	ND	310	ug/kg	34
1,1,2,2-Tetrachloroethane	ND	310	ug/kg	10
Tetrachloroethene	ND	310	ug/kg	11
Toluene	300 J,B	310	ug/kg	11
1,1,1-Trichloroethane	ND	310	ug/kg	12
1,1,2-Trichloroethane	ND	310	ug/kg	12
Trichloroethene	ND	310	ug/kg	15
Vinyl chloride	ND	310	ug/kg	20
Xylenes (total)	670	610	ug/kg	18

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	66	(59 - 138)
1,2-Dichloroethane-d4	64	(61 - 130)
Toluene-d8	64	(60 - 143)
4-Bromofluorobenzene	74	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-112

GC/MS Volatiles

Lot-Sample #....: A4L210179-012 Work Order #....: G1K021AD Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-112

General Chemistry

Lot-Sample #....: A4L210179-012 Work Order #....: G1K02 Matrix.....: SO
Date Sampled....: 12/20/04 15:33 Date Received...: 12/21/04
% Moisture.....: 18

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Fraction of Organic Carbon (Ash)	3.6	0.12	%	ASTM D2974	01/05/05	5005241
		Dilution Factor: 1		MDL.....: 0.12		
Percent Solids	81.7	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
		Dilution Factor: 1		MDL.....: 10.0		

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

Comestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-113

GC/MS Volatiles

Lot-Sample #....: A4L210179-013 Work Order #....: G1K041AD Matrix.....: SO
 Date Sampled....: 12/20/04 16:01 Date Received...: 12/21/04
 Prep Date.....: 12/31/04 Analysis Date...: 12/31/04
 Prep Batch #....: 5003069
 Dilution Factor: 0.93
 % Moisture.....: 19 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	ND	5.7	ug/kg	1.0
trans-1,2-Dichloroethene	ND	5.7	ug/kg	0.87
Chloromethane	ND	5.7	ug/kg	2.1
Bromomethane	ND	5.7	ug/kg	1.6
Vinyl chloride	ND	5.7	ug/kg	1.4
Chloroethane	ND	5.7	ug/kg	1.6
Methylene chloride	ND	5.7	ug/kg	1.4
Acetone	ND	23	ug/kg	6.7
Carbon disulfide	ND	5.7	ug/kg	1.1
1,1-Dichloroethene	ND	5.7	ug/kg	0.93
1,1-Dichloroethane	ND	5.7	ug/kg	0.77
Chloroform	ND	5.7	ug/kg	0.82
1,2-Dichloroethane	ND	5.7	ug/kg	0.69
2-Butanone	ND	23	ug/kg	3.1
1,1,1-Trichloroethane	ND	5.7	ug/kg	0.79
Carbon tetrachloride	ND	5.7	ug/kg	0.74
Bromodichloromethane	ND	5.7	ug/kg	0.80
1,2-Dichloropropane	ND	5.7	ug/kg	0.71
cis-1,3-Dichloropropene	ND	5.7	ug/kg	0.72
Trichloroethene	ND	5.7	ug/kg	0.92
Dibromochloromethane	ND	5.7	ug/kg	0.69
1,1,2-Trichloroethane	ND	5.7	ug/kg	0.57
Benzene	ND	5.7	ug/kg	0.79
trans-1,3-Dichloropropene	ND	5.7	ug/kg	0.76
Bromoform	ND	5.7	ug/kg	0.83
4-Methyl-2-pentanone	ND	23	ug/kg	1.8
2-Hexanone	ND	23	ug/kg	1.7
Tetrachloroethene	ND	5.7	ug/kg	1.4
1,1,2,2-Tetrachloroethane	ND	5.7	ug/kg	0.95
Toluene	1.4 J	5.7	ug/kg	0.83
Chlorobenzene	ND	5.7	ug/kg	1.3
Ethylbenzene	ND	5.7	ug/kg	1.4
Styrene	ND	5.7	ug/kg	1.3
Xylenes (total)	ND	11	ug/kg	4.4

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	98	(59 - 138)
1,2-Dichloroethane-d4	92	(61 - 130)
Toluene-d8	109	(60 - 143)
4-Bromofluorobenzene	90	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-113

GC/MS Volatiles

Lot-Sample #....: A4L210179-013 Work Order #....: G1K041AD Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-113

General Chemistry

Lot-Sample #....: A4L210179-013 Work Order #....: G1K04 Matrix.....: SO
Date Sampled....: 12/20/04 16:01 Date Received...: 12/21/04
% Moisture.....: 19

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Fraction of Organic Carbon (Ash)	1.7	0.12	%	ASTM D2974	01/05/05	5005241
		Dilution Factor: 1		MDL.....: 0.12		
Percent Solids	80.9	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
		Dilution Factor: 1		MDL.....: 10.0		

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-114

GC/MS Volatiles

Lot-Sample #....: A4L210179-014 Work Order #....: G1K061AD Matrix.....: SO
 Date Sampled....: 12/20/04 16:12 Date Received...: 12/21/04
 Prep Date.....: 12/31/04 Analysis Date...: 12/31/04
 Prep Batch #....: 5003069
 Dilution Factor: 0.94
 % Moisture.....: 23 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	ND	6.1	ug/kg	1.1
trans-1,2-Dichloroethene	ND	6.1	ug/kg	0.93
Chloromethane	ND	6.1	ug/kg	2.2
Bromomethane	ND	6.1	ug/kg	1.7
Vinyl chloride	ND	6.1	ug/kg	1.5
Chloroethane	ND	6.1	ug/kg	1.7
Methylene chloride	ND	6.1	ug/kg	1.5
Acetone	9.1 J	24	ug/kg	7.1
Carbon disulfide	ND	6.1	ug/kg	1.2
1,1-Dichloroethene	ND	6.1	ug/kg	0.99
1,1-Dichloroethane	ND	6.1	ug/kg	0.82
Chloroform	ND	6.1	ug/kg	0.87
1,2-Dichloroethane	ND	6.1	ug/kg	0.73
2-Butanone	ND	24	ug/kg	3.3
1,1,1-Trichloroethane	ND	6.1	ug/kg	0.84
Carbon tetrachloride	ND	6.1	ug/kg	0.78
Bromodichloromethane	ND	6.1	ug/kg	0.85
1,2-Dichloropropane	ND	6.1	ug/kg	0.76
cis-1,3-Dichloropropene	ND	6.1	ug/kg	0.77
Trichloroethene	ND	6.1	ug/kg	0.97
Dibromochloromethane	ND	6.1	ug/kg	0.73
1,1,2-Trichloroethane	ND	6.1	ug/kg	0.61
Benzene	ND	6.1	ug/kg	0.84
trans-1,3-Dichloropropene	ND	6.1	ug/kg	0.80
Bromoform	ND	6.1	ug/kg	0.88
4-Methyl-2-pentanone	ND	24	ug/kg	1.9
2-Hexanone	ND	24	ug/kg	1.8
Tetrachloroethene	ND	6.1	ug/kg	1.5
1,1,2,2-Tetrachloroethane	ND	6.1	ug/kg	1.0
Toluene	10	6.1	ug/kg	0.88
Chlorobenzene	ND	6.1	ug/kg	1.3
Ethylbenzene	3.3 J	6.1	ug/kg	1.5
Styrene	ND	6.1	ug/kg	1.3
Xylenes (total)	18	12	ug/kg	4.6

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	97	(59 - 138)
1,2-Dichloroethane-d4	90	(61 - 130)
Toluene-d8	113	(60 - 143)
4-Bromofluorobenzene	86	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-114

GC/MS Volatiles

Lot-Sample #....: A4L210179-014 Work Order #....: G1K061AD Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-114

General Chemistry

Lot-Sample #....: A4L210179-014 Work Order #....: G1K06 Matrix.....: SO
Date Sampled....: 12/20/04 16:12 Date Received...: 12/21/04
% Moisture.....: 23

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Fraction of Organic Carbon (Ash)	2.7	0.13	%	ASTM D2974	01/05/05	5005241
		Dilution Factor: 1		MDL.....: 0.13		
Percent Solids	77.2	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
		Dilution Factor: 1		MDL.....: 10.0		

NOTE(S):

RL Reporting Limit

Results and reporting limits have been adjusted for dry weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-115

GC/MS Volatiles

Lot-Sample #....: A4L210179-015 Work Order #....: G1K091A5 Matrix.....: SO
 Date Sampled....: 12/20/04 16:39 Date Received...: 12/21/04
 Prep Date.....: 12/31/04 Analysis Date...: 12/31/04
 Prep Batch #....: 5003069
 Dilution Factor: 0.78
 % Moisture.....: 15 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	ND	4.6	ug/kg	0.83
trans-1,2-Dichloroethene	ND	4.6	ug/kg	0.69
Chloromethane	ND	4.6	ug/kg	1.6
Bromomethane	ND	4.6	ug/kg	1.3
Vinyl chloride	ND	4.6	ug/kg	1.1
Chloroethane	ND	4.6	ug/kg	1.3
Methylene chloride	ND	4.6	ug/kg	1.1
Acetone	ND	18	ug/kg	5.3
Carbon disulfide	ND	4.6	ug/kg	0.91
1,1-Dichloroethene	ND	4.6	ug/kg	0.74
1,1-Dichloroethane	ND	4.6	ug/kg	0.61
Chloroform	ND	4.6	ug/kg	0.65
1,2-Dichloroethane	ND	4.6	ug/kg	0.55
2-Butanone	ND	18	ug/kg	2.5
1,1,1-Trichloroethane	ND	4.6	ug/kg	0.63
Carbon tetrachloride	ND	4.6	ug/kg	0.58
Bromodichloromethane	ND	4.6	ug/kg	0.64
1,2-Dichloropropane	ND	4.6	ug/kg	0.57
cis-1,3-Dichloropropene	ND	4.6	ug/kg	0.58
Trichloroethene	ND	4.6	ug/kg	0.73
Dibromochloromethane	ND	4.6	ug/kg	0.55
1,1,2-Trichloroethane	ND	4.6	ug/kg	0.46
Benzene	ND	4.6	ug/kg	0.63
trans-1,3-Dichloropropene	ND	4.6	ug/kg	0.60
Bromoform	ND	4.6	ug/kg	0.66
4-Methyl-2-pentanone	ND	18	ug/kg	1.5
2-Hexanone	ND	18	ug/kg	1.4
Tetrachloroethene	ND	4.6	ug/kg	1.1
1,1,2,2-Tetrachloroethane	ND	4.6	ug/kg	0.76
Toluene	2.5 J	4.6	ug/kg	0.66
Chlorobenzene	ND	4.6	ug/kg	1.0
Ethylbenzene	ND	4.6	ug/kg	1.1
Styrene	ND	4.6	ug/kg	1.0
Xylenes (total)	8.1 J	9.1	ug/kg	3.5

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	94	(59 - 138)
1,2-Dichloroethane-d4	93	(61 - 130)
Toluene-d8	102	(60 - 143)
4-Bromofluorobenzene	94	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-115

GC/MS Volatiles

Lot-Sample #....: A4L210179-015 Work Order #....: G1K091A5 Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-115

GC/MS Semivolatiles

Lot-Sample #....: A4L210179-015 Work Order #....: G1K091AA Matrix.....: SO
 Date Sampled....: 12/20/04 16:39 Date Received...: 12/21/04
 Prep Date.....: 12/21/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4356414
 Dilution Factor: 1
 % Moisture.....: 15 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	390	ug/kg	1.1
Acenaphthylene	ND	390	ug/kg	1.6
Acetophenone	ND	390	ug/kg	6.4
Anthracene	ND	390	ug/kg	2.7
Atrazine	ND	390	ug/kg	13
Benzo(a)anthracene	ND	390	ug/kg	1.6
Benzo(a)pyrene	ND	390	ug/kg	2.7
Benzo(b)fluoranthene	ND	390	ug/kg	2.7
Benzo(ghi)perylene	ND	390	ug/kg	2.1
Benzo(k)fluoranthene	ND	390	ug/kg	2.7
Benzaldehyde	ND	390	ug/kg	8.1
1,1'-Biphenyl	ND	390	ug/kg	8.4
bis(2-Chloroethoxy) methane	ND	390	ug/kg	19
bis(2-Chloroethyl)- ether	ND	390	ug/kg	4.8
bis(2-Ethylhexyl) phthalate	ND	390	ug/kg	19
4-Bromophenyl phenyl ether	ND	390	ug/kg	5.5
Butyl benzyl phthalate	ND	390	ug/kg	4.3
Caprolactam	ND	390	ug/kg	9.1
Carbazole	ND	390	ug/kg	11
4-Chloroaniline	ND	390	ug/kg	6.1
4-Chloro-3-methylphenol	ND	390	ug/kg	60
2-Chloronaphthalene	ND	390	ug/kg	7.4
2-Chlorophenol	ND	390	ug/kg	4.2
4-Chlorophenyl phenyl ether	ND	390	ug/kg	4.2
Chrysene	ND	390	ug/kg	1.2
Dibenz(a,h)anthracene	ND	390	ug/kg	1.8
Dibenzofuran	ND	390	ug/kg	0.97
3,3'-Dichlorobenzidine	ND	1900	ug/kg	5.7
2,4-Dichlorophenol	ND	390	ug/kg	6.2
Diethyl phthalate	ND	390	ug/kg	7.3
2,4-Dimethylphenol	ND	390	ug/kg	8.0
Dimethyl phthalate	ND	390	ug/kg	7.5
Di-n-butyl phthalate	ND	390	ug/kg	5.9

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-115

GC/MS Semivolatiles

Lot-Sample #....: A4L210179-015 Work Order #....: G1K091AA Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
4,6-Dinitro- 2-methylphenol	ND	1900	ug/kg	55
2,4-Dinitrophenol	ND	1900	ug/kg	48
2,4-Dinitrotoluene	ND	390	ug/kg	6.7
2,6-Dinitrotoluene	ND	390	ug/kg	6.8
Di-n-octyl phthalate	ND	390	ug/kg	13
Fluoranthene	ND	390	ug/kg	1.1
Fluorene	ND	390	ug/kg	1.5
Hexachlorobenzene	ND	390	ug/kg	1.6
Hexachlorobutadiene	ND	390	ug/kg	2.9
Hexachlorocyclopenta- diene	ND	1900	ug/kg	3.4
Hexachloroethane	ND	390	ug/kg	5.7
Indeno (1,2,3-cd) pyrene	ND	390	ug/kg	2.3
Isophorone	ND	390	ug/kg	4.1
2-Methylnaphthalene	ND	390	ug/kg	1.2
2-Methylphenol	ND	390	ug/kg	7.8
4-Methylphenol	ND	390	ug/kg	6.8
Naphthalene	ND	390	ug/kg	1.0
2-Nitroaniline	ND	1900	ug/kg	6.0
3-Nitroaniline	ND	1900	ug/kg	3.7
4-Nitroaniline	ND	1900	ug/kg	4.2
Nitrobenzene	ND	390	ug/kg	7.5
2-Nitrophenol	ND	390	ug/kg	4.0
4-Nitrophenol	ND	1900	ug/kg	95
N-Nitrosodi-n-propyl- amine	ND	390	ug/kg	8.9
N-Nitrosodiphenylamine	ND	390	ug/kg	4.8
2,2'-oxybis (1-Chloropropane)	ND	390	ug/kg	6.1
Pentachlorophenol	ND	390	ug/kg	53
Phenanthrene	ND	390	ug/kg	1.3
Phenol	ND	390	ug/kg	6.7
Pyrene	ND	390	ug/kg	1.2
2,4,5-Trichloro- phenol	ND	390	ug/kg	5.7
2,4,6-Trichloro- phenol	ND	390	ug/kg	8.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	77	(42 - 110)
2-Fluorobiphenyl	74	(43 - 110)
Terphenyl-d14	81	(37 - 137)
Phenol-d5	83	(25 - 115)
2-Fluorophenol	80	(11 - 116)
2,4,6-Tribromophenol	58	(35 - 116)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-115

GC/MS Semivolatiles

Lot-Sample #....: A4L210179-015 Work Order #....: G1K091AA Matrix.....: SO

NOTE(S) :

Results and reporting limits have been adjusted for dry weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-115

TOTAL Metals

Lot-Sample #....: A4L210179-015

Matrix.....: SO

Date Sampled....: 12/20/04 16:39 Date Received...: 12/21/04

% Moisture.....: 15

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Prep Batch #....: 4363035						
Aluminum	5660	23.4	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AC
		Dilution Factor: 1		MDL.....: 2.7		
Arsenic	5.3	1.2	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AX
		Dilution Factor: 1		MDL.....: 0.47		
Lead	9.0	0.35	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AO
		Dilution Factor: 1		MDL.....: 0.27		
Antimony	0.39 B,J	7.0	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AD
		Dilution Factor: 1		MDL.....: 0.27		
Barium	183	23.4	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AE
		Dilution Factor: 1		MDL.....: 0.18		
Selenium	0.43 B	0.59	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AI
		Dilution Factor: 1		MDL.....: 0.32		
Beryllium	0.17 B	0.59	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AF
		Dilution Factor: 1		MDL.....: 0.036		
Thallium	ND	1.2	mg/kg	SW846 6010B	12/28-01/04/05	G1K091A2
		Dilution Factor: 1		MDL.....: 0.41		
Cadmium	0.20 B	0.59	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AG
		Dilution Factor: 1		MDL.....: 0.027		
Calcium	13000	585	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AH
		Dilution Factor: 1		MDL.....: 17.6		
Chromium	10.3	1.2	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AJ
		Dilution Factor: 1		MDL.....: 0.14		
Cobalt	4.8 B	5.9	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AK
		Dilution Factor: 1		MDL.....: 0.12		
Copper	11.8	2.9	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AL
		Dilution Factor: 1		MDL.....: 0.19		
Iron	9460 J	11.7	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AM
		Dilution Factor: 1		MDL.....: 5.0		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-115

TOTAL Metals

Lot-Sample #....: A4L210179-015

Matrix.....: SO

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u> <u>LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION-</u> <u>ANALYSIS DATE</u>	<u>WORK</u> <u>ORDER #</u>
Magnesium	3810	585	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AN
		Dilution Factor: 1		MDL.....: 2.5		
Manganese	247	1.8	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AP
		Dilution Factor: 1		MDL.....: 0.36		
Nickel	12.4	4.7	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AQ
		Dilution Factor: 1		MDL.....: 0.20		
Potassium	1160	585	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AR
		Dilution Factor: 1		MDL.....: 4.2		
Silver	ND	1.2	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AT
		Dilution Factor: 1		MDL.....: 0.13		
Sodium	267 B	585	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AU
		Dilution Factor: 1		MDL.....: 82.0		
Vanadium	16.6	5.9	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AV
		Dilution Factor: 1		MDL.....: 0.13		
Zinc	38.5	2.3	mg/kg	SW846 6010B	12/28-01/04/05	G1K091AW
		Dilution Factor: 1		MDL.....: 1.0		
Mercury	0.013 B	0.12	mg/kg	SW846 7471A	12/28-01/03/05	G1K091A3
		Dilution Factor: 1		MDL.....: 0.0053		

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-115

General Chemistry

Lot-Sample #....: A4L210179-015 Work Order #....: G1K09 Matrix.....: SO
Date Sampled...: 12/20/04 16:39 Date Received...: 12/21/04
% Moisture.....: 15

<u>PARAMETER</u>	<u>RESULT</u>	<u>RL</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>PREP BATCH #</u>
Percent Solids	85.4	10.0	%	MCAWH 160.3 MOD	12/29-12/30/04	4364279
		Dilution Factor: 1		MDL.....: 10.0		

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-116

GC/MS Volatiles

Lot-Sample #....: A4L210179-016 Work Order #....: G1K1D1AG Matrix.....: SO
 Date Sampled....: 12/20/04 17:15 Date Received...: 12/21/04
 Prep Date.....: 12/31/04 Analysis Date...: 12/31/04
 Prep Batch #....: 5003069
 Dilution Factor: 0.96
 % Moisture.....: 27 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
cis-1,2-Dichloroethene	ND	6.5	ug/kg	1.2
trans-1,2-Dichloroethene	ND	6.5	ug/kg	0.99
Chloromethane	ND	6.5	ug/kg	2.4
Bromomethane	ND	6.5	ug/kg	1.8
Vinyl chloride	ND	6.5	ug/kg	1.6
Chloroethane	ND	6.5	ug/kg	1.8
Methylene chloride	ND	6.5	ug/kg	1.6
Acetone	9.2 J	26	ug/kg	7.6
Carbon disulfide	ND	6.5	ug/kg	1.3
1,1-Dichloroethene	ND	6.5	ug/kg	1.1
1,1-Dichloroethane	ND	6.5	ug/kg	0.88
Chloroform	ND	6.5	ug/kg	0.93
1,2-Dichloroethane	ND	6.5	ug/kg	0.78
2-Butanone	ND	26	ug/kg	3.5
1,1,1-Trichloroethane	ND	6.5	ug/kg	0.90
Carbon tetrachloride	ND	6.5	ug/kg	0.84
Bromodichloromethane	ND	6.5	ug/kg	0.92
1,2-Dichloropropane	ND	6.5	ug/kg	0.81
cis-1,3-Dichloropropene	ND	6.5	ug/kg	0.82
Trichloroethene	ND	6.5	ug/kg	1.0
Dibromochloromethane	ND	6.5	ug/kg	0.78
1,1,2-Trichloroethane	ND	6.5	ug/kg	0.65
Benzene	ND	6.5	ug/kg	0.90
trans-1,3-Dichloropropene	ND	6.5	ug/kg	0.86
Bromoform	ND	6.5	ug/kg	0.94
4-Methyl-2-pentanone	ND	26	ug/kg	2.1
2-Hexanone	ND	26	ug/kg	2.0
Tetrachloroethene	ND	6.5	ug/kg	1.6
1,1,2,2-Tetrachloroethane	ND	6.5	ug/kg	1.1
Toluene	ND	6.5	ug/kg	0.94
Chlorobenzene	ND	6.5	ug/kg	1.4
Ethylbenzene	ND	6.5	ug/kg	1.6
Styrene	ND	6.5	ug/kg	1.4
Xylenes (total)	ND	13	ug/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	98	(59 - 138)
1,2-Dichloroethane-d4	91	(61 - 130)
Toluene-d8	106	(60 - 143)
4-Bromofluorobenzene	93	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-116

GC/MS Volatiles

Lot-Sample #....: A4L210179-016 Work Order #....: G1K1D1AG Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

I Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-116

GC/MS Semivolatiles

Lot-Sample #....: A4L210179-016 Work Order #....: G1K1D1AK Matrix.....: SO
 Date Sampled....: 12/20/04 17:15 Date Received...: 12/21/04
 Prep Date.....: 12/21/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4356414
 Dilution Factor: 1
 % Moisture.....: 27 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	450	ug/kg	1.3
Acenaphthylene	ND	450	ug/kg	1.9
Acetophenone	ND	450	ug/kg	7.5
Anthracene	ND	450	ug/kg	3.1
Atrazine	ND	450	ug/kg	15
Benzo(a)anthracene	ND	450	ug/kg	1.9
Benzo(a)pyrene	ND	450	ug/kg	3.1
Benzo(b)fluoranthene	ND	450	ug/kg	3.1
Benzo(ghi)perylene	ND	450	ug/kg	2.5
Benzo(k)fluoranthene	ND	450	ug/kg	3.1
Benzaldehyde	ND	450	ug/kg	9.4
1,1'-Biphenyl	ND	450	ug/kg	9.8
bis(2-Chloroethoxy) methane	ND	450	ug/kg	22
bis(2-Chloroethyl)- ether	ND	450	ug/kg	5.6
bis(2-Ethylhexyl) phthalate	ND	450	ug/kg	22
4-Bromophenyl phenyl ether	ND	450	ug/kg	6.4
Butyl benzyl phthalate	ND	450	ug/kg	5.0
Caprolactam	ND	450	ug/kg	11
Carbazole	ND	450	ug/kg	13
4-Chloroaniline	ND	450	ug/kg	7.1
4-Chloro-3-methylphenol	ND	450	ug/kg	69
2-Chloronaphthalene	ND	450	ug/kg	8.6
2-Chlorophenol	ND	450	ug/kg	4.9
4-Chlorophenyl phenyl ether	ND	450	ug/kg	4.9
Chrysene	ND	450	ug/kg	1.3
Dibenz(a,h)anthracene	ND	450	ug/kg	2.0
Dibenzofuran	ND	450	ug/kg	1.1
3,3'-Dichlorobenzidine	ND	2200	ug/kg	6.7
2,4-Dichlorophenol	ND	450	ug/kg	7.2
Diethyl phthalate	ND	450	ug/kg	8.4
2,4-Dimethylphenol	ND	450	ug/kg	9.3
Dimethyl phthalate	ND	450	ug/kg	8.7
Di-n-butyl phthalate	ND	450	ug/kg	6.8

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-116

GC/MS Semivolatiles

Lot-Sample #....: A4L210179-016 Work Order #....: G1K1D1AK Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
4,6-Dinitro- 2-methylphenol	ND	2200	ug/kg	64
2,4-Dinitrophenol	ND	2200	ug/kg	56
2,4-Dinitrotoluene	ND	450	ug/kg	7.8
2,6-Dinitrotoluene	ND	450	ug/kg	7.9
Di-n-octyl phthalate	ND	450	ug/kg	15
Fluoranthene	ND	450	ug/kg	1.3
Fluorene	ND	450	ug/kg	1.8
Hexachlorobenzene	ND	450	ug/kg	1.9
Hexachlorobutadiene	ND	450	ug/kg	3.4
Hexachlorocyclopenta- diene	ND	2200	ug/kg	4.0
Hexachloroethane	ND	450	ug/kg	6.7
Indeno (1,2,3-cd)pyrene	ND	450	ug/kg	2.7
Isophorone	ND	450	ug/kg	4.8
2-Methylnaphthalene	ND	450	ug/kg	1.3
2-Methylphenol	ND	450	ug/kg	9.1
4-Methylphenol	ND	450	ug/kg	7.9
Naphthalene	ND	450	ug/kg	1.2
2-Nitroaniline	ND	2200	ug/kg	6.9
3-Nitroaniline	ND	2200	ug/kg	4.4
4-Nitroaniline	ND	2200	ug/kg	4.9
Nitrobenzene	ND	450	ug/kg	8.7
2-Nitrophenol	ND	450	ug/kg	4.6
4-Nitrophenol	ND	2200	ug/kg	110
N-Nitrosodi-n-propyl- amine	ND	450	ug/kg	10
N-Nitrosodiphenylamine	ND	450	ug/kg	5.6
2,2'-oxybis (1-Chloropropane)	ND	450	ug/kg	7.1
Pentachlorophenol	ND	450	ug/kg	61
Phenanthrene	ND	450	ug/kg	1.5
Phenol	ND	450	ug/kg	7.8
Pyrene	ND	450	ug/kg	1.4
2,4,5-Trichloro- phenol	ND	450	ug/kg	6.7
2,4,6-Trichloro- phenol	ND	450	ug/kg	9.3
SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS		
Nitrobenzene-d5	67	(42 - 110)		
2-Fluorobiphenyl	57	(43 - 110)		
Terphenyl-d14	76	(37 - 137)		
Phenol-d5	66	(25 - 115)		
2-Fluorophenol	66	(11 - 116)		
2,4,6-Tribromophenol	59	(35 - 116)		

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-116

GC/MS Semivolatiles

Lot-Sample #....: A4L210179-016 Work Order #....: G1K1D1AK Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-116

TOTAL Metals

Lot-Sample #....: A4L210179-016

Matrix.....: SO

Date Sampled...: 12/20/04 17:15 Date Received...: 12/21/04

% Moisture.....: 27

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #....: 4363035						
Aluminum	5690	27.3	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AL
		Dilution Factor: 1		MDL.....: 3.1		
Arsenic	3.9	1.4	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1A7
		Dilution Factor: 1		MDL.....: 0.55		
Lead	9.3	0.41	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AA
		Dilution Factor: 1		MDL.....: 0.31		
Antimony	0.51 B,J	8.2	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AM
		Dilution Factor: 1		MDL.....: 0.31		
Barium	205	27.3	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AN
		Dilution Factor: 1		MDL.....: 0.20		
Selenium	ND	0.68	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AC
		Dilution Factor: 1		MDL.....: 0.37		
Beryllium	0.14 B	0.68	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AP
		Dilution Factor: 1		MDL.....: 0.042		
Thallium	ND	1.4	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AD
		Dilution Factor: 1		MDL.....: 0.48		
Cadmium	0.15 B	0.68	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AQ
		Dilution Factor: 1		MDL.....: 0.031		
Calcium	21200	681	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AR
		Dilution Factor: 1		MDL.....: 20.4		
Chromium	10.7	1.4	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AT
		Dilution Factor: 1		MDL.....: 0.16		
Cobalt	6.7 B	6.8	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AU
		Dilution Factor: 1		MDL.....: 0.14		
Copper	12.3	3.4	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AV
		Dilution Factor: 1		MDL.....: 0.22		
Iron	12900 J	13.6	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AW
		Dilution Factor: 1		MDL.....: 5.9		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-116

TOTAL Metals

Lot-Sample #...: A4L210179-016

Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Magnesium	8270	681	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1AX
		Dilution Factor: 1		MDL.....: 2.9		
Manganese	274	2.0	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1A0
		Dilution Factor: 1		MDL.....: 0.42		
Nickel	16.9	5.5	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1A1
		Dilution Factor: 1		MDL.....: 0.23		
Potassium	1530	681	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1A2
		Dilution Factor: 1		MDL.....: 4.9		
Silver	ND	1.4	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1A3
		Dilution Factor: 1		MDL.....: 0.15		
Sodium	121 B	681	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1A4
		Dilution Factor: 1		MDL.....: 95.4		
Vanadium	18.8	6.8	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1A5
		Dilution Factor: 1		MDL.....: 0.15		
Zinc	47.7	2.7	mg/kg	SW846 6010B	12/28-01/04/05	G1K1D1A6
		Dilution Factor: 1		MDL.....: 1.2		
Mercury	0.0099 B	0.14	mg/kg	SW846 7471A	12/28-01/03/05	G1K1D1AE
		Dilution Factor: 1		MDL.....: 0.0061		

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-116

General Chemistry

Lot-Sample #...: A4L210179-016 Work Order #...: G1K1D Matrix.....: SO
Date Sampled...: 12/20/04 17:15 Date Received...: 12/21/04
% Moisture.....: 27

<u>PARAMETER</u>	<u>RESULT</u>	<u>RL</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>PREP BATCH #</u>
Percent Solids	73.4	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
		Dilution Factor: 1		MDL.....: 10.0		

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-117

GC/MS Volatiles

Lot-Sample #....: A4L210179-017 Work Order #....: G1K1F1AQ Matrix.....: SO
 Date Sampled....: 12/20/04 17:35 Date Received...: 12/21/04
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5004223
 Dilution Factor: 0.91
 % Moisture.....: 27 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	25	ug/kg	3.4
Benzene	ND	6.3	ug/kg	0.29
Bromodichloromethane	ND	6.3	ug/kg	0.60
Bromoform	ND	6.3	ug/kg	0.82
Bromomethane	ND	6.3	ug/kg	0.77
2-Butanone	ND	25	ug/kg	1.3
Carbon disulfide	ND	6.3	ug/kg	0.25
Carbon tetrachloride	ND	6.3	ug/kg	0.56
Chlorobenzene	ND	6.3	ug/kg	0.35
Dibromochloromethane	ND	6.3	ug/kg	0.45
Chloroethane	ND	6.3	ug/kg	0.68
Chloroform	ND	6.3	ug/kg	0.50
Chloromethane	ND	6.3	ug/kg	0.31
1,1-Dichloroethane	ND	6.3	ug/kg	0.40
1,2-Dichloroethane	ND	6.3	ug/kg	0.60
1,1-Dichloroethene	ND	6.3	ug/kg	0.75
cis-1,2-Dichloroethene	ND	6.3	ug/kg	0.51
trans-1,2-Dichloroethene	ND	6.3	ug/kg	0.69
1,2-Dichloropropane	ND	6.3	ug/kg	0.44
cis-1,3-Dichloropropene	ND	6.3	ug/kg	0.44
trans-1,3-Dichloropropene	ND	6.3	ug/kg	0.44
Ethylbenzene	ND	6.3	ug/kg	0.66
2-Hexanone	ND	25	ug/kg	1.1
Methylene chloride	ND	6.3	ug/kg	1.6
4-Methyl-2-pentanone	ND	25	ug/kg	0.68
Styrene	ND	6.3	ug/kg	0.25
1,1,2,2-Tetrachloroethane	ND	6.3	ug/kg	0.58
Tetrachloroethene	190	6.3	ug/kg	1.0
Toluene	0.91 J	6.3	ug/kg	0.36
1,1,1-Trichloroethane	ND	6.3	ug/kg	0.95
1,1,2-Trichloroethane	ND	6.3	ug/kg	0.51
Trichloroethene	1.0 J	6.3	ug/kg	0.51
Vinyl chloride	ND	6.3	ug/kg	0.55
Xylenes (total)	ND	13	ug/kg	0.95

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	102	(59 - 138)
1,2-Dichloroethane-d4	95	(61 - 130)
Toluene-d8	115	(60 - 143)
4-Bromofluorobenzene	87	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-117

GC/MS Volatiles

Lot-Sample #...: A4L210179-017 Work Order #...: G1K1F1AQ Matrix.....: SO

NOTE(S) :

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-117

GC/MS Semivolatiles

Lot-Sample #....: A4L210179-017 Work Order #....: G1K1F1AU Matrix.....: SO
 Date Sampled....: 12/20/04 17:35 Date Received...: 12/21/04
 Prep Date.....: 12/22/04 Analysis Date...: 12/28/04
 Prep Batch #....: 4357051
 Dilution Factor: 1
 % Moisture.....: 27 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	450	ug/kg	1.3
Acenaphthylene	ND	450	ug/kg	1.9
Acetophenone	ND	450	ug/kg	7.6
Anthracene	ND	450	ug/kg	3.2
Atrazine	ND	450	ug/kg	15
Benzo(a)anthracene	ND	450	ug/kg	1.9
Benzo(a)pyrene	ND	450	ug/kg	3.2
Benzo(b)fluoranthene	ND	450	ug/kg	3.2
Benzo(ghi)perylene	ND	450	ug/kg	2.5
Benzo(k)fluoranthene	ND	450	ug/kg	3.2
Benzaldehyde	ND	450	ug/kg	9.5
1,1'-Biphenyl	ND	450	ug/kg	9.9
bis(2-Chloroethoxy) methane	ND	450	ug/kg	22
bis(2-Chloroethyl)- ether	ND	450	ug/kg	5.7
bis(2-Ethylhexyl) phthalate	51 J	450	ug/kg	22
4-Bromophenyl phenyl ether	ND	450	ug/kg	6.5
Butyl benzyl phthalate	ND	450	ug/kg	5.1
Caprolactam	50 J,B	450	ug/kg	11
Carbazole	ND	450	ug/kg	13
4-Chloroaniline	ND	450	ug/kg	7.2
4-Chloro-3-methylphenol	ND	450	ug/kg	70
2-Chloronaphthalene	ND	450	ug/kg	8.7
2-Chlorophenol	ND	450	ug/kg	5.0
4-Chlorophenyl phenyl ether	ND	450	ug/kg	5.0
Chrysene	ND	450	ug/kg	1.4
Dibenz(a,h)anthracene	ND	450	ug/kg	2.1
Dibenzofuran	ND	450	ug/kg	1.1
3,3'-Dichlorobenzidine	ND	2200	ug/kg	6.8
2,4-Dichlorophenol	ND	450	ug/kg	7.3
Diethyl phthalate	ND	450	ug/kg	8.5
2,4-Dimethylphenol	48 J	450	ug/kg	9.4
Dimethyl phthalate	ND	450	ug/kg	8.8
Di-n-butyl phthalate	ND	450	ug/kg	6.9

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-117

GC/MS Semivolatiles

Lot-Sample #....: A4L210179-017 Work Order #....: G1K1F1AU Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
4,6-Dinitro- 2-methylphenol	ND	2200	ug/kg	65
2,4-Dinitrophenol	ND	2200	ug/kg	57
2,4-Dinitrotoluene	ND	450	ug/kg	7.9
2,6-Dinitrotoluene	ND	450	ug/kg	8.0
Di-n-octyl phthalate	ND	450	ug/kg	15
Fluoranthene	ND	450	ug/kg	1.3
Fluorene	ND	450	ug/kg	1.8
Hexachlorobenzene	ND	450	ug/kg	1.9
Hexachlorobutadiene	ND	450	ug/kg	3.4
Hexachlorocyclopenta- diene	ND	2200	ug/kg	4.0
Hexachloroethane	ND	450	ug/kg	6.8
Indeno(1,2,3-cd)pyrene	ND	450	ug/kg	2.8
Isophorone	ND	450	ug/kg	4.8
2-Methylnaphthalene	ND	450	ug/kg	1.4
2-Methylphenol	ND	450	ug/kg	9.2
4-Methylphenol	ND	450	ug/kg	8.0
Naphthalene	ND	450	ug/kg	1.2
2-Nitroaniline	ND	2200	ug/kg	7.0
3-Nitroaniline	ND	2200	ug/kg	4.4
4-Nitroaniline	ND	2200	ug/kg	5.0
Nitrobenzene	ND	450	ug/kg	8.8
2-Nitrophenol	ND	450	ug/kg	4.7
4-Nitrophenol	ND	2200	ug/kg	110
N-Nitrosodi-n-propyl- amine	ND	450	ug/kg	10
N-Nitrosodiphenylamine	ND	450	ug/kg	5.7
2,2'-oxybis(1-Chloropropane)	ND	450	ug/kg	7.2
Pentachlorophenol	ND	450	ug/kg	62
Phenanthrene	ND	450	ug/kg	1.5
Phenol	ND	450	ug/kg	7.9
Pyrene	ND	450	ug/kg	1.4
2,4,5-Trichloro- phenol	ND	450	ug/kg	6.8
2,4,6-Trichloro- phenol	ND	450	ug/kg	9.4

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	86	(42 - 110)
2-Fluorobiphenyl	76	(43 - 110)
Terphenyl-d14	90	(37 - 137)
Phenol-d5	84	(25 - 115)
2-Fluorophenol	87	(11 - 116)
2,4,6-Tribromophenol	69	(35 - 116)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-117

GC/MS Semivolatiles

Lot-Sample #....: A4L210179-017 Work Order #....: G1K1FLAU Matrix.....: SO

NOTE(S) :

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-117

General Chemistry

Lot-Sample #....: A4L210179-017 Work Order #....: G1K1F Matrix.....: SO
Date Sampled....: 12/20/04 17:35 Date Received...: 12/21/04
* Moisture.....: 27

<u>PARAMETER</u>	<u>RESULT</u>	<u>RL</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>PREP BATCH #</u>
Percent Solids	72.6	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
		Dilution Factor: 1		MDL.....: 10.0		

QUALITY CONTROL SECTION

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: A4L210179
 MB Lot-Sample #: A4L290000-523
 Analysis Date...: 12/28/04
 Dilution Factor: 1

Work Order #...: G10GN1AA
 Prep Date.....: 12/22/04
 Prep Batch #...: 4364523

Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Acetone	120 J	1000	ug/kg	SW846 8260B
Benzene	ND	250	ug/kg	SW846 8260B
Bromodichloromethane	ND	250	ug/kg	SW846 8260B
Bromoform	ND	250	ug/kg	SW846 8260B
Bromomethane	ND	250	ug/kg	SW846 8260B
2-Butanone	ND	1000	ug/kg	SW846 8260B
Carbon disulfide	ND	250	ug/kg	SW846 8260B
Carbon tetrachloride	ND	250	ug/kg	SW846 8260B
Chlorobenzene	ND	250	ug/kg	SW846 8260B
Dibromochloromethane	ND	250	ug/kg	SW846 8260B
Chloroethane	ND	250	ug/kg	SW846 8260B
Chloroform	ND	250	ug/kg	SW846 8260B
Chloromethane	ND	250	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	250	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	250	ug/kg	SW846 8260B
1,1-Dichloroethene	ND	250	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	ND	250	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	ND	250	ug/kg	SW846 8260B
1,2-Dichloropropane	ND	250	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	250	ug/kg	SW846 8260B
trans-1,3-Dichloropropene	ND	250	ug/kg	SW846 8260B
Ethylbenzene	ND	250	ug/kg	SW846 8260B
2-Hexanone	ND	1000	ug/kg	SW846 8260B
Methylene chloride	ND	250	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	1000	ug/kg	SW846 8260B
Styrene	ND	250	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	250	ug/kg	SW846 8260B
Tetrachloroethene	ND	250	ug/kg	SW846 8260B
Toluene	14 J	250	ug/kg	SW846 8260B
1,1,1-Trichloroethane	ND	250	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	250	ug/kg	SW846 8260B
Trichloroethene	ND	250	ug/kg	SW846 8260B
Vinyl chloride	ND	250	ug/kg	SW846 8260B
Xylenes (total)	ND	500	ug/kg	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	88	(59 - 138)
1,2-Dichloroethane-d4	100	(61 - 130)
Toluene-d8	77	(60 - 143)
4-Bromofluorobenzene	89	(47 - 158)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L210179

Work Order #....: G10GN1AA

Matrix.....: SOLID

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

J Estimated result. Result is less than RL.

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: A4L210179
MB Lot-Sample #: A5A030000-069

Work Order #...: G12WM1AA

Matrix.....: SOLID

Prep Date.....: 12/31/04

Analysis Date...: 12/31/04

Prep Batch #...: 5003069

Dilution Factor: 1

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
cis-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Chloromethane	ND	5.0	ug/kg	SW846 8260B
Bromomethane	ND	5.0	ug/kg	SW846 8260B
Vinyl chloride	ND	5.0	ug/kg	SW846 8260B
Chloroethane	ND	5.0	ug/kg	SW846 8260B
Methylene chloride	ND	5.0	ug/kg	SW846 8260B
Acetone	ND	20	ug/kg	SW846 8260B
Carbon disulfide	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Chloroform	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
2-Butanone	ND	20	ug/kg	SW846 8260B
1,1,1-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
Carbon tetrachloride	ND	5.0	ug/kg	SW846 8260B
Bromodichloromethane	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
Trichloroethene	ND	5.0	ug/kg	SW846 8260B
Dibromochloromethane	ND	5.0	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
Benzene	ND	5.0	ug/kg	SW846 8260B
trans-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
Bromoform	ND	5.0	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	20	ug/kg	SW846 8260B
2-Hexanone	ND	20	ug/kg	SW846 8260B
Tetrachloroethene	ND	5.0	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
Toluene	ND	5.0	ug/kg	SW846 8260B
Chlorobenzene	ND	5.0	ug/kg	SW846 8260B
Ethylbenzene	ND	5.0	ug/kg	SW846 8260B
Styrene	ND	5.0	ug/kg	SW846 8260B
Xylenes (total)	ND	10	ug/kg	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	97	(59 - 138)
1,2-Dichloroethane-d4	94	(61 - 130)
Toluene-d8	104	(60 - 143)
4-Bromofluorobenzene	99	(47 - 158)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L210179

Work Order #....: G12WM1AA

Matrix.....: SOLID

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L210179
 MB Lot-Sample #: A5A040000-223

Work Order #....: G14C81AA

Matrix.....: SOLID

Analysis Date...: 01/03/05
 Dilution Factor: 1

Prep Date.....: 01/03/05

Prep Batch #....: 5004223

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Acetone	ND	20	ug/kg	SW846 8260B
Benzene	ND	5.0	ug/kg	SW846 8260B
Bromodichloromethane	ND	5.0	ug/kg	SW846 8260B
Bromoform	ND	5.0	ug/kg	SW846 8260B
Bromomethane	ND	5.0	ug/kg	SW846 8260B
2-Butanone	ND	20	ug/kg	SW846 8260B
Carbon disulfide	ND	5.0	ug/kg	SW846 8260B
Carbon tetrachloride	ND	5.0	ug/kg	SW846 8260B
Chlorobenzene	ND	5.0	ug/kg	SW846 8260B
Dibromochloromethane	ND	5.0	ug/kg	SW846 8260B
Chloroethane	ND	5.0	ug/kg	SW846 8260B
Chloroform	ND	5.0	ug/kg	SW846 8260B
Chloromethane	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
trans-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
Ethylbenzene	ND	5.0	ug/kg	SW846 8260B
2-Hexanone	ND	20	ug/kg	SW846 8260B
Methylene chloride	ND	5.0	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	20	ug/kg	SW846 8260B
Styrene	ND	5.0	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
Tetrachloroethene	ND	5.0	ug/kg	SW846 8260B
Toluene	ND	5.0	ug/kg	SW846 8260B
1,1,1-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
Trichloroethene	ND	5.0	ug/kg	SW846 8260B
Vinyl chloride	ND	5.0	ug/kg	SW846 8260B
Xylenes (total)	ND	10	ug/kg	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	99	(59 - 138)
1,2-Dichloroethane-d4	96	(61 - 130)
Toluene-d8	103	(60 - 143)
4-Bromofluorobenzene	97	(47 - 158)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L210179

Work Order #....: G14C81AA

Matrix.....: SOLID

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: A4L210179
 MB Lot-Sample #: A5A050000-200
 Analysis Date...: 01/03/05
 Dilution Factor: 1

Work Order #...: G15W71AA
 Prep Date.....: 01/03/05
 Prep Batch #...: 5005200

Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Acetone	ND	20	ug/kg	SW846 8260B
Benzene	ND	5.0	ug/kg	SW846 8260B
Bromodichloromethane	ND	5.0	ug/kg	SW846 8260B
Bromoform	ND	5.0	ug/kg	SW846 8260B
Bromomethane	ND	5.0	ug/kg	SW846 8260B
2-Butanone	ND	20	ug/kg	SW846 8260B
Carbon disulfide	ND	5.0	ug/kg	SW846 8260B
Carbon tetrachloride	ND	5.0	ug/kg	SW846 8260B
Chlorobenzene	ND	5.0	ug/kg	SW846 8260B
Dibromochloromethane	ND	5.0	ug/kg	SW846 8260B
Chloroethane	ND	5.0	ug/kg	SW846 8260B
Chloroform	ND	5.0	ug/kg	SW846 8260B
Chloromethane	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
trans-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
Ethylbenzene	ND	5.0	ug/kg	SW846 8260B
2-Hexanone	ND	20	ug/kg	SW846 8260B
Methylene chloride	ND	5.0	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	20	ug/kg	SW846 8260B
Styrene	ND	5.0	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
Tetrachloroethene	ND	5.0	ug/kg	SW846 8260B
Toluene	ND	5.0	ug/kg	SW846 8260B
1,1,1-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
Trichloroethene	ND	5.0	ug/kg	SW846 8260B
Vinyl chloride	ND	5.0	ug/kg	SW846 8260B
Xylenes (total)	ND	10	ug/kg	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	85	(59 - 138)
1,2-Dichloroethane-d4	76	(61 - 130)
Toluene-d8	85	(60 - 143)
4-Bromofluorobenzene	89	(47 - 158)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L210179

Work Order #....: G15W71AA

Matrix.....: SOLID

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #...: A4L210179
MB Lot-Sample #: A4L210000-414

Work Order #...: G1LRA1AA

Matrix.....: SOLID

Analysis Date...: 12/28/04
Dilution Factor: 1

Prep Date.....: 12/21/04

Prep Batch #...: 4356414

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Acenaphthene	ND	330	ug/kg	SW846 8270C
Acenaphthylene	ND	330	ug/kg	SW846 8270C
Acetophenone	ND	330	ug/kg	SW846 8270C
Anthracene	ND	330	ug/kg	SW846 8270C
Atrazine	ND	330	ug/kg	SW846 8270C
Benzo (a) anthracene	ND	330	ug/kg	SW846 8270C
Benzo (a) pyrene	ND	330	ug/kg	SW846 8270C
Benzo (b) fluoranthene	ND	330	ug/kg	SW846 8270C
Benzo (ghi) perylene	ND	330	ug/kg	SW846 8270C
Benzo (k) fluoranthene	ND	330	ug/kg	SW846 8270C
Benzaldehyde	ND	330	ug/kg	SW846 8270C
1,1'-Biphenyl	ND	330	ug/kg	SW846 8270C
bis (2-Chloroethoxy) methane	ND	330	ug/kg	SW846 8270C
bis (2-Chloroethyl) - ether	ND	330	ug/kg	SW846 8270C
bis (2-Ethylhexyl) phthalate	ND	330	ug/kg	SW846 8270C
4-Bromophenyl phenyl ether	ND	330	ug/kg	SW846 8270C
Butyl benzyl phthalate	ND	330	ug/kg	SW846 8270C
Caprolactam	ND	330	ug/kg	SW846 8270C
Carbazole	ND	330	ug/kg	SW846 8270C
4-Chloroaniline	ND	330	ug/kg	SW846 8270C
4-Chloro-3-methylphenol	ND	330	ug/kg	SW846 8270C
2-Chloronaphthalene	ND	330	ug/kg	SW846 8270C
2-Chlorophenol	ND	330	ug/kg	SW846 8270C
4-Chlorophenyl phenyl ether	ND	330	ug/kg	SW846 8270C
Chrysene	ND	330	ug/kg	SW846 8270C
Dibenz (a, h) anthracene	ND	330	ug/kg	SW846 8270C
Dibenzofuran	ND	330	ug/kg	SW846 8270C
3,3'-Dichlorobenzidine	ND	1600	ug/kg	SW846 8270C
2,4-Dichlorophenol	ND	330	ug/kg	SW846 8270C
Diethyl phthalate	ND	330	ug/kg	SW846 8270C
2,4-Dimethylphenol	ND	330	ug/kg	SW846 8270C
Dimethyl phthalate	ND	330	ug/kg	SW846 8270C
Di-n-butyl phthalate	ND	330	ug/kg	SW846 8270C
4,6-Dinitro- 2-methylphenol	ND	1600	ug/kg	SW846 8270C
2,4-Dinitrophenol	ND	1600	ug/kg	SW846 8270C

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L210179

Work Order #....: G1LR1AA

Matrix.....: SOLID

PARAMETER	RESULT	REPORTING			METHOD
		LIMIT	UNITS		
2,4-Dinitrotoluene	ND	330	ug/kg		SW846 8270C
2,6-Dinitrotoluene	ND	330	ug/kg		SW846 8270C
Di-n-octyl phthalate	ND	330	ug/kg		SW846 8270C
Fluoranthene	ND	330	ug/kg		SW846 8270C
Fluorene	ND	330	ug/kg		SW846 8270C
Hexachlorobenzene	ND	330	ug/kg		SW846 8270C
Hexachlorobutadiene	ND	330	ug/kg		SW846 8270C
Hexachlorocyclopenta- diene	ND	1600	ug/kg		SW846 8270C
Hexachloroethane	ND	330	ug/kg		SW846 8270C
Indeno(1,2,3-cd)pyrene	ND	330	ug/kg		SW846 8270C
Isophorone	ND	330	ug/kg		SW846 8270C
2-Methylnaphthalene	ND	330	ug/kg		SW846 8270C
2-Methylphenol	ND	330	ug/kg		SW846 8270C
4-Methylphenol	ND	330	ug/kg		SW846 8270C
Naphthalene	ND	330	ug/kg		SW846 8270C
2-Nitroaniline	ND	1600	ug/kg		SW846 8270C
3-Nitroaniline	ND	1600	ug/kg		SW846 8270C
4-Nitroaniline	ND	1600	ug/kg		SW846 8270C
Nitrobenzene	ND	330	ug/kg		SW846 8270C
2-Nitrophenol	ND	330	ug/kg		SW846 8270C
4-Nitrophenol	ND	1600	ug/kg		SW846 8270C
N-Nitrosodi-n-propyl- amine	ND	330	ug/kg		SW846 8270C
N-Nitrosodiphenylamine	ND	330	ug/kg		SW846 8270C
2,2'-oxybis(1-Chloropropa	ND	330	ug/kg		SW846 8270C
Pentachlorophenol	ND	330	ug/kg		SW846 8270C
Phenanthrene	ND	330	ug/kg		SW846 8270C
Phenol	ND	330	ug/kg		SW846 8270C
Pyrene	ND	330	ug/kg		SW846 8270C
2,4,5-Trichloro- phenol	ND	330	ug/kg		SW846 8270C
2,4,6-Trichloro- phenol	ND	330	ug/kg		SW846 8270C

SURROGATE	PERCENT	RECOVERY
	RECOVERY	LIMITS
Nitrobenzene-d5	78	(42 - 110)
2-Fluorobiphenyl	72	(43 - 110)
Terphenyl-d14	93	(37 - 137)
Phenol-d5	79	(25 - 115)
2-Fluorophenol	78	(11 - 116)
2,4,6-Tribromophenol	61	(35 - 116)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L210179
 MB Lot-Sample #: A4L220000-051

Work Order #....: G1MHJ1AA

Matrix.....: SOLID

Analysis Date...: 12/28/04
 Dilution Factor: 1

Prep Date.....: 12/22/04

Prep Batch #....: 4357051

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Acenaphthene	ND	330	ug/kg	SW846 8270C
Acenaphthylene	ND	330	ug/kg	SW846 8270C
Acetophenone	ND	330	ug/kg	SW846 8270C
Anthracene	ND	330	ug/kg	SW846 8270C
Atrazine	ND	330	ug/kg	SW846 8270C
Benzo(a)anthracene	ND	330	ug/kg	SW846 8270C
Benzo(a)pyrene	ND	330	ug/kg	SW846 8270C
Benzo(b)fluoranthene	ND	330	ug/kg	SW846 8270C
Benzo(ghi)perylene	ND	330	ug/kg	SW846 8270C
Benzo(k)fluoranthene	ND	330	ug/kg	SW846 8270C
Benzaldehyde	ND	330	ug/kg	SW846 8270C
1,1'-Biphenyl	ND	330	ug/kg	SW846 8270C
bis(2-Chloroethoxy) methane	ND	330	ug/kg	SW846 8270C
bis(2-Chloroethyl)- ether	ND	330	ug/kg	SW846 8270C
bis(2-Ethylhexyl) phthalate	ND	330	ug/kg	SW846 8270C
4-Bromophenyl phenyl ether	ND	330	ug/kg	SW846 8270C
Butyl benzyl phthalate	ND	330	ug/kg	SW846 8270C
Caprolactam	26 J	330	ug/kg	SW846 8270C
Carbazole	ND	330	ug/kg	SW846 8270C
4-Chloroaniline	ND	330	ug/kg	SW846 8270C
4-Chloro-3-methylphenol	ND	330	ug/kg	SW846 8270C
2-Chloronaphthalene	ND	330	ug/kg	SW846 8270C
2-Chlorophenol	ND	330	ug/kg	SW846 8270C
4-Chlorophenyl phenyl ether	ND	330	ug/kg	SW846 8270C
Chrysene	ND	330	ug/kg	SW846 8270C
Dibenz(a,h)anthracene	ND	330	ug/kg	SW846 8270C
Dibenzofuran	ND	330	ug/kg	SW846 8270C
3,3'-Dichlorobenzidine	ND	1600	ug/kg	SW846 8270C
2,4-Dichlorophenol	ND	330	ug/kg	SW846 8270C
Diethyl phthalate	ND	330	ug/kg	SW846 8270C
2,4-Dimethylphenol	ND	330	ug/kg	SW846 8270C
Dimethyl phthalate	ND	330	ug/kg	SW846 8270C
Di-n-butyl phthalate	ND	330	ug/kg	SW846 8270C
4,6-Dinitro- 2-methylphenol	ND	1600	ug/kg	SW846 8270C
2,4-Dinitrophenol	ND	1600	ug/kg	SW846 8270C

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #...: A4L210179

Work Order #...: G1MHJ1AA

Matrix.....: SOLID

PARAMETER	RESULT	REPORTING			METHOD
		LIMIT	UNITS		
2,4-Dinitrotoluene	ND	330	ug/kg		SW846 8270C
2,6-Dinitrotoluene	ND	330	ug/kg		SW846 8270C
Di-n-octyl phthalate	ND	330	ug/kg		SW846 8270C
Fluoranthene	ND	330	ug/kg		SW846 8270C
Fluorene	ND	330	ug/kg		SW846 8270C
Hexachlorobenzene	ND	330	ug/kg		SW846 8270C
Hexachlorobutadiene	ND	330	ug/kg		SW846 8270C
Hexachlorocyclopenta- diene	ND	1600	ug/kg		SW846 8270C
Hexachloroethane	ND	330	ug/kg		SW846 8270C
Indeno(1,2,3-cd)pyrene	ND	330	ug/kg		SW846 8270C
Isophorone	ND	330	ug/kg		SW846 8270C
2-Methylnaphthalene	ND	330	ug/kg		SW846 8270C
2-Methylphenol	ND	330	ug/kg		SW846 8270C
4-Methylphenol	ND	330	ug/kg		SW846 8270C
Naphthalene	ND	330	ug/kg		SW846 8270C
2-Nitroaniline	ND	1600	ug/kg		SW846 8270C
3-Nitroaniline	ND	1600	ug/kg		SW846 8270C
4-Nitroaniline	ND	1600	ug/kg		SW846 8270C
Nitrobenzene	ND	330	ug/kg		SW846 8270C
2-Nitrophenol	ND	330	ug/kg		SW846 8270C
4-Nitrophenol	ND	1600	ug/kg		SW846 8270C
N-Nitrosodi-n-propyl- amine	ND	330	ug/kg		SW846 8270C
N-Nitrosodiphenylamine	ND	330	ug/kg		SW846 8270C
2,2'-oxybis(1-Chloropropa	ND	330	ug/kg		SW846 8270C
Pentachlorophenol	ND	330	ug/kg		SW846 8270C
Phenanthrene	ND	330	ug/kg		SW846 8270C
Phenol	ND	330	ug/kg		SW846 8270C
Pyrene	ND	330	ug/kg		SW846 8270C
2,4,5-Trichloro- phenol	ND	330	ug/kg		SW846 8270C
2,4,6-Trichloro- phenol	ND	330	ug/kg		SW846 8270C

SURROGATE	PERCENT	RECOVERY
	RECOVERY	LIMITS
Nitrobenzene-d5	85	(42 - 110)
2-Fluorobiphenyl	78	(43 - 110)
Terphenyl-d14	93	(37 - 137)
Phenol-d5	89	(25 - 115)
2-Fluorophenol	90	(11 - 116)
2,4,6-Tribromophenol	64	(35 - 116)

(Continued on next page)

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L210179

Work Order #....: G1MHJ1AA

Matrix.....: SOLID

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

J Estimated result. Result is less than RL.

METHOD BLANK REPORT

TOTAL Metals

Client Lot #....: A4L210179

Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MB Lot-Sample #: A4L280000-035 Prep Batch #....: 4363035						
Aluminum	ND	20.0	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AK
		Dilution Factor: 1				
Arsenic	ND	1.0	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AE
		Dilution Factor: 1				
Antimony	0.51 B	6.0	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AL
		Dilution Factor: 1				
Lead	ND	0.30	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AG
		Dilution Factor: 1				
Barium	ND	20.0	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AM
		Dilution Factor: 1				
Selenium	ND	0.50	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AH
		Dilution Factor: 1				
Beryllium	ND	0.50	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AN
		Dilution Factor: 1				
Thallium	ND	1.0	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AJ
		Dilution Factor: 1				
Cadmium	ND	0.50	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AP
		Dilution Factor: 1				
Calcium	ND	500	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AQ
		Dilution Factor: 1				
Chromium	ND	1.0	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AC
		Dilution Factor: 1				
Cobalt	ND	5.0	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1CU
		Dilution Factor: 1				
Copper	ND	2.5	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AR
		Dilution Factor: 1				
Iron	4.5 B	10.0	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AT
		Dilution Factor: 1				
Magnesium	ND	500	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AU
		Dilution Factor: 1				

(Continued on next page)

METHOD BLANK REPORT

TOTAL Metals

Client Lot #...: A4L210179

Matrix.....: SOLID

PARAMETER	RESULT	REPORTING		METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
		LIMIT	UNITS			
Manganese	ND	1.5	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AV
		Dilution Factor: 1				
Nickel	ND	4.0	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AW
		Dilution Factor: 1				
Potassium	ND	500	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AX
		Dilution Factor: 1				
Silver	ND	1.0	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AO
		Dilution Factor: 1				
Sodium	ND	500	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1A1
		Dilution Factor: 1				
Vanadium	ND	5.0	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1A2
		Dilution Factor: 1				
Zinc	ND	2.0	mg/kg	SW846 6010B	12/28-01/03/05	G1TXN1AA
		Dilution Factor: 1				
Mercury	ND	0.10	mg/kg	SW846 7471A	12/28-01/03/05	G1TXN1AD
		Dilution Factor: 1				

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

B Estimated result. Result is less than RL.

METHOD BLANK REPORT

General Chemistry

Client Lot #...: A4L210179

Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Fraction of Organic Carbon (Ash)	ND	0.10	%	ASTM D2974	01/05/05	5005241
		Dilution Factor: 1				
Nitrate as N	ND	5.0	mg/kg	MCAWW 300.0A	01/03/05	5004039
		Dilution Factor: 1				
Nitrogen, as Ammonia	ND	2.0	mg/kg	MCAWW 350.3	01/04/05	5004450
		Dilution Factor: 1				
Percent Solids	ND	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364279
		Dilution Factor: 1				
Phosphate as P, Ortho	0.1 B	1.0	mg/kg	MCAWW 365.2	12/30-12/31/04	4366010
		Dilution Factor: 1				
Total Kjeldahl Nitrogen	ND	150	mg/kg	MCAWW 351.3	01/04/05	5004445
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

B Estimated result. Result is less than RL.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L210179 Work Order #....: G10GN1AC-LCS Matrix.....: SOLID
 LCS Lot-Sample#: A4L290000-523 G10GN1AD-LCSD
 Prep Date.....: 12/22/04 Analysis Date...: 12/28/04
 Prep Batch #....: 4364523
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Benzene	95	(75 - 129)			SW846 8260B
	96	(75 - 129)	1.4	(0-20)	SW846 8260B
Chlorobenzene	96	(75 - 127)			SW846 8260B
	94	(75 - 127)	1.5	(0-22)	SW846 8260B
1,1-Dichloroethene	85	(55 - 142)			SW846 8260B
	87	(55 - 142)	2.5	(0-27)	SW846 8260B
Toluene	88	(71 - 130)			SW846 8260B
	88	(71 - 130)	0.70	(0-24)	SW846 8260B
Trichloroethene	97	(70 - 131)			SW846 8260B
	97	(70 - 131)	0.42	(0-23)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	94	(59 - 138)
	94	(59 - 138)
1,2-Dichloroethane-d4	109	(61 - 130)
	104	(61 - 130)
Toluene-d8	79	(60 - 143)
	79	(60 - 143)
4-Bromofluorobenzene	92	(47 - 158)
	93	(47 - 158)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L210179 Work Order #....: G12WM1AC-LCS Matrix.....: SOLID
 LCS Lot-Sample#: A5A030000-069 G12WM1AD-LCSD
 Prep Date.....: 12/31/04 Analysis Date...: 12/31/04
 Prep Batch #....: 5003069
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	88	(55 - 142)			SW846 8260B
	94	(55 - 142)	6.6	(0-27)	SW846 8260B
Trichloroethene	84	(70 - 131)			SW846 8260B
	86	(70 - 131)	3.0	(0-23)	SW846 8260B
Benzene	84	(75 - 129)			SW846 8260B
	86	(75 - 129)	2.4	(0-20)	SW846 8260B
Toluene	85	(71 - 130)			SW846 8260B
	85	(71 - 130)	0.62	(0-24)	SW846 8260B
Chlorobenzene	87	(75 - 127)			SW846 8260B
	90	(75 - 127)	3.3	(0-22)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	95	(59 - 138)
	98	(59 - 138)
1,2-Dichloroethane-d4	89	(61 - 130)
	94	(61 - 130)
Toluene-d8	101	(60 - 143)
	102	(60 - 143)
4-Bromofluorobenzene	97	(47 - 158)
	102	(47 - 158)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.
 Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L210179 Work Order #....: G14C81AC-LCS Matrix.....: SOLID
 LCS Lot-Sample#: A5A040000-223 G14C81AD-LCSD
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5004223
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Benzene	83	(75 - 129)			SW846 8260B
	87	(75 - 129)	5.6	(0-20)	SW846 8260B
Chlorobenzene	86	(75 - 127)			SW846 8260B
	90	(75 - 127)	4.9	(0-22)	SW846 8260B
1,1-Dichloroethene	84	(55 - 142)			SW846 8260B
	90	(55 - 142)	6.2	(0-27)	SW846 8260B
Toluene	82	(71 - 130)			SW846 8260B
	87	(71 - 130)	5.9	(0-24)	SW846 8260B
Trichloroethene	84	(70 - 131)			SW846 8260B
	87	(70 - 131)	3.2	(0-23)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	100	(59 - 138)
	100	(59 - 138)
1,2-Dichloroethane-d4	95	(61 - 130)
	94	(61 - 130)
Toluene-d8	101	(60 - 143)
	102	(60 - 143)
4-Bromofluorobenzene	99	(47 - 158)
	100	(47 - 158)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L210179 Work Order #....: G15W71AC-LCS Matrix.....: SOLID
 LCS Lot-Sample#: A5A050000-200 G15W71AD-LCSD
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5005200
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Benzene	86	(75 - 129)			SW846 8260B
	87	(75 - 129)	1.2	(0-20)	SW846 8260B
Chlorobenzene	99	(75 - 127)			SW846 8260B
	99	(75 - 127)	0.45	(0-22)	SW846 8260B
1,1-Dichloroethene	95	(55 - 142)			SW846 8260B
	95	(55 - 142)	0.77	(0-27)	SW846 8260B
Toluene	96	(71 - 130)			SW846 8260B
	97	(71 - 130)	0.80	(0-24)	SW846 8260B
Trichloroethene	89	(70 - 131)			SW846 8260B
	88	(70 - 131)	0.35	(0-23)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	84	(59 - 138)
	82	(59 - 138)
1,2-Dichloroethane-d4	77	(61 - 130)
	75	(61 - 130)
Toluene-d8	91	(60 - 143)
	88	(60 - 143)
4-Bromofluorobenzene	97	(47 - 158)
	93	(47 - 158)

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L210179 Work Order #....: G1LR1AC-LCS Matrix.....: SOLID
 LCS Lot-Sample#: A4L210000-414 G1LR1AD-LCSD
 Prep Date.....: 12/21/04 Analysis Date...: 12/27/04
 Prep Batch #....: 4356414
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Acenaphthene	67	(44 - 110)			SW846 8270C
	69	(44 - 110)	3.0	(0-44)	SW846 8270C
1,2,4-Trichloro- benzene	68	(45 - 110)			SW846 8270C
	67	(45 - 110)	1.0	(0-54)	SW846 8270C
1,4-Dichlorobenzene	73	(38 - 110)			SW846 8270C
	77	(38 - 110)	6.6	(0-59)	SW846 8270C
4-Chloro-3-methylphenol	65	(43 - 110)			SW846 8270C
	67	(43 - 110)	2.9	(0-55)	SW846 8270C
2-Chlorophenol	63	(43 - 110)			SW846 8270C
	71	(43 - 110)	11	(0-54)	SW846 8270C
2,4-Dinitrotoluene	74	(48 - 111)			SW846 8270C
	79	(48 - 111)	5.8	(0-45)	SW846 8270C
4-Nitrophenol	37	(22 - 128)			SW846 8270C
	52	(22 - 128)	35	(0-64)	SW846 8270C
N-Nitrosodi-n-propyl- amine	76	(38 - 110)			SW846 8270C
	81	(38 - 110)	5.5	(0-50)	SW846 8270C
Pentachlorophenol	46	(10 - 123)			SW846 8270C
	61	(10 - 123)	29	(0-87)	SW846 8270C
Phenol	62	(35 - 110)			SW846 8270C
	72	(35 - 110)	15	(0-50)	SW846 8270C
Pyrene	75	(42 - 122)			SW846 8270C
	76	(42 - 122)	1.2	(0-66)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	78	(42 - 110)
	80	(42 - 110)
2-Fluorobiphenyl	73	(43 - 110)
	75	(43 - 110)
Terphenyl-d14	85	(37 - 137)
	86	(37 - 137)
Phenol-d5	78	(25 - 115)
	87	(25 - 115)
2-Fluorophenol	74	(11 - 116)
	81	(11 - 116)
2,4,6-Tribromophenol	73	(35 - 116)

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L210179 Work Order #....: GILRA1AC-LCS Matrix.....: SOLID
LCS Lot-Sample#: A4L210000-414 GILRA1AD-LCSD

<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>
	81	(35 - 116)

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L210179 Work Order #....: G1MHJ1AC Matrix.....: SOLID
 LCS Lot-Sample#: A4L220000-051
 Prep Date.....: 12/22/04 Analysis Date...: 12/28/04
 Prep Batch #....: 4357051
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
Acenaphthene	72	(44 - 110)	SW846 8270C
1,2,4-Trichloro- benzene	70	(45 - 110)	SW846 8270C
1,4-Dichlorobenzene	87	(38 - 110)	SW846 8270C
4-Chloro-3-methylphenol	78	(43 - 110)	SW846 8270C
2-Chlorophenol	74	(43 - 110)	SW846 8270C
2,4-Dinitrotoluene	78	(48 - 111)	SW846 8270C
4-Nitrophenol	64	(22 - 128)	SW846 8270C
N-Nitrosodi-n-propyl- amine	86	(38 - 110)	SW846 8270C
Pentachlorophenol	70	(10 - 123)	SW846 8270C
Phenol	74	(35 - 110)	SW846 8270C
Pyrene	89	(42 - 122)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	76	(42 - 110)
2-Fluorobiphenyl	70	(43 - 110)
Terphenyl-d14	90	(37 - 137)
Phenol-d5	77	(25 - 115)
2-Fluorophenol	77	(11 - 116)
2,4,6-Tribromophenol	71	(35 - 116)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L210179

Matrix.....: SOLID

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
LCS Lot-Sample#: A4L280000-035 Prep Batch #....: 4363035					
Arsenic	85	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1A6
Aluminum	90	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1CC
Lead	87	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1A8
Antimony	87	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1CD
Selenium	85	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1A9
Barium	86	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1CE
Thallium	87	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1CA
Beryllium	90	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1CF
Cadmium	89	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1CG
Calcium	90	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1CH
Chromium	92	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1A4
Cobalt	88	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1CV
Copper	91	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1CJ
Iron	97	(73 - 137)	SW846 6010B Dilution Factor: 1	12/28-01/03/05	G1TXN1CK

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L210179

Matrix.....: SOLID

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Magnesium	89	(80 - 120) Dilution Factor: 1	SW846 6010B	12/28-01/03/05	G1TXN1CL
Manganese	89	(80 - 120) Dilution Factor: 1	SW846 6010B	12/28-01/03/05	G1TXN1CM
Nickel	89	(80 - 120) Dilution Factor: 1	SW846 6010B	12/28-01/03/05	G1TXN1CN
Potassium	92	(80 - 120) Dilution Factor: 1	SW846 6010B	12/28-01/03/05	G1TXN1CP
Silver	97	(80 - 120) Dilution Factor: 1	SW846 6010B	12/28-01/03/05	G1TXN1CQ
Sodium	88	(80 - 120) Dilution Factor: 1	SW846 6010B	12/28-01/03/05	G1TXN1CR
Vanadium	89	(80 - 120) Dilution Factor: 1	SW846 6010B	12/28-01/03/05	G1TXN1CT
Zinc	93	(80 - 120) Dilution Factor: 1	SW846 6010B	12/28-01/03/05	G1TXN1A3
Mercury	97	(73 - 123) Dilution Factor: 1	SW846 7471A	12/28-01/03/05	G1TXN1A5

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

General Chemistry

Lot-Sample #...: A4L210179

Matrix.....: SOLID

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Nitrate as N		WO#:G13VN1AC-LCS/G13VN1AD-LCSD	LCS	Lot-Sample#: A5A040000-039		
	98	(90 - 110)		MCAWW 300.0A	01/03/05	5004039
	98	(90 - 110)	0.40 (0-20)	MCAWW 300.0A	01/03/05	5004039

Dilution Factor: 1

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #...: A4L210179

Matrix.....: SOLID

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
pH (solid)	100	Work Order #: G1TLT1AA (97 - 103)	LCS Lot-Sample#: A4L270000-422 SW846 9045C	12/22/04	4362422
		Dilution Factor: 1			
pH (solid)	100	Work Order #: G1TL11AA (97 - 103)	LCS Lot-Sample#: A4L270000-439 SW846 9045C	12/22/04	4362439
		Dilution Factor: 1			
Nitrogen, as Ammonia	101	Work Order #: G14121AC (85 - 110)	LCS Lot-Sample#: A5A040000-450 MCAWW 350.3	01/04/05	5004450
		Dilution Factor: 1			
Phosphate as P, Ortho	95	Work Order #: G12AT1AC (90 - 110)	LCS Lot-Sample#: A4L310000-010 MCAWW 365.2	12/30-12/31/04	4366010
		Dilution Factor: 1			
Total Kjeldahl Nitrogen	98	Work Order #: G14101AC (70 - 133)	LCS Lot-Sample#: A5A040000-445 MCAWW 351.3	01/04/05	5004445
		Dilution Factor: 1			

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L210179 Work Order #....: G1NDP1D0-MS Matrix.....: SOLID
 MS Lot-Sample #: A4L220198-001 G1NDP1D1-MSD
 Date Sampled....: 12/21/04 09:12 Date Received...: 12/22/04
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5005200
 Dilution Factor: 0.86 ‡ Moisture.....: 26

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Benzene	79	(55 - 138)			SW846 8260B
	81	(55 - 138)	7.0	(0-20)	SW846 8260B
Chlorobenzene	87	(49 - 139)			SW846 8260B
	87	(49 - 139)	5.1	(0-22)	SW846 8260B
1,1-Dichloroethene	85	(43 - 147)			SW846 8260B
	95	(43 - 147)	17	(0-27)	SW846 8260B
Toluene	90	(46 - 147)			SW846 8260B
	92	(46 - 147)	7.3	(0-24)	SW846 8260B
Trichloroethene	77	(46 - 143)			SW846 8260B
	78	(46 - 143)	6.5	(0-23)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	83	(59 - 138)
	85	(59 - 138)
1,2-Dichloroethane-d4	73	(61 - 130)
	74	(61 - 130)
Toluene-d8	87	(60 - 143)
	88	(60 - 143)
4-Bromofluorobenzene	87	(47 - 158)
	87	(47 - 158)

NOTE (S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

Results and reporting limits have been adjusted for dry weight.

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L210179 Work Order #....: G1K3W1CF-MS Matrix.....: SOLID
 MS Lot-Sample #: A4L210192-001 G1K3W1CG-MSD
 Date Sampled....: 12/17/04 13:00 Date Received...: 12/21/04
 Prep Date.....: 12/22/04 Analysis Date...: 12/29/04
 Prep Batch #....: 4357051
 Dilution Factor: 1 % Moisture.....: 18

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Acenaphthene	79	(13 - 133)			SW846 8270C
	71	(13 - 133)	11	(0-44)	SW846 8270C
1,2,4-Trichloro- benzene	70	(16 - 121)			SW846 8270C
	67	(16 - 121)	4.4	(0-54)	SW846 8270C
1,4-Dichlorobenzene	86	(18 - 110)			SW846 8270C
	74	(18 - 110)	16	(0-59)	SW846 8270C
4-Chloro-3-methylphenol	72	(17 - 128)			SW846 8270C
	72	(17 - 128)	0.99	(0-55)	SW846 8270C
2-Chlorophenol	78	(17 - 116)			SW846 8270C
	69	(17 - 116)	12	(0-54)	SW846 8270C
2,4-Dinitrotoluene	78	(10 - 171)			SW846 8270C
	78	(10 - 171)	0.36	(0-45)	SW846 8270C
4-Nitrophenol	67	(10 - 148)			SW846 8270C
	66	(10 - 148)	1.8	(0-64)	SW846 8270C
N-Nitrosodi-n-propyl- amine	91	(12 - 128)			SW846 8270C
	82	(12 - 128)	11	(0-50)	SW846 8270C
Pentachlorophenol	67	(10 - 144)			SW846 8270C
	68	(10 - 144)	1.1	(0-87)	SW846 8270C
Phenol	77	(10 - 148)			SW846 8270C
	68	(10 - 148)	13	(0-50)	SW846 8270C
Pyrene	98	(10 - 218)			SW846 8270C
	93	(10 - 218)	5.5	(0-66)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	78	(42 - 110)
	72	(42 - 110)
2-Fluorobiphenyl	74	(43 - 110)
	66	(43 - 110)
Terphenyl-d14	81	(37 - 137)
	80	(37 - 137)
Phenol-d5	81	(25 - 115)
	70	(25 - 115)
2-Fluorophenol	79	(11 - 116)
	70	(11 - 116)

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #...: A4L210179 Work Order #...: G1K3W1CF-MS Matrix.....: SOLID
MS Lot-Sample #: A4L210192-001 G1K3W1CG-MSD

<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>
2,4,6-Tribromophenol	71	(35 - 116)
	68	(35 - 116)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

Results and reporting limits have been adjusted for dry weight.

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L210179

Matrix.....: SOLID

Date Sampled...: 12/17/04 14:10 Date Received...: 12/18/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: A4L210119-007 Prep Batch #....: 4363035						
Aluminum	NC,MSB	(75 - 125)		SW846 6010B	12/28-01/04/05	G1KGC1A6
	NC,MSB	(75 - 125)	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1A7
	Dilution Factor: 1					
Arsenic	80	(75 - 125)		SW846 6010B	12/28-01/04/05	G1KGC1A8
	80	(75 - 125) 0.0	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1A9
	Dilution Factor: 1					
Antimony	35 N	(75 - 125)		SW846 6010B	12/28-01/04/05	G1KGC1A9
	34 N	(75 - 125) 1.0	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1CA
	Dilution Factor: 1					
Lead	80	(75 - 125)		SW846 6010B	12/28-01/04/05	G1KGC1AV
	80	(75 - 125) 0.11	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1AW
	Dilution Factor: 1					
Barium	86	(75 - 125)		SW846 6010B	12/28-01/04/05	G1KGC1CD
	87	(75 - 125) 1.2	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1CE
	Dilution Factor: 1					
Selenium	81	(75 - 125)		SW846 6010B	12/28-01/04/05	G1KGC1A0
	80	(75 - 125) 0.53	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1A1
	Dilution Factor: 1					
Beryllium	82	(75 - 125)		SW846 6010B	12/28-01/04/05	G1KGC1CG
	80	(75 - 125) 2.5	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1CH
	Dilution Factor: 1					
Thallium	80	(75 - 125)		SW846 6010B	12/28-01/04/05	G1KGC1A3
	79	(75 - 125) 0.59	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1A4
	Dilution Factor: 1					
Cadmium	82	(75 - 125)		SW846 6010B	12/28-01/04/05	G1KGC1CK
	81	(75 - 125) 0.90	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1CL
	Dilution Factor: 1					
Calcium	116	(75 - 125)		SW846 6010B	12/28-01/04/05	G1KGC1CN
	221 N,*	(75 - 125) 23	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1CP
	Dilution Factor: 1					

% Moisture.....: 15

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: A4L210179

Matrix.....: SOLID

Date Sampled...: 12/17/04 14:10 Date Received...: 12/18/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD RPD	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Chromium	101	(75 - 125)			SW846 6010B	12/28-01/04/05	G1KGC1AF
	100	(75 - 125)	0.55	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1AG
		Dilution Factor: 1					
Cobalt	82	(75 - 125)			SW846 6010B	12/28-01/04/05	G1KGC1DN
	81	(75 - 125)	0.49	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1DP
		Dilution Factor: 1					
Copper	87	(75 - 125)			SW846 6010B	12/28-01/04/05	G1KGC1CR
	88	(75 - 125)	1.6	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1CT
		Dilution Factor: 1					
Iron	NC,MSB	(75 - 125)			SW846 6010B	12/28-01/04/05	G1KGC1CV
	NC,MSB	(75 - 125)		(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1CW
		Dilution Factor: 1					
Magnesium	83	(75 - 125)			SW846 6010B	12/28-01/04/05	G1KGC1C0
	143 N,*	(75 - 125)	27	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1C1
		Dilution Factor: 1					
Manganese	NC,MSB	(75 - 125)			SW846 6010B	12/28-01/04/05	G1KGC1C3
	NC,MSB	(75 - 125)		(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1C4
		Dilution Factor: 1					
Nickel	86	(75 - 125)			SW846 6010B	12/28-01/04/05	G1KGC1C6
	84	(75 - 125)	1.9	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1C7
		Dilution Factor: 1					
Potassium	95	(75 - 125)			SW846 6010B	12/28-01/04/05	G1KGC1C9
	96	(75 - 125)	1.0	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1DA
		Dilution Factor: 1					
Silver	92	(75 - 125)			SW846 6010B	12/28-01/04/05	G1KGC1DD
	93	(75 - 125)	0.58	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1DE
		Dilution Factor: 1					
Sodium	84	(75 - 125)			SW846 6010B	12/28-01/04/05	G1KGC1DG
	84	(75 - 125)	0.43	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1DH
		Dilution Factor: 1					
Vanadium	101	(75 - 125)			SW846 6010B	12/28-01/04/05	G1KGC1DK
	100	(75 - 125)	0.15	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1DL
		Dilution Factor: 1					

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: A4L210179

Matrix.....: SOLID

Date Sampled...: 12/17/04 14:10 Date Received...: 12/18/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Zinc	88	(75 - 125)			SW846 6010B	12/28-01/04/05	G1KGC1AC
	89	(75 - 125)	1.3	(0-20)	SW846 6010B	12/28-01/04/05	G1KGC1AD
		Dilution Factor: 1					
Mercury	102	(10 - 199)			SW846 7471A	12/28-01/03/05	G1KGC1AJ
	100	(10 - 199)	2.1	(0-50)	SW846 7471A	12/28-01/03/05	G1KGC1AK
		Dilution Factor: 1					

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Results and reporting limits have been adjusted for dry weight.

NC The recovery and/or RPD were not calculated.

MSB The recovery and RPD were not calculated because the sample amount was greater than four times the spike amount.

N Spiked analyte recovery is outside stated control limits.

* Relative percent difference (RPD) is outside stated control limits.

MATRIX SPIKE SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #...: A4L210179

Matrix.....: SO

Date Sampled...: 12/20/04 13:20 Date Received...: 12/21/04

PARAMETER	PERCENT RECOVERY	RPD	PREPARATION-	PREP
	RECOVERY LIMITS	RPD LIMITS	ANALYSIS DATE	BATCH #
Nitrogen, as Ammonia	WO#: G1KX81AL-MS/G1KX81AM-MSD	MS Lot-Sample #: A4L210179-005		
82	(48 - 121)	MCAWW 350.3	01/04/05	5004450
88	(48 - 121)	6.6 (0-20) MCAWW 350.3	01/04/05	5004450
	Dilution Factor: 1			
Phosphate as P, Ortho	WO#: G1KX11AL-MS/G1KX11AM-MSD	MS Lot-Sample #: A4L210179-002		
103	(81 - 121)	MCAWW 365.2	12/30-12/31/04	4366010
97	(81 - 121)	5.1 (0-20) MCAWW 365.2	12/30-12/31/04	4366010
	Dilution Factor: 1			
Total Kjeldahl Nitrogen	WO#: G1KXP1AM-MS/G1KXP1AN-MSD	MS Lot-Sample #: A4L210179-001		
70	(50 - 120)	MCAWW 351.3	01/04/05	5004445
42 N	(50 - 120)	18 (0-50) MCAWW 351.3	01/04/05	5004445
	Dilution Factor: 1			

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

N Spiked analyte recovery is outside stated control limits.

Results and reporting limits have been adjusted for dry weight.

SAMPLE DUPLICATE EVALUATION REPORT

General Chemistry

Client Lot #...: A4L210179

Work Order #...: G1K0Q-SMP
G1K0Q-DUP

Matrix.....: SO

Date Sampled...: 12/20/04 14:41 Date Received...: 12/21/04

‡ Moisture.....: 15

PARAM	RESULT	DUPLICATE RESULT	UNITS	RPD	RPD LIMIT	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
pH (solid)	8.0	7.9	No Units	0.88	(0-20)	SD Lot-Sample #:	A4L210179-010	4362422
			Dilution Factor: 1					

General Chemistry

Matrix.....: SOLID

% Moisture.....: 9.1

Dilution Factor: 1

SAMPLE DUPLICATE EVALUATION REPORT

General Chemistry

Client Lot #...: A4L210179

Work Order #...: G1KXP-SMP
G1KXP-DUP

Matrix.....: SO

Date Sampled...: 12/20/04 11:24 Date Received...: 12/21/04

* Moisture.....: 25

PARAM	RESULT	DUPLICATE RESULT	UNITS	RPD	RPD LIMIT	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
pH (solid)	7.3	7.4	No Units	2.0	(0-20)	SD Lot-Sample #: A4L210179-001 SW846 9045C	12/22/04	4362439
			Dilution Factor: 1					

SAMPLE DUPLICATE EVALUATION REPORT

General Chemistry

Client Lot #....: A4L210179

Work Order #....: G1KN9-SMP
G1KN9-DUP

Matrix.....: SOLID

Date Sampled....: 12/20/04 15:50 Date Received...: 12/21/04

% Moisture.....: 17

PARAM	RESULT	DUPLICATE RESULT	UNITS	RPD	RPD LIMIT	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Percent Solids	83.4	83.6	%	0.18	(0-20)	SD Lot-Sample #: A4L210147-006 MCAWW 160.3 MOD	12/29-12/30/04	4364279

Dilution Factor: 1

SAMPLE DUPLICATE EVALUATION REPORT

General Chemistry

Client Lot #....: A4L210179

Work Order #....: G1M0M-SMP
G1M0M-DUP

Matrix.....: SOLID

Date Sampled....: 12/16/04 09:00 Date Received...: 12/22/04

% Moisture.....: 7.5

PARAM	RESULT	DUPLICATE RESULT	UNITS	RPD	RPD LIMIT	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Percent Solids	92.5	91.7	%	0.92	(0-20)	MCAWW 160.3 MOD	SD Lot-Sample #: A4L220156-001 12/29-12/30/04	4364279
Dilution Factor: 1								

General Chemistry

Matrix.....: SOLID

* Moisture.....: 20

1.7	1.9	%	11	(0-20)	ASTM D2974	01/05/05	5005241
-----	-----	---	----	--------	------------	----------	---------

Dilution Factor: 1



CONESTOGA-ROVERS & ASSOCIATES

8615 W. Bryn Mawr Avenue
Chicago, Illinois 60631
(773)380-9933 phone
(773)380-8421 fax

SHIPPED TO
(Laboratory Name):

STL - North Canton OHIO

124

REFERENCE NUMBER:

12559-52

PROJECT NAME:

GM FAIRFAX

CHAIN-OF-CUSTODY RECORD

SAMPLER'S
SIGNATURE:

[Signature]

PRINTED
NAME:

DAVE SHELID

SEQ.
NO.

DATE

TIME

SAMPLE IDENTIFICATION NO.

SAMPLE
MATRIX

NO. OF
CONTAINERS

PARAMETERS

REMARKS

VOL
SUB
METALS

11-26-11 1715 5-122004-05-116
1735 5-122004-05-117

501
↓

5
5 X X X X

CALL PAT KILDE
with QUESTIONS
SSOW # 095001

TOTAL NUMBER OF CONTAINERS

10

RELINQUISHED BY:

[Signature]

DATE: 11-20-04
TIME: 1820

RECEIVED BY:

②

DATE:

TIME:

RELINQUISHED BY:

②

DATE:

TIME:

RECEIVED BY:

③

DATE:

TIME:

RELINQUISHED BY:

③

DATE:

TIME:

RECEIVED BY:

④

DATE:

TIME:

METHOD OF SHIPMENT:

AIR BILL NO.

White

-Fully Executed Copy

SAMPLE TEAM:

SHAW/Leandrick

RECEIVED FOR LABORATORY BY:

12308

Yellow

-Receiving Laboratory Copy

Pink

-Shipper Copy

Goldenrod

-Sampler Copy

CANDELL

DATE: 12/1/04 TIME: 10:30

STL Cooler Receipt Form/Narrative

North Canton Facility

Lot Number: 44L210179

Client: CRA
Cooler Received on: 12/21/04

Project: GM-Fairfax
Opened on: 12/21/04

Quote#: 62183
by: [Signature]
(Signature)

Fedx ☒ Client Drop Off ☐ UPS ☐ DHL ☐ FAS ☐ Other: _____

STL Cooler No# See back Foam Box ☐ Client Cooler ☐ Other _____

- Were custody seals on the outside of the cooler? Yes ☐ No ☒ Intact? Yes ☐ No ☐ NA ☒
If YES, Quantity _____
Were the custody seals signed and dated? Yes ☐ No ☐ NA ☒
 - Shipper's packing slip attached to this form? Yes ☒ No ☐ NA ☐
 - Did custody papers accompany the samples? Yes ☒ No ☐
 - Did you sign the custody papers in the appropriate place? Yes ☒ No ☐
 - Packing material used: Bubble Wrap ☐ Foam ☐ None ☐ Other: _____
 - Cooler temperature upon receipt _____ °C (see back) of form for multiple coolers/temp)
- METHOD: Temp Vial ☐ Coolant & Sample ☐ Against Bottles ☐ IR ☒ ICE/H₂O Slurry ☐
COOLANT: Wet Ice ☒ Blue Ice ☐ Dry Ice ☐ Water ☐ None ☐
- Did all bottles arrive in good condition (Unbroken)? Yes ☒ No ☐
 - Could all bottle labels and/or tags be reconciled with the COC? Yes ☒ No ☐
 - Were samples at the correct pH? (record below/on back) Yes ☐ No ☐ NA ☒
 - Were correct bottles used for the tests indicated? Yes ☒ No ☐
 - Were air bubbles >6 mm in any VOA vials? Yes ☐ No ☐ NA ☒
 - Sufficient quantity received to perform indicated analyses? Yes ☒ No ☐
- Contacted PM _____ Date: _____ by: _____ via Voice Mail ☐ Verbal ☐ Other ☐
Concerning: _____

1. CHAIN OF CUSTODY

The following discrepancies occurred:

2. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.

3. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in sample receiving to meet recommended pH level(s). Nitric Acid Lot # 101104HNO₃; Sulfuric Acid Lot # 102804-H₂SO₄; Sodium Hydroxide Lot # -082404-NaOH; Hydrochloric Acid Lot # 100902-HCl; Sodium Hydroxide and Zinc Acetate Lot # 071604-CH₃COO₂ZN/NaOH
Sample(s) _____ were received with bubble > 6 mm in diameter (cc: PM)

4. Other (see below or back)

Client ID	pH	Date	Initials

[illegible]

END OF REPORT



STL

STL North Canton
4101 Shuffel Drive NW
North Canton, OH 44720

Tel: 330 497 9396 Fax: 330 497 0772
www.stl-inc.com

ANALYTICAL REPORT

PROJECT NO. 12559-52


GM FAIRFAX I


Lot #: A4L220198

Phil Harvey

Conestoga-Rovers & Associates
8615 W. Bryn Mawr
Chicago, IL 60631

SEVERN TRENT LABORATORIES, INC.


Amy L. McCormick
Project Manager

VALIDATED DATA	
Project #	012559-52
Lot #	A4L220198
Initials	
Date	02/01/05

January 13, 2005

CASE NARRATIVE

A4L220198

The following report contains the analytical results for seven solid samples submitted to STL North Canton by Conestoga-Rovers & Associates, Inc. from the GM Fairfax I Site, project number 12559-52. The samples were received December 22, 2004, according to documented sample acceptance procedures.

STL utilizes USEPA approved methods in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated. Preliminary results were provided to Susan Scrocchi on January 5, 2005. A summary of QC data for these analyses is included at the back of the report.

STL North Canton attests to the validity of the laboratory data generated by STL facilities reported herein. All analyses performed by STL facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. STL's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by a dry weight adjustment footnote at the bottom of the analytical report page. The list of parameters which are never reported on a dry weight basis is included on the Sample Summary.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions, please call the Project Manager, Amy L. McCormick, at 330-497-9396.

This report is sequentially paginated. The final page of the report is labeled as "END OF REPORT."

SUPPLEMENTAL QC INFORMATION

SAMPLE RECEIVING

The temperatures of the coolers upon sample receipt were 3.3 and 3.8°C.

CASE NARRATIVE (continued)

GC/MS VOLATILES

The sample(s) that contain results between the MDL and the RL were flagged with "J". There is a possibility of false positive or mis-identification at these quantitation levels. In analytical methods requiring confirmation of the analyte reported, confirmation was performed only down to the standard reporting limit (SRL). The acceptance criteria for QC samples may not be met at these quantitation levels.

GC/MS SEMIVOLATILES

The sample(s) that contain results between the MDL and the RL were flagged with "J". There is a possibility of false positive or mis-identification at these quantitation levels. In analytical methods requiring confirmation of the analyte reported, confirmation was performed only down to the standard reporting limit (SRL). The acceptance criteria for QC samples may not be met at these quantitation levels.

METALS

The sample(s) that contain results between the MDL and the RL were flagged with "B". There is the possibility of false positive of mis-identification at these quantitation levels. The acceptance criteria for the ICB, CCB, and Method Blank are +/- the standard reporting limit (SRL).

The sample(s) that contained concentrations of target analyte(s) at a reportable level in the associated Method Blank(s) were flagged with "J". Refer to the sample report pages for the affected analyte(s).

Matrix spike recovery and relative percent difference (RPD) data were not calculated for some analytes for S-122104-DS-118 due to the sample concentration reading greater than four times the spike amount. See the Matrix Spike Report for the affected analytes which will be flagged with "NC, MSB".

The matrix spike/matrix spike duplicate(s) for S-122104-DS-118 had recoveries outside acceptance limits. However, since the associated method blank(s) and laboratory control sample(s) were in control, no corrective action was necessary.

GENERAL CHEMISTRY

The analytical results met the requirements of the laboratory's QA/QC program.

QUALITY CONTROL ELEMENTS OF SW-846 METHODS

STL North Canton conducts a quality assurance/quality control (QA/QC) program designed to provide scientifically valid and legally defensible data. Toward this end, several types of quality control indicators are incorporated into the QA/QC program, which is described in detail in QA Policy, QA-003. These indicators are introduced into the sample testing process to provide a mechanism for the assessment of the analytical data.

QC BATCH

Environmental samples are taken through the testing process in groups called QUALITY CONTROL BATCHES (QC batches). A QC batch contains up to twenty environmental samples of a similar matrix (water, soil) that are processed using the same reagents and standards. STL North Canton requires that each environmental sample be associated with a QC batch.

Several quality control samples are included in each QC batch and are processed identically to the twenty environmental samples. These QC samples include a METHOD BLANK (MB), a LABORATORY CONTROL SAMPLE (LCS) and, where appropriate, a MATRIX SPIKE/MATRIX SPIKE DUPLICATE (MS/MSD) pair or a MATRIX SPIKE/SAMPLE DUPLICATE (MS/DU) pair. If there is insufficient sample to perform an MS/MSD or an MS/DU, then a LABORATORY CONTROL SAMPLE DUPLICATE (LCSD) is included in the QC batch.

LABORATORY CONTROL SAMPLE

The Laboratory Control Sample is a QC sample that is created by adding known concentrations of a full or partial set of target analytes to a matrix similar to that of the environmental samples in the QC batch. The LCS analyte recovery results are used to monitor the analytical process and provide evidence that the laboratory is performing the method within acceptable guidelines. All control analytes indicated by a bold type in the LCS must meet acceptance criteria. Failure to meet the established recovery guidelines requires the reparation and reanalysis of all samples in the QC batch. The only exception is that if the LCS recoveries are biased high and the associated sample is ND for the parameter(s) of interest, the batch is acceptable.

At times, a Laboratory Control Sample Duplicate (LCSD) is also included in the QC batch. An LCSD is a QC sample that is created and handled identically to the LCS. Analyte recovery data from the LCSD is assessed in the same way as that of the LCS. The LCSD recoveries, together with the LCS recoveries, are used to determine the reproducibility (precision) of the analytical system. Precision data are expressed as relative percent differences (RPDs). If the RPD fails for an LCS/LCSD and yet the recoveries are within acceptance criteria, the batch is still acceptable.

METHOD BLANK

The Method Blank is a QC sample consisting of all the reagents used in analyzing the environmental samples contained in the QC batch. Method Blank results are used to determine if interference or contamination in the analytical system could lead to the reporting of false positive data or elevated analyte concentrations. All target analytes must be below the reporting limits (RL), the analytes were greater than 10 times the blank level for organics or 20 times for inorganics, or the associated sample(s) must be ND except for the common laboratory contaminants indicated below.

Volatile (GC or GC/MS)

Methylene chloride
Acetone
2-Butanone

Semivolatile (GC/MS)

Phthalate Esters

Metals

Copper
Iron
Zinc
Lead*

** for analyses run on TJA Trace ICP only*

The listed volatile and semivolatile compounds may be present in concentrations up to 5 times the reporting limits. Failure to meet these Method Blank criteria requires the reparation and reanalysis of all samples in the QC batch.

QUALITY CONTROL ELEMENTS OF SW-846 METHODS (Continued)

MATRIX SPIKE/MATRIX SPIKE DUPLICATE

A Matrix Spike and a Matrix Spike Duplicate are a pair of environmental samples to which known concentrations of a full or partial set of target analytes are added. The MS/MSD results are determined in the same manner as the results of the environmental sample used to prepare the MS/MSD. The analyte recoveries and the relative percent differences (RPDs) of the recoveries are calculated and used to evaluate the effect of the sample matrix on the analytical results. Due to the potential variability of the matrix of each sample, the MS/MSD results may not have an immediate bearing on any samples except the one spiked; therefore, the associated batch MS/MSD may not reflect the same compounds as the samples contained in the analytical report. When these MS/MSD results fail to meet acceptance criteria, the data is evaluated. If the LCS is within acceptance criteria, the batch is considered acceptable. The acceptance criteria does not apply to samples that are diluted for organics if the native sample amount is 4x the concentration of the spike for inorganics.

For certain methods, a Matrix Spike/Sample Duplicate (MS/DU) may be included in the QC batch in place of the MS/MSD. For the parameters (i.e. pH, ignitability) where it is not possible to prepare a spiked sample, a Sample Duplicate may be included in the QC batch. However, a Sample Duplicate is less likely to provide usable precision statistics depending on the likelihood of finding concentrations below the standard reporting limit. When the Sample Duplicate result fails to meet acceptance criteria, the data is evaluated.

SURROGATE COMPOUNDS

In addition to these batch-related QC indicators, each organic environmental and QC sample are spiked with surrogate compounds. Surrogates are organic chemicals that behave similarly to the analytes of interest and that are rarely present in the environment. Surrogate recoveries are used to monitor the individual performance of a sample in the analytical system.

If the surrogate recoveries are outside criteria for environmental or MS/MSD samples, the batch is acceptable if the Method Blank, LCS, and LCSD surrogate recoveries are within acceptance criteria. The only exception is if the surrogate recoveries are biased high in the LCS, LCSD, or the Method Blank and the associated sample(s) are ND, the batch is acceptable. If the LCS, LCSD, or Method Blank surrogate(s) fail to meet recovery criteria, the entire sample batch is reprepared and reanalyzed.

For the GC/MS BNA methods, the surrogate criterion is that two of the three surrogates for each fraction must meet acceptance criteria. The third surrogate must have a recovery of ten percent or greater.

For the Pesticide/PCB and PAH methods, the surrogate criteria is that one of two surrogate compounds meet acceptance criteria.

STL North Canton, Certifications and Approvals:

California (#01144CA), Connecticut (#PH-0590), Florida (#E87225), Georgia (None), Illinois (#100439), Kansas (#E-10336), Louisiana (#04112), Minnesota (#39-999-348), New Jersey (#OH001), New York (#10975), Ohio (#6090), OhioVAP (#CL0024), Rhode Island (#237), South Carolina (#92007001), Utah (#QUAN9), West Virginia (#210), Wisconsin (#999518190), NAVY, ARMY, USDA Soil Permit, ACIL Seal of Excellence

Revision 10, 10/12/04
n:\qaqc\narrativestl.doc

EXECUTIVE SUMMARY - Detection Highlights

A4L220198

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
S-122104-DS-118 12/21/04 09:12 001				
Mercury	0.012 B	0.13	mg/kg	SW846 7471A
Arsenic	8.5	1.3	mg/kg	SW846 6010B
Lead	10.4	0.40	mg/kg	SW846 6010B
Aluminum	7320	26.9	mg/kg	SW846 6010B
Barium	239	26.9	mg/kg	SW846 6010B
Beryllium	0.27 B	0.67	mg/kg	SW846 6010B
Cadmium	0.11 B	0.67	mg/kg	SW846 6010B
Calcium	19400	674	mg/kg	SW846 6010B
Chromium	12.3 J	1.3	mg/kg	SW846 6010B
Cobalt	8.4	6.7	mg/kg	SW846 6010B
Copper	15.6	3.4	mg/kg	SW846 6010B
Iron	15000	13.5	mg/kg	SW846 6010B
Magnesium	7480	674	mg/kg	SW846 6010B
Manganese	465	2.0	mg/kg	SW846 6010B
Nickel	21.4 J	5.4	mg/kg	SW846 6010B
Potassium	1830 J	674	mg/kg	SW846 6010B
Sodium	189 B,J	674	mg/kg	SW846 6010B
Vanadium	21.6	6.7	mg/kg	SW846 6010B
Zinc	52.6	2.7	mg/kg	SW846 6010B
Caprolactam	41 J	440	ug/kg	SW846 8270C
Methylene chloride	4.1 J	6.1	ug/kg	SW846 8260B
Toluene	0.50 J	6.1	ug/kg	SW846 8260B
Percent Solids	74.2	10.0	%	MCAWW 160.3 MOD

S-122104-DS-119 12/21/04 10:20 002

Arsenic	5.6	1.2	mg/kg	SW846 6010B
Lead	6.7	0.37	mg/kg	SW846 6010B
Aluminum	3760	24.6	mg/kg	SW846 6010B
Barium	136	24.6	mg/kg	SW846 6010B
Beryllium	0.093 B	0.61	mg/kg	SW846 6010B
Calcium	14500	614	mg/kg	SW846 6010B
Chromium	7.5 J	1.2	mg/kg	SW846 6010B
Cobalt	5.2 B	6.1	mg/kg	SW846 6010B
Copper	5.8	3.1	mg/kg	SW846 6010B
Iron	10000	12.3	mg/kg	SW846 6010B
Magnesium	5550	614	mg/kg	SW846 6010B
Manganese	229	1.8	mg/kg	SW846 6010B
Nickel	12.8 J	4.9	mg/kg	SW846 6010B
Potassium	902 J	614	mg/kg	SW846 6010B
Sodium	121 B,J	614	mg/kg	SW846 6010B
Vanadium	13.1	6.1	mg/kg	SW846 6010B
Zinc	31.7	2.5	mg/kg	SW846 6010B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L220198

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
S-122104-DS-119 12/21/04 10:20 002				
Acetone	3.9 J	25	ug/kg	SW846 8260B
Ethylbenzene	1.1 J	6.1	ug/kg	SW846 8260B
Methylene chloride	11	6.1	ug/kg	SW846 8260B
Tetrachloroethene	3.9 J	6.1	ug/kg	SW846 8260B
Toluene	1.1 J	6.1	ug/kg	SW846 8260B
Trichloroethene	0.50 J	6.1	ug/kg	SW846 8260B
Xylenes (total)	0.94 J	12	ug/kg	SW846 8260B
Percent Solids	81.5	10.0	%	MCAWW 160.3 MOD
S-122104-DS-120 12/21/04 11:12 003				
Arsenic	2.3	1.0	mg/kg	SW846 6010B
Lead	2.9	0.31	mg/kg	SW846 6010B
Aluminum	1520	20.9	mg/kg	SW846 6010B
Barium	50.1	20.9	mg/kg	SW846 6010B
Calcium	4250	523	mg/kg	SW846 6010B
Chromium	3.4 J	1.0	mg/kg	SW846 6010B
Cobalt	2.6 B	5.2	mg/kg	SW846 6010B
Copper	1.6 B	2.6	mg/kg	SW846 6010B
Iron	4400	10.5	mg/kg	SW846 6010B
Magnesium	1850	523	mg/kg	SW846 6010B
Manganese	81.6	1.6	mg/kg	SW846 6010B
Nickel	6.7 J	4.2	mg/kg	SW846 6010B
Potassium	329 B,J	523	mg/kg	SW846 6010B
Vanadium	6.1	5.2	mg/kg	SW846 6010B
Zinc	13.3	2.1	mg/kg	SW846 6010B
Acetone	3.3 J	23	ug/kg	SW846 8260B
Methylene chloride	8.3	5.7	ug/kg	SW846 8260B
Tetrachloroethene	2.6 J	5.7	ug/kg	SW846 8260B
Toluene	0.61 J	5.7	ug/kg	SW846 8260B
Percent Solids	95.6	10.0	%	MCAWW 160.3 MOD
S-122104-DS-121 12/21/04 12:08 004				
Mercury	0.035 B	0.14	mg/kg	SW846 7471A
Arsenic	6.7	1.4	mg/kg	SW846 6010B
Lead	10.5	0.42	mg/kg	SW846 6010B
Aluminum	7130	27.9	mg/kg	SW846 6010B
Barium	201	27.9	mg/kg	SW846 6010B
Beryllium	0.26 B	0.70	mg/kg	SW846 6010B
Calcium	19000	697	mg/kg	SW846 6010B
Chromium	12.7 J	1.4	mg/kg	SW846 6010B
Cobalt	5.9 B	7.0	mg/kg	SW846 6010B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L220198

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
S-122104-DS-121 12/21/04 12:08 004				
Copper	19.5	3.5	mg/kg	SW846 6010B
Iron	14200	13.9	mg/kg	SW846 6010B
Magnesium	7090	697	mg/kg	SW846 6010B
Manganese	270	2.1	mg/kg	SW846 6010B
Nickel	17.3 J	5.6	mg/kg	SW846 6010B
Potassium	1630 J	697	mg/kg	SW846 6010B
Sodium	144 B,J	697	mg/kg	SW846 6010B
Vanadium	19.9	7.0	mg/kg	SW846 6010B
Zinc	50.1	2.8	mg/kg	SW846 6010B
Methylene chloride	8.3	6.0	ug/kg	SW846 8260B
Toluene	0.87 J	6.0	ug/kg	SW846 8260B
Percent Solids	71.8	10.0	%	MCAWW 160.3 MOD
S-122104-DS-122 12/21/04 12:45 005				
Mercury	0.0077 B	0.12	mg/kg	SW846 7471A
Arsenic	6.6	1.2	mg/kg	SW846 6010B
Lead	8.6	0.37	mg/kg	SW846 6010B
Aluminum	5790	25.0	mg/kg	SW846 6010B
Barium	189	25.0	mg/kg	SW846 6010B
Beryllium	0.16 B	0.62	mg/kg	SW846 6010B
Calcium	18700	625	mg/kg	SW846 6010B
Chromium	9.8 J	1.2	mg/kg	SW846 6010B
Cobalt	6.3	6.2	mg/kg	SW846 6010B
Copper	9.8	3.1	mg/kg	SW846 6010B
Iron	12700	12.5	mg/kg	SW846 6010B
Magnesium	7060	625	mg/kg	SW846 6010B
Manganese	298	1.9	mg/kg	SW846 6010B
Nickel	15.6 J	5.0	mg/kg	SW846 6010B
Potassium	1480 J	625	mg/kg	SW846 6010B
Sodium	154 B,J	625	mg/kg	SW846 6010B
Vanadium	17.1	6.2	mg/kg	SW846 6010B
Zinc	42.9	2.5	mg/kg	SW846 6010B
1,2-Dichloroethane	1.9 J	5.9	ug/kg	SW846 8260B
Methylene chloride	12	5.9	ug/kg	SW846 8260B
Toluene	0.51 J	5.9	ug/kg	SW846 8260B
Percent Solids	80.1	10.0	%	MCAWW 160.3 MOD
S-122104-DS-123 12/21/04 14:15 006				
Arsenic	6.6	1.3	mg/kg	SW846 6010B
Lead	7.8	0.38	mg/kg	SW846 6010B
Aluminum	3970	25.2	mg/kg	SW846 6010B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L220198

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
S-122104-DS-123 12/21/04 14:15 006				
Barium	170	25.2	mg/kg	SW846 6010B
Beryllium	0.12 B	0.63	mg/kg	SW846 6010B
Calcium	11600	630	mg/kg	SW846 6010B
Chromium	8.3 J	1.3	mg/kg	SW846 6010B
Cobalt	5.3 B	6.3	mg/kg	SW846 6010B
Copper	8.2	3.2	mg/kg	SW846 6010B
Iron	10300	12.6	mg/kg	SW846 6010B
Magnesium	5700	630	mg/kg	SW846 6010B
Manganese	251	1.9	mg/kg	SW846 6010B
Nickel	13.0 J	5.0	mg/kg	SW846 6010B
Potassium	941 J	630	mg/kg	SW846 6010B
Sodium	218 B, J	630	mg/kg	SW846 6010B
Vanadium	14.1	6.3	mg/kg	SW846 6010B
Zinc	34.1	2.5	mg/kg	SW846 6010B
Acetone	4.4 J	32	ug/kg	SW846 8260B
Methylene chloride	11	7.9	ug/kg	SW846 8260B
Toluene	0.84 J	7.9	ug/kg	SW846 8260B
Percent Solids	79.3	10.0	%	MCAWW 160.3 MOD

S-122104-DS-124 12/21/04 14:44 007

Arsenic	1.5	1.0	mg/kg	SW846 6010B
Lead	2.4	0.31	mg/kg	SW846 6010B
Aluminum	339	20.6	mg/kg	SW846 6010B
Barium	17.9 B	20.6	mg/kg	SW846 6010B
Calcium	305 B	514	mg/kg	SW846 6010B
Chromium	2.1 J	1.0	mg/kg	SW846 6010B
Cobalt	0.76 B	5.1	mg/kg	SW846 6010B
Copper	1.2 B	2.6	mg/kg	SW846 6010B
Iron	1870	10.3	mg/kg	SW846 6010B
Magnesium	112 B	514	mg/kg	SW846 6010B
Manganese	7.4	1.5	mg/kg	SW846 6010B
Nickel	1.2 B, J	4.1	mg/kg	SW846 6010B
Potassium	124 B, J	514	mg/kg	SW846 6010B
Vanadium	3.2 B	5.1	mg/kg	SW846 6010B
Zinc	4.2	2.1	mg/kg	SW846 6010B
Anthracene	530 J	4200	ug/kg	SW846 8270C
Benzo(a)anthracene	1500 J	4200	ug/kg	SW846 8270C
Benzo(a)pyrene	1300 J	4200	ug/kg	SW846 8270C
Benzo(b)fluoranthene	1800 J	4200	ug/kg	SW846 8270C
Benzo(ghi)perylene	840 J	4200	ug/kg	SW846 8270C
Benzo(k)fluoranthene	790 J	4200	ug/kg	SW846 8270C
Butyl benzyl phthalate	18000	4200	ug/kg	SW846 8270C

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

A4L220198

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>ANALYTICAL METHOD</u>
S-122104-DS-124 12/21/04 14:44 007				
Chrysene	1500 J	4200	ug/kg	SW846 8270C
Dibenz (a, h) anthracene	200 J	4200	ug/kg	SW846 8270C
Fluoranthene	3700 J	4200	ug/kg	SW846 8270C
Indeno (1, 2, 3-cd) pyrene	920 J	4200	ug/kg	SW846 8270C
Phenanthrene	1900 J	4200	ug/kg	SW846 8270C
Pyrene	2800 J	4200	ug/kg	SW846 8270C
Acetone	3.3 J	19	ug/kg	SW846 8260B
Methylene chloride	6.7	4.8	ug/kg	SW846 8260B
Toluene	0.45 J	4.8	ug/kg	SW846 8260B
Percent Solids	97.3	10.0	%	MCAWW 160.3 MOD

ANALYTICAL METHODS SUMMARY

A4L220198

PARAMETER	ANALYTICAL METHOD
Inductively Coupled Plasma (ICP) Metals	SW846 6010B
Mercury in Solid Waste (Manual Cold-Vapor)	SW846 7471A
Semivolatile Organic Compounds by GC/MS	SW846 8270C
Total Residue as Percent Solids	MCAWW 160.3 MOD
Trace Inductively Coupled Plasma (ICP) Metals	SW846 6010B
Volatile Organics by GC/MS	SW846 8260B

References:

- MCAWW "Methods for Chemical Analysis of Water and Wastes",
EPA-600/4-79-020, March 1983 and subsequent revisions.
- SW846 "Test Methods for Evaluating Solid Waste, Physical/Chemical
Methods", Third Edition, November 1986 and its updates.

SAMPLE SUMMARY

A4L220198

WO #	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
G1NDP	001	S-122104-DS-118	12/21/04	09:12
G1NE0	002	S-122104-DS-119	12/21/04	10:20
G1NFG	003	S-122104-DS-120	12/21/04	11:12
G1NFH	004	S-122104-DS-121	12/21/04	12:08
G1NFJ	005	S-122104-DS-122	12/21/04	12:45
G1NFQ	006	S-122104-DS-123	12/21/04	14:15
G1NFR	007	S-122104-DS-124	12/21/04	14:44

NOTE(S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-118

GC/MS Volatiles

Lot-Sample #....: A4L220198-001 Work Order #....: G1NDF1DQ Matrix.....: SO
 Date Sampled....: 12/21/04 09:12 Date Received...: 12/22/04
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5005200
 Dilution Factor: 0.91
 % Moisture.....: 26 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	25	ug/kg	3.3
Benzene	ND	6.1	ug/kg	0.28
Bromodichloromethane	ND	6.1	ug/kg	0.59
Bromoform	ND	6.1	ug/kg	0.80
Bromomethane	ND	6.1	ug/kg	0.75
2-Butanone	ND	25	ug/kg	1.2
Carbon disulfide	ND	6.1	ug/kg	0.25
Carbon tetrachloride	ND	6.1	ug/kg	0.55
Chlorobenzene	ND	6.1	ug/kg	0.34
Dibromochloromethane	ND	6.1	ug/kg	0.44
Chloroethane	ND	6.1	ug/kg	0.66
Chloroform	ND	6.1	ug/kg	0.49
Chloromethane	ND	6.1	ug/kg	0.31
1,1-Dichloroethane	ND	6.1	ug/kg	0.39
1,2-Dichloroethane	ND	6.1	ug/kg	0.59
1,1-Dichloroethene	ND	6.1	ug/kg	0.74
cis-1,2-Dichloroethene	ND	6.1	ug/kg	0.50
trans-1,2-Dichloroethene	ND	6.1	ug/kg	0.67
1,2-Dichloropropane	ND	6.1	ug/kg	0.43
cis-1,3-Dichloropropene	ND	6.1	ug/kg	0.43
trans-1,3-Dichloropropene	ND	6.1	ug/kg	0.43
Ethylbenzene	ND	6.1	ug/kg	0.65
2-Hexanone	ND	25	ug/kg	1.0
Methylene chloride	4.1 J	6.1	ug/kg	1.6
4-Methyl-2-pentanone	ND	25	ug/kg	0.66
Styrene	ND	6.1	ug/kg	0.25
1,1,2,2-Tetrachloroethane	ND	6.1	ug/kg	0.56
Tetrachloroethene	ND	6.1	ug/kg	1.0
Toluene	0.50 J	6.1	ug/kg	0.36
1,1,1-Trichloroethane	ND	6.1	ug/kg	0.93
1,1,2-Trichloroethane	ND	6.1	ug/kg	0.50
Trichloroethene	ND	6.1	ug/kg	0.50
Vinyl chloride	ND	6.1	ug/kg	0.54
Xylenes (total)	ND	12	ug/kg	0.93

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	88	(59 - 138)
1,2-Dichloroethane-d4	80	(61 - 130)
Toluene-d8	84	(60 - 143)
4-Bromofluorobenzene	86	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-118

GC/MS Volatiles

Lot-Sample #....: A4L220198-001 Work Order #....: G1NDP1DQ Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

I Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-118

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-001 Work Order #....: G1NDP1AA Matrix.....: SO
 Date Sampled....: 12/21/04 09:12 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/04/05
 Prep Batch #....: 4362352
 Dilution Factor: 1
 % Moisture.....: 26 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	440	ug/kg	1.2
Acenaphthylene	ND	440	ug/kg	1.9
Acetophenone	ND	440	ug/kg	7.4
Anthracene	ND	440	ug/kg	3.1
Atrazine	ND	440	ug/kg	15
Benzo(a)anthracene	ND	440	ug/kg	1.9
Benzo(a)pyrene	ND	440	ug/kg	3.1
Benzo(b)fluoranthene	ND	440	ug/kg	3.1
Benzo(ghi)perylene	ND	440	ug/kg	2.4
Benzo(k)fluoranthene	ND	440	ug/kg	3.1
Benzaldehyde	ND	440	ug/kg	9.3
1,1'-Biphenyl	ND	440	ug/kg	9.7
bis(2-Chloroethoxy) methane	ND	440	ug/kg	22
bis(2-Chloroethyl)- ether	ND	440	ug/kg	5.5
bis(2-Ethylhexyl) phthalate	ND	440	ug/kg	22
4-Bromophenyl phenyl ether	ND	440	ug/kg	6.3
Butyl benzyl phthalate	ND	440	ug/kg	5.0
Caprolactam	41 J	440	ug/kg	11
Carbazole	ND	440	ug/kg	13
4-Chloroaniline	ND	440	ug/kg	7.0
4-Chloro-3-methylphenol	ND	440	ug/kg	69
2-Chloronaphthalene	ND	440	ug/kg	8.5
2-Chlorophenol	ND	440	ug/kg	4.8
4-Chlorophenyl phenyl ether	ND	440	ug/kg	4.8
Chrysene	ND	440	ug/kg	1.3
Dibenz(a,h)anthracene	ND	440	ug/kg	2.0
Dibenzofuran	ND	440	ug/kg	1.1
3,3'-Dichlorobenzidine	ND	2200	ug/kg	6.6
2,4-Dichlorophenol	ND	440	ug/kg	7.1
Diethyl phthalate	ND	440	ug/kg	8.4
2,4-Dimethylphenol	ND	440	ug/kg	9.2
Dimethyl phthalate	ND	440	ug/kg	8.6
Di-n-butyl phthalate	ND	440	ug/kg	6.7

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-118

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-001 Work Order #....: G1NDP1AA Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
4,6-Dinitro- 2-methylphenol	ND	2200	ug/kg	63
2,4-Dinitrophenol	ND	2200	ug/kg	55
2,4-Dinitrotoluene	ND	440	ug/kg	7.7
2,6-Dinitrotoluene	ND	440	ug/kg	7.8
Di-n-octyl phthalate	ND	440	ug/kg	15
Fluoranthene	ND	440	ug/kg	1.3
Fluorene	ND	440	ug/kg	1.8
Hexachlorobenzene	ND	440	ug/kg	1.9
Hexachlorobutadiene	ND	440	ug/kg	3.4
Hexachlorocyclopenta- diene	ND	2200	ug/kg	3.9
Hexachloroethane	ND	440	ug/kg	6.6
Indeno(1,2,3-cd)pyrene	ND	440	ug/kg	2.7
Isophorone	ND	440	ug/kg	4.7
2-Methylnaphthalene	ND	440	ug/kg	1.3
2-Methylphenol	ND	440	ug/kg	9.0
4-Methylphenol	ND	440	ug/kg	7.8
Naphthalene	ND	440	ug/kg	1.2
2-Nitroaniline	ND	2200	ug/kg	6.9
3-Nitroaniline	ND	2200	ug/kg	4.3
4-Nitroaniline	ND	2200	ug/kg	4.8
Nitrobenzene	ND	440	ug/kg	8.6
2-Nitrophenol	ND	440	ug/kg	4.6
4-Nitrophenol	ND	2200	ug/kg	110
N-Nitrosodi-n-propyl- amine	ND	440	ug/kg	10
N-Nitrosodiphenylamine	ND	440	ug/kg	5.5
2,2'-oxybis(1-Chloropropane)	ND	440	ug/kg	7.0
Pentachlorophenol	ND	440	ug/kg	61
Phenanthrene	ND	440	ug/kg	1.5
Phenol	ND	440	ug/kg	7.7
Pyrene	ND	440	ug/kg	1.3
2,4,5-Trichloro- phenol	ND	440	ug/kg	6.6
2,4,6-Trichloro- phenol	ND	440	ug/kg	9.2

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	62	(42 - 110)
2-Fluorobiphenyl	65	(43 - 110)
Terphenyl-d14	80	(37 - 137)
Phenol-d5	58	(25 - 115)
2-Fluorophenol	51	(11 - 116)
2,4,6-Tribromophenol	55	(35 - 116)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-118

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-001 Work Order #....: G1NDP1AA Matrix.....: SO

NOTE(S) :

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-118

TOTAL Metals

Lot-Sample #....: A4L220198-001

Matrix.....: SO

Date Sampled....: 12/21/04 09:12 Date Received...: 12/22/04

% Moisture.....: 26

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #....: 4363037						
Aluminum	7320	26.9	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1AE
		Dilution Factor: 1		MDL.....: 3.1		
Arsenic	8.5	1.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1C7
		Dilution Factor: 1		MDL.....: 0.54		
Lead	10.4	0.40	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1DA
		Dilution Factor: 1		MDL.....: 0.31		
Antimony	ND	8.1	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1AH
		Dilution Factor: 1		MDL.....: 0.31		
Barium	239	26.9	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1AL
		Dilution Factor: 1		MDL.....: 0.20		
Selenium	ND	0.67	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1DE
		Dilution Factor: 1		MDL.....: 0.36		
Beryllium	0.27 B	0.67	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1AP
		Dilution Factor: 1		MDL.....: 0.042		
Thallium	ND	1.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1DH
		Dilution Factor: 1		MDL.....: 0.47		
Cadmium	0.11 B	0.67	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1AT
		Dilution Factor: 1		MDL.....: 0.031		
Calcium	19400	674	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1AW
		Dilution Factor: 1		MDL.....: 20.2		
Chromium	12.3 J	1.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1A1
		Dilution Factor: 1		MDL.....: 0.16		
Cobalt	8.4	6.7	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1A4
		Dilution Factor: 1		MDL.....: 0.13		
Copper	15.6	3.4	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1A7
		Dilution Factor: 1		MDL.....: 0.22		
Iron	15000	13.5	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1CA
		Dilution Factor: 1		MDL.....: 5.8		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-118

TOTAL Metals

Lot-Sample #....: A4L220198-001

Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Magnesium	7480	674	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1CE
		Dilution Factor: 1		MDL.....: 2.8		
Manganese	465	2.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1CH
		Dilution Factor: 1		MDL.....: 0.42		
Nickel	21.4 J	5.4	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1CL
		Dilution Factor: 1		MDL.....: 0.23		
Potassium	1830 J	674	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1CP
		Dilution Factor: 1		MDL.....: 4.8		
Silver	ND	1.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1CT
		Dilution Factor: 1		MDL.....: 0.15		
Sodium	189 B,J	674	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1CW
		Dilution Factor: 1		MDL.....: 94.3		
Vanadium	21.6	6.7	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1C1
		Dilution Factor: 1		MDL.....: 0.15		
Zinc	52.6	2.7	mg/kg	SW846 6010B	12/28-12/30/04	G1NDP1C4
		Dilution Factor: 1		MDL.....: 1.2		
Mercury	0.012 B	0.13	mg/kg	SW846 7471A	12/28-01/03/05	G1NDP1DL
		Dilution Factor: 1		MDL.....: 0.0061		

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-118

General Chemistry

Lot-Sample #....: A4L220198-001 Work Order #....: G1NDP
Date Sampled....: 12/21/04 09:12 Date Received...: 12/22/04
% Moisture.....: 26

Matrix.....: SO

<u>PARAMETER</u>	<u>RESULT</u>	<u>RL</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>PREP BATCH #</u>
Percent Solids	74.2	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364283
		Dilution Factor: 1		MDL.....: 10.0		

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-119

GC/MS Volatiles

Lot-Sample #....: A4L220198-002 Work Order #....: GINE01A5 Matrix.....: SO
 Date Sampled....: 12/21/04 10:20 Date Received...: 12/22/04
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5005200
 Dilution Factor: 1
 % Moisture.....: 19 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	3.9 J	25	ug/kg	3.3
Benzene	ND	6.1	ug/kg	0.28
Bromodichloromethane	ND	6.1	ug/kg	0.59
Bromoform	ND	6.1	ug/kg	0.80
Bromomethane	ND	6.1	ug/kg	0.75
2-Butanone	ND	25	ug/kg	1.2
Carbon disulfide	ND	6.1	ug/kg	0.25
Carbon tetrachloride	ND	6.1	ug/kg	0.55
Chlorobenzene	ND	6.1	ug/kg	0.34
Dibromochloromethane	ND	6.1	ug/kg	0.44
Chloroethane	ND	6.1	ug/kg	0.66
Chloroform	ND	6.1	ug/kg	0.49
Chloromethane	ND	6.1	ug/kg	0.31
1,1-Dichloroethane	ND	6.1	ug/kg	0.39
1,2-Dichloroethane	ND	6.1	ug/kg	0.59
1,1-Dichloroethene	ND	6.1	ug/kg	0.74
cis-1,2-Dichloroethene	ND	6.1	ug/kg	0.50
trans-1,2-Dichloroethene	ND	6.1	ug/kg	0.68
1,2-Dichloropropane	ND	6.1	ug/kg	0.43
cis-1,3-Dichloropropene	ND	6.1	ug/kg	0.43
trans-1,3-Dichloropropene	ND	6.1	ug/kg	0.43
Ethylbenzene	1.1 J	6.1	ug/kg	0.65
2-Hexanone	ND	25	ug/kg	1.0
Methylene chloride	11	6.1	ug/kg	1.6
4-Methyl-2-pentanone	ND	25	ug/kg	0.66
Styrene	ND	6.1	ug/kg	0.25
1,1,2,2-Tetrachloroethane	ND	6.1	ug/kg	0.56
Tetrachloroethene	3.9 J	6.1	ug/kg	1.0
Toluene	1.1 J	6.1	ug/kg	0.36
1,1,1-Trichloroethane	ND	6.1	ug/kg	0.93
1,1,2-Trichloroethane	ND	6.1	ug/kg	0.50
Trichloroethene	0.50 J	6.1	ug/kg	0.50
Vinyl chloride	ND	6.1	ug/kg	0.54
Xylenes (total)	0.94 J	12	ug/kg	0.93

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	86	(59 - 138)
1,2-Dichloroethane-d4	76	(61 - 130)
Toluene-d8	83	(60 - 143)
4-Bromofluorobenzene	84	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-119

GC/MS Volatiles

Lot-Sample #....: A4L220198-002 Work Order #....: G1NE01A5 Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-119

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-002 Work Order #....: G1NE01AA Matrix.....: SO
 Date Sampled....: 12/21/04 10:20 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/03/05
 Prep Batch #....: 4362352
 Dilution Factor: 1
 % Moisture.....: 19 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	410	ug/kg	1.1
Acenaphthylene	ND	410	ug/kg	1.7
Acetophenone	ND	410	ug/kg	6.8
Anthracene	ND	410	ug/kg	2.8
Atrazine	ND	410	ug/kg	14
Benzo(a)anthracene	ND	410	ug/kg	1.7
Benzo(a)pyrene	ND	410	ug/kg	2.8
Benzo(b)fluoranthene	ND	410	ug/kg	2.8
Benzo(ghi)perylene	ND	410	ug/kg	2.2
Benzo(k)fluoranthene	ND	410	ug/kg	2.8
Benzaldehyde	ND	410	ug/kg	8.5
1,1'-Biphenyl	ND	410	ug/kg	8.8
bis(2-Chloroethoxy) methane	ND	410	ug/kg	20
bis(2-Chloroethyl) - ether	ND	410	ug/kg	5.0
bis(2-Ethylhexyl) phthalate	ND	410	ug/kg	20
4-Bromophenyl phenyl ether	ND	410	ug/kg	5.8
Butyl benzyl phthalate	ND	410	ug/kg	4.5
Caprolactam	ND	410	ug/kg	9.6
Carbazole	ND	410	ug/kg	11
4-Chloroaniline	ND	410	ug/kg	6.4
4-Chloro-3-methylphenol	ND	410	ug/kg	63
2-Chloronaphthalene	ND	410	ug/kg	7.7
2-Chlorophenol	ND	410	ug/kg	4.4
4-Chlorophenyl phenyl ether	ND	410	ug/kg	4.4
Chrysene	ND	410	ug/kg	1.2
Dibenz(a,h)anthracene	ND	410	ug/kg	1.8
Dibenzofuran	ND	410	ug/kg	1.0
3,3'-Dichlorobenzidine	ND	2000	ug/kg	6.0
2,4-Dichlorophenol	ND	410	ug/kg	6.5
Diethyl phthalate	ND	410	ug/kg	7.6
2,4-Dimethylphenol	ND	410	ug/kg	8.3
Dimethyl phthalate	ND	410	ug/kg	7.9
Di-n-butyl phthalate	ND	410	ug/kg	6.1

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-119

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-002 Work Order #....: G1NE01AA Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
4,6-Dinitro- 2-methylphenol	ND	2000	ug/kg	58
2,4-Dinitrophenol	ND	2000	ug/kg	50
2,4-Dinitrotoluene	ND	410	ug/kg	7.0
2,6-Dinitrotoluene	ND	410	ug/kg	7.1
Di-n-octyl phthalate	ND	410	ug/kg	14
Fluoranthene	ND	410	ug/kg	1.1
Fluorene	ND	410	ug/kg	1.6
Hexachlorobenzene	ND	410	ug/kg	1.7
Hexachlorobutadiene	ND	410	ug/kg	3.1
Hexachlorocyclopenta- diene	ND	2000	ug/kg	3.6
Hexachloroethane	ND	410	ug/kg	6.0
Indeno (1,2,3-cd) pyrene	ND	410	ug/kg	2.5
Isophorone	ND	410	ug/kg	4.3
2-Methylnaphthalene	ND	410	ug/kg	1.2
2-Methylphenol	ND	410	ug/kg	8.2
4-Methylphenol	ND	410	ug/kg	7.1
Naphthalene	ND	410	ug/kg	1.1
2-Nitroaniline	ND	2000	ug/kg	6.3
3-Nitroaniline	ND	2000	ug/kg	3.9
4-Nitroaniline	ND	2000	ug/kg	4.4
Nitrobenzene	ND	410	ug/kg	7.9
2-Nitrophenol	ND	410	ug/kg	4.2
4-Nitrophenol	ND	2000	ug/kg	99
N-Nitrosodi-n-propyl- amine	ND	410	ug/kg	9.3
N-Nitrosodiphenylamine	ND	410	ug/kg	5.0
2,2'-oxybis (1-Chloropropane)	ND	410	ug/kg	6.4
Pentachlorophenol	ND	410	ug/kg	55
Phenanthrene	ND	410	ug/kg	1.4
Phenol	ND	410	ug/kg	7.0
Pyrene	ND	410	ug/kg	1.2
2,4,5-Trichloro- phenol	ND	410	ug/kg	6.0
2,4,6-Trichloro- phenol	ND	410	ug/kg	8.3

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	58	(42 - 110)
2-Fluorobiphenyl	52	(43 - 110)
Terphenyl-d14	72	(37 - 137)
Phenol-d5	60	(25 - 115)
2-Fluorophenol	58	(11 - 116)
2,4,6-Tribromophenol	38	(35 - 116)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-119

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-002 Work Order #....: G1NE01AA Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-119

TOTAL Metals

Lot-Sample #....: A4L220198-002

Matrix.....: SO

Date Sampled....: 12/21/04 10:20 Date Received...: 12/22/04

% Moisture.....: 19

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Prep Batch #....: 4363037						
Aluminum	3760	24.6	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01AC
		Dilution Factor: 1		MDL.....: 2.8		
Arsenic	5.6	1.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01AX
		Dilution Factor: 1		MDL.....: 0.49		
Lead	6.7	0.37	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01AO
		Dilution Factor: 1		MDL.....: 0.28		
Antimony	ND	7.4	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01AD
		Dilution Factor: 1		MDL.....: 0.28		
Barium	136	24.6	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01AE
		Dilution Factor: 1		MDL.....: 0.18		
Selenium	ND	0.61	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01A1
		Dilution Factor: 1		MDL.....: 0.33		
Beryllium	0.093 B	0.61	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01AF
		Dilution Factor: 1		MDL.....: 0.038		
Thallium	ND	1.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01A2
		Dilution Factor: 1		MDL.....: 0.43		
Cadmium	ND	0.61	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01AG
		Dilution Factor: 1		MDL.....: 0.028		
Calcium	14500	614	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01AH
		Dilution Factor: 1		MDL.....: 18.4		
Chromium	7.5 J	1.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01AJ
		Dilution Factor: 1		MDL.....: 0.15		
Cobalt	5.2 B	6.1	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01AK
		Dilution Factor: 1		MDL.....: 0.12		
Copper	5.8	3.1	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01AL
		Dilution Factor: 1		MDL.....: 0.20		
Iron	10000	12.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NE01AM
		Dilution Factor: 1		MDL.....: 5.3		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-119

TOTAL Metals

Lot-Sample #...: A4L220198-002

Matrix.....: SO

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Magnesium	5550	614	mg/kg	SW846 6010B	12/28-12/30/04	GINE01AN
		Dilution Factor: 1		MDL.....: 2.6		
Manganese	229	1.8	mg/kg	SW846 6010B	12/28-12/30/04	GINE01AP
		Dilution Factor: 1		MDL.....: 0.38		
Nickel	12.8 J	4.9	mg/kg	SW846 6010B	12/28-12/30/04	GINE01AQ
		Dilution Factor: 1		MDL.....: 0.21		
Potassium	902 J	614	mg/kg	SW846 6010B	12/28-12/30/04	GINE01AR
		Dilution Factor: 1		MDL.....: 4.4		
Silver	ND	1.2	mg/kg	SW846 6010B	12/28-12/30/04	GINE01AT
		Dilution Factor: 1		MDL.....: 0.14		
Sodium	121 B,J	614	mg/kg	SW846 6010B	12/28-12/30/04	GINE01AU
		Dilution Factor: 1		MDL.....: 85.9		
Vanadium	13.1	6.1	mg/kg	SW846 6010B	12/28-12/30/04	GINE01AV
		Dilution Factor: 1		MDL.....: 0.14		
Zinc	31.7	2.5	mg/kg	SW846 6010B	12/28-12/30/04	GINE01AW
		Dilution Factor: 1		MDL.....: 1.1		
Mercury	ND	0.12	mg/kg	SW846 7471A	12/28-01/03/05	GINE01A3
		Dilution Factor: 1		MDL.....: 0.0055		

NOTE(S) :

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-119

General Chemistry

Lot-Sample #....: A4L220198-002 Work Order #....: G1NE0 Matrix.....: SO
Date Sampled....: 12/21/04 10:20 Date Received...: 12/22/04
% Moisture.....: 19

<u>PARAMETER</u>	<u>RESULT</u>	<u>RL</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>PREP BATCH #</u>
Percent Solids	81.5	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364283
		Dilution Factor: 1		MDL.....: 10.0		

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-120

GC/MS Volatiles

Lot-Sample #....: A4L220198-003 Work Order #....: G1NFG1AG Matrix.....: SO
 Date Sampled....: 12/21/04 11:12 Date Received...: 12/22/04
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5005200
 Dilution Factor: 1.09
 % Moisture.....: 4.4 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	3.3 J	23	ug/kg	3.1
Benzene	ND	5.7	ug/kg	0.26
Bromodichloromethane	ND	5.7	ug/kg	0.55
Bromoform	ND	5.7	ug/kg	0.74
Bromomethane	ND	5.7	ug/kg	0.70
2-Butanone	ND	23	ug/kg	1.1
Carbon disulfide	ND	5.7	ug/kg	0.23
Carbon tetrachloride	ND	5.7	ug/kg	0.51
Chlorobenzene	ND	5.7	ug/kg	0.32
Dibromochloromethane	ND	5.7	ug/kg	0.41
Chloroethane	ND	5.7	ug/kg	0.62
Chloroform	ND	5.7	ug/kg	0.46
Chloromethane	ND	5.7	ug/kg	0.29
1,1-Dichloroethane	ND	5.7	ug/kg	0.36
1,2-Dichloroethane	ND	5.7	ug/kg	0.55
1,1-Dichloroethene	ND	5.7	ug/kg	0.68
cis-1,2-Dichloroethene	ND	5.7	ug/kg	0.47
trans-1,2-Dichloroethene	ND	5.7	ug/kg	0.63
1,2-Dichloropropane	ND	5.7	ug/kg	0.40
cis-1,3-Dichloropropene	ND	5.7	ug/kg	0.40
trans-1,3-Dichloropropene	ND	5.7	ug/kg	0.40
Ethylbenzene	ND	5.7	ug/kg	0.60
2-Hexanone	ND	23	ug/kg	0.96
Methylene chloride	8.3	5.7	ug/kg	1.5
4-Methyl-2-pentanone	ND	23	ug/kg	0.62
Styrene	ND	5.7	ug/kg	0.23
1,1,2,2-Tetrachloroethane	ND	5.7	ug/kg	0.52
Tetrachloroethene	2.6 J	5.7	ug/kg	0.95
Toluene	0.61 J	5.7	ug/kg	0.33
1,1,1-Trichloroethane	ND	5.7	ug/kg	0.87
1,1,2-Trichloroethane	ND	5.7	ug/kg	0.47
Trichloroethene	ND	5.7	ug/kg	0.47
Vinyl chloride	ND	5.7	ug/kg	0.50
Xylenes (total)	ND	11	ug/kg	0.87

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	86	(59 - 138)
1,2-Dichloroethane-d4	77	(61 - 130)
Toluene-d8	84	(60 - 143)
4-Bromofluorobenzene	86	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-120

GC/MS Volatiles

Lot-Sample #....: A4L220198-003 Work Order #....: G1NFG1AG Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-120

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-003 Work Order #....: G1NFG1AK Matrix.....: SO
 Date Sampled....: 12/21/04 11:12 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/03/05
 Prep Batch #....: 4362352
 Dilution Factor: 1
 % Moisture.....: 4.4 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	350	ug/kg	0.96
Acenaphthylene	ND	350	ug/kg	1.5
Acetophenone	ND	350	ug/kg	5.8
Anthracene	ND	350	ug/kg	2.4
Atrazine	ND	350	ug/kg	12
Benzo (a) anthracene	ND	350	ug/kg	1.5
Benzo (a) pyrene	ND	350	ug/kg	2.4
Benzo (b) fluoranthene	ND	350	ug/kg	2.4
Benzo (ghi) perylene	ND	350	ug/kg	1.9
Benzo (k) fluoranthene	ND	350	ug/kg	2.4
Benzaldehyde	ND	350	ug/kg	7.2
1,1'-Biphenyl	ND	350	ug/kg	7.5
bis (2-Chloroethoxy) methane	ND	350	ug/kg	17
bis (2-Chloroethyl) - ether	ND	350	ug/kg	4.3
bis (2-Ethylhexyl) phthalate	ND	350	ug/kg	17
4-Bromophenyl phenyl ether	ND	350	ug/kg	4.9
Butyl benzyl phthalate	ND	350	ug/kg	3.9
Caprolactam	ND	350	ug/kg	8.2
Carbazole	ND	350	ug/kg	9.7
4-Chloroaniline	ND	350	ug/kg	5.4
4-Chloro-3-methylphenol	ND	350	ug/kg	53
2-Chloronaphthalene	ND	350	ug/kg	6.6
2-Chlorophenol	ND	350	ug/kg	3.8
4-Chlorophenyl phenyl ether	ND	350	ug/kg	3.8
Chrysene	ND	350	ug/kg	1.0
Dibenz (a, h) anthracene	ND	350	ug/kg	1.6
Dibenzofuran	ND	350	ug/kg	0.87
3,3'-Dichlorobenzidine	ND	1700	ug/kg	5.1
2,4-Dichlorophenol	ND	350	ug/kg	5.5
Diethyl phthalate	ND	350	ug/kg	6.5
2,4-Dimethylphenol	ND	350	ug/kg	7.1
Dimethyl phthalate	ND	350	ug/kg	6.7
Di-n-butyl phthalate	ND	350	ug/kg	5.2

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-120

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-003 Work Order #....: G1NFG1AK Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
4,6-Dinitro- 2-methylphenol	ND	1700	ug/kg	49
2,4-Dinitrophenol	ND	1700	ug/kg	43
2,4-Dinitrotoluene	ND	350	ug/kg	6.0
2,6-Dinitrotoluene	ND	350	ug/kg	6.1
Di-n-octyl phthalate	ND	350	ug/kg	12
Fluoranthene	ND	350	ug/kg	0.97
Fluorene	ND	350	ug/kg	1.4
Hexachlorobenzene	ND	350	ug/kg	1.5
Hexachlorobutadiene	ND	350	ug/kg	2.6
Hexachlorocyclopenta- diene	ND	1700	ug/kg	3.0
Hexachloroethane	ND	350	ug/kg	5.1
Indeno(1,2,3-cd)pyrene	ND	350	ug/kg	2.1
Isophorone	ND	350	ug/kg	3.7
2-Methylnaphthalene	ND	350	ug/kg	1.0
2-Methylphenol	ND	350	ug/kg	7.0
4-Methylphenol	ND	350	ug/kg	6.1
Naphthalene	ND	350	ug/kg	0.93
2-Nitroaniline	ND	1700	ug/kg	5.3
3-Nitroaniline	ND	1700	ug/kg	3.3
4-Nitroaniline	ND	1700	ug/kg	3.8
Nitrobenzene	ND	350	ug/kg	6.7
2-Nitrophenol	ND	350	ug/kg	3.6
4-Nitrophenol	ND	1700	ug/kg	85
N-Nitrosodi-n-propyl- amine	ND	350	ug/kg	7.9
N-Nitrosodiphenylamine	ND	350	ug/kg	4.3
2,2'-oxybis(1-Chloropropane)	ND	350	ug/kg	5.4
Pentachlorophenol	ND	350	ug/kg	47
Phenanthrene	ND	350	ug/kg	1.2
Phenol	ND	350	ug/kg	6.0
Pyrene	ND	350	ug/kg	1.0
2,4,5-Trichloro- phenol	ND	350	ug/kg	5.1
2,4,6-Trichloro- phenol	ND	350	ug/kg	7.1

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	64	(42 - 110)
2-Fluorobiphenyl	61	(43 - 110)
Terphenyl-d14	76	(37 - 137)
Phenol-d5	68	(25 - 115)
2-Fluorophenol	67	(11 - 116)
2,4,6-Tribromophenol	41	(35 - 116)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-120

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-003 Work Order #....: G1NFGLAK Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-120

TOTAL Metals

Lot-Sample #....: A4L220198-003

Matrix.....: SO

Date Sampled....: 12/21/04 11:12 Date Received...: 12/22/04

% Moisture.....: 4.4

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #....: 4363037						
Aluminum	1520	20.9	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AL
		Dilution Factor: 1		MDL.....: 2.4		
Arsenic	2.3	1.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1A7
		Dilution Factor: 1		MDL.....: 0.42		
Lead	2.9	0.31	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AA
		Dilution Factor: 1		MDL.....: 0.24		
Antimony	ND	6.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AM
		Dilution Factor: 1		MDL.....: 0.24		
Barium	50.1	20.9	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AN
		Dilution Factor: 1		MDL.....: 0.16		
Selenium	ND	0.52	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AC
		Dilution Factor: 1		MDL.....: 0.28		
Beryllium	ND	0.52	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AP
		Dilution Factor: 1		MDL.....: 0.032		
Thallium	ND	1.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AD
		Dilution Factor: 1		MDL.....: 0.37		
Cadmium	ND	0.52	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AQ
		Dilution Factor: 1		MDL.....: 0.024		
Calcium	4250	523	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AR
		Dilution Factor: 1		MDL.....: 15.7		
Chromium	3.4 J	1.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AT
		Dilution Factor: 1		MDL.....: 0.13		
Cobalt	2.6 B	5.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AU
		Dilution Factor: 1		MDL.....: 0.10		
Copper	1.6 B	2.6	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AV
		Dilution Factor: 1		MDL.....: 0.17		
Iron	4400	10.5	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1AW
		Dilution Factor: 1		MDL.....: 4.5		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-120

TOTAL Metals

Lot-Sample #...: A4L220198-003

Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Magnesium	1850	523	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1A3
		Dilution Factor: 1		MDL.....: 2.2		
Manganese	81.6	1.6	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1A0
		Dilution Factor: 1		MDL.....: 0.32		
Nickel	6.7 J	4.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1A1
		Dilution Factor: 1		MDL.....: 0.18		
Potassium	329 B,J	523	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1A2
		Dilution Factor: 1		MDL.....: 3.8		
Silver	ND	1.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1A3
		Dilution Factor: 1		MDL.....: 0.12		
Sodium	ND	523	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1A4
		Dilution Factor: 1		MDL.....: 73.2		
Vanadium	6.1	5.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1A5
		Dilution Factor: 1		MDL.....: 0.12		
Zinc	13.3	2.1	mg/kg	SW846 6010B	12/28-12/30/04	G1NFG1A6
		Dilution Factor: 1		MDL.....: 0.91		
Mercury	ND	0.10	mg/kg	SW846 7471A	12/28-01/03/05	G1NFG1AE
		Dilution Factor: 1		MDL.....: 0.0047		

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

B Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-120

General Chemistry

Lot-Sample #....: A4L220198-003 Work Order #....: G1NFG
Date Sampled....: 12/21/04 11:12 Date Received...: 12/22/04
% Moisture.....: 4.4

Matrix.....: SO

<u>PARAMETER</u>	<u>RESULT</u>	<u>RL</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>PREP BATCH #</u>
Percent Solids	95.6	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364283
		Dilution Factor: 1		MDL.....: 10.0		

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-121

GC/MS Volatiles

Lot-Sample #....: A4L220198-004 Work Order #....: G1NFH1AG Matrix.....: SO
 Date Sampled....: 12/21/04 12:08 Date Received...: 12/22/04
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5005200
 Dilution Factor: 0.86
 % Moisture.....: 28 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	24	ug/kg	3.2
Benzene	ND	6.0	ug/kg	0.28
Bromodichloromethane	ND	6.0	ug/kg	0.58
Bromoform	ND	6.0	ug/kg	0.78
Bromomethane	ND	6.0	ug/kg	0.73
2-Butanone	ND	24	ug/kg	1.2
Carbon disulfide	ND	6.0	ug/kg	0.24
Carbon tetrachloride	ND	6.0	ug/kg	0.54
Chlorobenzene	ND	6.0	ug/kg	0.34
Dibromochloromethane	ND	6.0	ug/kg	0.43
Chloroethane	ND	6.0	ug/kg	0.65
Chloroform	ND	6.0	ug/kg	0.48
Chloromethane	ND	6.0	ug/kg	0.30
1,1-Dichloroethane	ND	6.0	ug/kg	0.38
1,2-Dichloroethane	ND	6.0	ug/kg	0.58
1,1-Dichloroethene	ND	6.0	ug/kg	0.72
cis-1,2-Dichloroethene	ND	6.0	ug/kg	0.49
trans-1,2-Dichloroethene	ND	6.0	ug/kg	0.66
1,2-Dichloropropane	ND	6.0	ug/kg	0.42
cis-1,3-Dichloropropene	ND	6.0	ug/kg	0.42
trans-1,3-Dichloropropene	ND	6.0	ug/kg	0.42
Ethylbenzene	ND	6.0	ug/kg	0.64
2-Hexanone	ND	24	ug/kg	1.0
Methylene chloride	8.3	6.0	ug/kg	1.6
4-Methyl-2-pentanone	ND	24	ug/kg	0.65
Styrene	ND	6.0	ug/kg	0.24
1,1,2,2-Tetrachloroethane	ND	6.0	ug/kg	0.55
Tetrachloroethene	ND	6.0	ug/kg	0.99
Toluene	0.87 J	6.0	ug/kg	0.35
1,1,1-Trichloroethane	ND	6.0	ug/kg	0.91
1,1,2-Trichloroethane	ND	6.0	ug/kg	0.49
Trichloroethene	ND	6.0	ug/kg	0.49
Vinyl chloride	ND	6.0	ug/kg	0.53
Xylenes (total)	ND	12	ug/kg	0.91

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	85	(59 - 138)
1,2-Dichloroethane-d4	74	(61 - 130)
Toluene-d8	79	(60 - 143)
4-Bromofluorobenzene	78	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-121

GC/MS Volatiles

Lot-Sample #....: A4L220198-004 Work Order #....: G1NFH1AG Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-121

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-004 Work Order #....: G1NFH1AK Matrix.....: SO
 Date Sampled....: 12/21/04 12:08 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/03/05
 Prep Batch #....: 4362352
 Dilution Factor: 1
 % Moisture.....: 28 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	460	ug/kg	1.3
Acenaphthylene	ND	460	ug/kg	2.0
Acetophenone	ND	460	ug/kg	7.7
Anthracene	ND	460	ug/kg	3.2
Atrazine	ND	460	ug/kg	15
Benzo(a)anthracene	ND	460	ug/kg	2.0
Benzo(a)pyrene	ND	460	ug/kg	3.2
Benzo(b)fluoranthene	ND	460	ug/kg	3.2
Benzo(ghi)perylene	ND	460	ug/kg	2.5
Benzo(k)fluoranthene	ND	460	ug/kg	3.2
Benzaldehyde	ND	460	ug/kg	9.6
1,1'-Biphenyl	ND	460	ug/kg	10
bis(2-Chloroethoxy) methane	ND	460	ug/kg	22
bis(2-Chloroethyl)- ether	ND	460	ug/kg	5.7
bis(2-Ethylhexyl) phthalate	ND	460	ug/kg	22
4-Bromophenyl phenyl ether	ND	460	ug/kg	6.5
Butyl benzyl phthalate	ND	460	ug/kg	5.2
Caprolactam	ND	460	ug/kg	11
Carbazole	ND	460	ug/kg	13
4-Chloroaniline	ND	460	ug/kg	7.2
4-Chloro-3-methylphenol	ND	460	ug/kg	71
2-Chloronaphthalene	ND	460	ug/kg	8.8
2-Chlorophenol	ND	460	ug/kg	5.0
4-Chlorophenyl phenyl ether	ND	460	ug/kg	5.0
Chrysene	ND	460	ug/kg	1.4
Dibenz(a,h)anthracene	ND	460	ug/kg	2.1
Dibenzofuran	ND	460	ug/kg	1.2
3,3'-Dichlorobenzidine	ND	2200	ug/kg	6.8
2,4-Dichlorophenol	ND	460	ug/kg	7.4
Diethyl phthalate	ND	460	ug/kg	8.6
2,4-Dimethylphenol	ND	460	ug/kg	9.5
Dimethyl phthalate	ND	460	ug/kg	8.9
Di-n-butyl phthalate	ND	460	ug/kg	7.0

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-121

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-004 Work Order #....: G1NFH1AK Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
4,6-Dinitro- 2-methylphenol	ND	2200	ug/kg	65
2,4-Dinitrophenol	ND	2200	ug/kg	57
2,4-Dinitrotoluene	ND	460	ug/kg	7.9
2,6-Dinitrotoluene	ND	460	ug/kg	8.1
Di-n-octyl phthalate	ND	460	ug/kg	15
Fluoranthene	ND	460	ug/kg	1.3
Fluorene	ND	460	ug/kg	1.8
Hexachlorobenzene	ND	460	ug/kg	2.0
Hexachlorobutadiene	ND	460	ug/kg	3.5
Hexachlorocyclopenta- diene	ND	2200	ug/kg	4.0
Hexachloroethane	ND	460	ug/kg	6.8
Indeno(1,2,3-cd)pyrene	ND	460	ug/kg	2.8
Isophorone	ND	460	ug/kg	4.9
2-Methylnaphthalene	ND	460	ug/kg	1.4
2-Methylphenol	ND	460	ug/kg	9.3
4-Methylphenol	ND	460	ug/kg	8.1
Naphthalene	ND	460	ug/kg	1.2
2-Nitroaniline	ND	2200	ug/kg	7.1
3-Nitroaniline	ND	2200	ug/kg	4.5
4-Nitroaniline	ND	2200	ug/kg	5.0
Nitrobenzene	ND	460	ug/kg	8.9
2-Nitrophenol	ND	460	ug/kg	4.7
4-Nitrophenol	ND	2200	ug/kg	110
N-Nitrosodi-n-propyl- amine	ND	460	ug/kg	11
N-Nitrosodiphenylamine	ND	460	ug/kg	5.7
2,2'-oxybis(1-Chloropropane)	ND	460	ug/kg	7.2
Pentachlorophenol	ND	460	ug/kg	63
Phenanthrene	ND	460	ug/kg	1.5
Phenol	ND	460	ug/kg	7.9
Pyrene	ND	460	ug/kg	1.4
2,4,5-Trichloro- phenol	ND	460	ug/kg	6.8
2,4,6-Trichloro- phenol	ND	460	ug/kg	9.5

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	71	(42 - 110)
2-Fluorobiphenyl	66	(43 - 110)
Terphenyl-d14	84	(37 - 137)
Phenol-d5	84	(25 - 115)
2-Fluorophenol	80	(11 - 116)
2,4,6-Tribromophenol	46	(35 - 116)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-121

GC/MS Semivolatiles

Lot-Sample #...: A4L220198-004 Work Order #...: G1NFB1AK Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-121

TOTAL Metals

Lot-Sample #...: A4L220198-004

Matrix.....: SO

Date Sampled...: 12/21/04 12:08 Date Received...: 12/22/04

% Moisture.....: 28

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 4363037						
Aluminum	7130	27.9	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AL
		Dilution Factor: 1		MDL.....: 3.2		
Arsenic	6.7	1.4	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1A7
		Dilution Factor: 1		MDL.....: 0.56		
Lead	10.5	0.42	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AA
		Dilution Factor: 1		MDL.....: 0.32		
Antimony	ND	8.4	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AM
		Dilution Factor: 1		MDL.....: 0.32		
Barium	201	27.9	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AN
		Dilution Factor: 1		MDL.....: 0.21		
Selenium	ND	0.70	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AC
		Dilution Factor: 1		MDL.....: 0.38		
Beryllium	0.26 B	0.70	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AP
		Dilution Factor: 1		MDL.....: 0.043		
Thallium	ND	1.4	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AD
		Dilution Factor: 1		MDL.....: 0.49		
Cadmium	ND	0.70	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AQ
		Dilution Factor: 1		MDL.....: 0.032		
Calcium	19000	697	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AR
		Dilution Factor: 1		MDL.....: 20.9		
Chromium	12.7 J	1.4	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AT
		Dilution Factor: 1		MDL.....: 0.17		
Cobalt	5.9 B	7.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AU
		Dilution Factor: 1		MDL.....: 0.14		
Copper	19.5	3.5	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AV
		Dilution Factor: 1		MDL.....: 0.22		
Iron	14200	13.9	mg/kg	SW846 6010B	12/28-12/30/04	G1NFH1AW
		Dilution Factor: 1		MDL.....: 6.0		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-121

TOTAL Metals

Lot-Sample #....: A4L220198-004

Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Magnesium	7090	697	mg/kg	SW846 6010B	12/28-12/30/04	G1NPH1AX
		Dilution Factor: 1		MDL.....: 2.9		
Manganese	270	2.1	mg/kg	SW846 6010B	12/28-12/30/04	G1NPH1A0
		Dilution Factor: 1		MDL.....: 0.43		
Nickel	17.3 J	5.6	mg/kg	SW846 6010B	12/28-12/30/04	G1NPH1A1
		Dilution Factor: 1		MDL.....: 0.24		
Potassium	1630 J	697	mg/kg	SW846 6010B	12/28-12/30/04	G1NPH1A2
		Dilution Factor: 1		MDL.....: 5.0		
Silver	ND	1.4	mg/kg	SW846 6010B	12/28-12/30/04	G1NPH1A3
		Dilution Factor: 1		MDL.....: 0.15		
Sodium	144 B,J	697	mg/kg	SW846 6010B	12/28-12/30/04	G1NPH1A4
		Dilution Factor: 1		MDL.....: 97.5		
Vanadium	19.9	7.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NPH1A5
		Dilution Factor: 1		MDL.....: 0.15		
Zinc	50.1	2.8	mg/kg	SW846 6010B	12/28-12/30/04	G1NPH1A6
		Dilution Factor: 1		MDL.....: 1.2		
Mercury	0.035 B	0.14	mg/kg	SW846 7471A	12/28-01/03/05	G1NPH1AE
		Dilution Factor: 1		MDL.....: 0.0063		

NOTE(S) :

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-121

General Chemistry

Lot-Sample #....: A4L220198-004 Work Order #....: G1NFH Matrix.....: SO
Date Sampled....: 12/21/04 12:08 Date Received...: 12/22/04
% Moisture.....: 28

<u>PARAMETER</u>	<u>RESULT</u>	<u>RL</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>PREP BATCH #</u>
Percent Solids	71.8	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364283
		Dilution Factor: 1		MDL.....: 10.0		

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-122

GC/MS Volatiles

Lot-Sample #....: A4L220198-005 Work Order #....: G1NFJ1AG Matrix.....: SO
 Date Sampled....: 12/21/04 12:45 Date Received...: 12/22/04
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5005200
 Dilution Factor: 0.94
 % Moisture.....: 20 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Acetone	ND	23	ug/kg	3.2
Benzene	ND	5.9	ug/kg	0.27
Bromodichloromethane	ND	5.9	ug/kg	0.56
Bromoform	ND	5.9	ug/kg	0.76
Bromomethane	ND	5.9	ug/kg	0.72
2-Butanone	ND	23	ug/kg	1.2
Carbon disulfide	ND	5.9	ug/kg	0.23
Carbon tetrachloride	ND	5.9	ug/kg	0.53
Chlorobenzene	ND	5.9	ug/kg	0.33
Dibromochloromethane	ND	5.9	ug/kg	0.42
Chloroethane	ND	5.9	ug/kg	0.63
Chloroform	ND	5.9	ug/kg	0.47
Chloromethane	ND	5.9	ug/kg	0.29
1,1-Dichloroethane	ND	5.9	ug/kg	0.38
1,2-Dichloroethane	1.9 J	5.9	ug/kg	0.56
1,1-Dichloroethene	ND	5.9	ug/kg	0.70
cis-1,2-Dichloroethene	ND	5.9	ug/kg	0.48
trans-1,2-Dichloroethene	ND	5.9	ug/kg	0.65
1,2-Dichloropropane	ND	5.9	ug/kg	0.41
cis-1,3-Dichloropropene	ND	5.9	ug/kg	0.41
trans-1,3-Dichloropropene	ND	5.9	ug/kg	0.41
Ethylbenzene	ND	5.9	ug/kg	0.62
2-Hexanone	ND	23	ug/kg	0.99
Methylene chloride	12	5.9	ug/kg	1.5
4-Methyl-2-pentanone	ND	23	ug/kg	0.63
Styrene	ND	5.9	ug/kg	0.23
1,1,2,2-Tetrachloroethane	ND	5.9	ug/kg	0.54
Tetrachloroethene	ND	5.9	ug/kg	0.97
Toluene	0.51 J	5.9	ug/kg	0.34
1,1,1-Trichloroethane	ND	5.9	ug/kg	0.89
1,1,2-Trichloroethane	ND	5.9	ug/kg	0.48
Trichloroethene	ND	5.9	ug/kg	0.48
Vinyl chloride	ND	5.9	ug/kg	0.52
Xylenes (total)	ND	12	ug/kg	0.89

SURROGATE	PERCENT	RECOVERY
	RECOVERY	LIMITS
Dibromofluoromethane	86	(59 - 138)
1,2-Dichloroethane-d4	74	(61 - 130)
Toluene-d8	80	(60 - 143)
4-Bromofluorobenzene	78	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-122

GC/MS Volatiles

Lot-Sample #....: A4L220198-005 Work Order #....: G1NFJ1AG Matrix.....: SO

NOTE(S) :

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-122

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-005 Work Order #....: G1NFI1AK Matrix.....: SO
 Date Sampled....: 12/21/04 12:45 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/03/05
 Prep Batch #....: 4362352
 Dilution Factor: 1
 % Moisture.....: 20 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	410	ug/kg	1.1
Acenaphthylene	ND	410	ug/kg	1.7
Acetophenone	ND	410	ug/kg	6.9
Anthracene	ND	410	ug/kg	2.9
Atrazine	ND	410	ug/kg	14
Benzo(a)anthracene	ND	410	ug/kg	1.7
Benzo(a)pyrene	ND	410	ug/kg	2.9
Benzo(b)fluoranthene	ND	410	ug/kg	2.9
Benzo(ghi)perylene	ND	410	ug/kg	2.2
Benzo(k)fluoranthene	ND	410	ug/kg	2.9
Benzaldehyde	ND	410	ug/kg	8.6
1,1'-Biphenyl	ND	410	ug/kg	9.0
bis(2-Chloroethoxy) methane	ND	410	ug/kg	20
bis(2-Chloroethyl)- ether	ND	410	ug/kg	5.1
bis(2-Ethylhexyl) phthalate	ND	410	ug/kg	20
4-Bromophenyl phenyl ether	ND	410	ug/kg	5.9
Butyl benzyl phthalate	ND	410	ug/kg	4.6
Caprolactam	ND	410	ug/kg	9.7
Carbazole	ND	410	ug/kg	12
4-Chloroaniline	ND	410	ug/kg	6.5
4-Chloro-3-methylphenol	ND	410	ug/kg	64
2-Chloronaphthalene	ND	410	ug/kg	7.9
2-Chlorophenol	ND	410	ug/kg	4.5
4-Chlorophenyl phenyl ether	ND	410	ug/kg	4.5
Chrysene	ND	410	ug/kg	1.2
Dibenz(a,h)anthracene	ND	410	ug/kg	1.9
Dibenzofuran	ND	410	ug/kg	1.0
3,3'-Dichlorobenzidine	ND	2000	ug/kg	6.1
2,4-Dichlorophenol	ND	410	ug/kg	6.6
Diethyl phthalate	ND	410	ug/kg	7.7
2,4-Dimethylphenol	ND	410	ug/kg	8.5
Dimethyl phthalate	ND	410	ug/kg	8.0
Di-n-butyl phthalate	ND	410	ug/kg	6.2

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-122

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-005 Work Order #....: G1NFJ1AK Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
4,6-Dinitro- 2-methylphenol	ND	2000	ug/kg	59
2,4-Dinitrophenol	ND	2000	ug/kg	51
2,4-Dinitrotoluene	ND	410	ug/kg	7.1
2,6-Dinitrotoluene	ND	410	ug/kg	7.2
Di-n-octyl phthalate	ND	410	ug/kg	14
Fluoranthene	ND	410	ug/kg	1.2
Fluorene	ND	410	ug/kg	1.6
Hexachlorobenzene	ND	410	ug/kg	1.7
Hexachlorobutadiene	ND	410	ug/kg	3.1
Hexachlorocyclopenta- diene	ND	2000	ug/kg	3.6
Hexachloroethane	ND	410	ug/kg	6.1
Indeno (1,2,3-cd)pyrene	ND	410	ug/kg	2.5
Isophorone	ND	410	ug/kg	4.4
2-Methylnaphthalene	ND	410	ug/kg	1.2
2-Methylphenol	ND	410	ug/kg	8.4
4-Methylphenol	ND	410	ug/kg	7.2
Naphthalene	ND	410	ug/kg	1.1
2-Nitroaniline	ND	2000	ug/kg	6.4
3-Nitroaniline	ND	2000	ug/kg	4.0
4-Nitroaniline	ND	2000	ug/kg	4.5
Nitrobenzene	ND	410	ug/kg	8.0
2-Nitrophenol	ND	410	ug/kg	4.2
4-Nitrophenol	ND	2000	ug/kg	100
N-Nitrosodi-n-propyl- amine	ND	410	ug/kg	9.5
N-Nitrosodiphenylamine	ND	410	ug/kg	5.1
2,2'-oxybis(1-Chloropropane)	ND	410	ug/kg	6.5
Pentachlorophenol	ND	410	ug/kg	56
Phenanthrene	ND	410	ug/kg	1.4
Phenol	ND	410	ug/kg	7.1
Pyrene	ND	410	ug/kg	1.2
2,4,5-Trichloro- phenol	ND	410	ug/kg	6.1
2,4,6-Trichloro- phenol	ND	410	ug/kg	8.5

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	66	(42 - 110)
2-Fluorobiphenyl	64	(43 - 110)
Terphenyl-d14	77	(37 - 137)
Phenol-d5	75	(25 - 115)
2-Fluorophenol	68	(11 - 116)
2,4,6-Tribromophenol	60	(35 - 116)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-122

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-005 Work Order #....: G1NFIJ1AK Matrix.....: SO

NOTE(S) :

Results and reporting limits have been adjusted for dry weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-122

TOTAL Metals

Lot-Sample #....: A4L220198-005

Matrix.....: SO

Date Sampled....: 12/21/04 12:45 Date Received...: 12/22/04

% Moisture.....: 20

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Prep Batch #....: 4363037						
Aluminum	5790	25.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAL
		Dilution Factor: 1		MDL.....: 2.9		
Arsenic	6.6	1.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJA7
		Dilution Factor: 1		MDL.....: 0.50		
Lead	8.6	0.37	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAA
		Dilution Factor: 1		MDL.....: 0.29		
Antimony	ND	7.5	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAM
		Dilution Factor: 1		MDL.....: 0.29		
Barium	189	25.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAN
		Dilution Factor: 1		MDL.....: 0.19		
Selenium	ND	0.62	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAC
		Dilution Factor: 1		MDL.....: 0.34		
Beryllium	0.16 B	0.62	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAP
		Dilution Factor: 1		MDL.....: 0.039		
Thallium	ND	1.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAD
		Dilution Factor: 1		MDL.....: 0.44		
Cadmium	ND	0.62	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAO
		Dilution Factor: 1		MDL.....: 0.029		
Calcium	18700	625	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAR
		Dilution Factor: 1		MDL.....: 18.7		
Chromium	9.8 J	1.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAT
		Dilution Factor: 1		MDL.....: 0.15		
Cobalt	6.3	6.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAU
		Dilution Factor: 1		MDL.....: 0.12		
Copper	9.8	3.1	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAV
		Dilution Factor: 1		MDL.....: 0.20		
Iron	12700	12.5	mg/kg	SW846 6010B	12/28-12/30/04	G1NFIJAW
		Dilution Factor: 1		MDL.....: 5.4		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-122

TOTAL Metals

Lot-Sample #....: A4L220198-005

Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Magnesium	7060	625	mg/kg	SW846 6010B	12/28-12/30/04	G1NPFJ1AX
		Dilution Factor: 1		MDL.....: 2.6		
Manganese	298	1.9	mg/kg	SW846 6010B	12/28-12/30/04	G1NPFJ1A0
		Dilution Factor: 1		MDL.....: 0.39		
Nickel	15.6 J	5.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NPFJ1A1
		Dilution Factor: 1		MDL.....: 0.21		
Potassium	1480 J	625	mg/kg	SW846 6010B	12/28-12/30/04	G1NPFJ1A2
		Dilution Factor: 1		MDL.....: 4.5		
Silver	ND	1.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NPFJ1A3
		Dilution Factor: 1		MDL.....: 0.14		
Sodium	154 B,J	625	mg/kg	SW846 6010B	12/28-12/30/04	G1NPFJ1A4
		Dilution Factor: 1		MDL.....: 87.4		
Vanadium	17.1	6.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NPFJ1A5
		Dilution Factor: 1		MDL.....: 0.14		
Zinc	42.9	2.5	mg/kg	SW846 6010B	12/28-12/30/04	G1NPFJ1A6
		Dilution Factor: 1		MDL.....: 1.1		
Mercury	0.0077 B	0.12	mg/kg	SW846 7471A	12/28-01/03/05	G1NPFJ1AE
		Dilution Factor: 1		MDL.....: 0.0056		

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-122

General Chemistry

Lot-Sample #....: A4L220198-005 Work Order #....: G1NFJ
Date Sampled....: 12/21/04 12:45 Date Received...: 12/22/04
% Moisture.....: 20

Matrix.....: SO

<u>PARAMETER</u>	<u>RESULT</u>	<u>RL</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>PREP BATCH #</u>
Percent Solids	80.1	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364283
		Dilution Factor: 1		MDL.....: 10.0		

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-123

GC/MS Volatiles

Lot-Sample #....: A4L220198-006 Work Order #....: G1NFQ1AG Matrix.....: SO
 Date Sampled....: 12/21/04 14:15 Date Received...: 12/22/04
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5005200
 Dilution Factor: 1.25
 % Moisture.....: 21 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	4.4 J	32	ug/kg	4.3
Benzene	ND	7.9	ug/kg	0.36
Bromodichloromethane	ND	7.9	ug/kg	0.76
Bromoform	ND	7.9	ug/kg	1.0
Bromomethane	ND	7.9	ug/kg	0.96
2-Butanone	ND	32	ug/kg	1.6
Carbon disulfide	ND	7.9	ug/kg	0.32
Carbon tetrachloride	ND	7.9	ug/kg	0.71
Chlorobenzene	ND	7.9	ug/kg	0.44
Dibromochloromethane	ND	7.9	ug/kg	0.57
Chloroethane	ND	7.9	ug/kg	0.85
Chloroform	ND	7.9	ug/kg	0.63
Chloromethane	ND	7.9	ug/kg	0.39
1,1-Dichloroethane	ND	7.9	ug/kg	0.50
1,2-Dichloroethane	ND	7.9	ug/kg	0.76
1,1-Dichloroethene	ND	7.9	ug/kg	0.95
cis-1,2-Dichloroethene	ND	7.9	ug/kg	0.65
trans-1,2-Dichloroethene	ND	7.9	ug/kg	0.87
1,2-Dichloropropane	ND	7.9	ug/kg	0.55
cis-1,3-Dichloropropene	ND	7.9	ug/kg	0.55
trans-1,3-Dichloropropene	ND	7.9	ug/kg	0.55
Ethylbenzene	ND	7.9	ug/kg	0.84
2-Hexanone	ND	32	ug/kg	1.3
Methylene chloride	11	7.9	ug/kg	2.0
4-Methyl-2-pentanone	ND	32	ug/kg	0.85
Styrene	ND	7.9	ug/kg	0.32
1,1,2,2-Tetrachloroethane	ND	7.9	ug/kg	0.72
Tetrachloroethene	ND	7.9	ug/kg	1.3
Toluene	0.84 J	7.9	ug/kg	0.46
1,1,1-Trichloroethane	ND	7.9	ug/kg	1.2
1,1,2-Trichloroethane	ND	7.9	ug/kg	0.65
Trichloroethene	ND	7.9	ug/kg	0.65
Vinyl chloride	ND	7.9	ug/kg	0.69
Xylenes (total)	ND	16	ug/kg	1.2

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	85	(59 - 138)
1,2-Dichloroethane-d4	74	(61 - 130)
Toluene-d8	81	(60 - 143)
4-Bromofluorobenzene	79	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-123

GC/MS Volatiles

Lot-Sample #....: A4L220198-006 Work Order #....: G1NFQ1AG Matrix.....: SO

NOTE(S) :

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-123

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-006 Work Order #....: G1NFQ1AK Matrix.....: SO
 Date Sampled....: 12/21/04 14:15 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/03/05
 Prep Batch #....: 4362352
 Dilution Factor: 1
 % Moisture.....: 21 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	420	ug/kg	1.2
Acenaphthylene	ND	420	ug/kg	1.8
Acetophenone	ND	420	ug/kg	6.9
Anthracene	ND	420	ug/kg	2.9
Atrazine	ND	420	ug/kg	14
Benzo(a)anthracene	ND	420	ug/kg	1.8
Benzo(a)pyrene	ND	420	ug/kg	2.9
Benzo(b)fluoranthene	ND	420	ug/kg	2.9
Benzo(ghi)perylene	ND	420	ug/kg	2.3
Benzo(k)fluoranthene	ND	420	ug/kg	2.9
Benzaldehyde	ND	420	ug/kg	8.7
1,1'-Biphenyl	ND	420	ug/kg	9.1
bis(2-Chloroethoxy) methane	ND	420	ug/kg	20
bis(2-Chloroethyl)- ether	ND	420	ug/kg	5.2
bis(2-Ethylhexyl) phthalate	ND	420	ug/kg	20
4-Bromophenyl phenyl ether	ND	420	ug/kg	5.9
Butyl benzyl phthalate	ND	420	ug/kg	4.7
Caprolactam	ND	420	ug/kg	9.8
Carbazole	ND	420	ug/kg	12
4-Chloroaniline	ND	420	ug/kg	6.6
4-Chloro-3-methylphenol	ND	420	ug/kg	64
2-Chloronaphthalene	ND	420	ug/kg	7.9
2-Chlorophenol	ND	420	ug/kg	4.5
4-Chlorophenyl phenyl ether	ND	420	ug/kg	4.5
Chrysene	ND	420	ug/kg	1.2
Dibenz(a,h)anthracene	ND	420	ug/kg	1.9
Dibenzofuran	ND	420	ug/kg	1.0
3,3'-Dichlorobenzidine	ND	2000	ug/kg	6.2
2,4-Dichlorophenol	ND	420	ug/kg	6.7
Diethyl phthalate	ND	420	ug/kg	7.8
2,4-Dimethylphenol	ND	420	ug/kg	8.6
Dimethyl phthalate	ND	420	ug/kg	8.1
Di-n-butyl phthalate	ND	420	ug/kg	6.3

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-123

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-006 Work Order #....: G1NFQ1AK Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
4,6-Dinitro- 2-methylphenol	ND	2000	ug/kg	59
2,4-Dinitrophenol	ND	2000	ug/kg	52
2,4-Dinitrotoluene	ND	420	ug/kg	7.2
2,6-Dinitrotoluene	ND	420	ug/kg	7.3
Di-n-octyl phthalate	ND	420	ug/kg	14
Fluoranthene	ND	420	ug/kg	1.2
Fluorene	ND	420	ug/kg	1.6
Hexachlorobenzene	ND	420	ug/kg	1.8
Hexachlorobutadiene	ND	420	ug/kg	3.2
Hexachlorocyclopenta- diene	ND	2000	ug/kg	3.7
Hexachloroethane	ND	420	ug/kg	6.2
Indeno (1,2,3-cd) pyrene	ND	420	ug/kg	2.5
Isophorone	ND	420	ug/kg	4.4
2-Methylnaphthalene	ND	420	ug/kg	1.2
2-Methylphenol	ND	420	ug/kg	8.4
4-Methylphenol	ND	420	ug/kg	7.3
Naphthalene	ND	420	ug/kg	1.1
2-Nitroaniline	ND	2000	ug/kg	6.4
3-Nitroaniline	ND	2000	ug/kg	4.0
4-Nitroaniline	ND	2000	ug/kg	4.5
Nitrobenzene	ND	420	ug/kg	8.1
2-Nitrophenol	ND	420	ug/kg	4.3
4-Nitrophenol	ND	2000	ug/kg	100
N-Nitrosodi-n-propyl- amine	ND	420	ug/kg	9.6
N-Nitrosodiphenylamine	ND	420	ug/kg	5.2
2,2'-oxybis (1-Chloropropane)	ND	420	ug/kg	6.6
Pentachlorophenol	ND	420	ug/kg	57
Phenanthrene	ND	420	ug/kg	1.4
Phenol	ND	420	ug/kg	7.2
Pyrene	ND	420	ug/kg	1.3
2,4,5-Trichloro- phenol	ND	420	ug/kg	6.2
2,4,6-Trichloro- phenol	ND	420	ug/kg	8.6

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	67	(42 - 110)
2-Fluorobiphenyl	62	(43 - 110)
Terphenyl-d14	96	(37 - 137)
Phenol-d5	73	(25 - 115)
2-Fluorophenol	75	(11 - 116)
2,4,6-Tribromophenol	65	(35 - 116)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-123

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-006 Work Order #....: G1NFQ1AK Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-123

TOTAL Metals

Lot-Sample #....: A4L220198-006

Matrix.....: SO

Date Sampled....: 12/21/04 14:15 Date Received...: 12/22/04

% Moisture.....: 21

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Prep Batch #....: 4363037						
Aluminum	3970	25.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AL
		Dilution Factor: 1		MDL.....: 2.9		
Arsenic	6.6	1.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1A7
		Dilution Factor: 1		MDL.....: 0.50		
Lead	7.8	0.38	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AA
		Dilution Factor: 1		MDL.....: 0.29		
Antimony	ND	7.6	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AM
		Dilution Factor: 1		MDL.....: 0.29		
Barium	170	25.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AN
		Dilution Factor: 1		MDL.....: 0.19		
Selenium	ND	0.63	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AC
		Dilution Factor: 1		MDL.....: 0.34		
Beryllium	0.12 B	0.63	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AP
		Dilution Factor: 1		MDL.....: 0.039		
Thallium	ND	1.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AD
		Dilution Factor: 1		MDL.....: 0.44		
Cadmium	ND	0.63	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AQ
		Dilution Factor: 1		MDL.....: 0.029		
Calcium	11600	630	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AR
		Dilution Factor: 1		MDL.....: 18.9		
Chromium	8.3 J	1.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AT
		Dilution Factor: 1		MDL.....: 0.15		
Cobalt	5.3 B	6.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AU
		Dilution Factor: 1		MDL.....: 0.13		
Copper	8.2	3.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AV
		Dilution Factor: 1		MDL.....: 0.20		
Iron	10300	12.6	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AW
		Dilution Factor: 1		MDL.....: 5.4		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-123

TOTAL Metals

Lot-Sample #....: A4L220198-006

Matrix.....: SO

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
Magnesium	5700	630	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1AX
		Dilution Factor: 1		MDL.....: 2.6		
Manganese	251	1.9	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1A0
		Dilution Factor: 1		MDL.....: 0.39		
Nickel	13.0 J	5.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1A1
		Dilution Factor: 1		MDL.....: 0.21		
Potassium	1941 J	630	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1A2
		Dilution Factor: 1		MDL.....: 4.5		
Silver	ND	1.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1A3
		Dilution Factor: 1		MDL.....: 0.14		
Sodium	218 B,J	630	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1A4
		Dilution Factor: 1		MDL.....: 88.2		
Vanadium	14.1	6.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1A5
		Dilution Factor: 1		MDL.....: 0.14		
Zinc	34.1	2.5	mg/kg	SW846 6010B	12/28-12/30/04	G1NFQ1A6
		Dilution Factor: 1		MDL.....: 1.1		
Mercury	ND	0.13	mg/kg	SW846 7471A	12/28-01/03/05	G1NFQ1AE
		Dilution Factor: 1		MDL.....: 0.0057		

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-123

General Chemistry

Lot-Sample #....: A4L220198-006 Work Order #....: G1NFQ Matrix.....: SO
Date Sampled....: 12/21/04 14:15 Date Received...: 12/22/04
% Moisture.....: 21

<u>PARAMETER</u>	<u>RESULT</u>	<u>RL</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>PREP BATCH #</u>
Percent Solids	79.3	10.0	%	MCANW 160.3 MOD	12/29-12/30/04	4364283
		Dilution Factor: 1		MDL.....: 10.0		

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-124

GC/MS Volatiles

Lot-Sample #....: A4L220198-007 Work Order #....: G1NFRIAG Matrix.....: SO
 Date Sampled....: 12/21/04 14:44 Date Received...: 12/22/04
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5005200
 Dilution Factor: 0.93
 % Moisture.....: 2.7 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	3.3 J	19	ug/kg	2.6
Benzene	ND	4.8	ug/kg	0.22
Bromodichloromethane	ND	4.8	ug/kg	0.46
Bromoform	ND	4.8	ug/kg	0.62
Bromomethane	ND	4.8	ug/kg	0.58
2-Butanone	ND	19	ug/kg	0.96
Carbon disulfide	ND	4.8	ug/kg	0.19
Carbon tetrachloride	ND	4.8	ug/kg	0.43
Chlorobenzene	ND	4.8	ug/kg	0.27
Dibromochloromethane	ND	4.8	ug/kg	0.34
Chloroethane	ND	4.8	ug/kg	0.52
Chloroform	ND	4.8	ug/kg	0.38
Chloromethane	ND	4.8	ug/kg	0.24
1,1-Dichloroethane	ND	4.8	ug/kg	0.31
1,2-Dichloroethane	ND	4.8	ug/kg	0.46
1,1-Dichloroethene	ND	4.8	ug/kg	0.57
cis-1,2-Dichloroethene	ND	4.8	ug/kg	0.39
trans-1,2-Dichloroethene	ND	4.8	ug/kg	0.53
1,2-Dichloropropane	ND	4.8	ug/kg	0.33
cis-1,3-Dichloropropene	ND	4.8	ug/kg	0.33
trans-1,3-Dichloropropene	ND	4.8	ug/kg	0.33
Ethylbenzene	ND	4.8	ug/kg	0.51
2-Hexanone	ND	19	ug/kg	0.80
Methylene chloride	6.7	4.8	ug/kg	1.2
4-Methyl-2-pentanone	ND	19	ug/kg	0.52
Styrene	ND	4.8	ug/kg	0.19
1,1,2,2-Tetrachloroethane	ND	4.8	ug/kg	0.44
Tetrachloroethene	ND	4.8	ug/kg	0.79
Toluene	0.45 J	4.8	ug/kg	0.28
1,1,1-Trichloroethane	ND	4.8	ug/kg	0.73
1,1,2-Trichloroethane	ND	4.8	ug/kg	0.39
Trichloroethene	ND	4.8	ug/kg	0.39
Vinyl chloride	ND	4.8	ug/kg	0.42
Xylenes (total)	ND	9.6	ug/kg	0.73

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	87	(59 - 138)
1,2-Dichloroethane-d4	79	(61 - 130)
Toluene-d8	83	(60 - 143)
4-Bromofluorobenzene	86	(47 - 158)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-124

GC/MS Volatiles

Lot-Sample #....: A4L220198-007 Work Order #....: G1NFR1AG Matrix.....: SO

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-124

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-007 Work Order #....: G1NFR1AK Matrix.....: SO
 Date Sampled....: 12/21/04 14:44 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/03/05
 Prep Batch #....: 4362352
 Dilution Factor: 12.5
 % Moisture.....: 2.7 Method.....: SW846 8270C

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acenaphthene	ND	4200	ug/kg	12
Acenaphthylene	ND	4200	ug/kg	18
Acetophenone	ND	4200	ug/kg	71
Anthracene	530 J	4200	ug/kg	30
Atrazine	ND	4200	ug/kg	140
Benzo (a) anthracene	1500 J	4200	ug/kg	18
Benzo (a) pyrene	1300 J	4200	ug/kg	30
Benzo (b) fluoranthene	1800 J	4200	ug/kg	30
Benzo (ghi) perylene	840 J	4200	ug/kg	23
Benzo (k) fluoranthene	790 J	4200	ug/kg	30
Benzaldehyde	ND	4200	ug/kg	89
1,1'-Biphenyl	ND	4200	ug/kg	92
bis(2-Chloroethoxy) methane	ND	4200	ug/kg	210
bis(2-Chloroethyl)- ether	ND	4200	ug/kg	53
bis(2-Ethylhexyl) phthalate	ND	4200	ug/kg	210
4-Bromophenyl phenyl ether	ND	4200	ug/kg	60
Butyl benzyl phthalate	18000	4200	ug/kg	48
Caprolactam	ND	4200	ug/kg	100
Carbazole	ND	4200	ug/kg	120
4-Chloroaniline	ND	4200	ug/kg	67
4-Chloro-3-methylphenol	ND	4200	ug/kg	660
2-Chloronaphthalene	ND	4200	ug/kg	81
2-Chlorophenol	ND	4200	ug/kg	46
4-Chlorophenyl phenyl ether	ND	4200	ug/kg	46
Chrysene	1500 J	4200	ug/kg	13
Dibenz (a, h) anthracene	200 J	4200	ug/kg	19
Dibenzofuran	ND	4200	ug/kg	11
3,3'-Dichlorobenzidine	ND	21000	ug/kg	63
2,4-Dichlorophenol	ND	4200	ug/kg	68
Diethyl phthalate	ND	4200	ug/kg	80
2,4-Dimethylphenol	ND	4200	ug/kg	87
Dimethyl phthalate	ND	4200	ug/kg	82
Di-n-butyl phthalate	ND	4200	ug/kg	64

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-124

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-007 Work Order #....: G1NFR1AK Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
4,6-Dinitro- 2-methylphenol	ND	21000	ug/kg	600
2,4-Dinitrophenol	ND	21000	ug/kg	530
2,4-Dinitrotoluene	ND	4200	ug/kg	73
2,6-Dinitrotoluene	ND	4200	ug/kg	75
Di-n-octyl phthalate	ND	4200	ug/kg	140
Fluoranthene	3700 J	4200	ug/kg	12
Fluorene	ND	4200	ug/kg	17
Hexachlorobenzene	ND	4200	ug/kg	18
Hexachlorobutadiene	ND	4200	ug/kg	32
Hexachlorocyclopenta- diene	ND	21000	ug/kg	37
Hexachloroethane	ND	4200	ug/kg	63
Indeno (1,2,3-cd)pyrene	920 J	4200	ug/kg	26
Isophorone	ND	4200	ug/kg	45
2-Methylnaphthalene	ND	4200	ug/kg	13
2-Methylphenol	ND	4200	ug/kg	86
4-Methylphenol	ND	4200	ug/kg	75
Naphthalene	ND	4200	ug/kg	11
2-Nitroaniline	ND	21000	ug/kg	66
3-Nitroaniline	ND	21000	ug/kg	41
4-Nitroaniline	ND	21000	ug/kg	46
Nitrobenzene	ND	4200	ug/kg	82
2-Nitrophenol	ND	4200	ug/kg	44
4-Nitrophenol	ND	21000	ug/kg	1000
N-Nitrosodi-n-propyl- amine	ND	4200	ug/kg	98
N-Nitrosodiphenylamine	ND	4200	ug/kg	53
2,2'-oxybis(1-Chloropropane)	ND	4200	ug/kg	67
Pentachlorophenol	ND	4200	ug/kg	580
Phenanthrene	1900 J	4200	ug/kg	14
Phenol	ND	4200	ug/kg	73
Pyrene	2800 J	4200	ug/kg	13
2,4,5-Trichloro- phenol	ND	4200	ug/kg	63
2,4,6-Trichloro- phenol	ND	4200	ug/kg	87

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	63 DIL	(42 - 110)
2-Fluorobiphenyl	62 DIL	(43 - 110)
Terphenyl-d14	73 DIL	(37 - 137)
Phenol-d5	66 DIL	(25 - 115)
2-Fluorophenol	61 DIL	(11 - 116)
2,4,6-Tribromophenol	48 DIL	(35 - 116)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-124

GC/MS Semivolatiles

Lot-Sample #....: A4L220198-007 Work Order #....: G1NFR1AK Matrix.....: SO

NOTE(S) :

DIL The concentration is estimated or not reported due to dilution or the presence of interfering analytes.

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-124

TOTAL Metals

Lot-Sample #....: A4L220198-007

Matrix.....: SO

Date Sampled....: 12/21/04 14:44 Date Received...: 12/22/04

% Moisture.....: 2.7

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #....: 4363037						
Aluminum	339	20.6	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AL
		Dilution Factor: 1		MDL.....: 2.4		
Arsenic	1.5	1.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1A7
		Dilution Factor: 1		MDL.....: 0.41		
Lead	2.4	0.31	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AA
		Dilution Factor: 1		MDL.....: 0.24		
Antimony	ND	6.2	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AM
		Dilution Factor: 1		MDL.....: 0.24		
Barium	17.9 B	20.6	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AN
		Dilution Factor: 1		MDL.....: 0.15		
Selenium	ND	0.51	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AC
		Dilution Factor: 1		MDL.....: 0.28		
Beryllium	ND	0.51	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AP
		Dilution Factor: 1		MDL.....: 0.032		
Thallium	ND	1.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AD
		Dilution Factor: 1		MDL.....: 0.36		
Cadmium	ND	0.51	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AQ
		Dilution Factor: 1		MDL.....: 0.024		
Calcium	305 B	514	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AR
		Dilution Factor: 1		MDL.....: 15.4		
Chromium	2.1 J	1.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AT
		Dilution Factor: 1		MDL.....: 0.12		
Cobalt	0.76 B	5.1	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AU
		Dilution Factor: 1		MDL.....: 0.10		
Copper	1.2 B	2.6	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AV
		Dilution Factor: 1		MDL.....: 0.16		
Iron	1870	10.3	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AW
		Dilution Factor: 1		MDL.....: 4.4		

(Continued on next page)

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-124

TOTAL Metals

Lot-Sample #....: A4L220198-007

Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Magnesium	112 B	514	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1AX
		Dilution Factor: 1		MDL.....: 2.2		
Manganese	7.4	1.5	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1A0
		Dilution Factor: 1		MDL.....: 0.32		
Nickel	1.2 B,J	4.1	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1A1
		Dilution Factor: 1		MDL.....: 0.17		
Potassium	124 B,J	514	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1A2
		Dilution Factor: 1		MDL.....: 3.7		
Silver	ND	1.0	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1A3
		Dilution Factor: 1		MDL.....: 0.11		
Sodium	ND	514	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1A4
		Dilution Factor: 1		MDL.....: 71.9		
Vanadium	3.2 B	5.1	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1A5
		Dilution Factor: 1		MDL.....: 0.11		
Zinc	4.2	2.1	mg/kg	SW846 6010B	12/28-12/30/04	G1NFR1A6
		Dilution Factor: 1		MDL.....: 0.89		
Mercury	ND	0.10	mg/kg	SW846 7471A	12/28-01/03/05	G1NFR1AE
		Dilution Factor: 1		MDL.....: 0.0046		

NOTE(S) :

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122104-DS-124

General Chemistry

Lot-Sample #....: A4L220198-007 Work Order #....: G1NFR
Date Sampled....: 12/21/04 14:44 Date Received...: 12/22/04
% Moisture.....: 2.7

Matrix.....: SO

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Percent Solids	97.3	10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364283
		Dilution Factor: 1		MDL.....: 10.0		

QUALITY CONTROL SECTION

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L220198
MB Lot-Sample #: A5A050000-200

Work Order #....: G15W71AA

Matrix.....: SOLID

Analysis Date...: 01/03/05
Dilution Factor: 1

Prep Date.....: 01/03/05

Prep Batch #....: 5005200

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Acetone	ND	20	ug/kg	SW846 8260B
Benzene	ND	5.0	ug/kg	SW846 8260B
Bromodichloromethane	ND	5.0	ug/kg	SW846 8260B
Bromoform	ND	5.0	ug/kg	SW846 8260B
Bromomethane	ND	5.0	ug/kg	SW846 8260B
2-Butanone	ND	20	ug/kg	SW846 8260B
Carbon disulfide	ND	5.0	ug/kg	SW846 8260B
Carbon tetrachloride	ND	5.0	ug/kg	SW846 8260B
Chlorobenzene	ND	5.0	ug/kg	SW846 8260B
Dibromochloromethane	ND	5.0	ug/kg	SW846 8260B
Chloroethane	ND	5.0	ug/kg	SW846 8260B
Chloroform	ND	5.0	ug/kg	SW846 8260B
Chloromethane	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
trans-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
Ethylbenzene	ND	5.0	ug/kg	SW846 8260B
2-Hexanone	ND	20	ug/kg	SW846 8260B
Methylene chloride	ND	5.0	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	20	ug/kg	SW846 8260B
Styrene	ND	5.0	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
Tetrachloroethene	ND	5.0	ug/kg	SW846 8260B
Toluene	ND	5.0	ug/kg	SW846 8260B
1,1,1-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
Trichloroethene	ND	5.0	ug/kg	SW846 8260B
Vinyl chloride	ND	5.0	ug/kg	SW846 8260B
Xylenes (total)	ND	10	ug/kg	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	85	(59 - 138)
1,2-Dichloroethane-d4	76	(61 - 130)
Toluene-d8	85	(60 - 143)
4-Bromofluorobenzene	89	(47 - 158)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #....: A4L220198

Work Order #....: G15W71AA

Matrix.....: SOLID

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L220198
MB Lot-Sample #: A4L270000-352

Work Order #....: G1TCW1AA

Matrix.....: SOLID

Analysis Date...: 01/04/05
Dilution Factor: 1

Prep Date.....: 12/27/04

Prep Batch #....: 4362352

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Acenaphthene	ND	330	ug/kg	SW846 8270C
Acenaphthylene	ND	330	ug/kg	SW846 8270C
Acetophenone	ND	330	ug/kg	SW846 8270C
Anthracene	ND	330	ug/kg	SW846 8270C
Atrazine	ND	330	ug/kg	SW846 8270C
Benzo(a)anthracene	ND	330	ug/kg	SW846 8270C
Benzo(a)pyrene	ND	330	ug/kg	SW846 8270C
Benzo(b)fluoranthene	ND	330	ug/kg	SW846 8270C
Benzo(ghi)perylene	ND	330	ug/kg	SW846 8270C
Benzo(k)fluoranthene	ND	330	ug/kg	SW846 8270C
Benzaldehyde	ND	330	ug/kg	SW846 8270C
1,1'-Biphenyl	ND	330	ug/kg	SW846 8270C
bis(2-Chloroethoxy) methane	ND	330	ug/kg	SW846 8270C
bis(2-Chloroethyl)- ether	ND	330	ug/kg	SW846 8270C
bis(2-Ethylhexyl) phthalate	ND	330	ug/kg	SW846 8270C
4-Bromophenyl phenyl ether	ND	330	ug/kg	SW846 8270C
Butyl benzyl phthalate	ND	330	ug/kg	SW846 8270C
Caprolactam	ND	330	ug/kg	SW846 8270C
Carbazole	ND	330	ug/kg	SW846 8270C
4-Chloroaniline	ND	330	ug/kg	SW846 8270C
4-Chloro-3-methylphenol	ND	330	ug/kg	SW846 8270C
2-Chloronaphthalene	ND	330	ug/kg	SW846 8270C
2-Chlorophenol	ND	330	ug/kg	SW846 8270C
4-Chlorophenyl phenyl ether	ND	330	ug/kg	SW846 8270C
Chrysene	ND	330	ug/kg	SW846 8270C
Dibenz(a,h)anthracene	ND	330	ug/kg	SW846 8270C
Dibenzofuran	ND	330	ug/kg	SW846 8270C
3,3'-Dichlorobenzidine	ND	1600	ug/kg	SW846 8270C
2,4-Dichlorophenol	ND	330	ug/kg	SW846 8270C
Diethyl phthalate	ND	330	ug/kg	SW846 8270C
2,4-Dimethylphenol	ND	330	ug/kg	SW846 8270C
Dimethyl phthalate	ND	330	ug/kg	SW846 8270C
Di-n-butyl phthalate	ND	330	ug/kg	SW846 8270C
4,6-Dinitro- 2-methylphenol	ND	1600	ug/kg	SW846 8270C
2,4-Dinitrophenol	ND	1600	ug/kg	SW846 8270C

(Continued on next page)

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #....: A4L220198

Work Order #....: G1TCW1AA

Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
2,4-Dinitrotoluene	ND	330	ug/kg	SW846 8270C
2,6-Dinitrotoluene	ND	330	ug/kg	SW846 8270C
Di-n-octyl phthalate	ND	330	ug/kg	SW846 8270C
Fluoranthene	ND	330	ug/kg	SW846 8270C
Fluorene	ND	330	ug/kg	SW846 8270C
Hexachlorobenzene	ND	330	ug/kg	SW846 8270C
Hexachlorobutadiene	ND	330	ug/kg	SW846 8270C
Hexachlorocyclopenta- diene	ND	1600	ug/kg	SW846 8270C
Hexachloroethane	ND	330	ug/kg	SW846 8270C
Indeno(1,2,3-cd)pyrene	ND	330	ug/kg	SW846 8270C
Isophorone	ND	330	ug/kg	SW846 8270C
2-Methylnaphthalene	ND	330	ug/kg	SW846 8270C
2-Methylphenol	ND	330	ug/kg	SW846 8270C
4-Methylphenol	ND	330	ug/kg	SW846 8270C
Naphthalene	ND	330	ug/kg	SW846 8270C
2-Nitroaniline	ND	1600	ug/kg	SW846 8270C
3-Nitroaniline	ND	1600	ug/kg	SW846 8270C
4-Nitroaniline	ND	1600	ug/kg	SW846 8270C
Nitrobenzene	ND	330	ug/kg	SW846 8270C
2-Nitrophenol	ND	330	ug/kg	SW846 8270C
4-Nitrophenol	ND	1600	ug/kg	SW846 8270C
N-Nitrosodi-n-propyl- amine	ND	330	ug/kg	SW846 8270C
N-Nitrosodiphenylamine	ND	330	ug/kg	SW846 8270C
2,2'-oxybis(1-Chloropropa	ND	330	ug/kg	SW846 8270C
Pentachlorophenol	ND	330	ug/kg	SW846 8270C
Phenanthrene	ND	330	ug/kg	SW846 8270C
Phenol	ND	330	ug/kg	SW846 8270C
Pyrene	ND	330	ug/kg	SW846 8270C
2,4,5-Trichloro- phenol	ND	330	ug/kg	SW846 8270C
2,4,6-Trichloro- phenol	ND	330	ug/kg	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	70	(42 - 110)
2-Fluorobiphenyl	66	(43 - 110)
Terphenyl-d14	87	(37 - 137)
Phenol-d5	79	(25 - 115)
2-Fluorophenol	80	(11 - 116)
2,4,6-Tribromophenol	51	(35 - 116)

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

TOTAL Metals

Client Lot #....: A4L220198

Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MB Lot-Sample #: A4L280000-037 Prep Batch #....: 4363037						
Aluminum	ND	20.0	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AA
		Dilution Factor: 1				
Arsenic	ND	1.0	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AW
		Dilution Factor: 1				
Antimony	ND	6.0	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AC
		Dilution Factor: 1				
Lead	ND	0.30	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AX
		Dilution Factor: 1				
Barium	ND	20.0	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AD
		Dilution Factor: 1				
Selenium	ND	0.50	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AO
		Dilution Factor: 1				
Beryllium	ND	0.50	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AE
		Dilution Factor: 1				
Thallium	ND	1.0	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AI
		Dilution Factor: 1				
Cadmium	ND	0.50	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AF
		Dilution Factor: 1				
Calcium	ND	500	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AG
		Dilution Factor: 1				
Chromium	0.31 B	1.0	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AH
		Dilution Factor: 1				
Cobalt	ND	5.0	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AJ
		Dilution Factor: 1				
Copper	ND	2.5	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AK
		Dilution Factor: 1				
Iron	ND	10.0	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AL
		Dilution Factor: 1				
Magnesium	ND	500	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AM
		Dilution Factor: 1				

(Continued on next page)

METHOD BLANK REPORT

TOTAL Metals

Client Lot #....: A4L220198

Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Manganese	ND	1.5	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AN
		Dilution Factor: 1				
Nickel	0.37 B	4.0	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AP
		Dilution Factor: 1				
Potassium	8.0 B	500	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AQ
		Dilution Factor: 1				
Silver	ND	1.0	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AR
		Dilution Factor: 1				
Sodium	80.7 B	500	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AT
		Dilution Factor: 1				
Vanadium	ND	5.0	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AU
		Dilution Factor: 1				
Zinc	ND	2.0	mg/kg	SW846 6010B	12/28-12/30/04	G1TXR1AV
		Dilution Factor: 1				
Mercury	ND	0.10	mg/kg	SW846 7471A	12/28-01/03/05	G1TXR1A2
		Dilution Factor: 1				

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

B Estimated result. Result is less than RL.

METHOD BLANK REPORT

General Chemistry

Client Lot #...: A4L220198

Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Percent Solids	ND	Work Order #: G1XRW1AA		MB Lot-Sample #: A4L290000-283		
		10.0	%	MCAWW 160.3 MOD	12/29-12/30/04	4364283
		Dilution Factor: 1				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L220198 Work Order #....: G15W71AC-LCS Matrix.....: SOLID
 LCS Lot-Sample#: A5A050000-200 G15W71AD-LCSD
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5005200
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Benzene	86	(75 - 129)			SW846 8260B
	87	(75 - 129)	1.2	(0-20)	SW846 8260B
Chlorobenzene	99	(75 - 127)			SW846 8260B
	99	(75 - 127)	0.45	(0-22)	SW846 8260B
1,1-Dichloroethene	95	(55 - 142)			SW846 8260B
	95	(55 - 142)	0.77	(0-27)	SW846 8260B
Toluene	96	(71 - 130)			SW846 8260B
	97	(71 - 130)	0.80	(0-24)	SW846 8260B
Trichloroethene	89	(70 - 131)			SW846 8260B
	88	(70 - 131)	0.35	(0-23)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	84	(59 - 138)
	82	(59 - 138)
1,2-Dichloroethane-d4	77	(61 - 130)
	75	(61 - 130)
Toluene-d8	91	(60 - 143)
	88	(60 - 143)
4-Bromofluorobenzene	97	(47 - 158)
	93	(47 - 158)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L220198 Work Order #....: G1TCW1AC Matrix.....: SOLID
 LCS Lot-Sample#: A4L270000-352
 Prep Date.....: 12/27/04 Analysis Date...: 01/04/05
 Prep Batch #....: 4362352
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
Acenaphthene	76	(44 - 110)	SW846 8270C
1,2,4-Trichloro- benzene	73	(45 - 110)	SW846 8270C
1,4-Dichlorobenzene	95	(38 - 110)	SW846 8270C
4-Chloro-3-methylphenol	68	(43 - 110)	SW846 8270C
2-Chlorophenol	79	(43 - 110)	SW846 8270C
2,4-Dinitrotoluene	74	(48 - 111)	SW846 8270C
4-Nitrophenol	76	(22 - 128)	SW846 8270C
N-Nitrosodi-n-propyl- amine	94	(38 - 110)	SW846 8270C
Pentachlorophenol	46	(10 - 123)	SW846 8270C
Phenol	76	(35 - 110)	SW846 8270C
Pyrene	72	(42 - 122)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	79	(42 - 110)
2-Fluorobiphenyl	70	(43 - 110)
Terphenyl-d14	77	(37 - 137)
Phenol-d5	82	(25 - 115)
2-Fluorophenol	72	(11 - 116)
2,4,6-Tribromophenol	61	(35 - 116)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220198

Matrix.....: SOLID

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
LCS Lot-Sample#: A4L280000-037 Prep Batch #....: 4363037					
Aluminum	90	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1A3
		Dilution Factor: 1			
Arsenic	89	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1C8
		Dilution Factor: 1			
Antimony	87	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1A4
		Dilution Factor: 1			
Lead	90	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1CP
		Dilution Factor: 1			
Barium	87	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1A5
		Dilution Factor: 1			
Selenium	90	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1CQ
		Dilution Factor: 1			
Beryllium	93	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1A6
		Dilution Factor: 1			
Thallium	88	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1CR
		Dilution Factor: 1			
Cadmium	91	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1A7
		Dilution Factor: 1			
Calcium	93	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1A8
		Dilution Factor: 1			
Chromium	94	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1A9
		Dilution Factor: 1			
Cobalt	90	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1CA
		Dilution Factor: 1			
Copper	91	(80 - 120)	SW846 6010B	12/28-12/30/04	G1TXR1CC
		Dilution Factor: 1			
Iron	96	(73 - 137)	SW846 6010B	12/28-12/30/04	G1TXR1CD
		Dilution Factor: 1			

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220198

Matrix.....: SOLID

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Magnesium	92	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TXR1CE
Manganese	92	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TXR1CF
Nickel	93	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TXR1CG
Potassium	90	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TXR1CH
Silver	100	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TXR1CJ
Sodium	86	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TXR1CK
Vanadium	90	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TXR1CL
Zinc	93	(80 - 120)	SW846 6010B Dilution Factor: 1	12/28-12/30/04	G1TXR1CM
Mercury	99	(73 - 123)	SW846 7471A Dilution Factor: 1	12/28-01/03/05	G1TXR1CT

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-117

TOTAL Metals

Lot-Sample #....: A4L210179-017

Matrix.....: SO

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Magnesium	7500	689	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A7
		Dilution Factor: 1		MDL.....: 2.9		
Manganese	277	2.1	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1AA
		Dilution Factor: 1		MDL.....: 0.43		
Nickel	17.0	5.5	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1AC
		Dilution Factor: 1		MDL.....: 0.23		
Potassium	2110	689	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1AD
		Dilution Factor: 1		MDL.....: 5.0		
Silver	ND	1.4	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1AE
		Dilution Factor: 1		MDL.....: 0.15		
Sodium	176 B	689	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1AF
		Dilution Factor: 1		MDL.....: 96.5		
Vanadium	19.6	6.9	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1AG
		Dilution Factor: 1		MDL.....: 0.15		
Zinc	51.5 E	2.8	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1AH
		Dilution Factor: 1		MDL.....: 1.2		
Mercury	0.016 B	0.14	mg/kg	SW846 7471A	12/28-01/03/05	G1K1F1AN
		Dilution Factor: 1		MDL.....: 0.0062		

NOTE(S) :

Results and reporting limits have been adjusted for dry weight.

E Matrix interference.

B Estimated result. Result is less than RL.

J Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Conestoga-Rovers & Associates, Inc.

Client Sample ID: S-122004-DS-117

TOTAL Metals

Lot-Sample #....: A4L210179-017

Matrix.....: SO

Date Sampled....: 12/20/04 17:35 Date Received...: 12/21/04

% Moisture.....: 27

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Prep Batch #....: 4363035						
Aluminum	7340	27.6	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 3.2		
Arsenic	4.6	1.4	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 0.55		
Lead	10.5 E	0.41	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 0.32		
Antimony	0.69 B,J	8.3	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 0.32		
Barium	208	27.6	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 0.21		
Selenium	ND	0.69	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 0.37		
Beryllium	0.21 B,E	0.69	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 0.043		
Thallium	ND	1.4	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 0.48		
Cadmium	0.19 B	0.69	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 0.032		
Calcium	20200	689	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 20.7		
Chromium	12.3	1.4	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 0.17		
Cobalt	6.8 B	6.9	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 0.14		
Copper	18.2	3.4	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 0.22		
Iron	12200 J	13.8	mg/kg	SW846 6010B	12/28-01/04/05	G1K1F1A5
		Dilution Factor: 1		MDL.....: 5.9		

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: A4L220198 Work Order #....: G1NDP1D0-MS Matrix.....: SO
 MS Lot-Sample #: A4L220198-001 G1NDP1D1-MSD
 Date Sampled....: 12/21/04 09:12 Date Received...: 12/22/04
 Prep Date.....: 01/03/05 Analysis Date...: 01/03/05
 Prep Batch #....: 5005200
 Dilution Factor: 0.86

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Benzene	79	(55 - 138)			SW846 8260B
	81	(55 - 138)	7.0	(0-20)	SW846 8260B
Chlorobenzene	87	(49 - 139)			SW846 8260B
	87	(49 - 139)	5.1	(0-22)	SW846 8260B
1,1-Dichloroethene	85	(43 - 147)			SW846 8260B
	95	(43 - 147)	17	(0-27)	SW846 8260B
Toluene	90	(46 - 147)			SW846 8260B
	92	(46 - 147)	7.3	(0-24)	SW846 8260B
Trichloroethene	77	(46 - 143)			SW846 8260B
	78	(46 - 143)	6.5	(0-23)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Dibromofluoromethane	83	(59 - 138)
	85	(59 - 138)
1,2-Dichloroethane-d4	73	(61 - 130)
	74	(61 - 130)
Toluene-d8	87	(60 - 143)
	88	(60 - 143)
4-Bromofluorobenzene	87	(47 - 158)
	87	(47 - 158)

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

Results and reporting limits have been adjusted for dry weight.

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #....: A4L220198 Work Order #....: G1NDP1AC-MS Matrix.....: SO
 MS Lot-Sample #: A4L220198-001 G1NDP1AD-MSD
 Date Sampled....: 12/21/04 09:12 Date Received...: 12/22/04
 Prep Date.....: 12/27/04 Analysis Date...: 01/04/05
 Prep Batch #....: 4362352
 Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Acenaphthene	66	(13 - 133)			SW846 8270C
	75	(13 - 133)	13	(0-44)	SW846 8270C
4-Chloro-3-methylphenol	70	(17 - 128)			SW846 8270C
	59	(17 - 128)	16	(0-55)	SW846 8270C
2-Chlorophenol	54	(17 - 116)			SW846 8270C
	80	(17 - 116)	39	(0-54)	SW846 8270C
2,4-Dinitrotoluene	68	(10 - 171)			SW846 8270C
	65	(10 - 171)	4.0	(0-45)	SW846 8270C
4-Nitrophenol	78	(10 - 148)			SW846 8270C
	66	(10 - 148)	17	(0-64)	SW846 8270C
N-Nitrosodi-n-propyl- amine	69	(12 - 128)			SW846 8270C
	91	(12 - 128)	28	(0-50)	SW846 8270C
Pentachlorophenol	49	(10 - 144)			SW846 8270C
	38	(10 - 144)	25	(0-87)	SW846 8270C
Phenol	57	(10 - 148)			SW846 8270C
	66	(10 - 148)	15	(0-50)	SW846 8270C
	72	(10 - 218)	11	(0-66)	SW846 8270C

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Nitrobenzene-d5	61	(42 - 110)
	67	(42 - 110)
2-Fluorobiphenyl	55	(43 - 110)
	67	(43 - 110)
Terphenyl-d14	82	(37 - 137)
	80	(37 - 137)
Phenol-d5	58	(25 - 115)
	79	(25 - 115)
2-Fluorophenol	57	(11 - 116)
	65	(11 - 116)
2,4,6-Tribromophenol	56	(35 - 116)
	56	(35 - 116)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

Results and reporting limits have been adjusted for dry weight.

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220198

Matrix.....: SO

Date Sampled....: 12/21/04 09:12 Date Received...: 12/22/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: A4L220198-001 Prep Batch #....: 4363037						
Aluminum	NC,MSB	(75 - 125)		SW846 6010B	12/28-12/30/04	G1NDP1AF
	NC,MSB	(75 - 125)	(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1AG
Dilution Factor: 1						
Arsenic	84	(75 - 125)		SW846 6010B	12/28-12/30/04	G1NDP1C8
	83	(75 - 125)	0.55 (0-20)	SW846 6010B	12/28-12/30/04	G1NDP1C9
Dilution Factor: 1						
Antimony	35 N	(75 - 125)		SW846 6010B	12/28-12/30/04	G1NDP1AJ
	36 N	(75 - 125)	2.0 (0-20)	SW846 6010B	12/28-12/30/04	G1NDP1AK
Dilution Factor: 1						
Lead	83	(75 - 125)		SW846 6010B	12/28-12/30/04	G1NDP1DC
	81	(75 - 125)	2.4 (0-20)	SW846 6010B	12/28-12/30/04	G1NDP1DD
Dilution Factor: 1						
Barium	86	(75 - 125)		SW846 6010B	12/28-12/30/04	G1NDP1AM
	88	(75 - 125)	0.80 (0-20)	SW846 6010B	12/28-12/30/04	G1NDP1AN
Dilution Factor: 1						
Selenium	83	(75 - 125)		SW846 6010B	12/28-12/30/04	G1NDP1DF
	82	(75 - 125)	0.87 (0-20)	SW846 6010B	12/28-12/30/04	G1NDP1DG
Dilution Factor: 1						
Beryllium	84	(75 - 125)		SW846 6010B	12/28-12/30/04	G1NDP1AQ
	83	(75 - 125)	1.1 (0-20)	SW846 6010B	12/28-12/30/04	G1NDP1AR
Dilution Factor: 1						
Thallium	79	(75 - 125)		SW846 6010B	12/28-12/30/04	G1NDP1DJ
	79	(75 - 125)	0.49 (0-20)	SW846 6010B	12/28-12/30/04	G1NDP1DK
Dilution Factor: 1						
Cadmium	81	(75 - 125)		SW846 6010B	12/28-12/30/04	G1NDP1AU
	82	(75 - 125)	0.57 (0-20)	SW846 6010B	12/28-12/30/04	G1NDP1AV
Dilution Factor: 1						
Calcium	89	(75 - 125)		SW846 6010B	12/28-12/30/04	G1NDP1AX
	60 N	(75 - 125)	7.9 (0-20)	SW846 6010B	12/28-12/30/04	G1NDP1AO
Dilution Factor: 1						

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #....: A4L220198

Matrix.....: SO

Date Sampled....: 12/21/04 09:12 Date Received...: 12/22/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Chromium	97	(75 - 125)			SW846 6010B	12/28-12/30/04	G1NDP1A2
	96	(75 - 125)	1.0	(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1A3
		Dilution Factor: 1					
Cobalt	80	(75 - 125)			SW846 6010B	12/28-12/30/04	G1NDP1A5
	83	(75 - 125)	3.2	(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1A6
		Dilution Factor: 1					
Copper	84	(75 - 125)			SW846 6010B	12/28-12/30/04	G1NDP1A8
	83	(75 - 125)	0.79	(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1A9
		Dilution Factor: 1					
Iron	NC,MSB	(75 - 125)			SW846 6010B	12/28-12/30/04	G1NDP1CC
	NC,MSB	(75 - 125)		(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1CD
		Dilution Factor: 1					
Magnesium	94	(75 - 125)			SW846 6010B	12/28-12/30/04	G1NDP1CF
	83	(75 - 125)	5.6	(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1CG
		Dilution Factor: 1					
Manganese	NC,MSB	(75 - 125)			SW846 6010B	12/28-12/30/04	G1NDP1CJ
	NC,MSB	(75 - 125)		(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1CK
		Dilution Factor: 1					
Nickel	78	(75 - 125)			SW846 6010B	12/28-12/30/04	G1NDP1CM
	86	(75 - 125)	6.7	(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1CN
		Dilution Factor: 1					
Potassium	88	(75 - 125)			SW846 6010B	12/28-12/30/04	G1NDP1CQ
	87	(75 - 125)	0.72	(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1CR
		Dilution Factor: 1					
Silver	92	(75 - 125)			SW846 6010B	12/28-12/30/04	G1NDP1CU
	92	(75 - 125)	0.10	(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1CV
		Dilution Factor: 1					
Sodium	81	(75 - 125)			SW846 6010B	12/28-12/30/04	G1NDP1CX
	80	(75 - 125)	1.2	(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1CO
		Dilution Factor: 1					
Vanadium	92	(75 - 125)			SW846 6010B	12/28-12/30/04	G1NDP1C2
	93	(75 - 125)	0.63	(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1C3
		Dilution Factor: 1					

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: A4L220198

Matrix.....: SO

Date Sampled...: 12/21/04 09:12 Date Received...: 12/22/04

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
Zinc	86	(75 - 125)			SW846 6010B	12/28-12/30/04	G1NDP1C5
	84	(75 - 125)	1.5	(0-20)	SW846 6010B	12/28-12/30/04	G1NDP1C6
Dilution Factor: 1							
Mercury	100	(10 - 199)			SW846 7471A	12/28-01/03/05	G1NDP1DM
	101	(10 - 199)	1.7	(0-50)	SW846 7471A	12/28-01/03/05	G1NDP1DN
Dilution Factor: 1							

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Results and reporting limits have been adjusted for dry weight.

NC The recovery and/or RPD were not calculated.

MSB The recovery and RPD were not calculated because the sample amount was greater than four times the spike amount.

N Spiked analyte recovery is outside stated control limits.

General Chemistry

Matrix.....: \$0

% Moisture.....: 26

Dilution Factor: 1

SAMPLE DUPLICATE EVALUATION REPORT

General Chemistry

Client Lot #....: A4L220198

Work Order #....: G1FVN-SMP
G1FVN-DUP

Matrix.....: SOLID

Date Sampled....: 12/21/04 11:15 Date Received...: 12/22/04

% Moisture.....: 58

PARAM	RESULT	DUPLICATE RESULT	UNITS	RPD	RPD LIMIT	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
Percent Solids	42.5	41.7	%	1.8	(0-20)	SD Lot-Sample #: A4L220362-001 MCAWW 160.3 MOD	12/29-12/30/04	4364283

Dilution Factor: 1



CONESTOGA-ROVERS & ASSOCIATES

8615 W. Bryn Mawr Avenue
Chicago, Illinois 60631
(773)380-9933 phone
(773)380-6421 fax

SHIPPED TO
(Laboratory Name):

Severn Trent North Canton, OH

REFERENCE NUMBER:

12559-52

PROJECT NAME:

Gill Fair Fax I

CHAIN-OF-CUSTODY RECORD

SAMPLER'S SIGNATURE: *[Signature]* PRINTED NAME: *Cody Campbell*

SEQ. No.	DATE	TIME	SAMPLE IDENTIFICATION No.	SAMPLE MATRIX	No. OF CONTAINERS	PARAMETERS	REMARKS
----------	------	------	---------------------------	---------------	-------------------	------------	---------

PARAMETERS
AIR / SOIL / WATER / METALS

REMARKS

SEQ. No.	DATE	TIME	SAMPLE IDENTIFICATION No.	SAMPLE MATRIX	No. OF CONTAINERS	PARAMETERS	REMARKS
12/21	11/12		S-122104-D5-118	SL	11	X X X	Include Wsg/MSD
12/21	11/20		S-122104-D5-119		5	X X X	
12/21	11/17		S-122104-D5-120		5	X X X	
12/21	12/08		S-122104-D5-121		5	X X X	
12/21	12/05		S-122104-D5-122		5	X X X	
12/21	11/15		S-122104-D5-123		5	X X X	
12/21	11/14		S-122104-D5-124		5	X X X	
TOTAL NUMBER OF CONTAINERS					41		

RELINQUISHED BY: <i>[Signature]</i>	DATE: 12/21/04	RECEIVED BY: ②	DATE: _____
RELINQUISHED BY: _____	TIME: 1630	RECEIVED BY: ③	TIME: _____
RELINQUISHED BY: _____	DATE: _____	RECEIVED BY: ④	DATE: _____
RELINQUISHED BY: _____	TIME: _____		TIME: _____

METHOD OF SHIPMENT:

Fax/EX

AIR BILL No.

White	-Fully Executed Copy	SAMPLE TEAM: <i>Campbell</i>	RECEIVED FOR LABORATORY BY: <i>[Signature]</i>	DATE: 12/21/04	TIME: 10:40	02317
Yellow	-Receiving Laboratory Copy					
Pink	-Shipper Copy					
Goldenrod	-Sampler Copy					

STL Cooler Receipt Form/Narrative

Lot Number: A4L220198

North Canton Facility

Client: CRAProject: GM-FairfaxQuote#: 62183Cooler Received on: 12/22/04Opened on: 12/22/04by: [Signature]
(Signature)Fedx ☒ Client Drop Off ☐ UPS ☐ DHL ☐ FAS ☐ Other: _____STL Cooler No# See back Foam Box ☐ Client Cooler ☐ Other _____1. Were custody seals on the outside of the cooler? Yes ☒ No ☐ Intact? Yes ☒ No ☐ NA ☐If YES, Quantity 2

Were the custody seals signed and dated?

Yes ☐ No ☒ NA ☐

2. Shipper's packing slip attached to this form?

Yes ☒ No ☐ NA ☐3. Did custody papers accompany the samples? Yes ☒ No ☐Relinquished by client? Yes ☒ No ☐

4. Did you sign the custody papers in the appropriate place?

Yes ☒ No ☐5. Packing material used: Bubble Wrap ☒ Foam ☐ None ☐

Other: _____

6. Cooler temperature upon receipt _____ °C (see back of form for multiple coolers/temp)

METHOD: Temp Vial ☐ Coolant & Sample ☐ Against Bottles ☐ IR ☒ ICE/H₂O Slurry ☐COOLANT: Wet Ice ☒ Blue Ice ☐ Dry Ice ☐ Water ☐None ☐

7. Did all bottles arrive in good condition (Unbroken)?

Yes ☒ No ☐

8. Could all bottle labels and/or tags be reconciled with the COC?

Yes ☒ No ☐

9. Were samples at the correct pH? (record below/on back)

Yes ☐ No ☒ NA ☐

10. Were correct bottles used for the tests indicated?

Yes ☒ No ☐

11. Were air bubbles >6 mm in any VOA vials?

Yes ☐ No ☒ NA ☐

12. Sufficient quantity received to perform indicated analyses?

Yes ☒ No ☐Contacted PM _____ Date: _____ by: _____ via Voice Mail ☐ Verbal ☐ Other ☐

Concerning: _____

1. CHAIN OF CUSTODY

The following discrepancies occurred:

2. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

3. SAMPLE PRESERVATION

Sample(s) 005 (1x1L) + 011 (3x1L) w/ HNO₃ were further preserved in sample receiving to meet recommended pH level(s). Nitric Acid Lot # 101104-HNO₃; Sulfuric Acid Lot # 102804-H₂SO₄; Sodium Hydroxide Lot # -082404-NaOH; Hydrochloric Acid Lot # 100902-HCl; Sodium Hydroxide and Zinc Acetate Lot # 071604-CH₃COO₂Zn/NaOH

Sample(s) _____ were received with bubble > 6 mm in diameter (cc: PM)

4. Other (see below or back)

Client ID	pH	Date	Initials
005	2.2 2.2 2.2 2.2	12/22/04	gk
011	2.2 2.2 2.2 2.2 2.2 2.2		

[illegible]

END OF REPORT

APPENDIX C

DATA VALIDATION MEMORANDUM




**CONESTOGA-ROVERS
& ASSOCIATES**

14496 Sheldon Road, Suite #200
Plymouth, Michigan 48170
Telephone: (734) 453-5123 Fax: (734) 453-5201
www.CRAworld.com

MEMORANDUM

TO: Phil Harvey

FROM: Julie Czech/lg/3 

RE: Data Quality Assessment and Validation
Soil and Groundwater Sampling Event
General Motors – Former Fairfax I Plant Site
Kansas City, Kansas

REF. NO.: 012559-52

DATE: January 31, 2005

The following details a quality assessment and validation of the analytical data resulting from the collection of soil and groundwater samples collected from the General Motors Former Fairfax I Plant in Kansas City, Kansas on December 20 and 21, 2004. The sample summary detailing sample identification, sample location, and analytical parameters is presented in Table 1. Sample analysis was completed at Severn Trent Laboratories in North Canton, Ohio (STL) in accordance with the methodologies presented in Table 2. The QC criteria used to assess the data were established by the methods and following documents:

- i) "USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review", USEPA 540/R-99/008, October 1999; and
- ii) "USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review", EPA 540/R-94-013, February 1994.

The data quality assessment and validation presented in the following subsections were performed based on the sample results and supporting quality assurance/quality control (QA/QC) provided.

Holding Time Period and Sample Analysis

The holding time periods are presented in the analytical methods. All samples were prepared and analyzed within the method-required holding times. All samples were properly preserved and cooled to 4°C (±2°C) after collection.

Method Blank Samples

Method blanks are prepared and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the procedures.

For this study, method blanks were analyzed at a minimum frequency of one per analytical batch. The blank results were non-detect for the analytes of interest with the exception of some analytes present at low concentrations. All associated results with similar concentrations were qualified as non-detect (see Table 3).

Surrogate Compound Percent Recoveries (Surrogate Recoveries)

In accordance with the methods employed, all samples, blanks, and standards analyzed for VOCs and SVOCs are spiked with surrogate compounds prior to sample extraction and/or analysis. Surrogate recoveries provide a means to evaluate the effects of individual sample matrices on analytical efficiency and are assessed against method control limits. For the SVOC method, it is acceptable for one surrogate recovery per fraction (base neutral or acid phenolic) to fall outside of these limits, provided it is greater than 10 percent.

The majority of surrogate recoveries were within acceptance criteria. Table 4 presents outlying surrogate data from one sample and the associated sample results that should be qualified. All remaining surrogate recoveries were within the lab-specified control limits demonstrating acceptable analytical accuracy for non-diluted samples.

Laboratory Control Sample Analysis

The laboratory control sample (LCS) serves as a measure of overall analytical performance. LCSs are prepared with all analytes of interest and analyzed with each sample batch. Some LCSs are prepared and analyzed in duplicate.

LCSs were prepared and analyzed for all parameters. The LCS recoveries were within the QAPP specified control limits for all analytes of interest demonstrating acceptable overall analytical accuracy and precision (where applicable).

Matrix Spike/Matrix Spike Duplicate (MS/MSD) Percent Recoveries

MS/MSD samples are prepared using a representative subset of analytes for each parameter and analyzed with each sample batch for the organic parameters. Matrix spike/duplicate (MS/Dup) samples are prepared and analyzed with the samples for metals. The recoveries of spike analyses are used to assess the analytical accuracy achieved on individual sample matrices. If the original sample concentration is significantly greater than the spike concentration, the recovery is not assessed. The relative percent difference (RPD) between the MS and MSD or the original sample and the Dup are used to assess analytical precision.

Table 5 presents the sample data that should be qualified. The remaining MS/MSD data were acceptable, indicating good analytical accuracy and precision.

Field Quality Assurance/Quality Control (QA/QC)

The field QA/QC consisted of two trip blank samples, two equipment blank samples, and one field duplicate sample set.

Trip Blanks – VOCs

Trip blanks are transported, stored, and analyzed with the investigative samples to identify potential cross-contamination of VOCs. Trip blanks were collected at the proper frequency, and all results were non-detect for the analytes of interest with the exception of some analytes present at low concentrations. All associated results with similar concentrations were qualified as non-detect (see Table 6).

Equipment Blanks

Equipment blanks are collected and submitted for analysis to identify possible contamination introduced during sample collection and/or analysis. Two equipment blanks were collected and analyzed and the results were non-detect for the analytes of interest with the exception of some analytes present at low concentrations. All associated, but not previously qualified, results with similar concentrations were qualified as non-detect (see Table 7).

Field Duplicate Sample Set

Overall precision for the sampling event was monitored using one field duplicate sample set: GW-122104-DS-012/GW-122104-DS-DUP. The relative percent difference (RPD) values for positive parameter results were found to be acceptable (RPD values less than or equal to 50), indicating an adequate level of precision was achieved, with one exception. The acetophenone data for samples GW-122104-DS-012 and GW-122104-DS-DUP should be qualified as estimated (J).

Overall Assessment

The data were found to exhibit acceptable levels of accuracy and precision, based on the provided information, and may be used as reported.

TABLE 1

SAMPLE IDENTIFICATION NUMBER
FORMER GM-FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Sample ID</i>	<i>Sample ID Location; Depth (ft bgs)¹</i>	<i>Analysis²</i>
S-122004-DS-101	SB-101; 8-10	TCL VOC, NAP
S-122004-DS-102	SB-101; 12-14	TCL VOC, NAP
S-122004-DS-103	SB-102; 8-10	TCL VOC, NAP
S-122004-DS-104	SB-102; 12-14	TCL VOC, NAP
S-122004-DS-105	SB-103; 8-10	TCL VOC, NAP
S-122004-DS-106	SB-103; 12-14	TCL VOC, NAP
S-122004-DS-107	SB-104; 8-10	TCL VOC, NAP
S-122004-DS-108	SB-104; 12-14	TCL VOC, NAP
S-122004-DS-109	SB-105; 8-10	TCL VOC, NAP
S-122004-DS-110	SB-105; 12-14	TCL VOC, NAP
S-122004-DS-111	SB-106; 8-10	TCL VOC, FOC
S-122004-DS-112	SB-106; 12-14	TCL VOC, FOC
S-122004-DS-113	SB-107; 8-10	TCL VOC, FOC
S-122004-DS-114	SB-107; 12-14	TCL VOC, FOC
S-122004-DS-115	SB-108; 10-12	TCL VOC, TCL SVOC, TAL Metals
S-122004-DS-116	SB-109; 10-12	TCL VOC, TCL SVOC, TAL Metals
S-122004-DS-117	SB-110; 10-12	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-118	SB-111; 10-12	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-119	SB-112; 10-12	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-120	SB-113; 10-12	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-121	SB-114; 10-12	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-122	SB-115; 10-12	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-123	SB-116; 4-6	TCL VOC, TCL SVOC, TAL Metals
S-122104-DS-124	SB-117; 4-6	TCL VOC, TCL SVOC, TAL Metals
GW-122004-DS-001	Rinsate (SB-104)	TCL VOC
GW-122004-DS-002	Rinsate (SB-110)	TCL VOC, TCL SVOC, TAL Total Metals
GW-122004-DS-003	MW-105	TCL VOC, TCL SVOC, TAL Total Metals, NAP
GW-122004-DS-004	Trip Blank	TCL VOC
GW-122104-DS-005	MW-109	TCL VOC, TCL SVOC, TAL Total Metals, NAP
GW-122104-DS-006	MW-1	TCL VOC, TCL SVOC, TAL Total Metals, NAP
GW-122104-DS-007	MW-160A	TCL VOC, TCL SVOC, TAL Total Metals, NAP
GW-122104-DS-008	MW-110A	TCL VOC, TCL SVOC, TAL Total Metals, NAP
GW-122104-DS-010	Trip Blank	TCL VOC
GW-122104-DS-011	MW-111	TCL VOC, TCL SVOC, TAL Total Metals
GW-122104-DS-012	MW-110	TCL VOC, TCL SVOC, TAL Total Metals
GW-122104-DS-DUP	MW-110 Duplicate	TCL VOC, TCL SVOC, TAL Total Metals
GW-122104-DS-013	MW-1A	TCL VOC, TCL SVOC, TAL Total Metals

TABLE 1

**SAMPLE IDENTIFICATION NUMBER
FORMER GM-FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS**

¹ ft bgs - feet below ground surface

² TCL VOC - target compound list volatile organic compounds

NAP - natural attenuation parameters (total and dissolved calcium, magnesium, and manganese, total kjeldahl nitrogen, ammonia-N, nitrate-N, chemical oxygen demand, total organic carbon, ortho phosphate, and pH)

FOC - fraction of organic carbon

TCL SVOC - target compound list semivolatile organic compounds

TAL Metals - target analyte list metals

TABLE 2

SUMMARY OF ANALYTICAL METHODS
FORMER GM-FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Parameter</i>	<i>Analytical Method</i> ¹	
VOCs	SW-846	8260B
SVOCs	SW-846	8270C
Metals (total and dissolved)	SW-846	6010B/7471A/7470A
FOC	ASTM	D2974
Total Kjeldahl Nitrogen	MCAWW	351.3
Ammonia Nitrogen	MCAWW	350.3
Nitrate	MCAWW	300.0A
Chemical Oxygen Demand	MCAWW	410.4
Total Organic Carbon	MCAWW	415.1
ortho-Phosphate	MCAWW	365.2

¹ SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", EPA SW-846, 3rd Edition with Updates I through III, November 1986.

ASTM - Annual Book of ASTM Standards

MCAWW - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 and its updates.

TABLE 3

RESULTS QUALIFIED BASED ON METHOD BLANK DETECTIONS
FORMER GM-FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Method</i>	<i>Batch</i>	<i>Analyte</i>	<i>Blank Conc.</i>	<i>Associated Samples</i>	<i>Qualifier¹</i>
8270C	4362021	bis(2-Ethylhexyl)phthalate	0.91µg/L	GW-122104-DS-011	10U
				GW-122104-DS-006	10U
				GW-122104-DS-012	10U
8270C	4362022	bis(2-Ethylhexyl)phthalate	1.3µg/L	GW-122104-DS-DUP	10U
				GW-122104-DS-007	10U
				GW-122104-DS-008	10U
8270C	4357051	Caprolactum	26µg/kg	S-122104-DS-117	450U
8270C	4356549	Caprolactum	0.79µg/L	GW-122004-DS-002	10U
				GW-122004-DS-003	10U
6010B	4363030	Chromium	0.0028mg/L	GW-122104-DS-005	0.0033U
6010B	4363030	Vanadium	0.0012mg/L	GW-122104-DS-005	0.0012U
6010B	4363037	Nickel	0.37mg/kg	S-122104-DS-124	1.2U
6010B	4363037	Sodium	80.7mg/kg	S-122104-DS-118	189U
				S-122104-DS-119	121U
				S-122104-DS-121	144U
				S-122104-DS-122	154U
				S-122104-DS-123	218U
6010B	4363035	Antimony	0.51mg/kg	S-122104-DS-115	0.39U
				S-122104-DS-116	0.51U
				S-122104-DS-117	0.69U
6010B	4363026	Aluminum	0.046mg/L	GW-122004-DS-003	0.033U
6010B	4363026	Cadmium	0.00042mg/L	GW-122004-DS-002	0.00036U

TABLE 3

RESULTS QUALIFIED BASED ON METHOD BLANK DETECTIONS
FORMER GM-FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Method</i>	<i>Batch</i>	<i>Analyte</i>	<i>Blank Conc.</i>	<i>Associated Samples</i>	<i>Qualifier</i> ¹
6010B	4362038	Aluminum	0.051mg/L	GW-122104-DS-006	0.064U
				GW-122104-DS-012	0.066U
				GW-122104-DS-DUP	0.073U
				GW-122104-DS-007	0.094U
				GW-122104-DS-008	0.053U
				GW-122104-DS-013	0.054U
6010B	4362038	Beryllium	0.00064mg/L	GW-122104-DS-006	0.00074U
				GW-122104-DS-012	0.00078U
				GW-122104-DS-DUP	0.00079U
				GW-122104-DS-007	0.00070U
				GW-122104-DS-008	0.00078U
				GW-122104-DS-013	0.00079U
6010B	4362038	Thallium	0.0075mg/L	GW-122104-DS-006	0.0067U
				GW-122104-DS-012	0.0090U
				GW-122104-DS-DUP	0.0061U
6010B	4362038	Cadmium	0.00053mg/L	GW-122104-DS-006	0.00051U
				GW-122104-DS-008	0.00061U
350.3	4365465	Ammonia Nitrogen	0.09mg/L	GW-122104-DS-005	0.09U
				GW-122004-DS-003	0.2U
365.2	4357504	ortho-Phosphate	0.01mg/L	GW-122104-DS-005	0.02U
				GW-122004-DS-003	0.009U
365.2	4366010	ortho-Phosphate	0.1mg/kg	S-122004-DS-101	0.2U
				S-122004-DS-102	0.1U
				S-122004-DS-103	0.2U
				S-122004-DS-104	0.2U
				S-122004-DS-105	0.2U
				S-122004-DS-106	0.2U
				S-122004-DS-107	0.4U
				S-122004-DS-108	0.3U
				S-122004-DS-109	0.3U
				S-122004-DS-110	0.2U

TABLE 3

**RESULTS QUALIFIED BASED ON METHOD BLANK DETECTIONS
FORMER GM-FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS**

<i>Method</i>	<i>Batch</i>	<i>Analyte</i>	<i>Blank Conc.</i>	<i>Associated Samples</i>	<i>Qualifier ¹</i>
8260B	4364523	Acetone	120µg/kg	S-122004-DS-102	2400000U
				S-122004-DS-110	710000U
				S-122004-DS-112	1200U
8260B	4364523	Toluene	14µg/kg	S-122004-DS-103	5800U

¹ Organics: U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
Inorganics: U - The material was analyzed for, but was not detected above the level of the associated value. The associated value is an estimate and may be inaccurate or imprecise.

TABLE 4

OUTLYING SURROGATE RECOVERY DATA
FORMER GM-FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Method</i>	<i>Sample ID</i>	<i>Surrogate</i>	<i>Surrogate %R</i>	<i>%R Limits</i>	<i>Qualifier¹</i>
8260B	S-122004-DS-106	1,2-Dichloroethane-d ₄	58	61-130	J/UJ

¹ Detected and non-detected VOC results for the sample should be qualified as, respectively:

J - The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.

UJ - The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.

TABLE 5

OUTLYING MS/MSD SAMPLE DATA
FORMER GM-FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

Sample ID	Method	Batch	Analyte	MS %R	MSD %R	%R Limits	RPD Limits	RPD	Qualifier ¹	Associated Samples
S-122104-DS-118	6010B	4363037	Antimony	35	36	75-125	2.0	0-20	UJ	S-122104-DS-118
									UJ	S-122104-DS-119
									UJ	S-122104-DS-120
									UJ	S-122104-DS-121
									UJ	S-122104-DS-122
									UJ	S-122104-DS-123
									UJ	S-122104-DS-124
S-122104-DS-118	6010B	4363037	Calcium	89	60	75-125	7.9	0-20	J	S-122104-DS-118
									J	S-122104-DS-119
									J	S-122104-DS-120
									J	S-122104-DS-121
									J	S-122104-DS-122
									J	S-122104-DS-123
									J	S-122104-DS-124
GW-122104-DS-006	6010B	4362038	Manganese	44	53	75-125	2.6	0-20	J	GW-122104-DS-006
									J	GW-122104-DS-012
									J	GW-122104-DS-DUP
									J	GW-122104-DS-007
									J	GW-122104-DS-008
									J	GW-122104-DS-013

TABLE 5

**OUTLYING MS/MSD SAMPLE DATA
FORMER GM-FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS**

Sample ID	Method	Batch	Analyte	MS %R	MSD %R	%R Limits	RPD Limits	RPD Qualifier ¹	Associated Samples
S-122004-DS-101	351.3	5004445	Total Kjeldahl Nitrogen	70	42	50-120	18 0-50	J	S-122004-DS-101
								J	S-122004-DS-102
								J	S-122004-DS-103
								J	S-122004-DS-104
								J	S-122004-DS-105
								J	S-122004-DS-106
								J	S-122004-DS-107
								UJ	S-122004-DS-108
								J	S-122004-DS-109
								J	S-122004-DS-110
GW-122004-DS-003	351.3	5003487	Total Kjeldahl Nitrogen	101	72	10-200	33 0-20	UJ	GW-122004-DS-003

¹ Sample results should be qualified as:

UJ - The material was analyzed for, but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

J - The associated value is an estimated quantity.

TABLE 6

RESULTS QUALIFIED BASED ON TRIP BLANK DETECTIONS
FORMER GM-FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Trip Blank Sample ID</i>	<i>Method</i>	<i>Analyte</i>	<i>Blank Conc.</i>	<i>Associated Samples</i>	<i>Qualifier¹</i>
GW-122004-DS-004	8260B	Acetone	1.6µg/L	GW-122004-DS-001	10U
				GW-122004-DS-002	10U
				GW-122004-DS-003	10U
GW-122004-DS-004	8260B	Trichloroethene	0.67µg/L	GW-122004-DS-003	1.0U

¹ U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

TABLE 7

RESULTS QUALIFIED BASED ON RINSATE BLANK DETECTIONS
FORMER GM-FAIRFAX I PLANT SITE
KANSAS CITY, KANSAS

<i>Rinsate Sample ID</i>	<i>Method</i>	<i>Analyte</i>	<i>Blank Conc.</i>	<i>Associated Samples</i>	<i>Qualifier¹</i>
GW-122004-DS-002	8270C	bis(2-Ethylhexyl)phthalate	1.2µg/L	S-122004-DS-117	450U
GW-122004-DS-002	6010B	Cadmium	0.00036mg/L	S-122004-DS-115 S-122004-DS-116 S-122004-DS-117	0.20U 0.15U 0.19U

¹ Organics: U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
Inorganics: U - The material was analyzed for, but was not detected above the level of the associated value. The associated value is an estimate and may be inaccurate or imprecise.