

26850 Haggerty Road
Farmington Hills, Michigan 48331
United States
www.ghd.com



GHD Reference No: 11208058-LTR-16-Whom

July 31, 2026

**City of Bay City WWTP
Attn: IPP Coordinator
2905 North Water Street
Bay City, Michigan, 48708**

**Semi-Annual Compliance Report (January 1 to June 30, 2026)
RACER Bay City Industrial Land
Bay City, Michigan**

To Whom It May Concern,

The following letter has been prepared by GHD on behalf of Revitalizing Auto Communities Environmental Response Trust (RACER) in accordance with Part 4 Section 3 of Industrial User (IU) permit No. 2025 IUGWR-01 as the semi-annual compliance report for the period January 1 to June 30, 2026, for RACER's discharge from a groundwater extraction and treatment system located at the north end of Crotty Street in Bay City, Michigan (Site).

The groundwater extraction and treatment system operated consistently during this semi-annual period. Non-operational period resulted from the system being down for maintenance or due to an alarm condition.

Table 1 presents the results of the required semi-annual effluent samples collected from the RACER groundwater extraction and treatment system on June 16, 2026. Attachment 1 presents the laboratory analytical report. The analytical results did not identify an exceedance of the daily maximum discharge levels specified in the permit requirements.


Table 2 presents the flow readings collected periodically from the flow meter.

The RACER groundwater extraction and treatment system is operated and maintained by Bart Williams (GHD).

See Attachment 2 for the certification statement prepared in accordance with Part 3(C)(2) of IU permit No. 2025 IUGWR-01.

Should you have any questions on the above, please do not hesitate to contact us.

Sincerely,



John-Eric Pardys, P.Eng.
Project Manager

+1 519 340-4316

john-eric.pardys@ghd.com

ZK/kf/16

cc: Brendan Mullen (RACER)
 Dave Favero (RACER)
 Jessica Gallaway (GHD)

Encl. Table 1 – Effluent Results Summary
 Table 2 – Flow Meter Readings
 Attachment 1 – Laboratory Analytical Report
 Attachment 2 – Certification Statement

Tables

Table 1

**Analytical Results Summary
Effluent Sampling
RACER Bay City Industrial Land
Bay City, Michigan**

Sample Location:		effluent-GWTS		effluent-GWTS
Sample ID:		GW-11208058-061626-BW-002		GW-11208058-061626-BW-003
Sample Date:		6/16/2026		6/16/2026
Parameters	Units	Daily		
		Maximum ⁽¹⁾	(Duplicate)	
Metals				
Cadmium	mg/L	0.090	0.000077 U	0.000077 U
Chromium	mg/L	4.9	0.0012 U	0.0012 U
Copper	mg/L	2.5	0.004	0.0051
Iron	mg/L	NA	0.086 J	0.11
Lead	mg/L	0.82	0.00045 U	0.00051 J
Mercury	mg/L	ND 0.0002	0.00013 U	0.00013 U
Nickel	mg/L	1.4	0.002	0.0032
Silver	mg/L	0.14	0.000053 U	0.000053 U
Zinc	mg/L	4.4	0.10	0.13
PCBs				
Aroclor-1016 (PCB-1016)	mg/L	ND	0.000059 U	0.000055 U
Aroclor-1221 (PCB-1221)	mg/L	ND	0.00006 U	0.000056 U
Aroclor-1232 (PCB-1232)	mg/L	ND	0.000078 U	0.000073 U
Aroclor-1242 (PCB-1242)	mg/L	ND	0.00008 U	0.000075 U
Aroclor-1248 (PCB-1248)	mg/L	ND	0.000053 U	0.000049 U
Aroclor-1254 (PCB-1254)	mg/L	ND	0.000042 U	0.00004 U
Aroclor-1260 (PCB-1260)	mg/L	ND	0.000049 U	0.000045 U
Wet				
Ammonia-N	mg/L	75	9.6	9.5
Biochemical oxygen demand (BOD)	mg/L	1000	4.5	2.5
Oil and grease (HEM), total	mg/L	250	2.7 J	3.6 J
pH, lab	s.u.	5.0 to 9.5	8.0 HF	8.0 HF
Phosphorus	mg/L	24	0.25	0.076 U
Total suspended solids (TSS)	mg/L	2500	1.7 J	0.78 U

Footnotes:

(1) Bay City Industrial User Discharge Permit (2025 IUGWR-01)

mg/L Milligrams per liter

s.u. Standard Unit

ND Not detected

U Not detected at the associated reporting limit.

HF Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

J Estimated concentration

NA Not applicable - analysis not required in specified permit

Table 2

**Flow Meter Readings
RACER Bay City Industrial Land
Bay City, Michigan**

Date	Flow Meter Totalized Reading (gallons)	Cumulative Total: (gallons)	Volume to be Invoiced Annually (July to June 30)	Comments
23-Jun-26	1,096,511	1,842,609	91,159	- City invoiced for discharge
16-Jun-26	1,091,863	1,837,961		- Collected effluent sample
27-May-26	1,081,804	1,827,902		
24-Apr-26	1,071,288	1,817,386		
27-Mar-26	1,070,738	1,816,836		
27-Feb-26	1,070,096	1,816,194		
19-Jan-26	1,067,594	1,813,692		
22-Dec-25	1,050,007	1,796,105		
25-Nov-25	1,037,098	1,783,196		- Collected effluent sample
28-Oct-25	1,029,184	1,775,282		
23-Sep-25	1,023,636	1,769,734		
29-Aug-25	1,016,574	1,762,672		
22-Jul-25	1,014,842	1,760,940		
7-Jul-25	1,010,025	1,756,123		
23-Jun-25	1,007,172	1,753,270		
10-Jun-25	1,005,352	1,751,450	58,843	- City invoiced for discharge
3-Jun-25	1,005,143	1,751,241		- Collected effluent sample
16-May-25	997,615	1,743,713		
19-Apr-25	991,799	1,737,897		
21-Mar-25	984,652	1,730,750		
19-Feb-25	981,530	1,727,628		
20-Jan-25	972,302	1,718,400		
11-Dec-24	968,518	1,714,616		- Collected effluent sample
19-Nov-24	959,030	1,705,128		
7-Oct-24	958,047	1,704,145		
3-Sep-24	952,079	1,698,177		
1-Jul-24	946,509	1,692,607	119,943	- City invoiced for discharge
11-Jun-24	938,316	1,684,414		- Collected effluent sample
3-Jun-24	935,412	1,681,510		
6-May-24	930,927	1,677,025		
1-Apr-24	916,525	1,662,623		
7-Mar-24	901,303	1,647,401		
5-Feb-24	892,261	1,638,359		
16-Jan-24				- Collected effluent sample
8-Jan-24	889,564	1,635,662		

Table 2

**Flow Meter Readings
RACER Bay City Industrial Land
Bay City, Michigan**

Date	Flow Meter Totalized Reading (gallons)	Cumulative Total: (gallons)	Volume to be Invoiced Annually (July to June 30)	Comments
23-Jun-26	1,096,511	1,842,609	91,159	- City invoiced for discharge
16-Jun-26	1,091,863	1,837,961		- Collected effluent sample
27-May-26	1,081,804	1,827,902		
24-Apr-26	1,071,288	1,817,386		
27-Mar-26	1,070,738	1,816,836		
27-Feb-26	1,070,096	1,816,194		
19-Jan-26	1,067,594	1,813,692		
22-Dec-23	889,370	1,635,468		
7-Nov-23	836,099	1,582,197		- City collecting sample
27-Oct-23	833,943	1,580,041		- System start-up
17-Oct-23				- Collected effluent sample, shutdown
16-Oct-23	833,137	1,579,235		- Start system for effluent sample
11-Sep-23	833,113	1,579,211		- System not operating
7-Aug-23				- System shut down
2-Aug-23	832,734	1,578,832		
7-Jul-23	828,158	1,574,256		
30-Jun-23	826,566	1,572,664	213,090	- Collected effluent sample, City invoiced for discharge
12-Jun-23	813,114	1,559,212		
5-May-23	784,200	1,530,298		
10-Apr-23	783,184	1,529,282		
20-Mar-23	777,866	1,523,964		
14-Feb-23	762,917	1,509,015		
16-Jan-23	757,367	1,503,465		- Collected effluent sample
5-Dec-22	700,568	1,446,666		
21-Nov-22	689,378	1,435,476		
25-Oct-22	688,227	1,434,325		
12-Sep-22	684,028	1,430,126		
23-Aug-22	672,428	1,418,526		- Collected effluent sample
17-Jun-22	619,110	1,365,208		
13-Jun-22	613,476	1,359,574	204,431	- City invoiced for discharge
26-May-22				- Collected effluent sample
24-May-22	610,180	1,356,278		
26-Apr-22	592,790	1,338,888		
23-Mar-22	592,060	1,338,158		
1-Mar-22	580,971	1,327,069		
24-Jan-22	580,938	1,327,036		

Table 2

**Flow Meter Readings
RACER Bay City Industrial Land
Bay City, Michigan**

Date	Flow Meter Totalized Reading (gallons)	Cumulative Total: (gallons)	Volume to be Invoiced Annually (July to June 30)	Comments
23-Jun-26	1,096,511	1,842,609	91,159	- City invoiced for discharge
16-Jun-26	1,091,863	1,837,961		- Collected effluent sample
27-May-26	1,081,804	1,827,902		
24-Apr-26	1,071,288	1,817,386		
27-Mar-26	1,070,738	1,816,836		
27-Feb-26	1,070,096	1,816,194		
19-Jan-26	1,067,594	1,813,692		
16-Jan-22	99	99		- Initiated discharge to City
12-Jan-22	1,974	1,974		- Collected effluent sample
8-Jan-22	14,344	14,344		
4-Jan-22	14,357	14,357		
31-Dec-21	0	14,357		- Flow meter zeroed
27-Dec-21	553,735	1,299,833		
23-Dec-21				- Collected effluent sample
29-Nov-21	533,997	1,280,095		
27-Sep-21	475,843	1,221,941		
20-Aug-21	436,048	1,182,146		
30-Jul-21	421,003	1,167,101		
23-Jun-21	409,045	1,155,143	139,856	- Collected effluent sample and City invoiced for discharge
27-May-21	400,420	1,146,518		
29-Apr-21	397,390	1,143,488		
23-Mar-21	371,797	1,117,895		
22-Feb-21	348,776	1,094,874		
21-Dec-20	308,935	1,055,033		
10-Dec-20				- Collected effluent sample
9-Dec-20	304,649	1,050,747		
12-Oct-20	278,099	1,024,197		
10-Sep-20	277,899	1,023,997		
25-Aug-20	277,020	1,023,118		
22-Jul-20	274,190	1,020,288		
22-Jun-20	270,975	1,017,073		
4-Jun-20	269,189	1,015,287	124,809	- City invoiced for discharge
28-May-20	268,089	1,014,187		- Collected effluent sample
28-Apr-20	263,922	1,010,020		
25-Mar-20	248,006	994,104		
20-Feb-20	227,965	974,063		
27-Jan-20	220,321	966,419		

Table 2

**Flow Meter Readings
RACER Bay City Industrial Land
Bay City, Michigan**

Date	Flow Meter Totalized Reading (gallons)	Cumulative Total: (gallons)	Volume to be Invoiced Annually (July to June 30)	Comments
23-Jun-26	1,096,511	1,842,609	91,159	- City invoiced for discharge
16-Jun-26	1,091,863	1,837,961		- Collected effluent sample
27-May-26	1,081,804	1,827,902		
24-Apr-26	1,071,288	1,817,386		
27-Mar-26	1,070,738	1,816,836		
27-Feb-26	1,070,096	1,816,194		
19-Jan-26	1,067,594	1,813,692		
5-Dec-19	200,031	946,129		- Collected PFAS effluent sample
25-Nov-19	192,582	938,680		
29-Oct-19	176,533	922,631		
28-Aug-19	168,508	914,606		
17-Jul-19	159,490	905,588		
17-Jun-19	144,380	890,478	122,047	- City invoiced for discharge
31-May-19				- Collected effluent sample
17-May-19	123,482	869,580		
19-Apr-19	105,745	851,843		
22-Mar-19	81,364	827,462		
28-Feb-19	77,720	823,818		
29-Jan-19	77,720	823,818		
20-Jan-19				- Collected effluent sample
12-Dec-18	77,570	823,668		- Collected effluent sample
29-Nov-18	76,972	823,070		
26-Sep-18	59,303	805,401		
30-Aug-18	53,199	799,297		
30-Jul-18	52,454	798,552		
	359,128	373,485		
	362,759	377,116		
20-Jun-18	35,274	781,372		
1-Jun-18				- Collected effluent sample
1-Jun-18	22,333	768,431	88,271	- City invoiced for discharge
31-May-18	20,490	766,588		
30-Apr-18	18,529	764,627		
29-Mar-18	11,243	757,341		
8-Mar-18	122,667	746,098		- Last reading before replacing flow meter
8-Mar-18	0	746,098		- New Flow meter installed

Table 2

**Flow Meter Readings
RACER Bay City Industrial Land
Bay City, Michigan**

Date	Flow Meter Totalized Reading (gallons)	Cumulative Total: (gallons)	Volume to be Invoiced Annually (July to June 30)	Comments
23-Jun-26	1,096,511	1,842,609	91,159	- City invoiced for discharge
16-Jun-26	1,091,863	1,837,961		- Collected effluent sample
27-May-26	1,081,804	1,827,902		
24-Apr-26	1,071,288	1,817,386		
27-Mar-26	1,070,738	1,816,836		
27-Feb-26	1,070,096	1,816,194		
19-Jan-26	1,067,594	1,813,692		
30-Nov-17				- Collected effluent sample
25-Oct-17	73,702	697,133		
12-Jul-17	60,991	684,422		
28-Jun-17	56,911	680,342		
13-Jun-17	56,729	680,160	137,544	- City invoiced for discharge
22-May-17	56,722	680,153		
9-May-17				- Collected effluent sample
27-Apr-17	55,126	678,557		
2-Feb-17	5,813	629,244		
16-Jan-17				- Collected effluent sample
14-Jan-17	609,074	623,431		
14-Jan-17	0	623,431		
16-Dec-16	609,074	623,431		
11-Nov-16	608,980	623,337		
28-Oct-16	608,865	623,222		
30-Sep-16	607,717	622,074		
31-Aug-16	607,298	621,655		
20-Jul-16	561,893	576,250		
29-Jun-16	556,457	570,814		
14-Jun-16	528,259	542,616	523,666	- Collected effluent sample, City invoiced for discharge
31-May-16	521,920	536,277		
27-Apr-16	462,204	476,561		
21-Mar-16	409,836	424,193		
29-Feb-16	394,550	408,907		
10-Feb-16	387,410	401,767		

Table 2

**Flow Meter Readings
RACER Bay City Industrial Land
Bay City, Michigan**

Date	Flow Meter Totalized Reading (gallons)	Cumulative Total: (gallons)	Volume to be Invoiced Annually (July to June 30)	Comments
23-Jun-26	1,096,511	1,842,609	91,159	- City invoiced for discharge
16-Jun-26	1,091,863	1,837,961		- Collected effluent sample
27-May-26	1,081,804	1,827,902		
24-Apr-26	1,071,288	1,817,386		
27-Mar-26	1,070,738	1,816,836		
27-Feb-26	1,070,096	1,816,194		
19-Jan-26	1,067,594	1,813,692		
30-Dec-15	351,550	365,907		
10-Dec-15				- Collected effluent sample
23-Nov-15	289,731	304,088		
30-Oct-15	260,771	275,128		
29-Sep-15	252,638	266,995		
28-Aug-15	241,397	255,754		
29-Jul-15	232,315	246,672		
30-Jun-15	232,315	246,672		
25-Jun-15	232,315	246,672		
18-Jun-15	224,490	238,847		
6-May-15	197,766	212,123		
30-Apr-15	175,234	189,591		
19-Mar-15	67,425	81,782		
16-Mar-15				- Collected effluent sample
13-Feb-15	46,303	60,660		
27-Jan-15	31,004	45,361		
29-Dec-14	31,004	45,361		
26-Nov-14	31,004	45,361		
23-Oct-14	31,004	45,361		
23-Sep-14	11,504	25,861		
5-Sep-14	6,337	20,694		- Collected effluent sample
18-Aug-14	4,593	18,950		
28-Jul-14	4,593	18,950		
16-Jun-14	4,593	18,950	18,950	- City invoiced for discharge

Attachments

Attachment 1

Laboratory Analytical Report

ANALYTICAL REPORT

PREPARED FOR

Attn: Julie Lundie
GHD Services Inc
2055 Niagara Falls Blvd
Suite 1
Niagara Falls, New York 14304

Generated 6/30/2026 6:11:07 AM

JOB DESCRIPTION

11208058, RACER Bay City

JOB NUMBER

240-253400-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
6/30/2026 6:11:07 AM

Authorized for release by
Denise Heckler, Project Manager II
Denise.Heckler@et.eurofinsus.com
(330)966-9477

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	21
Lab Chronicle	24
Certification Summary	26
Chain of Custody	27



Definitions/Glossary

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: GHD Services Inc
Project: 11208058, RACER Bay City

Job ID: 240-253400-1

Job ID: 240-253400-1

Eurofins Cleveland

Job Narrative 240-253400-1

Receipt

The samples were received on 6/17/2026 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.0°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

PCBs

Method 608.3: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 240-706464.

Method 608.3: The following sample appears to contain polychlorinated biphenyls (PCBs); however, due to weathering, other environmental processes and/or contributions from the presence of multiple Aroclors, resulting in overlapping PCB patterns, the PCBs in the sample do not directly match any of the laboratory's Aroclor standards used for instrument calibration: GW-11208085-061626-BW-001 (240-253400-3). The sample has been quantified and reported using the best overall Aroclor/standard pattern match relative to the reference standards.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method 2540D-2020: Insufficient sample volume was provided to produce results within the specifications of SM 2540D which requires at least 2.5 mg dried residue with a sample volume not to exceed 1L. A sample volume less than 1L, that yielded less than 2.5 mg dried residue, was provided for the following samples: GW-11208058-061626-BW-002 (240-253400-1) and GW-11208058-061626-BW-003 (240-253400-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Method	Method Description	Protocol	Laboratory
624.1	Volatile Organic Compounds (GC/MS)	EPA	EET CLE
608.3	Polychlorinated Biphenyls (PCBs) (GC)	EPA	EET CLE
200.8-1994 R5.4	Metals (ICP/MS)	EPA	EET CLE
245.1	Mercury (CVAA)	EPA	EET CLE
1664B	HEM and SGT-HEM	1664B	EET CLE
2540D-2020	Solids, Total Suspended (TSS)	SM	EET CLE
410.4	COD	EPA	EET CLE
4500-H+ B-2021	pH	SM	EET CLE
4500-NH3H-2021	Ammonia	SM	EET CLE
4500-P E-2021	Phosphorus	SM	EET CLE
5210B-2001	BOD, 5-Day	SM	EET CLE
200.8-1994 R5.4	Preparation, Total Recoverable Metals	EPA	EET CLE
245.1	Preparation, Mercury	EPA	EET CLE
608	Liquid-Liquid Extraction (Separatory Funnel)	EPA	EET CLE

Protocol References:

1664B = EPA-821-98-002
EPA = US Environmental Protection Agency
SM = "Standard Methods For The Examination Of Water And Wastewater"

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-253400-1	GW-11208058-061626-BW-002	Water	06/16/26 16:50	06/17/26 10:00	Michigan
240-253400-2	GW-11208058-061626-BW-003	Water	06/16/26 16:55	06/17/26 10:00	Michigan
240-253400-3	GW-11208085-061626-BW-001	Water	06/16/26 16:45	06/17/26 10:00	Michigan

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Detection Summary

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Client Sample ID: GW-11208058-061626-BW-002

Lab Sample ID: 240-253400-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Copper	4.0		2.0	1.7	ug/L	1		200.8-1994 R5.4	Total Recoverable
Iron	86	J	100	47	ug/L	1		200.8-1994 R5.4	Total Recoverable
Nickel	2.0		2.0	1.5	ug/L	1		200.8-1994 R5.4	Total Recoverable
HEM	2.7	J	5.2	1.1	mg/L	1		1664B	Total/NA
Total Suspended Solids	1.7	J	6.3	0.63	mg/L	1		2540D-2020	Total/NA
Chemical Oxygen Demand	12		10	1.8	mg/L	1		410.4	Total/NA
pH	8.0	HF	0.1	0.1	SU	1		4500-H+ B-2021	Total/NA
Ammonia	9.6		0.20	0.15	mg/L	1		4500-NH3H-202 1	Total/NA
Total Phosphorus as P	0.25		0.10	0.076	mg/L	1		4500-P E-2021	Total/NA
Biochemical Oxygen Demand	4.5		2.0	2.0	mg/L	1		5210B-2001	Total/NA

Client Sample ID: GW-11208058-061626-BW-003

Lab Sample ID: 240-253400-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Copper	5.1		2.0	1.7	ug/L	1		200.8-1994 R5.4	Total Recoverable
Iron	110		100	47	ug/L	1		200.8-1994 R5.4	Total Recoverable
Nickel	3.2		2.0	1.5	ug/L	1		200.8-1994 R5.4	Total Recoverable
Lead	0.51	J	1.0	0.45	ug/L	1		200.8-1994 R5.4	Total Recoverable
HEM	3.6	J	5.4	1.1	mg/L	1		1664B	Total/NA
Chemical Oxygen Demand	13		10	1.8	mg/L	1		410.4	Total/NA
pH	8.0	HF	0.1	0.1	SU	1		4500-H+ B-2021	Total/NA
Ammonia	9.5		0.20	0.15	mg/L	1		4500-NH3H-202 1	Total/NA
Biochemical Oxygen Demand	2.5		2.0	2.0	mg/L	1		5210B-2001	Total/NA

Client Sample ID: GW-11208085-061626-BW-001

Lab Sample ID: 240-253400-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Aroclor-1221	19		2.0	1.1	ug/L	20		608.3	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Method: EPA 624.1 - Volatile Organic Compounds (GC/MS)

Client Sample ID: GW-11208058-061626-BW-002

Date Collected: 06/16/26 16:50

Date Received: 06/17/26 10:00

Lab Sample ID: 240-253400-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vinyl chloride	1.0	U	1.0	0.45	ug/L			06/19/26 19:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137					06/19/26 19:00	1
4-Bromofluorobenzene (Surr)	94		56 - 136					06/19/26 19:00	1
Toluene-d8 (Surr)	100		78 - 122					06/19/26 19:00	1

Client Sample ID: GW-11208058-061626-BW-003

Date Collected: 06/16/26 16:55

Date Received: 06/17/26 10:00

Lab Sample ID: 240-253400-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vinyl chloride	1.0	U	1.0	0.45	ug/L			06/19/26 19:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137					06/19/26 19:22	1
4-Bromofluorobenzene (Surr)	95		56 - 136					06/19/26 19:22	1
Toluene-d8 (Surr)	99		78 - 122					06/19/26 19:22	1

Client Sample Results

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Method: EPA 608.3 - Polychlorinated Biphenyls (PCBs) (GC)

Client Sample ID: GW-11208058-061626-BW-002

Date Collected: 06/16/26 16:50

Date Received: 06/17/26 10:00

Lab Sample ID: 240-253400-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	0.11	U	0.11	0.059	ug/L		06/19/26 10:20	06/19/26 16:24	1
Aroclor-1221	0.11	U	0.11	0.060	ug/L		06/19/26 10:20	06/19/26 16:24	1
Aroclor-1232	0.11	U	0.11	0.078	ug/L		06/19/26 10:20	06/19/26 16:24	1
Aroclor-1242	0.11	U	0.11	0.080	ug/L		06/19/26 10:20	06/19/26 16:24	1
Aroclor-1248	0.11	U	0.11	0.053	ug/L		06/19/26 10:20	06/19/26 16:24	1
Aroclor-1254	0.11	U	0.11	0.042	ug/L		06/19/26 10:20	06/19/26 16:24	1
Aroclor-1260	0.11	U	0.11	0.049	ug/L		06/19/26 10:20	06/19/26 16:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	84		10 - 128	06/19/26 10:20	06/19/26 16:24	1
Tetrachloro-m-xylene	74		16 - 120	06/19/26 10:20	06/19/26 16:24	1

Client Sample ID: GW-11208058-061626-BW-003

Date Collected: 06/16/26 16:55

Date Received: 06/17/26 10:00

Lab Sample ID: 240-253400-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	0.099	U	0.099	0.055	ug/L		06/19/26 10:20	06/19/26 16:40	1
Aroclor-1221	0.099	U	0.099	0.056	ug/L		06/19/26 10:20	06/19/26 16:40	1
Aroclor-1232	0.099	U	0.099	0.073	ug/L		06/19/26 10:20	06/19/26 16:40	1
Aroclor-1242	0.099	U	0.099	0.075	ug/L		06/19/26 10:20	06/19/26 16:40	1
Aroclor-1248	0.099	U	0.099	0.049	ug/L		06/19/26 10:20	06/19/26 16:40	1
Aroclor-1254	0.099	U	0.099	0.040	ug/L		06/19/26 10:20	06/19/26 16:40	1
Aroclor-1260	0.099	U	0.099	0.045	ug/L		06/19/26 10:20	06/19/26 16:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	65		10 - 128	06/19/26 10:20	06/19/26 16:40	1
Tetrachloro-m-xylene	57		16 - 120	06/19/26 10:20	06/19/26 16:40	1

Client Sample ID: GW-11208085-061626-BW-001

Date Collected: 06/16/26 16:45

Date Received: 06/17/26 10:00

Lab Sample ID: 240-253400-3

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	2.0	U	2.0	1.1	ug/L		06/19/26 10:20	06/22/26 11:30	20
Aroclor-1221	19		2.0	1.1	ug/L		06/19/26 10:20	06/22/26 11:30	20
Aroclor-1232	2.0	U	2.0	1.5	ug/L		06/19/26 10:20	06/22/26 11:30	20
Aroclor-1242	2.0	U	2.0	1.5	ug/L		06/19/26 10:20	06/22/26 11:30	20
Aroclor-1248	2.0	U	2.0	1.0	ug/L		06/19/26 10:20	06/22/26 11:30	20
Aroclor-1254	2.0	U	2.0	0.80	ug/L		06/19/26 10:20	06/22/26 11:30	20
Aroclor-1260	2.0	U	2.0	0.92	ug/L		06/19/26 10:20	06/22/26 11:30	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	85		10 - 128	06/19/26 10:20	06/22/26 11:30	20
Tetrachloro-m-xylene	97		16 - 120	06/19/26 10:20	06/22/26 11:30	20

Eurofins Cleveland

Client Sample Results

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Method: EPA 200.8-1994 R5.4 - Metals (ICP/MS) - Total Recoverable

Client Sample ID: GW-11208058-061626-BW-002

Date Collected: 06/16/26 16:50

Date Received: 06/17/26 10:00

Lab Sample ID: 240-253400-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	1.0	U	1.0	0.053	ug/L		06/18/26 14:00	06/19/26 14:51	1
Cadmium	1.0	U	1.0	0.077	ug/L		06/18/26 14:00	06/19/26 14:51	1
Chromium	5.0	U	5.0	1.2	ug/L		06/18/26 14:00	06/19/26 14:51	1
Copper	4.0		2.0	1.7	ug/L		06/18/26 14:00	06/19/26 14:51	1
Iron	86	J	100	47	ug/L		06/18/26 14:00	06/19/26 14:51	1
Nickel	2.0		2.0	1.5	ug/L		06/18/26 14:00	06/19/26 14:51	1
Lead	1.0	U	1.0	0.45	ug/L		06/18/26 14:00	06/19/26 14:51	1

Client Sample ID: GW-11208058-061626-BW-003

Date Collected: 06/16/26 16:55

Date Received: 06/17/26 10:00

Lab Sample ID: 240-253400-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	1.0	U	1.0	0.053	ug/L		06/18/26 14:00	06/19/26 14:59	1
Cadmium	1.0	U	1.0	0.077	ug/L		06/18/26 14:00	06/19/26 14:59	1
Chromium	5.0	U	5.0	1.2	ug/L		06/18/26 14:00	06/19/26 14:59	1
Copper	5.1		2.0	1.7	ug/L		06/18/26 14:00	06/19/26 14:59	1
Iron	110		100	47	ug/L		06/18/26 14:00	06/19/26 14:59	1
Nickel	3.2		2.0	1.5	ug/L		06/18/26 14:00	06/19/26 14:59	1
Lead	0.51	J	1.0	0.45	ug/L		06/18/26 14:00	06/19/26 14:59	1

Client Sample Results

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Method: EPA 245.1 - Mercury (CVAA)

Client Sample ID: GW-11208058-061626-BW-002

Date Collected: 06/16/26 16:50

Date Received: 06/17/26 10:00

Lab Sample ID: 240-253400-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.13	ug/L		06/18/26 14:00	06/19/26 14:54	1

Client Sample ID: GW-11208058-061626-BW-003

Date Collected: 06/16/26 16:55

Date Received: 06/17/26 10:00

Lab Sample ID: 240-253400-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.13	ug/L		06/18/26 14:00	06/19/26 14:59	1

Client Sample Results

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

General Chemistry

Client Sample ID: GW-11208058-061626-BW-002

Date Collected: 06/16/26 16:50

Date Received: 06/17/26 10:00

Lab Sample ID: 240-253400-1

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
HEM (1664B)	2.7	J	5.2	1.1	mg/L			06/29/26 09:35	1
Total Suspended Solids (SM 2540D-2020)	1.7	J	6.3	0.63	mg/L			06/23/26 11:12	1
Chemical Oxygen Demand (EPA 410.4)	12		10	1.8	mg/L			06/29/26 13:18	1
pH (SM 4500-H+ B-2021)	8.0	HF	0.1	0.1	SU			06/29/26 11:46	1
Ammonia (SM 4500-NH3H-2021)	9.6		0.20	0.15	mg/L			06/29/26 17:22	1
Total Phosphorus as P (SM 4500-P E-2021)	0.25		0.10	0.076	mg/L			06/25/26 08:11	1
Biochemical Oxygen Demand (SM 5210B-2001)	4.5		2.0	2.0	mg/L			06/18/26 07:47	1

Client Sample ID: GW-11208058-061626-BW-003

Date Collected: 06/16/26 16:55

Date Received: 06/17/26 10:00

Lab Sample ID: 240-253400-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
HEM (1664B)	3.6	J	5.4	1.1	mg/L			06/29/26 09:35	1
Total Suspended Solids (SM 2540D-2020)	7.8	U	7.8	0.78	mg/L			06/23/26 11:12	1
Chemical Oxygen Demand (EPA 410.4)	13		10	1.8	mg/L			06/29/26 13:18	1
pH (SM 4500-H+ B-2021)	8.0	HF	0.1	0.1	SU			06/29/26 12:01	1
Ammonia (SM 4500-NH3H-2021)	9.5		0.20	0.15	mg/L			06/29/26 17:25	1
Total Phosphorus as P (SM 4500-P E-2021)	0.10	U	0.10	0.076	mg/L			06/25/26 08:11	1
Biochemical Oxygen Demand (SM 5210B-2001)	2.5		2.0	2.0	mg/L			06/18/26 07:54	1

Surrogate Summary

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Method: 624.1 - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		DCA (62-137)	BFB (56-136)	TOL (78-122)
240-253400-1	GW-11208058-061626-BW-002	100	94	100
240-253400-2	GW-11208058-061626-BW-003	98	95	99
LCS 240-706472/4	Lab Control Sample	110	100	98
MB 240-706472/7	Method Blank	98	98	100

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

Method: 608.3 - Polychlorinated Biphenyls (PCBs) (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		DCBP1 (10-128)	TCX1 (16-120)
240-253400-1	GW-11208058-061626-BW-002	84	74
240-253400-2	GW-11208058-061626-BW-003	65	57
LCS 240-706464/2-A	Lab Control Sample	79	70
MB 240-706464/1-A	Method Blank	79	63

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Method: 608.3 - Polychlorinated Biphenyls (PCBs) (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		DCBP2 (10-128)	TCX2 (16-120)
240-253400-3	GW-11208085-061626-BW-001	85	97

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

QC Sample Results

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Method: 624.1 - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-706472/7

Matrix: Water

Analysis Batch: 706472

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vinyl chloride	1.0	U	1.0	0.45	ug/L			06/19/26 12:24	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137					06/19/26 12:24	1
4-Bromofluorobenzene (Surr)	98		56 - 136					06/19/26 12:24	1
Toluene-d8 (Surr)	100		78 - 122					06/19/26 12:24	1

Lab Sample ID: LCS 240-706472/4

Matrix: Water

Analysis Batch: 706472

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	50.0	51.0		ug/L		102	5 - 195
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	110		62 - 137				
4-Bromofluorobenzene (Surr)	100		56 - 136				
Toluene-d8 (Surr)	98		78 - 122				

Method: 608.3 - Polychlorinated Biphenyls (PCBs) (GC)

Lab Sample ID: MB 240-706464/1-A

Matrix: Water

Analysis Batch: 706536

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 706464

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	0.10	U	0.10	0.056	ug/L		06/19/26 10:20	06/19/26 15:52	1
Aroclor-1221	0.10	U	0.10	0.057	ug/L		06/19/26 10:20	06/19/26 15:52	1
Aroclor-1232	0.10	U	0.10	0.074	ug/L		06/19/26 10:20	06/19/26 15:52	1
Aroclor-1242	0.10	U	0.10	0.076	ug/L		06/19/26 10:20	06/19/26 15:52	1
Aroclor-1248	0.10	U	0.10	0.050	ug/L		06/19/26 10:20	06/19/26 15:52	1
Aroclor-1254	0.10	U	0.10	0.040	ug/L		06/19/26 10:20	06/19/26 15:52	1
Aroclor-1260	0.10	U	0.10	0.046	ug/L		06/19/26 10:20	06/19/26 15:52	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	79		10 - 128				06/19/26 10:20	06/19/26 15:52	1
Tetrachloro-m-xylene	63		16 - 120				06/19/26 10:20	06/19/26 15:52	1

Lab Sample ID: LCS 240-706464/2-A

Matrix: Water

Analysis Batch: 706536

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 706464

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Aroclor-1016	2.50	1.77		ug/L		71	50 - 140
Aroclor-1260	2.50	1.91		ug/L		77	8 - 140

Eurofins Cleveland

QC Sample Results

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Method: 608.3 - Polychlorinated Biphenyls (PCBs) (GC) (Continued)

Lab Sample ID: LCS 240-706464/2-A
Matrix: Water
Analysis Batch: 706536

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 706464

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
DCB Decachlorobiphenyl	79		10 - 128
Tetrachloro-m-xylene	70		16 - 120

Method: 200.8-1994 R5.4 - Metals (ICP/MS)

Lab Sample ID: MB 240-706305/1-A
Matrix: Water
Analysis Batch: 706656

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 706305

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil	Fac
Silver	1.0	U	1.0	0.053	ug/L		06/18/26 14:00	06/19/26 11:50		1
Cadmium	1.0	U	1.0	0.077	ug/L		06/18/26 14:00	06/19/26 11:50		1
Chromium	5.0	U	5.0	1.2	ug/L		06/18/26 14:00	06/19/26 11:50		1
Copper	2.0	U	2.0	1.7	ug/L		06/18/26 14:00	06/19/26 11:50		1
Iron	100	U	100	47	ug/L		06/18/26 14:00	06/19/26 11:50		1
Nickel	2.0	U	2.0	1.5	ug/L		06/18/26 14:00	06/19/26 11:50		1
Lead	1.0	U	1.0	0.45	ug/L		06/18/26 14:00	06/19/26 11:50		1

Lab Sample ID: LCS 240-706305/2-A
Matrix: Water
Analysis Batch: 706656

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 706305

			Spike	LCS	LCS				%Rec	
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	
Silver			100	100		ug/L		100	85 - 115	
Cadmium			500	473		ug/L		95	85 - 115	
Chromium			500	508		ug/L		102	85 - 115	
Copper			500	495		ug/L		99	85 - 115	
Iron			5000	5220		ug/L		104	85 - 115	
Nickel			500	485		ug/L		97	85 - 115	
Lead			500	503		ug/L		101	85 - 115	

Lab Sample ID: 240-253400-1 MS
Matrix: Water
Analysis Batch: 706656

Client Sample ID: GW-11208058-061626-BW-002
Prep Type: Total Recoverable
Prep Batch: 706305

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Silver	1.0	U	100	81.9		ug/L		82	70 - 130	
Cadmium	1.0	U	500	377		ug/L		75	70 - 130	
Chromium	5.0	U	500	407		ug/L		81	70 - 130	
Copper	4.0		500	400		ug/L		79	70 - 130	
Iron	86	J	5000	4320		ug/L		85	70 - 130	
Nickel	2.0		500	391		ug/L		78	70 - 130	
Lead	1.0	U	500	401		ug/L		80	70 - 130	

Eurofins Cleveland

QC Sample Results

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Method: 200.8-1994 R5.4 - Metals (ICP/MS) (Continued)

Lab Sample ID: 240-253400-1 MSD

Matrix: Water

Analysis Batch: 706656

Client Sample ID: GW-11208058-061626-BW-002

Prep Type: Total Recoverable

Prep Batch: 706305

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Silver	1.0	U	100	89.3		ug/L		89	70 - 130	9	20
Cadmium	1.0	U	500	413		ug/L		83	70 - 130	9	20
Chromium	5.0	U	500	442		ug/L		88	70 - 130	8	20
Copper	4.0		500	434		ug/L		86	70 - 130	8	20
Iron	86	J	5000	4650		ug/L		91	70 - 130	7	20
Nickel	2.0		500	425		ug/L		85	70 - 130	8	20
Lead	1.0	U	500	437		ug/L		87	70 - 130	9	20

Lab Sample ID: 240-253400-2 MS

Matrix: Water

Analysis Batch: 706656

Client Sample ID: GW-11208058-061626-BW-003

Prep Type: Total Recoverable

Prep Batch: 706305

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Silver	1.0	U	100	85.7		ug/L		86	70 - 130		
Cadmium	1.0	U	500	401		ug/L		80	70 - 130		
Chromium	5.0	U	500	429		ug/L		86	70 - 130		
Copper	5.1		500	419		ug/L		83	70 - 130		
Iron	110		5000	4510		ug/L		88	70 - 130		
Nickel	3.2		500	410		ug/L		81	70 - 130		
Lead	0.51	J	500	424		ug/L		85	70 - 130		

Lab Sample ID: 240-253400-2 MSD

Matrix: Water

Analysis Batch: 706656

Client Sample ID: GW-11208058-061626-BW-003

Prep Type: Total Recoverable

Prep Batch: 706305

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Silver	1.0	U	100	94.2		ug/L		94	70 - 130	9	20
Cadmium	1.0	U	500	427		ug/L		85	70 - 130	6	20
Chromium	5.0	U	500	460		ug/L		92	70 - 130	7	20
Copper	5.1		500	458		ug/L		91	70 - 130	9	20
Iron	110		5000	4860		ug/L		95	70 - 130	8	20
Nickel	3.2		500	448		ug/L		89	70 - 130	9	20
Lead	0.51	J	500	459		ug/L		92	70 - 130	8	20

Method: 245.1 - Mercury (CVAA)

Lab Sample ID: MB 240-706306/1-A

Matrix: Water

Analysis Batch: 706543

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 706306

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.13	ug/L		06/18/26 14:00	06/19/26 14:50	1

Lab Sample ID: LCS 240-706306/2-A

Matrix: Water

Analysis Batch: 706543

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 706306

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Mercury	5.00	4.82		ug/L		96	85 - 115		

Eurofins Cleveland

QC Sample Results

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Method: 245.1 - Mercury (CVAA) (Continued)

Lab Sample ID: 240-253400-1 MS

Matrix: Water

Analysis Batch: 706543

Client Sample ID: GW-11208058-061626-BW-002

Prep Type: Total/NA

Prep Batch: 706306

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.20	U	1.00	0.956		ug/L		96	70 - 130

Lab Sample ID: 240-253400-1 MSD

Matrix: Water

Analysis Batch: 706543

Client Sample ID: GW-11208058-061626-BW-002

Prep Type: Total/NA

Prep Batch: 706306

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	0.20	U	1.00	0.974		ug/L		97	70 - 130	2	20

Lab Sample ID: 240-253400-2 MS

Matrix: Water

Analysis Batch: 706543

Client Sample ID: GW-11208058-061626-BW-003

Prep Type: Total/NA

Prep Batch: 706306

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.20	U	1.00	0.964		ug/L		96	70 - 130

Lab Sample ID: 240-253400-2 MSD

Matrix: Water

Analysis Batch: 706543

Client Sample ID: GW-11208058-061626-BW-003

Prep Type: Total/NA

Prep Batch: 706306

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	0.20	U	1.00	0.981		ug/L		98	70 - 130	2	20

Method: 1664B - HEM and SGT-HEM

Lab Sample ID: MB 240-707743/1

Matrix: Water

Analysis Batch: 707743

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
HEM	5.0	U	5.0	1.0	mg/L			06/29/26 09:35	1

Lab Sample ID: LCS 240-707743/2

Matrix: Water

Analysis Batch: 707743

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
HEM	40.0	31.1		mg/L		78	78 - 114

Method: 2540D-2020 - Solids, Total Suspended (TSS)

Lab Sample ID: MB 240-706948/1

Matrix: Water

Analysis Batch: 706948

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	4.0	U	4.0	0.40	mg/L			06/23/26 11:12	1

Eurofins Cleveland

QC Sample Results

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Method: 2540D-2020 - Solids, Total Suspended (TSS) (Continued)

Lab Sample ID: LCS 240-706948/2
Matrix: Water
Analysis Batch: 706948

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Suspended Solids	77.1	55.0		mg/L		71	64 - 120

Method: 410.4 - COD

Lab Sample ID: MB 240-707813/9
Matrix: Water
Analysis Batch: 707813

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	10	U	10	1.8	mg/L			06/29/26 13:18	1

Lab Sample ID: LCS 240-707813/10
Matrix: Water
Analysis Batch: 707813

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chemical Oxygen Demand	42.8	42.4		mg/L		99	90 - 110

Method: 4500-H+ B-2021 - pH

Lab Sample ID: LCS 240-707727/22
Matrix: Water
Analysis Batch: 707727

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
pH	6.30	6.3		SU		100	97 - 103

Lab Sample ID: LCS 240-707727/33
Matrix: Water
Analysis Batch: 707727

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
pH	6.30	6.2		SU		99	97 - 103

Method: 4500-NH3H-2021 - Ammonia

Lab Sample ID: MB 240-707866/48
Matrix: Water
Analysis Batch: 707866

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.20	U	0.20	0.15	mg/L			06/29/26 16:10	1

Lab Sample ID: LCS 240-707866/49
Matrix: Water
Analysis Batch: 707866

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Ammonia	8.35	8.01		mg/L		96	90 - 110

Eurofins Cleveland

QC Sample Results

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Method: 4500-P E-2021 - Phosphorus

Lab Sample ID: MB 240-707260/3

Matrix: Water

Analysis Batch: 707260

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Phosphorus as P	0.10	U	0.10	0.076	mg/L			06/25/26 08:11	1

Lab Sample ID: LCS 240-707260/4

Matrix: Water

Analysis Batch: 707260

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Phosphorus as P	0.802	0.844		mg/L		105	90 - 110

Method: 5210B-2001 - BOD, 5-Day

Lab Sample ID: SCB 240-706224/2

Matrix: Water

Analysis Batch: 706224

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	SCB Result	SCB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Biochemical Oxygen Demand	2.0	U	2.0	2.0	mg/L			06/18/26 07:07	1

Lab Sample ID: USB 240-706224/1

Matrix: Water

Analysis Batch: 706224

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	USB Result	USB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Biochemical Oxygen Demand	2.0	U	2.0	2.0	mg/L			06/18/26 07:04	1

Lab Sample ID: LCS 240-706224/3

Matrix: Water

Analysis Batch: 706224

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Biochemical Oxygen Demand	198	204		mg/L		103	85 - 115

QC Association Summary

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

GC/MS VOA

Analysis Batch: 706472

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total/NA	Water	624.1	
240-253400-2	GW-11208058-061626-BW-003	Total/NA	Water	624.1	
MB 240-706472/7	Method Blank	Total/NA	Water	624.1	
LCS 240-706472/4	Lab Control Sample	Total/NA	Water	624.1	

GC Semi VOA

Prep Batch: 706464

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total/NA	Water	608	
240-253400-2	GW-11208058-061626-BW-003	Total/NA	Water	608	
240-253400-3	GW-11208058-061626-BW-001	Total/NA	Water	608	
MB 240-706464/1-A	Method Blank	Total/NA	Water	608	
LCS 240-706464/2-A	Lab Control Sample	Total/NA	Water	608	

Analysis Batch: 706536

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total/NA	Water	608.3	706464
240-253400-2	GW-11208058-061626-BW-003	Total/NA	Water	608.3	706464
MB 240-706464/1-A	Method Blank	Total/NA	Water	608.3	706464
LCS 240-706464/2-A	Lab Control Sample	Total/NA	Water	608.3	706464

Analysis Batch: 706665

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-3	GW-11208058-061626-BW-001	Total/NA	Water	608.3	706464

Metals

Prep Batch: 706305

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total Recoverable	Water	200.8-1994 R5.4	
240-253400-2	GW-11208058-061626-BW-003	Total Recoverable	Water	200.8-1994 R5.4	
MB 240-706305/1-A	Method Blank	Total Recoverable	Water	200.8-1994 R5.4	
LCS 240-706305/2-A	Lab Control Sample	Total Recoverable	Water	200.8-1994 R5.4	
240-253400-1 MS	GW-11208058-061626-BW-002	Total Recoverable	Water	200.8-1994 R5.4	
240-253400-1 MSD	GW-11208058-061626-BW-002	Total Recoverable	Water	200.8-1994 R5.4	
240-253400-2 MS	GW-11208058-061626-BW-003	Total Recoverable	Water	200.8-1994 R5.4	
240-253400-2 MSD	GW-11208058-061626-BW-003	Total Recoverable	Water	200.8-1994 R5.4	

Prep Batch: 706306

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total/NA	Water	245.1	
240-253400-2	GW-11208058-061626-BW-003	Total/NA	Water	245.1	
MB 240-706306/1-A	Method Blank	Total/NA	Water	245.1	
LCS 240-706306/2-A	Lab Control Sample	Total/NA	Water	245.1	
240-253400-1 MS	GW-11208058-061626-BW-002	Total/NA	Water	245.1	
240-253400-1 MSD	GW-11208058-061626-BW-002	Total/NA	Water	245.1	
240-253400-2 MS	GW-11208058-061626-BW-003	Total/NA	Water	245.1	
240-253400-2 MSD	GW-11208058-061626-BW-003	Total/NA	Water	245.1	

Eurofins Cleveland

QC Association Summary

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Metals

Analysis Batch: 706543

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total/NA	Water	245.1	706306
240-253400-2	GW-11208058-061626-BW-003	Total/NA	Water	245.1	706306
MB 240-706306/1-A	Method Blank	Total/NA	Water	245.1	706306
LCS 240-706306/2-A	Lab Control Sample	Total/NA	Water	245.1	706306
240-253400-1 MS	GW-11208058-061626-BW-002	Total/NA	Water	245.1	706306
240-253400-1 MSD	GW-11208058-061626-BW-002	Total/NA	Water	245.1	706306
240-253400-2 MS	GW-11208058-061626-BW-003	Total/NA	Water	245.1	706306
240-253400-2 MSD	GW-11208058-061626-BW-003	Total/NA	Water	245.1	706306

Analysis Batch: 706656

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total Recoverable	Water	200.8-1994 R5.4	706305
240-253400-2	GW-11208058-061626-BW-003	Total Recoverable	Water	200.8-1994 R5.4	706305
MB 240-706305/1-A	Method Blank	Total Recoverable	Water	200.8-1994 R5.4	706305
LCS 240-706305/2-A	Lab Control Sample	Total Recoverable	Water	200.8-1994 R5.4	706305
240-253400-1 MS	GW-11208058-061626-BW-002	Total Recoverable	Water	200.8-1994 R5.4	706305
240-253400-1 MSD	GW-11208058-061626-BW-002	Total Recoverable	Water	200.8-1994 R5.4	706305
240-253400-2 MS	GW-11208058-061626-BW-003	Total Recoverable	Water	200.8-1994 R5.4	706305
240-253400-2 MSD	GW-11208058-061626-BW-003	Total Recoverable	Water	200.8-1994 R5.4	706305

General Chemistry

Analysis Batch: 706224

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total/NA	Water	5210B-2001	
240-253400-2	GW-11208058-061626-BW-003	Total/NA	Water	5210B-2001	
SCB 240-706224/2	Method Blank	Total/NA	Water	5210B-2001	
USB 240-706224/1	Method Blank	Total/NA	Water	5210B-2001	
LCS 240-706224/3	Lab Control Sample	Total/NA	Water	5210B-2001	

Analysis Batch: 706948

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total/NA	Water	2540D-2020	
240-253400-2	GW-11208058-061626-BW-003	Total/NA	Water	2540D-2020	
MB 240-706948/1	Method Blank	Total/NA	Water	2540D-2020	
LCS 240-706948/2	Lab Control Sample	Total/NA	Water	2540D-2020	

Analysis Batch: 707260

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total/NA	Water	4500-P E-2021	
240-253400-2	GW-11208058-061626-BW-003	Total/NA	Water	4500-P E-2021	
MB 240-707260/3	Method Blank	Total/NA	Water	4500-P E-2021	
LCS 240-707260/4	Lab Control Sample	Total/NA	Water	4500-P E-2021	

Analysis Batch: 707727

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total/NA	Water	4500-H+ B-2021	
240-253400-2	GW-11208058-061626-BW-003	Total/NA	Water	4500-H+ B-2021	
LCS 240-707727/22	Lab Control Sample	Total/NA	Water	4500-H+ B-2021	
LCS 240-707727/33	Lab Control Sample	Total/NA	Water	4500-H+ B-2021	

Eurofins Cleveland

QC Association Summary

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

General Chemistry

Analysis Batch: 707743

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total/NA	Water	1664B	
240-253400-2	GW-11208058-061626-BW-003	Total/NA	Water	1664B	
MB 240-707743/1	Method Blank	Total/NA	Water	1664B	
LCS 240-707743/2	Lab Control Sample	Total/NA	Water	1664B	

Analysis Batch: 707813

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total/NA	Water	410.4	
240-253400-2	GW-11208058-061626-BW-003	Total/NA	Water	410.4	
MB 240-707813/9	Method Blank	Total/NA	Water	410.4	
LCS 240-707813/10	Lab Control Sample	Total/NA	Water	410.4	

Analysis Batch: 707866

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-253400-1	GW-11208058-061626-BW-002	Total/NA	Water	4500-NH3H-202 1	
240-253400-2	GW-11208058-061626-BW-003	Total/NA	Water	4500-NH3H-202 1	
MB 240-707866/48	Method Blank	Total/NA	Water	4500-NH3H-202 1	
LCS 240-707866/49	Lab Control Sample	Total/NA	Water	4500-NH3H-202 1	

Lab Chronicle

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Client Sample ID: GW-11208058-061626-BW-002

Lab Sample ID: 240-253400-1

Date Collected: 06/16/26 16:50

Matrix: Water

Date Received: 06/17/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	624.1		1	706472	HMB	EET CLE	06/19/26 19:00
Total/NA	Prep	608			706464	NPR	EET CLE	06/19/26 10:20
Total/NA	Analysis	608.3		1	706536	MBB	EET CLE	06/19/26 16:24
Total Recoverable	Prep	200.8-1994 R5.4			706305	MN7X	EET CLE	06/18/26 14:00
Total Recoverable	Analysis	200.8-1994 R5.4		1	706656	TQ6W	EET CLE	06/19/26 14:51
Total/NA	Prep	245.1			706306	MN7X	EET CLE	06/18/26 14:00
Total/NA	Analysis	245.1		1	706543	BN	EET CLE	06/19/26 14:54
Total/NA	Analysis	1664B		1	707743	C5SV	EET CLE	06/29/26 09:35
Total/NA	Analysis	2540D-2020		1	706948	C5SV	EET CLE	06/23/26 11:12
Total/NA	Analysis	410.4		1	707813	SC3B	EET CLE	06/29/26 13:18
Total/NA	Analysis	4500-H+ B-2021		1	707727	BP	EET CLE	06/29/26 11:46
Total/NA	Analysis	4500-NH3H-2021		1	707866	JWW	EET CLE	06/29/26 17:22
Total/NA	Analysis	4500-P E-2021		1	707260	BLW	EET CLE	06/25/26 08:11
Total/NA	Analysis	5210B-2001		1	706224	AJ	EET CLE	06/18/26 07:47

Client Sample ID: GW-11208058-061626-BW-003

Lab Sample ID: 240-253400-2

Date Collected: 06/16/26 16:55

Matrix: Water

Date Received: 06/17/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	624.1		1	706472	HMB	EET CLE	06/19/26 19:22
Total/NA	Prep	608			706464	NPR	EET CLE	06/19/26 10:20
Total/NA	Analysis	608.3		1	706536	MBB	EET CLE	06/19/26 16:40
Total Recoverable	Prep	200.8-1994 R5.4			706305	MN7X	EET CLE	06/18/26 14:00
Total Recoverable	Analysis	200.8-1994 R5.4		1	706656	TQ6W	EET CLE	06/19/26 14:59
Total/NA	Prep	245.1			706306	MN7X	EET CLE	06/18/26 14:00
Total/NA	Analysis	245.1		1	706543	BN	EET CLE	06/19/26 14:59
Total/NA	Analysis	1664B		1	707743	C5SV	EET CLE	06/29/26 09:35
Total/NA	Analysis	2540D-2020		1	706948	C5SV	EET CLE	06/23/26 11:12
Total/NA	Analysis	410.4		1	707813	SC3B	EET CLE	06/29/26 13:18
Total/NA	Analysis	4500-H+ B-2021		1	707727	BP	EET CLE	06/29/26 12:01
Total/NA	Analysis	4500-NH3H-2021		1	707866	JWW	EET CLE	06/29/26 17:25
Total/NA	Analysis	4500-P E-2021		1	707260	BLW	EET CLE	06/25/26 08:11
Total/NA	Analysis	5210B-2001		1	706224	AJ	EET CLE	06/18/26 07:54

Client Sample ID: GW-11208085-061626-BW-001

Lab Sample ID: 240-253400-3

Date Collected: 06/16/26 16:45

Matrix: Water

Date Received: 06/17/26 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	608			706464	NPR	EET CLE	06/19/26 10:20
Total/NA	Analysis	608.3		20	706665	MBB	EET CLE	06/22/26 11:30

Eurofins Cleveland

Lab Chronicle

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Accreditation/Certification Summary

Client: GHD Services Inc
Project/Site: 11208058, RACER Bay City

Job ID: 240-253400-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	09-30-26
Georgia	State	4062	02-27-27
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kansas	NELAP	E-10336	01-31-27
Kentucky (UST)	State	112225	02-28-27
Kentucky (VWV)	State	KY98016	12-31-26
Michigan	State	9135	01-10-27
Minnesota	NELAP	039-999-348	12-31-26
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-27
Ohio	State	8303	02-28-27
Ohio VAP	State	ORELAP 4062	02-28-27
Oregon	NELAP	4062	02-27-27
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
US Fish & Wildlife	US Federal Programs	A26406	02-28-27
USDA	US Federal Programs	525-24-5-34740	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	12-31-26
Wisconsin	State	399167560	08-31-26

180 S. Van Buren Avenue
Barberton, OH 44203
Phone: 330-497-9396 Fax: 330-497-0772

$$\frac{1.4}{2.0}$$

Environment Testing



240-253400 COC

Eurofins - Cleveland Sample Receipt Form/Narrative

Login # : _____

Client CHD

Site Name _____

Cooler unpacked by: [Signature]

Cooler Received on 6-17-86

Opened on 6-17-86

FedEx, 1st Grd Exp

UPS

FAS

Waypoint

Client Drop Off

Eurofins Courier

Other _____

Receipt After-hours, Drop-off Date/Time _____

Storage Location _____

Eurofins Cooler # 15C

Foam Box

Client Cooler

Box

Other _____

Packing material used Bubble Wrap

Foam

Plastic Bag

None

Other _____

COOLANT: Wet Ice

Blue Ice

Dry Ice

Water

None

1 Cooler temperature upon receipt _____

☐ See Multiple Cooler Form

IR GUN # 1 (CF N V °C)

Observed Cooler Temp. 1 °C

Corrected Cooler Temp. 2 °C

2 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1

Yes ☒ No ☐ NA ☐

-Were the seals on the outside of the cooler(s) signed & dated?

Yes ☒ No ☐ NA ☐

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?

Yes ☒ No ☐ NA ☐

-Were tamper/custody seals intact and uncompromised?

Yes ☒ No ☐ NA ☐

3 Shippers' packing slip attached to the cooler(s)?

Yes ☒ No ☐ NA ☐

4 Did custody papers accompany the sample(s)?

Yes ☒ No ☐ NA ☐

5 Were the custody papers relinquished & signed in the appropriate place?

Yes ☒ No ☐ NA ☐

6 Was/were the person(s) who collected the samples clearly identified on the COC?

Yes ☒ No ☐ NA ☐

7 Did all bottles arrive in good condition (Unbroken)?

Yes ☒ No ☐ NA ☐

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC?

Yes ☒ No ☐ NA ☐

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?

Yes ☒ No ☐ NA ☐

10 Were correct bottle(s) used for the test(s) indicated?

Yes ☒ No ☐ NA ☐

11 Sufficient quantity received to perform indicated analyses?

Yes ☒ No ☐ NA ☐

12. Are these work share samples and all listed on the COC?

Yes ☒ No ☐ NA ☐

If yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt?

Yes ☒ No ☐ NA ☐ pH Strip Lot# HC574455

14 Were VOAs on the COC?

Yes ☒ No ☐ NA ☐

15 Were air bubbles >6 mm in any VOA vials? ☒ Larger than this

Yes ☒ No ☐ NA ☐

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____

Yes ☒ No ☐ NA ☐

17 Was a LL Hg or Me Hg trip blank present? _____

Yes ☒ No ☐ NA ☐

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page

Labeled by: _____

Labels Verified by: _____

001 - missing Amber liter unpreserved
003 - missing Amber liter sulfur acid

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container

Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory

Time preserved _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen _____



6/17/2026

Login Container Summary Report

240-253400

6/30/2026

Temperature readings. _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container pH</u>	<u>Preservation Temp</u>	<u>Preservation Added</u>	<u>Preservation Lot Number</u>
GW-11208058-061626-BU-002	240-253400-A-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
GW-11208058-061626-BU-002	240-253400-B-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
GW-11208058-061626-BU-002	240-253400-C-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
GW-11208058-061626-BU-002	240-253400-D-1	Plastic 125mL - unpreserved	_____	_____	_____	_____
GW-11208058-061626-BU-002	240-253400-E-1	Plastic 250ml - with Sulfuric Acid	<2	_____	_____	_____
GW-11208058-061626-BU-002	240-253400-F-1	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
GW-11208058-061626-BU-002	240-253400-G-1	Plastic 1 liter - unpreserved	_____	_____	_____	_____
GW-11208058-061626-BU-002	240-253400-H-1	Plastic 1 liter - unpreserved	_____	_____	_____	_____
GW-11208058-061626-BU-002	240-253400-I-1	Amber Glass 1 liter - unpreserved	_____	_____	_____	_____
GW-11208058-061626-BU-002	240-253400-J-1	Amber Glass 1 liter - Sulfuric Acid	_____	_____	_____	_____
GW-11208058-061626-BU-002	240-253400-L-1	Amber Glass 1 liter - Sulfuric Acid	_____	_____	_____	_____
GW-11208058-061626-BU-003	240-253400-A-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
GW-11208058-061626-BU-003	240-253400-B-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
GW-11208058-061626-BU-003	240-253400-C-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
GW-11208058-061626-BU-003	240-253400-D-2	Plastic 125mL - unpreserved	_____	_____	_____	_____
GW-11208058-061626-BU-003	240-253400-E-2	Plastic 250ml - with Sulfuric Acid	<2	_____	_____	_____
GW-11208058-061626-BU-003	240-253400-F-2	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
GW-11208058-061626-BU-003	240-253400-G-2	Plastic 1 liter - unpreserved	_____	_____	_____	_____
GW-11208058-061626-BU-003	240-253400-I-2	Amber Glass 1 liter - unpreserved	_____	_____	_____	_____

Attachment 2

Certification Statement

Certification Statement

"I, M. Brendan Mullen, certify under penalty of law that this document [GHD Semi-Annual Compliance Report (January 1 to June 30, 2026), dated July 31, 2026], and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."



RACER Trust, Cleanup Manager

7/30/2026

(Date)