



December 10, 2010

U.S.EPA Region II
Emergency & Remedial Response Division
290 Broadway, 19th Floor
New York, NY 10007-1866
Attn: Ms. Anne Kelly

RE: Former Central Foundry – Massena Superfund Site, Massena, New York
EPA Orders Index No. II CERCLA-20207 and 20215 -
Monthly Progress Report No. 223 for November 2010

Dear Ms. Kelly:

On behalf of Motors Liquidation Company (MLC), BOW Environmental Solutions, Inc., enclosed please find 2 copies of the Monthly Progress Report relating to the activities performed during the month of November 2010, in conformance with the Unilateral Administrative Orders for both operable units of the Former Central Foundry, Massena Superfund Site.

Should you or your staff have any questions regarding the contents of the Progress Report, please contact me at (937) 478-8221.

Sincerely,

A handwritten signature in cursive script that reads "Pamela L. Barnett".

Pamela L. Barnett, PG
Project Manager
BOW Environmental Solutions, Inc. on behalf of MLC

Monthly Progress Report No. 223 – November 2010
Former Central Foundry Massena Superfund Site - Operable Units 1 & 2
USEPA Unilateral Administrative Orders Nos. II CERCLA - 20207 & 20215

I. Compliance Activities Completed for the Period (November 1 through November 30, 2010)

Remedial Design / Remedial Action

In a letter dated November 5, 2010, MLC notified NYSDEC of a change in the licensed operator associated with the State Pollution Discharge Elimination System (SPDES) Permit for the site.

In a letter dated November 5, 2010, USEPA approved the March 2010 ARCADIS Proposed Scope of Work for Aquifer Hydraulic Testing and provided an Addendum with eleven additional conditions to be included with the plan.

Other work activities associated with the Pre-Design Investigation (PDI) Work Plan continued during November. A geophysical survey consisting of ground-penetrating radar and electromagnetic conductivity was conducted around the active and inactive lagoons and the North Disposal Area from November 1st to November 5th. The site reconnaissance was performed in support of the utility clearance effort prior to the subsurface investigation drilling and sampling work. In addition this information may also be incorporated into the Remedial Design for the project.

The soil PCB delineation boring program began on November 8th using the direct push drilling method and Rotosonic drilling the following week. By November 30, a total of 34 locations were completed with depths ranging from 3.8 to 24 feet below grade. All core intervals were scanned for volatile organic compounds using a PID and described in a log book. Discrete samples were collected from select intervals and shipped to a laboratory for analyses of PCBs and phenols as required. The analytical results for these soil samples are presented in Attachment 1, Tables 3 and 4.

On November 22, 2010, Parrott Wolff Drilling mobilized to the site to begin installing the aquifer pump test wells. By November 30, the 2 pilot test borings had been drilled and 1 observation well had been drilled. The borings ranged in depth from 16 to 40 below grade. Select soil samples intervals were collected and were sent out for grain size analyses.

Maintenance Activities

Outfall 002 (at the Raquette River) and Outfall 004 (north of the Industrial Landfill) were both sampled on November 4, 2010. The analytical results for these water samples are presented in Attachment 1, Tables 1 & 2.

Also during the month of November, a total of approximately 87,310 gallons of water (approximately 72,760 gallons from the sump northeast of the Industrial Landfill, 6,140 gallons from the containment cell areas, and 8,410 gallons from the Process Water lagoon underdrain) were transferred to the site's Waste Water Treatment Plant WWTP for treatment.

MLC inspected site remedial areas and addressed maintenance needs at the containment cell sumps (assembled pumps and piping).

**Monthly Progress Report No. 223 – November 2010
Former Central Foundry Massena Superfund Site - Operable Units 1 & 2
USEPA Unilateral Administrative Orders Nos. II CERCLA - 20207 & 20215**

II. Analytical Data

Analytical results received during the month of November for the Massena Superfund Site include the following:

- Table 1 – Summary of Outfall 002 Water Sampling Analytical Results.
- Table 2 – Summary of Outfall 004 Water Sampling Analytical Results.
- Table 3 – Summary of PDI Soil PCB Analytical Results.
- Table 4 – Summary of PDI Soil Phenol Analytical Results

Results are provided in the tables in Attachment 1.

III. Project Tasks Scheduled for the Coming Month (December 2010)

During December, MLC will continue work associated with the *Pre-Design Investigation for Operable Units 1 and 2* and drilling for the Aquifer Hydraulic Testing.

IV. Project Status, Delays and Recovery Plans

The following table summarizes submittals made during the month, submittals responded to during the month, and submittals which continue to be under review.

<u>Submitted to EPA / NYSDEC</u>	<u>Date</u>
MLC notification to NYSDEC of a change in the licensed operator associated SPDES Permit	November 5, 2010
<u>Previously Submitted to EPA – Pending Comment or Approval</u>	
Draft Remedial Action Waste Management Plan	January 7, 2010
Draft Preliminary Remedial Design / Remedial Action Work Plan Combined East Disposal Area and Industrial Landfill	February 8, 2010
Draft Preliminary Remedial Design/Remedial Action Work Plan for the North Disposal Area and Active/Inactive Lagoons for the Central Foundry Site, Massena, NY	March 8, 2010
Draft Preliminary Remedial Design/Remedial Action Work Plan Groundwater Collection and Treatment System	March 8, 2010
Draft Preliminary Remedial Design/Remedial Action Work Plan for the Combined East Disposal Area and Industrial Landfill for the Central Foundry Site	April 7, 2010
<u>Comments/Approvals Received from EPA/NYSDEC during the current Reporting Month</u>	
USEPA conditional approval letter of the Proposed Scope of Work for Aquifer Hydraulic Testing	November 7, 2010

Monthly Progress Report No. 223 – November 2010
Former Central Foundry Massena Superfund Site - Operable Units 1 & 2
USEPA Unilateral Administrative Orders Nos. II CERCLA - 20207 & 20215

ATTACHMENT 1

Analytical Data

Table 1
Summary of Outfall 002 Water Sampling Analytical Results
Former Central Foundry Massena Superfund Site, New York

PCBs EPA 608 - Hexane Extractable EPA 413.1 - Total Suspended Solids EPA 160.2 - Metals EPA 200.7

#	Sample ID	Date Sampled	Polychlorinated Biphenyls (PCBs) EPA 608			Hexane Extractable (Oil & Grease) EPA 1664A			Total Suspended Solids (TSS) EPA 160.2			Metals USEPA 200.7		
			Detection Limit (ug/l)	Analytical Results (ug/l)	SPDES Permit Limits (ug/l)	Detection Limit (mg/l)	Analytical Results (mg/l)	SPDES Permit Limits (mg/l)	Detection Limit (mg/l)	Analytical Results (mg/l)	SPDES Permit Limits (mg/l)	Aluminum (mg/l)	SPDES Permit Limits (mg/l)	Iron (mg/l)
1	13258	18-Nov-08	0.0505	U	0.3	1.0	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.0532	see note 1, below
2	13296	2-Dec-08	0.0526	U	0.3	1.0	3.20	15	1.00	< 1.00	50	0.0560	0.0600	see note 1, below
3	-	No sample collected during January due to frozen conditions.												
4	13347	12-Feb-09	0.0532	U	0.3	1.0	6.30	15	1.00	4.30	50	1.12	1.16	see note 1, below
5	13382	12-Mar-09	0.0515	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	0.0646	0.130	see note 1, below
6	13406	2-Apr-09	0.0515	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.217	see note 1, below
7	13433	21-May-09	0.0510	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.0848	see note 1, below
8	-	No stormwater runoff at Outfall when checked												
9	13529	6-Aug-09	0.0515	U	0.3	1.00	< 1.00	15	1.00	2.00	50	0.0748	0.2340	see note 1, below
10	13564	15-Sep-09	0.0521	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.0885	see note 1, below
11	13598	8-Oct-09	0.0520	U	0.3	1.00	2.30	15	1.00	< 1.00	50	< 0.0500	0.1430	see note 1, below
12	13632	3-Nov-09	0.0515	U	0.3	1.00	7.70	15	1.00	< 1.00	50	< 0.0500	0.1880	see note 1, below
13	13657	3-Dec-09	0.0515	U	0.3	1.00	< 1.00	15	1.00	3.60	50	0.3550	0.3790	see note 1, below
14	13700	7-Jan-10	0.0500	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.1640	see note 1, below
15	13730	2-Feb-10	0.0500	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.0745	see note 1, below
16	13765	1-Mar-10	0.0526	U	0.3	1.00	< 1.00	15	1.00	< 1.00	50	< 0.0500	< 0.0500	see note 1, below
17	13795	8-Apr-10	0.0532	U	0.3	1.0	< 1.00	15	1.00	1.00	50	< 0.0500	0.188	see note 1, below
18	13828	6-May-10	0.0526	U	0.3	1.0	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.188	see note 1, below
19	13859	3-Jun-10	0.0500	U	0.3	1.0	2.30	15	1.00	4.50	50	< 0.0500	< 0.0500	see note 1, below
20	13900	1-Jul-10	0.0505	U	0.3	1.0	2.10	15	1.00	< 1.00	50	< 0.0500	0.420	see note 1, below
21	13931	5-Aug-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	1.10	50	0.0612	0.149	see note 1, below
22	13963	30-Sep-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	3.00	50	< 0.0500	0.235	see note 1, below
23	14000	1-Oct-10	0.0500	U	0.3	1.0	2.30	15	1.00	1.70	50	0.2030	0.286	see note 1, below
24	14031	4-Nov-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.350	see note 1, below

Notes:

- 1). There is no effluent limit on metals for the SPDES Permit.
- 2). Analyses performed by Analytics Corporation, Inc.

Table 2
Summary of Outfall 004 Water Sampling Analytical Results
Former Central Foundry Massena Superfund Site, New York

PCBs EPA 608 - Hexane Extractable EPA 1664A - Total Suspended Solids EPA 160.2 - Metals EPA 200.7

#	Sample ID	Date Sampled	Polychlorinated Biphenyls (PCBs) EPA 608			Oil & Grease (Hexane Extractable) EPA 1664A			Total Suspended Solids (TSS) EPA 160.2				Metals USEPA 200.7		
			Detection Limit (ug/l)	Analytical Results (ug/l)	SPDES Permit Limits (ug/l)	Detection Limit (mg/l)	Analytical Results (mg/l)	SPDES Permit Limits (mg/l)	Detection Limit (mg/l)	Analytical Results (mg/l)	SPDES Permit Limits (mg/l)	Aluminum (mg/l)	SPDES Permit Limits (mg/l)	Iron (mg/l)	SPDES Permit Limits (mg/l)
1	13297	02-Dec-08	0.0515	U	0.3	1.0	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.244	see note 1. below	
2	-	No sample collected during January due to frozen conditions.													
3	13348	02-Feb-09	0.0500	U	0.3	1.0	2.30	15	1.00	1.60	50	0.130	0.152	see note 1. below	
4	13383	11-Mar-09	0.0500	U	0.3	1.0	< 1.00	15	1.00	4.40	50	0.129	0.177	see note 1. below	
5	13407	02-Apr-09	0.0510	U	0.3	1.0	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.311	see note 1. below	
6	13434	21-May-09	0.0521	U	0.3	1.0	< 1.00	15	1.00	5.70	50	< 0.0500	2.75	see note 1. below	
7	13469	30-Jun-09	0.0515	U	0.3	1.0	< 1.00	15	1.00	28.50	50	< 0.0500	10.80	see note 1. below	
8	13530	06-Aug-09	0.0510	U	0.3	1.0	< 1.00	15	1.00	12.60	50	< 0.0500	4.74	see note 1. below	
9	13565	15-Sep-09	0.0521	U	0.3	1.0	2.30	15	1.00	4.40	50	< 0.0500	7.59	see note 1. below	
10	13599	13-Oct-09	0.0510	U	0.3	1.0	< 1.00	15	1.00	7.80	50	< 0.0500	3.44	see note 1. below	
11	13633	03-Nov-09	0.0515	U	0.3	1.0	< 1.00	15	1.00	1.10	50	< 0.0500	0.489	see note 1. below	
12	13668	03-Dec-09	0.0521	U	0.3	1.0	< 1.00	15	1.00	4.00	50	0.8130	0.868	see note 1. below	
13	13701	07-Jan-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	2.50	50	< 0.0500	1.00	see note 1. below	
14	13731	02-Feb-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	3.30	50	< 0.0500	1.29	see note 1. below	
15	13766	04-Mar-10	0.0526	U	0.3	1.0	< 1.00	15	1.00	< 1.00	50	< 0.0500	0.162	see note 1. below	
16	13796	08-Apr-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	4.00	50	< 0.0500	1.44	see note 1. below	
17	13829	06-May-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	3.50	50	< 0.0500	1.00	see note 1. below	
18	13860	03-Jun-10	0.0500	U	0.3	1.0	1.10	15	1.00	5.80	50	0.0641	1.46	see note 1. below	
19	13901	01-Jul-10	0.0505	U	0.3	1.0	< 1.00	15	1.00	7.20	50	< 0.0500	3.650	see note 1. below	
20	13144	01-Jul-08	0.0543	U	0.3	1.0	< 1.00	15	1.00	17.80	50	< 0.0500	7.10	see note 1. below	
21	13932	26-Aug-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	14.20	50	< 0.0500	5.210	see note 1. below	
22	13964	30-Sep-10	0.0500	U	0.3	1.0	< 1.00	15	1.00	6.40	50	< 0.0500	2.430	see note 1. below	
23	14001	1-Oct-10	0.0500	U	0.3	1.0	3.50	15	1.00	1.70	50	0.1520	0.221	see note 1. below	
24	14032	04-Nov-10	0.0515	U	0.3	1.0	< 1.00	15	1.00	2.00	50	< 0.0500	0.075	see note 1. below	

Notes:

- 1). There is no effluent limit on metals for the SPDES Permit.
- 2). Analyses performed by Analytix Corporation, Inc.

Table 3
Summary of PDI Soil Analytical Results
MLC Massena Superfund Site, New York
PCBs EPA Method SW-846 8082

Sample Count	Sample Date	Sample ID	PCB Analytical Result
1	11/9/2010	NDA-27-(0-1)-(110910)	0.387
2	11/9/2010	NDA-27-(2-4)-(110910)	H
3	11/9/2010	NDA-28-(0-1)-(110910)	0.081
4	11/9/2010	NDA-28-(1-3)-(110910)	H
5	11/9/2010	NDA-28-(3-5)-(110910)	H
6	11/9/2010	BD-110910-1 [NDA-29-(0-1)-(110910)]	ND
7	11/9/2010	NDA-29-(0-1)-(110910)	0.73
8	11/9/2010	BD-110910-2 [NDA-28-(3-5)-(110910)]	H
9	11/9/2010	NDA-29-(1-3)-(110910)	H
10	11/9/2010	NDA-29-(3-5)-(110910)	H
11	11/9/2010	NDA-34-(1-2)-(110910)	0.166
12	11/9/2010	NDA-34-(2-4)-(110910)	0.97
13	11/9/2010	NDA-34-(4-6)-(110910)	H
14	11/9/2010	NDA-31-(0-1)-(110910)	0.48
15	11/9/2010	NDA-31-(1-3)-(110910)	H
16	11/9/2010	NDA-31-(3-5)-(110910)	H
17	11/9/2010	NDA-32-(0-1)-(110910)	4.7
18	11/9/2010	NDA-32-(1-3)-(110910)	H
19	11/9/2010	NDA-32-(3-5)-(110910)	H
20	11/9/2010	NDA-36-(1-2)-(110910)	4.2
21	11/9/2010	NDA-36-(2-4)-(110910)	H
22	11/9/2010	NDA-36-(4-6)-(110910)	H
23	11/9/2010	RB-110910	ND
24	11/10/2010	RB-111010	ND
25	11/10/2010	NDA-30-(0.8-1.8)-(111010)	4.8
26	11/10/2010	NDA-30-(1.8-3.8)-(111010)	H
27	11/10/2010	NDA-30-(3.8-5.8)-(111010)	H
28	11/10/2010	NDA-7-(0-1)-(111010)	34.5
29	11/10/2010	NDA-7-(1-3)-(111010)	1.8
30	11/10/2010	NDA-7-(3-5)-(111010)	H
31	11/10/2010	NDA-8-(0-1)-(111010)	0.22
32	11/10/2010	NDA-8-(1-3)-(111010)	H
33	11/10/2010	NDA-8-(3-5)-(111010)	H
34	11/10/2010	NDA-12-(0-1)-111010	5.97
35	11/10/2010	NDA-12-(1-3)-111010	H
36	11/10/2010	NDA-12-(3-5)-111010	H
37	11/10/2010	IL-30-(1-2)-(11-10-10)	3.1
38	11/10/2010	IL-30-(2-4)-(11-10-10)	H
39	11/10/2010	IL-30-(4-6)-(11-10-10)	H
40	11/10/2010	BD-(11-10-10)-3 [IL-30-(4-6)-(11-10-10)]	H
41	11/10/2010	NDA-33-(1-2)-(11-10-10)	10
42	11/10/2010	NDA-33-(2-4)-(11-10-10)	H
43	11/10/2010	NDA-33-(4-6)-(11-10-10)	H
44	11/10/2010	IL-26-(0.8-1.8)-(11-10-10)	0.2
45	11/10/2010	IL-26-(1.8-3.8)-(11-10-10)	H
46	11/10/2010	IL-26-(3.8-5.8)-(11-10-10)	H
47	11/10/2010	IL-25-(0-1)-(11-10-10)	3.76
48	11/10/2010	IL-25-(1-3)-(11-10-10)	H
49	11/10/2010	IL-25-(3-5)-(11-10-10)	H
50	11/10/2010	IL-27A-(0.5-1.5)-(11-10-10)	19
51	11/10/2010	IL-27A-(1.5-3.5)-(11-10-10)	7.7
52	11/10/2010	IL-28-(0-1)-(11-10-10)	0.96
53	11/10/2010	IL-28-(1-3)-(11-10-10)	H

Table 3
Summary of PDI Soil Analytical Results
MLC Massena Superfund Site, New York
PCBs EPA Method SW-846 8082

Sample Count	Sample Date	Sample ID	PCB Analytical Result
54	11/10/2010	IL-28-(3-5)-(11-10-10)	H
55	11/10/2010	IL-29-(0-1)-(11-10-10)	9.1
56	11/10/2010	IL-29-(1-3)-(11-10-10)	H
57	11/10/2010	IL-29-(3-5)-(11-10-10)	H
58	11/10/2010	NDA-24-(0-2)-(11-10-10)	4.8
59	11/10/2010	NDA-24-(2-4)-(11-10-10)	0.11
60	11/10/2010	NDA-24-(4-6)-(11-10-10)	H
61	11/10/2010	NDA-24-(6-8)-(11-10-10)	H
62	11/11/2010	RB-(11-11-10)	Results Pending
63	11/16/2010	NDA-39-(8-10)-(11-16-10)	0.099
64	11/16/2010	NDA-39-(10-12)-(11-16-10)	ND
65	11/16/2010	NDA-39-(12-14)-(11-16-10)	ND
66	11/16/2010	NDA-39-(14-16)-(11-16-10)	ND
67	11/16/2010	NDA-39-(16-18)-(11-16-10)	H
68	11/16/2010	NDA-39-(18-20)-(11-16-10)	H
69	11/16/2010	BD-(111610)-4 [NDA-39-(8-10)-(11-16-10)]	0.29
70	11/17/2010	RB-(11-17-10)	ND
71	11/17/2010	NDA-40-(8-10)-(11-17-10)	ND
72	11/17/2010	NDA-40-(10-12)-(11-17-10)	ND
73	11/17/2010	NDA-40-(12-14)-(11-17-10)	ND
74	11/17/2010	NDA-40-(14-16)-(11-17-10)	ND
75	11/17/2010	NDA-40-(16-18)-(11-17-10)	H
76	11/17/2010	NDA-40-(18-20)-(11-17-10)	H
77	11/17/2010	BD-(111710)-5 [NDA-40-(18-20)-(11-17-10)]	H
78	11/17/2010	NDA-41-(8-10)-(11-17-10)	ND
79	11/17/2010	NDA-41-(10-12)-(11-17-10)	ND
80	11/17/2010	NDA-41-(12-14)-(11-17-10)	ND
81	11/17/2010	NDA-41-(14-16)-(11-17-10)	ND
82	11/17/2010	NDA-41-(16-18)-(11-17-10)	H
83	11/17/2010	NDA-41-(18-20)-(11-17-10)	H
84	11/10/2010	NDA-24-(6-8)-(11-10-10)	Results Pending
85	11/10/2010	RB-(11-11-10)	ND
86	11/18/2010	NDA-1-(0-2)-(11-18-10)	5.1
87	11/18/2010	NDA-1-(2-4)-(11-18-10)	0.2
88	11/18/2010	NDA-1-(4-6)-(11-18-10)	H
89	11/18/2010	NDA-1-(6-8)-(11-18-10)	H
90	11/18/2010	NDA-6-(0-2)-(11-18-10)	8.9
91	11/18/2010	NDA-6-(2-4)-(11-18-10)	0.22
92	11/18/2010	NDA-6-(4-6)-(11-18-10)	H
93	11/18/2010	NDA-6-(6-8)-(11-18-10)	H
94	11/18/2010	NDA-2-(0-2)-(11-18-10)	42
95	11/18/2010	NDA-2-(2-4)-(11-18-10)	19
96	11/18/2010	NDA-2-(4-6)-(11-18-10)	1.2
97	11/18/2010	NDA-2-(6-8)-(11-18-10)	H
98	11/18/2010	NDA-2-(12-14)-(11-18-10)	H
99	11/18/2010	NDA-2-(14-16)-(11-18-10)	130
100	11/18/2010	NDA-2-(16-18)-(11-18-10)	420
101	11/18/2010	NDA-2-(18-20)-(11-18-10)	0.25
102	11/18/2010	NDA-2-(20-22)-(11-18-10)	H
103	11/18/2010	NDA-2-(22-24)-(11-18-10)	H
104	11/18/2010	RB-(11-18-10)	ND
105	11/19/2010	NDA-38-(0-2)-(11-19-10)	17
106	11/19/2010	NDA-38-(2-4)-(11-19-10)	19

Table 3
Summary of PDI Soil Analytical Results
MLC Massena Superfund Site, New York
PCBs EPA Method SW-846 8082

Sample Count	Sample Date	Sample ID	PCB Analytical Result
107	11/19/2010	NDA-38-(4-6)-(11-19-10)	41.4
108	11/19/2010	NDA-38-(6-8)-(11-19-10)	H
109	11/19/2010	AL -2B-(0-2)-111910	0.146
110	11/19/2010	AL -2B-(2-4)-111910	0.58
111	11/19/2010	AL -2B-(4-6)-111910	0.404
112	11/19/2010	AL -2B-(6-8)-111910	H
113	11/19/2010	AL -2B-(8-10)-111910	H
114	11/22/2010	AL-9-(0-2)-112210	0.075
115	11/22/2010	AL-9-(2-4)-112210	0.043
116	11/22/2010	AL-9-(4-5)-112210	H
117	11/23/2010	IL-22-(0-2)-112310	0.84
118	11/23/2010	IL-22-(2-4)-112310	0.034 J
119	11/23/2010	IL-22-(4-6)-112310	H
120	11/23/2010	IL-17-(0-2)-112310	3.2
121	11/23/2010	IL-17-(2-4)-112310	2.1
122	11/23/2010	IL-17-(4-6)-112310	1.2
123	11/23/2010	IL-17-(6-8)-112310	2.0
124	11/23/2010	BD-112310-1	2.53 J
125	11/23/2010	RB-112310	.008 B
126	11/23/2010	IL-13-(0-2)-112310	7.4
127	11/23/2010	IL-13-(2-4)-112310	11.0
128	11/23/2010	IL-13-(4-6)-112310	H
129	11/23/2010	IL-13-(6-7)-112310	H
130	11/23/2010	IL-12-(0-2)-112310	5.5
131	11/23/2010	IL-12-(2-4)-112310	5.9
132	11/23/2010	IL-12-(4-6)-112310	H
133	11/23/2010	IL-12-(6-8)-112310	H
134	11/23/2010	BD-112310-2 [IL-12-(4-6)-112310]	Results Pending
135	11/24/2010	IL-24-(0-2)-112410	46
136	11/24/2010	IL-24-(2-4)-112410	130
137	11/24/2010	IL-24-(4-6)-112410	400
138	11/24/2010	IL-24-(6-8)-112410	550
139	11/24/2010	IL-21-(0-2)-112410	0.55
140	11/24/2010	IL-21-(2-4)-112410	0.19
141	11/24/2010	IL-21-(4-6)-112410	H
142	11/24/2010	RB-112410	Results Pending
143	11/29/2010	IL-17-(12-14)-112910	Results Pending
144	11/29/2010	IL-17-(14-16)-112910	H
145	11/29/2010	IL-17-(16-18)-112910	H
146	11/30/2010	IL-21-(6-8)-113010	H
147	11/30/2010	IL-24-(8-10)-113010	H
148	11/30/2010	IL-24-(17-19)-113010	Results Pending
149	11/30/2010	IL-24-(19-21)-113010	H
150	11/30/2010	IL-24-(21-22)-113010	H

Notes:

- 1 - Sample IDs are based on sample location, interval below ground surface, and date collected.
- 2 - For blind duplicate samples, parent samples are listed in brackets.
- 3 - "H" means that sample is being held. "ND" means Non-detection.
- 4 - All results should be considered preliminary until final report is issued.

Table 4
Summary of PDI Soil Analytical Results
MLC Massena Superfund Site, New York
Phenols EPA Method SW-846 9065

Sample Count	Sample Date	Sample ID	Phenol Analytical Result
1	11/9/2010	NDA-34-(2-4)-(110910)	0.51
2	11/10/2010	NDA-33-(1-2)-(11-10-10)	0.27

Massena Remediation Program Report Distribution List

1 copy (excluding plans or reports):

Chief, New York/Caribbean Superfund Branch
Office of Regional Counsel
U.S. Environmental Protection Agency, Region II
290 Broadway, 20th Floor
New York, New York 10007-1866
Attention: GM/Massena Superfund Site Attorney

2 copies (or 5 copies if plan or report):

Emergency and Remedial Response Division
U.S. Environmental Protection Agency, Region II
290 Broadway, 20th Floor
New York, New York 10007-1866
Attention: Anne Kelly

2 copies (or 3 if plan or report):

Mr. Ken Jock
Environmental Director
St. Regis Mohawk Tribe
412 State Route 37
Akwasasne, NY 13655

for Federal Express Packages:
SRMT Environmental Division
449 Frogtown Road
Akwasasne, NY 13655

3 copies (or 3 copies if plan or report):

New York State Department of Environmental Conservation
317 Washington Street
Watertown, New York 13601-3787
Attention: Regional Hazardous Waste Engineer – Peter Taylor, P.E.
Peter S. Ouderkirk, P.E. (1 copy)
Lincoln Fancher, Project Geologist (1 copy)

1 copy:

Wendy S. Keuhner, P.E.
New York State Department of Health
Flanigan Square, Room 300
547 River Street
Troy, New York 12180

Massena Remediation Program Report Distribution List

All Reports and Government Correspondence:

James M. Redwine, Esq.

Motors Liquidation Company
500 Renaissance Dr., Suite 1400
Detroit, MI 48243
Phone: (214) 906-2146

Scott Haeger

Motors Liquidation Company
500 Renaissance Dr., Suite 1400
Detroit, MI 48243
Phone: (312) 206-9574

Raymond M. Kapp

ARCADIS
One International Boulevard, Suite 406
Mahwah, New Jersey 07495
Phone: 201-684-1410
Fax: 201-684-1420

Richard G. Boelter

ARCADIS
c/o MLC (former GM)
Route 37 East, Box 460
Massena, NY 13662
Phone: 315-764-2299

Terry W. Young

ARCADIS
6721 Towpath Road
P.O. Box 66
Syracuse, NY 13662
Phone: 315-671-9478