

Remediation and Liability Management Company, Inc.

**ART II
FINAL CLOSURE
CERTIFICATION DOCUMENTATION**

**Surface Remediation Project
Coldwater Road Plant
Clinton, Michigan
(EPA I.D. No. MID 005356860)**

*Volume 4 of 4
November 2000*

APPENDIX H

CLEANUP VERIFICATION SAMPLING DATA FOR RINSEATES



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Attn: Mr. Gary Deigan

RE: Retain. Wall Trough
Project # 01138-066-001-0100
Lab ID: 9409G213-002
Sample Date: 09/08/94
Date Received: 09/09/94

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Cyanide, Total	0.010	u mg/L	0.010



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Attn: Mr. Gary Deigan

RE: Tap Water
Project # 01138-066-001-0100
Lab ID: 9409G213-003
Sample Date: 09/08/94
Date Received: 09/09/94

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Cyanide, Total	0.010	u mg/L	0.010



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Project # 01138-066-001-0100
Lab Batch: 9409G213

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GCN172-MB1	Cyanide, Total	0.010	u mg/L	0.010



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Project # 01138-066-001-0100
Lab Batch: 9409G213

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GCN172-LCS	Cyanide, Total	0.20	mg/L	105	97.5	7.3



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 13th, 1994

RE: Retain. Wall Lagoon
Project # 01138-066-001-0100
Lab ID: 9409G213-001
Sample Date: 09/08/94
Date Received: 09/09/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Cadmium, Total	0.010	u mg/L	0.010
Chromium, Total	0.077	mg/L	0.020
Lead, Total	0.0064	mg/L	0.0020



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 13th, 1994

Attn: Mr. Gary Deigan

RE: Retain. Wall Trough
Project # 01138-066-001-0100
Lab ID: 9409G213-002
Sample Date: 09/08/94
Date Received: 09/09/94

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Cadmium, Total	0.010	u mg/L	0.010
Chromium, Total	0.17	mg/L	0.020
Lead, Total	0.011	mg/L	0.0020



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 13th, 1994

RE: Tap Water
Project # 01138-066-001-0100
Lab ID: 9409G213-003
Sample Date: 09/08/94
Date Received: 09/09/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Cadmium, Total	0.010	u mg/L	0.010
Chromium, Total	0.020	u mg/L	0.020
Lead, Total	0.0020	u mg/L	0.0020



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Tuesday September 13th, 1994

Project # 01138-066-001-0100
 Lab Batch: 9409G213

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GI793-MB1	Cadmium, Total	0.0050 u	mg/L	0.0050
		Chromium, Total	0.020 u	mg/L	0.020
Blank 1	94GF070-MB1	Lead, Total	0.0020 u	mg/L	0.0020



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 13th, 1994

Project # 01138-066-001-0100
Lab Batch: 9409G213

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GI793-LC1	Cadmium, LCS	0.050	mg/L	92.2	91.3	0.98
	Chromium, LCS	0.20	mg/L	102	96.6	5.7
94GF070-LC1	Lead, LCS	0.020	mg/L	105	103	1.5



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Attn: Mr. Gary Deigan

RE: Retain. Wall Lagoon
Project # 01138-066-001-0100
Lab ID: 9409G213-001
Sample Date: 09/08/94
Date Received: 09/09/94
Units: UG/L

PURGEABLE HALOCARBONS BY GC

Compound	Result	Reporting Limit	Flag
Chloromethane	BRL	1.0	U
Bromomethane	BRL	1.0	U
Vinyl chloride	BRL	1.0	U
Chloroethane	BRL	1.0	U
Methylene Chloride	1.5	1.0	
1,1-Dichloroethylene	BRL	1.0	U
1,1-Dichloroethane	BRL	1.0	U
trans-1,2-Dichloroethene	BRL	1.0	U
Chloroform	0.75	1.0	J
1,2-Dichloroethane	BRL	1.0	U
1,1,1-Trichloroethane	BRL	1.0	U
Carbon Tetrachloride	BRL	1.0	U
Bromodichloromethane	BRL	1.0	U
1,2-Dichloropropane	BRL	1.0	U
cis-1,3-Dichloropropylene	BRL	1.0	U
Trichloroethylene	BRL	1.0	U
Chlorodibromomethane	BRL	1.0	U



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Attn: Mr. Gary Deigan

RE: Retain. Wall Lagoon
Project # 01138-066-001-0100
Lab ID: 9409G213-001
Sample Date: 09/08/94
Date Received: 09/09/94
Units: UG/L

PURGEABLE HALOCARBONS BY GC

Compound	Result	Reporting Limit	Flag
1,1,2-Trichloroethane	BRL	1.0	U
trans-1,3-Dichloropropene	BRL	1.0	U
Bromoform	BRL	1.0	U
Tetrachloroethylene	BRL	1.0	U
1,1,2,2-Tetrachloroethane	BRL	1.0	U
Chlorobenzene	BRL	1.0	U
1,3-Dichlorobenzene	BRL	1.0	U
1,2-Dichlorobenzene	BRL	1.0	U
1,4-Dichlorobenzene	BRL	1.0	U
2-Chloroethylvinylether	0.73	1.0	J
Dichlorodifluoromethane	BRL	1.0	U
Trichlorofluoromethane	BRL	1.0	U



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Attn: Mr. Gary Deigan

RE: Retain. Wall Trough
Project # 01138-066-001-0100
Lab ID: 9409G213-002
Sample Date: 09/08/94
Date Received: 09/09/94
Units: UG/L

PURGEABLE HALOCARBONS BY GC

Compound	Result	Reporting Limit	Flag
Chloromethane	BRL	1.0	U
Bromomethane	BRL	1.0	U
Vinyl chloride	BRL	1.0	U
Chloroethane	BRL	1.0	U
Methylene Chloride	1.6	1.0	
1,1-Dichloroethylene	BRL	1.0	U
1,1-Dichloroethane	BRL	1.0	U
trans-1,2-Dichloroethene	BRL	1.0	U
Chloroform	BRL	1.0	U
1,2-Dichloroethane	BRL	1.0	U
1,1,1-Trichloroethane	BRL	1.0	U
Carbon Tetrachloride	BRL	1.0	U
Bromodichloromethane	BRL	1.0	U
1,2-Dichloropropane	BRL	1.0	U
cis-1,3-Dichloropropylene	BRL	1.0	U
Trichloroethylene	BRL	1.0	U
Chlorodibromomethane	BRL	1.0	U



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Attn: Mr. Gary Deigan

RE: Retain. Wall Trough
Project # 01138-066-001-0100
Lab ID: 9409G213-002
Sample Date: 09/08/94
Date Received: 09/09/94
Units: UG/L

PURGEABLE HALOCARBONS BY GC

Compound	Result	Reporting Limit	Flag
1,1,2-Trichloroethane	BRL	1.0	U
trans-1,3-Dichloropropene	BRL	1.0	U
Bromoform	BRL	1.0	U
Tetrachloroethylene	BRL	1.0	U
1,1,2,2-Tetrachloroethane	BRL	1.0	U
Chlorobenzene	BRL	1.0	U
1,3-Dichlorobenzene	BRL	1.0	U
1,2-Dichlorobenzene	BRL	1.0	U
1,4-Dichlorobenzene	BRL	1.0	U
2-Chloroethylvinylether	BRL	1.0	U
Dichlorodifluoromethane	BRL	1.0	U
Trichlorofluoromethane	BRL	1.0	U



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Attn: Mr. Gary Deigan

RE: Tap Water
Project # 01138-066-001-0100
Lab ID: 9409G213-003
Sample Date: 09/08/94
Date Received: 09/09/94
Units: UG/L

PURGEABLE HALOCARBONS BY GC

Compound	Result	Reporting Limit	Flag
Chloromethane	BRL	1.0	U
Bromomethane	BRL	1.0	U
Vinyl chloride	BRL	1.0	U
Chloroethane	BRL	1.0	U
Methylene Chloride	BRL	1.0	U
1,1-Dichloroethylene	BRL	1.0	U
1,1-Dichloroethane	BRL	1.0	U
trans-1,2-Dichloroethene	BRL	1.0	U
Chloroform	E	1.0	
1,2-Dichloroethane	BRL	1.0	U
1,1,1-Trichloroethane	BRL	1.0	U
Carbon Tetrachloride	BRL	1.0	U
Bromodichloromethane	12	1.0	
1,2-Dichloropropane	BRL	1.0	U
cis-1,3-Dichloropropylene	BRL	1.0	U
Trichloroethylene	BRL	1.0	U
Chlorodibromomethane	4.4	1.0	



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Attn: Mr. Gary Deigan

RE: Tap Water

Project # 01138-066-001-0100

Lab ID: 9409G213-003

Sample Date: 09/08/94

Date Received: 09/09/94

Units: UG/L

PURGEABLE HALOCARBONS BY GC

Compound	Result	Reporting Limit	Flag
1,1,2-Trichloroethane	BRL	1.0	U
trans-1,3-Dichloropropene	BRL	1.0	U
Bromoform	BRL	1.0	U
Tetrachloroethylene	BRL	1.0	U
1,1,2,2-Tetrachloroethane	BRL	1.0	U
Chlorobenzene	BRL	1.0	U
1,3-Dichlorobenzene	BRL	1.0	U
1,2-Dichlorobenzene	BRL	1.0	U
1,4-Dichlorobenzene	BRL	1.0	U
2-Chloroethylvinylether	2.1	1.0	
Dichlorodifluoromethane	BRL	1.0	U
Trichlorofluoromethane	BRL	1.0	U



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Attn: Mr. Gary Deigan

RE: Retain. Wall Lagoon
Project # 01138-066-001-0100
Lab ID: 9409G213-001
Sample Date: 09/08/94
Date Received: 09/09/94
Units: UG/L

PURGEABLE AROMATICS BY GC

Compound	Result	Reporting Limit	Flag
Benzene	BRL	1.0	U
Chlorobenzene	BRL	1.0	U
1,2-Dichlorobenzene	BRL	1.0	U
1,3-Dichlorobenzene	BRL	1.0	U
1,4-Dichlorobenzene	BRL	1.0	U
Ethylbenzene	BRL	1.0	U
Toluene	BRL	1.0	U
Xylene (total)	BRL	1.0	U



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Attn: Mr. Gary Deigan

RE: Retain. Wall Trough
Project # 01138-066-001-0100
Lab ID: 9409G213-002
Sample Date: 09/08/94
Date Received: 09/09/94
Units: UG/L

PURGEABLE AROMATICS BY GC

Compound	Result	Reporting Limit	Flag
Benzene	BRL	1.0	U
Chlorobenzene	BRL	1.0	U
1,2-Dichlorobenzene	BRL	1.0	U
1,3-Dichlorobenzene	BRL	1.0	U
1,4-Dichlorobenzene	BRL	1.0	U
Ethylbenzene	BRL	1.0	U
Toluene	BRL	1.0	U
Xylene (total)	BRL	1.0	U



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 12th, 1994

Attn: Mr. Gary Deigan

RE: Tap Water
Project # 01138-066-001-0100
Lab ID: 9409G213-003
Sample Date: 09/08/94
Date Received: 09/09/94
Units: UG/L

PURGEABLE AROMATICS BY GC

Compound	Result	Reporting Limit	Flag
Benzene	BRL	1.0	U
Chlorobenzene	BRL	1.0	U
1,2-Dichlorobenzene	BRL	1.0	U
1,3-Dichlorobenzene	BRL	1.0	U
1,4-Dichlorobenzene	BRL	1.0	U
Ethylbenzene	BRL	1.0	U
Toluene	BRL	1.0	U
Xylene (total)	BRL	1.0	U



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Wednesday October 19th, 1994

Attn: Mr. Gary Deigan

RE: Retaining Wall Face
 Project # 01138-066-001-0100
 Lab ID: 9410G924-001
 Sample Date: 10/13/94
 Date Received: 10/14/94

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Chromium, Total	0.020	u mg/L	0.020

Z. Korolka
11/1/94



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 19th, 1994

Attn: Mr. Gary Deigan

RE: Retain. Wall Trough
Project # 01138-066-001-0100
Lab ID: 9410G924-002
Sample Date: 10/13/94
Date Received: 10/14/94

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Chromium, Total	0.020	u mg/L	0.020

X. Kowalek
11/1/94



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 19th, 1994

Project # 01138-066-001-0100
Lab Batch: 9410G924

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GI943-MB1	Chromium, Total	0.020	u mg/L	0.020
Blank 1	94GF197-MB1	Lead, Total	0.0020	u mg/L	0.0020



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 19th, 1994

Project # 01138-066-001-0100
Lab Batch: 9410G924

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GI943-LC1	Chromium, LCS	0.20	mg/L	106	105	1.0
94GF197-LC1	Lead, LCS	0.020	mg/L	98.8	91.9	7.3

APPENDIX I

PHASE I - SLUDGE TCLP TEST DATA



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday February 7th, 1992

RE: 'S' Lagoon TCLP #3
Project # 3600-01-74-0023
Lab ID: 9201G087-001
Sample Date: 07/31/91
Date Received: 01/22/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	42.1	%	0.10
Chromium, Total	21200	mg/kg	4.5
Nickel, Total	10800	mg/kg	4.5



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday February 7th, 1992

RE: 'S' Lagoon TCLP #4
Project # 3600-01-74-0023
Lab ID: 9201G087-002
Sample Date: 07/31/91
Date Received: 01/22/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	39.4	%	0.10
Chromium, Total	15300	mg/kg	4.3
Nickel, Total	7620	mg/kg	4.3



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday February 7th, 1992

RE: 'S' Lagoon TCLP #5
Project # 3600-01-74-0023
Lab ID: 9201G087-003
Sample Date: 07/31/91
Date Received: 01/22/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	45.2	%	0.10
Chromium, Total	27500	mg/kg	43.5
Nickel, Total	14300	mg/kg	4.4



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday February 7th, 1992

RE: 'S' Lagoon TCLP #6
Project # 3600-01-74-0023
Lab ID: 9201G087-004
Sample Date: 07/31/91
Date Received: 01/22/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	16.6	%	0.10
Chromium, Total	40000	mg/kg	12.0
Nickel, Total	32700	mg/kg	12.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday February 7th, 1992

RE: 'S' Lagoon TCLP #7
Project # 3600-01-74-0023
Lab ID: 9201G087-005
Sample Date: 07/31/91
Date Received: 01/22/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	38.3	%	0.10
Chromium, Total	26800	mg/kg	51.2
Nickel, Total	16200	mg/kg	5.1



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 13th, 1992

RE: 'S' Lagoon 8
Project # 3600-01-74-0023
Lab ID: 9204G592-001
Sample Date: 04/01/92
Date Received: 04/02/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	58.8	%	0.10
Chromium, Total	18700	mg/kg	31.9
Nickel, Total	10500	mg/kg	31.9



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday February 7th, 1992

Project # 3600-01-74-0023
Lab Batch: 9201G087

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	92GTS024-MB1	% Solids	0.10	u %	0.10
Blank 1	92GI039-MB1	Chromium, Total	2.0	u mg/kg	2.0
		Nickel, Total	2.0	u mg/kg	2.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 13th, 1992

RE: 'S' Lagoon 10
Project # 3600-01-74-0023
Lab ID: 9204G592-003
Sample Date: 04/01/92
Date Received: 04/02/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	61.6	%	0.10
Chromium, Total	15900	mg/kg	32.1
Nickel, Total	9400	mg/kg	32.1



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 13th, 1992

RE: 'S' Lagoon 9
Project # 3600-01-74-0023
Lab ID: 9204G592-002
Sample Date: 04/01/92
Date Received: 04/02/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	51.5	%	0.10
Chromium, Total	14500	mg/kg	31.0
Nickel, Total	8450	mg/kg	31.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 13th, 1992
RE: 'S' Lagoon 12
Project # 3600-01-74-0023
Lab ID: 9204G592-005
Sample Date: 04/01/92
Date Received: 04/02/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	61.6	%	0.10
Chromium, Total	12800	mg/kg	28.5
Nickel, Total	7360	mg/kg	28.5



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 13th, 1992

Attn: Mr. Gary Deigan

RE: 'S' Lagoon 11
Project # 3600-01-74-0023
Lab ID: 9204G592-004
Sample Date: 04/01/92
Date Received: 04/02/92

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	26.4	%	0.10
Chromium, Total	28700	mg/kg	66.7
Nickel, Total	24400	mg/kg	66.7



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday February 7th, 1992

Project # 3600-01-74-0023
Lab Batch: 9201G087

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	92GTS024-MB1	% Solids	0.10	u %	0.10
Blank 1	92GI039-MB1	Chromium, Total	2.0	u mg/kg	2.0
		Nickel, Total	2.0	u mg/kg	2.0



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Monday April 13th, 1992

Project # 3600-01-74-0023
 Lab Batch: 9204G592

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	92GTS134-MB1	% Solids	0.10	u %	0.10
Blank 1	92GTS137-MB1	% Solids	0.10	u %	0.10
Blank 1	92GI213-MB1	Chromium, Total	2.0	u mg/kg	2.0
		Nickel, Total	2.0	u mg/kg	2.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday February 7th, 1992

Project # 3600-01-74-0023
Lab Batch: 9201G087

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GI039-LC1	Chromium, LCS	20.0	mg/kg	103	102	0.68
	Nickel, LCS	50.0	mg/kg	94.1	94.2	0.042



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday April 29th, 1994

RE: Middle "S" Lagoon
Project # 01138-066-001-0101
Lab ID: 9404G726-001
Sample Date: 04/28/94
Date Received: 04/29/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Chromium, Total	0.016	mg/L	0.010
Copper, Total	0.038	mg/L	0.020
Nickel, Total	0.18	mg/L	0.020
Zinc, Total	0.041	mg/L	0.010



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday April 29th, 1994

Project # 01138-066-001-0101
Lab Batch: 94046726

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GI328-MB1	Chromium, Total	0.010	u mg/L	0.010
		Copper, Total	0.020	u mg/L	0.020
		Nickel, Total	0.020	u mg/L	0.020
		Zinc, Total	0.010	u mg/L	0.010



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday April 29th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G726

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GI328-LC1	Chromium, LCS	0.20	mg/L	102	101	0.030
	Copper, LCS	0.25	mg/L	98.6	97.8	0.74
	Nickel, LCS	0.50	mg/L	98.0	98.8	0.72
	Zinc, LCS	0.50	mg/L	95.2	96.6	1.5



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

RE: "S" Lagoon Stained
Project # 01138-066-001-0100
Lab ID: 9407G141-001
Sample Date: 07/11/94
Date Received: 07/12/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Copper, Total	723	mg/kg	2.0



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

RE: Lagoon Stained TCLP
Project # 01138-066-001-0100
Lab ID: 9407G141-002
Sample Date: 07/11/94
Date Received: 07/12/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	3.7	mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

RE: "S" Lagoon Sludge
Project # 01138-066-001-0100
Lab ID: 9407G141-003
Sample Date: 07/11/94
Date Received: 07/12/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Copper, Total	766	mg/kg	1.6



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

RE: Lagoon Sludge TCLP
Project # 01138-066-001-0100
Lab ID: 9407G141-004
Sample Date: 07/11/94
Date Received: 07/12/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	2.2	mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

RE: Clay Soils I
Project # 01138-066-001-0100
Lab ID: 9407G141-005
Sample Date: 07/11/94
Date Received: 07/12/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Copper, Total	94.8	mg/kg	1.8



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

RE: Clay Soils I TCLP
Project # 01138-066-001-0100
Lab ID: 9407G141-006
Sample Date: 07/11/94
Date Received: 07/12/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

RE: Clay Soils II
Project # 01138-066-001-0100
Lab ID: 9407G141-007
Sample Date: 07/11/94
Date Received: 07/12/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Copper, Total	120	mg/kg	2.0



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

RE: Clay Soils II TCLP
Project # 01138-066-001-0100
Lab ID: 9407G141-008
Sample Date: 07/11/94
Date Received: 07/12/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.38	mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

RE: Final Clay Soil
Project # 01138-066-001-0100
Lab ID: 9407G141-009
Sample Date: 07/11/94
Date Received: 07/12/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Copper, Total	13.0	mg/kg	1.9



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

Attn: Mr. Gary Deigan

RE: Final Clay Soil TCLP
Project # 01138-066-001-0100
Lab ID: 9407G141-010
Sample Date: 07/11/94
Date Received: 07/12/94

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

RE: Final Stained Soil
Project # 01138-066-001-0100
Lab ID: 9407G141-011
Sample Date: 07/11/94
Date Received: 07/12/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Copper, Total	6.8	mg/kg	2.1



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

Attn: Mr. Gary Deigan

RE: Final Stained TCLP
Project # 01138-066-001-0100
Lab ID: 9407G141-012
Sample Date: 07/11/94
Date Received: 07/12/94

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

Project # 01138-066-001-0100
Lab Batch: 9407G141

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GI600-MB1	Copper, Total	2.0	u mg/kg	2.0
Blank 1	94GE494-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.25	u mg/L	0.25
		Nickel, TCLP Leachate	0.25	u mg/L	0.25
		Lead, TCLP Leachate	0.25	u mg/L	0.25
Blank 2	94GE494-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.25	u mg/L	0.25
		Nickel, TCLP Leachate	0.25	u mg/L	0.25
		Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Thursday July 14th, 1994

Project # 01138-066-001-0100
 Lab Batch: 9407G141

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GI600-LC1	Copper, LCS	25.0	mg/kg	92.3	91.5	0.84
94GE494-LC1	Silver, LCS	0.050	mg/L	99.2	100	1.0
	Cadmium, LCS	0.050	mg/L	99.2	98.4	0.85
	Chromium, LCS	0.20	mg/L	103	102	0.46
	Nickel, LCS	0.50	mg/L	97.9	98.5	0.58
	Lead, LCS	0.50	mg/L	97.4	98.0	0.69



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday April 17th, 1990

Attn: Mr. Gary Deigan

RE: LF-2
Project # 3600-01-74-0023
Lab ID: 9004G846-001
Sample Date: 04/06/90
Date Received: 04/09/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	64.3	%	0.10
Chromium, Total	23800	mg/kg	2.9
Nickel, Total	10700	mg/kg	2.9

Approved: Michael J. Nealy

Date: 4-17-90



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 100 Corporate North, Suite 101
 Bannockburn, IL 60015

Date: Tuesday April 17th, 1990

RE: LF-2 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9004G846-002
 Sample Date: 04/06/90
 Date Received: 04/09/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030	u mg/L	0.030
Cadmium, Total	0.0040	u mg/L	0.0040
Chromium, Total	0.15	mg/L	0.020
Nickel, Total	11.2	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050

Approved: Michael J Healy

Date: 4-17-90



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday April 17th, 1990

Attn: Mr. Gary Deigan

RE: SSL-2 Lake #1
Project # 3600-01-74-0023
Lab ID: 9004G846-003
Sample Date: 04/04/90
Date Received: 04/09/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	53.0	%	0.10
Chromium, Total	8380	mg/kg	3.7
Nickel, Total	4980	mg/kg	3.7

Approved: Michael J. Healy

Date 4-17-90



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 100 Corporate North, Suite 101
 Bannockburn, IL 60015

Date: Tuesday April 17th, 1990

RE: SSL-2 Lake #1 TCLP
 Project # 3600-01-74-0023
 Lab ID: 90046846-004
 Sample Date: 04/04/90
 Date Received: 04/09/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030	u mg/L	0.030
Cadmium, Total	0.0040	u mg/L	0.0040
Chromium, Total	0.041	mg/L	0.020
Nickel, Total	10.3	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050

Approved: Michael J Healy

Date 4-17-90



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Friday May 4th, 1990

Attn: Mr. Gary Deigan

RE: CW-0001
Project # 3600-01-74-0023
Lab ID: 9005G279-001
Sample Date: 04/27/90
Date Received: 05/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	61.6	%	0.10
Chromium, Total	4360	mg/kg	3.0
Nickel, Total	4060	mg/kg	3.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Friday May 4th, 1990

RE: CW-0001 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G279-002
Sample Date: 04/27/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.042	mg/L	0.030
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	0.10	mg/L	0.020
Nickel, Total	0.020 u	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Friday May 4th, 1990

RE: CW-0002
Project # 3600-01-74-0023
Lab ID: 9005G279-003
Sample Date: 04/27/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	63.0	%	0.10
Chromium, Total	3620	mg/kg	3.0
Nickel, Total	3420	mg/kg	3.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Friday May 4th, 1990

RE: CW-0002 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G279-004
Sample Date: 04/27/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030 u	mg/L	0.030
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	0.020 u	mg/L	0.020
Nickel, Total	6.8	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Friday May 4th, 1990

Attn: Mr. Gary Deigan

RE: CW-0003
Project # 3600-01-74-0023
Lab ID: 9005G279-005
Sample Date: 04/27/90
Date Received: 05/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	73.2	%	0.10
Chromium, Total	2480	mg/kg	2.7
Nickel, Total	2340	mg/kg	2.7



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Friday May 4th, 1990

RE: CW-0003 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G279-006
Sample Date: 04/27/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030 u	mg/L	0.030
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	0.049	mg/L	0.020
Nickel, Total	0.020 u	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Friday May 4th, 1990

RE: CW-0004
Project # 3600-01-74-0023
Lab ID: 9005G279-007
Sample Date: 04/27/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	60.4	%	0.10
Chromium, Total	4170	mg/kg	3.1
Nickel, Total	4030	mg/kg	3.1



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 100 Corporate North, Suite 101
 Bannockburn, IL 60015

Date: Friday May 4th, 1990

Attn: Mr. Gary Deigan

RE: CW-0004 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9005G279-008
 Sample Date: 04/27/90
 Date Received: 05/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030	u mg/L	0.030
Cadmium, Total	0.0095	mg/L	0.0040
Chromium, Total	7.4	mg/L	0.020
Nickel, Total	13.9	mg/L	0.020
Lead, Total	0.072	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

Attn: Mr. Gary Deigan

RE: TCLP LF-1
Project # 3600-01-74-0023
Lab ID: 9005G280-001
Sample Date: 04/28/90
Date Received: 05/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	84.0	%	0.10
Chromium, Total	10500	mg/kg	2.3
Nickel, Total	4650	mg/kg	2.3



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

RE: TCLP LF-1 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G280-002
Sample Date: 04/28/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.040	mg/L	0.030
Cadmium, Total	0.0064	mg/L	0.0040
Chromium, Total	2.0	mg/L	0.020
Nickel, Total	7.3	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 100 Corporate North, Suite 101
 Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

RE: TCLP LF-2
 Project # 3600-01-74-0023
 Lab ID: 9005G280-003
 Sample Date: 04/28/90
 Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	42.5	%	0.10
Chromium, Total	21400	mg/kg	4.3
Nickel, Total	11400	mg/kg	4.3



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

RE: TCLP LF-2 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G280-004
Sample Date: 04/28/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.050	mg/L	0.030
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	0.050	mg/L	0.020
Nickel, Total	12.0	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

Attn: Mr. Gary Deigan

RE: TCLP LF-3
Project # 3600-01-74-0023
Lab ID: 9005G280-005
Sample Date: 04/28/90
Date Received: 05/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	73.8	%	0.10
Chromium, Total	22700	mg/kg	2.5
Nickel, Total	10700	mg/kg	2.5



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

RE: TCLP LF-3 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G280-006
Sample Date: 04/28/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.020	u mg/L	0.020
Cadmium, Total	0.0047	mg/L	0.0040
Chromium, Total	1.0	mg/L	0.020
Nickel, Total	13.5	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

Attn: Mr. Gary Deigan

RE: TCLP LF-4
Project # 3600-01-74-0023
Lab ID: 9005G280-007
Sample Date: 04/28/90
Date Received: 05/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	72.5	%	0.10
Chromium, Total	10500	mg/kg	2.6
Nickel, Total	4970	mg/kg	2.6



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

Attn: Mr. Gary Deigan

RE: TCLP LF-4 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G280-008
Sample Date: 04/28/90
Date Received: 05/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030	u mg/L	0.030
Cadmium, Total	0.0071	mg/L	0.0040
Chromium, Total	0.36	mg/L	0.020
Nickel, Total	6.4	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

RE: TCLP LF-5
Project # 3600-01-74-0023
Lab ID: 9005G280-009
Sample Date: 04/28/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	60.8	%	0.10
Chromium, Total	37300	mg/kg	2.8
Nickel, Total	14100	mg/kg	2.8



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

Attn: Mr. Gary Deigan

RE: TCLP LF-5 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G280-010
Sample Date: 04/28/90
Date Received: 05/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.020	u mg/L	0.020
Cadmium, Total	0.0040	u mg/L	0.0040
Chromium, Total	0.19	mg/L	0.020
Nickel, Total	12.3	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

RE: TCLP LF-6
Project # 3600-01-74-0023
Lab ID: 9005G280-011
Sample Date: 04/28/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	76.3	%	0.10
Chromium, Total	14100	mg/kg	2.3
Nickel, Total	6830	mg/kg	2.3



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

RE: TCLP LF-6 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G280-012
Sample Date: 04/28/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030	u mg/L	0.030
Cadmium, Total	0.010	mg/L	0.0040
Chromium, Total	0.40	mg/L	0.020
Nickel, Total	7.3	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

RE: TCLP LF-7
Project # 3600-01-74-0023
Lab ID: 90056280-013
Sample Date: 04/28/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	58.1	%	0.10
Chromium, Total	3540	mg/kg	2.7
Nickel, Total	2030	mg/kg	2.7



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

RE: TCLP LF-7 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G280-014
Sample Date: 04/28/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030	u mg/L	0.030
Cadmium, Total	0.0040	u mg/L	0.0040
Chromium, Total	0.026	mg/L	0.020
Nickel, Total	10.1	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

Attn: Mr. Gary Deigan

RE: TCLP LF-8
Project # 3600-01-74-0023
Lab ID: 9005G579-003
Sample Date: 04/28/90
Date Received: 05/15/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	78.4	%	0.10
Chromium, Total	2.7	mg/kg	1.8
Nickel, Total	4.0	mg/kg	1.8



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990

RE: Sludge Lake #5 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G280-016
Sample Date: 04/27/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.020 u	mg/L	0.020
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	0.31	mg/L	0.020
Nickel, Total	14.9	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

Attn: Mr. Gary Deigan

RE: TLCP LF-9
Project # 3600-01-74-0023
Lab ID: 9005G579-005
Sample Date: 04/28/90
Date Received: 05/15/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	79.9	%	0.10
Chromium, Total	2.5	mg/kg	1.9
Nickel, Total	3.4	mg/kg	1.9



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 100 Corporate North, Suite 101
 Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: TCLP Lake 2 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9005G579-002
 Sample Date: 05/12/90
 Date Received: 05/15/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030	u mg/L	0.030
Cadmium, Total	0.0040	u mg/L	0.0040
Chromium, Total	11.8	mg/L	0.020
Nickel, Total	67.9	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

Attn: Mr. Gary Deigan

RE: TCLP LF-10
Project # 3600-01-74-0023
Lab ID: 9005G579-007
Sample Date: 04/28/90
Date Received: 05/15/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	85.2	%	0.10
Chromium, Total	2.7	mg/kg	1.9
Nickel, Total	4.4	mg/kg	1.9



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: TCLP LF-8 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G579-004
Sample Date: 04/28/90
Date Received: 05/15/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.020	u mg/L	0.020
Cadmium, Total	0.0040	u mg/L	0.0040
Chromium, Total	0.80	mg/L	0.020
Nickel, Total	23.7	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: TCLP WW Sludge
Project # 3600-01-74-0023
Lab ID: 90056579-009
Sample Date: 04/28/90
Date Received: 05/15/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	71.2	%	0.10
Chromium, Total	15.9	mg/kg	2.8
Nickel, Total	7.6	mg/kg	2.8



WESTON GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: TCLP LF-9 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G579-006
Sample Date: 04/28/90
Date Received: 05/15/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030	mg/L	0.020
Cadmium, Total	0.021	mg/L	0.0040
Chromium, Total	0.75	mg/L	0.020
Nickel, Total	17.0	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: TCLP Lake 2
Project # 3600-01-74-0023
Lab ID: 9005G579-001
Sample Date: 05/12/90
Date Received: 05/15/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	19.3	%	0.10
Chromium, Total	29.3	mg/kg	8.8
Nickel, Total	26.2	mg/kg	8.8



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: TCLP LF-10 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G579-008
Sample Date: 04/28/90
Date Received: 05/15/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.020 u	mg/L	0.020
Cadmium, Total	0.0044	mg/L	0.0040
Chromium, Total	0.37	mg/L	0.020
Nickel, Total	11.5	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Wednesday May 9th, 1990
RE: Sludge Lake #5
Project # 3600-01-74-0023
Lab ID: 9005G280-015
Sample Date: 04/27/90
Date Received: 05/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	11.4	%	0.10
Chromium, Total	36200	mg/kg	13.5
Nickel, Total	23900	mg/kg	13.5



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: TCLP WW Sludge TCLP
Project # 3600-01-74-0023
Lab ID: 9005G579-010
Sample Date: 04/28/90
Date Received: 05/15/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.041	mg/L	0.020
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	0.28	mg/L	0.020
Nickel, Total	17.4	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

Attn: Mr. Gary Deigan

RE: 005CWM-1
Project # 3600-01-74-0023
Lab ID: 9005G618-001
Sample Date: 05/08/90
Date Received: 05/16/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	72.7	%	0.10
Chromium, Total	3960	mg/kg	2.4
Nickel, Total	3750	mg/kg	2.4



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

Attn: Mr. Gary Deigan

RE: 005CWM-1 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G618-002
Sample Date: 05/08/90
Date Received: 05/16/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.54	mg/L	0.030
Cadmium, Total	0.0078	mg/L	0.0040
Chromium, Total	0.020	u mg/L	0.020
Nickel, Total	5.8	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

Attn: Mr. Gary Deigan

RE: 005CWM-2
Project # 3600-01-74-0023
Lab ID: 9005G618-003
Sample Date: 05/08/90
Date Received: 05/16/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	72.1	%	0.10
Chromium, Total	2820	mg/kg	2.6
Nickel, Total	2690	mg/kg	2.6



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: 005CWM-2 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G618-004
Sample Date: 05/08/90
Date Received: 05/16/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.46	mg/L	0.030
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	0.064	mg/L	0.020
Nickel, Total	2.7	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

Attn: Mr. Gary Deigan

RE: 006CWM-1
Project # 3600-01-74-0023
Lab ID: 9005G618-005
Sample Date: 05/08/90
Date Received: 05/16/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	78.1	%	0.10
Chromium, Total	2780	mg/kg	2.5
Nickel, Total	2620	mg/kg	2.5



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: 006CWM-1 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G618-006
Sample Date: 05/08/90
Date Received: 05/16/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.085	mg/L	0.030
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	0.21	mg/L	0.020
Nickel, Total	0.020 u	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: 006CWM-2
Project # 3600-01-74-0023
Lab ID: 9005G618-007
Sample Date: 05/08/90
Date Received: 05/16/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	76.2	%	0.10
Chromium, Total	2070	mg/kg	2.2
Nickel, Total	2060	mg/kg	2.2



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: 006CWM-2 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G618-008
Sample Date: 05/08/90
Date Received: 05/16/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.046	mg/L	0.030
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	0.12	mg/L	0.020
Nickel, Total	1.0	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: 007CWM-1
Project # 3600-01-74-0023
Lab ID: 9005G618-009
Sample Date: 05/15/90
Date Received: 05/16/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	60.3	%	0.10
Chromium, Total	3960	mg/kg	3.3
Nickel, Total	3700	mg/kg	3.3



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: 007CWM-1 TCLP
Project # 3600-01-74-0023
Lab ID: 90056618-010
Sample Date: 05/15/90
Date Received: 05/16/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030	u mg/L	0.030
Cadmium, Total	0.0049	mg/L	0.0040
Chromium, Total	0.57	mg/L	0.020
Nickel, Total	18.9	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: 007CWM-2
Project # 3600-01-74-0023
Lab ID: 9005G618-011
Sample Date: 05/15/90
Date Received: 05/16/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	66.2	%	0.10
Chromium, Total	4450	mg/kg	3.0
Nickel, Total	4160	mg/kg	3.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: 007CWM-2 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G618-012
Sample Date: 05/15/90
Date Received: 05/16/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030	u mg/L	0.030
Cadmium, Total	0.0085	mg/L	0.0040
Chromium, Total	0.25	mg/L	0.020
Nickel, Total	18.6	mg/L	0.020
Lead, Total	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

Attn: Mr. Gary Deigan

RE: 008CWM-1
Project # 3600-01-74-0023
Lab ID: 9005G618-013
Sample Date: 05/15/90
Date Received: 05/16/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	63.7	%	0.10
Chromium, Total	3670	mg/kg	3.0
Nickel, Total	3440	mg/kg	3.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: 008CWM-1 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G618-014
Sample Date: 05/15/90
Date Received: 05/16/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.031	mg/L	0.030
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	0.020 u	mg/L	0.020
Nickel, Total	10.7	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: 008CWM-2
Project # 3600-01-74-0023
Lab ID: 90056618-015
Sample Date: 05/15/90
Date Received: 05/16/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	68.5	%	0.10
Chromium, Total	3080	mg/kg	2.9
Nickel, Total	2850	mg/kg	2.9



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Tuesday May 22nd, 1990

RE: 008CWM-2 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G618-016
Sample Date: 05/15/90
Date Received: 05/16/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.064	mg/L	0.030
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	0.020 u	mg/L	0.020
Nickel, Total	5.3	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Thursday May 24th, 1990

RE: TCLP SL-1
Project # 3600-01-74-0023
Lab ID: 9005G654-001
Sample Date: 05/16/90
Date Received: 05/17/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	12.3	%	0.10
Chromium, Total	47500	mg/kg	16.1
Nickel, Total	27500	mg/kg	16.1



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Thursday May 24th, 1990

RE: TCLP SL-1 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G654-002
Sample Date: 05/16/90
Date Received: 05/17/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.039	mg/L	0.030
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	0.51	mg/L	0.020
Nickel, Total	29.7	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Thursday May 24th, 1990

RE: TCLP SL-3
Project # 3600-01-74-0023
Lab ID: 9005G654-003
Sample Date: 05/16/90
Date Received: 05/17/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	18.5	%	0.10
Chromium, Total	36800	mg/kg	10.7
Nickel, Total	26700	mg/kg	10.7



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Thursday May 24th, 1990

RE: TCLP SL-3 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G654-004
Sample Date: 05/16/90
Date Received: 05/17/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.048	mg/L	0.030
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	1.1	mg/L	0.020
Nickel, Total	29.4	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Thursday May 24th, 1990

RE: TCLP SL-4
Project # 3600-01-74-0023
Lab ID: 9005G654-005
Sample Date: 05/16/90
Date Received: 05/17/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	16.2	%	0.10
Chromium, Total	61100	mg/kg	11.7
Nickel, Total	51500	mg/kg	11.7



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Thursday May 24th, 1990

RE: TCLP SL-4 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G654-006
Sample Date: 05/16/90
Date Received: 05/17/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, Total	0.030 u	mg/L	0.030
Cadmium, Total	0.0040 u	mg/L	0.0040
Chromium, Total	36.8	mg/L	0.020
Nickel, Total	101	mg/L	0.020
Lead, Total	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Friday June 1st, 1990

Attn: Mr. Gary Deigan

RE: TCLP DB-1
Project # 3600-01-74-0023
Lab ID: 9005G790-001
Sample Date: 05/23/90
Date Received: 05/24/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	62.6	%	0.10
Chromium, Total	15400	mg/kg	3.1
Nickel, Total	50800	mg/kg	20.0

Approved: Michael J. Healy

Date 6-1-90



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Friday June 1st, 1990

RE: TCLP DB-1 TCLP
Project # 3600-01-74-0023
Lab ID: 9005G790-002
Sample Date: 05/23/90
Date Received: 05/24/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.033	mg/L	0.020
Cadmium, TCLP Leachat	0.028	mg/L	0.010
Chromium, TCLP Leacha	0.30	mg/L	0.020
Nickel, TCLP Leachate	11.8	mg/L	0.020
Zinc, TCLP Leachate	37.6	mg/L	0.010

Approved: _____

Michael J. Healy

Date 6-1-90



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Monday June 25th, 1990

RE: TCLP DB-2
Project # 3600-01-74-0023
Lab ID: 9006G995-001
Sample Date: 06/01/90
Date Received: 06/04/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	55.8	%	0.10
Chromium, Total	40300	mg/kg	7130
Nickel, Total	18500	mg/kg	892



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Monday June 25th, 1990

RE: TCLP DB-2 TCLP
Project # 3600-01-74-0023
Lab ID: 9006G995-002
Sample Date: 06/01/90
Date Received: 06/04/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.031	mg/L	0.020
Cadmium, TCLP Leachat	0.010	u mg/L	0.010
Chromium, TCLP Leacha	0.18	mg/L	0.020
Nickel, TCLP Leachate	6.3	mg/L	3.0
Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Monday June 25th, 1990

Attn: Mr. Gary Deigan

RE: TCLP DB-3
Project # 3600-01-74-0023
Lab ID: 9006G995-003
Sample Date: 06/01/90
Date Received: 06/04/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	41.5	%	0.10
Chromium, Total	50700	mg/kg	4670
Nickel, Total	17800	mg/kg	1170



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 100 Corporate North, Suite 101
 Bannockburn, IL 60015

Date: Monday June 25th, 1990

Attn: Mr. Gary Deigan

RE: TCLP DB-3 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9006G995-004
 Sample Date: 06/01/90
 Date Received: 06/04/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.028	mg/L	0.020
Cadmium, TCLP Leachat	0.010	u mg/L	0.010
Chromium, TCLP Leacha	0.24	mg/L	0.020
Nickel, TCLP Leachate	12.3	mg/L	1.2
Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Monday June 25th, 1990

RE: TCLP RB-South
Project # 3600-01-74-0023
Lab ID: 9006G995-005
Sample Date: 06/01/90
Date Received: 06/04/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	63.0	%	0.10
Chromium, Total	19.3	mg/kg	3.0
Nickel, Total	14600	mg/kg	760



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Attn: Mr. Gary Deigan

Date: Monday June 25th, 1990

RE: TCLP RB-South TCLP
Project # 3600-01-74-0023
Lab ID: 9006G995-006
Sample Date: 06/01/90
Date Received: 06/04/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.020	u mg/L	0.020
Cadmium, TCLP Leachat	0.010	u mg/L	0.010
Chromium, TCLP Leacha	0.21	mg/L	0.020
Nickel, TCLP Leachate	8.3	mg/L	1.2
Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Monday June 25th, 1990

Attn: Mr. Gary Deigan

RE: TCLP RB-Central
Project # 3600-01-74-0023
Lab ID: 9006G995-007
Sample Date: 06/01/90
Date Received: 06/04/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	24.0	%	0.10
Chromium, Total	57300	mg/kg	7600
Nickel, Total	45500	mg/kg	1900



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Monday June 25th, 1990

RE: TCLP RB-Central TCLP
Project # 3600-01-74-0023
Lab ID: 9006G995-008
Sample Date: 06/01/90
Date Received: 06/04/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.020	u mg/L	0.020
Cadmium, TCLP Leachat	0.010	u mg/L	0.010
Chromium, TCLP Leacha	0.30	mg/L	0.020
Nickel, TCLP Leachate	20.1	mg/L	1.2
Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Monday June 25th, 1990
RE: TCLP RB-North
Project # 3600-01-74-0023
Lab ID: 9006G995-009
Sample Date: 06/01/90
Date Received: 06/04/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
% Solids	34.0	%	0.10
Chromium, Total	6200	mg/kg	571
Nickel, Total	47700	mg/kg	1430



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
100 Corporate North, Suite 101
Bannockburn, IL 60015

Date: Monday June 25th, 1990

RE: TCLP RB-North TCLP
Project # 3600-01-74-0023
Lab ID: 90066995-010
Sample Date: 06/01/90
Date Received: 06/04/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.020	u mg/L	0.020
Cadmium, TCLP Leachat	0.010	u mg/L	0.010
Chromium, TCLP Leacha	0.34	mg/L	0.020
Nickel, TCLP Leachate	22.5	mg/L	1.2
Lead, TCLP Leachate	0.050	u mg/L	0.050



APPENDIX J

PHASE II - TREATED SLUDGE AND SOIL TCLP TEST DATA



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: SL1SC TCLP
Project # 3600-01-74-0023
Lab ID: 90096417-002
Sample Date: 09/05/90
Date Received: 09/20/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.196	mg/L	0.031



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Attn: Mr. Gary Deigan

Date: March 26, 1992

Re: SL1N TCLP
Project # 3600-01-74-0023
Lab ID: 9009G417-004
Sample Date: 09/05/90
Date Received: 09/20/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.135	mg/L	0.031



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-2 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-004
Sample Date: 10/17/92
Date Received: 10/19/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: Demo #1 SDB-LF TCLP
Project # 3600-01-74-0023
Lab ID: 9108G108-002
Sample Date: 08/20/91
Date Received: 08/21/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-1 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-002
Sample Date: 10/17/92
Date Received: 10/19/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Attn: Mr. Gary Deigan

Date: March 26, 1992

Re: TCLP #2-03 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G412-002
Sample Date: 09/05/91
Date Received: 09/06/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.059	u mg/L	0.059
Cadmium, TCLP Leachate	0.054	u mg/L	0.054



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-3 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-006
Sample Date: 10/17/92
Date Received: 10/19/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-4 TCLP
Project # 3600-01-74-0023
Lab ID: 90106046-008
Sample Date: 10/17/92
Date Received: 10/19/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-5 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-010
Sample Date: 10/17/92
Date Received: 10/19/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-6 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-012
Sample Date: 10/17/92
Date Received: 10/19/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-7 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-014
Sample Date: 10/17/92
Date Received: 10/19/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992
Re: TCLP-8 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-016
Sample Date: 10/17/92
Date Received: 10/19/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-9 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-018
Sample Date: 10/17/92
Date Received: 10/19/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-10 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-020
Sample Date: 10/17/92
Date Received: 10/19/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-11 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G314-002
Sample Date: 10/31/90
Date Received: 11/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.052	u mg/L	0.052



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-12 TCLP
 Project # 3600-01-74-0023
 Lab ID: 90116314-004
 Sample Date: 10/31/90
 Date Received: 11/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.052	u mg/L	0.052



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-13 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G314-006
Sample Date: 10/31/90
Date Received: 11/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.052	u mg/L	0.052



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-15 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9011G314-010
 Sample Date: 10/31/90
 Date Received: 11/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.052	u mg/L	0.052



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Attn: Mr. Gary Deigan

Date: March 26, 1992

Re: TCLP-16 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G314-012
Sample Date: 10/31/90
Date Received: 11/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.052	u mg/L	0.052



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP-17 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G314-014
Sample Date: 10/31/90
Date Received: 11/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.052	u mg/L	0.052



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 27, 1992

Re: TCLP-37 TCLP
Project # 3600-01-74-0023
Lab ID: 91016881-002
Sample Date: 01/23/91
Date Received: 01/24/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.00	u mg/L	0.00



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 27, 1992

Re: TCLP #41 TCLP
Project # 3600-01-74-0023
Lab ID: 9103G861-002
Sample Date: 03/13/91
Date Received: 03/14/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.048	u mg/L	0.048



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992
Re: TCLP 44 TCLP
Project # 3600-01-74-0023
Lab ID: 9104G610-002
Sample Date: 04/17/91
Date Received: 04/19/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.065	u mg/L	0.065



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 27, 1992

Re: TCLP-45 TCLP
Project # 3600-01-74-0023
Lab ID: 9104G824-002
Sample Date: 04/26/91
Date Received: 04/27/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.044	u mg/L	0.044



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP #45 TCLP
Project # 3600-01-74-0023
Lab ID: 91056063-002
Sample Date: 05/08/91
Date Received: 05/09/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.065	u mg/L	0.065



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 27, 1992

Re: TCLP #47 TCLP
Project # 3600-01-74-0023
Lab ID: 9105G389-002
Sample Date: 05/22/91
Date Received: 05/24/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.052	u mg/L	0.052



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 27, 1992

Re: TCLP #48 TCLP
Project # 3600-01-74-0023
Lab ID: 9105G480-002
Sample Date: 05/29/91
Date Received: 05/30/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.044	u mg/L	0.044



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 27, 1992

Re: TCLP #49 TCLP
Project # 3600-01-74-0023
Lab ID: 9106G668-002
Sample Date: 06/06/91
Date Received: 06/07/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.055	u mg/L	0.055



WESTON-GULF COAST LABORATORIES, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Attn: Mr. Gary Deigan

Date: March 27, 1992

Re: TCLP #53 TCLP
Project # 3600-01-74-0023
Lab ID: 9107G123-002
Sample Date: 06/28/91
Date Received: 07/01/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.045	u mg/L	0.045



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Attn: Mr. Gary Deigan

Re: TCLP #52 TCLP
Project # 3600-01-74-0023
Lab ID: 9106G001-002
Sample Date: 06/24/91
Date Received: 06/25/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 27, 1992

Re: TCLP #56 TCLP
Project # 3600-01-74-0023
Lab ID: 9107G378-002
Sample Date: 07/12/91
Date Received: 07/15/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.055	u mg/L	0.055



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Attn: Mr. Gary Deigan

Re: Mill #2 Demo SDB TCLP
Project # 3600-01-74-0023
Lab ID: 91086803-004
Sample Date: 08/06/91
Date Received: 08/07/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.048	u mg/L	0.048



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: March 26, 1992

Attn: Mr. Gary Deigan

Re: TCLP #60 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9108G057-002
 Sample Date: 08/16/91
 Date Received: 08/19/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.066	u mg/L	0.066



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: March 26, 1992

Attn: Mr. Gary Deigan

Re: TCLP# 64 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9109G470-002
 Sample Date: 09/09/91
 Date Received: 09/10/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.059	u mg/L	0.059
Cadmium, TCLP Leachate	0.054	u mg/L	0.054



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 27, 1992

Re: TCLP #68 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G804-002
Sample Date: 09/24/91
Date Received: 09/26/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Cadmium, TCLP Leachate	0.034	u mg/L	0.034



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: March 26, 1992

Attn: Mr. Gary Deigan

Re: DEMO #5 Reten. TCLP
 Project # 3600-01-74-0023
 Lab ID: 9109G412-004
 Sample Date: 09/05/91
 Date Received: 09/06/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.048	u mg/L	0.048
Cadmium, TCLP Leachate	0.054	u mg/L	0.054



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 26, 1992

Re: TCLP #2-115 TCLP
Project # 3600-01-74-0023
Lab ID: 9111G833-002
Sample Date: 11/14/91
Date Received: 11/15/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.063	u mg/L	0.063
Cadmium, TCLP Leachate	0.056	u mg/L	0.056



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 27, 1992
Re: TCLP #2-12 TCLP
Project # 3600-01-74-0023
Lab ID: 9111G602-002
Sample Date: 11/04/91
Date Received: 11/05/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.056	u mg/L	0.056



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 27, 1992

Re: TCLP #2-22 TCLP
Project # 3600-01-74-0023
Lab ID: 9112G520-002
Sample Date: 12/17/91
Date Received: 12/19/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.045	u mg/L	0.045



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: March 27, 1992

Re: TCLP #2-23 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9112G520-004
 Sample Date: 12/17/91
 Date Received: 12/19/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Attn: Mr. Gary Deigan

Date: March 27, 1992

Re: TCLP #204 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G583-002
Sample Date: 09/16/91
Date Received: 09/17/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.046	u mg/L	0.046



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: March 27, 1992

Re: TCLP #2-09 TCLP
Project # 3600-01-74-0023
Lab ID: 9110G207-004
Sample Date: 10/15/91
Date Received: 10/16/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.043	u mg/L	0.043



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday March 26th, 1992

RE: TCLP #2-27 TCLP
Project # 3600-01-74-0023
Lab ID: 9203G840-002
Sample Date: 02/27/92
Date Received: 03/02/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.056	u mg/L	0.056



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday December 6th, 1990

Attn: Mr. Gary Deigan

RE: TCLP #31 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G875-002
Sample Date: 11/29/90
Date Received: 11/30/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.044	u mg/L	0.044
Cadmium, TCLP Leachate	0.004	u mg/L	0.004
Chromium, TCLP Leachate	0.344	mg/L	0.024
Nickel, TCLP Leachate	0.083	mg/L	0.020
Lead, TCLP Leachate	0.081	u mg/L	0.081



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday December 6th, 1990

RE: TCLP #32 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G875-004
Sample Date: 11/29/90
Date Received: 11/30/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.044	u mg/L	0.044
Cadmium, TCLP Leachate	0.004	u mg/L	0.004
Chromium, TCLP Leachate	0.263	mg/L	0.024
Nickel, TCLP Leachate	0.23	mg/L	0.020
Lead, TCLP Leachate	0.081	u mg/L	0.081



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Thursday December 6th, 1990

Attn: Mr. Gary Deigan

RE: TCLP #33 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9011G875-006
 Sample Date: 11/29/90
 Date Received: 11/30/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.044	u mg/L	0.044
Cadmium, TCLP Leachate	0.004	u mg/L	0.004
Chromium, TCLP Leachate	0.195	mg/L	0.024
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.081	u mg/L	0.081



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday December 4th, 1990

Attn: Mr. Gary Deigan

RE: TCLP #23 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G760-002
Sample Date: 11/21/90
Date Received: 11/23/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.046	u mg/L	0.046
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.20	mg/L	0.027
Nickel, TCLP Leachate	0.059	mg/L	0.020
Lead, TCLP Leachate	0.083	u mg/L	0.083



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday December 4th, 1990

Attn: Mr. Gary Deigan

RE: TCLP #24 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G760-004
Sample Date: 11/21/90
Date Received: 11/23/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.046	u mg/L	0.046
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.15	mg/L	0.027
Nickel, TCLP Leachate	0.10	mg/L	0.020
Lead, TCLP Leachate	0.083	u mg/L	0.083



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday December 4th, 1990

RE: TCLP #25 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G760-006
Sample Date: 11/21/90
Date Received: 11/23/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.046	u mg/L	0.046
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.16	mg/L	0.027
Nickel, TCLP Leachate	0.033	mg/L	0.020
Lead, TCLP Leachate	0.083	u mg/L	0.083



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday December 4th, 1990

Attn: Mr. Gary Deigan

RE: TCLP #26 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G760-008
Sample Date: 11/21/90
Date Received: 11/23/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.046	u mg/L	0.046
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.17	mg/L	0.027
Nickel, TCLP Leachate	0.72	mg/L	0.020
Lead, TCLP Leachate	0.083	u mg/L	0.083



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday December 4th, 1990

Attn: Mr. Gary Deigan

RE: TCLP #27 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G760-010
Sample Date: 11/21/90
Date Received: 11/23/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.046	u mg/L	0.046
Cad. Sum, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.15	mg/L	0.027
Nickel, TCLP Leachate	1.2	mg/L	0.020
Lead, TCLP Leachate	0.083	u mg/L	0.083



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday December 4th, 1990

Attn: Mr. Gary Deigan

RE: TCLP #28 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G760-012
Sample Date: 11/21/90
Date Received: 11/23/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.046	u mg/L	0.046
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.18	mg/L	0.027
Nickel, TCLP Leachate	0.63	mg/L	0.020
Lead, TCLP Leachate	0.083	u mg/L	0.083



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday December 4th, 1990

Attn: Mr. Gary Deigan

RE: TCLP #29 TCLP
Project # 3600-01-74-0023
Lab ID: 90116760-014
Sample Date: 11/21/90
Date Received: 11/23/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.046	u mg/L	0.046
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.18	mg/L	0.027
Nickel, TCLP Leachate	1.1	mg/L	0.020
Lead, TCLP Leachate	0.083	u mg/L	0.083



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday December 4th, 1990

RE: TCLP #30 TCLP
Project # 3600-01-74-0023
Lab ID: 90116760-016
Sample Date: 11/21/90
Date Received: 11/23/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.046	u mg/L	0.046
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.15	mg/L	0.027
Nickel, TCLP Leachate	1.3	mg/L	0.020
Lead, TCLP Leachate	0.083	u mg/L	0.083



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 26th, 1990

Attn: Mr. Gary Deigan

RE: TCLP-19 TCLP
Project # 3600-01-74-0023
Lab ID: 90116673-004
Sample Date: 11/14/90
Date Received: 11/19/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.04	u mg/L	0.04
Cadmium, TCLP Leachate	0.004	u mg/L	0.004
Chromium, TCLP Leachate	0.24	mg/L	0.02
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.06	u mg/L	0.06



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 26th, 1990

Attn: Mr. Gary Deigan

RE: TCLP-20 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G673-006
Sample Date: 11/14/90
Date Received: 11/19/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.04	u mg/L	0.04
Cadmium, TCLP Leachate	0.004	u mg/L	0.004
Chromium, TCLP Leachate	0.17	mg/L	0.02
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.06	u mg/L	0.06



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 26th, 1990

Attn: Mr. Gary Deigan

RE: TCLP-21 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G673-008
Sample Date: 11/14/90
Date Received: 11/19/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.04	u mg/L	0.04
Cadmium, TCLP Leachate	0.004	u mg/L	0.004
Chromium, TCLP Leachate	0.20	mg/L	0.02
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.06	u mg/L	0.06



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 26th, 1990

RE: TCLP-22 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G673-010
Sample Date: 11/14/90
Date Received: 11/19/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.04	u mg/L	0.04
Cadmium, TCLP Leachate	0.004	u mg/L	0.004
Chromium, TCLP Leachate	0.080	mg/L	0.02
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.06	u mg/L	0.06



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 12th, 1990

Attn: Mr. Gary Deigan

RE: TCLP-11 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G314-002
Sample Date: 10/31/90
Date Received: 11/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.156	u mg/L	0.156
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.162	mg/L	0.024
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.078	u mg/L	0.078



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 12th, 1990

Attn: Mr. Gary Deigan

RE: TCLP-12 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G314-004
Sample Date: 10/31/90
Date Received: 11/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.156	u mg/L	0.156
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.154	mg/L	0.024
Nickel, TCLP Leachate	0.023	mg/L	0.020
Lead, TCLP Leachate	0.078	u mg/L	0.078



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 12th, 1990

RE: TCLP-13 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G314-006
Sample Date: 10/31/90
Date Received: 11/01/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.156	u mg/L	0.156
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.215	mg/L	0.024
Nickel, TCLP Leachate	0.33	mg/L	0.020
Lead, TCLP Leachate	0.078	u mg/L	0.078



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 12th, 1990

Attn: Mr. Gary Deigan

RE: TCLP-14 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G314-008
Sample Date: 10/31/90
Date Received: 11/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.156	u mg/L	0.156
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.167	mg/L	0.024
Nickel, TCLP Leachate	0.030	mg/L	0.020
Lead, TCLP Leachate	0.078	u mg/L	0.078



ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Monday November 12th, 1990

Attn: Mr. Gary Deigan

RE: **TCLP-16 TCLP**
 Project # 3600-01-74-0023
 Lab ID: 9011G314-012
 Sample Date: 10/31/90
 Date Received: 11/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.156	u mg/L	0.156
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.160	mg/L	0.024
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.078	u mg/L	0.078



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 12th, 1990

Attn: Mr. Gary Deigan

RE: TCLP-17 TCLP
Project # 3600-01-74-0023
Lab ID: 9011G314-014
Sample Date: 10/31/90
Date Received: 11/01/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.156	u mg/L	0.156
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.227	mg/L	0.024
Nickel, TCLP Leachate	0.049	mg/L	0.020
Lead, TCLP Leachate	0.078	u mg/L	0.078



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 7th, 1990

Attn: Mr. Gary Deigan

RE: TCLP 1 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-002
Sample Date: 10/17/90
Date Received: 10/19/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.096	u mg/L	0.096
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.096	mg/L	0.026
Nickel, TCLP Leachate	0.85	mg/L	0.020
Lead, TCLP Leachate	0.104	u mg/L	0.104



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 7th, 1990

Attn: Mr. Gary Deigan

RE: TCLP 2 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-004
Sample Date: 10/17/90
Date Received: 10/19/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.096	u mg/L	0.096
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.187	mg/L	0.026
Nickel, TCLP Leachate	0.29	mg/L	0.020
Lead, TCLP Leachate	0.104	u mg/L	0.104



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 7th, 1990

RE: TCLP 3 TCLP
Project # 3600-01-74-0023
Lab ID: 90106046-006
Sample Date: 10/17/90
Date Received: 10/19/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.096	u mg/L	0.096
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.109	mg/L	0.026
Nickel, TCLP Leachate	0.91	mg/L	0.020
Lead, TCLP Leachate	0.104	u mg/L	0.104



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 7th, 1990

Attn: Mr. Gary Deigan

RE: TCLP 4 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-008
Sample Date: 10/17/90
Date Received: 10/19/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.096	u mg/L	0.096
Cadmium, TCLP Leachate	0.011	mg/L	0.005
Chromium, TCLP Leachate	0.065	mg/L	0.026
Nickel, TCLP Leachate	1.1	mg/L	0.020
Lead, TCLP Leachate	0.104	u mg/L	0.104



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 7th, 1990

RE: TCLP 6 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-012
Sample Date: 10/17/90
Date Received: 10/19/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.096	u mg/L	0.096
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.169	mg/L	0.026
Nickel, TCLP Leachate	0.34	mg/L	0.020
Lead, TCLP Leachate	0.104	u mg/L	0.104



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 7th, 1990

RE: TCLP 7 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-014
Sample Date: 10/17/90
Date Received: 10/19/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.096	u mg/L	0.096
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.026	u mg/L	0.026
Nickel, TCLP Leachate	1.3	mg/L	0.020
Lead, TCLP Leachate	0.104	u mg/L	0.104



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 7th, 1990

RE: TCLP 8 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-016
Sample Date: 10/17/90
Date Received: 10/19/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.096	u mg/L	0.096
Cadmium, TCLP Leachate	0.008	mg/L	0.005
Chromium, TCLP Leachate	0.276	mg/L	0.026
Nickel, TCLP Leachate	0.73	mg/L	0.020
Lead, TCLP Leachate	0.104	u mg/L	0.104



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 7th, 1990

Attn: Mr. Gary Deigan

RE: TCLP 9 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-018
Sample Date: 10/17/90
Date Received: 10/19/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.096	u mg/L	0.096
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.264	mg/L	0.026
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.104	u mg/L	0.104



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 7th, 1990

Attn: Mr. Gary Deigan

RE: TCLP 10 TCLP
Project # 3600-01-74-0023
Lab ID: 9010G046-020
Sample Date: 10/17/90
Date Received: 10/19/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.096 u	mg/L	0.096
Cadmium, TCLP Leachate	0.008	mg/L	0.005
Chromium, TCLP Leachate	0.026 u	mg/L	0.026
Nickel, TCLP Leachate	0.93	mg/L	0.020
Lead, TCLP Leachate	0.104 u	mg/L	0.104



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday September 28th, 1990

RE: SL1SC TCLP
Project # 3600-01-74-0023
Lab ID: 9009G417-002
Sample Date: 09/05/90
Date Received: 09/20/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.19	mg/L	0.020
Cadmium, TCLP Leachate	0.032	mg/L	0.0040
Chromium, TCLP Leachate	15.1	mg/L	0.020
Nickel, TCLP Leachate	7.0	mg/L	0.040
Lead, TCLP Leachate	0.092	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday September 28th, 1990

Attn: Mr. Gary Deigan

RE: SL1N TCLP
Project # 3600-01-74-0023
Lab ID: 9009G417-004
Sample Date: 09/05/90
Date Received: 09/20/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.13	mg/L	0.020
Cadmium, TCLP Leachate	0.033	mg/L	0.0040
Chromium, TCLP Leachate	15.0	mg/L	0.020
Nickel, TCLP Leachate	7.4	mg/L	0.040
Lead, TCLP Leachate	0.062	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 24th, 1990

Attn: Mr. Gary Deigan

RE: P-19 SL 3&5 PH2 TCLP
Project # 3600-01-74-0023
Lab ID: 9009G232-002
Sample Date: 09/11/90
Date Received: 09/12/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	41.0	ug/L	20.0
Cadmium, TCLP Leachate	10.0	u ug/L	10.0
Chromium, TCLP Leachate	20.0	u ug/L	20.0
Nickel, TCLP Leachate	2040	ug/L	30.0
Lead, TCLP Leachate	50.0	u ug/L	50.0
Zinc, TCLP Leachate	4270	ug/L	20.0

Approved:

Myan S. [Signature]

Date

9/25/90



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Monday September 24th, 1990

Attn: Mr. Gary Deigan

RE: P-59860 SL 385 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9009G232-004
 Sample Date: 09/11/90
 Date Received: 09/12/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	40.0	ug/L	20.0
Cadmium, TCLP Leachate	14.9	ug/L	10.0
Chromium, TCLP Leachate	59.2	ug/L	20.0
Nickel, TCLP Leachate	2490	ug/L	30.0
Lead, TCLP Leachate	50.0	u ug/L	50.0
Zinc, TCLP Leachate	5620	ug/L	20.0

Approved: _____

By Ann S. [Signature]

Date

9/25/90

DATA QUALIFIERS

- u - Indicates an inorganic compound was analyzed for but not detected.
- U - Indicates an organic compound was analyzed for but not detected.
- J - Indicates an estimated value for either a TIC or an analyte that meets the identification criteria but the result is less than the specified detection limit.
- B - Indicates the compound was found in the blank and the sample.
- T - Indicates the compound was found in the TCLP extraction blank and the sample.
- E - Concentrations exceed calibration range of the instrument.
- I - Indicates Interference.
- BS - Indicates matrix analyses were conducted on reagent grade water.
- BSD - Blank Spike Duplicate
- BDL - Below Detection Limit
- MS - Matrix Spike
- MSD - Matrix Spike Duplicate
- D - Indicates that surrogate/matrix spike recoveries were not obtained because the extract had to be diluted for analysis.
- DL - Indicates a secondary dilution
- NA - Not Applicable
- DF - Dilution factor
- X - Result is by calculation

NOTES:

Solid, sediment and sludge results are reported on a dry weight basis except when analyzed for Landfill disposal parameters (such as incineration or Illinois Green Sheet parameters). All other mg/kg results are reported on an "as received" basis.

Reporting limits are detection limits adjusted for sample size used, dilutions made, and in the case of dry weight results, the moisture content of the sample.



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 18th, 1990

RE: SL1S TCLP
Project # 3600-01-74-0023
Lab ID: 9009G115-002
Sample Date: 09/05/90
Date Received: 09/06/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.059	mg/L	0.020
Cadmium, TCLP Leachat	0.018	mg/L	0.0040
Chromium, TCLP Leacha	0.16	mg/L	0.020
Nickel, TCLP Leachate	2.4	mg/L	0.020
Lead, TCLP Leachate	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 18th, 1990

Attn: Mr. Gary Deigan

RE: SL1SC TCLP
Project # 3600-01-74-0023
Lab ID: 9009G115-004
Sample Date: 09/05/90
Date Received: 09/06/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.036	mg/L	0.020
Cadmium, TCLP Leachat	0.020	mg/L	0.0040
Chromium, TCLP Leacha	0.31	mg/L	0.020
Nickel, TCLP Leachate	2.6	mg/L	0.020
Lead, TCLP Leachate	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 18th, 1990

Attn: Mr. Gary Deigan

RE: SL1NC TCLP
Project # 3600-01-74-0023
Lab ID: 9009G115-006
Sample Date: 09/05/90
Date Received: 09/06/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.029	mg/L	0.020
Cadmium, TCLP Leachat	0.014	mg/L	0.0040
Chromium, TCLP Leacha	0.025	mg/L	0.020
Nickel, TCLP Leachate	1.2	mg/L	0.020
Lead, TCLP Leachate	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 18th, 1990

Attn: Mr. Gary Deigan

RE: SLIN TCLP
Project # 3600-01-74-0023
Lab ID: 9009G115-008
Sample Date: 09/05/90
Date Received: 09/06/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.035	mg/L	0.020
Cadmium, TCLP Leachat	0.021	mg/L	0.0040
Chromium, TCLP Leacha	0.34	mg/L	0.020
Nickel, TCLP Leachate	3.1	mg/L	0.020
Lead, TCLP Leachate	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 18th, 1990

Attn: Mr. Gary Deigan

RE: SL3 + 5E TCLP
Project # 3600-01-74-0023
Lab ID: 9009G115-010
Sample Date: 09/05/90
Date Received: 09/06/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.041	mg/L	0.020
Cadmium, TCLP Leachat	0.019	mg/L	0.0040
Chromium, TCLP Leacha	0.036	mg/L	0.020
Nickel, TCLP Leachate	2.4	mg/L	0.020
Lead, TCLP Leachate	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 18th, 1990

RE: SL3 + 5C TCLP
Project # 3600-01-74-0023
Lab ID: 9009G115-012
Sample Date: 09/05/90
Date Received: 09/06/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.035	mg/L	0.020
Cadmium, TCLP Leachat	0.011	mg/L	0.0040
Chromium, TCLP Leacha	0.020 u	mg/L	0.020
Nickel, TCLP Leachate	2.2	mg/L	0.020
Lead, TCLP Leachate	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 18th, 1990

Attn: Mr. Gary Deigan

RE: SL3 + 5W TCLP
Project # 3600-01-74-0023
Lab ID: 9009G115-014
Sample Date: 09/05/90
Date Received: 09/06/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.039	mg/L	0.020
Cadmium, TCLP Leachat	0.0074	mg/L	0.0040
Chromium, TCLP Leacha	0.021	mg/L	0.020
Nickel, TCLP Leachate	1.8	mg/L	0.020
Lead, TCLP Leachate	0.050 u	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday December 21st, 1990

Attn: Mr. Gary Deigan

RE: TCLP #34 TCLP
Project # 3600-01-74-0023
Lab ID: 9012G162-002
Sample Date: 12/12/90
Date Received: 12/13/90

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.045	u mg/L	0.045
Cadmium, TCLP Leachate	0.005	u mg/L	0.005
Chromium, TCLP Leachate	0.039	mg/L	0.026
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.062	u mg/L	0.062



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday December 21st, 1990

RE: TCLP #35 TCLP
Project # 3600-01-74-0023
Lab ID: 9012G162-004
Sample Date: 12/12/90
Date Received: 12/13/90

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.045	u mg/L	0.045
Cadmium, TCLP Leachate	0.009	mg/L	0.005
Chromium, TCLP Leachate	0.193	mg/L	0.026
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.062	u mg/L	0.062



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday March 7th, 1991

RE: TCLP #39 TCLP
Project # 3600-01-74-0023
Lab ID: 9102G454-002
Sample Date: 02/21/91
Date Received: 02/22/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.069	u mg/L	0.069
Cadmium, TCLP Leachate	0.051	u mg/L	0.051
Chromium, TCLP Leachate	0.217	mg/L	0.061
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.074	u mg/L	0.074



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Friday March 8th, 1991

Project # 3600-01-74-0023
 Lab Batch: 9102G454

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	91G0196-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
Blank 2	91G0196-MB2	Lead, TCLP Leachate	0.39	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday March 8th, 1991

Project # 3600-01-74-0023
Lab Batch: 9102G454

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0196-LC1	Silver, LCS	0.25	mg/L	97.9	98.4	0.49
	Cadmium, LCS	0.25	mg/L	101	104	3.0
	Chromium, LCS	1.0	mg/L	104	104	0.33
	Nickel, LCS	2.5	mg/L	96.8	96.9	0.33
	Lead, LCS	2.6	mg/L	97.6	98.1	0.51



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday March 19th, 1991

RE: TCLP #41 TCLP
Project # 3600-01-74-0023
Lab ID: 9103G861-002
Sample Date: 03/13/91
Date Received: 03/14/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.080 u	mg/L	0.080
Cadmium, TCLP Leachate	0.054 u	mg/L	0.054
Chromium, TCLP Leachate	0.107	mg/L	0.063
Nickel, TCLP Leachate	0.020 u	mg/L	0.020
Lead, TCLP Leachate	0.060 u	mg/L	0.060



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday March 19th, 1991

Project # 3600-01-74-0023
Lab Batch: 9103G861

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 4	91G0242-MB4	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday March 19th, 1991

Project # 3600-01-74-0023
Lab Batch: 9103G861

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0242-LC1	Silver, LCS	0.25	mg/L	97.8	103	5.5
	Cadmium, LCS	0.25	mg/L	93.2	97.6	4.6
	Chromium, LCS	1.0	mg/L	99.4	102	3.1
	Nickel, LCS	2.5	mg/L	95.2	97.6	2.5
	Lead, LCS	2.6	mg/L	94.9	97.1	2.3



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday March 15th, 1991

RE: TCLP 40 TCLP
Project # 3600-01-74-0023
Lab ID: 9103G696-002
Sample Date: 03/06/91
Date Received: 03/07/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.070	u mg/L	0.070
Cadmium, TCLP Leachate	0.055	u mg/L	0.055
Chromium, TCLP Leachate	0.273	mg/L	0.064
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday March 15th, 1991

Project # 3600-01-74-0023
Lab Batch: 9103G696

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	91G0221-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Arsenic, TCLP Leachate	0.10	u mg/L	0.10
		Barium, TCLP Leachate	0.055	mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday March 15th, 1991

Project # 3600-01-74-0023
Lab Batch: 9103G696

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0221-LC1	Silver, LCS	0.25	mg/L	100	101	0.40
	Arsenic, LCS	1.0	mg/L	98.6	98.8	0.25
	Barium, LCS	10.0	mg/L	94.6	94.5	0.053
	Cadmium, LCS	0.25	mg/L	97.7	97.7	0.041
	Chromium, LCS	1.0	mg/L	100	102	1.8
	Nickel, LCS	2.5	mg/L	96.1	95.7	0.48
	Lead, LCS	2.6	mg/L	95.7	96.4	0.74
	Selenium, LCS	1.0	mg/L	96.0	95.7	0.35



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday June 7th, 1991

RE: TCLP #45 TCLP
Project # 3600-01-74-0023
Lab ID: 9105G063-002
Sample Date: 05/08/91
Date Received: 05/09/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.162	u mg/L	0.162
Cadmium, TCLP Leachate	0.054	u mg/L	0.054
Chromium, TCLP Leachate	0.190	mg/L	0.066
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday June 7th, 1991

Project # 3600-01-74-0023
Lab Batch: 9105G063

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 5	91G0473-MB5	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday June 7th, 1991

Project # 3600-01-74-0023
Lab Batch: 9105G063

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0473-LC1	Silver, LCS	0.25	mg/L	98.8	99.4	0.61
	Cadmium, LCS	0.25	mg/L	103	102	1.3
	Chromium, LCS	1.0	mg/L	101	102	1.0
	Nickel, LCS	2.5	mg/L	97.0	97.5	0.43
	Lead, LCS	2.6	mg/L	97.2	98.0	0.87



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Wednesday June 5th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #47 TCLP
 Project # 3600 01-74-0023
 Lab ID: 91056389-002
 Sample Date: 05/22/91
 Date Received: 05/24/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.087	u mg/L	0.087
Cadmium, TCLP Leachate	0.054	u mg/L	0.054
Chromium, TCLP Leachate	0.144	mg/L	0.065
Nickel, TCLP Leachate	0.030	mg/L	0.020
Lead, TCLP Leachate	0.062	u mg/L	0.062



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday June 5th, 1991

Project # 3600-01-74-0023
Lab Batch: 9105G389

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0533-LC1	Silver, LCS	0.25	mg/L	96.7	94.4	2.5
	Cadmium, LCS	0.25	mg/L	101	99.6	0.96
	Chromium, LCS	1.0	mg/L	101	101	0.30
	Nickel, LCS	2.5	mg/L	94.0	94.5	0.47
	Lead, LCS	2.6	mg/L	95.2	95.1	0.12



WESTON-GULF COAST LABORATORIES
 2417 Bond St., University Park, Illinois 60
 Phones: (708) 534-5200 (219) 885-7077

ANALYTICAL REPORT

To: GM-Cold
 Roy F.
 3 Hawth
 Vernon

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Tuesday June 18th, 1991

RE: TCLP #49 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9106G668-002
 Sample Date: 06/06/91
 Date Received: 06/07/91

Attn: Mr. G

Attn: Mr. Gary Deigan

Inorganic Client Data Report

ID	P	Parameters	Result	Units	Reporting Limit
679-LC1	S	Silver, TCLP Leachate	0.092	u mg/L	0.092
	C	Cadmium, TCLP Leachate	0.055	u mg/L	0.055
	C	Chromium, TCLP Leachate	0.204	mg/L	0.065
	N	Nickel, TCLP Leachate	1.2	mg/L	0.020
	L	Lead, TCLP Leachate	0.087	u mg/L	0.087



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday June 24th, 1991

Project # 3600-01-74-0023
Lab Batch: 9106G781

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0594-LC1	Silver, LCS	0.25	mg/L	91.7	94.8	3.3
	Cadmium, LCS	0.25	mg/L	96.2	100	3.9
	Chromium, LCS	1.0	mg/L	96.4	99.5	3.2
	Nickel, LCS	2.5	mg/L	90.6	93.8	3.4
	Lead, LCS	2.6	mg/L	91.4	93.8	2.5



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Wednesday June 26th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #51 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9106G866-002
 Sample Date: 06/17/91
 Date Received: 06/18/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.067	u mg/L	0.067
Cadmium, TCLP Leachate	0.055	u mg/L	0.055
Chromium, TCLP Leachate	0.235	mg/L	0.062
Nickel, TCLP Leachate	0.030	mg/L	0.020
Lead, TCLP Leachate	0.116	u mg/L	0.116



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday June 26th, 1991

Project # 3600-01-74-0023
Lab Batch: 9106G866

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 3	91G0614-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
		Lead, TCLP Leachate	0.050	u mg/L	0.05



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday June 26th, 1991

Project # 3600-01-74-0023
Lab Batch: 9106G866

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0614-LC1	Silver, LCS	0.25	mg/L	94.2	94.1	0.085
	Cadmium, LCS	0.25	mg/L	90.6	93.0	2.6
	Chromium, LCS	1.0	mg/L	96.4	97.9	1.6
	Nickel, LCS	2.5	mg/L	90.3	91.8	1.6
	Lead, LCS	2.6	mg/L	91.6	92.0	0.39



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday July 5th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #52 TCLP
Project # 3600-01-74-0023
Lab ID: 9106G001-002
Sample Date: 06/24/91
Date Received: 06/25/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.129	u mg/L	0.129
Cadmium, TCLP Leachate	0.051	u mg/L	0.051
Chromium, TCLP Leachate	0.134	mg/L	0.062
Nickel, TCLP Leachate	0.051	mg/L	0.020
Lead, TCLP Leachate	0.060	u mg/L	0.060



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Friday July 5th, 1991

Project # 3600-01-74-0023
 Lab Batch: 9106G001

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 4	91G0638-MB4	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
		Lead, TCLP Leachate	0.059	mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday July 5th, 1991

Project # 3600-01-74-0023
Lab Batch: 9106G001

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0638-LC1	Silver, LCS	0.25	mg/L	98.3	103	4.5
	Cadmium, LCS	0.25	mg/L	96.0	101	5.3
	Chromium, LCS	1.0	mg/L	102	105	2.7
	Nickel, LCS	2.5	mg/L	95.3	97.4	2.2
	Lead, LCS	2.6	mg/L	97.4	99.5	2.2



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Monday July 29th, 1991

RE: TCLP #57 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9107G500-002
 Sample Date: 07/19/91
 Date Received: 07/22/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.14	mg/L	0.050
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday July 29th, 1991

Project # 3600-01-74-0023
Lab Batch: 9107G500

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	91G0717-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	91G0717-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 3	91G0717-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Tuesday August 13th, 1991

RE: TCLP #58 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9108G748-002
 Sample Date: 08/02/91
 Date Received: 08/05/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.061 u	mg/L	0.061
Cadmium, TCLP Leachate	0.057 u	mg/L	0.057
Chromium, TCLP Leachate	0.199	mg/L	0.064
Nickel, TCLP Leachate	0.050 u	mg/L	0.050
Lead, TCLP Leachate	0.062 u	mg/L	0.062



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday August 13th, 1991

Project # 3600-01-74-0023
Lab Batch: 9108G748

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	91G0776-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday August 13th, 1991

Project # 3600-01-74-0023
Lab Batch: 9108G748

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0776-LC1	Silver, LCS	0.25	mg/L	97.1	98.3	1.2
	Cadmium, LCS	0.25	mg/L	104	104	0.38
	Chromium, LCS	1.0	mg/L	98.6	101	2.1
	Nickel, LCS	1.0	mg/L	243	246	1.3
	Lead, LCS	2.5	mg/L	102	103	1.6



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday August 13th, 1991

RE: TCLP #58 TCLP
Project # 3600-01-74-0023
Lab ID: 9108G748-002
Sample Date: 08/02/91
Date Received: 08/05/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.061	u mg/L	0.061
Cadmium, TCLP Leachate	0.057	u mg/L	0.057
Chromium, TCLP Leachate	0.199	mg/L	0.064
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.062	u mg/L	0.062



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday August 13th, 1991

Project # 3600-01-74-0023
Lab Batch: 9108G748

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0776-LC1	Silver, LCS	0.25	mg/L	97.1	98.3	1.2
	Cadmium, LCS	0.25	mg/L	104	104	0.38
	Copper, LCS	1.0	mg/L	98.6	101	2.1
	Nickel,	1.0	mg/L	243	246	1.3
	Lead, LCS	2.5	mg/L	102	103	1.6



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday August 22nd, 1991

Attn: Mr. Gary Deigan

RE: TCLP #59 TCLP
Project # 3600-01-74-0023
Lab ID: 9108G972-002
Sample Date: 08/13/91
Date Received: 08/14/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.060	u mg/L	0.060
Cadmium, TCLP Leachate	0.058	u mg/L	0.058
Chromium, TCLP Leachate	0.187	mg/L	0.065
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.062	u mg/L	0.062



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday August 22nd, 1991

Project # 3600-01-74-0023
Lab Batch: 9108G972

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 3	91G0808-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday August 22nd, 1991

Project # 3600-01-74-0023
Lab Batch: 9108G972

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0808-LC1	Silver, LCS	0.25	mg/L	101	104	2.7
	Cadmium, LCS	0.25	mg/L	109	110	0.27
	Chromium, LCS	1.0	mg/L	103	105	2.1
	Nickel, LCS	2.5	mg/L	102	105	2.5
	Lead, LCS	2.5	mg/L	107	109	1.9



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway Suite 400
Vernon Hills, IL 60061

Date: Friday August 30th, 1991

RE: TCLP #60 TCLP
Project # 3000-01-74-0023
Lab ID: 9108G057-002
Sample Date: 08/16/91
Date Received: 08/19/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.132 u	mg/L	0.132
Cadmium, TCLP Leachate	0.065 u	mg/L	0.065
Chromium, TCLP Leachate	0.103	mg/L	0.072
Nickel, TCLP Leachate	0.050 u	mg/L	0.050
Lead, TCLP Leachate	0.070 u	mg/L	0.070



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday August 30th, 1991

Project # 3600-01-74-0023
Lab Batch: 9108G057

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	91G0834-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday August 30th, 1991

Project # 3600-01-74-0023
Lab Batch: 9108G057

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0834-LC1	Silver, LCS	0.25	mg/L	90.0	90.7	0.77
	Cadmium, LCS	0.25	mg/L	95.4	96.2	0.84
	Chromium, LCS	1.0	mg/L	93.6	94.3	0.75
	Nickel, LCS	2.5	mg/L	92.1	93.3	1.3
	Lead, LCS	2.5	mg/L	96.9	97.6	0.72



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 10th, 1991

RE: TCLP #62 TCLP
Project # 3600-01-74-0023
Lab ID: 9108G266-002
Sample Date: 08/28/91
Date Received: 08/29/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.060	u mg/L	0.060
Cadmium, TCLP Leachate	0.062	u mg/L	0.062
Chromium, TCLP Leachate	0.063	u mg/L	0.063
Nickel, TCLP Leachate	0.020	u mg/L	0.020
Lead, TCLP Leachate	0.065	u mg/L	0.065



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 10th, 1991

Project # 3600-01-74-0023
Lab Batch: 9108G266

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	91G0871-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
		Lead, TCLP Leachate	0.050	u mg/L	0.05



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 10th, 1991

Project # 3600-01-74-0023
Lab Batch: 9108G266

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0871-LC1	Silver, LCS	0.25	mg/L	102	93.9	8.6
	Cadmium, LCS	0.25	mg/L	103	102	1.3
	Chromium, LCS	1.0	mg/L	105	105	0.048
	Nickel, LCS	2.5	mg/L	105	105	0.32
	Lead, LCS	2.6	mg/L	105	104	0.39



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Wednesday September 11th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #61 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9108G163-002
 Sample Date: 08/22/91
 Date Received: 08/23/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.075	u mg/L	0.075
Cadmium, TCLP Leachate	0.056	u mg/L	0.056
Chromium, TCLP Leachate	0.065	mg/L	0.060
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.061	u mg/L	0.061



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday September 11th, 1991

Project # 3600-01-74-0023
Lab Batch: 9108G163

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	91G0864-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 865-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday September 11th, 1991

Project # 3600-01-74-0023
Lab Batch: 9108G163

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0864-LC1	Silver, LCS	0.25	mg/L	99.9	101	0.80
	Cadmium, LCS	0.25	mg/L	102	101	0.35
	Chromium, LCS	1.0	mg/L	101	102	0.069
	Nickel, LCS	2.5	mg/L	101	101	0.23
	Lead, LCS	2.6	mg/L	101	102	0.42



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 12th, 1991

RE: TCLP #63 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G357-002
Sample Date: 09/03/91
Date Received: 09/04/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.096	u mg/L	0.096
Cadmium, TCLP Leachate	0.059	u mg/L	0.059
Chromium, TCLP Leachate	0.082	mg/L	0.060
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.060	u mg/L	0.060



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 12th, 1991

Project # 3600-01-74-0023
Lab Batch: 9109G357

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	91G0885-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Thursday September 12th, 1991

Project # 3600-01-74-0023
 Lab Batch: 9109G357

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0885-LC1	Silver, LCS	0.25	mg/L	99.8	100	0.56
	Cadmium, LCS	0.25	mg/L	98.8	102	3.0
	Chromium, LCS	1.0	mg/L	102	102	0.33
	Nickel, LCS	2.5	mg/L	101	103	1.3
	Lead, LCS	2.6	mg/L	101	103	1.9



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 19th, 1991

RE: TCLP #64 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G470-002
Sample Date: 09/09/91
Date Received: 09/10/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.293 u	mg/L	0.293
Cadmium, TCLP Leachate	0.271 u	mg/L	0.271
Chromium, TCLP Leachate	0.313 u	mg/L	0.313
Nickel, TCLP Leachate	0.25 u	mg/L	0.25
Lead, TCLP Leachate	0.290 u	mg/L	0.290



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 19th, 1991

Project # 3600-01-74-0023
Lab Batch: 9109G470

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	91G0902-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday September 20th, 1991

RE: TCLP #65 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G513-002
Sample Date: 09/11/91
Date Received: 09/12/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.052	u mg/L	0.052
Cadmium, TCLP Leachate	0.055	u mg/L	0.055
Chromium, TCLP Leachate	0.059	u mg/L	0.059
Nickel, TCLP Leachate	17.1	mg/L	0.050
Lead, TCLP Leachate	0.060	u mg/L	0.060



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Friday September 20th, 1991

Project # 3600-01-74-0023
 Lab Batch: 9109G513

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	91G0939-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
Blank 1	91G0922-MB1	Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday September 20th, 1991

Project # 3600-01-74-0023
Lab Batch: 9109G513

Attn: Mr. Gary Deegan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0939-LC1	Silver, LCS	0.25	mg/L	96.5	98.0	1.6
91G0922-LC1	Cadmium, LCS	0.25	mg/L	105	103	1.8
	Cadmium, LCS	1.0	mg/L	105	103	1.7
	Mercury, LCS	2.5	mg/L	109	109	0.21
	Lead, LCS	2.6	mg/L	108	107	1.5



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Wednesday September 25th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #66 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9109G565-002
 Sample Date: 09/12/91
 Date Received: 09/16/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.077	u mg/L	0.077
Cadmium, TCLP Leachate	0.053	u mg/L	0.053
Chromium, TCLP Leachate	0.062	mg/L	0.061
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.059	u mg/L	0.059



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday September 25th, 1991

Project # 3600-01-74-0023
Lab Batch: 9109G565

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	91G0948-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday September 25th, 1991

Project # 3600-01-74-0023
Lab Batch: 9109G565

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0948-LC1	Silver, LCS	0.25	mg/L	91.9	97.2	5.6
	Cadmium, LCS	0.25	mg/L	98.9	105	6.2
	Chromium, LCS	1.0	mg/L	98.5	98.4	0.15
	Nickel, LCS	2.5	mg/L	98.4	98.6	0.19
	Lead, LCS	2.6	mg/L	98.1	99.1	1.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 26th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #67 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G717-002
Sample Date: 09/19/91
Date Received: 09/23/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064
Cadmium, TCLP Leachate	0.057	u mg/L	0.050
Chromium, TCLP Leachate	0.086	mg/L	0.064
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.062	u mg/L	0.062



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 26th, 1991

Project # 3600-01-74-0023
Lab Batch: 9109G717

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	91G0952-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 26th, 1991

Project # 3600-01-74-0023
Lab Batch: 9109G717

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0952-LC1	Silver, LCS	0.25	mg/L	96.5	96.5	0.00
	Cadmium, LCS	0.25	mg/L	101	102	1.3
	Chromium, LCS	1.0	mg/L	97.1	97.7	0.61
	Nickel, LCS	2.5	mg/L	96.5	97.4	0.95
	Lead, LCS	2.6	mg/L	97.0	98.3	1.3



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 26th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #65 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G712-002
Sample Date: 09/11/91
Date Received: 09/21/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064
Cadmium, TCLP Leachate	0.056	u mg/L	0.056
Chromium, TCLP Leachate	0.067	mg/L	0.062
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.060	u mg/L	0.060



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 26th, 1991

Project # 3600-01-74-0023
Lab Batch: 9109G712

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	91G0952-MBI	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 26th, 1991

Project # 3600-01-74-0023
Lab Batch: 9109G712

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0952-LC1	Silver, LCS	0.25	mg/L	96.5	96.5	0.00
	Cadmium, LCS	0.25	mg/L	101	102	1.3
	Chromium, LCS	1.0	mg/L	97.1	97.7	0.61
	Nickel, LCS	2.5	mg/L	96.5	97.4	0.95
	Lead, LCS	2.6	mg/L	97.0	98.3	1.3



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 7th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #68 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G804-002
Sample Date: 09/24/91
Date Received: 09/26/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.064	u mg/L	0.064
Cadmium, TCLP Leachate	0.056	u mg/L	0.056
Chromium, TCLP Leachate	0.064	u mg/L	0.064
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.061	u mg/L	0.061



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 7th, 1991

Project # 3600-01-74-0023
Lab Batch: 9109G804

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 3	91G1000-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Monday October 7th, 1991

Project # 3600-01-74-0023
 Lab Batch: 9109G804

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G1000-LC1	Silver, LCS	0.25	mg/L	100	29.4	109
	Cadmium, LCS	0.25	mg/L	97.7	104	6.2
	Chromium, LCS	1.0	mg/L	93.9	98.3	4.6
	Nickel, LCS	2.5	mg/L	96.7	103	6.3
	Lead, LCS	2.6	mg/L	97.6	98.8	1.2



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 7th, 1991

RE: TCLP #69 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G823-002
Sample Date: 09/26/91
Date Received: 09/27/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.067	u mg/L	0.067
Cadmium, TCLP Leachate	0.057	u mg/L	0.057
Chromium, TCLP Leachate	0.078	mg/L	0.066
Nickel, TCLP Leachate	0.032	mg/L	0.020
Lead, TCLP Leachate	0.072	u mg/L	0.072



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 7th, 1991

Project # 3600-01-74-0023
Lab Batch: 9109G823

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 3	91G1000-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.0



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Monday October 7th, 1991

Project # 3600-01-74-0023
 Lab Batch: 9109G823

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G1000-LC1	Silver, LCS	0.25	mg/L	100	29.4	109
	Cadmium, LCS	0.25	mg/L	97.7	104	6.2
	Chromium, LCS	1.0	mg/L	93.9	98.3	4.6
	Nickel, LCS	2.5	mg/L	96.7	103	6.3
	Lead, LCS	2.6	mg/L	97.6	98.8	1.2



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Dr. F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 23rd, 1991

RE: TCLP #70 TCLP
Project # 3600-01-74-0023
Lab ID: 9110G234-002
Sample Date: 10/16/91
Date Received: 10/17/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.058	u mg/L	0.058
Cadmium, TCLP Leachat	0.055	u mg/L	0.055
Chromium, TCLP Leachate	0.213	mg/L	0.062
Nickel, TCLP Leachate	0.093	mg/L	0.050
Lead, TCLP Leachate	0.066	u mg/L	0.066



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 23rd, 1991

Project # 3600-01-74-0023
Lab Batch: 9110G234

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 4	91G1074-MB4	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Wednesday October 23rd, 1991

Project # 3600-01-74-0023
 Lab Batch: 9110G234

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G1074-LC1	Silver, LCS	0.25	mg/L	100	98.0	2.0
	Cadmium, LCS	0.25	mg/L	107	107	0.11
	Chromium, LCS	1.0	mg/L	96.9	94.8	2.2
	Nickel, LCS	2.5	mg/L	96.7	95.8	0.87
	Lead, LCS	2.6	mg/L	96.9	94.7	2.3



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Tuesday August 27th, 1991

Attn: Mr. Gary Deigan

RE: TCLP-2-01 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9108G108-004
 Sample Date: 08/20/91
 Date Received: 08/21/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.083	u mg/L	0.083
Cadmium, TCLP Leachate	0.067	u mg/L	0.067
Chromium, TCLP Leachate	0.205	mg/L	0.073
Nickel, TCLP Leachate	0.063	mg/L	0.020
Lead, TCLP Leachate	0.071	u mg/L	0.071



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 12th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #202 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G333-002
Sample Date: 08/30/91
Date Received: 09/03/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.067	u mg/L	0.067
Cadmium, TCLP Leachate	0.060	u mg/L	0.060
Chromium, TCLP Leachate	0.323	mg/L	0.063
Nickel, TCLP Leachate	0.053	mg/L	0.050
Lead, TCLP Leachate	0.066	u mg/L	0.066



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 19th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #2-03 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G412-002
Sample Date: 09/05/91
Date Received: 09/06/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.488	u mg/L	0.488
Cadmium, TCLP Leachate	0.269	u mg/L	0.269
Chromium, TCLP Leachate	0.307	u mg/L	0.307
Nickel, TCLP Leachate	0.10	u mg/L	0.10
Lead, TCLP Leachate	0.287	u mg/L	0.287



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Wednesday September 25th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #204 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9109G583-002
 Sample Date: 09/16/91
 Date Received: 09/17/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.077	u mg/L	0.077
Cadmium, TCLP Leachate	0.053	u mg/L	0.053
Chromium, TCLP Leachate	0.114	mg/L	0.060
Nickel, TCLP Leachate	0.10	mg/L	0.050
Lead, TCLP Leachate	0.059	u mg/L	0.059



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday September 25th, 1991

Project # 3600-01-74-0023
Lab Batch: 91096583

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	91G0948-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday September 25th, 1991

Project # 3600-01-74-0023
Lab Batch: 9109G583

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G0948-LC1	Silver, LCS	0.25	mg/L	91.9	97.2	5.6
	Cadmium, LCS	0.25	mg/L	98.9	105	6.2
	Chromium, LCS	1.0	mg/L	98.5	98.4	0.15
	Nickel, LCS	2.5	mg/L	98.4	98.6	0.19
	Lead, LCS	2.6	mg/L	98.1	99.1	1.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 26th, 1991

RE: TCLP #2-05 TCLP
Project # 3600-01-74-0023
Lab ID: 91096717-004
Sample Date: 09/19/91
Date Received: 09/23/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.062	u mg/L	0.062
Cadmium, TCLP Leachate	0.055	u mg/L	0.055
Chromium, TCLP Leachate	0.111	mg/L	0.062
Nickel, TCLP Leachate	0.090	mg/L	0.050
Lead, TCLP Leachate	0.073	mg/L	0.060



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 7th, 1991

RE: TCLP #2-06 TCLP
Project # 3600-01-74-0023
Lab ID: 9109G804-004
Sample Date: 09/24/91
Date Received: 09/26/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.067	u mg/L	0.067
Cadmium, TCLP Leachate	0.057	u mg/L	0.057
Chromium, TCLP Leachate	0.161	mg/L	0.067
Nickel, TCLP Leachate	0.093	mg/L	0.050
Lead, TCLP Leachate	0.063	u mg/L	0.063



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 14th, 1991

RE: TCLP #2-07 TCLP
Project # 3600-01-74-0023
Lab ID: 9110G978-002
Sample Date: 10/03/91
Date Received: 10/04/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.083 u	mg/L	0.083
Cadmium, TCLP Leachate	0.056 u	mg/L	0.056
Chromium, TCLP Leachate	0.252	mg/L	0.061
Nickel, TCLP Leachate	0.11	mg/L	0.050
Lead, TCLP Leachate	0.060 u	mg/L	0.060



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Monday October 14th, 1991

Project # 3600-01-74-0023
 Lab Batch: 9110G978

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 3	91G1026-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 14th, 1991

Project # 3600-01-74-0023
Lab Batch: 9110G978

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G1026-LC1	Silver, LCS	0.25	mg/L	100	100	0.16
	Cadmium, LCS	0.25	mg/L	106	103	2.8
	Chromium, LCS	1.0	mg/L	104	103	1.1
	Nickel, LCS	2.5	mg/L	103	102	1.6
	Lead, LCS	2.6	mg/L	103	101	1.8



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 23rd, 1991

Attn: Mr. Gary Deigan

RE: TCLP# 2-08 TCLP
Project # 3600-01-74-0023
Lab ID: 9110G207-002
Sample Date: 10/15/91
Date Received: 10/16/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.094	u mg/L	0.094
Cadmium, TCLP Leachate	0.052	u mg/L	0.052
Chromium, TCLP Leachate	0.196	mg/L	0.060
Nickel, TCLP Leachate	0.75	mg/L	0.050
Lead, TCLP Leachate	0.062	u mg/L	0.062



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 23rd, 1991

Attn: Mr. Gary Deigan

RE: TCLP# 2-09 TCLP
Project # 3600-01-74-0023
Lab ID: 9110G207-004
Sample Date: 10/15/91
Date Received: 10/16/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.072 u	mg/L	0.072
Cadmium, TCLP Leachate	0.052 u	mg/L	0.052
Chromium, TCLP Leachate	0.062	mg/L	0.062
Nickel, TCLP Leachate	0.10	mg/L	0.050
Lead, TCLP Leachate	0.057 u	mg/L	0.057



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 23rd, 1991

Project # 3600-01-74-0023
Lab Batch: 9110G207

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G1074-LC1	Silver, LCS	0.25	mg/L	100	98.0	2.0
	Cadmium, LCS	0.25	mg/L	107	107	0.11
	Chromium, LCS	1.0	mg/L	96.9	94.8	2.2
	Nickel, LCS	2.5	mg/L	96.7	95.8	0.87
	Lead, LCS	2.6	mg/L	96.9	94.7	2.3



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 23rd, 1991

Project # 3600-01-74-0023
Lab Batch: 9110G207

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 3	91G1074-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Attn: Mr. Gary Deigan

Date: Monday November 4th, 1991

RE: TCLP# 2-10 TCLP
Project # 3600-01-74-0023
Lab ID: 9110G389-002
Sample Date: 10/24/91
Date Received: 10/25/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.065	u mg/L	0.065
Cadmium, TCLP Leachate	0.049	u mg/L	0.049
Chromium, TCLP Leachate	0.11	mg/L	0.053
Nickel, TCLP Leachate	0.096	mg/L	0.050
Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 4th, 1991

RE: TCLP# 2-11 TCLP
Project # 3600-01-74-0023
Lab ID: 9110G389-004
Sample Date: 10/24/91
Date Received: 10/25/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.065	u mg/L	0.065
Cadmium, TCLP Leachate	0.049	u mg/L	0.049
Chromium, TCLP Leachate	0.14	mg/L	0.053
Nickel, TCLP Leachate	0.16	mg/L	0.050
Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 4th, 1991

Project # 3600-01-74-0023
Lab Batch: 9110G389

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 3	91G1124-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 4th, 1991

Project # 3600-01-74-0023
Lab Batch: 9110G389

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G1124-LC1	Silver, LCS	0.25	mg/L	98.4	99.0	0.57
	Cadmium, LCS	0.25	mg/L	106	104	1.9
	Chromium, LCS	1.0	mg/L	101	103	1.2
	Nickel, LCS	2.5	mg/L	103	103	0.0097
	Lead, LCS	2.6	mg/L	102	103	0.43



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 13th, 1991

RE: TCLP# 2-12 TCLP
Project # 3600-01-74-0023
Lab ID: 9111G602-002
Sample Date: 11/04/91
Date Received: 11/05/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.094	u mg/L	0.094
Cadmium, TCLP Leachate	0.053	u mg/L	0.053
Chromium, TCLP Leachate	0.114	mg/L	0.059
Nickel, TCLP Leachate	0.091	mg/L	0.050
Lead, TCLP Leachate	0.056	u mg/L	0.056



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Wednesday November 13th, 1991

Project # 3600-01-74-0023
 Lab Batch: 9111G602

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	91G1165-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 13th, 1991

Project # 3600-01-74-0023
Lab Batch: 9111G602

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G1165-LC1	Silver, LCS	0.25	mg/L	94.2	92.6	1.7
	Cadmium, LCS	0.25	mg/L	95.9	97.9	2.0
	Chromium, LCS	1.0	mg/L	95.4	96.3	0.97
	Nickel, LCS	2.5	mg/L	95.0	96.4	1.5
	Lead, LCS	2.6	mg/L	95.5	95.5	0.010



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday November 15th, 1991

Attn: Mr. Gary Deigan

RE: TCLP# 2-13 TCLP
Project # 3600-01-74-0023
Lab ID: 9111G693-002
Sample Date: 11/07/91
Date Received: 11/08/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.060	u mg/L	0.060
Cadmium, TCLP Leachate	0.055	u mg/L	0.055
Chromium, TCLP Leachate	1.33	mg/L	0.066
Nickel, TCLP Leachate	0.095	mg/L	0.050
Lead, TCLP Leachate	0.062	u mg/L	0.062



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday November 15th, 1991

RE: TCLP# 2-14 TCLP
Project # 3600-01-74-0023
Lab ID: 9111G693-004
Sample Date: 11/07/91
Date Received: 11/08/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.061	u mg/L	0.061
Cadmium, TCLP Leachate	0.056	u mg/L	0.056
Chromium, TCLP Leachate	0.075	mg/L	0.067
Nickel, TCLP Leachate	0.092	mg/L	0.050
Lead, TCLP Leachate	0.063	u mg/L	0.063



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday November 15th, 1991

Project # 3600-01-74-0023
Lab Batch: 9111G693

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	91G1179-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Friday November 15th, 1991

Project # 3600-01-74-0023
 Lab Batch: 9111G693

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G1179-LC1	Silver, LCS	0.25	mg/L	95.0	94.2	0.85
	Cadmium, LCS	0.25	mg/L	93.6	92.6	1.1
	Chromium, LCS	1.0	mg/L	88.0	86.6	1.5
	Nickel, LCS	2.5	mg/L	90.5	87.2	3.8
	Lead, LCS	2.6	mg/L	88.6	87.1	1.7



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Friday November 22nd, 1991

Attn: Mr. Gary Deigan

RE: TCLP #2-115 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9111G833-002
 Sample Date: 11/14/91
 Date Received: 11/15/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.313	u mg/L	0.313
Cadmium, TCLP Leachate	0.282	u mg/L	0.282
Chromium, TCLP Leachate	0.321	u mg/L	0.321
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.306	u mg/L	0.306



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday November 22nd, 1991

Project # 3600-01-74-0023
Lab Batch: 9111G833

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 4	91G1208-MB4	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday November 22nd, 1991

Project # 3600-01-74-0023
Lab Batch: 9111G833

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G1208-LC1	Silver, LCS	0.25	mg/L	105	105	0.38
	Cadmium, LCS	0.25	mg/L	102	103	0.47
	Chromium, LCS	1.0	mg/L	98.0	97.0	1.1
	Nickel, LCS	2.5	mg/L	107	107	0.39
	Lead, LCS	2.6	mg/L	105	104	0.71



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday December 3rd, 1991

RE: TCLP #2-16 TCLP
Project # 3600-01-74-0023
Lab ID: 9111G999-002
Sample Date: 11/21/91
Date Received: 11/22/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.066	u mg/L	0.066
Cadmium, TCLP Leachate	0.059	u mg/L	0.059
Chromium, TCLP Leachate	0.119	mg/L	0.068
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.064	u mg/L	0.064



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday December 3rd, 1991

Project # 3600-01-74-0023
Lab Batch: 9111G999

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	91G1240-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday December 3rd, 1991

Project # 3600-01-74-0023
Lab Batch: 9111G999

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G1240-LC1	Silver, LCS	0.25	mg/L	94.2	94.1	0.13
	Cadmium, LCS	0.25	mg/L	98.5	96.0	2.5
	Chromium, LCS	1.0	mg/L	95.5	93.1	2.6
	Nickel, LCS	2.5	mg/L	97.1	93.9	3.3
	Lead, LCS	2.6	mg/L	96.6	93.6	3.2



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday December 16th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #2-17 TCLP
Project # 3600-01-74-0023
Lab ID: 9111G082-002
Sample Date: 11/26/91
Date Received: 11/27/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.077	u mg/L	0.077
Cadmium, TCLP Leachate	0.056	u mg/L	0.056
Chromium, TCLP Leachate	0.146	mg/L	0.064
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.057	u mg/L	0.057



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Monday December 16th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #2-18 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9111G082-004
 Sample Date: 11/26/91
 Date Received: 11/27/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.076	u mg/L	0.076
Cadmium, TCLP Leachate	0.052	u mg/L	0.052
Chromium, TCLP Leachate	0.117	mg/L	0.061
Nickel, TCLP Leachate	0.066	mg/L	0.050
Lead, TCLP Leachate	0.067	u mg/L	0.067



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday December 16th, 1991

Project # 3600-01-74-0023
Lab Batch: 9111G082

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 3	91G1254-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 1	91G1295-MB1	Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday December 19th, 1991

RE: TCLP #2-19 TCLP
Project # 3600-01-74-0023
Lab ID: 9112G317-002
Sample Date: 12/10/91
Date Received: 12/11/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.065	u mg/L	0.065
Cadmium, TCLP Leachate	0.056	u mg/L	0.056
Chromium, TCLP Leachate	0.088	mg/L	0.064
Nickel, TCLP Leachate	0.060	mg/L	0.050
Lead, TCLP Leachate	0.061	u mg/L	0.061



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday December 19th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #2-20 TCLP
Project # 3600-01-74-0023
Lab ID: 9112G317-004
Sample Date: 12/10/91
Date Received: 12/11/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.058	u mg/L	0.058
Cadmium, TCLP Leachate	0.055	u mg/L	0.055
Chromium, TCLP Leachate	0.083	mg/L	0.063
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.060	u mg/L	0.060



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday December 19th, 1991

Attn: Mr. Gary Deigan

RE: TCLP #2-21 TCLP
Project # 3600-01-74-0023
Lab ID: 9112G317-006
Sample Date: 12/10/91
Date Received: 12/11/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.069 u	mg/L	0.069
Cadmium, TCLP Leachate	0.055 u	mg/L	0.055
Chromium, TCLP Leachate	0.063 u	mg/L	0.063
Nickel, TCLP Leachate	0.051	mg/L	0.050
Lead, TCLP Leachate	0.060 u	mg/L	0.060



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday December 19th, 1991

Project # 3600-01-74-0023
Lab Batch: 9112G317

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	91G1317-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday December 19th, 1991

Project # 3600-01-74-0023
Lab Batch: 9112G317

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G1317-LC1	Silver, LCS	0.25	mg/L	101	103	2.1
	Cadmium, LCS	0.25	mg/L	97.2	98.8	1.7
	Chromium, LCS	1.0	mg/L	91.6	93.0	1.4
	Nickel, LCS	2.5	mg/L	95.7	95.4	0.35
	Lead, LCS	2.6	mg/L	96.2	98.3	2.2



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday January 2nd, 1992

RE: TCLP #2-22 TCLP
Project # 3600-01-74-0023
Lab ID: 9112G520-002
Sample Date: 12/17/91
Date Received: 12/19/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.076	u mg/L	0.076
Cadmium, TCLP Leachate	0.055	u mg/L	0.055
Chromium, TCLP Leachate	0.094	mg/L	0.062
Nickel, TCLP Leachate	0.077	mg/L	0.050
Lead, TCLP Leachate	0.059	u mg/L	0.059



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday January 2nd, 1992

Attn: Mr. Gary Deigan

RE: TCLP #2-23 TCLP
Project # 3600-01-74-0023
Lab ID: 9112G520-004
Sample Date: 12/17/91
Date Received: 12/19/91

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.083	u mg/L	0.083
Cadmium, TCLP Leachate	0.056	u mg/L	0.056
Chromium, TCLP Leachate	0.116	mg/L	0.065
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.061	u mg/L	0.061



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday January 2nd, 1992

RE: TCLP #2-24 TCLP
Project # 3600-01-74-0023
Lab ID: 91126520-006
Sample Date: 12/17/91
Date Received: 12/19/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.078 u	mg/L	0.078
Cadmium, TCLP Leachate	0.056 u	mg/L	0.056
Chromium, TCLP Leachate	0.085	mg/L	0.064
Nickel, TCLP Leachate	0.055	mg/L	0.050
Lead, TCLP Leachate	0.060 u	mg/L	0.060



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday January 2nd, 1992

RE: TCLP #2-25 TCLP
Project # 3600-01-74-0023
Lab ID: 9112G520-008
Sample Date: 12/17/91
Date Received: 12/19/91

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.075	u mg/L	0.075
Cadmium, TCLP Leachate	0.055	u mg/L	0.055
Chromium, TCLP Leachate	0.077	mg/L	0.064
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.060	u mg/L	0.060



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday January 2nd, 1992

Project # 3600-01-74-0023
Lab Batch: 9112G520

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 4	91G1342-MB4	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday January 2nd, 1992

Project # 3600-01-74-0023
Lab Batch: 9112G520

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
91G1342-LC1	Silver, LCS	0.25	mg/L	96.8	97.2	0.45
	Cadmium, LCS	0.25	mg/L	98.4	100	1.8
	Chromium, LCS	1.0	mg/L	95.2	96.3	1.1
	Nickel, LCS	2.5	mg/L	96.3	97.7	1.5
	Lead, LCS	2.6	mg/L	92.0	93.5	1.7



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday March 3rd, 1992

RE: TCLP #2-26 TCLP
Project # 3600-01-74-0023
Lab ID: 9202G635-002
Sample Date: 02/19/92
Date Received: 02/20/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.131	u mg/L	0.131
Cadmium, TCLP Leachate	0.051	u mg/L	0.051
Chromium, TCLP Leachate	0.082	mg/L	0.056
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.054	u mg/L	0.054



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Tuesday March 3rd, 1992

Project # 3600-01-74-0023
 Lab Batch: 9202G635

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	92GE020-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
Blank 1	92GE018-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday March 3rd, 1992

Project # 3600-01-74-0023
Lab Batch: 9202G635

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE020-LC1	Silver, LCS	0.050	mg/L	93.4	99.8	6.6
92GE018-LC1	Silver, LCS	0.050	mg/L	88.2	91.6	3.8
	Cadmium, LCS	0.050	mg/L	83.2	81.0	2.7
	Chromium, LCS	0.20	mg/L	95.6	95.8	0.26
	Nickel, LCS	0.50	mg/L	95.0	95.5	0.48
	Lead, LCS	0.50	mg/L	95.2	96.7	1.5



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday March 9th, 1992

Attn: Mr. Gary Deigan

RE: TCLP #2-27 TCLP
Project # 3600-01-74-0023
Lab ID: 9203G840-002
Sample Date: 02/27/92
Date Received: 03/02/92

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.092	u mg/L	0.092
Cadmium, TCLP Leachate	0.053	u mg/L	0.053
Chromium, TCLP Leachate	0.080	mg/L	0.057
Nickel, TCLP Leachate	0.052	mg/L	0.020
Lead, TCLP Leachate	0.0550	u mg/L	0.0550



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday March 9th, 1992

Project # 3600-01-74-0023
Lab Batch: 9203G840

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	92GE023-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday March 9th, 1992

Project # 3600-01-74-0023
Lab Batch: 9203G840

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE023-LC1	Silver, LCS	0.050	mg/L	88.2	91.4	3.6
	Cadmium, LCS	0.050	mg/L	85.2	85.8	0.70
	Chromium, LCS	0.20	mg/L	93.8	93.5	0.27
	Nickel, LCS	0.50	mg/L	91.3	91.6	0.24
	Lead, LCS	0.50	mg/L	94.0	94.3	0.28



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday March 12th, 1992

RE: TCLP #2-28 TCLP
Project # 3600-01-74-0023
Lab ID: 9203G936-002
Sample Date: 03/04/92
Date Received: 03/05/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.142	u mg/L	0.142
Cadmium, TCLP Leachate	0.054	u mg/L	0.054
Chromium, TCLP Leachate	0.107	mg/L	0.060
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.059	u mg/L	0.059



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday March 12th, 1992

Project # 3600-01-74-0023
Lab Batch: 9203G936

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	92GE024-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday March 12th, 1992

Project # 3600-01-74-0023
Lab Batch: 92036936

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE024-LC1	Silver, LCS	0.050	mg/L	92.0	88.6	3.8
	Cadmium, LCS	0.050	mg/L	84.4	88.8	5.1
	Chromium, LCS	0.20	mg/L	91.6	93.4	1.9
	Nickel, LCS	0.50	mg/L	92.1	92.7	0.58
	Lead, LCS	0.50	mg/L	93.2	93.7	0.60



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday March 17th, 1992

RE: TCLP #2-29 TCLP
Project # 3600-01-74-0023
Lab ID: 9203G016-002
Sample Date: 03/06/92
Date Received: 03/09/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.111	u mg/L	0.111
Cadmium, TCLP Leachate	0.053	u mg/L	0.053
Chromium, TCLP Leachate	0.116	mg/L	0.060
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.057	u mg/L	0.057



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday March 17th, 1992

RE: TCLP #2-30 TCLP
Project # 3600-01-74-0023
Lab ID: 9203G016-004
Sample Date: 03/06/92
Date Received: 03/09/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.098	u mg/L	0.098
Cadmium, TCLP Leachate	0.054	u mg/L	0.054
Chromium, TCLP Leachate	0.092	mg/L	0.092
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.057	u mg/L	0.057



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday March 17th, 1992

Project # 3600-01-74-0023
Lab Batch: 9203G016

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	92GE027-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday March 17th, 1992

Project # 3600-01-74-0023
Lab Batch: 9203G016

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE027-LC1	Silver, LCS	0.050	mg/L	90.2	90.6	0.44
	Cadmium, LCS	0.050	mg/L	84.0	86.4	2.8
	Chromium, LCS	0.20	mg/L	96.8	93.5	3.4
	Nickel, LCS	0.50	mg/L	97.6	93.9	3.9
	Lead, LCS	0.50	mg/L	106	95.9	9.8



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday March 27th, 1992

Attn: Mr. Gary Deigan

RE: TCLP #2-31 TCLP
Project # 3600-01-74-0023
Lab ID: 9203G285-002
Sample Date: 03/17/92
Date Received: 03/20/92

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.059 u	mg/L	0.059
Cadmium, TCLP Leachate	0.052 u	mg/L	0.052
Chromium, TCLP Leachate	0.057 u	mg/L	0.057
Nickel, TCLP Leachate	0.050 u	mg/L	0.050
Lead, TCLP Leachate	0.057 u	mg/L	0.057



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday March 27th, 1992

RE: TCLP #2-32 TCLP
Project # 3600-01-74-0023
Lab ID: 9203G285-004
Sample Date: 03/17/92
Date Received: 03/20/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.056	u mg/L	0.056
Cadmium, TCLP Leachate	0.051	u mg/L	0.051
Chromium, TCLP Leachate	0.080	mg/L	0.058
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.057	u mg/L	0.057



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday March 27th, 1992

Attn: Mr. Gary Deigan

RE: TCLP #2-33 TCLP
Project # 3600-01-74-0023
Lab ID: 9203G285-006
Sample Date: 03/17/92
Date Received: 03/20/92

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.061	u mg/L	0.061
Cadmium, TCLP Leachate	0.053	u mg/L	0.053
Chromium, TCLP Leachate	0.089	u mg/L	0.089
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.058	u mg/L	0.058



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Friday March 27th, 1992

Project # 3600-01-74-0023
 Lab Batch: 9203G285

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	92GE032-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	92GE032-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday March 27th, 1992

Project # 3600-01-74-0023
Lab Batch: 9203G285

Attn: Mr. Gary Deigan

Inorganic Precision Data Report

Sample	Site ID	Parameter	Initial Result	Replicate	% Diff.
-002REP	TCLP #2-31 TCLP	Silver, Leachate	0.050 u	0.050 u	NC
		Cadmium, Leachate	0.050 u	0.050 u	NC
		Chromium, Leachate	0.050 u	0.050 u	NC
		Nickel, Leachate	0.050 u	0.050 u	NC
		Lead, Leachate	0.050 u	0.050 u	NC
-004REP	TCLP #2-32 TCLP	Silver, Leachate	0.050 u	0.050 u	NC
		Cadmium, Leachate	0.050 u	0.050 u	NC
		Chromium, Leachate	0.077	0.079	2.4
		Nickel, Leachate	0.050 u	0.050 u	NC
		Lead, Leachate	0.050 u	0.050 u	NC
-006REP	TCLP #2-33 TCLP	Silver, Leachate	0.025 u	0.025 u	NC
		Cadmium, Leachate	0.050 u	0.050 u	NC
		Chromium, Leachate	0.050 u	0.050 u	NC
		Nickel, Leachate	0.050 u	0.050 u	NC
		Lead, Leachate	0.050 u	0.050 u	NC



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Friday March 27th, 1992

Project # 3600-01-74-0023
 Lab Batch: 9203G285

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	TCLP #2-31 TCLP	Silver, Leachate	4.2	0.050	5.0	84.2
		Cadmium, Leachate	0.96	0.050	1.0	96.0
		Chromium, Leachate	4.4	0.050	5.0	88.1
		Lead, Leachate	4.4	0.050	5.0	88.2
-004	TCLP #2-32 TCLP	Silver, Leachate	4.5	0.050	5.0	89.4
		Cadmium, Leachate	0.95	0.050	1.0	95.3
		Chromium, Leachate	4.4	0.077	5.0	86.3
		Lead, Leachate	4.4	0.050	5.0	87.1
-006	TCLP #2-33 TCLP	Silver, Leachate	2.0	0.025	5.0	40.8
		Cadmium, Leachate	0.94	0.050	1.0	94.4
		Chromium, Leachate	4.3	0.050	5.0	86.2
		Lead, Leachate	4.3	0.050	5.0	86.6



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday March 27th, 1992

Project # 3600-01-74-0023
Lab Batch: 9203G285

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE032-LC1	Silver, LCS	0.050	mg/L	96.4	98.4	2.1
	Cadmium, LCS	0.050	mg/L	106	113	6.2
	Chromium, LCS	0.20	mg/L	92.5	92.9	0.43
	Nickel, LCS	0.50	mg/L	93.0	91.2	1.9
	Lead, LCS	0.50	mg/L	95.8	94.6	1.3



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Wednesday April 1st, 1992

Attn: Mr. Gary Deigan

RE: TCLP #2-34 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9203G414-002
 Sample Date: 03/25/92
 Date Received: 03/26/92

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.042	u mg/L	0.042
Cadmium, TCLP Leachate	0.050	u mg/L	0.050
Chromium, TCLP Leachate	0.063	mg/L	0.063
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.057	u mg/L	0.057



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 1st, 1992

RE: TCLP #2-35 TCLP
Project # 3600-01-74-0023
Lab ID: 9203G414-004
Sample Date: 03/25/92
Date Received: 03/26/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.045 u	mg/L	0.045
Cadmium, TCLP Leachate	0.050 u	mg/L	0.050
Chromium, TCLP Leachate	0.054 u	mg/L	0.054
Nickel, TCLP Leachate	0.050 u	mg/L	0.050
Lead, TCLP Leachate	0.058 u	mg/L	0.058



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 1st, 1992

Project # 3600-01-74-0023
Lab Batch: 9203G414

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	92GE033-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 1st, 1992

Project # 3600-01-74-0023
Lab Batch: 9203G414

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE033-LC1	Silver, LCS	0.050	mg/L	87.0	83.0	4.7
	Cadmium, LCS	0.050	mg/L	93.4	101	8.0
	Chromium, LCS	0.20	mg/L	86.0	83.8	2.7
	Nickel, LCS	0.50	mg/L	89.9	89.6	0.27
	Lead, LCS	0.50	mg/L	88.3	87.4	0.93



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 8th, 1992

RE: TCLP #2-36 TCLP
Project # 3600-01-74-0023
Lab ID: 9204G591-002
Sample Date: 04/01/92
Date Received: 04/02/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.061	u mg/L	0.061
Cadmium, TCLP Leachate	0.055	u mg/L	0.055
Chromium, TCLP Leachate	0.062	mg/L	0.060
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.059	u mg/L	0.059



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 8th, 1992

Attn: Mr. Gary Deigan

RE: TCLP #2-37 TCLP
Project # 3600-01-74-0023
Lab ID: 9204G591-004
Sample Date: 04/01/92
Date Received: 04/02/92

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.048	u mg/L	0.048
Cadmium, TCLP Leachate	0.054	u mg/L	0.054
Chromium, TCLP Leachate	0.066	mg/L	0.059
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.058	u mg/L	0.058



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 8th, 1992

Project # 3600-01-74-0023
Lab Batch: 9204G591

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	92GE034-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 8th, 1992

Project # 3600-01-74-0023
Lab Batch: 9204G591

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE034-LC1	Silver, LCS	0.050	mg/L	85.4	87.4	2.3
	Cadmium, LCS	0.050	mg/L	100	102	1.8
	Chromium, LCS	0.20	mg/L	90.2	91.2	1.2
	Nickel, LCS	0.50	mg/L	90.9	91.8	1.0
	Lead, LCS	0.50	mg/L	93.8	92.3	1.6



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 15th, 1992

RE: TCLP #2-38 TCLP
Project # 3600-01-74-0023
Lab ID: 92046712-002
Sample Date: 04/07/92
Date Received: 04/08/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.046	u mg/L	0.046
Cadmium, TCLP Leachate	0.058	u mg/L	0.058
Chromium, TCLP Leachate	0.062	u mg/L	0.062
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.061	u mg/L	0.061



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 15th, 1992

Attn: Mr. Gary Deigan

RE: TCLP #2-39 TCLP
Project # 3600-01-74-0023
Lab ID: 9204G712-004
Sample Date: 04/07/92
Date Received: 04/08/92

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.046 u	mg/L	0.046
Cadmium, TCLP Leachate	0.056 u	mg/L	0.056
Chromium, TCLP Leachate	0.091	mg/L	0.061
Nickel, TCLP Leachate	0.050 u	mg/L	0.050
Lead, TCLP Leachate	0.060 u	mg/L	0.060



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Wednesday April 15th, 1992

Project # 3600-01-74-0023
 Lab Batch: 9204G712

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	92GE036-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	92GE036-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 15th, 1992

Project # 3600-01-74-0023
Lab Batch: 9204G712

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE036-LC1	Silver, LCS	0.050	mg/L	83.4	81.8	1.9
	Cadmium, LCS	0.050	mg/L	91.4	95.8	4.7
	Chromium, LCS	0.20	mg/L	86.2	87.6	1.7
	Nickel, LCS	0.50	mg/L	85.9	86.3	0.46
	Lead, LCS	0.50	mg/L	88.3	89.0	0.74



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 27th, 1992

RE: TCLP #2-40 TCLP
Project # 3600-01-74-0023
Lab ID: 9204G888-002
Sample Date: 04/14/92
Date Received: 04/16/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.054	u mg/L	0.054
Cadmium, TCLP Leachate	0.054	u mg/L	0.054
Chromium, TCLP Leachate	0.065	mg/L	0.056
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.054	u mg/L	0.054



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 27th, 1992

RE: TCLP #2-41 TCLP
Project # 3600-01-74-0023
Lab ID: 9204G888-004
Sample Date: 04/14/92
Date Received: 04/16/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.054	u mg/L	0.054
Cadmium, TCLP Leachate	0.054	u mg/L	0.054
Chromium, TCLP Leachate	0.056	u mg/L	0.056
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.054	u mg/L	0.054



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 27th, 1992

Project # 3600-01-74-0023
Lab Batch: 9204G888

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE040-LC1	Silver, LCS	0.050	mg/L	97.4	100	2.6
	Cadmium, LCS	0.050	mg/L	81.0	82.0	1.2
	Chromium, LCS	0.20	mg/L	95.2	95.3	0.052
	Nickel, LCS	0.50	mg/L	93.2	92.1	1.2
	Lead, LCS	0.50	mg/L	95.5	95.7	0.19



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Thursday April 30th, 1992

Attn: Mr. Gary Deigan

RE: TCLP #2-42 TCLP
 Project # 3600-01-74-0023
 Lab ID: 92046987-002
 Sample Date: 04/21/92
 Date Received: 04/22/92

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.056	u mg/L	0.056
Cadmium, TCLP Leachate	0.098	mg/L	0.050
Chromium, TCLP Leachate	0.056	mg/L	0.056
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.055	u mg/L	0.055



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday April 30th, 1992

RE: TCLP #2-43 TCLP
Project # 3600-01-74-0023
Lab ID: 9204G987-004
Sample Date: 04/21/92
Date Received: 04/22/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.041	u mg/L	0.041
Cadmium, TCLP Leachate	0.054	u mg/L	0.054
Chromium, TCLP Leachate	0.147	mg/L	0.060
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.058	u mg/L	0.058



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Thursday April 30th, 1992

Project # 3600-01-74-0023
 Lab Batch: 9204G987

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	92GE044-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Thursday April 30th, 1992

Project # 3600-01-74-0023
 Lab Batch: 9204G987

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE044-LC1	Silver, LCS	0.050	mg/L	90.4	95.4	5.4
	Cadmium, LCS	0.050	mg/L	102	112	8.8
	Chromium, LCS	0.20	mg/L	91.8	92.4	0.71
	Nickel, LCS	0.50	mg/L	90.9	92.7	2.0
	Lead, LCS	0.50	mg/L	94.1	96.9	2.9



WESTON-GULF COAST LABORATORIES, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Thursday April 30th, 1992

RE: TCLP #2-42 TCLP
 Project # 3600-01-74-0023
 Lab ID: 9204G987-002
 Sample Date: 04/21/92
 Date Received: 04/22/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.056	u mg/L	0.056
Cadmium, TCLP Leachate	0.057	mg/L	0.057
Chromium, TCLP Leachate	0.056	mg/L	0.056
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.055	u mg/L	0.055



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday May 18th, 1992

RE: TCLP #2-45 TCLP
Project # 3600-01-74-0023
Lab ID: 9205G431-002
Sample Date: 05/13/92
Date Received: 05/14/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.056	u mg/L	0.056
Cadmium, TCLP Leachate	0.052	u mg/L	0.052
Chromium, TCLP Leachate	0.059	mg/L	0.059
Nickel, TCLP Leachate	0.048	mg/L	0.020
Lead, TCLP Leachate	0.052	u mg/L	0.052



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday May 18th, 1992

Project # 3600-01-74-0023
Lab Batch: 9205G431

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	92GE050-MB2	Silver, TCLP Leachate	0.056	u mg/L	0.056
		Cadmium, TCLP Leachate	0.052	u mg/L	0.052
		Chromium, TCLP Leacha	0.059	u mg/L	0.059
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
		Lead, TCLP Leachate	0.052	u mg/L	0.052



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday May 18th, 1992

Project # 3600-01-74-0023
Lab Batch: 9205G431

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE050-LC1	Silver, LCS	0.050	mg/L	94.0	94.4	0.42
	Cadmium, LCS	0.050	mg/L	109	114	4.1
	Chromium, LCS	0.20	mg/L	97.3	98.7	1.4
	Nickel, LCS	0.50	mg/L	96.4	98.2	1.8
	Lead, LCS	0.50	mg/L	96.9	99.9	3.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 19th, 1992

RE: TCLP #2-44 TCLP
Project # 3600-01-74-0023
Lab ID: 9205G402-002
Sample Date: 05/12/92
Date Received: 05/13/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.024	u mg/L	0.024
Cadmium, TCLP Leachate	0.050	u mg/L	0.050
Chromium, TCLP Leachate	0.051	mg/L	0.050
Nickel, TCLP Leachate	0.040	mg/L	0.020
Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 19th, 1992

RE: TCLP #Demo 7
Project # 3600-01-74-0023
Lab ID: 9205G402-004
Sample Date: 05/12/92
Date Received: 05/13/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.040	u mg/L	0.040
Cadmium, TCLP Leachate	0.050	u mg/L	0.050
Chromium, TCLP Leachate	0.19	mg/L	0.050
Nickel, TCLP Leachate	0.031	mg/L	0.020
Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 19th, 1992

Project # 3600-01-74-0023
Lab Batch: 9205G402

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	92GE050-MB2	Silver, TCLP Leachate	0.024	u mg/L	0.024
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 19th, 1992

Project # 3600-01-74-0023
Lab Batch: 9205G402

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE050-LC1	Silver, LCS	0.050	mg/L	94.0	94.4	0.42
	Cadmium, LCS	0.050	mg/L	109	114	4.1
	Chromium, LCS	0.20	mg/L	97.3	98.7	1.4
	Nickel, LCS	0.50	mg/L	96.4	98.2	1.8
	Lead, LCS	0.50	mg/L	96.9	99.9	3.0



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday May 27th, 1992

RE: TCLP #2-46 TCLP
Project # 3600-01-74-0023
Lab ID: 9205G539-002
Sample Date: 05/19/92
Date Received: 05/20/92

Attn: Mr. Gary Deigan

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.061	u mg/L	0.061
Cadmium, TCLP Leachate	0.057	u mg/L	0.057
Chromium, TCLP Leachate	0.065	mg/L	0.062
Nickel, TCLP Leachate	0.046	mg/L	0.020
Lead, TCLP Leachate	0.061	u mg/L	0.061



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday May 27th, 1992

Project # 3600-01-74-0023
Lab Batch: 9205G539

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	92GE053-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.020	u mg/L	0.020
		Lead, TCLP Leachate	0.050	u mg/L	0.05



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday May 27th, 1992

Project # 3600-01-74-0023
Lab Batch: 9205G539

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE053-LC1	Silver, LCS	0.050	mg/L	89.2	86.0	3.7
	Cadmium, LCS	0.050	mg/L	97.2	95.0	2.3
	Chromium, LCS	0.20	mg/L	91.4	91.4	0.11
	Nickel, LCS	0.50	mg/L	93.6	92.6	1.1
	Lead, LCS	0.50	mg/L	95.7	96.0	0.31



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday June 9th, 1992

Attn: Mr. Gary Deigan

RE: TCLP #2-48 TCLP
Project # 3600-01-74-0023
Lab ID: 92066802-002
Sample Date: 06/02/92
Date Received: 06/03/92

Inorganic Client Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.061	u mg/L	0.061
Cadmium, TCLP Leachate	0.059	u mg/L	0.059
Chromium, TCLP Leachate	0.111	mg/L	0.062
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.062	u mg/L	0.062



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday June 9th, 1992

Project # 3600-01-74-0023
Lab Batch: 9206G802

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	92GE060-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachate	0.050	u mg/L	0.050
		Chromium, TCLP Leachate	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST LABORATORIES, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday June 9th, 1992

Project # 3600-01-74-0023
Lab Batch: 9206G802

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	% Diff.
92GE060-LC1	Silver, LCS	0.050	mg/L	90.6	90.4	0.22
	Cadmium, LCS	0.050	mg/L	94.4	90.6	4.1
	Chromium, LCS	0.20	mg/L	93.8	95.8	2.1
	Nickel, LCS	0.50	mg/L	94.5	95.6	1.1
	Lead, LCS	0.50	mg/L	91.8	93.2	1.6



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday June 14th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-1 TCLP
Project # 01138-066-001-0100
Lab ID: 9306G205-002
Sample Date: 06/05/93
Date Received: 06/07/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday June 14th, 1993

Project # 01138-066-001-0100
Lab Batch: 9306G205

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE199-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE199-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday June 14th, 1993

Project # 01138-066-001-0100
Lab Batch: 9306G205

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE199-LC1	Silver, LCS	0.050	mg/L	91.6	95.4	4.1
	Cadmium, LCS	0.050	mg/L	96.6	97.8	1.2
	Chromium, LCS	0.20	mg/L	101	102	1.6
	Nickel, LCS	0.50	mg/L	100	99.8	0.42
	Lead, LCS	0.50	mg/L	98.0	98.9	0.91



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday June 17th, 1993

RE: OHM 1-2 MS TCLP
Project # 01138-066-001-0100
Lab ID: 9306G330-002
Sample Date: 06/12/93
Date Received: 06/14/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Thursday June 17th, 1993

Project # 01138-066-001-0100
 Lab Batch: 9306G330

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE202-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE202-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday June 17th, 1993

Project # 01138-066-001-0100
Lab Batch: 9306G330

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE202-LC1	Silver, LCS	0.050	mg/L	96.8	96.8	0.00
	Cadmium, LCS	0.050	mg/L	101	93.8	7.4
	Chromium, LCS	0.20	mg/L	105	103	1.6
	Nickel, LCS	0.50	mg/L	101	98.3	2.9
	Lead, LCS	0.50	mg/L	98.5	98.8	0.24



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday June 23rd, 1993

RE: TCLP #OHM1-3 TCLP
Project # 01138-066-001-0100
Lab ID: 9306G429-002
Sample Date: 06/17/93
Date Received: 06/18/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday June 23rd, 1993

Project # 01138-066-001-0100
Lab Batch: 9306G429

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE204-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday June 23rd, 1993

Project # 01138-066-001-0100
Lab Batch: 9306G429

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	TCLP #OHM1-3 TCLP	Silver, Leachate	0.90	0.050 u	1.0	90.0
		Cadmium, Leachate	0.98	0.050 u	1.0	98.4
		Chromium, Leachate	4.9	0.25 u	5.0	98.8
		Nickel, Leachate	0.45	0.25 u	0.50	89.2
		Lead, Leachate	3.9	0.25 u	5.0	79.0



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday June 23rd, 1993

Project # 01138-066-001-0100
Lab Batch: 9306G429

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE204-LC1	Silver, LCS	0.050	mg/L	101	99.8	1.0
	Cadmium, LCS	0.050	mg/L	92.8	91.6	1.3
	Chromium, LCS	0.20	mg/L	104	102	1.9
	Nickel, LCS	0.50	mg/L	101	99.5	1.5
	Lead, LCS	0.50	mg/L	99.7	96.5	3.3



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday July 6th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-4 TCLP
Project # 01138-066-001-0100
Lab ID: 9306G706-002
Sample Date: 06/29/93
Date Received: 06/30/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday July 6th, 1993

Project # 01138-066-001-0100
Lab Batch: 9306G706

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE210-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE210-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.056	mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday July 6th, 1993

Project # 01138-066-001-0100
Lab Batch: 9306G706

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE210-LC1	Silver, LCS	0.050	mg/L	91.8	97.4	5.9
	Cadmium, LCS	0.050	mg/L	95.8	89.8	6.5
	Chromium, LCS	0.20	mg/L	101	103	2.1
	Nickel, LCS	0.50	mg/L	103	103	0.41
	Lead, LCS	0.50	mg/L	107	98.6	8.6



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday July 12th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-5 TCLP
Project # 01138-066-001-0100
Lab ID: 9307G846-002
Sample Date: 07/06/93
Date Received: 07/07/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday July 12th, 1993

Project # 01138-066-001-0100
Lab Batch: 9307G846

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE219-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday July 12th, 1993

Project # 01138-066-001-0100
Lab Batch: 9307G846

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE219-LC1	Silver, LCS	0.050	mg/L	97.2	97.2	0.00
	Cadmium, LCS	0.050	mg/L	97.6	93.8	4.0
	Chromium, LCS	0.20	mg/L	105	104	0.77
	Nickel, LCS	0.50	mg/L	105	104	1.2
	Lead, LCS	0.50	mg/L	101	101	0.47



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday July 26th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-6 TCLP
Project # 01138-066-001-0100
Lab ID: 9307G158-002
Sample Date: 07/20/93
Date Received: 07/21/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050 u	mg/L	0.050
Cadmium, TCLP Leachat	0.050 u	mg/L	0.050
Chromium, TCLP Leacha	0.10 u	mg/L	0.10
Nickel, TCLP Leachate	0.13	mg/L	0.10
Lead, TCLP Leachate	0.10 u	mg/L	0.10



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday July 26th, 1993

Project # 01138-066-001-0100
Lab Batch: 9307G158

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE235-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday July 26th, 1993

Project # 01138-066-001-0100
Lab Batch: 9307G158

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-6 TCLP	Silver, Leachate	0.82	0.050 u	1.0	81.8
		Cadmium, Leachate	0.90	0.050 u	1.0	90.1
		Chromium, Leachate	4.6	0.10 u	5.0	92.0
		Nickel, Leachate	0.57	0.13	0.50	86.9
		Lead, Leachate	3.6	0.10 u	5.0	72.4



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday July 26th, 1993

Project # 01138-066-001-0100
Lab Batch: 9307G158

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE235-LC1	Silver, LCS	0.050	mg/L	97.8	97.2	0.62
	Cadmium, LCS	0.050	mg/L	92.6	102	9.5
	Chromium, LCS	0.20	mg/L	102	105	2.3
	Nickel, LCS	0.50	mg/L	98.7	100	1.6
	Lead, LCS	0.50	mg/L	94.6	98.1	3.6



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday July 30th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-7 TCLP
Project # 01138-066-001-0000
Lab ID: 9307G233-002
Sample Date: 07/22/93
Date Received: 07/23/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.10	u mg/L	0.10
Nickel, TCLP Leachate	0.10	u mg/L	0.10
Lead, TCLP Leachate	0.11	mg/L	0.10



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday July 30th, 1993

Project # 01138-066-001-0000
Lab Batch: 9307G233

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE238-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday July 30th, 1993

Project # 01138-066-001-0000
Lab Batch: 9307G233

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov.
-002	OHMI-7 TCLP	Silver, Leachate	0.79	0.050 u	1.0	78.9
		Cadmium, Leachate	0.90	0.050 u	1.0	89.7
		Chromium, Leachate	4.6	0.10 u	5.0	92.9
		Nickel, Leachate	0.45	0.10 u	0.50	90.2
		Lead, Leachate	2.7	0.11	5.0	51.1



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday July 30th, 1993

Project # 01138-066-001-0000
Lab Batch: 9307G233

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE238-LC1	Silver, LCS	0.050	mg/L	105	103	2.5
	Cadmium, LCS	0.050	mg/L	97.2	90.0	7.7
	Chromium, LCS	0.20	mg/L	105	105	0.33
	Nickel, LCS	0.50	mg/L	103	103	0.097
	Lead, LCS	0.50	mg/L	105	107	1.9



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday August 2nd, 1993

RE: TCLP #0HM1-8 TCLP
Project # 01138-066-001-0100
Lab ID: 9307G312-002
Sample Date: 07/27/93
Date Received: 07/28/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday August 2nd, 1993

Project # 01138-066-001-0100
Lab Batch: 9307G312

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE240-MB1	Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE240-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday August 2nd, 1993

Project # 01138-066-001-0100
Lab Batch: 9307G312

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	TCLP #OHM1-8 TCLP	Silver, Leachate	0.69	0.050 u	1.0	69.4
		Cadmium, Leachate	0.91	0.050 u	1.0	91.2
		Chromium, Leachate	4.7	0.25 u	5.0	94.8
		Nickel, Leachate	0.49	0.25 u	0.50	97.1
		Lead, Leachate	0.30	0.25 u	5.0	6.0



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday August 2nd, 1993

Project # 01138-066-001-0100
Lab Batch: 9307G312

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE240-LC1	Silver, LCS	0.050	mg/L	101	98.4	2.2
	Cadmium, LCS	0.050	mg/L	107	95.8	11.2
	Chromium, LCS	0.20	mg/L	102	101	0.79
	Nickel, LCS	0.50	mg/L	98.9	99.5	0.69
	Lead, LCS	0.50	mg/L	106	96.7	9.2



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday August 13th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-9 TCLP
Project # 01138-066-001-0100
Lab ID: 9308G523-002
Sample Date: 08/05/93
Date Received: 08/06/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.10	u mg/L	0.10
Nickel, TCLP Leachate	0.10	u mg/L	0.10
Lead, TCLP Leachate	0.10	u mg/L	0.10



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday August 13th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G523

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	93GE242-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.05



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday August 13th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G523

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov.
-002	OHM1-9 TCLP	Silver, Leachate	0.80	0.050 u	1.0	79.6
		Cadmium, Leachate	0.91	0.050 u	1.0	90.6
		Chromium, Leachate	4.7	0.10 u	5.0	93.8
		Nickel, Leachate	0.46	0.10 u	0.50	92.7
		Lead, Leachate	3.2	0.10 u	5.0	63.6



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday August 13th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G523

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE242-LC1	Silver, LCS	0.050	mg/L	98.8	99.4	0.61
	Cadmium, LCS	0.050	mg/L	94.4	91.8	2.8
	Chromium, LCS	0.20	mg/L	106	107	0.71
	Nickel, LCS	0.50	mg/L	105	105	0.38
	Lead, LCS	0.50	mg/L	104	105	0.61



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday August 17th, 1993
RE: OHM1-10 TCLP
Project # 01138-066-001-0100
Lab ID: 9308G618-002
Sample Date: 08/11/93
Date Received: 08/11/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday August 17th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G618

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE245-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.05



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday August 17th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G618

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE245-LC1	Silver, LCS	0.050	mg/L	99.2	103	3.6
	Cadmium, LCS	0.050	mg/L	105	100	4.3
	Chromium, LCS	0.20	mg/L	106	106	0.047
	Nickel, LCS	0.50	mg/L	106	105	1.1
	Lead, LCS	0.50	mg/L	105	100	4.5



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday August 20th, 1993

RE: OHM1-11 TCLP
Project # 01138-066-001-0100
Lab ID: 9308G701-002
Sample Date: 08/13/93
Date Received: 08/16/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday August 20th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G701

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE247-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday August 20th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G701

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE247-LC1	Silver, LCS	0.050	mg/L	86.6	85.0	2.0
	Cadmium, LCS	0.050	mg/L	102	95.4	6.3
	Chromium, LCS	0.20	mg/L	98.3	93.8	4.7
	Nickel, LCS	0.50	mg/L	96.4	94.0	2.5
	Lead, LCS	0.50	mg/L	96.3	91.1	5.6



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday August 25th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-12 TCLP
Project # 01138-066-001-0100
Lab ID: 9308G785-002
Sample Date: 08/18/93
Date Received: 08/19/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday August 25th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G785

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE249-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday August 25th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G785

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-12 TCLP	Silver, Leachate	0.83	0.050 u	1.0	82.9
		Cadmium, Leachate	0.89	0.050 u	1.0	88.9
		Chromium, Leachate	4.8	0.25 u	5.0	95.5
		Nickel, Leachate	0.60	0.25 u	0.50	119
		Lead, Leachate	4.4	0.25 u	5.0	88.8



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday August 25th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G785

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

	Spiked		90.3	0.42	
Cadmium, LCS	0.050	mg/L	102	105	3.3
Chromium, LCS	0.20	mg/L	102	104	1.3
Nickel, LCS	0.50	mg/L	99.8	102	2.6
Lead, LCS	0.50	mg/L	99.1	101	1.6



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday August 26th, 1993

RE: OHM1-13 TCLP
Project # 01138-066-001-0100
Lab ID: 9308G855-002
Sample Date: 08/21/93
Date Received: 08/23/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday August 26th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G855

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE250-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE250-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday August 26th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G855

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-13 TCLP	Silver, Leachate	0.88	0.050 u	1.0	87.8
		Cadmium, Leachate	0.93	0.050 u	1.0	93.4
		Chromium, Leachate	5.0	0.25 u	5.0	99.8
		Nickel, Leachate	0.52	0.25 u	0.50	105
		Lead, Leachate	4.8	0.25 u	5.0	95.2



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday August 26th, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G855

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE250-LC1	Silver, LCS	0.050	mg/L	101	101	0.079
	Cadmium, LCS	0.050	mg/L	109	100	8.4
	Chromium, LCS	0.20	mg/L	110	108	1.9
	Nickel, LCS	0.50	mg/L	103	103	0.34
	Lead, LCS	0.50	mg/L	106	102	4.5



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 2nd, 1993

Attn: Mr. Gary Deigan

RE: OHM1-14 TCLP
Project # 01138-066-001-0100
Lab ID: 9308G007-002
Sample Date: 08/27/93
Date Received: 08/30/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 2nd, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G007

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE254-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 2nd, 1993

Project # 01138-066-001-0100
Lab Batch: 9308G007

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-14 TCLP	Silver, Leachate	0.87	0.050 u	1.0	87.2
		Cadmium, Leachate	0.93	0.050 u	1.0	93.5
		Chromium, Leachate	4.8	0.25 u	5.0	96.3
		Nickel, Leachate	0.56	0.25 u	0.50	113
		Lead, Leachate	4.4	0.25 u	5.0	87.3



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday September 2nd, 1993

Project # 01138-066-001-0100
Lab Batch: 93086007

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE254-LC1	Silver, LCS	0.050	mg/L	95.9	101	4.8
	Cadmium, LCS	0.050	mg/L	100	95.3	5.1
	Chromium, LCS	0.20	mg/L	103	103	0.15
	Nickel, LCS	0.50	mg/L	99.8	98.4	1.4
	Lead, LCS	0.50	mg/L	95.5	95.9	0.41



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday September 8th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-15 TCLP
Project # 01138-066-001-0100
Lab ID: 9309G100-002
Sample Date: 09/01/93
Date Received: 09/02/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050 u	mg/L	0.050
Cadmium, TCLP Leachat	0.050 u	mg/L	0.050
Chromium, TCLP Leacha	0.25 u	mg/L	0.25
Nickel, TCLP Leachate	0.25 u	mg/L	0.25
Lead, TCLP Leachate	0.25 u	mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday September 8th, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G100

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE255-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE255-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday September 8th, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G100

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-15 TCLP	Silver, Leachate	0.89	0.050 u	1.0	88.6
		Cadmium, Leachate	0.95	0.050 u	1.0	95.2
		Chromium, Leachate	4.9	0.25 u	5.0	97.2
		Nickel, Leachate	0.53	0.25 u	0.50	106
		Lead, Leachate	4.6	0.25 u	5.0	92.9



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday September 8th, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G100

Attn: Mr. Gary DeLorenzo

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE255-LC1	Silver, LCS	0.050	mg/L	98.3	98.6	0.37
	Cadmium, LCS	0.050	mg/L	100	108	7.6
	Chromium, LCS	0.20	mg/L	100	99.5	0.78
	Nickel, LCS	0.50	mg/L	97.1	96.1	1.0
	Lead, LCS	0.50	mg/L	97.7	113	14.4



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 21st, 1993

RE: OHM1-16 TCLP
Project # 01138-066-001-0100
Lab ID: 9309G216-002
Sample Date: 09/08/93
Date Received: 09/09/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 21st, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G216

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE261-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.0



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 21st, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G216

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-16 TCLP	Silver, Leachate	0.82	0.050 u	1.0	82.0
		Cadmium, Leachate	1.0	0.050 u	1.0	102
		Chromium, Leachate	5.1	0.25 u	5.0	102
		Nickel, Leachate	0.55	0.25 u	0.50	111
		Lead, Leachate	3.3	0.25 u	5.0	65.7



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 21st, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G216

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE261-LC1	Silver, LCS	0.050	mg/L	98.3	101	2.8
	Cadmium, LCS	0.050	mg/L	107	109	1.4
	Chromium, LCS	0.20	mg/L	104	106	1.8
	Nickel, LCS	0.50	mg/L	102	103	0.63
	Lead, LCS	0.50	mg/L	98.0	106	8.1



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 21st, 1993

Attn: Mr. Gary Deigan

RE: OHM1-17 TCLP
Project # 01138-066-001-0100
Lab ID: 9309G330-002
Sample Date: 09/14/93
Date Received: 09/15/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Tuesday September 21st, 1993

Project # 01138-066-001-0100
 Lab Batch: 9309G330

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE261-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 21st, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G330

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-17 TCLP	Silver, Leachate	0.80	0.050 u	1.0	79.5
		Cadmium, Leachate	0.95	0.050 u	1.0	95.4
		Chromium, Leachate	4.9	0.25 u	5.0	97.6
		Nickel, Leachate	0.49	0.25 u	0.50	97.1
		Lead, Leachate	3.5	0.25 u	5.0	69.6



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday September 21st, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G330

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE261-LC1	Silver, LCS	0.050	mg/L	98.3	101	2.8
	Cadmium, LCS	0.050	mg/L	107	109	1.4
	Chromium, LCS	0.20	mg/L	104	106	1.8
	Nickel, LCS	0.50	mg/L	102	103	0.63
	Lead, LCS	0.50	mg/L	98.0	106	8.1



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 27th, 1993

RE: OHM1-18 TCLP
Project # 01138-066-001-0100
Lab ID: 9309G481-002
Sample Date: 09/21/93
Date Received: 09/22/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 27th, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G481

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	93GE263-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.0



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 27th, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G481

Attn: Mr. Gary Deigan

Inorganic Precision Data Report

Sample	Site ID	Parameter	Initial Result	Replicate	RPD
-002REP	OHM1-18 TCLP	Silver, Leachate	0.050 u	0.050 u	NC
		Cadmium, Leachate	0.050 u	0.050 u	NC
		Chromium, Leachate	0.25 u	0.25 u	NC
		Nickel, Leachate	0.25 u	0.25 u	NC
		Lead, Leachate	0.25 u	0.25 u	NC



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday September 27th, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G481

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-18 TCLP	Silver, Leachate	0.81	0.050 u	1.0	81.4
		Cadmium, Leachate	0.97	0.050 u	1.0	97.4
		Chromium, Leachate	4.9	0.25 u	5.0	98.6
		Nickel, Leachate	0.45	0.25 u	0.50	90.8
		Lead, Leachate	3.7	0.25 u	5.0	4



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Monday September 27th, 1993

Project # 01138-066-001-0100
 Lab Batch: 9309G481

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE263-LC1	Silver, LCS	0.050	mg/L	94.4	97.1	2.8
	Cadmium, LCS	0.050	mg/L	101	102	1.2
	Chromium, LCS	0.20	mg/L	99.4	101	1.4
	Nickel, LCS	0.50	mg/L	95.5	96.0	0.60
	Lead, LCS	0.50	mg/L	92.3	98.5	6.5



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 4th, 1993

RE: OHM1-19 TCLP
Project # 01138-066-001-0100
Lab ID: 9309G565-002
Sample Date: 09/24/93
Date Received: 09/27/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L ✓	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L ✓	0.25

OK 11/2/93



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 4th, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G565

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE265-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE265-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 3	93GE265-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 4th, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G565

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-19 TCLP	Silver, Leachate	0.43	0.050 u	1.0	42.6
		Cadmium, Leachate	0.92	0.050 u	1.0	92.2
		Chromium, Leachate	4.8	0.25 u	5.0	95.6
		Nickel, Leachate	0.50	0.25 u	0.50	100
		Lead, Leachate	3.3	0.25 u	5.0	4



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 4th, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G565

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE265-LC1	Silver, LCS	0.050	mg/L	91.9	92.4	0.50
	Cadmium, LCS	0.050	mg/L	101	103	2.0
	Chromium, LCS	0.20	mg/L	105	104	1.2
	Nickel, LCS	0.50	mg/L	103	102	1.0
	Lead, LCS	0.50	mg/L	99.7	99.4	0.28



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 4th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-20 TCLP
Project # 01138-066-001-0100
Lab ID: 9309G608-002
Sample Date: 09/28/93
Date Received: 09/29/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 4th, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G608

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 3	93GE265-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 4th, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G608

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-20 TCLP	Silver, Leachate	0.75	0.050 u	1.0	75.1
		Cadmium, Leachate	0.96	0.050 u	1.0	96.2
		Chromium, Leachate	5.0	0.25 u	5.0	99.9
		Nickel, Leachate	0.56	0.25 u	0.50	112
		Lead, Leachate	3.8	0.25 u	5.0	112



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday, October 4th, 1993

Project # 01138-066-001-0100
Lab Batch: 9309G608

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE265-LC1	Silver, LCS	0.050	mg/L	91.9	92.4	0.50
	Cadmium, LCS	0.050	mg/L	101	103	2.0
	Chromium, LCS	0.20	mg/L	105	104	1.2
	Nickel, LCS	0.50	mg/L	103	102	1.0
	Lead, LCS	0.50	mg/L	99.7	99.4	0.28



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: October 6, 1993

Attn: Mr. Gary Deigan

Re: OHM1-16 TCLP
Project # 01138-066-001-0100
Lab ID: 9309G216-002
Sample Date: 09/08/93
Date Recieved: 09/09/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Silver, TCLP Reanalysis	0.050	u mg/L	0.050
Cadmium, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Reanalysis	0.050	u mg/L	0.050
Chromium, TCLP Leachate	0.35	u mg/L	0.35
Chromium, TCLP Reanalysis	0.25	u mg/L	0.25
Nickel, TCLP Leachate	2.08	mg/L	0.35
Nickel, TCLP Reanalysis	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.35	u mg/L J	0.35
Lead, TCLP Reanalysis	0.25	u mg/L J	0.25

LK 11/2/93



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

TO: **GM-Coldwater Road**
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: **October 6, 1993**

Project # **01138-066-001-0100**
Lab ID: **9309G216**

Attn: **Mr. Gary Deigan**

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE258-MB1	Silver, TCLP Leachate	0.050 u	mg/L	0.050
		Cadmium, TCLP Leachate	0.050 u	mg/L	0.050
		Chromium, TCLP Leachate	0.050 u	mg/L	0.050
		Nickel, TCLP Leachate	0.050 u	mg/L	0.050
		Lead, TCLP Leachate	0.050 u	mg/L	0.050
Blank 1	93GE261-MB1	Silver, TCLP Reanal.	0.050 u	mg/L	0.050
		Cadmium, TCLP Reanal.	0.050 u	mg/L	0.050
		Chromium, TCLP Reanal.	0.050 u	mg/L	0.050
		Nickel, TCLP Reanal.	0.050 u	mg/L	0.050
		Lead, TCLP Reanal.	0.050 u	mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

TO: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: October 6, 1993

Project # 01138-066-001-0100
Lab ID: 9309G216

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-16 TCLP	Silver, Leachate	0.774	0.050 u	1.0	77.4
		Cadmium, Leachate	0.93	0.050 u	1.0	93.0
		Chromium, Leachate	4.97	0.35 u	5.0	99.4
		Nickel, Leachate	2.55	0.35 u	0.50	NA
		Lead, Leachate	3.54	0.35 u	5.0	8
-002	OHM1-16 TCLP	Silver, Reanalysis	0.82	0.050 u	1.0	82.0
		Cadmium, Reanalysis	1.0	0.050 u	1.0	102
		Chromium, Reanalysis	5.1	0.25 u	5.0	102
		Nickel, Reanalysis	0.55	0.25 u	0.50	111
		Lead, Reanalysis	3.3	0.25 u	5.0	65.7



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 13th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-23 TCLP
Project # 01138-066-001-0100
Lab ID: 9310G832-002
Sample Date: 10/09/93
Date Received: 10/11/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 13th, 1993

Project # 01138-066-001-0100
Lab Batch: 93106832

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE269-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 13th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G832

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result		Spiked Amount	% Recov
-002	OHM1-23 TCLP	Silver, Leachate	0.77	0.050	u	1.0	77.0
		Cadmium, Leachate	0.87	0.050	u	1.0	86.7
		Chromium, Leachate	4.5	0.25	u	5.0	89.8
		Nickel, Leachate	0.46	0.25	u	0.50	91.8
		Lead, Leachate	3.7	0.25	u	5.0	73.2



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 13th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G832

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE269-LC1	Silver, LCS	0.050	mg/L	96.4	95.8	0.62
	Cadmium, LCS	0.050	mg/L	91.3	94.3	3.2
	Chromium, LCS	0.20	mg/L	96.1	95.8	0.24
	Nickel, LCS	0.50	mg/L	97.0	94.7	2.4
	Lead, LCS	0.50	mg/L	94.5	92.8	1.8



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 11th, 1993

RE: OHM1-21 TCLP
Project # 01138-066-001-0100
Lab ID: 93106712-002
Sample Date: 10/04/93
Date Received: 10/05/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L J	0.25

OK 11/2/93



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 11th, 1993

Project # 01138-066-001-0100
Lab Batch: 93106712

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE268-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.25	u mg/L	0.25
		Nickel, TCLP Leachate	0.25	u mg/L	0.25
		Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 11th, 1993

Project # 01138-066-001-0100
Lab Batch: 93106712

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov.
-002	OHM1-21 TCLP	Silver, Leachate	0.77	0.050 u	1.0	77.5
		Cadmium, Leachate	0.91	0.050 u	1.0	91.0
		Chromium, Leachate	4.8	0.25 u	5.0	95.4
		Nickel, Leachate	0.52	0.25 u	0.50	104
		Lead, Leachate	2.8	0.25 u	5.0	55.4



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday October 11th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G712

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE268-LC1	Silver, LCS	0.050	mg/L	97.7	109	10.9
	Cadmium, LCS	0.050	mg/L	101	100	0.62
	Chromium, LCS	0.20	mg/L	104	106	1.8
	Nickel, LCS	0.50	mg/L	101	99.5	1.8
	Lead, LCS	0.50	mg/L	105	98.0	7.2



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 13th, 1993

RE: OHM1-22 TCLP
Project # 01138-066-001-0100
Lab ID: 9310G803-002
Sample Date: 10/07/93
Date Received: 10/08/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L J	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L J	0.25

LL 11/2/93



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 13th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G803

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE269-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 13th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G803

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHMI-22 TCLP	Silver, Leachate	0.44	0.050 u	1.0	44.5
		Cadmium, Leachate	0.89	0.050 u	1.0	89.1
		Chromium, Leachate	4.5	0.25 u	5.0	90.2
		Nickel, Leachate	0.40	0.25 u	0.50	80.2
		Lead, Leachate	3.7	0.25 u	5.0	74.3



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 13th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G803

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE269-LC1	Silver, LCS	0.050	mg/L	96.4	95.8	0.62
	Cadmium, LCS	0.050	mg/L	91.3	94.3	3.2
	Chromium, LCS	0.20	mg/L	96.1	95.8	0.24
	Nickel, LCS	0.50	mg/L	97.0	94.7	2.4
	Lead, LCS	0.50	mg/L	94.5	92.8	1.8



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday October 22nd, 1993

Attn: Mr. Gary Deigan

RE: OHM1-24 TCLP
Project # 01138-066-001-0100
Lab ID: 9310G027-002
Sample Date: 10/18/93
Date Received: 10/19/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.15	mg/L	0.10
Nickel, TCLP Leachate	0.11	mg/L	0.10
Lead, TCLP Leachate	0.10	u mg/L	0.10



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday October 22nd, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G027

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE275-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday October 22nd, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G027

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-24 TCLP	Silver, Leachate	0.87	0.050 u	1.0	86.9
		Cadmium, Leachate	0.92	0.050 u	1.0	92.1
		Chromium, Leachate	4.8	0.15	5.0	93.0
		Nickel, Leachate	0.55	0.11	0.50	88.3
		Lead, Leachate	4.3	0.10 u	5.0	86.6



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday October 22nd, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G027

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE275-LC1	Silver, LCS	0.050	mg/L	102	100	1.4
	Cadmium, LCS	0.050	mg/L	85.0	93.9	10.0
	Chromium, LCS	0.20	mg/L	102	102	0.38
	Nickel, LCS	0.50	mg/L	96.8	100	3.5
	Lead, LCS	0.50	mg/L	96.7	93.6	3.3



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday October 22nd, 1993

Attn: Mr. Gary Deigan

RE: OHM1-25 TCLP
Project # 01138-066-001-0100
Lab ID: 9310G049-002
Sample Date: 10/19/93
Date Received: 10/20/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday October 22nd, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G049

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE276-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE276-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday October 22nd, 1993

Project # 01138-066-001-0100
Lab Batch: 93106049

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-25 TCLP	Silver, Leachate	0.85	0.050 u	1.0	85.4
		Cadmium, Leachate	0.89	0.050 u	1.0	89.3
		Chromium, Leachate	4.6	0.25 u	5.0	91.3
		Nickel, Leachate	0.51	0.25 u	0.50	102
		Lead, Leachate	4.3	0.25 u	5.0	86.7



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday October 22nd, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G049

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE276-LC1	Silver, LCS	0.050	mg/L	97.3	94.4	3.0
	Cadmium, LCS	0.050	mg/L	91.6	84.5	8.1
	Chromium, LCS	0.20	mg/L	101	99.3	1.9
	Nickel, LCS	0.50	mg/L	99.5	96.0	3.6
	Lead, LCS	0.50	mg/L	94.9	96.3	1.4



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 27th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-26 TCLP
Project # 01138-066-001-0100
Lab ID: 9310G147-002
Sample Date: 10/22/93
Date Received: 10/25/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050 u	mg/L	0.050
Cadmium, TCLP Leachat	0.050 u	mg/L	0.050
Chromium, TCLP Leacha	0.25 u	mg/L	0.25
Nickel, TCLP Leachate	0.25 u	mg/L	0.25
Lead, TCLP Leachate	0.25 u	mg/L	0.25

LC
11/2/93



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 27th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G147

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 3	93GE279-MED	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 27th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G147

Attn: Mr. Gary Deigan

Inorganic Precision Data Report

Sample	Site ID	Parameter	Initial Result	Replicate	RPD
-002REP	OHM1-26	TCLP			
		Silver, Leachate	0.050 u	0.050 u	NC
		Cadmium, Leachate	0.050 u	0.050 u	NC
		Chromium, Leachate	0.25 u	0.25 u	NC
		Nickel, Leachate	0.25 u	0.25 u	NC
		Lead, Leachate	0.25 u	0.25 u	NC



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 27th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G147

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-26 TCLP	Silver, Leachate	0.78	0.050 u	1.0	77.6
		Cadmium, Leachate	0.83	0.050 u	1.0	82.7
		Chromium, Leachate	4.2	0.25 u	5.0	84.8
		Nickel, Leachate	0.41	0.25 u	0.50	82.7
		Lead, Leachate	3.6	0.25 u	5.0	83



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday October 27th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G147

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE279-LC1	Silver, LCS	0.050	mg/L	93.2	90.5	3.0
	Cadmium, LCS	0.050	mg/L	103	90.7	12.9
	Chromium, LCS	0.20	mg/L	98.3	97.0	1.3
	Nickel, LCS	0.50	mg/L	95.6	94.4	1.2
	Lead, LCS	0.50	mg/L	97.0	94.8	2.2



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday October 29th, 1993

RE: OHM1-27 TCLP
Project # 01138-066-001-0100
Lab ID: 9310G203-002
Sample Date: 10/26/93
Date Received: 10/27/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050 u	mg/L	0.050
Cadmium, TCLP Leachat	0.050 u	mg/L	0.050
Chromium, TCLP Leacha	0.10 u	mg/L	0.10
Nickel, TCLP Leachate	0.10	mg/L	0.10
Lead, TCLP Leachate	0.10 u	mg/L	0.10



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday October 29th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G203

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE280-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE280-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday October 29th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G203

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-27 TCLP	Silver, Leachate	0.90	0.050 u	1.0	90.4
		Cadmium, Leachate	0.88	0.050 u	1.0	87.7
		Chromium, Leachate	4.6	0.10 u	5.0	91.6
		Nickel, Leachate	0.51	0.10	0.50	81.6
		Lead, Leachate	4.4	0.10 u	5.0	88.0



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday October 29th, 1993

Project # 01138-066-001-0100
Lab Batch: 9310G203

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE280-LC1	Silver, LCS	0.050	mg/L	93.9	91.6	2.4
	Cadmium, LCS	0.050	mg/L	91.9	89.9	2.2
	Chromium, LCS	0.20	mg/L	101	101	0.50
	Nickel, LCS	0.50	mg/L	96.7	95.6	1.1
	Lead, LCS	0.50	mg/L	94.7	94.2	0.52



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 3rd, 1993

RE: OHM1-28 TCLP
Project # 01138-066-001-0100
Lab ID: 9311G314-002
Sample Date: 10/30/93
Date Received: 11/01/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.10	u mg/L	0.10
Nickel, TCLP Leachate	0.10	u mg/L	0.10
Lead, TCLP Leachate	0.10	u mg/L	0.10



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 3rd, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G314

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE283-LC1	Silver, LCS	0.050	mg/L	91.8	93.4	1.7
	Cadmium, LCS	0.050	mg/L	83.6	85.4	2.2
	Chromium, LCS	0.20	mg/L	94.0	97.3	3.4
	Nickel, LCS	0.50	mg/L	90.4	92.6	2.5
	Lead, LCS	0.50	mg/L	89.1	93.5	4.8



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 8th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-29 TCLP
Project # 01138-066-001-0100
Lab ID: 9311G408-002
Sample Date: 11/03/93
Date Received: 11/04/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.10	u mg/L	0.10
Nickel, TCLP Leachate	0.10	u mg/L	0.10
Lead, TCLP Leachate	0.10	u mg/L	0.10



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 8th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G408

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE285-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE285-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 3	93GE285-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 8th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G408

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-29 TCLP	Silver, Leachate	0.93	0.050 u	1.0	92.6
		Cadmium, Leachate	0.96	0.050 u	1.0	95.8
		Chromium, Leachate	4.8	0.10 u	5.0	96.0
		Nickel, Leachate	0.48	0.10 u	0.50	96.9
		Lead, Leachate	3.2	0.10 u	5.0	64.5



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday November 8th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G408

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE285-LC1	Silver, LCS	0.050	mg/L	98.6	97.8	0.79
	Cadmium, LCS	0.050	mg/L	99.5	97.0	2.6
	Chromium, LCS	0.20	mg/L	102	102	0.42
	Nickel, LCS	0.50	mg/L	103	103	0.10
	Lead, LCS	0.50	mg/L	97.7	102	4.4



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 10th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-30 TCLP
Project # 01138-066-001-0100
Lab ID: 9311G480-002
Sample Date: 11/06/93
Date Received: 11/08/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	1.6	mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 10th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G480

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE287-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE287-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 3	93GE287-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 4	93GE287-MB4	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 10th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G480

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-30 TCLP	Silver, Leachate	0.83	0.050 u	1.0	82.8
		Cadmium, Leachate	0.98	0.050 u	1.0	98.2
		Chromium, Leachate	4.9	0.25 u	5.0	98.0
		Nickel, Leachate	2.1	1.6	0.50	93.6
		Lead, Leachate	3.1	0.25 u	5.0	97



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 10th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G480

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE287-LC1	Silver, LCS	0.050	mg/L	96.2	97.8	1.7
	Cadmium, LCS	0.050	mg/L	102	104	1.4
	Chromium, LCS	0.20	mg/L	105	107	1.8
	Nickel, LCS	0.50	mg/L	104	103	0.46
	Lead, LCS	0.50	mg/L	103	106	2.7



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday November 16th, 1993

RE: OHM1-31 TCLP
Project # 01138-066-001-0100
Lab ID: 9311G576-002
Sample Date: 11/10/93
Date Received: 11/11/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.050	u mg/L	0.050
Nickel, TCLP Leachate	0.050	u mg/L	0.050
Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday November 16th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G576

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE290-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday November 16th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G576

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-31 TCLP	Silver, Leachate	0.62	0.050 u	1.0	62.4
		Cadmium, Leachate	0.86	0.050 u	1.0	86.4
		Chromium, Leachate	4.3	0.050 u	5.0	87.0
		Nickel, Leachate	0.44	0.050 u	0.50	88.2
		Lead, Leachate	0.81	0.050 u	5.0	



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday November 16th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G576

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE290-LC1	Silver, LCS	0.050	mg/L	100	103	2.8
	Cadmium, LCS	0.050	mg/L	97.7	97.8	0.12
	Chromium, LCS	0.20	mg/L	107	108	1.2
	Nickel, LCS	0.50	mg/L	106	107	0.97
	Lead, LCS	0.50	mg/L	104	100	3.9



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday November 16th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-30A TCLP
Project # 01138-066-001-0100
Lab ID: 9311G612-002
Sample Date: 11/11/93
Date Received: 11/12/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Tuesday November 16th, 1993

Project # 01138-066-001-0100
 Lab Batch: 9311G612

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE292-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE292-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday November 16th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G612

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-30A TCLP	Silver, Leachate	0.77	0.050 u	1.0	76.6
		Cadmium, Leachate	0.95	0.050 u	1.0	95.0
		Chromium, Leachate	4.9	0.25 u	5.0	98.7
		Nickel, Leachate	0.53	0.25 u	0.50	105
		Lead, Leachate	2.3	0.25 u	5.0	7



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday November 16th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G612

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE292-LC1	Silver, LCS	0.050	mg/L	101	36.4	93.9
	Cadmium, LCS	0.050	mg/L	95.3	99.5	4.3
	Chromium, LCS	0.20	mg/L	105	102	2.5
	Nickel, LCS	0.50	mg/L	104	102	2.4
	Lead, LCS	0.50	mg/L	102	99.6	2.5



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 24th, 1993

Attn: Mr. Gary Deigan

RE: OHM1-32 TCLP
Project # 01138-066-001-0100
Lab ID: 9311G747-002
Sample Date: 11/17/93
Date Received: 11/18/93

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 24th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G747

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE301-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 24th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G747

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-32 TCLP	Silver, Leachate	0.23	0.050 u	1.0	22.8
		Cadmium, Leachate	0.91	0.050 u	1.0	90.5
		Chromium, Leachate	4.6	0.25 u	5.0	92.1
		Nickel, Leachate	0.43	0.25 u	0.50	73
		Lead, Leachate	4.2	0.25 u	5.0	73



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 24th, 1993

RE: OHM1-33 TCLP
Project # 01138-066-001-0100
Lab ID: 9311G798-002
Sample Date: 11/20/93
Date Received: 11/22/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 24th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G798

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE309-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	93GE309-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Wednesday November 24th, 1993

Project # 01138-066-001-0100
 Lab Batch: 9311G798

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-33 TCLP	Silver, Leachate	0.67	0.050 u	1.0	67.2
		Cadmium, Leachate	0.91	0.050 u	1.0	90.9
		Chromium, Leachate	4.6	0.25 u	5.0	92.1
		Nickel, Leachate	0.45	0.25 u	0.50	99.1
		Lead, Leachate	1.7	0.25 u	5.0	90.0



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday November 24th, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G798

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE309-LC1	Silver, LCS	0.050	mg/L	95.9	91.3	4.9
	Cadmium, LCS	0.050	mg/L	102	97.8	4.2
	Chromium, LCS	0.20	mg/L	100	97.0	3.3
	Nickel, LCS	0.50	mg/L	96.2	94.3	1.9
	Lead, LCS	0.50	mg/L	97.5	91.6	6.2



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday December 1st, 1993

RE: OHM1-34 TCLP
Project # 01138-066-001-0100
Lab ID: 9311G857-002
Sample Date: 11/23/93
Date Received: 11/24/93

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday December 1st, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G857

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	93GE315-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday December 1st, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G857

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM1-34 TCLP	Silver, Leachate	0.89	0.050 u	1.0	88.9
		Cadmium, Leachate	0.95	0.050 u	1.0	95.3
		Chromium, Leachate	4.8	0.25 u	5.0	96.7
		Nickel, Leachate	0.49	0.25 u	0.50	97.6
		Lead, Leachate	3.8	0.25 u	5.0	93



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday December 1st, 1993

Project # 01138-066-001-0100
Lab Batch: 9311G857

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
93GE315-LC1	Silver, LCS	0.050	mg/L	89.8	92.8	3.2
	Cadmium, LCS	0.050	mg/L	96.8	101	4.3
	Chromium, LCS	0.20	mg/L	98.1	100	2.0
	Nickel, LCS	0.50	mg/L	96.1	97.0	0.97
	Lead, LCS	0.50	mg/L	93.7	98.3	4.8



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday January 19th, 1994

RE: OHM2-1 TCLP
Project # 01138-066-001-0100
Lab ID: 9401G681-002
Sample Date: 01/14/94
Date Received: 01/17/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050 u	mg/L	0.050
Cadmium, TCLP Leachat	0.050 u	mg/L	0.050
Chromium, TCLP Leacha	0.25 u	mg/L	0.25
Nickel, TCLP Leachate	0.25 u	mg/L	0.25
Lead, TCLP Leachate	0.25 u	mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday January 19th, 1994

Project # 01138-066-001-0100
Lab Batch: 9401G681

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE364-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	94GE364-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 3	94GE364-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday January 19th, 1994

Project # 01138-066-001-0100
Lab Batch: 9401G681

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result		Spiked Amount	% Recov.
-002	OHM2-1 TCLP	Silver, Leachate	0.86	0.050	u	1.0	86.1
		Cadmium, Leachate	0.92	0.050	u	1.0	92.1
		Chromium, Leachate	4.9	0.25	u	5.0	97.0
		Nickel, Leachate	0.44	0.25	u	0.50	87.9
		Lead, Leachate	4.4	0.25	u	5.0	88.2



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday January 19th, 1994

Project # 01138-066-001-0100
Lab Batch: 9401G681

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE364-LC1	Silver, LCS	0.050	mg/L	96.4	99.6	3.3
	Cadmium, LCS	0.050	mg/L	93.4	94.5	1.2
	Chromium, LCS	0.20	mg/L	105	105	0.11
	Nickel, LCS	0.50	mg/L	101	103	2.2
	Lead, LCS	0.50	mg/L	99.2	98.2	1.0



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday February 21st, 1994

RE: OHM2-2 TCLP
Project # 01138-066-001-0100
Lab ID: 9402G297-002
Sample Date: 02/16/94
Date Received: 02/17/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.62	mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday February 21st, 1994

Project # 01138-066-001-0100
Lab Batch: 9402G297

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	94GE386-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Arsenic, TCLP Leachat	0.10	u mg/L	0.10
		Barium, TCLP Leachate	0.50	u mg/L	0.50
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
		Selenium, TCLP Leacha	0.10	u mg/L	0.10



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday February 21st, 1994

Project # 01138-066-001-0100
Lab Batch: 9402G297

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-2 TCLP	Silver, Leachate	0.95	0.050 u	1.0	95.3
		Cadmium, Leachate	0.96	0.050 u	1.0	96.0
		Chromium, Leachate	4.9	0.25 u	5.0	98.9
		Nickel, Leachate	1.1	0.62	0.50	95.8
		Lead, Leachate	4.7	0.25 u	5.0	95.8



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Monday February 21st, 1994

Project # 01138-066-001-0100
 Lab Batch: 9402G297

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE386-LC1	Silver, LCS	0.050	mg/L	98.8	101	1.9
	Arsenic, LCS	2.0	mg/L	103	102	0.60
	Barium, LCS	2.0	mg/L	100	101	1.3
	Cadmium, LCS	0.050	mg/L	95.2	96.2	1.0
	Chromium, LCS	0.20	mg/L	106	108	1.7
	Nickel, LCS	0.50	mg/L	101	103	1.4
	Lead, LCS	0.50	mg/L	101	97.8	2.8
	Selenium, LCS	2.0	mg/L	102	103	1.1



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday March 2nd, 1994

RE: OHM2-2 TCLP
Project # 01138-066-001-0100
Lab ID: 9402G297-002
Sample Date: 02/16/94
Date Received: 02/17/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.62	mg/L	0.25
Nickel, TCLP Reanalysis	0.81	mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Tuesday March 1st, 1994

Attn: Mr. Gary Deigan

RE: OHM2-2A TCLP
 Project # 01138-066-001-0100
 Lab ID: 94026387-002
 Sample Date: 02/21/94
 Date Received: 02/22/94

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050 u	mg/L J	0.050
Cadmium, TCLP Leachat	0.050 u	mg/L	0.050
Chromium, TCLP Leacha	0.25 u	mg/L	0.25
Nickel, TCLP Leachate	0.25 u	mg/L	0.25
Lead, TCLP Leachate	0.25 u	mg/L	0.25

WTR 3/7/94



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday March 1st, 1994

Project # 01138-066-001-0100
Lab Batch: 9402G387

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE389-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	94GE389-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
Blank 1	94GE388-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	94GE388-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday March 1st, 1994

Project # 01138-066-001-0100
Lab Batch: 9402G387

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-2A TCLP	Silver, Leachate	0.12	0.050 u	1.0	12.4
		Cadmium, Leachate	0.94	0.050 u	1.0	93.7
		Chromium, Leachate	4.7	0.25 u	5.0	93.8
		Nickel, Leachate	0.66	0.25 u	0.50	132
		Lead, Leachate	3.6	0.25 u	5.0	71.4



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday March 1st, 1994

Project # 01138-066-001-0100
Lab Batch: 9402G387

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE389-LC1	Silver, LCS	0.050	mg/L	99.1	100	1.1
94GE388-LC1	Silver, LCS	0.050	mg/L	95.7	89.6	6.6
	Cadmium, LCS	0.050	mg/L	94.3	94.6	0.25
	Chromium, LCS	0.20	mg/L	104	101	2.9
	Nickel, LCS	0.50	mg/L	99.7	97.2	2.6
	Lead, LCS	0.50	mg/L	102	98.8	3.1



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday March 2nd, 1994

RE: OHM2-3 TCLP
Project # 01138-066-001-0100
Lab ID: 9402G475-002
Sample Date: 02/25/94
Date Received: 02/28/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25

WJ 3/11/94



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday March 2nd, 1994

Project # 01138-066-001-0100
Lab Batch: 9402G475

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE393-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday March 2nd, 1994

Project # 01138-066-001-0100
Lab Batch: 9402G475

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-3 TCLP	Silver, Leachate	0.35	0.050 u	1.0	35.2
		Cadmium, Leachate	0.95	0.050 u	1.0	95.3
		Chromium, Leachate	4.9	0.25 u	5.0	97.7
		Nickel, Leachate	0.45	0.25 u	0.50	89.5
		Lead, Leachate	3.1	0.25 u	5.0	61.7



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday March 2nd, 1994

Project # 01138-066-001-0100
Lab Batch: 9402G475

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE393-LC1	Silver, LCS	0.050	mg/L	104	109	5.0
	Cadmium, LCS	0.050	mg/L	101	104	2.9
	Chromium, LCS	0.20	mg/L	109	108	0.47
	Nickel, LCS	0.50	mg/L	102	103	1.4
	Lead, LCS	0.50	mg/L	99.7	99.2	0.48



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday March 31st, 1994

RE: OHM 2-4 TCLP
Project # 01138-066-001-0101
Lab ID: 94036077-002
Sample Date: 03/28/94
Date Received: 03/29/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday March 31st, 1994

Project # 01138-066-001-0101
Lab Batch: 9403G077

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM 2-4 TCLP	Silver, Leachate	0.70	0.050 u	1.0	70.2
		Cadmium, Leachate	0.97	0.050 u	1.0	97.1
		Chromium, Leachate	4.9	0.25 u	5.0	98.8
		Nickel, Leachate	0.49	0.25 u	0.50	97.6
		Lead, Leachate	4.4	0.25 u	5.0	88.9



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday March 31st, 1994

Project # 01138-066-001-0101
Lab Batch: 9403G077

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE420-LC1	Silver, LCS	0.050	mg/L	96.0	93.9	2.3
	Cadmium, LCS	0.050	mg/L	108	106	1.4
	Chromium, LCS	0.20	mg/L	104	99.9	4.2
	Nickel, LCS	0.50	mg/L	101	99.7	1.5
	Lead, LCS	0.50	mg/L	95.5	94.1	1.5



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 6th, 1994

RE: OHM2-5 TCLP
Project # 01138-066-001-0101
Lab ID: 9404G162-002
Sample Date: 03/31/94
Date Received: 04/01/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 6th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G162

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE425-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.0



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 6th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G162

Attn: Mr. Gary Deigan

Inorganic Precision Data Report

Sample	Site ID	Parameter	Initial Result	Replicate	RPD
-002REP	OHM2-5 TCLP	Silver, Leachate	0.050 u	0.050 u	NC
		Cadmium, Leachate	0.050 u	0.050 u	NC
		Chromium, Leachate	0.25 u	0.25 u	NC
		Nickel, Leachate	0.25 u	0.25 u	NC
		Lead, Leachate	0.25 u	0.25 u	NC



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 6th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G162

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-5 TCLP	Silver, Leachate	0.78	0.050 u	1.0	77.8
		Cadmium, Leachate	0.90	0.050 u	1.0	90.3
		Chromium, Leachate	4.7	0.25 u	5.0	93.6
		Nickel, Leachate	0.49	0.25 u	0.50	98.9
		Lead, Leachate	4.3	0.25 u	5.0	6



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday April 6th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G162

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE425-LC1	Silver, LCS	0.050	mg/L	90.4	94.0	3.9
	Cadmium, LCS	0.050	mg/L	92.5	90.5	2.2
	Chromium, LCS	0.20	mg/L	99.2	96.6	2.7
	Nickel, LCS	0.50	mg/L	108	94.9	12.5
	Lead, LCS	0.50	mg/L	91.6	88.3	3.7



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 11th, 1994

Attn: Mr. Gary Deigan

RE: OHM2-6-1 TCLP
Project # 01138-066-001-0101
Lab ID: 9404G255-002
Sample Date: 04/06/94
Date Received: 04/07/94

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.10	u mg/L	0.10
Nickel, TCLP Leachate	0.10	u mg/L	0.10
Lead, TCLP Leachate	0.10	u mg/L	0.10



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 11th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G255

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE428-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	94GE428-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 3	94GE428-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 4	94GE428-MB4	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 11th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G255

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 4	94GE428-MB4	Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 11th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G255

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-6-1 TCLP	Silver, Leachate	0.96	0.050 u	1.0	95.8
		Cadmium, Leachate	0.95	0.050 u	1.0	94.9
		Chromium, Leachate	4.8	0.10 u	5.0	96.2
		Nickel, Leachate	0.46	0.10 u	0.50	92.7
		Lead, Leachate	4.7	0.10 u	5.0	94.9



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday April 11th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G255

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE428-LC1	Silver, LCS	0.050	mg/L	95.6	96.1	0.54
	Cadmium, LCS	0.050	mg/L	93.1	93.4	0.32
	Chromium, LCS	0.20	mg/L	103	104	0.43
	Nickel, LCS	0.50	mg/L	99.1	101	1.6
	Lead, LCS	0.50	mg/L	98.8	97.8	0.94



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday April 8th, 1994

RE: OHM2-6 TCLP
Project # 01138-066-001-0101
Lab ID: 9404G213-002
Sample Date: 04/04/94
Date Received: 04/05/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday April 8th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G213

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE426-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	94GE426-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Friday April 8th, 1994

Project # 01138-066-001-0101
 Lab Batch: 9404G213

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE426-LC1	Silver, LCS	0.050	mg/L	98.7	99.5	0.77
	Cadmium, LCS	0.050	mg/L	93.1	93.9	0.92
	Chromium, LCS	0.20	mg/L	105	105	0.024
	Nickel, LCS	0.50	mg/L	101	103	1.8
	Lead, LCS	0.50	mg/L	96.6	96.9	0.30



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday April 15th, 1994

Attn: Mr. Gary Deigan

RE: OHM2-7 TCLP
Project # 01138-066-001-0101
Lab ID: 9404G363-002
Sample Date: 04/12/94
Date Received: 04/13/94

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday April 15th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G363

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE431-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	94GE431-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Friday April 15th, 1994

Project # 01138-066-001-0101
 Lab Batch: 9404G363

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-7 TCLP	Silver, Leachate	0.86	0.050 u	1.0	85.8
		Cadmium, Leachate	0.96	0.050 u	1.0	95.6
		Chromium, Leachate	5.0	0.25 u	5.0	99.8
		Nickel, Leachate	0.48	0.25 u	0.50	95.6
		Lead, Leachate	4.4	0.25 u	5.0	



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday April 15th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G363

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE431-LC1	Silver, LCS	0.050	mg/L	98.3	94.0	4.5
	Cadmium, LCS	0.050	mg/L	92.7	92.2	0.61
	Chromium, LCS	0.20	mg/L	104	104	0.15
	Nickel, LCS	0.50	mg/L	104	105	1.8
	Lead, LCS	0.50	mg/L	100	106	5.9



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Tuesday April 26th, 1994

Attn: Mr. Gary Deigan

RE: OHM2-8 TCLP
 Project # 01138-066-001-0101
 Lab ID: 9404G521-002
 Sample Date: 04/20/94
 Date Received: 04/21/94

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L J	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L J	0.25

WJC 4/29/94



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday April 26th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G521

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE436-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	94GE436-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday April 26th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G521

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-8 TCLP	Silver, Leachate	0.21	0.050 u	1.0	20.9
		Cadmium, Leachate	0.97	0.050 u	1.0	97.3
		Chromium, Leachate	5.1	0.25 u	5.0	102
		Nickel, Leachate	0.53	0.25 u	0.50	106
		Lead, Leachate	2.2	0.25 u	5.0	3



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday April 26th, 1994

Project # 01138-066-001-0101
Lab Batch: 9404G521

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE436-LC1	Silver, LCS	0.050	mg/L	98.9	95.8	3.1
	Cadmium, LCS	0.050	mg/L	93.5	90.9	2.8
	Chromium, LCS	0.20	mg/L	105	106	0.33
	Nickel, LCS	0.50	mg/L	102	103	1.4
	Lead, LCS	0.50	mg/L	104	103	0.39



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 3rd, 1994

RE: OHM2-9 TCLP
Project # 01138-066-001-0100
Lab ID: 9404G751-002
Sample Date: 04/25/94
Date Received: 04/30/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 3rd, 1994

Project # 01138-066-001-0100
Lab Batch: 9404G751

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE440-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 3rd, 1994

Project # 01138-066-001-0100
Lab Batch: 9404G751

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-9 TCLP	Silver, Leachate	0.87	0.050 u	1.0	87.1
		Cadmium, Leachate	0.93	0.050 u	1.0	93.4
		Chromium, Leachate	5.0	0.25 u	5.0	99.5
		Nickel, Leachate	0.52	0.25 u	0.50	105
		Lead, Leachate	4.8	0.25 u	5.0	96



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 3rd, 1994

Project # 01138-066-001-0100
Lab Batch: 9404G751

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE440-LC1	Silver, LCS	0.050	mg/L	96.6	102	4.9
	Cadmium, LCS	0.050	mg/L	90.8	99.9	9.5
	Chromium, LCS	0.20	mg/L	105	106	0.93
	Nickel, LCS	0.50	mg/L	101	103	1.4
	Lead, LCS	0.50	mg/L	100	100	0.0020



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday May 5th, 1994

RE: #OHM2-10 TCLP
Project # 01138-066-001-0100
Lab ID: 9405G774-002
Sample Date: 04/30/94
Date Received: 05/02/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday May 5th, 1994

Project # 01138-066-001-0100
Lab Batch: 9405G774

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE441-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	94GE441-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday May 5th, 1994

Project # 01138-066-001-0100
Lab Batch: 9405G774

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	#OHM2-10 TCLP	Silver, Leachate	0.97	0.050 u	1.0	96.6
		Cadmium, Leachate	0.96	0.050 u	1.0	95.8
		Chromium, Leachate	5.0	0.25 u	5.0	100
		Nickel, Leachate	0.53	0.25 u	0.50	107
		Lead, Leachate	4.9	0.25 u	5.0	



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday May 5th, 1994

Project # 01138-066-001-0100
Lab Batch: 9405G774

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE441-LC1	Silver, LCS	0.050	mg/L	99.3	94.2	5.3
	Cadmium, LCS	0.050	mg/L	94.4	92.1	2.5
	Chromium, LCS	0.20	mg/L	107	103	3.6
	Nickel, LCS	0.50	mg/L	101	101	0.69
	Lead, LCS	0.50	mg/L	99.6	98.5	1.1



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 10th, 1994

RE: OHM2-11 TCLP
Project # 01138-066-001-0100
Lab ID: 9405G885-002
Sample Date: 05/05/94
Date Received: 05/06/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 10th, 1994

Project # 01138-066-001-0100
Lab Batch: 9405G885

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE444-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	94GE444-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 10th, 1994

Project # 01138-066-001-0100
Lab Batch: 9405G885

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE444-LC1	Silver, LCS	0.050	mg/L	95.1	95.8	0.67
	Cadmium, LCS	0.050	mg/L	100	104	3.2
	Chromium, LCS	0.20	mg/L	102	104	1.3
	Nickel, LCS	0.50	mg/L	102	103	1.4
	Lead, LCS	0.50	mg/L	97.4	102	5.0



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday May 12th, 1994

RE: OHM2-12 TCLP
Project # 01138-066-001-0100
Lab ID: 9405G920-002
Sample Date: 05/09/94
Date Received: 05/10/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday May 12th, 1994

Project # 01138-066-001-0100
Lab Batch: 9405G920

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE445-MBI	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday May 12th, 1994

Project # 01138-066-001-0100
Lab Batch: 94056920

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-12 TCLP	Silver, Leachate	0.97	0.050 u	1.0	97.3
		Cadmium, Leachate	1.0	0.050 u	1.0	103
		Chromium, Leachate	5.2	0.25 u	5.0	104
		Nickel, Leachate	0.56	0.25 u	0.50	113
		Lead, Leachate	5.1	0.25 u	5.0	102



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday May 12th, 1994

Project # 01138-066-001-0100
Lab Batch: 9405G920

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE445-LC1	Silver, LCS	0.050	mg/L	97.9	97.0	0.90
	Cadmium, LCS	0.050	mg/L	108	108	0.57
	Chromium, LCS	0.20	mg/L	108	108	0.39
	Nickel, LCS	0.50	mg/L	106	106	0.15
	Lead, LCS	0.50	mg/L	104	101	2.4



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday May 19th, 1994

Project # 01138-006-001-0100
Lab Batch: 9405G067

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE447-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	94GE447-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday May 19th, 1994

Project # 01138-006-001-0100
Lab Batch: 9405G067

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-13 TCLP	Silver, Leachate	0.91	0.050 u	1.0	90.6
		Cadmium, Leachate	0.89	0.050 u	1.0	89.3
		Chromium, Leachate	4.7	0.25 u	5.0	94.4
		Nickel, Leachate	0.45	0.25 u	0.50	89.8
		Lead, Leachate	4.6	0.25 u	5.0	91.9



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Thursday May 19th, 1994

Project # 01138-006-001-0100
Lab Batch: 9405G067

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE447-LC1	Silver, LCS	0.050	mg/L	96.3	99.9	3.7
	Cadmium, LCS	0.050	mg/L	92.6	95.5	3.1
	Chromium, LCS	0.20	mg/L	98.5	100	1.5
	Nickel, LCS	0.50	mg/L	95.2	96.4	1.3
	Lead, LCS	0.50	mg/L	96.2	99.1	3.0



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday May 23rd, 1994

RE: OHM2-14
Project # 01138-066-001-0101
Lab ID: 9405G153-002
Sample Date: 05/18/94
Date Received: 05/19/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday May 23rd, 1994

Project # 01138-066-001-0101
Lab Batch: 9405G153

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	94GE449-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday May 23rd, 1994

Project # 01138-066-001-0101
Lab Batch: 9405G153

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-14	Silver, Leachate	0.96	0.050 u	1.0	96.2
		Cadmium, Leachate	0.97	0.050 u	1.0	97.4
		Chromium, Leachate	5.1	0.25 u	5.0	101
		Nickel, Leachate	0.56	0.25 u	0.50	113
		Lead, Leachate	4.8	0.25 u	5.0	96.0



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday May 23rd, 1994

Project # 01138-066-001-0101
Lab Batch: 9405G153

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE449-LC1	Silver, LCS	0.050	mg/L	98.8	98.3	0.53
	Cadmium, LCS	0.050	mg/L	94.8	97.2	2.4
	Chromium, LCS	0.20	mg/L	103	102	0.64
	Nickel, LCS	0.50	mg/L	99.5	100	0.73
	Lead, LCS	0.50	mg/L	97.8	100	2.6



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 31st, 1994

Project # 01138-066-001-0100
Lab Batch: 9405G286

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 3	94GE458-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
 2417 Bond St., University Park, Illinois 60466
 Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
 Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
 Roy F. Weston, Incorporated
 3 Hawthorn Parkway, Suite 400
 Vernon Hills, IL 60061

Date: Tuesday May 31st, 1994

Project # 01138-066-001-0100
 Lab Batch: 9405G286

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov.
-002	OHM2-15 TCLP	Silver, Leachate	0.60	0.050 u	1.0	59.8
		Cadmium, Leachate	0.90	0.050 u	1.0	89.6
		Chromium, Leachate	4.5	0.25 u	5.0	90.8
		Nickel, Leachate	0.46	0.25 u	0.50	92.0
		Lead, Leachate	3.6	0.25 u	5.0	72.2



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday May 31st, 1994

Project # 01138-066-001-0100
Lab Batch: 9405G286

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE458-LC1	Silver, LCS	0.050	mg/L	95.2	95.5	0.36
	Cadmium, LCS	0.050	mg/L	94.6	94.7	0.085
	Chromium, LCS	0.20	mg/L	99.8	99.4	0.42
	Nickel, LCS	0.50	mg/L	97.2	100	2.9
	Lead, LCS	0.50	mg/L	95.8	97.0	1.2



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday June 6th, 1994

Project # 01138-066-001-0100
Lab Batch: 9406G426

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE463-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	94GE463-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 3	94GE463-MB3	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 4	94GE463-MB4	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday June 6th, 1994

Project # 01138-066-001-0100
Lab Batch: 9406G426

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE463-LC1	Silver, LCS	0.050	mg/L	94.1	93.0	1.1
	Cadmium, LCS	0.050	mg/L	96.6	92.7	4.1
	Chromium, LCS	0.20	mg/L	98.4	96.6	1.9
	Nickel, LCS	0.50	mg/L	96.8	95.1	1.8
	Lead, LCS	0.50	mg/L	97.0	92.2	5.1



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday June 8th, 1994

Project # 01138-066-001-0100
Lab Batch: 9406G484

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE466-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday June 8th, 1994

Project # 01138-066-001-0100
Lab Batch: 9406G484

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-17 TCLP	Silver, Leachate	0.75	0.050 u	1.0	74.6
		Cadmium, Leachate	0.90	0.050 u	1.0	90.4
		Chromium, Leachate	4.7	0.25 u	5.0	94.3
		Nickel, Leachate	0.49	0.25 u	0.50	97.8
		Lead, Leachate	4.5	0.25 u	5.0	90.2



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Wednesday June 8th, 1994

Project # 01138-066-001-0100
Lab Batch: 9406G484

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE466-LC1	Silver, LCS	0.050	mg/L	93.7	93.7	0.00
	Cadmium, LCS	0.050	mg/L	94.5	86.6	8.7
	Chromium, LCS	0.20	mg/L	98.4	96.7	1.8
	Nickel, LCS	0.50	mg/L	95.6	94.8	0.86
	Lead, LCS	0.50	mg/L	92.5	90.5	2.2



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday June 14th, 1994

RE: OHM2-18 TCLP
Project # 01138-066-001-0100
Lab ID: 9406G577-002
Sample Date: 06/08/94
Date Received: 06/09/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L J	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L J	0.25

6/12/94



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday June 14th, 1994

Project # 01138-066-001-0100
Lab Batch: 9406G577

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 2	94GE469-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.25	u mg/L	0.25
		Nickel, TCLP Leachate	0.25	u mg/L	0.25
		Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday June 14th, 1994

Project # 01138-066-001-0100
Lab Batch: 94066577

Attn: Mr. Gary Deigan

Inorganic Accuracy Data Report

Sample	Site ID	Parameter	Spiked Sample	Initial Result	Spiked Amount	% Recov
-002	OHM2-18 TCLP	Silver, Leachate	0.22	0.050 u	1.0	22.0
		Cadmium, Leachate	0.88	0.050 u	1.0	87.6
		Chromium, Leachate	4.4	0.25 u	5.0	88.3
		Nickel, Leachate	0.45	0.25 u	0.50	90.4
		Lead, Leachate	2.2	0.25 u	5.0	44.7



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Tuesday June 14th, 1994

Project # 01138-066-001-0100
Lab Batch: 9406G577

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE469-LC1	Silver, LCS	0.050	mg/L	91.9	92.3	0.50
	Cadmium, LCS	0.050	mg/L	97.5	93.3	4.4
	Chromium, LCS	0.20	mg/L	97.2	95.8	1.5
	Nickel, LCS	0.50	mg/L	96.3	93.9	2.5
	Lead, LCS	0.50	mg/L	95.3	95.0	0.34



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday June 17th, 1994

RE: OHM2-19 TCLP
Project # 01138-066-001-0100
Lab ID: 9406G658-002
Sample Date: 06/13/94
Date Received: 06/14/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday June 17th, 1994

Project # 01138-066-001-0100
Lab Batch: 9406G658

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE474-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.0



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Friday June 17th, 1994

Project # 01138-066-001-0100
Lab Batch: 9406G658

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE474-LC1	Silver, LCS	0.050	mg/L	93.0	93.6	0.64
	Cadmium, LCS	0.050	mg/L	94.8	89.9	5.3
	Chromium, LCS	0.20	mg/L	101	102	0.32
	Nickel, LCS	0.50	mg/L	99.0	101	1.7
	Lead, LCS	0.50	mg/L	95.0	97.9	3.1



WESTON-GULF COAST, INC.

2417 Bond St., University Park, Illinois 60466

Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533

Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday June 20th, 1994

RE: OHM 2-20 TCLP
Project # 01138-066-001-0100
Lab ID: 9406G724-002
Sample Date: 06/15/94
Date Received: 06/16/94

Attn: Mr. Gary Deigan

Inorganic Data Report

Parameters	Result	Units	Reporting Limit
Silver, TCLP Leachate	0.050	u mg/L	0.050
Cadmium, TCLP Leachat	0.050	u mg/L	0.050
Chromium, TCLP Leacha	0.25	u mg/L	0.25
Nickel, TCLP Leachate	0.25	u mg/L	0.25
Lead, TCLP Leachate	0.25	u mg/L	0.25



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday June 20th, 1994

Project # 01138-066-001-0100
Lab Batch: 9406G724

Attn: Mr. Gary Deigan

Inorganic Method Blank Data Report

Sample	Lab ID	Parameter	Result	Units	Reporting Limit
Blank 1	94GE477-MB1	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050
Blank 2	94GE477-MB2	Silver, TCLP Leachate	0.050	u mg/L	0.050
		Cadmium, TCLP Leachat	0.050	u mg/L	0.050
		Chromium, TCLP Leacha	0.050	u mg/L	0.050
		Nickel, TCLP Leachate	0.050	u mg/L	0.050
		Lead, TCLP Leachate	0.050	u mg/L	0.050



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-7533
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday June 20th, 1994

Project # 01138-066-001-0100
Lab Batch: 9406G724

Attn: Mr. Gary Deigan

Inorganic Precision Data Report

Sample	Site ID	Parameter	Initial Result	Replicate	RPD
-002REP	OHM 2-20	TCLP Silver, Leachate	0.050 u	0.050 u	NC
		Cadmium, Leachate	0.050 u	0.050 u	NC
		Chromium, Leachate	0.25 u	0.25 u	NC
		Nickel, Leachate	0.25 u	0.25 u	NC
		Lead, Leachate	0.25 u	0.25 u	NC



WESTON-GULF COAST, INC.
2417 Bond St., University Park, Illinois 60466
Phones: (708) 534-5200 (219) 885-7077 (815) 723-753
Fax: (708) 534-5211

ANALYTICAL REPORT

To: GM-Coldwater Road
Roy F. Weston, Incorporated
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061

Date: Monday June 20th, 1994

Project # 01138-066-001-0100
Lab Batch: 9406G724

Attn: Mr. Gary Deigan

Inorganic Laboratory Control Standards Report

Lab ID	Parameter	Spiked Amount	Units	Spike #1 % Recov.	Spike #2 % Recov.	RPD
94GE477-LC1	Silver, LCS	0.050	mg/L	94.5	92.1	2.6
	Cadmium, LCS	0.050	mg/L	90.2	91.6	1.6
	Chromium, LCS	0.20	mg/L	99.7	99.3	0.43
	Nickel, LCS	0.50	mg/L	97.1	98.3	1.3
	Lead, LCS	0.50	mg/L	96.0	95.1	0.93