

RACER Trust

Semi-Annual Data Report

First Half 2015

Former GM Delco Plant 5
Kokomo, Indiana

July 14, 2015



A handwritten signature in black ink that reads "Meryl Stuckey". The signature is fluid and cursive, with the first name and last name clearly distinguishable.

Meryl Stuckey
Staff Geologist

A handwritten signature in black ink that reads "Matthew D. Griles". The signature is written in a cursive style with some capitalization.

Matthew Griles, L.P.G.
Project Geologist

A handwritten signature in black ink that reads "Sarah Fisher". The signature is written in a cursive style with a large, prominent 'S'.

Sarah Fisher
Senior Scientist

**Semi-Annual Data Report
First Half 2015**

Former GM Delco Plant 5
Kokomo, Indiana

Prepared for:
RACER Trust

Prepared by:
ARCADIS U.S., Inc.
132 East Washington Street
Suite 600
Indianapolis
Indiana 46204
Tel 317 231 6500
Fax 317 231 6514

Our Ref.:
IN000884.2015.00007

Date:
July 14, 2015

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

Introduction	1
1. Groundwater Gauging	1
2. Groundwater Sampling Event	1
2.1 Groundwater Sampling Results	2
3. Vapor Intrusion	4
4. Summary and Conclusions	4

Tables

Table 1	Monitoring Well Groundwater Elevation Data
Table 2	Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
Table 3	Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
Table 4	Indoor Air, Crawl Space, and Sub-Slab Analytical Results for 1700 N. Washington Street

Figures

Figure 1	Potentiometric Surface –S1 Unit (March 10, 2015)
Figure 2	Potentiometric Surface –S2 Unit (March 10, 2015)
Figure 3	Groundwater VOC Analytical Results Screened with MCLs
Figure 4	Off-site Groundwater VOC Analytical Results Screened with Groundwater Vapor Intrusion Criteria
Figure 5	TCE Groundwater Concentration Contours –S1 Unit (March 31, 2015)

Appendices

Appendix A	Groundwater Analytical Reports, Soil Gas Analytical Reports and Data Validation Report (Provided on CD)
------------	---

Introduction

ARCADIS has prepared this Semi-Annual Data Report on behalf of the Revitalizing Auto Communities Environmental Response (RACER) Trust. This report summarizes the first half 2015 groundwater gauging, groundwater sampling, and vapor intrusion related activities at the Former GM Delco Plant 5 in Kokomo, Indiana (Site).

1. Groundwater Gauging

On March 10, 2015, ARCADIS measured the depths to groundwater in 47 monitoring wells located in the upper two sand and gravel units (S1 Unit and S2 Unit) at the Site. The groundwater gauging data presented in Table 1 were used to calculate groundwater elevations at each of the monitoring wells. The groundwater elevation contours in the S1 Unit and S2 Unit are provided as Figures 1 and 2, respectively.

Groundwater in both the S1 Unit and S2 Unit is confined by overlying clay till units.

Potentiometric Data for S1 and S2 Units – March 2015		
Sand and Gravel Unit	Potentiometric Surface Elevation (ft amsl)	Flow Direction
S1	814.87 to 811.91	southeast
S2 (shallow gradient)	811.89 to 811.67	north, east, and west

ft amsl = feet above mean sea level

Groundwater flow within the S1 Unit is consistent with previously observed groundwater contours.

ARCADIS will continue to evaluate the groundwater potentiometric surfaces and monitor flow directions for the S1 and S2 units through future gauging events. The groundwater potentiometric elevations observed during this event were consistent with those used in groundwater modeling previously performed by ARCADIS.

2. Groundwater Sampling Event

On March 10, 2015, ARCADIS deployed passive diffusion bags (PDBs) in 31 monitoring wells on and off site. Prior to deploying the PDBs, the depths to groundwater and depths to bottom of the monitoring wells were measured to verify the placement of the PDB within the water column. Access to MW-0609-S1 was obstructed by standing water; consequently, the PDB was not deployed in the well

during this monitoring event. The PDBs were allowed to equilibrate inside each monitoring well for a 3-week period. On March 31, 2015, the PDBs were removed from the monitoring wells, and groundwater samples were collected through a dedicated straw directly into laboratory-supplied containers.

All containers were immediately sealed, labeled, placed in an ice-packed cooler, and transported to Pace Analytical Services, located in Indianapolis, Indiana. The groundwater samples were analyzed for volatile organic compounds (VOCs) in accordance with the United States Environmental Protection Agency (USEPA) Test Methods for Evaluating Solid Waste (SW-846), Method 8260.

2.1 Groundwater Sampling Results

VOC analytical results from monitoring wells sampled during the March 31, 2015, groundwater sampling event are summarized in Table 2. The analytes presented in the table are those that have been detected at concentrations higher than the laboratory reporting limits during one or more monitoring events:

- 1,1,1-trichloroethane (1,1,1-TCA)
- 1,1-dichloroethane (1,1-DCA)
- 1,1-dichloroethene (1,1-DCE)
- Benzene
- Chloroform
- Cis-1,2-dichloroethene (DCE)
- Cyclohexane
- Methylene chloride
- Tetrachloroethene (PCE)
- Toluene
- Trans-1,2-dichloroethene (trans-1,2-DCE)
- Trichloroethene (TCE)
- Vinyl chloride

The groundwater data are compared to the USEPA Drinking Water Screening Criteria (Maximum Contaminant Levels [MCLs] or the Indiana Department of Environmental Management [IDEM] Risk Integrated System of Closure [RISC] Residential Default Closure Levels, where MCLs are not established). The analytical results are also summarized on Figure 3.

Based on the groundwater data collected during this reporting period, 1,1-DCE; cis-1,2-DCE; trans-1,2-DCE; TCE; and vinyl chloride were detected at concentrations higher than their respective MCLs in one or more groundwater samples. TCE was detected in groundwater at concentrations higher than the MCL (5 micrograms per liter [$\mu\text{g/L}$]) in the following monitoring wells: MW-0101-S1U, MW-0102-S1U, MW-0103-S1U, MW-0504-S1, MW-0517-S1, MW-0517-S1, MW-0604-S1, MW-0605-S1, MW-0606-S1, MW-0612-S1, MW-0620-S1, MW-0621-S1, MW-0622-S1, MW-0704-S1, and MW-0705-S1.

Off-site groundwater analytical results were also compared to site-specific Groundwater Vapor Intrusion Screening Criteria as shown in Table 3 and on Figure 4. These criteria have been established for two conditions off site:

- Off-site groundwater - residential
- Off-site groundwater - commercial/industrial

TCE concentrations in groundwater exceeded both the site-specific Residential and Commercial/Industrial Groundwater Vapor Intrusion Screening Criteria (1,540 $\mu\text{g/L}$ and 2,150 $\mu\text{g/L}$) at monitoring wells MW-0606-S1, MW-0612-S1, and MW-0704-S1. No other constituents exceeded the screening criteria.

An isoconcentration contour figure for TCE in the S1 Unit is provided as Figure 5. The laboratory analytical reports, along with the validation summary, are provided in Appendix A.

Acetone was detected in the groundwater samples at concentrations lower than the laboratory reporting limits (100 $\mu\text{g/L}$) ranging from 4.8J $\mu\text{g/L}$ to 13.5J $\mu\text{g/L}$ (J qualifier indicates an estimated result). Acetone is not identified as a site-related contaminant. ARCADIS requested that the PDB vendor (EON Products, Inc.) test the deionized water used to fill the PDBs in lot number 4111791-1 for the presence of acetone. The results indicated that acetone was present in the deionized water at a concentration of 16 $\mu\text{g/L}$. ARCADIS believes that the acetone concentrations are an artifact from the vendor-supplied deionized water and are not representative of the naturally occurring groundwater found in the monitoring wells. Acetone has been detected during previous sampling events and has been linked to the water supplied in the pre-filled PDBs. ARCADIS will discuss with EON Products, Inc., a corrective action plan for eliminating acetone from the deionized water.

3. Vapor Intrusion

USEPA determined that the vapor intrusion observed in the neighborhood east of the Site is not related to the groundwater conditions associated with the Site. RACER Trust committed to the installation of one vapor mitigation system in the neighborhood following a vapor intrusion study. As outlined to the resident during the installation of the system, RACER Trust completed necessary follow-up testing on March 31, 2015, to ensure that the system is operating as designed.

No issues were noted during the mitigation system inspection. Confirmation indoor air sampling was completed, and concentrations of chlorinated VOCs (CVOCs) were lower than the USEPA Regional Screening Levels for residential indoor air.

The mitigation system will be inspected 360 days after installation (August 2015) to verify that the system is operating effectively. The system will likely be necessary beyond 2015; however, responsibility for managing the system is being transferred to the USEPA. Therefore, RACER Trust will not be performing system operation and maintenance beyond 2015.

Table 4 summarizes the analytical results from the samples collected on March 31, 2015. The laboratory analytical reports are presented in Appendix A.

4. Summary and Conclusions

During the March 2015 groundwater sampling event, concentrations of site-specific constituents of concern were higher than the USEPA Drinking Water Screening Criteria (MCLs) in 16 of the 31 groundwater monitoring wells sampled. TCE concentrations detected in groundwater from monitoring wells MW-0606-S1, MW-0612-S1, and MW-0704-S1 exceeded the site-specific Commercial/Industrial and Residential Groundwater Vapor Intrusion Screening Criteria (1,540 µg/L and 2,150 µg/L). These screening criteria for soil gas were calculated following an approach described in the

IDEM 2013 Remediation Closure Guide (RCG) and detailed in the Risk Assessment Addendum to CMP Amendment (ARCADIS, 2014¹).

The mitigation system installed at the residence in the neighborhood east of the Site is effectively mitigating CVOCs. The system will be inspected in August 2015, 360 days after installation, to verify that it is working properly.

A semi-annual groundwater sampling event will be conducted during the second half of 2015 to evaluate existing conditions, and confirm the current site-specific groundwater model.

¹ ARCADIS, 2014. Risk Assessment Addendum to CMP Amendment. Former GM Delco Plant 5, Kokomo, Indiana. June, 2014.

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0101-P1	11/15/2004	8.13	9.85	826.36	818.23
MW-0101-P1	10/25/2005	9.51	9.98	826.36	816.85
MW-0101-P1	3/24/2006	Abandoned			
MW-0101-S1U	11/15/2004	11.15	17.50	826.36	815.21
MW-0101-S1U	10/25/2005	12.02	17.51	826.36	814.34
MW-0101-S1U	3/24/2006	10.52	17.23	826.36	815.84
MW-0101-S1U	3/31/2006	9.75	17.23	826.36	816.61
MW-0101-S1U	4/28/2006	10.42	NM	826.36	815.94
MW-0101-S1U	12/5/2006	9.13	17.51	826.36	817.23
MW-0101-S1U	3/8/2007	10.21	17.51	826.36	816.15
MW-0101-S1U	1/16/2008	10.69	17.61	826.36	815.67
MW-0101-S1U	11/11/2008	14.31	17.46	826.36	812.05
MW-0101-S1U	2/17/2009	12.66	NM	826.36	813.70
MW-0101-S1U	6/12/2009	11.18	NM	826.36	815.18
MW-0101-S1U	3/29/2012	11.23	17.70	826.36	815.13
MW-0101-S1U	10/9/2012	13.76	17.50	826.36	812.60
MW-0101-S1U	3/12/2013	11.73	17.50	826.36	814.63
MW-0101-S1U	9/24/2013	12.70	17.76	826.36	813.66
MW-0101-S1U	4/22/2014	11.46	17.66	826.36	814.90
MW-0101-S1U	9/3/2014	13.09	17.64	826.36	813.27
MW-0101-S1U	3/10/2015	12.03	16.64	826.36	814.33
MW-0102-S1U	11/15/2004	11.10	26.00	826.36	815.26
MW-0102-S1U	9/20/2005	12.28	26.14	826.36	814.08
MW-0102-S1U	10/20/2005	12.12	26.28	826.36	814.24
MW-0102-S1U	10/25/2005	12.03	26.28	826.36	814.33
MW-0102-S1U	3/22/2006	10.50	25.90	826.36	815.86
MW-0102-S1U	3/31/2006	9.73	25.90	826.36	816.63
MW-0102-S1U	4/28/2006	10.47	NM	826.36	815.89
MW-0102-S1U	12/5/2006	9.33	NM	826.36	817.03
MW-0102-S1U	3/8/2007	10.32	26.28	826.36	816.04
MW-0102-S1U	1/16/2008	11.00	26.40	826.36	815.36
MW-0102-S1U	11/11/2008	14.33	26.26	826.36	812.03
MW-0102-S1U	2/17/2009	12.51	NM	826.36	813.85
MW-0102-S1U	6/12/2009	11.18	NM	826.36	815.18
MW-0102-S1U	3/29/2012	11.25	26.43	826.36	815.11
MW-0102-S1U	10/9/2012	13.76	26.25	826.36	812.60
MW-0102-S1U	3/12/2013	11.91	26.15	826.36	814.45
MW-0102-S1U	9/24/2013	12.74	26.41	826.36	813.62
MW-0102-S1U	4/22/2014	11.45	26.37	826.36	814.91
MW-0102-S1U	9/3/2014	13.06	26.40	826.36	813.30
MW-0102-S1U	3/10/2015	12.02	26.38	826.36	814.34
MW-0103-S1U	10/25/2005	13.47	NM	828.15	814.68
MW-0103-S1U	11/15/2005	12.60	20.00	828.15	815.55
MW-0103-S1U	3/22/2006	12.03	19.76	828.15	816.12
MW-0103-S1U	3/31/2006	11.26	19.76	828.15	816.89
MW-0103-S1U	4/28/2006	11.91	NM	828.15	816.24
MW-0103-S1U	12/5/2006	10.70	19.77	828.15	817.45
MW-0103-S1U	3/8/2007	11.71	19.76	828.15	816.44
MW-0103-S1U	1/16/2008	12.46	19.89	828.15	815.69
MW-0103-S1U	11/11/2008	15.87	19.81	828.15	812.28
MW-0103-S1U	2/17/2009	14.06	NM	828.15	814.09
MW-0103-S1U	6/12/2009	12.63	NM	828.15	815.52

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0103-S1U	10/9/2012	15.30	19.66	828.15	812.85
MW-0103-S1U	3/12/2013	13.47	19.66	828.15	814.68
MW-0103-S1U	9/24/2013	14.29	19.75	828.15	813.86
MW-0103-S1U	4/22/2014	12.94	19.74	828.15	815.21
MW-0103-S1U	9/3/2014	14.59	19.62	828.15	813.56
MW-0103-S1U	3/10/2015	13.55	19.65	828.15	814.60
MW-0501-P1	9/20/2005	12.09	18.85	828.62	816.53
MW-0501-P1	10/18/2005	13.22	18.95	828.62	815.40
MW-0501-P1	10/25/2005	12.97	18.95	828.62	815.65
MW-0501-P1	3/22/2006	12.67	18.95	828.62	815.95
MW-0501-P1	3/31/2006	11.84	18.95	828.62	816.78
MW-0501-P1	4/28/2006	11.29	NM	828.62	817.33
MW-0501-P1	12/5/2006	10.46	18.69	828.62	818.16
MW-0501-P1	3/8/2007	10.79	18.71	828.62	817.83
MW-0501-P1	1/16/2008	11.82	18.80	828.62	816.80
MW-0501-P1	11/11/2008	14.48	18.71	828.62	814.14
MW-0501-P1	2/17/2009	11.93	NM	828.62	816.69
MW-0501-S1	3/22/2006	12.18	34.39	828.65	816.47
MW-0501-S1	3/31/2006	11.41	34.39	828.65	817.24
MW-0501-S1	4/28/2006	12.07	NM	828.65	816.58
MW-0501-S1	12/5/2006	10.84	33.95	828.65	817.81
MW-0501-S1	3/8/2007	11.90	33.74	828.65	816.75
MW-0501-S1	1/16/2008	12.67	33.95	828.65	815.98
MW-0501-S1	11/11/2008	16.10	33.60	828.65	812.55
MW-0501-S1	2/17/2009	14.44	NM	828.65	814.21
MW-0501-S1	6/12/2009	12.77	NM	828.65	815.88
MW-0501-S1	4/13/2010	12.52	33.33	828.65	816.13
MW-0501-S1	9/5/2010	15.30	33.00	828.65	813.35
MW-0501-S1	4/20/2011	12.12	32.98	828.65	816.53
MW-0501-S1	9/27/2011	13.26	33.14	828.65	815.39
MW-0501-S1	3/29/2012	12.89	33.11	828.65	815.76
MW-0501-S1	10/9/2012	15.59	32.95	828.65	813.06
MW-0501-S1	3/12/2013	13.73	32.95	828.65	814.92
MW-0501-S1	9/24/2013	14.48	33.00	828.65	814.17
MW-0501-S1	4/22/2014	13.08	32.99	828.65	815.57
MW-0501-S1	9/3/2014	14.82	32.94	828.65	813.83
MW-0501-S1	3/10/2015	13.78	32.86	828.65	814.87
MW-0501-S2	10/18/2005	14.87	76.30	828.75	813.88
MW-0501-S2	10/25/2005	15.02	76.30	828.75	813.73
MW-0501-S2	3/21/2006	12.83	76.30	828.75	815.92
MW-0501-S2	3/31/2006	11.98	76.30	828.75	816.77
MW-0501-S2	4/28/2006	12.00	NM	828.75	816.75
MW-0501-S2	12/5/2006	9.83	76.13	828.75	818.92
MW-0501-S2	3/8/2007	11.79	76.09	828.75	816.96
MW-0501-S2	1/16/2008	14.80	76.20	828.75	813.95
MW-0501-S2	11/11/2008	21.21	76.12	828.75	807.54
MW-0501-S2	2/17/2009	17.60	NM	828.75	811.15
MW-0501-S2	6/12/2009	15.49	NM	828.75	813.26
MW-0501-S2	4/13/2010	14.37	76.12	828.75	814.38
MW-0501-S2	9/5/2010	19.74	76.11	828.75	809.01
MW-0501-S2	4/20/2011	15.01	76.00	828.75	813.74
MW-0501-S2	9/27/2011	17.44	75.24	828.75	811.31

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0501-S2	3/29/2012	14.62	76.21	828.75	814.13
MW-0501-S2	10/9/2012	20.48	76.15	828.75	808.27
MW-0501-S2	3/12/2013	15.08	76.15	828.75	813.67
MW-0501-S2	9/24/2013	17.93	76.20	828.75	810.82
MW-0501-S2	4/22/2014	15.80	77.48	828.75	812.95
MW-0501-S2	9/3/2014	19.70	77.62	828.75	809.05
MW-0501-S2	3/10/2015	17.08	NM	828.75	811.67
MW-0501-S3	10/20/2005	15.00	94.98	828.78	813.78
MW-0501-S3	10/25/2005	15.04	94.98	828.78	813.74
MW-0501-S3	3/21/2006	12.81	94.98	828.78	815.97
MW-0501-S3	3/31/2006	12.06	94.98	828.78	816.72
MW-0501-S3	4/28/2006	12.02	NM	828.78	816.76
MW-0501-S3	12/5/2006	10.48	94.75	828.78	818.30
MW-0501-S3	3/8/2007	11.86	94.64	828.78	816.92
MW-0501-S3	1/16/2008	14.86	94.80	828.78	813.92
MW-0501-S3	11/11/2008	21.27	94.85	828.78	807.51
MW-0501-S3	2/17/2009	17.68	NM	828.78	811.10
MW-0501-S3	6/12/2009	15.58	NM	828.78	813.20
MW-0501-S3	4/13/2010	14.42	94.73	828.78	814.36
MW-0501-S3	9/5/2010	19.82	96.05	828.78	808.96
MW-0501-S3	4/20/2011	15.11	94.60	828.78	813.67
MW-0501-S3	9/27/2011	17.44	94.90	828.78	811.34
MW-0501-S3	10/9/2012	14.20	31.91	828.78	814.58
MW-0502-S1	9/20/2005	12.20	32.59	826.34	814.14
MW-0502-S1	10/19/2005	11.91	32.78	826.34	814.43
MW-0502-S1	10/25/2005	11.91	32.78	826.34	814.43
MW-0502-S1	3/24/2006	10.41	32.54	826.34	815.93
MW-0502-S1	3/31/2006	9.64	32.54	826.34	816.70
MW-0502-S1	4/28/2006	10.32	NM	826.34	816.02
MW-0502-S1	12/5/2006	9.25	NM	826.34	817.09
MW-0502-S1	3/8/2007	10.12	32.50	826.34	816.22
MW-0502-S1	1/16/2008	10.95	32.62	826.34	815.39
MW-0502-S1	11/11/2008	14.22	32.40	826.34	812.12
MW-0502-S1	2/17/2009	12.54	NM	826.34	813.80
MW-0502-S1	6/12/2009	11.04	NM	826.34	815.30
MW-0502-S1	4/13/2010	10.78	32.55	826.34	815.56
MW-0502-S1	9/5/2010	13.46	32.60	826.34	812.88
MW-0502-S1	4/20/2011	10.29	32.45	826.34	816.05
MW-0502-S1	9/27/2011	11.44	32.65	826.34	814.90
MW-0502-S1	3/29/2012	11.08	32.61	826.34	815.26
MW-0502-S1	10/9/2012	13.65	32.51	826.34	812.69
MW-0502-S1	3/12/2013	11.73	32.51	826.34	814.61
MW-0502-S1	9/24/2013	12.62	32.63	826.34	813.72
MW-0502-S1	4/22/2014	11.35	32.62	826.34	814.99
MW-0502-S1	9/3/2014	12.96	32.66	826.34	813.38
MW-0502-S1	3/10/2015	11.90	32.63	826.34	814.44
MW-0503-S1	10/18/2005	12.51	32.57	826.82	814.31
MW-0503-S1	10/25/2005	12.51	32.57	826.82	814.31
MW-0503-S1	3/24/2006	11.09	32.27	826.82	815.73
MW-0503-S1	3/31/2006	10.32	32.27	826.82	816.50
MW-0503-S1	4/28/2006	11.00	NM	826.82	815.82
MW-0503-S1	12/5/2006	9.84	NM	826.82	816.98

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0503-S1	3/8/2007	10.80	32.32	826.82	816.02
MW-0503-S1	1/16/2008	11.57	32.42	826.82	815.25
MW-0503-S1	11/11/2008	14.75	32.20	826.82	812.07
MW-0503-S1	2/17/2009	12.96	NM	826.82	813.86
MW-0503-S1	6/12/2009	11.68	NM	826.82	815.14
MW-0503-S1	4/13/2010	11.46	32.16	826.82	815.36
MW-0503-S1	9/5/2010	14.04	32.00	826.82	812.78
MW-0503-S1	4/20/2011	10.87	31.98	826.82	815.95
MW-0503-S1	9/27/2011	11.99	32.35	826.82	814.83
MW-0503-S1	3/29/2012	11.77	32.40	826.82	815.05
MW-0503-S1	10/9/2012	14.20	31.91	826.82	812.62
MW-0503-S1	3/12/2013	12.35	31.91	826.82	814.47
MW-0503-S1	9/24/2013	13.20	32.30	826.82	813.62
MW-0503-S1	4/22/2014	11.95	31.87	826.82	814.87
MW-0503-S1	9/3/2014	13.51	31.96	826.82	813.31
MW-0503-S1	3/10/2015	12.49	31.56	826.82	814.33
MW-0503-S2	10/18/2005	13.28	68.33	826.81	813.53
MW-0503-S2	10/25/2005	13.27	68.33	826.81	813.54
MW-0503-S2	3/24/2006	10.38	68.05	826.81	816.43
MW-0503-S2	3/31/2006	9.53	68.05	826.81	817.28
MW-0503-S2	4/28/2006	10.51	NM	826.81	816.30
MW-0503-S2	12/5/2006	9.06	NM	826.81	817.75
MW-0503-S2	3/8/2007	10.28	68.13	826.81	816.53
MW-0503-S2	1/16/2008	12.92	68.30	826.81	813.89
MW-0503-S2	11/11/2008	18.80	68.19	826.81	808.01
MW-0503-S2	2/17/2009	15.41	NM	826.81	811.40
MW-0503-S2	6/12/2009	13.57	NM	826.81	813.24
MW-0504-I2	10/18/2005	19.66	39.87	826.51	806.85
MW-0504-I2	10/25/2005	13.03	39.87	826.51	813.48
MW-0504-I2	3/27/2006	11.53	39.61	826.51	814.98
MW-0504-I2	3/31/2006	10.71	39.61	826.51	815.80
MW-0504-I2	4/28/2006	11.19	NM	826.51	815.32
MW-0504-I2	12/5/2006	10.08	NM	826.51	816.43
MW-0504-I2	3/8/2007	11.60	39.65	826.51	814.91
MW-0504-I2	1/16/2008	11.67	39.80	826.51	814.84
MW-0504-I2	11/11/2008	14.84	39.71	826.51	811.67
MW-0504-I2	2/17/2009	12.99	NM	826.51	813.52
MW-0504-S1	9/20/2005	12.51	29.73	826.15	813.64
MW-0504-S1	10/18/2005	12.25	29.19	826.15	813.90
MW-0504-S1	10/25/2005	12.23	29.19	826.15	813.92
MW-0504-S1	3/27/2006	11.10	28.69	826.15	815.05
MW-0504-S1	3/31/2006	10.33	28.69	826.15	815.82
MW-0504-S1	4/28/2006	10.88	NM	826.15	815.27
MW-0504-S1	12/5/2006	10.78	NM	826.15	815.37
MW-0504-S1	3/8/2007	10.68	30.82	826.15	815.47
MW-0504-S1	1/16/2008	11.25	30.90	826.15	814.90
MW-0504-S1	11/11/2008	14.40	30.76	826.15	811.75
MW-0504-S1	2/17/2009	12.58	NM	826.15	813.57
MW-0504-S1	6/12/2009	11.51	NM	826.15	814.64
MW-0504-S1	10/9/2012	13.84	30.71	826.15	812.31
MW-0504-S1	3/12/2013	12.02	30.71	826.15	814.13
MW-0504-S1	9/24/2013	12.90	30.98	826.15	813.25

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0504-S1	4/22/2014	11.81	30.91	826.15	814.34
MW-0504-S1	9/3/2014	13.21	31.71	826.15	812.94
MW-0504-S1	3/10/2015	12.22	30.55	826.15	813.93
MW-0504-S2	3/27/2006	10.23	60.45	826.41	816.18
MW-0504-S2	3/31/2006	9.38	60.45	826.41	817.03
MW-0504-S2	4/28/2006	10.11	NM	826.41	816.30
MW-0504-S2	12/5/2006	8.70	NM	826.41	817.71
MW-0504-S2	3/8/2007	10.00	60.52	826.41	816.41
MW-0504-S2	1/16/2008	12.50	60.63	826.41	813.91
MW-0504-S2	11/11/2008	18.46	60.55	826.41	807.95
MW-0504-S2	2/17/2009	14.97	NM	826.41	811.44
MW-0504-S2	6/12/2009	13.14	NM	826.41	813.27
MW-0505-B1	12/5/2006	8.69	NM	826.5	817.81
MW-0505-B1	3/8/2007	8.98	83.90	826.5	817.52
MW-0505-B1	1/16/2008	11.56	83.95	826.5	814.94
MW-0505-B1	11/11/2008	17.51	83.90	826.5	808.99
MW-0505-B1	2/17/2009	14.06	NM	826.5	812.44
MW-0505-B1	6/12/2009	12.18	NM	826.5	814.32
MW-0505-B1	4/13/2010	11.21	83.97	826.5	815.29
MW-0505-B1	9/5/2010	16.22	84.00	826.5	810.28
MW-0505-B1	4/20/2011	11.65	83.82	826.5	814.85
MW-0505-B1	9/27/2011	14.56	84.08	826.5	811.94
MW-0505-S1	9/20/2005	11.42	39.00	825.44	814.02
MW-0505-S1	10/19/2005	11.19	40.28	825.44	814.25
MW-0505-S1	10/25/2005	11.16	40.28	825.44	814.28
MW-0505-S1	3/23/2006	9.70	40.00	825.44	815.74
MW-0505-S1	3/31/2006	8.93	40.00	825.44	816.51
MW-0505-S1	4/28/2006	9.69	NM	825.44	815.75
MW-0505-S1	12/5/2006	8.52	NM	825.44	816.92
MW-0505-S1	3/8/2007	9.48	40.71	825.44	815.96
MW-0505-S1	1/16/2008	10.15	40.80	825.44	815.29
MW-0505-S1	11/11/2008	13.46	40.65	825.44	811.98
MW-0505-S1	2/17/2009	11.63	NM	825.44	813.81
MW-0505-S1	6/12/2009	10.34	NM	825.44	815.10
MW-0505-S1	10/9/2012	12.47	40.67	825.44	812.97
MW-0505-S1	3/12/2013	11.02	40.67	825.44	814.42
MW-0505-S1	9/24/2013	11.85	40.84	825.44	813.59
MW-0505-S1	4/22/2014	10.64	40.41	825.44	814.80
MW-0505-S1	9/3/2014	12.20	40.80	825.44	813.24
MW-0505-S1	3/10/2015	11.17	40.75	825.44	814.27
MW-0505-S2	10/19/2005	12.37	67.63	825.06	812.69
MW-0505-S2	10/25/2005	11.42	67.63	825.06	813.64
MW-0505-S2	3/23/2006	9.59	67.32	825.06	815.47
MW-0505-S2	3/31/2006	8.74	67.32	825.06	816.32
MW-0505-S2	4/28/2006	9.65	NM	825.06	815.41
MW-0505-S2	12/5/2006	7.27	NM	825.06	817.79
MW-0505-S2	3/8/2007	8.55	67.45	825.06	816.51
MW-0505-S2	1/16/2008	11.10	67.50	825.06	813.96
MW-0505-S2	11/11/2008	17.04	67.45	825.06	808.02
MW-0505-S2	2/17/2009	13.63	NM	825.06	811.43
MW-0505-S2	6/12/2009	11.76	NM	825.06	813.30

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0505-S2	4/13/2010	11.74	67.38	825.06	813.32
MW-0505-S2	9/5/2010	15.76	67.50	825.06	809.30
MW-0505-S2	4/20/2011	11.23	67.35	825.06	813.83
MW-0505-S2	9/27/2011	13.51	67.60	825.06	811.55
MW-0505-S2	3/29/2012	11.03	67.55	825.06	814.03
MW-0505-S2	10/9/2012	16.46	67.46	825.06	808.60
MW-0505-S2	3/12/2013	11.58	67.46	825.06	813.48
MW-0505-S2	9/24/2013	14.10	67.52	825.06	810.96
MW-0505-S2	4/22/2014	11.99	67.59	825.06	813.07
MW-0505-S2	9/3/2014	15.65	68.81	825.06	809.41
MW-0505-S2	3/10/2015	13.18	NM	825.06	811.88
MW-0506-I2	10/19/2005	24.10	47.56	827.18	803.08
MW-0506-I2	10/25/2005	22.82	47.56	827.18	804.36
MW-0506-I2	3/27/2006	17.97	47.27	827.18	809.21
MW-0506-I2	3/31/2006	17.15	47.27	827.18	810.03
MW-0506-I2	4/28/2006	20.02	NM	827.18	807.16
MW-0506-I2	12/5/2006	19.82	NM	827.18	807.36
MW-0506-I2	3/8/2007	15.48	47.35	827.18	811.70
MW-0506-I2	1/16/2008	14.57	47.50	827.18	812.61
MW-0506-I2	11/11/2008	15.71	47.38	827.18	811.47
MW-0506-I2	2/17/2009	16.63	NM	827.18	810.55
MW-0506-S1	10/19/2005	13.11	34.84	826.88	813.77
MW-0506-S1	10/25/2005	13.11	34.84	826.88	813.77
MW-0506-S1	3/27/2006	11.96	34.55	826.88	814.92
MW-0506-S1	3/31/2006	11.19	34.55	826.88	815.69
MW-0506-S1	4/28/2006	11.76	NM	826.88	815.12
MW-0506-S1	12/5/2006	10.72	NM	826.88	816.16
MW-0506-S1	3/8/2007	11.54	34.62	826.88	815.34
MW-0506-S1	1/16/2008	12.21	34.35	826.88	814.67
MW-0506-S1	11/11/2008	15.21	34.65	826.88	811.67
MW-0506-S1	2/17/2009	13.40	NM	826.88	813.48
MW-0506-S1	6/12/2009	12.38	NM	826.88	814.50
MW-0506-S1	10/9/2012	14.65	34.69	826.88	812.23
MW-0506-S1	3/12/2013	12.85	34.69	826.88	814.03
MW-0506-S1	9/24/2013	13.74	34.78	826.88	813.14
MW-0506-S1	4/22/2014	12.67	34.71	826.88	814.21
MW-0506-S1	9/3/2014	14.02	34.75	826.88	812.86
MW-0506-S1	3/10/2015	13.06	34.76	826.88	813.82
MW-0506-S2	10/19/2005	13.58	72.52	827.1	813.52
MW-0506-S2	10/25/2005	13.58	72.52	827.1	813.52
MW-0506-S2	3/27/2006	11.95	72.24	827.1	815.15
MW-0506-S2	3/31/2006	11.10	72.24	827.1	816.00
MW-0506-S2	4/28/2006	10.84	NM	827.1	816.26
MW-0506-S2	12/5/2006	9.43	NM	827.1	817.67
MW-0506-S2	3/8/2007	11.72	72.26	827.1	815.38
MW-0506-S2	1/16/2008	13.20	72.40	827.1	813.90
MW-0506-S2	11/11/2008	19.11	72.35	827.1	807.99
MW-0506-S2	2/17/2009	15.69	NM	827.1	811.41
MW-0506-S2	6/12/2009	13.87	NM	827.1	813.23
MW-0506-S2	3/29/2012	13.13	72.41	827.1	813.97
MW-0506-S2	10/9/2012	18.51	72.38	827.1	808.59
MW-0506-S2	3/12/2013	13.66	72.38	827.1	813.44

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0506-S2	9/24/2013	16.20	72.44	827.1	810.90
MW-0506-S2	4/22/2014	14.13	72.56	827.1	812.97
MW-0506-S2	9/3/2014	17.70	73.52	827.1	809.40
MW-0506-S2	3/10/2015	15.27	NM	827.1	811.83
MW-0507-S1	10/19/2005	13.15	33.49	827.19	814.04
MW-0507-S1	10/25/2005	13.12	33.49	827.19	814.07
MW-0507-S1	3/27/2006	11.86	33.18	827.19	815.33
MW-0507-S1	3/31/2006	11.09	33.18	827.19	816.10
MW-0507-S1	4/28/2006	11.69	NM	827.19	815.50
MW-0507-S1	12/5/2006	10.58	NM	827.19	816.61
MW-0507-S1	3/8/2007	11.48	33.19	827.19	815.71
MW-0507-S1	1/16/2008	12.18	33.35	827.19	815.01
MW-0507-S1	11/11/2008	15.27	33.15	827.19	811.92
MW-0507-S1	2/17/2009	13.50	NM	827.19	813.69
MW-0507-S1	6/12/2009	12.33	NM	827.19	814.86
MW-0507-S1	4/13/2010	12.13	33.27	827.19	815.06
MW-0507-S1	9/5/2010	14.61	33.20	827.19	812.58
MW-0507-S1	4/20/2011	11.54	33.16	827.19	815.65
MW-0507-S1	9/27/2011	12.60	33.35	827.19	814.59
MW-0507-S1	3/29/2012	12.41	33.32	827.19	814.78
MW-0507-S1	10/9/2012	14.74	33.11	827.19	812.45
MW-0507-S1	3/12/2013	12.92	33.11	827.19	814.27
MW-0507-S1	9/24/2013	13.78	33.32	827.19	813.41
MW-0507-S1	4/22/2014	12.63	33.37	827.19	814.56
MW-0507-S1	9/3/2014	14.08	33.29	827.19	813.11
MW-0507-S1	3/10/2015	13.08	32.88	827.19	814.11
MW-0509-I2	10/19/2005	12.58	55.96	826.32	813.74
MW-0509-I2	10/25/2005	12.66	55.96	826.32	813.66
MW-0509-I2	3/23/2006	9.87	55.65	826.32	816.45
MW-0509-I2	3/31/2006	9.05	55.65	826.32	817.27
MW-0509-I2	4/28/2006	9.81	NM	826.32	816.51
MW-0509-I2	12/5/2006	8.36	55.74	826.32	817.96
MW-0509-I2	3/8/2007	9.68	55.67	826.32	816.64
MW-0509-I2	1/16/2008	12.37	55.79	826.32	813.95
MW-0509-I2	11/11/2008	18.42	55.60	826.32	807.90
MW-0509-I2	2/17/2009	14.94	NM	826.32	811.38
MW-0509-S1	9/20/2005	12.18	38.00	826.33	814.15
MW-0509-S1	10/25/2005	11.92	38.11	826.33	814.41
MW-0509-S1	3/23/2006	10.43	37.82	826.33	815.90
MW-0509-S1	3/31/2006	9.66	37.82	826.33	816.67
MW-0509-S1	4/28/2006	10.35	NM	826.33	815.98
MW-0509-S1	12/5/2006	9.20	37.90	826.33	817.13
MW-0509-S1	3/8/2007	10.20	37.89	826.33	816.13
MW-0509-S1	1/16/2008	10.89	38.00	826.33	815.44
MW-0509-S1	11/11/2008	14.24	37.92	826.33	812.09
MW-0509-S1	2/17/2009	12.38	NM	826.33	813.95
MW-0509-S1	6/12/2009	11.04	NM	826.33	815.29
MW-0509-S1	4/13/2010	10.82	37.91	826.33	815.51
MW-0509-S1	9/5/2010	13.45	37.90	826.33	812.88
MW-0509-S1	4/20/2011	10.29	37.85	826.33	816.04
MW-0509-S1	9/27/2011	11.43	38.08	826.33	814.90
MW-0509-S1	3/29/2012	11.13	38.00	826.33	815.20

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0509-S1	10/9/2012	13.65	37.98	826.33	812.68
MW-0509-S1	3/12/2013	13.45	37.98	826.33	812.88
MW-0509-S1	9/24/2013	12.62	38.03	826.33	813.71
MW-0509-S1	4/22/2014	11.35	38.06	826.33	814.98
MW-0509-S1	9/3/2014	12.98	38.02	826.33	813.35
MW-0509-S1	3/10/2015	11.89	38.03	826.33	814.44
MW-0516-S1	10/19/2005	13.42	32.88	827.98	814.56
MW-0516-S1	10/25/2005	13.42	32.88	827.98	814.56
MW-0516-S1	3/23/2006	11.88	32.61	827.98	816.10
MW-0516-S1	3/31/2006	11.13	32.61	827.98	816.85
MW-0516-S1	4/28/2006	11.78	NM	827.98	816.20
MW-0516-S1	12/5/2006	10.11	NM	827.98	817.87
MW-0516-S1	3/8/2007	11.59	32.66	827.98	816.39
MW-0516-S1	1/16/2008	12.35	32.40	827.98	815.63
MW-0516-S1	11/11/2008	15.74	32.60	827.98	812.24
MW-0516-S1	2/17/2009	14.00	NM	827.98	813.98
MW-0516-S1	6/12/2009	12.52	NM	827.98	815.46
MW-0516-S1	4/13/2010	12.24	32.70	827.98	815.74
MW-0516-S1	9/5/2010	14.96	32.65	827.98	813.02
MW-0516-S1	4/20/2011	11.31	32.60	827.98	816.67
MW-0516-S1	9/27/2011	12.92	32.84	827.98	815.06
MW-0516-S1	3/29/2012	12.59	32.80	827.98	815.39
MW-0516-S1	10/9/2012	15.16	32.60	827.98	812.82
MW-0516-S1	3/12/2013	13.33	32.60	827.98	814.65
MW-0516-S1	9/24/2013	14.08	32.79	827.98	813.90
MW-0516-S1	4/22/2014	12.74	32.80	827.98	815.24
MW-0516-S1	9/3/2014	14.46	32.84	827.98	813.52
MW-0516-S1	3/10/2015	13.40	32.80	827.98	814.58
MW-0516-S2	10/20/2005	14.37	68.38	827.97	813.60
MW-0516-S2	10/25/2005	14.38	68.38	827.97	813.59
MW-0516-S2	3/23/2006	11.46	68.05	827.97	816.51
MW-0516-S2	3/31/2006	10.61	68.05	827.97	817.36
MW-0516-S2	4/28/2006	11.55	NM	827.97	816.42
MW-0516-S2	12/5/2006	10.55	NM	827.97	817.42
MW-0516-S2	3/8/2007	11.40	68.11	827.97	816.57
MW-0516-S2	1/16/2008	14.11	68.26	827.97	813.86
MW-0516-S2	11/11/2008	19.99	68.05	827.97	807.98
MW-0516-S2	2/17/2009	16.58	NM	827.97	811.39
MW-0516-S2	6/12/2009	14.71	NM	827.97	813.26
MW-0516-S2	4/13/2010	13.72	68.18	827.97	814.25
MW-0516-S2	4/20/2011	14.02	68.10	827.97	813.95
MW-0516-S2	3/12/2013	14.38	68.10	827.97	813.59
MW-0516-S2	9/24/2013	17.03	68.26	827.97	810.94
MW-0516-S2	4/22/2014	14.92	69.09	827.97	813.05
MW-0516-S2	9/3/2014	18.61	69.48	827.97	809.36
MW-0516-S2	3/10/2015	16.16	NM	827.97	811.81
MW-0517-I2	10/18/2005	13.02	40.13	826.56	813.54
MW-0517-I2	10/25/2005	12.45	40.13	826.56	814.11
MW-0517-I2	3/22/2006	10.25	39.89	826.56	816.31
MW-0517-I2	3/31/2006	9.45	39.89	826.56	817.11
MW-0517-I2	4/28/2006	10.73	NM	826.56	815.83
MW-0517-I2	12/5/2006	10.10	NM	826.56	816.46

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0517-I2	3/8/2007	10.61	39.90	826.56	815.95
MW-0517-I2	1/16/2008	12.55	40.05	826.56	814.01
MW-0517-I2	11/11/2008	15.14	39.96	826.56	811.42
MW-0517-I2	2/17/2009	13.32	NM	826.56	813.24
MW-0517-S1	9/20/2005	12.44	30.72	826.47	814.03
MW-0517-S1	10/18/2005	12.17	30.85	826.47	814.30
MW-0517-S1	10/25/2005	12.17	30.85	826.47	814.30
MW-0517-S1	3/22/2006	10.70	30.63	826.47	815.77
MW-0517-S1	3/31/2006	9.91	30.63	826.47	816.56
MW-0517-S1	4/28/2006	10.64	NM	826.47	815.83
MW-0517-S1	12/5/2006	9.48	NM	826.47	816.99
MW-0517-S1	3/8/2007	10.42	30.51	826.47	816.05
MW-0517-S1	1/16/2008	11.23	30.70	826.47	815.24
MW-0517-S1	11/11/2008	14.47	30.60	826.47	812.00
MW-0517-S1	2/17/2009	12.65	NM	826.47	813.82
MW-0517-S1	6/12/2009	11.34	NM	826.47	815.13
MW-0517-S1	10/9/2012	13.88	30.62	826.47	812.59
MW-0517-S1	3/12/2013	11.98	30.62	826.47	814.49
MW-0517-S1	9/24/2013	12.87	30.75	826.47	813.60
MW-0517-S1	4/22/2014	11.65	30.76	826.47	814.82
MW-0517-S1	9/3/2014	13.20	30.32	826.47	813.27
MW-0517-S1	3/10/2015	12.17	30.07	826.47	814.30
MW-0602-B1	3/24/2006	9.12	86.17	825.36	816.24
MW-0602-B1	3/31/2006	8.32	86.17	825.36	817.04
MW-0602-B1	4/28/2006	9.16	NM	825.36	816.20
MW-0602-B1	12/5/2006	7.78	NM	825.36	817.58
MW-0602-B1	3/8/2007	9.03	86.21	825.36	816.33
MW-0602-B1	1/16/2008	11.55	86.25	825.36	813.81
MW-0602-B1	11/11/2008	17.37	86.27	825.36	807.99
MW-0602-B1	2/17/2009	13.94	NM	825.36	811.42
MW-0602-B1	6/12/2009	12.16	NM	825.36	813.20
MW-0602-B1	4/13/2010	11.04	86.31	825.36	814.32
MW-0602-B1	9/5/2010	16.11	86.90	825.36	809.25
MW-0602-B1	4/20/2011	11.61	86.19	825.36	813.75
MW-0602-B1	9/27/2011	13.80	86.45	825.36	811.56
MW-0602-S1	3/24/2006	11.70	28.31	825.3	813.60
MW-0602-S1	3/31/2006	10.93	28.31	825.3	814.37
MW-0602-S1	4/28/2006	10.90	NM	825.3	814.40
MW-0602-S1	12/5/2006	9.94	NM	825.3	815.36
MW-0602-S1	3/8/2007	10.68	27.20	825.3	814.62
MW-0602-S1	1/16/2008	11.10	27.41	825.3	814.20
MW-0602-S1	11/11/2008	13.93	27.11	825.3	811.37
MW-0602-S1	2/17/2009	12.20	NM	825.3	813.10
MW-0602-S1	6/12/2009	11.71	NM	825.3	813.59
MW-0602-S1	4/13/2010	11.36	27.31	825.3	813.94
MW-0602-S1	9/5/2010	12.79	27.24	825.3	812.51
MW-0602-S1	4/20/2011	11.01	27.07	825.3	814.29
MW-0602-S1	9/27/2011	11.65	27.39	825.3	813.65
MW-0602-S1	3/29/2012	11.30	27.20	825.3	814.00
MW-0602-S1	10/9/2012	12.64	27.00	825.3	812.66
MW-0602-S1	3/12/2013	11.62	27.00	825.3	813.68
MW-0602-S1	9/24/2013	12.64	27.20	825.3	812.66

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0602-S1	4/22/2014	11.52	24.09	825.3	813.78
MW-0602-S1	9/3/2014	12.79	27.06	825.3	812.51
MW-0602-S1	3/10/2015	12.04	26.96	825.3	813.26
MW-0603-B1	3/24/2006	9.70	83.40	826.2	816.50
MW-0603-B1	3/31/2006	8.92	83.40	826.2	817.28
MW-0603-B1	4/28/2006	9.76	NM	826.2	816.44
MW-0603-B1	12/5/2006	8.35	NM	826.2	817.85
MW-0603-B1	3/8/2007	9.64	83.32	826.2	816.56
MW-0603-B1	1/16/2008	12.13	83.48	826.2	814.07
MW-0603-B1	11/11/2008	18.04	83.24	826.2	808.16
MW-0603-B1	2/17/2009	14.69	NM	826.2	811.51
MW-0603-B1	6/12/2009	12.86	NM	826.2	813.34
MW-0603-B1	4/13/2010	11.82	83.38	826.2	814.38
MW-0603-B1	9/5/2010	16.78	83.35	826.2	809.42
MW-0603-B1	4/20/2011	12.27	83.22	826.2	813.93
MW-0603-B1	9/27/2011	14.47	83.55	826.2	811.73
MW-0603-S1	3/24/2006	10.79	24.38	826.09	815.30
MW-0603-S1	3/31/2006	10.02	24.38	826.09	816.07
MW-0603-S1	4/28/2006	10.71	NM	826.09	815.38
MW-0603-S1	12/5/2006	9.59	NM	826.09	816.50
MW-0603-S1	3/8/2007	10.46	24.12	826.09	815.63
MW-0603-S1	1/16/2008	11.06	24.33	826.09	815.03
MW-0603-S1	11/11/2008	14.15	24.15	826.09	811.94
MW-0603-S1	2/17/2009	12.35	NM	826.09	813.74
MW-0603-S1	6/12/2009	11.25	NM	826.09	814.84
MW-0603-S1	4/13/2010	11.06	24.31	826.09	815.03
MW-0603-S1	9/5/2010	13.46	24.20	826.09	812.63
MW-0603-S1	4/20/2011	10.44	24.10	826.09	815.65
MW-0603-S1	9/27/2011	11.53	24.22	826.09	814.56
MW-0603-S1	3/29/2012	11.33	24.15	826.09	814.76
MW-0603-S1	10/9/2012	13.55	24.00	826.09	812.54
MW-0603-S1	3/12/2013	11.85	24.00	826.09	814.24
MW-0603-S1	9/24/2013	12.65	24.18	826.09	813.44
MW-0603-S1	4/22/2014	11.52	24.09	826.09	814.57
MW-0603-S1	9/3/2014	12.91	24.78	826.09	813.18
MW-0603-S1	3/10/2015	11.96	24.05	826.09	814.13
MW-0603-S2	3/24/2006	10.82	69.25	826.1	815.28
MW-0603-S2	3/31/2006	9.97	69.25	826.1	816.13
MW-0603-S2	4/28/2006	9.89	NM	826.1	816.21
MW-0603-S2	12/5/2006	8.46	NM	826.1	817.64
MW-0603-S2	3/8/2007	9.78	69.27	826.1	816.32
MW-0603-S2	1/16/2008	12.35	69.41	826.1	813.75
MW-0603-S2	11/11/2008	18.17	69.21	826.1	807.93
MW-0603-S2	2/17/2009	14.83	NM	826.1	811.27
MW-0603-S2	6/12/2009	12.98	NM	826.1	813.12
MW-0603-S2	4/13/2010	11.96	69.35	826.1	814.14
MW-0603-S2	9/5/2010	16.72	69.25	826.1	809.38
MW-0603-S2	4/20/2011	12.19	69.04	826.1	813.91
MW-0603-S2	9/27/2011	14.39	69.35	826.1	811.71
MW-0603-S2	3/29/2012	12.07	69.28	826.1	814.03
MW-0603-S2	10/9/2012	17.45	69.15	826.1	808.65
MW-0603-S2	3/12/2013	12.45	69.15	826.1	813.65

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0603-S2	9/24/2013	15.09	69.29	826.1	811.01
MW-0603-S2	4/22/2014	13.02	70.65	826.1	813.08
MW-0603-S2	9/3/2014	16.67	83.45	826.1	809.43
MW-0603-S2	3/10/2015	11.96	24.05	826.1	814.14
MW-0604-S1	3/22/2006	10.65	29.41	826.28	815.63
MW-0604-S1	3/31/2006	9.87	29.41	826.28	816.41
MW-0604-S1	4/28/2006	10.59	NM	826.28	815.69
MW-0604-S1	12/5/2006	9.45	NM	826.28	816.83
MW-0604-S1	3/8/2007	10.37	28.81	826.28	815.91
MW-0604-S1	1/16/2008	11.15	28.95	826.28	815.13
MW-0604-S1	11/11/2008	14.27	28.73	826.28	812.01
MW-0604-S1	2/17/2009	12.51	NM	826.28	813.77
MW-0604-S1	6/12/2009	11.26	NM	826.28	815.02
MW-0604-S1	10/9/2012	13.73	28.78	826.28	812.55
MW-0604-S1	3/12/2013	11.87	28.78	826.28	814.41
MW-0604-S1	9/24/2013	12.74	28.91	826.28	813.54
MW-0604-S1	4/22/2014	11.59	28.98	826.28	814.69
MW-0604-S1	9/3/2014	13.09	28.41	826.28	813.19
MW-0604-S1	3/10/2015	12.06	28.58	826.28	814.22
MW-0604-S2	3/22/2006	10.02	61.06	826.44	816.42
MW-0604-S2	3/31/2006	9.27	61.06	826.44	817.17
MW-0604-S2	4/28/2006	10.13	NM	826.44	816.31
MW-0604-S2	12/5/2006	8.70	NM	826.44	817.74
MW-0604-S2	3/8/2007	9.93	61.12	826.44	816.51
MW-0604-S2	1/16/2008	12.51	61.21	826.44	813.93
MW-0604-S2	11/11/2008	18.45	61.05	826.44	807.99
MW-0604-S2	2/17/2009	15.02	NM	826.44	811.42
MW-0604-S2	6/12/2009	13.17	NM	826.44	813.27
MW-0604-S2	4/13/2010	12.17	61.10	826.44	814.27
MW-0604-S2	9/5/2010	17.17	61.55	826.44	809.27
MW-0604-S2	4/20/2011	12.63	61.00	826.44	813.81
MW-0604-S2	9/27/2011	14.89	61.32	826.44	811.55
MW-0604-S2	3/29/2012	12.41	61.23	826.44	814.03
MW-0604-S2	10/9/2012	17.88	61.14	826.44	808.56
MW-0604-S2	3/12/2013	13.01	61.14	826.44	813.43
MW-0604-S2	9/24/2013	15.49	61.22	826.44	810.95
MW-0604-S2	4/22/2014	13.49	61.26	826.44	812.95
MW-0604-S2	9/3/2014	17.02	61.20	826.44	809.42
MW-0604-S2	3/10/2015	14.59	NM	826.44	811.85
MW-0605-B1	3/22/2006	10.79	89.55	827.44	816.65
MW-0605-B1	3/31/2006	9.99	89.55	827.44	817.45
MW-0605-B1	4/28/2006	10.95	NM	827.44	816.49
MW-0605-B1	12/5/2006	9.49	NM	827.44	817.95
MW-0605-B1	3/8/2007	10.77	89.53	827.44	816.67
MW-0605-B1	1/16/2008	13.45	89.65	827.44	813.99
MW-0605-B1	11/11/2008	19.44	89.60	827.44	808.00
MW-0605-B1	2/17/2009	16.04	NM	827.44	811.40
MW-0605-B1	6/12/2009	14.11	NM	827.44	813.33
MW-0605-B1	4/13/2010	13.10	89.85	827.44	814.34
MW-0605-B1	9/5/2010	18.20	89.60	827.44	809.24
MW-0605-B1	4/20/2011	13.61	89.50	827.44	813.83
MW-0605-B1	9/27/2011	15.86	89.75	827.44	811.58

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0605-S1	3/22/2006	11.23	29.83	827.38	816.15
MW-0605-S1	3/31/2006	10.46	29.83	827.38	816.92
MW-0605-S1	4/28/2006	11.19	NM	827.38	816.19
MW-0605-S1	12/5/2006	9.97	NM	827.38	817.41
MW-0605-S1	3/8/2007	10.98	29.64	827.38	816.40
MW-0605-S1	1/16/2008	11.79	29.71	827.38	815.59
MW-0605-S1	11/11/2008	15.14	29.65	827.38	812.24
MW-0605-S1	2/17/2009	13.42	NM	827.38	813.96
MW-0605-S1	6/12/2009	11.91	NM	827.38	815.47
MW-0605-S1	4/13/2010	11.64	29.65	827.38	815.74
MW-0605-S1	9/5/2010	14.37	29.64	827.38	813.01
MW-0605-S1	4/20/2011	11.20	29.50	827.38	816.18
MW-0605-S1	9/27/2011	12.35	29.82	827.38	815.03
MW-0605-S1	3/29/2012	11.90	29.75	827.38	815.48
MW-0605-S1	10/9/2012	14.59	29.50	827.38	812.79
MW-0605-S1	3/12/2013	12.70	29.50	827.38	814.68
MW-0605-S1	9/24/2013	13.55	29.74	827.38	813.83
MW-0605-S1	4/22/2014	12.23	29.71	827.38	815.15
MW-0605-S1	9/3/2014	13.90	30.62	827.38	813.48
MW-0605-S1	3/10/2015	12.83	29.07	827.38	814.55
MW-0605-S2	3/22/2006	10.87	61.15	827.38	816.51
MW-0605-S2	3/31/2006	10.02	61.15	827.38	817.36
MW-0605-S2	4/28/2006	10.91	NM	827.38	816.47
MW-0605-S2	12/5/2006	9.44	NM	827.38	817.94
MW-0605-S2	3/8/2007	10.72	61.13	827.38	816.66
MW-0605-S2	1/16/2008	13.36	61.26	827.38	814.02
MW-0605-S2	11/11/2008	19.36	61.12	827.38	808.02
MW-0605-S2	2/17/2009	15.97	NM	827.38	811.41
MW-0605-S2	6/12/2009	14.06	NM	827.38	813.32
MW-0605-S2	4/13/2010	13.05	61.18	827.38	814.33
MW-0605-S2	9/5/2010	18.12	61.20	827.38	809.26
MW-0605-S2	4/20/2011	13.55	61.11	827.38	813.83
MW-0605-S2	9/27/2011	15.82	61.35	827.38	811.56
MW-0605-S2	3/29/2012	13.25	61.28	827.38	814.13
MW-0605-S2	10/9/2012	18.86	61.21	827.38	808.52
MW-0605-S2	3/12/2013	14.06	61.21	827.38	813.32
MW-0605-S2	9/24/2013	16.42	61.25	827.38	810.96
MW-0605-S2	4/22/2014	14.38	62.10	827.38	813.00
MW-0605-S2	9/3/2014	18.09	62.32	827.38	809.29
MW-0605-S2	3/10/2015	NM	NM	827.38	NM
MW-0606-S1	3/23/2006	8.80	31.65	824.1	815.30
MW-0606-S1	3/31/2006	8.03	31.65	824.1	816.07
MW-0606-S1	4/28/2006	8.71	NM	824.1	815.39
MW-0606-S1	12/5/2006	7.67	NM	824.1	816.43
MW-0606-S1	3/8/2007	8.54	31.52	824.1	815.56
MW-0606-S1	11/11/2008	12.36	31.40	824.1	811.74
MW-0606-S1	2/17/2009	10.43	NM	824.1	813.67
MW-0606-S1	6/12/2009	8.38	NM	824.1	815.72
MW-0606-S1	4/13/2010	9.20	31.42	824.1	814.90
MW-0606-S1	10/9/2012	11.72	31.26	824.1	812.38
MW-0606-S1	3/12/2013	9.89	31.26	824.1	814.21
MW-0606-S1	9/24/2013	10.51	31.34	824.1	813.59

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0606-S1	4/22/2014	9.71	31.27	824.1	814.39
MW-0606-S1	9/3/2014	11.11	31.25	824.1	812.99
MW-0606-S1	3/10/2015	10.08	30.91	824.1	814.02
MW-0606-S2	3/23/2006	7.68	58.83	823.97	816.29
MW-0606-S2	3/31/2006	6.93	58.83	823.97	817.04
MW-0606-S2	4/28/2006	8.72	NM	823.97	815.25
MW-0606-S2	12/5/2006	6.35	NM	823.97	817.62
MW-0606-S2	3/8/2007	7.61	58.67	823.97	816.36
MW-0606-S2	11/11/2008	15.92	58.70	823.97	808.05
MW-0606-S2	2/17/2009	12.51	NM	823.97	811.46
MW-0606-S2	6/12/2009	10.68	NM	823.97	813.29
MW-0606-S2	9/5/2010	14.62	59.00	823.97	809.35
MW-0606-S2	4/20/2011	10.15	58.63	823.97	813.82
MW-0606-S2	9/27/2011	12.38	58.90	823.97	811.59
MW-0606-S2	3/29/2012	10.00	58.80	823.97	813.97
MW-0606-S2	10/9/2012	15.34	58.69	823.97	808.63
MW-0606-S2	3/12/2013	10.47	58.69	823.97	813.50
MW-0606-S2	9/24/2013	13.00	58.85	823.97	810.97
MW-0606-S2	4/22/2014	11.06	58.84	823.97	812.91
MW-0606-S2	9/3/2014	14.46	58.82	823.97	809.51
MW-0606-S2	3/10/2015	12.10	NM	823.97	811.87
MW-0607-B1	1/16/2008	8.40	77.51	822.768	814.37
MW-0607-B1	11/11/2008	13.99	77.42	822.768	808.78
MW-0607-B1	2/17/2009	10.63	NM	822.768	812.14
MW-0607-B1	6/12/2009	8.95	NM	822.768	813.82
MW-0607-B1	4/13/2010	8.02	77.46	822.768	814.75
MW-0607-B1	9/5/2010	12.50	78.00	822.768	810.27
MW-0607-B1	4/20/2011	8.41	77.44	822.768	814.36
MW-0607-B1	9/27/2011	10.60	77.62	822.768	812.17
MW-0607-S1	3/24/2006	8.55	26.85	822.65	814.10
MW-0607-S1	3/31/2006	7.78	26.85	822.65	814.87
MW-0607-S1	4/28/2006	8.52	NM	822.65	814.13
MW-0607-S1	12/5/2006	7.68	NM	822.65	814.97
MW-0607-S1	3/8/2007	8.33	26.55	822.65	814.32
MW-0607-S1	1/16/2008	8.88	26.68	822.65	813.77
MW-0607-S1	11/11/2008	11.61	26.50	822.65	811.04
MW-0607-S1	2/17/2009	9.72	NM	822.65	812.93
MW-0607-S1	6/12/2009	9.12	NM	822.65	813.53
MW-0607-S1	4/13/2010	9.00	26.50	822.65	813.65
MW-0607-S1	9/5/2010	10.98	26.50	822.65	811.67
MW-0607-S1	4/20/2011	8.49	26.42	822.65	814.16
MW-0607-S1	9/27/2011	9.31	26.40	822.65	813.34
MW-0607-S1	3/29/2012	9.26	26.27	822.65	813.39
MW-0607-S1	10/9/2012	11.05	26.00	822.65	811.60
MW-0607-S1	3/12/2013	9.40	26.00	822.65	813.25
MW-0607-S1	9/24/2013	10.30	26.25	822.65	812.35
MW-0607-S1	4/22/2014	9.53	26.16	822.65	813.12
MW-0607-S1	9/3/2014	10.53	26.23	822.65	812.12
MW-0607-S1	3/10/2015	9.69	26.27	822.65	812.96
MW-0607-S2	3/8/2007	7.00	50.51	823.06	816.06
MW-0607-S2	1/16/2008	9.27	50.65	823.06	813.79

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0607-S2	11/11/2008	14.91	50.57	823.06	808.15
MW-0607-S2	2/17/2009	11.53	NM	823.06	811.53
MW-0607-S2	6/12/2009	9.83	NM	823.06	813.23
MW-0607-S2	4/13/2010	8.78	50.58	823.06	814.28
MW-0607-S2	9/5/2010	13.63	57.05	823.06	809.43
MW-0607-S2	4/20/2011	9.15	50.47	823.06	813.91
MW-0607-S2	9/27/2011	11.47	50.72	823.06	811.59
MW-0607-S2	3/29/2012	9.21	50.68	823.06	813.85
MW-0607-S2	10/9/2012	14.27	50.66	823.06	808.79
MW-0607-S2	3/12/2013	9.56	50.66	823.06	813.50
MW-0607-S2	9/24/2013	12.10	50.74	823.06	810.96
MW-0607-S2	4/22/2014	10.16	50.68	823.06	812.90
MW-0607-S2	9/3/2014	13.42	50.66	823.06	809.64
MW-0607-S2	3/10/2015	11.22	NM	823.06	811.84
MW-0608-B1	3/23/2006	9.84	91.07	825.97	816.13
MW-0608-B1	3/31/2006	9.05	91.07	825.97	816.92
MW-0608-B1	4/28/2006	9.79	NM	825.97	816.18
MW-0608-B1	12/5/2006	8.51	NM	825.97	817.46
MW-0608-B1	3/8/2007	9.72	89.59	825.97	816.25
MW-0608-B1	1/16/2008	12.18	89.67	825.97	813.79
MW-0608-B1	11/11/2008	17.90	89.65	825.97	808.07
MW-0608-B1	2/17/2009	14.49	NM	825.97	811.48
MW-0608-B1	6/12/2009	12.72	NM	825.97	813.25
MW-0608-B1	4/13/2010	11.69	83.99	825.97	814.28
MW-0608-B1	9/5/2010	16.58	90.08	825.97	809.39
MW-0608-B1	4/20/2011	12.25	89.52	825.97	813.72
MW-0608-B1	9/27/2011	14.36	89.75	825.97	811.61
MW-0608-S1	3/23/2006	11.74	30.81	825.97	814.23
MW-0608-S1	3/31/2006	10.97	30.81	825.97	815.00
MW-0608-S1	4/28/2006	11.66	NM	825.97	814.31
MW-0608-S1	12/5/2006	10.73	NM	825.97	815.24
MW-0608-S1	3/8/2007	11.43	30.38	825.97	814.54
MW-0608-S1	1/16/2008	11.94	30.45	825.97	814.03
MW-0608-S1	11/11/2008	14.67	30.20	825.97	811.30
MW-0608-S1	2/17/2009	12.93	NM	825.97	813.04
MW-0608-S1	6/12/2009	12.27	NM	825.97	813.70
MW-0608-S1	4/13/2010	12.13	30.11	825.97	813.84
MW-0608-S1	9/5/2010	14.08	29.96	825.97	811.89
MW-0608-S1	4/20/2011	11.50	29.90	825.97	814.47
MW-0608-S1	9/27/2011	12.38	30.00	825.97	813.59
MW-0608-S1	3/29/2012	12.19	30.02	825.97	813.78
MW-0608-S1	10/9/2012	14.10	29.60	825.97	811.87
MW-0608-S1	3/12/2013	12.42	29.60	825.97	813.55
MW-0608-S1	9/24/2013	13.35	29.40	825.97	812.62
MW-0608-S1	4/22/2014	12.47	29.26	825.97	813.50
MW-0608-S1	9/3/2014	13.58	28.94	825.97	812.39
MW-0608-S1	3/10/2015	12.70	28.73	825.97	813.27
MW-0608-S2	3/23/2006	9.71	67.75	825.97	816.26
MW-0608-S2	3/31/2006	8.86	67.75	825.97	817.11
MW-0608-S2	4/28/2006	9.76	NM	825.97	816.21
MW-0608-S2	12/5/2006	8.43	NM	825.97	817.54
MW-0608-S2	3/8/2007	9.70	67.76	825.97	816.27

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0608-S2	1/16/2008	12.10	68.91	825.97	813.87
MW-0608-S2	11/11/2008	17.84	67.80	825.97	808.13
MW-0608-S2	2/17/2009	14.45	NM	825.97	811.52
MW-0608-S2	6/12/2009	12.68	NM	825.97	813.29
MW-0608-S2	4/13/2010	11.59	67.85	825.97	814.38
MW-0608-S2	9/5/2010	16.55	68.25	825.97	809.42
MW-0608-S2	4/20/2011	12.12	67.70	825.97	813.85
MW-0608-S2	9/27/2011	14.31	67.99	825.97	811.66
MW-0608-S2	3/29/2012	11.90	67.90	825.97	814.07
MW-0608-S2	10/9/2012	17.22	67.75	825.97	808.75
MW-0608-S2	3/21/2013	12.43	67.75	825.97	813.54
MW-0608-S2	9/24/2013	14.96	67.04	825.97	811.01
MW-0608-S2	4/22/2014	13.02	68.94	825.97	812.95
MW-0608-S2	9/3/2014	16.41	67.81	825.97	809.56
MW-0608-S2	3/10/2015	14.10	NM	825.97	811.87
MW-0609-S1	3/23/2006	9.49	28.45	822.75	813.26
MW-0609-S1	3/31/2006	9.17	28.45	822.75	813.58
MW-0609-S1	4/28/2006	9.47	NM	822.75	813.28
MW-0609-S1	12/5/2006	8.62	NM	822.75	814.13
MW-0609-S1	3/9/2007	9.15	27.05	822.75	813.60
MW-0609-S1	1/16/2008	9.45	27.40	822.75	813.30
MW-0609-S1	11/11/2008	11.81	27.05	822.75	810.94
MW-0609-S1	2/17/2009	10.22	NM	822.75	812.53
MW-0609-S1	6/12/2009	9.73	NM	822.75	813.02
MW-0609-S1	4/13/2010	9.84	26.99	822.75	812.91
MW-0609-S1	9/5/2010	11.35	27.05	822.75	811.40
MW-0609-S1	4/20/2011	9.13	27.00	822.75	813.62
MW-0609-S1	9/27/2011	9.85	27.04	822.75	812.90
MW-0609-S1	3/29/2012	9.76	27.11	822.75	812.99
MW-0609-S1	10/9/2012	11.31	26.80	822.75	811.44
MW-0609-S1	3/12/2013	18.78	26.80	822.75	803.97
MW-0609-S1	9/24/2013	10.64	27.00	822.75	812.11
MW-0609-S1	4/22/2014	10.00	26.93	822.75	812.75
MW-0609-S1	9/3/2014	10.84	26.83	822.75	811.91
MW-0609-S2	12/5/2006	5.68	NM	823.09	817.41
MW-0609-S2	3/8/2007	6.93	61.32	823.09	816.16
MW-0609-S2	1/16/2008	9.24	61.44	823.09	813.85
MW-0609-S2	11/11/2008	14.97	61.30	823.09	808.12
MW-0609-S2	2/17/2009	11.60	NM	823.09	811.49
MW-0609-S2	6/12/2009	9.86	NM	823.09	813.23
MW-0609-S2	4/13/2010	8.77	62.43	823.09	814.32
MW-0609-S2	9/5/2010	13.69	61.45	823.09	809.40
MW-0609-S2	4/20/2011	9.22	61.30	823.09	813.87
MW-0609-S2	9/27/2011	11.52	61.59	823.09	811.57
MW-0609-S2	3/29/2012	9.15	61.52	823.09	813.94
MW-0609-S2	10/9/2012	14.36	26.80	823.09	808.73
MW-0609-S2	3/12/2013	9.62	26.80	823.09	813.47
MW-0609-S2	9/24/2013	12.15	61.54	823.09	810.94
MW-0609-S2	4/22/2014	10.21	61.49	823.09	812.88
MW-0609-S2	9/3/2014	13.53	61.51	823.09	809.56
MW-0609-S2	3/10/2015	11.23	NM	823.09	811.86
MW-0610-S1	12/5/2006	8.87	NM	822.55	813.68

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0610-S1	3/8/2007	9.42	31.55	822.55	813.13
MW-0610-S1	1/16/2008	9.97	31.59	822.55	812.58
MW-0610-S1	11/11/2008	11.85	31.46	822.55	810.70
MW-0610-S1	2/17/2009	10.39	NM	822.55	812.16
MW-0610-S1	6/12/2009	10.07	NM	822.55	812.48
MW-0610-S1	4/13/2010	10.28	31.49	822.55	812.27
MW-0610-S1	9/5/2010	11.55	31.65	822.55	811.00
MW-0610-S1	4/20/2011	9.55	31.42	822.55	813.00
MW-0610-S1	9/27/2011	11.18	31.68	822.55	811.37
MW-0610-S1	3/29/2012	10.13	31.64	822.55	812.42
MW-0610-S1	10/9/2012	11.39	31.44	822.55	811.16
MW-0610-S1	3/12/2013	10.16	31.44	822.55	812.39
MW-0610-S1	9/24/2013	10.85	31.63	822.55	811.70
MW-0610-S1	4/22/2014	9.45	31.65	822.55	813.10
MW-0610-S1	9/3/2014	11.06	31.59	822.55	811.49
MW-0610-S1	3/10/2015	10.41	31.64	822.55	812.14
MW-0611-S1	12/5/2006	4.97	NM	821.77	816.80
MW-0611-S1	3/8/2007	7.45	17.60	821.77	814.32
MW-0611-S1	1/16/2008	8.06	17.70	821.77	813.71
MW-0611-S1	2/17/2009	11.15	NM	821.77	810.62
MW-0611-S1	6/12/2009	10.00	NM	821.77	811.77
MW-0611-S1	4/13/2010	8.85	17.60	821.77	812.92
MW-0611-S1	9/5/2010	12.67	17.65	821.77	809.10
MW-0611-S1	10/9/2012	NM	NM	821.77	Could not Locate
MW-0612-S1	12/5/2006	9.13	NM	823.85	814.72
MW-0612-S1	3/8/2007	8.90	27.12	823.85	814.95
MW-0612-S1	1/16/2008	9.50	27.25	823.85	814.35
MW-0612-S1	11/11/2008	12.44	27.15	823.85	811.41
MW-0612-S1	2/17/2009	10.59	NM	823.85	813.26
MW-0612-S1	6/12/2009	9.71	NM	823.85	814.14
MW-0612-S1	3/29/2012	9.79	27.30	823.85	814.06
MW-0612-S1	10/9/2012	11.84	27.10	823.85	812.01
MW-0612-S1	3/12/2013	10.10	27.10	823.85	813.75
MW-0612-S1	9/24/2013	10.49	27.32	823.85	813.36
MW-0612-S1	4/22/2014	10.03	27.30	823.85	813.82
MW-0612-S1	9/3/2014	11.29	27.31	823.85	812.56
MW-0612-S1	3/10/2015	10.30	27.30	823.85	813.55
MW-0612-S2	12/5/2006	6.34	NM	823.84	817.50
MW-0612-S2	3/8/2007	7.59	54.94	823.84	816.25
MW-0612-S2	1/16/2008	10.00	55.10	823.84	813.84
MW-0612-S2	11/11/2008	15.74	55.00	823.84	808.10
MW-0612-S2	2/17/2009	12.34	NM	823.84	811.50
MW-0612-S2	6/12/2009	10.57	NM	823.84	813.27
MW-0612-S2	3/29/2012	9.78	55.14	823.84	814.06
MW-0612-S2	10/9/2012	15.14	54.90	823.84	808.70
MW-0612-S2	3/12/2013	10.35	54.90	823.84	813.49
MW-0612-S2	9/24/2013	12.57	55.15	823.84	811.27
MW-0612-S2	4/22/2014	10.91	55.11	823.84	812.93
MW-0612-S2	9/3/2014	14.28	55.07	823.84	809.56
MW-0612-S2	3/10/2015	11.96	NM	823.84	811.88
MW-0613-S1	12/5/2006	5.87	NM	822.03	816.16

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0613-S1	3/8/2007	6.72	25.36	822.03	815.31
MW-0613-S1	1/16/2008	7.40	25.50	822.03	814.63
MW-0613-S1	11/11/2008	10.57	25.39	822.03	811.46
MW-0613-S1	2/17/2009	8.53	NM	822.03	813.50
MW-0613-S1	6/12/2009	7.61	NM	822.03	814.42
MW-0613-S1	4/13/2010	7.40	25.40	822.03	814.63
MW-0613-S1	9/5/2010	9.85	25.40	822.03	812.18
MW-0613-S1	4/20/2011	6.79	25.58	822.03	815.24
MW-0613-S1	9/27/2011	7.84	25.58	822.03	814.19
MW-0613-S1	3/29/2012	7.53	25.34	822.03	814.50
MW-0613-S1	10/9/2012	9.96	25.37	822.03	812.07
MW-0613-S1	3/12/2013	8.01	25.37	822.03	814.02
MW-0613-S1	9/24/2013	9.03	25.55	822.03	813.00
MW-0613-S1	4/22/2014	7.97	25.55	822.03	814.06
MW-0613-S1	9/3/2014	9.34	25.55	822.03	812.69
MW-0613-S1	3/10/2015	8.32	24.81	822.03	813.71
MW-0614-B1	12/5/2006	9.13	NM	826.94	817.81
MW-0614-B1	3/8/2007	10.41	89.69	826.94	816.53
MW-0614-B1	1/16/2008	13.06	89.75	826.94	813.88
MW-0614-B1	11/11/2008	18.92	89.62	826.94	808.02
MW-0614-B1	2/17/2009	15.55	NM	826.94	811.39
MW-0614-B1	6/12/2009	13.69	NM	826.94	813.25
MW-0614-B1	4/13/2010	12.68	89.75	826.94	814.26
MW-0614-B1	9/5/2010	17.66	90.20	826.94	809.28
MW-0614-B1	4/20/2011	13.10	89.60	826.94	813.84
MW-0614-B1	9/27/2011	15.31	89.90	826.94	811.63
MW-0614-S2	12/5/2006	9.05	NM	826.81	817.76
MW-0614-S2	3/8/2007	10.33	57.68	826.81	816.48
MW-0614-S2	1/16/2008	13.00	57.80	826.81	813.81
MW-0614-S2	11/11/2008	18.81	57.55	826.81	808.00
MW-0614-S2	2/17/2009	15.45	NM	826.81	811.36
MW-0614-S2	6/12/2009	13.58	NM	826.81	813.23
MW-0614-S2	4/13/2010	12.58	57.80	826.81	814.23
MW-0614-S2	9/5/2010	17.57	58.05	826.81	809.24
MW-0614-S2	4/20/2011	12.97	57.65	826.81	813.84
MW-0614-S2	9/27/2011	15.21	57.90	826.81	811.60
MW-0614-S2	3/29/2012	12.84	57.85	826.81	813.97
MW-0614-S2	10/9/2012	18.27	57.70	826.81	808.54
MW-0614-S2	3/12/2013	13.25	57.70	826.81	813.56
MW-0614-S2	9/24/2013	15.91	57.91	826.81	810.90
MW-0614-S2	4/22/2014	13.78	57.87	826.81	813.03
MW-0614-S2	9/3/2014	16.43	57.85	826.81	810.38
MW-0614-S2	3/10/2015	15.13	NM	826.81	811.68
MW-0615-B1	12/5/2006	12.12	NM	824.74	812.62
MW-0615-B1	3/8/2007	13.37	78.28	824.74	811.37
MW-0615-B1	1/16/2008	13.84	78.45	824.74	810.90
MW-0615-B1	11/11/2008	18.16	78.19	824.74	806.58
MW-0615-B1	2/17/2009	14.75	NM	824.74	809.99
MW-0615-B1	6/12/2009	14.12	NM	824.74	810.62
MW-0615-B1	4/13/2010	13.53	78.36	824.74	811.21
MW-0615-B1	9/5/2010	17.05	78.35	824.74	807.69
MW-0615-B1	4/20/2011	14.05	78.26	824.74	810.69

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0615-B1	9/27/2011	15.19	78.45	824.74	809.55
MW-0616-B1	12/5/2006	4.58	110.55	822.3	817.72
MW-0616-B1	3/8/2007	5.88	110.55	822.3	816.42
MW-0616-B1	1/16/2008	8.60	110.55	822.3	813.70
MW-0616-B1	11/11/2008	14.52	110.51	822.3	807.78
MW-0616-B1	2/17/2009	11.02	NM	822.3	811.28
MW-0616-B1	6/12/2009	9.18	NM	822.3	813.12
MW-0616-B1	4/13/2010	8.23	NM	822.3	814.07
MW-0616-B1	9/5/2010	13.10	NM	822.3	809.20
MW-0616-B1	4/20/2011	8.51	--	822.3	813.79
MW-0616-B1	9/27/2011	10.76	110.80	822.3	811.54
MW-0616-S1	12/5/2006	6.58	NM	822.06	815.48
MW-0616-S1	3/8/2007	7.11	24.36	822.06	814.95
MW-0616-S1	1/16/2008	7.47	24.50	822.06	814.59
MW-0616-S1	11/11/2008	9.84	24.25	822.06	812.22
MW-0616-S1	2/17/2009	8.31	NM	822.06	813.75
MW-0616-S1	6/12/2009	7.53	NM	822.06	814.53
MW-0616-S1	4/13/2010	7.49	24.30	822.06	814.57
MW-0616-S1	9/5/2010	9.28	24.25	822.06	812.78
MW-0616-S1	4/20/2011	6.39	24.22	822.06	815.67
MW-0616-S1	9/27/2011	7.53	24.40	822.06	814.53
MW-0616-S1	3/29/2012	7.68	24.53	822.06	814.38
MW-0616-S1	10/9/2012	9.32	24.19	822.06	812.74
MW-0616-S1	3/12/2013	8.09	24.19	822.06	813.97
MW-0616-S1	9/24/2013	8.59	24.24	822.06	813.47
MW-0616-S1	4/22/2014	7.83	24.24	822.06	814.23
MW-0616-S1	9/3/2014	8.70	24.21	822.06	813.36
MW-0616-S1	3/10/2015	7.97	22.50	822.06	814.09
MW-0617-B1	3/8/2007	10.02	NM	826.63	816.61
MW-0617-B1	1/16/2008	12.58	NM	826.63	814.05
MW-0617-B1	11/11/2008	18.49	NM	826.63	808.14
MW-0617-B1	2/17/2009	15.08	NM	826.63	811.55
MW-0617-B1	6/12/2009	13.25	NM	826.63	813.38
MW-0617-S1	3/8/2007	11.18	29.36	826.47	815.29
MW-0617-S1	1/16/2008	11.90	29.50	826.47	814.57
MW-0617-S1	11/11/2008	14.87	29.40	826.47	811.60
MW-0617-S1	2/17/2009	13.07	NM	826.47	813.40
MW-0617-S1	6/12/2009	12.03	NM	826.47	814.44
MW-0617-S1	10/9/2012	14.27	29.41	826.47	812.20
MW-0617-S1	3/12/2013	12.64	29.41	826.47	813.83
MW-0617-S1	9/24/2013	13.38	29.50	826.47	813.09
MW-0617-S1	4/22/2014	12.32	29.47	826.47	814.15
MW-0617-S1	9/3/2014	13.63	29.51	826.47	812.84
MW-0617-S1	3/10/2015	12.72	29.49	826.47	813.75
MW-0617-S2	3/8/2007	10.21	63.37	826.66	816.45
MW-0617-S2	1/16/2008	12.80	63.15	826.66	813.86
MW-0617-S2	11/11/2008	18.68	63.20	826.66	807.98
MW-0617-S2	2/17/2009	15.33	NM	826.66	811.33
MW-0617-S2	6/12/2009	13.44	NM	826.66	813.22

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0618-S1	12/5/2006	8.13	NM	824.84	816.71
MW-0618-S1	3/8/2007	9.08	27.00	824.84	815.76
MW-0618-S1	1/16/2008	9.72	27.12	824.84	815.12
MW-0618-S1	11/11/2008	13.07	27.05	824.84	811.77
MW-0618-S1	2/17/2009	11.09	NM	824.84	813.75
MW-0618-S1	6/12/2009	9.94	NM	824.84	814.90
MW-0618-S1	4/13/2010	9.73	27.31	824.84	815.11
MW-0618-S1	9/5/2010	12.32	27.05	824.84	812.52
MW-0618-S1	4/20/2011	9.13	26.99	824.84	815.71
MW-0618-S1	9/27/2011	10.28	27.20	824.84	814.56
MW-0618-S1	3/29/2012	10.06	27.19	824.84	814.78
MW-0618-S1	10/9/2012	12.43	26.99	824.84	812.41
MW-0618-S1	3/12/2013	10.51	26.99	824.84	814.33
MW-0618-S1	9/24/2013	11.48	27.18	824.84	813.36
MW-0618-S1	4/22/2014	10.28	27.17	824.84	814.56
MW-0618-S1	9/3/2014	11.78	27.18	824.84	813.06
MW-0618-S1	3/10/2015	10.68	NM	824.84	814.16
MW-0619-S1	12/5/2006	10.13	NM	827.46	817.33
MW-0619-S1	3/8/2007	11.12	26.07	827.46	816.34
MW-0619-S1	1/16/2008	11.88	26.20	827.46	815.58
MW-0619-S1	11/11/2008	15.29	26.10	827.46	812.17
MW-0619-S1	2/17/2009	13.51	NM	827.46	813.95
MW-0619-S1	6/12/2009	12.03	NM	827.46	815.43
MW-0619-S1	10/9/2012	14.69	26.07	827.46	812.77
MW-0619-S1	3/12/2013	12.85	26.07	827.46	814.61
MW-0619-S1	9/24/2013	13.65	26.25	827.46	813.81
MW-0619-S1	4/22/2014	12.34	26.24	827.46	815.12
MW-0619-S1	9/3/2014	14.02	26.26	827.46	813.44
MW-0619-S1	3/10/2015	12.93	26.24	827.46	814.53
MW-0620-S1	12/5/2006	9.94	NM	827.39	817.45
MW-0620-S1	3/8/2007	10.97	18.36	827.39	816.42
MW-0620-S1	1/16/2008	11.78	18.46	827.39	815.61
MW-0620-S1	11/11/2008	15.15	18.45	827.39	812.24
MW-0620-S1	2/17/2009	13.41	NM	827.39	813.98
MW-0620-S1	6/12/2009	11.89	NM	827.39	815.50
MW-0620-S1	4/13/2010	11.60	18.39	827.39	815.79
MW-0620-S1	9/5/2010	13.85	18.40	827.39	813.54
MW-0620-S1	4/20/2011	11.07	18.34	827.39	816.32
MW-0620-S1	9/27/2011	12.19	18.55	827.39	815.20
MW-0620-S1	3/29/2012	11.95	18.50	827.39	815.44
MW-0620-S1	10/9/2012	14.60	19.38	827.39	812.79
MW-0620-S1	3/12/2013	12.82	19.38	827.39	814.57
MW-0620-S1	9/24/2013	13.55	18.54	827.39	813.84
MW-0620-S1	4/22/2014	12.19	18.52	827.39	815.20
MW-0620-S1	9/3/2014	13.15	18.52	827.39	814.24
MW-0620-S1	3/10/2015	13.17	18.53	827.39	814.22
MW-0621-S1	12/5/2006	9.53	NM	826.72	817.19
MW-0621-S1	3/8/2007	10.49	24.55	826.72	816.23
MW-0621-S1	1/16/2008	11.19	24.66	826.72	815.53
MW-0621-S1	11/11/2008	14.62	24.58	826.72	812.10
MW-0621-S1	2/17/2009	12.84	NM	826.72	813.88
MW-0621-S1	6/12/2009	11.39	NM	826.72	815.33

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0621-S1	4/13/2010	11.15	24.63	826.72	815.57
MW-0621-S1	9/5/2010	13.86	24.62	826.72	812.86
MW-0621-S1	4/20/2011	10.68	24.54	826.72	816.04
MW-0621-S1	9/27/2011	11.81	24.78	826.72	814.91
MW-0621-S1	3/29/2012	11.47	24.71	826.72	815.25
MW-0621-S1	10/9/2012	14.05	24.61	826.72	812.67
MW-0621-S1	3/12/2013	12.19	24.61	826.72	814.53
MW-0621-S1	9/24/2013	13.00	24.73	826.72	813.72
MW-0621-S1	4/22/2014	11.71	24.72	826.72	815.01
MW-0621-S1	9/3/2014	13.31	24.74	826.72	813.41
MW-0621-S1	3/10/2015	12.28	24.73	826.72	814.44
MW-0622-S1	12/5/2006	11.03	NM	828.57	817.54
MW-0622-S1	3/8/2007	12.07	23.78	828.57	816.50
MW-0622-S1	1/16/2008	12.90	23.85	828.57	815.67
MW-0622-S1	11/11/2008	16.27	23.82	828.57	812.30
MW-0622-S1	2/17/2009	14.59	NM	828.57	813.98
MW-0622-S1	6/12/2009	12.98	NM	828.57	815.59
MW-0622-S1	10/9/2012	15.71	23.75	828.57	812.86
MW-0622-S1	3/12/2013	13.89	23.75	828.57	814.68
MW-0622-S1	9/24/2013	14.66	23.92	828.57	813.91
MW-0622-S1	4/22/2014	13.24	23.94	828.57	815.33
MW-0622-S1	9/3/2014	15.02	23.89	828.57	813.55
MW-0622-S1	3/10/2015	13.95	23.98	828.57	814.62
MW-0622-S2	12/5/2006	10.54	NM	828.66	818.12
MW-0622-S2	3/8/2007	11.81	65.94	828.66	816.85
MW-0622-S2	1/16/2008	14.01	66.05	828.66	814.65
MW-0622-S2	11/11/2008	20.76	65.95	828.66	807.90
MW-0622-S2	2/17/2009	17.31	NM	828.66	811.35
MW-0622-S2	6/12/2009	15.32	NM	828.66	813.34
MW-0622-S2	4/13/2010	14.28	66.00	828.66	814.38
MW-0622-S2	9/5/2010	19.50	66.05	828.66	809.16
MW-0622-S2	4/20/2011	14.82	65.89	828.66	813.84
MW-0622-S2	9/27/2011	17.13	66.15	828.66	811.53
MW-0622-S2	3/29/2012	14.40	66.09	828.66	814.26
MW-0622-S2	10/9/2012	20.24	65.95	828.66	808.42
MW-0622-S2	3/12/2013	15.10	65.95	828.66	813.56
MW-0622-S2	9/24/2013	17.70	66.10	828.66	810.96
MW-0622-S2	4/22/2014	15.61	67.07	828.66	813.05
MW-0622-S2	9/3/2014	19.32	66.98	828.66	809.34
MW-0622-S2	3/10/2015	16.82	NM	828.66	811.84
MW-0623-S1	3/8/2007	12.37	25.04	829.09	816.72
MW-0623-S1	1/16/2008	13.17	25.17	829.09	815.92
MW-0623-S1	11/11/2008	16.58	25.18	829.09	812.51
MW-0623-S1	2/17/2009	14.96	NM	829.09	814.13
MW-0623-S1	6/12/2009	13.37	NM	829.09	815.72
MW-0623-S1	4/13/2010	13.00	25.10	829.09	816.09
MW-0623-S1	9/5/2010	15.79	25.10	829.09	813.30
MW-0623-S1	4/20/2011	12.62	25.00	829.09	816.47
MW-0623-S1	9/27/2011	13.80	25.26	829.09	815.29
MW-0623-S1	3/29/2012	13.32	25.20	829.09	815.77
MW-0623-S1	10/9/2012	16.04	25.05	829.09	813.05
MW-0623-S1	3/12/2013	14.23	25.05	829.09	814.86

Table 1. Monitoring Well Groundwater Elevation Data, Former GM Delco Plant 5, Kokomo, Indiana.

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0623-S1	9/24/2013	14.94	25.22	829.09	814.15
MW-0623-S1	4/22/2014	13.53	25.21	829.09	815.56
MW-0623-S1	9/3/2014	15.31	25.23	829.09	813.78
MW-0623-S1	3/10/2015	14.27	25.25	829.09	814.82
MW-0702-B1	1/16/2008	10.65	72.70	825.03	814.38
MW-0702-B1	11/11/2008	16.57	72.46	825.03	808.46
MW-0702-B1	2/17/2009	13.19	NM	825.03	811.84
MW-0702-B1	6/12/2009	11.30	NM	825.03	813.73
MW-0702-B1	4/13/2010	10.29	72.60	825.03	814.74
MW-0702-B1	9/5/2010	15.27	72.60	825.03	809.76
MW-0702-B1	4/20/2011	10.72	72.47	825.03	814.31
MW-0702-B1	9/27/2011	12.89	72.73	825.03	812.14
MW-0703-B1	1/16/2008	13.30	111.32	823.609	810.31
MW-0703-B1	11/11/2008	17.01	111.32	823.609	806.60
MW-0703-B1	2/17/2009	13.66	NM	823.609	809.95
MW-0703-B1	6/12/2009	13.21	NM	823.609	810.40
MW-0703-B1	4/13/2010	12.45	NM	823.609	811.16
MW-0703-B1	9/5/2010	16.10	NM	823.609	807.51
MW-0703-B1	4/20/2011	12.73	--	823.609	810.88
MW-0703-B1	9/27/2011	14.12	111.75	823.609	809.49
MW-0704-S1	1/16/2008	9.84	29.31	825.376	815.54
MW-0704-S1	11/11/2008	13.15	29.20	825.376	812.22
MW-0704-S1	2/17/2009	11.27	NM	825.376	814.11
MW-0704-S1	6/12/2009	10.04	NM	825.376	815.34
MW-0704-S1	4/13/2010	9.83	29.23	825.376	815.55
MW-0704-S1	9/5/2010	12.38	29.20	825.376	813.00
MW-0704-S1	4/20/2011	9.26	29.17	825.376	816.12
MW-0704-S1	9/27/2011	10.39	29.39	825.376	814.99
MW-0704-S1	3/29/2012	10.14	29.35	825.376	815.24
MW-0704-S1	10/9/2012	12.52	29.16	825.376	812.86
MW-0704-S1	3/12/2013	10.67	29.16	825.376	814.71
MW-0704-S1	9/24/2013	11.55	29.36	825.376	813.83
MW-0704-S1	4/22/2014	10.38	29.36	825.376	815.00
MW-0704-S1	9/3/2014	11.86	29.33	825.376	813.51
MW-0704-S1	3/10/2015	10.80	29.28	825.376	814.58
MW-0705-S1	1/16/2008	11.20	25.78	826.158	814.96
MW-0705-S1	11/11/2008	13.71	25.68	826.158	812.45
MW-0705-S1	2/17/2009	11.86	NM	826.158	814.30
MW-0705-S1	6/12/2009	10.79	NM	826.158	815.37
MW-0705-S1	10/9/2012	13.10	25.65	826.158	813.06
MW-0705-S1	3/12/2013	11.31	25.65	826.158	814.85
MW-0705-S1	9/24/2013	12.20	25.85	826.158	813.96
MW-0705-S1	4/22/2014	11.09	25.82	826.158	815.07
MW-0705-S1	9/3/2014	12.50	25.82	826.158	813.66
MW-0705-S1	3/10/2015	11.91	25.80	826.158	814.25

Notes:

AMSL - Above mean sea level

NM - Reading not collected

Table 2. Groundwater Analytical Data Summary Screened Against Drinking Water Criteria, Former GM Delco Plant 5, Kokomo, Indiana.

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)												
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0101-S1U	6/22/2001	MW-1M-06/22/2001-N-LB	Low-Flow	< 50 U	< 50 U	< 50 U		< 200 U	800		< 100 U	< 50 U		< 50 U	3,100	67
MW-0101-S1U	11/15/2004	FD-1 (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	13	< 5.0 U	< 5.0 U	1,600	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	69	13,000	140
MW-0101-S1U	11/15/2004	MW-1M (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	14	< 5.0 U	< 5.0 U	1,300	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	73	11,000	150
MW-0101-S1U	3/24/2006	MW-0101-S1U (032406)	Low-Flow	< 5.0 U	14	7	2.4 J	< 5.0 U	1,200	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	68	9,400	67
MW-0101-S1U	11/10/2006	FD-1 (111006)-BDS	Low-Flow	< 5.0 U	12	9.3	2.3 J	< 5.0 U	1,100	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	72	7,500	100
MW-0101-S1U	11/10/2006	MW-0101-S1U (111006)	Low-Flow	< 5.0 U	12	9.4	2.3 J	< 5.0 U	1,100	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	73	7,700	100
MW-0101-S1U	4/19/2012	FD-1 (041912)-TP	PDB	< 5.0 U	< 5.0 U	20.3	< 5.0 U	< 5.0 U	748 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	57.7	13,500 D	69
MW-0101-S1U	4/19/2012	FD-2 (041912)-BC	Low-Flow	< 5.0 U	< 5.0 U	8.1	< 5.0 U	< 5.0 U	712 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	63.4	4,550 D	83
MW-0101-S1U	4/19/2012	MW-0101-S1U (041912)-PDB	PDB	< 5.0 U	< 5.0 U	20.4	< 5.0 U	< 5.0 U	688 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	56.6	13,500 D	66.3
MW-0101-S1U	4/19/2012	MW-0101-S1U (041912)-LF	Low-Flow	< 5.0 U	< 5.0 U	8.5	< 5.0 U	< 5.0 U	673 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	62	5,390 D	77.1
MW-0101-S1U	10/31/2012	MW-0101-S1U(103112)PDB	PDB	< 5.0 U	2.8 J	11.4	2.1 J	< 5.0 U	847 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	67.5	8,500 D	86.7
MW-0101-S1U	10/31/2012	MW-0101-S1U(103112)LF	Low-Flow	< 5.0 U	3.4 J	6.2	1.9 J	< 5.0 U	819 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	70.8	3,430 D	88.7
MW-0101-S1U	4/2/2013	MW-0101-S1U (040213)PDB	PDB	< 5.0 U	4.9 J	15.8 J	1.4 J	< 5.0 U	1,180 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	70.6 J	10,600 EJ	52.4
MW-0101-S1U	10/16/2013	MW-0101-S1U(101613)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	2,990 D	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	66.1	6,920 D	55.8
MW-0101-S1U	5/13/2014	MW-0101-S1U(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	1,240	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	49.0 J	11,200 D	50
MW-0101-S1U	9/25/2014	MW-0101-S1U(092514)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	1,030	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	53.6	18,100 DJ	31.9
MW-0101-S1U	3/31/2015	MW-0101-S1U(033115)-PDB	PDB	< 25.0 U	4.2 J	8.0 J	< 25.0 UB	< 25.0 U	1,060	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	56.1	17,900 D	32.8
MW-0102-S1U	6/22/2001	MW-2 DUP-06/22/2001-N-LB	Low-Flow	< 50 U	< 50 U	< 50 U		< 200 U	360		< 100 U	< 50 U		< 50 U	410	< 20 U
MW-0102-S1U	6/22/2001	MW-2-06/22/2001-N-LB	Low-Flow	< 50 U	< 50 U	< 50 U		< 200 U	340		< 100 U	< 50 U		< 50 U	370	< 20 U
MW-0102-S1U	11/15/2004	MW-2 (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	770	< 5.0 U	< 9.5 U	< 5.0 U	< 5.0 U	74	4,600	37
MW-0102-S1U	10/20/2005	MW-2-U (102005)	Low-Flow	< 5.0 U	< 5.0 U	5.1	< 5.0 U	< 5.0 U	770	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	68	3,800	21
MW-0102-S1U	3/22/2006	MW-0102-S1U (032206)	Low-Flow	< 5.0 U	< 5.0 U	4.5 J	< 5.0 U	< 5.0 U	1,000	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	88	4,800	21
MW-0102-S1U	4/19/2012	MW-0102-S1U (041912)-PDB	PDB	< 5.0 U	< 5.0 U	5.9	< 5.0 U	< 5.0 U	948 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	108	3,970 D	35.1
MW-0102-S1U	4/19/2012	MW-0102-S1U (041912)-LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	563 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	85.9	2,380 D	21.2
MW-0102-S1U	10/31/2012	MW-0102-S1U(103112)PDB	PDB	< 5.0 U	< 5.0 U	3.9 J	< 5.0 U	< 5.0 U	916 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	114	3,770 D	35.3
MW-0102-S1U	4/2/2013	MW-0102-S1U (040213)PDB	PDB	< 5.0 U	< 5.0 U	3.1 J	< 5.0 U	< 5.0 U	847 EJ	< 100 U	3.9 J	< 5.0 U	< 5.0 U	103	3,370 EJ	21.5
MW-0102-S1U	10/16/2013	MW-0102-S1U(101613)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	988	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	105	3,870 D	6.5 J
MW-0102-S1U	5/13/2014	MW-0102-S1U (051314)	PDB	< 5.0 U	< 5.0 U	4.9 J	< 5.0 U	< 5.0 U	826 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	103	2,910 D	21.8
MW-0102-S1U	9/25/2014	MW-0102-S1U(092514)PDB	PDB	< 5.0 U	< 5.0 U	3.1 J	< 5.0 U	< 5.0 U	907 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	75.2	2,950 D	17.4
MW-0102-S1U	3/31/2015	MW-0102-S1U(033115)-PDB	PDB	< 25.0 U	< 25.0 U	2.8 J	< 25.0 U	< 25.0 U	867	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	82.8	2,470 D	12.9
MW-0103-S1U	6/22/2001	MW-3-06/22/2001-N-LB	Low-Flow	< 5.0 U	< 5.0 U	17		< 20 U	71		< 10 U	< 5.0 U		18	12	2.2
MW-0103-S1U	11/15/2004	MW-3 (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	110	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	25	< 5.0 U	< 2.0 U
MW-0103-S1U	3/22/2006	MW-0103-S1U (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	150	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	37	13	< 2.0 U
MW-0103-S1U	6/24/2009	MW-0103-S1U (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	264	< 100 U	< 5 U	< 5 U	< 5 U	34.8	< 5 U	3.9
MW-0103-S1U	10/31/2012	MW-0103-S1U(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.1 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.7 J	< 2.0 U
MW-0103-S1U	4/2/2013	MW-0103-S1U (040213)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	8.1 J	< 100 U	2.9 J	< 5.0 U	< 5.0 U	< 5.0 U	40.4 J	< 2.0 U
MW-0103-S1U	10/16/2013	MW-0103-S1U(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	14.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	6	< 2.0 U
MW-0103-S1U	5/13/2014	MW-0103-S1U (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3.6 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	8.8	< 2.0 U
MW-0103-S1U	9/25/2014	MW-0103-S1U(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.5 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	11.5	< 2.0 U
MW-0103-S1U	3/31/2015	MW-0103-S1U(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.1 J	0.39 J	< 5.0 U	< 5.0 U	< 5.0 U	0.31 J	6.7	< 2.0 U
MW-0501-S1	3/22/2006	MW-0501-S1 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.4 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	11/7/2006	MW-0501-S1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	6/25/2009	MW-0501-S1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0501-S1	6/25/2009	MW-0501-S1-LF (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0501-S1	5/5/2010	MW-0501-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0501-S1	10/28/2010	MW-0501-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	5/13/2011	MW-0501-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	2.8	0.66 J	< 1.0 U	< 1.0 U	< 1.0 U	0.20 J	< 1.0 U	< 1.0 U
MW-0501-S1	10/18/2011	MW-0501-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	10/31/2012	MW-0501-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	4/2/2013	MW-0501-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.7 J	< 2.0 U
MW-0501-S1	10/16/2013	MW-0501-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.8 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	5/13/2014	MW-0501-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3.0 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S1	9/25/2014	MW-0501-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.5 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.4	< 2.0 U
MW-0501-S1	3/31/2015	MW-0501-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.1 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.36 J	< 2.0 U
MW-0502-S1	10/19/2005	MW-0502-1L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	9.9	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	84	< 2.0 U
MW-0502-S1	3/24/2006	MW-0502-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	15	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	190	< 2.0 U
MW-0502-S1	11/10/2006	MW-0502-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	18	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.7	180	< 2.0 U
MW-0502-S1	10/31/2012	MW-0502-S1(103112)PDB														

Table 2. Groundwater Analytical Data Summary Screened Against Drinking Water Criteria, Former GM Delco Plant 5, Kokomo, Indiana.

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)												
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0504-S1	10/31/2012	MW-0504-S1(103112)PDB	PDB	< 5.0 U	7.6	4.7 J	< 5.0 U	< 5.0 U	1,030 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	132	3,040 D	20.9
MW-0504-S1	4/2/2013	MW-0504-S1 (040213) PDB	PDB	< 5.0 U	9.9	6.4	1.1 J	< 5.0 U	1,120 EJ	< 100 U	6.5	< 5.0 U	< 5.0 U	188 EJ	3,370 EJ	25.2
MW-0504-S1	10/16/2013	MW-0504-S1(101613)	PDB	< 5.0 U	10.4	6.3	< 5.0 U	< 5.0 U	1,020 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	175	3,240 D	22.9
MW-0504-S1	5/13/2014	MW-0504-S1 (051314)	PDB	< 5.0 U	7.8	6.4	< 5.0 U	< 5.0 U	826 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	154	2,740 D	24.4
MW-0504-S1	9/25/2014	MW-0504-S1(092514)PDB	PDB	< 5.0 U	4.8 J	3.2 J	< 5.0 U	< 5.0 U	749 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	109	2,540 D	14.7
MW-0504-S1	3/31/2015	MW-0504-S1(033115)-PDB	PDB	< 5.0 U	8.9	5.2	< 5.0 UB	< 5.0 U	909 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	183	3,010 D	24.1
MW-0505-S1	10/19/2005	FD-3 (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	24	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	29	< 2.0 U
MW-0505-S1	10/19/2005	MW-0505-1L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	25	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	31	< 2.0 U
MW-0505-S1	3/23/2006	MW-0505-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	19	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	6	< 2.0 U
MW-0505-S1	6/24/2009	MW-0505-S1 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	7.9	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0505-S1	10/31/2012	MW-0505-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.7 J	< 2.0 U
MW-0505-S1	9/25/2014	MW-0505-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	6.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S1	3/31/2015	MW-0505-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	8.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.75 J	< 2.0 U
MW-0506-S1	10/19/2005	MW-0506-1L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	1/3/2006	MW-0506-1L (01/03/06)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/27/2006	FD-1 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	1.6 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/27/2006	MW-0506-S1 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	6/24/2009	MW-0506-S1 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	13.9	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	7.2	< 2 U
MW-0506-S1	10/31/2012	FD-1(103112)PDB-JG	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.6 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	10/31/2012	FD-3(103112)LF-WK	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	646 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	72.8	453 D	< 2.0 U
MW-0506-S1	10/31/2012	MW-0506-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.4	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	4/2/2013	MW-0506-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	13.3 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	36.3 J	< 2.0 U
MW-0506-S1	10/16/2013	MW-0506-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3.4 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	5/13/2014	MW-0506-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3.2 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	9/25/2014	MW-0506-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.7 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/31/2015	MW-0506-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.5 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.37 J	< 2.0 U
MW-0507-S1	10/19/2005	MW-0507-1L (101905)	Low-Flow	9	39	< 5.0 U	< 5.0 U	< 5.0 U	83	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	16	< 2.0 U
MW-0507-S1	3/27/2006	MW-0507-S1 (032706)	Low-Flow	21	190	< 5.0 U	< 5.0 U	< 5.0 U	310	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	6	52	< 2.0 U
MW-0507-S1	10/31/2012	MW-0507-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.7 J	< 2.0 U
MW-0507-S1	4/2/2013	MW-0507-S1 (040213) PDB	PDB	4.1 J	8.3	< 5.0 U	< 5.0 U	< 5.0 U	27.6	< 100 U	4.2 J	< 5.0 U	< 5.0 U	< 5.0 U	10.1 J	< 2.0 U
MW-0507-S1	10/16/2013	MW-0507-S1(101613)	PDB	4.5 J	6.6	< 5.0 U	< 5.0 U	< 5.0 U	19.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.9 J	< 2.0 U
MW-0507-S1	5/13/2014	MW-0507-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3.2 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0507-S1	9/25/2014	MW-0507-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.8 J	< 2.0 U
MW-0507-S1	3/31/2015	MW-0507-S1(033115)-PDB	PDB	6.8	15.3	< 5.0 U	< 5.0 U	< 5.0 U	60	< 100 U	< 5.0 U	1.4 J	< 5.0 U	1.1 J	5.6	< 2.0 U
MW-0509-S1	10/19/2005	MW-0509-1L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/23/2006	MW-0509-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	6/24/2009	MW-0509-S1 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0509-S1	10/31/2012	MW-0509-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	4/2/2013	MW-0509-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.1 J	< 2.0 U
MW-0509-S1	10/16/2013	MW-0509-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	5/13/2014	MW-0509-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	9/25/2014	MW-0509-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	3.1 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/31/2015	MW-0509-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.56 J	< 2.0 U
MW-0516-S1	10/19/2005	MW-0516-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/23/2006	MW-0516-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/5/2010	MW-0516-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/6/2010	MW-0516-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	10/28/2010	MW-0516-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2011	MW-0516-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.65 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0516-S1	10/18/2011	MW-0516-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/31/2012	MW-0516-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	4/2/2013	MW-0516-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/16/2013	MW-0516-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2014	MW-0516-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	<			

Table 2. Groundwater Analytical Data Summary Screened Against Drinking Water Criteria, Former GM Delco Plant 5, Kokomo, Indiana.

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)												trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene					
MW-0602-S1	10/16/2013	MW-0602-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U		
MW-0602-S1	5/13/2014	MW-0602-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U		
MW-0602-S1	9/25/2014	MW-0602-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U		
MW-0603-S1	3/24/2006	MW-0603-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U		
MW-0603-S1	11/8/2006	MW-0603-S1 (110806)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U		
MW-0603-S1	6/25/2009	MW-0603-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U		
MW-0603-S1	5/5/2010	MW-0603-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U		
MW-0603-S1	10/28/2010	MW-0603-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U		
MW-0603-S1	5/13/2011	MW-0603-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U		
MW-0603-S1	10/18/2011	MW-0603-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U		
MW-0603-S1	10/31/2012	MW-0603-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U		
MW-0603-S1	10/16/2013	MW-0603-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U		
MW-0603-S1	5/13/2014	MW-0603-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U		
MW-0603-S1	9/25/2014	MW-0603-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U		
MW-0603-S1	3/31/2015	MW-0603-S1(033115)-AO-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.36 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U		
MW-0604-S1	3/22/2006	MW-0604-S1 (032206)	Low-Flow	< 5.0 U		7.9	< 5.0 U	< 5.0 U	1,400	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U		120	4,900	43	
MW-0604-S1	11/8/2006	MW-0604-S1 (110806)	Low-Flow	< 5.0 U	6.5	5.4	< 5.0 U	< 5.0 U	600	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U		76	2,700	31	
MW-0604-S1	10/31/2012	MW-0604(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	7.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	59.5	< 2.0 U	
MW-0604-S1	4/2/2013	MW-0604-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	2.8 J	< 5.0 U	< 5.0 U	698 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	76.4 J	2,720 EJ	36.2 J
MW-0604-S1	10/16/2013	MW-0604-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	368 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	43.1	1,100 D	19.4
MW-0604-S1	5/13/2014	MW-0604-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	271	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	27.2	747 D	16.2
MW-0604-S1	9/25/2014	FD-1(092514)-AO	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	489 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	39.7	1,480 D	20.3
MW-0604-S1	9/25/2014	MW-0604-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	414 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	51.5	1,410 D	24.8
MW-0604-S1	3/31/2015	MW-0604-S1(033115)-PDB	PDB	< 5.0 U	2.6 J	3.5 J	< 5.0 UB	< 5.0 U	878 D	0.65 J	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	112	2,690 D	57.6
MW-0605-S1	3/22/2006	MW-0605-S1 (032206)	Low-Flow	< 5.0 U	2.6 J	< 5.0 U	< 5.0 U	< 5.0 U	19	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	920		< 2.0 U
MW-0605-S1	11/9/2006	MW-0605-S1 (110906)	Low-Flow	< 5.0 U	3.2 J	< 5.0 U	< 5.0 U	< 5.0 U	26	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	1,400		< 2.0 U
MW-0605-S1	10/31/2012	MW-0605(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	15.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	1,480 D		< 2.0 U
MW-0605-S1	4/2/2013	MW-0605-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	16.9 J	< 100 U	2.6 J	< 5.0 U	< 5.0 U		< 5.0 U	1,180 EJ		< 2.0 U
MW-0605-S1	10/16/2013	MW-0605-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	17.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	1,580 D		< 2.0 U
MW-0605-S1	5/13/2014	MW-0605-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	14.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	2,630 D		< 2.0 U
MW-0605-S1	12/1/2014	MW-0605-S1(120114)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	12.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	629 D		< 2.0 U
MW-0605-S1	3/31/2015	MW-0605-S1(033115)-PDB	PDB	< 5.0 U	1.8 J	< 5.0 U	< 5.0 U	< 5.0 U	12	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	983 D		< 2.0 U
MW-0606-S1	3/23/2006	MW-0606-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	230	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U		< 5.0 U	42	970	< 2.0 U
MW-0606-S1	11/6/2006	MW-0606-S1 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	210	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	43	770	1.0 J
MW-0606-S1	10/31/2012	MW-0606-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	281 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	78.8	2,380 D	1.2 J
MW-0606-S1	10/31/2012	MW-0606-S1(103112)LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	288 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	76.5	2,410 D	< 2.0 U
MW-0606-S1	4/2/2013	MW-0606-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	394 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	105	4,490 EJ	2
MW-0606-S1	10/16/2013	MW-0606-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	314 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	92.8	2,650 D	1.3 J
MW-0606-S1	5/13/2014	MW-0606-S1(051314)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	365	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U		< 25.0 U	75.9	3,280 D	< 10.0 U
MW-0606-S1	9/25/2014	MW-0606-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	448 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	81	2,580 DJ	1.2 J
MW-0606-S1	3/31/2015	MW-0606-S1(033115)-PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	428	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U		< 50.0 U	94.6	3,030 D	< 20.0 U
MW-0607-S1	3/24/2006	MW-0607-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U		< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	11/6/2006	MW-0607-S1 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	6/25/2009	MW-0607-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U		< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/5/2010	MW-0607-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U		< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/6/2010	MW-0607-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U		< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	10/28/2010	MW-0607-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2011	MW-0607-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.63 J	< 1.0 U	< 1.0 U	< 1.0 U		< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0607-S1	10/18/2011	MW-0607-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/31/2012	MW-0607-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	< 5.0 UB	< 5.0 U	< 2.0 U
MW-0607-S1	4/2/2013	MW-0607-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.9 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	36.9 J	< 5.0 U	< 2.0 U
MW-0607-S1	10/16/2013	MW-0607-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2014	MW-0607-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	1.6 J	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/25/2014	MW-0607-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U		< 5.0 U	< 5.0 U	4.0 J	< 2.0 U
MW-0607-S1	3/31/2015	MW-0607-S1(033115)-PDB	PDB															

Table 2. Groundwater Analytical Data Summary Screened Against Drinking Water Criteria, Former GM Delco Plant 5, Kokomo, Indiana.

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)												
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0610-S1	11/10/2006	MW-0610-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	40	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.2 J	< 5.0 U	1.9 J
MW-0610-S1	11/12/2008	MW-0610-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	19.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/5/2010	MW-0610-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0610-S1	10/28/2010	MW-0610-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2011	MW-0610-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.67 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0610-S1	10/18/2011	MW-0610-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/31/2012	MW-0610-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/16/2013	MW-0610-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2014	MW-0610-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/25/2014	MW-0610-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.0 J	< 2.0 U
MW-0610-S1	3/31/2015	MW-0610-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.43 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0612-S1	11/9/2006	MW-0612-S1 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	130	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	43	3,300	2.4
MW-0612-S1	3/7/2007	FD-1-MG (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	132	< 100 U	< 5.0 UJ	< 5.0 U	< 5.0 U	38.6	3,760	3.1
MW-0612-S1	3/7/2007	MW-0612-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	161	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	38.9	3,950	< 2.0 U
MW-0612-S1	6/25/2009	MW-0612-S1 (062509)	Low-Flow	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	207	< 1,000 U	< 50 U	< 50 U	< 50 U	< 50 U	4,370	< 20 U
MW-0612-S1	4/19/2012	MW-0612-S1 (041912)-PDB	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	223	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	44.9	4,750 D	15.1
MW-0612-S1	10/31/2012	FD-2(103112)PDB-WK	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	850 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	141	675 D	< 2.0 U
MW-0612-S1	10/31/2012	MW-0612-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	275	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	48.5	5,440 D	24.5
MW-0612-S1	10/31/2012	MW-0612-S1(103112)LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	185	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	45.8	2,490 D	11.8
MW-0612-S1	4/2/2013	MW-0612-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	191	< 100 U	3.5 J	< 5.0 U	< 5.0 U	41	3,720 EJ	9.3
MW-0612-S1	10/16/2013	MW-0612-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	242	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	49.1	3,220 D	12.4
MW-0612-S1	5/13/2014	MW-0612-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	248 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	46.2	3,400 D	13.2
MW-0612-S1	9/25/2014	MW-0612-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	251	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	43.2	3,190 DJ	13.7
MW-0612-S1	3/31/2015	MW-0612-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	0.65 J	< 5.0 U	< 5.0 U	292	0.32 J	< 5.0 U	< 5.0 U	< 5.0 U	49.6	3,870 D	11.6
MW-0613-S1	11/10/2006	MW-0613-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	11/12/2008	MW-0613-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/5/2010	MW-0613-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0613-S1	10/28/2010	MW-0613-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2011	MW-0613-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.65 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0613-S1	10/18/2011	MW-0613-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/31/2012	MW-0613-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.2 UB	< 2.0 U
MW-0613-S1	4/2/2013	MW-0613-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	24.0 J	< 2.0 U
MW-0613-S1	10/16/2013	MW-0613-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2014	MW-0613-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/25/2014	MW-0613-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.9 J	< 2.0 U
MW-0613-S1	3/31/2015	MW-0613-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/7/2007	MW-0617-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 UJ	48.1	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	11/12/2008	MW-0617-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	18.3	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	12/29/2008	MW-0617-S1 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/31/2012	MW-0617-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/16/2013	MW-0617-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	5/13/2014	MW-0617-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/25/2014	MW-0617-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/31/2015	MW-0617-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 2.0 U
MW-0618-S1	11/13/2006	MW-0618-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/12/2008	MW-0618-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/31/2012	MW-0618-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0618-S1	4/2/2013	MW-0618-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.2 J	< 2.0 U
MW-0618-S1	10/16/2013	MW-0618-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	5/13/2014	MW-0618-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/31/2015	MW-0618-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.49 J	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 5.0 U	< 2.0 U
MW-0619-S1	11/20/2006	MW-0619-S1 (112006)	Direct fill	< 5.0 U	< 5.0 U	1.8 J	< 5.0 U	< 5.0 U	390	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	26	1,900	1.8 J
MW-0619-S1	11/14/2008	FD-2-TK (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	347	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	31.8	3,140	5
MW-0619-S1	11/14/2008	MW-0619-S1 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	345	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	33.8	3,200	4.9
MW-0619-S1	10/31/2012	MW-0619-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	143	< 100 U						

Table 2. Groundwater Analytical Data Summary Screened Against Drinking Water Criteria, Former GM Delco Plant 5, Kokomo, Indiana.

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)												
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0621-S1	10/31/2012	MW-0621-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	72.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	25.6	1,790 D	< 2.0 U
MW-0621-S1	4/2/2013	MW-0621-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	70.0 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	24.8 J	1,640 EJ	< 2.0 U
MW-0621-S1	10/16/2013	MW-0621-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	109	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	30.6	3,220 D	< 2.0 U
MW-0621-S1	5/13/2014	MW-0621-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	71.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	28.5	1,070 D	< 2.0 U
MW-0621-S1	9/25/2014	MW-0621-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	118	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	36.1	3,300 DJ	2.0 J
MW-0621-S1	3/31/2015	FD-2(033115)-AO-PDB	PDB	< 125 U	< 125 U	< 125 U	< 125 U	< 125 U	1,840	< 2,500 U	< 125 U	< 125 U	< 125 U	42.3 J	16,300 D	< 50.0 U
MW-0621-S1	3/31/2015	MW-0621-S1(033115)-PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	80.4	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	27.6	2,110 D	< 10.0 U
MW-0622-S1	11/21/2006	MW-0622-S1 (112106)	Direct fill	< 5.0 U	4.0 J	3.9 J	< 5.0 U	< 5.0 U	520	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	18	6,000	2.1
MW-0622-S1	11/14/2008	MW-0622-S1 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	248	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	7.9	2,510	< 2.0 U
MW-0622-S1	10/31/2012	MW-0622-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	11.5	< 5.0 U	< 5.0 U	2,100 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	40.1	20,800 D	3.3
MW-0622-S1	4/2/2013	FD-2 (040213) JG	PDB	< 5.0 U	< 5.0 U	8.9	< 5.0 U	< 5.0 U	2,330 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	84.8	26,800 D	3.2
MW-0622-S1	4/2/2013	MW-0622-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	13.7 J	< 5.0 U	< 5.0 U	2,670 EJ	< 100 U	6.5 J	< 5.0 U	< 5.0 U	83.3 J	20,100 EJ	4.6 J
MW-0622-S1	10/16/2013	FD-2(101613)-WK	PDB	< 5.0 U	2.8 J	5.9	< 5.0 U	< 5.0 U	1,800 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	30.5 J	15,700 D	< 2.0 U
MW-0622-S1	10/16/2013	MW-0622-S1(101613)	PDB	< 100 U	< 100 U	< 100 U	< 100 U	< 100 U	1,700	< 2,000 U	< 100 U	< 100 U	< 100 U	79.9 J	18,900 D	< 40.0 U
MW-0622-S1	5/13/2014	FD-2(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	2,660	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	28.8 J	22,700 D	< 20.0 U
MW-0622-S1	5/13/2014	MW-0622-S1(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	2,650	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	29.8 J	18,400 D	< 20.0 U
MW-0622-S1	9/25/2014	FD-2(092514)-AO	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 UJ	< 25.0 U	1,660 DJ	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	29	10,400 DJ	< 10.0 U
MW-0622-S1	9/25/2014	MW-0622-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	7.3	< 5.0 U	< 5.0 U	1,960 DJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	27.1	16,000 D	1.9 J
MW-0622-S1	3/31/2015	MW-0622-S1(033115)-PDB	PDB	< 100 U	< 100 U	< 100 U	< 100 U	< 100 U	1,790	< 2,000 U	< 100 U	< 100 U	< 100 U	35.8 J	21,800 D	< 40.0 U
MW-0623-S1	3/7/2007	MW-0623-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	11/12/2008	FD-3-MAH (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 2.0 U
MW-0623-S1	11/12/2008	MW-0623-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	20.3 J	< 2.0 U
MW-0623-S1	12/29/2008	MW-0623-S1 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	5/5/2010	MW-0623-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0623-S1	10/28/2010	MW-0623-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	5/13/2011	MW-0623-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.67 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0623-S1	10/18/2011	MW-0623-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	10/31/2012	MW-0623-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	4/2/2013	MW-0623-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	20.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	228	< 2.0 U
MW-0623-S1	10/16/2013	MW-0623-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3.1 J	< 2.0 U
MW-0623-S1	5/13/2014	MW-0623-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	9/25/2014	MW-0623-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/31/2015	MW-0623-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.46 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0704-S1	11/13/2008	MW-0704-S1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	408	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	71.8	1,370	< 2.0 U
MW-0704-S1	6/25/2009	MW-0704-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	571	< 100 U	< 5 U	< 5 U	< 5 U	103	1,200	5.6
MW-0704-S1	10/31/2012	MW-0704-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	635 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	81.3	1,640 D	2.9
MW-0704-S1	4/2/2013	MW-0704-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	714 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	96.1	2,000 D	2.6
MW-0704-S1	10/16/2013	MW-0704-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	628 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	99.5	1,830 D	4.5
MW-0704-S1	5/13/2014	MW-0704-S1(051314)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	606	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	77.4	2,080 D	< 10.0 U
MW-0704-S1	9/25/2014	MW-0704-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	3.1 J	< 5.0 U	< 5.0 U	704 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	109	3,240 DJ	5.1
MW-0704-S1	3/31/2015	MW-0704-S1(033115)-PDB	PDB	< 25.0 U	< 25.0 U	2.8 J	< 25.0 U	< 25.0 U	740	< 500 U	3.3 J	< 25.0 U	< 25.0 U	101	2,640 D	3.7 J
MW-0705-S1	11/13/2008	MW-0705-S1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	37.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.4	187	< 2.0 U
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	34	< 100 U	< 5 U	< 5 U	< 5 U	9	86.3	4.8
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	50	< 100 U	< 5 U	< 5 U	< 5 U	14.9	178	5.1
MW-0705-S1	10/31/2012	MW-0705-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	39.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.4	146	4.2
MW-0705-S1	4/2/2013	MW-0705-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	46.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	13.7	177	4.1
MW-0705-S1	10/16/2013	MW-0705-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	50.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	11.9	185	3.9
MW-0705-S1	5/13/2014	MW-0705-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	42.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	10.7	131	4.2
MW-0705-S1	9/25/2014	MW-0705-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	40.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.3	115	3.1
MW-0705-S1	3/31/2015	MW-0705-S1(03														

Notes:
The data are screened against United States Environmental Protection Agency (USEPA) Drinking Water Screening Criteria (Maximum Contaminant Levels [MCLs]).
*- No MCL is established for 1,1-dichloroethane or cyclohexane; as such, the Indiana Deptment of Environmental Management RCG Tap Water Criteria were used for screening purposes
Concentrations highlighted gray exceed the screening criteria
Results are reported in micrograms per liter (µg/L)
U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit
D - Concentration is based on a diluted sample analysis
J - The compound was positively identified; however, the associated numerical value is an estimated concentration only
UJ - The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation
UB - Compound considered non-detect at the listed value due to associated blank contamination
E - The compound was quantitated above the calibration range.
PDB - Passive diffusion bag

Table 3. Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria, Former GM Delco Plant 5, Kokomo, Indiana.

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0516-S1	38644.64722	MW-0516-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	38799.36181	MW-0516-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/5/2010	MW-0516-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/6/2010	MW-0516-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	10/28/2010	MW-0516-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2011	MW-0516-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0516-S1	10/18/2011	MW-0516-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/31/2012	MW-0516-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	4/2/2013	MW-0516-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/16/2013	MW-0516-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2014	MW-0516-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/25/2014	MW-0516-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/31/2015	MW-0516-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.26 J	< 2.0 U
MW-0602-S1	3/24/2006	MW-0602-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	11/7/2006	MW-0602-S1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/31/2012	MW-0602-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/16/2013	MW-0602-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	5/13/2014	MW-0602-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/25/2014	MW-0602-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2006	MW-0603-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	11/8/2006	MW-0603-S1 (110806)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	6/25/2009	MW-0603-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	5/5/2010	MW-0603-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	10/28/2010	MW-0603-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2011	MW-0603-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0603-S1	10/18/2011	MW-0603-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/31/2012	MW-0603-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/16/2013	MW-0603-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2014	MW-0603-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/25/2014	MW-0603-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/31/2015	MW-0603-S1(033115)-AO-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0606-S1	3/23/2006	MW-0606-S1 (032306)	Low-Flow	< 5.0 U	230	< 5.0 UJ	42	970	< 2.0 U
MW-0606-S1	11/6/2006	MW-0606-S1 (110606)	Low-Flow	< 5.0 U	210	< 5.0 U	43	770	1.0 J
MW-0606-S1	10/31/2012	MW-0606-S1(103112)PDB	PDB	< 5.0 U	281 D	< 5.0 U	78.8	2,380 D	1.2 J
MW-0606-S1	10/31/2012	MW-0606-S1(103112)LF	Low-Flow	< 5.0 U	288 D	< 5.0 U	76.5	2,410 D	< 2.0 U
MW-0606-S1	4/2/2013	MW-0606-S1 (040213) PDB	PDB	< 5.0 U	394 EJ	< 5.0 U	105	4,490 EJ	2
MW-0606-S1	10/16/2013	MW-0606-S1(101613)	PDB	< 5.0 U	314 D	< 5.0 U	92.8	2,650 D	1.3 J
MW-0606-S1	5/13/2014	MW-0606-S1(051314)	PDB	< 25.0 U	365	< 25.0 U	75.9	3,280 D	< 10.0 U
MW-0606-S1	9/25/2014	MW-0606-S1(092514)PDB	PDB	< 5.0 U	448 D	< 5.0 U	81	2,580 DJ	1.2 J
MW-0606-S1	3/31/2015	MW-0606-S1(033115)-PDB	PDB	< 50.0 U	428	< 50.0 U	94.6	3,030 D	< 20.0 U
MW-0607-S1	3/24/2006	MW-0607-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	11/6/2006	MW-0607-S1 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	6/25/2009	MW-0607-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/5/2010	MW-0607-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/6/2010	MW-0607-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	10/28/2010	MW-0607-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2011	MW-0607-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0607-S1	10/18/2011	MW-0607-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/31/2012	MW-0607-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0607-S1	4/2/2013	MW-0607-S1 (040213) PDB	PDB	< 5.0 U	2.9 J	< 5.0 U	< 5.0 U	36.9 J	< 2.0 U
MW-0607-S1	10/16/2013	MW-0607-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3. Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria, Former GM Delco Plant 5, Kokomo, Indiana.

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0607-S1	5/13/2014	MW-0607-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/25/2014	MW-0607-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.0 J	< 2.0 U
MW-0607-S1	3/31/2015	MW-0607-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/23/2006	MW-0608-S1 (032306)	Low-Flow	< 5.0 U	2.9 J	< 5.0 UJ	< 5.0 U	2.0 J	< 2.0 U
MW-0608-S1	11/7/2006	MW-0608-S1 (110706)	Low-Flow	< 5.0 U	35	< 5.0 U	3.3 J	1.7 J	< 2.0 U
MW-0608-S1	6/26/2009	MW-0608-S1 (062609)	Low-Flow	< 5 U	24.5	< 5 U	< 5 U	< 5 U	4.9
MW-0608-S1	10/31/2012	MW-0608-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0608-S1	4/2/2013	MW-0608-S1 (040213) PDB	PDB	< 5.0 U	30.9	< 5.0 U	< 5.0 U	5.2 J	1.7 J
MW-0608-S1	10/16/2013	MW-0608-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	5/13/2014	MW-0608-S1(051314)	PDB	< 5.0 U	148	< 5.0 U	11.7	3.5 J	5.4
MW-0608-S1	9/25/2014	MW-0608-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.5 J	< 2.0 U
MW-0608-S1	3/31/2015	MW-0608-S1(033115)-PDB	PDB	0.33 J	144	< 5.0 U	13.1	< 5.0 U	4
MW-0609-S1	3/23/2006	MW-0609-S1 (032306)	Low-Flow	< 5.0 U	61	< 5.0 UJ	9.7	260	< 2.0 U
MW-0609-S1	11/9/2006	MW-0609-S1 (110906)	Low-Flow	< 5.0 U	55	< 5.0 U	9	220	< 2.0 U
MW-0609-S1	6/26/2009	FD-1-PS (062609)	Low-Flow	< 5 U	225	< 5 U	25.4	69.4	3.7
MW-0609-S1	6/26/2009	MW-0609-S1 (062609)	Low-Flow	< 5 U	226	< 5 U	26.1	69.9	3.6
MW-0609-S1	10/31/2012	MW-0609-S1(103112)PDB	PDB	< 5.0 U	3.8 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	4/2/2013	MW-0609-S1 (040213) PDB	PDB	< 5.0 U	18.9	< 5.0 U	< 5.0 U	8.2 J	< 2.0 U
MW-0609-S1	10/16/2013	MW-0609-S1(101613)	PDB	< 5.0 U	489 D	< 5.0 U	40.1	5.9	7.8
MW-0609-S1	5/13/2014	MW-0609-S1(051314)	PDB	< 5.0 U	198 D	< 5.0 U	16.2	40.1	5.4
MW-0609-S1	9/25/2014	MW-0609-S1(092514)PDB	PDB	< 5.0 U	26.6	< 5.0 U	2.7 J	< 5.0 U	6.2
MW-0610-S1	11/10/2006	MW-0610-S1 (111006)	Low-Flow	< 5.0 U	40	< 5.0 U	4.2 J	< 5.0 U	1.9 J
MW-0610-S1	11/12/2008	MW-0610-S1 (111208)	Low-Flow	< 5.0 U	19.1	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/5/2010	MW-0610-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0610-S1	10/28/2010	MW-0610-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2011	MW-0610-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0610-S1	10/18/2011	MW-0610-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/31/2012	MW-0610-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/16/2013	MW-0610-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2014	MW-0610-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/25/2014	MW-0610-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.0 J	< 2.0 U
MW-0610-S1	3/31/2015	MW-0610-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0612-S1	11/9/2006	MW-0612-S1 (110906)	Low-Flow	< 5.0 U	130	< 5.0 U	43	3,300	2.4
MW-0612-S1	3/7/2007	FD-1-MG (030707)	Low-Flow	< 5.0 U	132	< 5.0 U	38.6	3,760	3.1
MW-0612-S1	3/7/2007	MW-0612-S1 (030707)	Low-Flow	< 5.0 U	161	< 5.0 U	38.9	3,950	< 2.0 U
MW-0612-S1	6/25/2009	MW-0612-S1 (062509)	Low-Flow	< 50 U	207	< 50 U	< 50 U	4,370	< 20 U
MW-0612-S1	4/19/2012	MW-0612-S1 (041912)-PDB	Low-Flow	< 5.0 U	223	< 5.0 U	44.9	4,750 D	15.1
MW-0612-S1	10/31/2012	FD-2(103112)PDB-WK	PDB	< 5.0 U	850 D	< 5.0 U	141	675 D	< 2.0 U
MW-0612-S1	10/31/2012	MW-0612-S1(103112)PDB	PDB	< 5.0 U	275	< 5.0 U	48.5	5,440 D	24.5
MW-0612-S1	10/31/2012	MW-0612-S1(103112)LF	Low-Flow	< 5.0 U	185	< 5.0 U	45.8	2,490 D	11.8
MW-0612-S1	4/2/2013	MW-0612-S1 (040213) PDB	PDB	< 5.0 U	191	< 5.0 U	41	3,720 EJ	9.3
MW-0612-S1	10/16/2013	MW-0612-S1(101613)	PDB	< 5.0 U	242	< 5.0 U	49.1	3,220 D	12.4
MW-0612-S1	5/13/2014	MW-0612-S1(051314)	PDB	< 5.0 U	248 D	< 5.0 U	46.2	3,400 D	13.2
MW-0612-S1	9/25/2014	MW-0612-S1(092514)PDB	PDB	< 5.0 U	251	< 5.0 U	43.2	3,190 DJ	13.7
MW-0612-S1	3/31/2015	MW-0612-S1(033115)-PDB	PDB	0.65 J	292	< 5.0 U	49.6	3,870 D	11.6
MW-0613-S1	11/10/2006	MW-0613-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	11/12/2008	MW-0613-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/5/2010	MW-0613-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0613-S1	10/28/2010	MW-0613-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2011	MW-0613-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0613-S1	10/18/2011	MW-0613-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/31/2012	MW-0613-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.2 UB	< 2.0 U

Table 3. Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria, Former GM Delco Plant 5, Kokomo, Indiana.

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0613-S1	4/2/2013	MW-0613-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	24.0 J	< 2.0 U
MW-0613-S1	10/16/2013	MW-0613-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2014	MW-0613-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/25/2014	MW-0613-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.9 J	< 2.0 U
MW-0613-S1	3/31/2015	MW-0613-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/7/2007	MW-0617-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	48.1	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	11/12/2008	MW-0617-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	18.3	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	12/29/2008	MW-0617-S1 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/31/2012	MW-0617-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/16/2013	MW-0617-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	5/13/2014	MW-0617-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/25/2014	MW-0617-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/31/2015	MW-0617-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 2.0 U
MW-0618-S1	11/13/2006	MW-0618-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/12/2008	MW-0618-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/31/2012	MW-0618-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0618-S1	4/2/2013	MW-0618-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.2 J	< 2.0 U
MW-0618-S1	10/16/2013	MW-0618-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	5/13/2014	MW-0618-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/31/2015	MW-0618-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 5.0 U	< 2.0 U
MW-0704-S1	11/13/2008	MW-0704-S1 (111308)	Low-Flow	< 5.0 U	408	< 5.0 U	71.8	1,370	< 2.0 U
MW-0704-S1	6/25/2009	MW-0704-S1 (062509)	Low-Flow	< 5 U	571	< 5 U	103	1,200	5.6
MW-0704-S1	10/31/2012	MW-0704-S1(103112)PDB	PDB	< 5.0 U	635 D	< 5.0 U	81.3	1,640 D	2.9
MW-0704-S1	4/2/2013	MW-0704-S1 (040213) PDB	PDB	< 5.0 U	714 D	< 5.0 U	96.1	2,000 D	2.6
MW-0704-S1	10/16/2013	MW-0704-S1(101613)	PDB	< 5.0 U	628 D	< 5.0 U	99.5	1,830 D	4.5
MW-0704-S1	5/13/2014	MW-0704-S1(051314)	PDB	< 25.0 U	606	< 25.0 U	77.4	2,080 D	< 10.0 U
MW-0704-S1	9/25/2014	MW-0704-S1(092514)PDB	PDB	3.1 J	704 D	< 5.0 U	109	3,240 DJ	5.1
MW-0704-S1	3/31/2015	MW-0704-S1(033115)-PDB	PDB	2.8 J	740	< 25.0 U	101	2,640 D	3.7 J
MW-0705-S1	11/13/2008	MW-0705-S1 (111308)	Low-Flow	< 5.0 U	37.2	< 5.0 U	9.4	187	< 2.0 U
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-PDB	PDB	< 5 U	34	< 5 U	9	86.3	4.8
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-LF	Low-Flow	< 5 U	50	< 5 U	14.9	178	5.1
MW-0705-S1	10/31/2012	MW-0705-S1(103112)PDB	PDB	< 5.0 U	39.8	< 5.0 U	9.4	146	4.2
MW-0705-S1	4/2/2013	MW-0705-S1 (040213) PDB	PDB	< 5.0 U	46.8	< 5.0 U	13.7	177	4.1
MW-0705-S1	10/16/2013	MW-0705-S1(101613)	PDB	< 5.0 U	50.3	< 5.0 U	11.9	185	3.9
MW-0705-S1	5/13/2014	MW-0705-S1(051314)	PDB	< 5.0 U	42.1	< 5.0 U	10.7	131	4.2
MW-0705-S1	9/25/2014	MW-0705-S1(092514)PDB	PDB	< 5.0 U	40.6	< 5.0 U	9.3	115	3.1
MW-0705-S1	3/31/2015	MW-0705-S1(033115)-PDB	PDB	< 5.0 U	47.9	< 5.0 U	12.1	148	3.6
Commercial/Industrial				77,160	57,760	61,980	32,800	2,150	1,810
Residential				55,120	41,260	44,270	23,430	1,540	540

Notes:

Results are reported in micrograms per liter (µg/L)

The data are screened against site-specific Groundwater Vapor Intrusion Screening Criteria for residential and commercial/industrial values

Results exceeding the residential standards are bold

Results exceeding the comercial/industrial standards are bold and shaded gray

LF - Low Flow Sampling Technique

PDB - Passive Diffusion Bag Sampling Technique

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit

D - Concentration is based on a diluted sample analysis

J - The compound was positively identified; however, the associated numerical value is an estimated concentration only

UJ - The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation

UB - Compound considered non-detect at the listed value due to associated blank contamination

Table 4. Indoor Air, Crawl Space, and Sub-Slab Analytical Results for 1700 N. Washington Street

		1700 N. Washington St															
Sampler Location Sample ID Date Collected		1st Floor IA-3 (031414) 3/14/2014		Crawl Space CS-3 (031414) 3/14/2014		Crawl Space Dup-1 (031414) 3/14/2014		Sub-Slab SS-3 (031414) 3/14/2014		Sub-Slab Dup-2 (031414) 3/14/2014		Crawl Space CS-3-M-1 (091814) 9/18/2014		1st Floor IA-4-M2 (033115) 3/31/2015		1st Floor DUP-1 (033115) 3/31/2015	
Chemicals of Concern*	Units	Result	Screening Level	Result	Screening Level	Result	Screening Level	Result	Screening Level †	Result	Screening Level †	Result	Screening Level	Result	Screening Level	Result	Screening Level
1,1-Dichloroethene	µg/m ³	0.033 J	210	0.064 J	210	0.060 J	210	< 4.7 U	7,000	< 5.5 U	7,000	< 0.069	210	< 0.090 U	210	< 0.063 U	210
cis-1,2-Dichloroethene	µg/m ³	4.6	NL	7.9	NL	7.6	NL	2.4 J	NL	2.7 J	NL	1.2	NL	< 0.18 UB	NL	< 0.13 UB	NL
Tetrachloroethene	µg/m ³	23	42	39	42	39	42	250	1,400	330	1,400	6	42	0.25 J	42	0.24	42
trans-1,2-Dichloroethene	µg/m ³	0.16 J	63	0.29 J	63	0.26 J	63	< 4.7 U	2,100	< 5.5 U	2,100	0.081 J	63	< 0.90 UB	63	< 0.63 UB	63
Trichloroethene	µg/m ³	5.9	2.1	10	2.1	10	2.1	79	70	110	70	1.4	2.1	< 0.24 UB	2.1	< 0.17 UB	2.1
Vinyl chloride	µg/m ³	0.3	1.6	0.45	1.6	0.43	1.6	< 3.0 U	53	< 3.6 U	53	0.14	1.6	< 0.058 U	1.6	< 0.041 U	1.6

Notes:

* - Analytical Method: Modified United States Environmental Protection Agency (USEPA) Method TO-15 gas chromatography/mass spectrometry (GC/MS) selected ion monitoring (SIM) for Indoor Air and Crawl Space Samples using 6 L Summa canisters and Modified USEPA Method TO-15 GC/MS for Sub-Slab Samples using 1 L Summa canisters

µg/m³ - micrograms per cubic meter

Concentrations in **bold** type exceed screening criteria

J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.


U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit

NL - No screening criteria calculated

Dup - Duplicate Sample


Note: Screening levels are the USEPA "Regional Screening Levels" for residential indoor air, crawl space, or sub-slab soil gas. Screening levels are protective for an individual exposed to the chemical for 24 hours per day for 30 years.


† - Sub-slab screening criteria are based on the default attenuation factor of 0.03



RACER TRUST
FORMER GM DELCO PLANT 5
KOKOMO, INDIANA
SEMI-ANNUAL DATA REPORT - FIRST HALF 2015

GROUNDWATER VOLATILE ORGANIC
COMPOUND ANALYTICAL RESULTS
SCREENED WITH MCLs





Appendix A

Groundwater Analytical Reports, Soil
Gas Analytical Reports and Data
Validation Report
(Provided on CD)

April 15, 2015

Mr. Matt Griles
Arcadis U.S., Inc.
132 E. Washington
Suite 600
Indianapolis, IN 46204

RE: Project: Racer Kokomo
Pace Project No.: 50115663

Dear Mr. Griles:

Enclosed are the analytical results for sample(s) received by the laboratory on March 31, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Donna Spyker
donna.spyker@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: Racer Kokomo

Pace Project No.: 50115663

Indiana Certification IDs

7726 Moller Road, Indianapolis, IN 46268

Illinois Certification #: 200074

Indiana Certification #: C-49-06

Kansas Certification #: E-10177/ E-10247

Kentucky UST Certification #: 0042

Kentucky WW Certification #: 98019

Louisiana/NELAP Certification #: 04076

Ohio VAP Certification #: CL-0065

Oklahoma Certification #: 2014-148

Pennsylvania Certification #: 68-05340

Texas Certification #: T104704355-15-8

West Virginia Certification #: 330

Wisconsin Certification #: 999788130

USDA Soil Permit #: P330-10-00128

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: Racer Kokomo

Pace Project No.: 50115663

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50115663001	TB-1(033115)-AO	Water	03/31/15 08:00	03/31/15 17:29
50115663002	MW-0618-S1(033115)-PDB	Water	03/31/15 11:25	03/31/15 17:29
50115663003	MW-0613-S1(033115)-PDB	Water	03/31/15 11:35	03/31/15 17:29
50115663004	EB-2(033115)-AO-PDB	Water	03/31/15 11:35	03/31/15 17:29
50115663005	MW-0607-S1(033115)-PDB	Water	03/31/15 11:45	03/31/15 17:29
50115663006	MW-0608-S1(033115)-PDB	Water	03/31/15 11:55	03/31/15 17:29
50115663007	MW-0610-S1(033115)-PDB	Water	03/31/15 12:00	03/31/15 17:29
50115663008	MW-0612-S1(033115)-PDB	Water	03/31/15 12:20	03/31/15 17:29
50115663009	MW-0705-S1(033115)-PDB	Water	03/31/15 12:30	03/31/15 17:29
50115663010	MW-0704-S1(033115)-PDB	Water	03/31/15 12:40	03/31/15 17:29
50115663011	MW-0606-S1(033115)-PDB	Water	03/31/15 12:50	03/31/15 17:29
50115663012	MW-0509-S1(033115)-PDB	Water	03/31/15 13:00	03/31/15 17:29
50115663013	MW-0103-S1U(033115)-PDB	Water	03/31/15 13:10	03/31/15 17:29
50115663014	MW-0501-S1(033115)-PDB	Water	03/31/15 13:20	03/31/15 17:29
50115663015	MW-0623-S1(033115)-PDB	Water	03/31/15 13:30	03/31/15 17:29
50115663016	MW-0622-S1(033115)-PDB	Water	03/31/15 13:40	03/31/15 17:29
50115663017	MW-0620-S1(033115)-PDB	Water	03/31/15 13:50	03/31/15 17:29
50115663018	MW-0619-S1(033115)-PDB	Water	03/31/15 14:00	03/31/15 17:29
50115663019	MW-0605-S1(033115)-PDB	Water	03/31/15 14:10	03/31/15 17:29
50115663020	MW-0621-S1(033115)-PDB	Water	03/31/15 14:20	03/31/15 17:29
50115663021	MW-0502-S1(033115)-PDB	Water	03/31/15 14:30	03/31/15 17:29
50115663022	MW-0101-S1U(033115)-PDB	Water	03/31/15 14:40	03/31/15 17:29
50115663023	FD-2(033115)-AO-PDB	Water	03/31/15 08:00	03/31/15 17:29
50115663024	MW-0517-S1(033115)-PDB	Water	03/31/15 14:50	03/31/15 17:29
50115663025	MW-0604-S1(033115)-PDB	Water	03/31/15 15:00	03/31/15 17:29
50115663026	MW-0503-S1(033115)-PDB	Water	03/31/15 15:10	03/31/15 17:29
50115663027	MW-0507-S1(033115)-PDB	Water	03/31/15 15:20	03/31/15 17:29
50115663028	MW-0617-S1(033115)-PDB	Water	03/31/15 15:30	03/31/15 17:29
50115663029	MW-0506-S1(033115)-PDB	Water	03/31/15 15:40	03/31/15 17:29
50115663030	MW-0504-S1(033115)-PDB	Water	03/31/15 15:50	03/31/15 17:29
50115663031	EB-1(033115)-AO-PDB	Water	03/31/15 15:50	03/31/15 17:29
50115663032	MW-0505-S1(033115)-PDB	Water	03/31/15 16:00	03/31/15 17:29
50115663033	MW-0102-S1U(033115)-PDB	Water	03/31/15 16:10	03/31/15 17:29
50115663034	MW-0516-S1(033115)-PDB	Water	03/31/15 16:20	03/31/15 17:29
50115663035	FD-1(033115)-AO-PDB	Water	03/31/15 08:00	03/31/15 17:29
50115663036	MW-0603-S1(033115)-AO-PDB	Water	03/31/15 16:30	03/31/15 17:29

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: Racer Kokomo

Pace Project No.: 50115663

Lab ID	Sample ID	Method	Analysts	Analytes Reported
50115663001	TB-1(033115)-AO	EPA 8260	RSW	51
50115663002	MW-0618-S1(033115)-PDB	EPA 8260	RSW	51
50115663003	MW-0613-S1(033115)-PDB	EPA 8260	RSW	51
50115663004	EB-2(033115)-AO-PDB	EPA 8260	RSW	51
50115663005	MW-0607-S1(033115)-PDB	EPA 8260	RSW	51
50115663006	MW-0608-S1(033115)-PDB	EPA 8260	RSW	51
50115663007	MW-0610-S1(033115)-PDB	EPA 8260	RSW	51
50115663008	MW-0612-S1(033115)-PDB	EPA 8260	RSW	51
50115663009	MW-0705-S1(033115)-PDB	EPA 8260	RSW	51
50115663010	MW-0704-S1(033115)-PDB	EPA 8260	RSW	51
50115663011	MW-0606-S1(033115)-PDB	EPA 8260	RSW	51
50115663012	MW-0509-S1(033115)-PDB	EPA 8260	RSW	51
50115663013	MW-0103-S1U(033115)-PDB	EPA 8260	RSW	51
50115663014	MW-0501-S1(033115)-PDB	EPA 8260	RSW	51
50115663015	MW-0623-S1(033115)-PDB	EPA 8260	RSW	51
50115663016	MW-0622-S1(033115)-PDB	EPA 8260	RSW	51
50115663017	MW-0620-S1(033115)-PDB	EPA 8260	RSW	51
50115663018	MW-0619-S1(033115)-PDB	EPA 8260	RSW	51
50115663019	MW-0605-S1(033115)-PDB	EPA 8260	RSW	51
50115663020	MW-0621-S1(033115)-PDB	EPA 8260	RSW	51
50115663021	MW-0502-S1(033115)-PDB	EPA 8260	RSW	51
50115663022	MW-0101-S1U(033115)-PDB	EPA 8260	RSW	51
50115663023	FD-2(033115)-AO-PDB	EPA 8260	RSW	51
50115663024	MW-0517-S1(033115)-PDB	EPA 8260	RSW	51
50115663025	MW-0604-S1(033115)-PDB	EPA 8260	RSW	51
50115663026	MW-0503-S1(033115)-PDB	EPA 8260	RSW	51
50115663027	MW-0507-S1(033115)-PDB	EPA 8260	RSW	51
50115663028	MW-0617-S1(033115)-PDB	EPA 8260	RSW	51
50115663029	MW-0506-S1(033115)-PDB	EPA 8260	RSW	51
50115663030	MW-0504-S1(033115)-PDB	EPA 8260	RSW	51
50115663031	EB-1(033115)-AO-PDB	EPA 8260	RSW	51
50115663032	MW-0505-S1(033115)-PDB	EPA 8260	RSW	51
50115663033	MW-0102-S1U(033115)-PDB	EPA 8260	RSW	51
50115663034	MW-0516-S1(033115)-PDB	EPA 8260	RSW	51
50115663035	FD-1(033115)-AO-PDB	EPA 8260	RSW	51
50115663036	MW-0603-S1(033115)-AO-PDB	EPA 8260	RSW	51

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: TB-1(033115)-AO		Lab ID: 50115663001	Collected: 03/31/15 08:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/11/15 01:03	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 01:03	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 01:03	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 01:03	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 01:03	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 01:03	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 01:03	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 01:03	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 01:03	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 01:03	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 01:03	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 01:03	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 01:03	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 01:03	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 01:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 01:03	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:03	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 01:03	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 01:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 01:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 01:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 01:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 01:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 01:03	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 01:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 01:03	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 01:03	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 01:03	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 01:03	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 01:03	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 01:03	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 01:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 01:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 01:03	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 01:03	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 01:03	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 01:03	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 01:03	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 01:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 01:03	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/11/15 01:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 01:03	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 01:03	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 01:03	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: TB-1(033115)-AO		Lab ID: 50115663001	Collected: 03/31/15 08:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Xylene (Total)	ND	ug/L	10.0	1		04/11/15 01:03	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	107	%.	79-116	1		04/11/15 01:03	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	80-114	1		04/11/15 01:03	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		04/11/15 01:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0618-S1(033115)-PDB		Lab ID: 50115663002	Collected: 03/31/15 11:25	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	7.2J	ug/L	100	1		04/11/15 01:37	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 01:37	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 01:37	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 01:37	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 01:37	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 01:37	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 01:37	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 01:37	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 01:37	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 01:37	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 01:37	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 01:37	74-87-3	
Cyclohexane	0.49J	ug/L	100	1		04/11/15 01:37	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 01:37	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 01:37	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 01:37	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:37	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:37	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:37	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 01:37	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 01:37	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 01:37	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 01:37	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 01:37	156-59-2	
trans-1,2-Dichloroethene	0.29J	ug/L	5.0	1		04/11/15 01:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 01:37	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 01:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 01:37	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 01:37	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 01:37	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 01:37	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 01:37	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 01:37	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 01:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 01:37	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 01:37	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 01:37	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 01:37	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 01:37	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 01:37	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:37	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 01:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 01:37	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/11/15 01:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 01:37	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 01:37	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 01:37	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0618-S1(033115)-PDB		Lab ID: 50115663002		Collected: 03/31/15 11:25		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 01:37	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		110	%.	79-116	1		04/11/15 01:37	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	80-114	1		04/11/15 01:37	460-00-4	
Toluene-d8 (S)		97	%.	81-110	1		04/11/15 01:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0613-S1(033115)-PDB		Lab ID: 50115663003	Collected: 03/31/15 11:35	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	5.1J	ug/L	100	1		04/11/15 02:44	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 02:44	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 02:44	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 02:44	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 02:44	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 02:44	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 02:44	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 02:44	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 02:44	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 02:44	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 02:44	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 02:44	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 02:44	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 02:44	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 02:44	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 02:44	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 02:44	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 02:44	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 02:44	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 02:44	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 02:44	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 02:44	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 02:44	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 02:44	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 02:44	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 02:44	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 02:44	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 02:44	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 02:44	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 02:44	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 02:44	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 02:44	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 02:44	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 02:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 02:44	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 02:44	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 02:44	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 02:44	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 02:44	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 02:44	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 02:44	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 02:44	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 02:44	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/11/15 02:44	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 02:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 02:44	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 02:44	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0613-S1(033115)-PDB		Lab ID: 50115663003		Collected: 03/31/15 11:35		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 02:44	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		107	%.	79-116	1		04/11/15 02:44	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	80-114	1		04/11/15 02:44	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 02:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: EB-2(033115)-AO-PDB		Lab ID: 50115663004	Collected: 03/31/15 11:35	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	5.1J	ug/L	100	1		04/11/15 03:51	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 03:51	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 03:51	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 03:51	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 03:51	74-83-9	
2-Butanone (MEK)	5.6J	ug/L	25.0	1		04/11/15 03:51	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 03:51	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 03:51	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 03:51	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 03:51	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 03:51	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 03:51	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 03:51	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 03:51	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 03:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 03:51	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 03:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 03:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 03:51	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 03:51	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 03:51	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 03:51	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 03:51	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 03:51	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 03:51	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 03:51	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 03:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 03:51	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 03:51	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 03:51	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 03:51	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 03:51	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 03:51	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 03:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 03:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 03:51	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 03:51	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 03:51	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 03:51	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 03:51	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 03:51	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 03:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 03:51	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/11/15 03:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 03:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 03:51	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 03:51	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: EB-2(033115)-AO-PDB		Lab ID: 50115663004		Collected: 03/31/15 11:35		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 03:51	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		110	%.	79-116	1		04/11/15 03:51	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	80-114	1		04/11/15 03:51	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/11/15 03:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0607-S1(033115)-PDB		Lab ID: 50115663005	Collected: 03/31/15 11:45	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	4.8J	ug/L	100	1		04/11/15 08:55	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 08:55	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 08:55	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 08:55	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 08:55	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 08:55	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 08:55	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 08:55	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 08:55	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 08:55	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 08:55	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 08:55	74-87-3	
Cyclohexane	0.23J	ug/L	100	1		04/11/15 08:55	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 08:55	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 08:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 08:55	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 08:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 08:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 08:55	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 08:55	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 08:55	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 08:55	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 08:55	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 08:55	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 08:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 08:55	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 08:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 08:55	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 08:55	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 08:55	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 08:55	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 08:55	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 08:55	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 08:55	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 08:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 08:55	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 08:55	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 08:55	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 08:55	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 08:55	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 08:55	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 08:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 08:55	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/11/15 08:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 08:55	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 08:55	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 08:55	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0607-S1(033115)-PDB		Lab ID: 50115663005	Collected: 03/31/15 11:45	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Xylene (Total)	ND	ug/L	10.0	1		04/11/15 08:55	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	109	%.	79-116	1		04/11/15 08:55	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	80-114	1		04/11/15 08:55	460-00-4	
Toluene-d8 (S)	97	%.	81-110	1		04/11/15 08:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0608-S1(033115)-PDB		Lab ID: 50115663006	Collected: 03/31/15 11:55	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	7.0J	ug/L	100	1		04/11/15 09:28	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 09:28	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 09:28	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 09:28	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 09:28	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 09:28	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 09:28	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 09:28	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 09:28	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 09:28	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 09:28	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 09:28	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 09:28	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 09:28	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 09:28	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 09:28	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 09:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 09:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 09:28	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 09:28	75-71-8	
1,1-Dichloroethane	1.4J	ug/L	5.0	1		04/11/15 09:28	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 09:28	107-06-2	
1,1-Dichloroethene	0.33J	ug/L	5.0	1		04/11/15 09:28	75-35-4	
cis-1,2-Dichloroethene	144	ug/L	5.0	1		04/11/15 09:28	156-59-2	
trans-1,2-Dichloroethene	13.1	ug/L	5.0	1		04/11/15 09:28	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 09:28	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 09:28	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 09:28	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 09:28	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 09:28	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 09:28	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 09:28	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 09:28	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 09:28	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 09:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 09:28	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 09:28	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 09:28	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 09:28	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 09:28	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 09:28	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 09:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 09:28	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/11/15 09:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 09:28	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 09:28	76-13-1	
Vinyl chloride	4.0	ug/L	2.0	1		04/11/15 09:28	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0608-S1(033115)-PDB		Lab ID: 50115663006		Collected: 03/31/15 11:55		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 09:28	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		109	%.	79-116	1		04/11/15 09:28	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	80-114	1		04/11/15 09:28	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 09:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0610-S1(033115)-PDB		Lab ID: 50115663007	Collected: 03/31/15 12:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	6.1J	ug/L	100	1		04/11/15 10:02	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 10:02	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 10:02	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 10:02	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 10:02	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 10:02	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 10:02	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 10:02	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 10:02	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 10:02	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 10:02	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 10:02	74-87-3	
Cyclohexane	0.43J	ug/L	100	1		04/11/15 10:02	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 10:02	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 10:02	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 10:02	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:02	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:02	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:02	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 10:02	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 10:02	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 10:02	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 10:02	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 10:02	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 10:02	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 10:02	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 10:02	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 10:02	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 10:02	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 10:02	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 10:02	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 10:02	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 10:02	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 10:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 10:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 10:02	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 10:02	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 10:02	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 10:02	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 10:02	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:02	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 10:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 10:02	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/11/15 10:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 10:02	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 10:02	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 10:02	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0610-S1(033115)-PDB		Lab ID: 50115663007		Collected: 03/31/15 12:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 10:02	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		113	%.	79-116	1		04/11/15 10:02	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	80-114	1		04/11/15 10:02	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/11/15 10:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0612-S1(033115)-PDB		Lab ID: 50115663008	Collected: 03/31/15 12:20	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	6.4J	ug/L	100	1		04/11/15 10:35	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 10:35	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 10:35	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 10:35	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 10:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 10:35	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 10:35	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 10:35	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 10:35	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 10:35	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 10:35	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 10:35	74-87-3	
Cyclohexane	0.32J	ug/L	100	1		04/11/15 10:35	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 10:35	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 10:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 10:35	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:35	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 10:35	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 10:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 10:35	107-06-2	
1,1-Dichloroethene	0.65J	ug/L	5.0	1		04/11/15 10:35	75-35-4	
cis-1,2-Dichloroethene	292	ug/L	5.0	1		04/11/15 10:35	156-59-2	
trans-1,2-Dichloroethene	49.6	ug/L	5.0	1		04/11/15 10:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 10:35	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 10:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 10:35	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 10:35	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 10:35	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 10:35	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 10:35	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 10:35	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 10:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 10:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 10:35	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 10:35	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 10:35	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 10:35	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 10:35	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 10:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 10:35	79-00-5	
Trichloroethene	3870	ug/L	125	25		04/11/15 11:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 10:35	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 10:35	76-13-1	
Vinyl chloride	11.6	ug/L	2.0	1		04/11/15 10:35	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0612-S1(033115)-PDB		Lab ID: 50115663008	Collected: 03/31/15 12:20	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Xylene (Total)	ND	ug/L	10.0	1		04/11/15 10:35	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	79-116	1		04/11/15 10:35	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	80-114	1		04/11/15 10:35	460-00-4	
Toluene-d8 (S)	97	%.	81-110	1		04/11/15 10:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0705-S1(033115)-PDB		Lab ID: 50115663009	Collected: 03/31/15 12:30	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	4.9J	ug/L	100	1		04/11/15 11:42	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 11:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 11:42	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 11:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 11:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 11:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 11:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 11:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 11:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 11:42	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 11:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 11:42	74-87-3	
Cyclohexane	0.25J	ug/L	100	1		04/11/15 11:42	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 11:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 11:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 11:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 11:42	75-71-8	
1,1-Dichloroethane	0.80J	ug/L	5.0	1		04/11/15 11:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 11:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 11:42	75-35-4	
cis-1,2-Dichloroethene	47.9	ug/L	5.0	1		04/11/15 11:42	156-59-2	
trans-1,2-Dichloroethene	12.1	ug/L	5.0	1		04/11/15 11:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 11:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 11:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 11:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 11:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 11:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 11:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 11:42	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 11:42	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 11:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 11:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 11:42	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 11:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 11:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 11:42	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 11:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 11:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 11:42	79-00-5	
Trichloroethene	148	ug/L	5.0	1		04/11/15 11:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 11:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 11:42	76-13-1	
Vinyl chloride	3.6	ug/L	2.0	1		04/11/15 11:42	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0705-S1(033115)-PDB		Lab ID: 50115663009		Collected: 03/31/15 12:30		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 11:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	79-116	1		04/11/15 11:42	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	80-114	1		04/11/15 11:42	460-00-4	
Toluene-d8 (S)		97	%.	81-110	1		04/11/15 11:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0704-S1(033115)-PDB		Lab ID: 50115663010	Collected: 03/31/15 12:40	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	500	5		04/11/15 12:15	67-64-1	
Benzene	ND	ug/L	25.0	5		04/11/15 12:15	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		04/11/15 12:15	75-27-4	
Bromoform	ND	ug/L	25.0	5		04/11/15 12:15	75-25-2	
Bromomethane	ND	ug/L	25.0	5		04/11/15 12:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		04/11/15 12:15	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		04/11/15 12:15	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		04/11/15 12:15	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		04/11/15 12:15	108-90-7	
Chloroethane	ND	ug/L	25.0	5		04/11/15 12:15	75-00-3	
Chloroform	ND	ug/L	25.0	5		04/11/15 12:15	67-66-3	
Chloromethane	ND	ug/L	25.0	5		04/11/15 12:15	74-87-3	
Cyclohexane	ND	ug/L	500	5		04/11/15 12:15	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/11/15 12:15	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		04/11/15 12:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/11/15 12:15	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 12:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 12:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 12:15	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/11/15 12:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		04/11/15 12:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		04/11/15 12:15	107-06-2	
1,1-Dichloroethene	2.8J	ug/L	25.0	5		04/11/15 12:15	75-35-4	
cis-1,2-Dichloroethene	740	ug/L	25.0	5		04/11/15 12:15	156-59-2	
trans-1,2-Dichloroethene	101	ug/L	25.0	5		04/11/15 12:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		04/11/15 12:15	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/11/15 12:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/11/15 12:15	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		04/11/15 12:15	100-41-4	
2-Hexanone	ND	ug/L	125	5		04/11/15 12:15	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/11/15 12:15	98-82-8	
Methyl acetate	ND	ug/L	250	5		04/11/15 12:15	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5		04/11/15 12:15	108-87-2	N2
Methylene Chloride	3.3J	ug/L	25.0	5		04/11/15 12:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/11/15 12:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/11/15 12:15	1634-04-4	
Styrene	ND	ug/L	25.0	5		04/11/15 12:15	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/11/15 12:15	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		04/11/15 12:15	127-18-4	
Toluene	ND	ug/L	25.0	5		04/11/15 12:15	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/11/15 12:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/11/15 12:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/11/15 12:15	79-00-5	
Trichloroethene	2640	ug/L	250	50		04/11/15 12:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		04/11/15 12:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/11/15 12:15	76-13-1	
Vinyl chloride	3.7J	ug/L	10.0	5		04/11/15 12:15	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0704-S1(033115)-PDB		Lab ID: 50115663010		Collected: 03/31/15 12:40		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		04/11/15 12:15	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	79-116	5		04/11/15 12:15	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	80-114	5		04/11/15 12:15	460-00-4	
Toluene-d8 (S)		100	%.	81-110	5		04/11/15 12:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0606-S1(033115)-PDB		Lab ID: 50115663011	Collected: 03/31/15 12:50	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	1000	10		04/10/15 19:41	67-64-1	
Benzene	ND	ug/L	50.0	10		04/10/15 19:41	71-43-2	
Bromodichloromethane	ND	ug/L	50.0	10		04/10/15 19:41	75-27-4	
Bromoform	ND	ug/L	50.0	10		04/10/15 19:41	75-25-2	
Bromomethane	ND	ug/L	50.0	10		04/10/15 19:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	10		04/10/15 19:41	78-93-3	
Carbon disulfide	ND	ug/L	100	10		04/10/15 19:41	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	10		04/10/15 19:41	56-23-5	
Chlorobenzene	ND	ug/L	50.0	10		04/10/15 19:41	108-90-7	
Chloroethane	ND	ug/L	50.0	10		04/10/15 19:41	75-00-3	
Chloroform	ND	ug/L	50.0	10		04/10/15 19:41	67-66-3	
Chloromethane	ND	ug/L	50.0	10		04/10/15 19:41	74-87-3	
Cyclohexane	ND	ug/L	1000	10		04/10/15 19:41	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	100	10		04/10/15 19:41	96-12-8	
Dibromochloromethane	ND	ug/L	50.0	10		04/10/15 19:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	10		04/10/15 19:41	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	50.0	10		04/10/15 19:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	10		04/10/15 19:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	10		04/10/15 19:41	106-46-7	
Dichlorodifluoromethane	ND	ug/L	50.0	10		04/10/15 19:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	10		04/10/15 19:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	10		04/10/15 19:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	10		04/10/15 19:41	75-35-4	
cis-1,2-Dichloroethene	428	ug/L	50.0	10		04/10/15 19:41	156-59-2	
trans-1,2-Dichloroethene	94.6	ug/L	50.0	10		04/10/15 19:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	10		04/10/15 19:41	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	50.0	10		04/10/15 19:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	10		04/10/15 19:41	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	10		04/10/15 19:41	100-41-4	
2-Hexanone	ND	ug/L	250	10		04/10/15 19:41	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	10		04/10/15 19:41	98-82-8	
Methyl acetate	ND	ug/L	500	10		04/10/15 19:41	79-20-9	N2
Methylcyclohexane	ND	ug/L	500	10		04/10/15 19:41	108-87-2	N2
Methylene Chloride	ND	ug/L	50.0	10		04/10/15 19:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	10		04/10/15 19:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	10		04/10/15 19:41	1634-04-4	
Styrene	ND	ug/L	50.0	10		04/10/15 19:41	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	10		04/10/15 19:41	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	10		04/10/15 19:41	127-18-4	
Toluene	ND	ug/L	50.0	10		04/10/15 19:41	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	10		04/10/15 19:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	10		04/10/15 19:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	10		04/10/15 19:41	79-00-5	
Trichloroethene	3030	ug/L	250	50		04/10/15 20:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	10		04/10/15 19:41	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	50.0	10		04/10/15 19:41	76-13-1	
Vinyl chloride	ND	ug/L	20.0	10		04/10/15 19:41	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0606-S1(033115)-PDB		Lab ID: 50115663011		Collected: 03/31/15 12:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	100	10		04/10/15 19:41	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	79-116	10		04/10/15 19:41	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	80-114	10		04/10/15 19:41	460-00-4	
Toluene-d8 (S)		96	%.	81-110	10		04/10/15 19:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0509-S1(033115)-PDB		Lab ID: 50115663012	Collected: 03/31/15 13:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	7.6J	ug/L	100	1		04/11/15 13:23	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 13:23	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 13:23	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 13:23	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 13:23	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 13:23	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 13:23	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 13:23	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 13:23	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 13:23	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 13:23	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 13:23	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 13:23	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 13:23	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 13:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 13:23	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 13:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 13:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 13:23	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 13:23	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 13:23	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 13:23	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 13:23	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 13:23	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 13:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 13:23	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 13:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 13:23	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 13:23	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 13:23	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 13:23	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 13:23	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 13:23	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 13:23	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 13:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 13:23	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 13:23	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 13:23	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 13:23	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 13:23	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 13:23	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 13:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 13:23	79-00-5	
Trichloroethene	0.56J	ug/L	5.0	1		04/11/15 13:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 13:23	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 13:23	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 13:23	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0509-S1(033115)-PDB		Lab ID: 50115663012		Collected: 03/31/15 13:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 13:23	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		110	%.	79-116	1		04/11/15 13:23	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	80-114	1		04/11/15 13:23	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/11/15 13:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0103-S1U(033115)-PDB Lab ID: 50115663013 Collected: 03/31/15 13:10 Received: 03/31/15 17:29 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	6.7J	ug/L	100	1		04/12/15 16:38	67-64-1	
Benzene	ND	ug/L	5.0	1		04/12/15 16:38	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/12/15 16:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/12/15 16:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/12/15 16:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/12/15 16:38	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/12/15 16:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/12/15 16:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/12/15 16:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/12/15 16:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/12/15 16:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/12/15 16:38	74-87-3	
Cyclohexane	0.39J	ug/L	100	1		04/12/15 16:38	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/12/15 16:38	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/12/15 16:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/12/15 16:38	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:38	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/12/15 16:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/12/15 16:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/12/15 16:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/12/15 16:38	75-35-4	
cis-1,2-Dichloroethene	4.1J	ug/L	5.0	1		04/12/15 16:38	156-59-2	
trans-1,2-Dichloroethene	0.31J	ug/L	5.0	1		04/12/15 16:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/12/15 16:38	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/12/15 16:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/12/15 16:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/12/15 16:38	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/12/15 16:38	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/12/15 16:38	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/12/15 16:38	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/12/15 16:38	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/12/15 16:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/12/15 16:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/12/15 16:38	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/12/15 16:38	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/12/15 16:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/12/15 16:38	127-18-4	
Toluene	ND	ug/L	5.0	1		04/12/15 16:38	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/12/15 16:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/12/15 16:38	79-00-5	
Trichloroethene	6.7	ug/L	5.0	1		04/12/15 16:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/12/15 16:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/12/15 16:38	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0103-S1U(033115)-PDB		Lab ID: 50115663013	Collected: 03/31/15 13:10	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Vinyl chloride	ND	ug/L	2.0	1		04/12/15 16:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/12/15 16:38	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	98	%.	79-116	1		04/12/15 16:38	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	80-114	1		04/12/15 16:38	460-00-4	
Toluene-d8 (S)	96	%.	81-110	1		04/12/15 16:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0501-S1(033115)-PDB		Lab ID: 50115663014		Collected: 03/31/15 13:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	13.5J	ug/L	100	1			04/11/15 13:56	67-64-1	
Benzene	ND	ug/L	5.0	1			04/11/15 13:56	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/11/15 13:56	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/11/15 13:56	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/11/15 13:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/11/15 13:56	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/11/15 13:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/11/15 13:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/11/15 13:56	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/11/15 13:56	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/11/15 13:56	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/11/15 13:56	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/11/15 13:56	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/11/15 13:56	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/11/15 13:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/11/15 13:56	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 13:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 13:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 13:56	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/11/15 13:56	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/11/15 13:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/11/15 13:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/11/15 13:56	75-35-4	
cis-1,2-Dichloroethene	4.1J	ug/L	5.0	1			04/11/15 13:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			04/11/15 13:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/11/15 13:56	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 13:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 13:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/11/15 13:56	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/11/15 13:56	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/11/15 13:56	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/11/15 13:56	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/11/15 13:56	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/11/15 13:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/11/15 13:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/11/15 13:56	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/11/15 13:56	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/11/15 13:56	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/11/15 13:56	127-18-4	
Toluene	ND	ug/L	5.0	1			04/11/15 13:56	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/11/15 13:56	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/11/15 13:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/11/15 13:56	79-00-5	
Trichloroethene	0.36J	ug/L	5.0	1			04/11/15 13:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/11/15 13:56	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/11/15 13:56	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			04/11/15 13:56	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0501-S1(033115)-PDB		Lab ID: 50115663014		Collected: 03/31/15 13:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 13:56	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		109	%.	79-116	1		04/11/15 13:56	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	80-114	1		04/11/15 13:56	460-00-4	
Toluene-d8 (S)		101	%.	81-110	1		04/11/15 13:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0623-S1(033115)-PDB		Lab ID: 50115663015	Collected: 03/31/15 13:30	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	5.6J	ug/L	100	1		04/12/15 17:12	67-64-1	
Benzene	ND	ug/L	5.0	1		04/12/15 17:12	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/12/15 17:12	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/12/15 17:12	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/12/15 17:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/12/15 17:12	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/12/15 17:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/12/15 17:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/12/15 17:12	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/12/15 17:12	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/12/15 17:12	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/12/15 17:12	74-87-3	
Cyclohexane	0.46J	ug/L	100	1		04/12/15 17:12	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/12/15 17:12	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/12/15 17:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/12/15 17:12	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 17:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 17:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 17:12	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/12/15 17:12	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/12/15 17:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/12/15 17:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/12/15 17:12	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/12/15 17:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/12/15 17:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/12/15 17:12	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/12/15 17:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/12/15 17:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/12/15 17:12	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/12/15 17:12	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/12/15 17:12	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/12/15 17:12	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/12/15 17:12	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/12/15 17:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/12/15 17:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/12/15 17:12	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/12/15 17:12	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/12/15 17:12	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/12/15 17:12	127-18-4	
Toluene	ND	ug/L	5.0	1		04/12/15 17:12	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/12/15 17:12	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/12/15 17:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/12/15 17:12	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/12/15 17:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/12/15 17:12	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/12/15 17:12	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/12/15 17:12	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0623-S1(033115)-PDB		Lab ID: 50115663015		Collected: 03/31/15 13:30		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/12/15 17:12	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		96	%.	79-116	1		04/12/15 17:12	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	80-114	1		04/12/15 17:12	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/12/15 17:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0622-S1(033115)-PDB		Lab ID: 50115663016		Collected: 03/31/15 13:40		Received: 03/31/15 17:29		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV	Analytical Method: EPA 8260								
Acetone	ND	ug/L	2000	20		04/10/15 20:49	67-64-1		
Benzene	ND	ug/L	100	20		04/10/15 20:49	71-43-2		
Bromodichloromethane	ND	ug/L	100	20		04/10/15 20:49	75-27-4		
Bromoform	ND	ug/L	100	20		04/10/15 20:49	75-25-2		
Bromomethane	ND	ug/L	100	20		04/10/15 20:49	74-83-9		
2-Butanone (MEK)	ND	ug/L	500	20		04/10/15 20:49	78-93-3		
Carbon disulfide	ND	ug/L	200	20		04/10/15 20:49	75-15-0		
Carbon tetrachloride	ND	ug/L	100	20		04/10/15 20:49	56-23-5		
Chlorobenzene	ND	ug/L	100	20		04/10/15 20:49	108-90-7		
Chloroethane	ND	ug/L	100	20		04/10/15 20:49	75-00-3		
Chloroform	ND	ug/L	100	20		04/10/15 20:49	67-66-3		
Chloromethane	ND	ug/L	100	20		04/10/15 20:49	74-87-3		
Cyclohexane	ND	ug/L	2000	20		04/10/15 20:49	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	200	20		04/10/15 20:49	96-12-8		
Dibromochloromethane	ND	ug/L	100	20		04/10/15 20:49	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	100	20		04/10/15 20:49	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	100	20		04/10/15 20:49	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	100	20		04/10/15 20:49	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	100	20		04/10/15 20:49	106-46-7		
Dichlorodifluoromethane	ND	ug/L	100	20		04/10/15 20:49	75-71-8		
1,1-Dichloroethane	ND	ug/L	100	20		04/10/15 20:49	75-34-3		
1,2-Dichloroethane	ND	ug/L	100	20		04/10/15 20:49	107-06-2		
1,1-Dichloroethene	ND	ug/L	100	20		04/10/15 20:49	75-35-4		
cis-1,2-Dichloroethene	1790	ug/L	100	20		04/10/15 20:49	156-59-2		
trans-1,2-Dichloroethene	35.8J	ug/L	100	20		04/10/15 20:49	156-60-5		
1,2-Dichloropropane	ND	ug/L	100	20		04/10/15 20:49	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	100	20		04/10/15 20:49	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	100	20		04/10/15 20:49	10061-02-6		
Ethylbenzene	ND	ug/L	100	20		04/10/15 20:49	100-41-4		
2-Hexanone	ND	ug/L	500	20		04/10/15 20:49	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	100	20		04/10/15 20:49	98-82-8		
Methyl acetate	ND	ug/L	1000	20		04/10/15 20:49	79-20-9	N2	
Methylcyclohexane	ND	ug/L	1000	20		04/10/15 20:49	108-87-2	N2	
Methylene Chloride	ND	ug/L	100	20		04/10/15 20:49	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	500	20		04/10/15 20:49	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	80.0	20		04/10/15 20:49	1634-04-4		
Styrene	ND	ug/L	100	20		04/10/15 20:49	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	100	20		04/10/15 20:49	79-34-5		
Tetrachloroethene	ND	ug/L	100	20		04/10/15 20:49	127-18-4		
Toluene	ND	ug/L	100	20		04/10/15 20:49	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	100	20		04/10/15 20:49	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	100	20		04/10/15 20:49	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	100	20		04/10/15 20:49	79-00-5		
Trichloroethene	21800	ug/L	2500	500		04/10/15 21:23	79-01-6		
Trichlorofluoromethane	ND	ug/L	100	20		04/10/15 20:49	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	100	20		04/10/15 20:49	76-13-1		
Vinyl chloride	ND	ug/L	40.0	20		04/10/15 20:49	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0622-S1(033115)-PDB		Lab ID: 50115663016		Collected: 03/31/15 13:40		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	200	20		04/10/15 20:49	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	79-116	20		04/10/15 20:49	1868-53-7	D4
4-Bromofluorobenzene (S)		99	%.	80-114	20		04/10/15 20:49	460-00-4	
Toluene-d8 (S)		100	%.	81-110	20		04/10/15 20:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0620-S1(033115)-PDB		Lab ID: 50115663017	Collected: 03/31/15 13:50	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/10/15 21:57	67-64-1	
Benzene	ND	ug/L	5.0	1		04/10/15 21:57	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/10/15 21:57	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/10/15 21:57	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/10/15 21:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/10/15 21:57	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/10/15 21:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/10/15 21:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/10/15 21:57	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/10/15 21:57	75-00-3	
Chloroform	6.3	ug/L	5.0	1		04/10/15 21:57	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/10/15 21:57	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/10/15 21:57	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/10/15 21:57	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/10/15 21:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/10/15 21:57	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 21:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 21:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 21:57	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/10/15 21:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/10/15 21:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/10/15 21:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/10/15 21:57	75-35-4	
cis-1,2-Dichloroethene	19.6	ug/L	5.0	1		04/10/15 21:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/10/15 21:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/10/15 21:57	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/10/15 21:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/10/15 21:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/10/15 21:57	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/10/15 21:57	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/10/15 21:57	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/10/15 21:57	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/10/15 21:57	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/10/15 21:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/10/15 21:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/10/15 21:57	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/10/15 21:57	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/10/15 21:57	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/10/15 21:57	127-18-4	
Toluene	ND	ug/L	5.0	1		04/10/15 21:57	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/10/15 21:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/10/15 21:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/10/15 21:57	79-00-5	
Trichloroethene	3000	ug/L	100	20		04/13/15 03:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/10/15 21:57	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/10/15 21:57	76-13-1	
Vinyl chloride	1.1J	ug/L	2.0	1		04/10/15 21:57	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0620-S1(033115)-PDB		Lab ID: 50115663017		Collected: 03/31/15 13:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/10/15 21:57	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		112	%.	79-116	1		04/10/15 21:57	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	80-114	1		04/10/15 21:57	460-00-4	
Toluene-d8 (S)		100	%.	81-110	1		04/10/15 21:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0619-S1(033115)-PDB		Lab ID: 50115663018	Collected: 03/31/15 14:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/10/15 22:31	67-64-1	
Benzene	ND	ug/L	5.0	1		04/10/15 22:31	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/10/15 22:31	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/10/15 22:31	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/10/15 22:31	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/10/15 22:31	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/10/15 22:31	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/10/15 22:31	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/10/15 22:31	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/10/15 22:31	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/10/15 22:31	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/10/15 22:31	74-87-3	
Cyclohexane	0.38J	ug/L	100	1		04/10/15 22:31	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/10/15 22:31	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/10/15 22:31	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/10/15 22:31	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 22:31	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 22:31	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 22:31	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/10/15 22:31	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/10/15 22:31	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/10/15 22:31	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/10/15 22:31	75-35-4	
cis-1,2-Dichloroethene	25.1	ug/L	5.0	1		04/10/15 22:31	156-59-2	
trans-1,2-Dichloroethene	0.94J	ug/L	5.0	1		04/10/15 22:31	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/10/15 22:31	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/10/15 22:31	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/10/15 22:31	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/10/15 22:31	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/10/15 22:31	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/10/15 22:31	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/10/15 22:31	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/10/15 22:31	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/10/15 22:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/10/15 22:31	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/10/15 22:31	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/10/15 22:31	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/10/15 22:31	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/10/15 22:31	127-18-4	
Toluene	ND	ug/L	5.0	1		04/10/15 22:31	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/10/15 22:31	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/10/15 22:31	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/10/15 22:31	79-00-5	
Trichloroethene	3.0J	ug/L	5.0	1		04/10/15 22:31	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/10/15 22:31	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/10/15 22:31	76-13-1	
Vinyl chloride	1.8J	ug/L	2.0	1		04/10/15 22:31	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0619-S1(033115)-PDB		Lab ID: 50115663018	Collected: 03/31/15 14:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Xylene (Total)	ND	ug/L	10.0	1		04/10/15 22:31	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	79-116	1		04/10/15 22:31	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	80-114	1		04/10/15 22:31	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		04/10/15 22:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0605-S1(033115)-PDB		Lab ID: 50115663019	Collected: 03/31/15 14:10	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/10/15 23:39	67-64-1	
Benzene	ND	ug/L	5.0	1		04/10/15 23:39	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/10/15 23:39	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/10/15 23:39	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/10/15 23:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/10/15 23:39	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/10/15 23:39	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/10/15 23:39	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/10/15 23:39	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/10/15 23:39	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/10/15 23:39	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/10/15 23:39	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/10/15 23:39	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/10/15 23:39	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/10/15 23:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/10/15 23:39	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 23:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 23:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 23:39	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/10/15 23:39	75-71-8	
1,1-Dichloroethane	1.8J	ug/L	5.0	1		04/10/15 23:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/10/15 23:39	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/10/15 23:39	75-35-4	
cis-1,2-Dichloroethene	12.0	ug/L	5.0	1		04/10/15 23:39	156-59-2	
trans-1,2-Dichloroethene	1.0J	ug/L	5.0	1		04/10/15 23:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/10/15 23:39	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/10/15 23:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/10/15 23:39	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/10/15 23:39	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/10/15 23:39	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/10/15 23:39	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/10/15 23:39	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/10/15 23:39	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/10/15 23:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/10/15 23:39	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/10/15 23:39	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/10/15 23:39	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/10/15 23:39	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/10/15 23:39	127-18-4	
Toluene	ND	ug/L	5.0	1		04/10/15 23:39	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/10/15 23:39	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/10/15 23:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/10/15 23:39	79-00-5	
Trichloroethene	983	ug/L	100	20		04/11/15 00:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/10/15 23:39	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/10/15 23:39	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/10/15 23:39	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0605-S1(033115)-PDB		Lab ID: 50115663019		Collected: 03/31/15 14:10		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/10/15 23:39	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	79-116	1		04/10/15 23:39	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	80-114	1		04/10/15 23:39	460-00-4	
Toluene-d8 (S)		94	%.	81-110	1		04/10/15 23:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0621-S1(033115)-PDB		Lab ID: 50115663020		Collected: 03/31/15 14:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			04/11/15 00:46	67-64-1	
Benzene	ND	ug/L	25.0	5			04/11/15 00:46	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			04/11/15 00:46	75-27-4	
Bromoform	ND	ug/L	25.0	5			04/11/15 00:46	75-25-2	
Bromomethane	ND	ug/L	25.0	5			04/11/15 00:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			04/11/15 00:46	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			04/11/15 00:46	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			04/11/15 00:46	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			04/11/15 00:46	108-90-7	
Chloroethane	ND	ug/L	25.0	5			04/11/15 00:46	75-00-3	
Chloroform	ND	ug/L	25.0	5			04/11/15 00:46	67-66-3	
Chloromethane	ND	ug/L	25.0	5			04/11/15 00:46	74-87-3	
Cyclohexane	ND	ug/L	500	5			04/11/15 00:46	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			04/11/15 00:46	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			04/11/15 00:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			04/11/15 00:46	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			04/11/15 00:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			04/11/15 00:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			04/11/15 00:46	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			04/11/15 00:46	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			04/11/15 00:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			04/11/15 00:46	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			04/11/15 00:46	75-35-4	
cis-1,2-Dichloroethene	80.4	ug/L	25.0	5			04/11/15 00:46	156-59-2	
trans-1,2-Dichloroethene	27.6	ug/L	25.0	5			04/11/15 00:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			04/11/15 00:46	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			04/11/15 00:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			04/11/15 00:46	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			04/11/15 00:46	100-41-4	
2-Hexanone	ND	ug/L	125	5			04/11/15 00:46	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			04/11/15 00:46	98-82-8	
Methyl acetate	ND	ug/L	250	5			04/11/15 00:46	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5			04/11/15 00:46	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			04/11/15 00:46	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			04/11/15 00:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			04/11/15 00:46	1634-04-4	
Styrene	ND	ug/L	25.0	5			04/11/15 00:46	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			04/11/15 00:46	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			04/11/15 00:46	127-18-4	
Toluene	ND	ug/L	25.0	5			04/11/15 00:46	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			04/11/15 00:46	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			04/11/15 00:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			04/11/15 00:46	79-00-5	
Trichloroethene	2110	ug/L	250	50			04/11/15 01:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			04/11/15 00:46	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			04/11/15 00:46	76-13-1	
Vinyl chloride	ND	ug/L	10.0	5			04/11/15 00:46	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0621-S1(033115)-PDB		Lab ID: 50115663020		Collected: 03/31/15 14:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		04/11/15 00:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	79-116	5		04/11/15 00:46	1868-53-7	D4
4-Bromofluorobenzene (S)		102	%.	80-114	5		04/11/15 00:46	460-00-4	
Toluene-d8 (S)		99	%.	81-110	5		04/11/15 00:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0502-S1(033115)-PDB		Lab ID: 50115663021	Collected: 03/31/15 14:30	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/11/15 01:53	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 01:53	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 01:53	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 01:53	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 01:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 01:53	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 01:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 01:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 01:53	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 01:53	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 01:53	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 01:53	74-87-3	
Cyclohexane	0.36J	ug/L	100	1		04/11/15 01:53	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 01:53	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 01:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 01:53	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:53	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 01:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 01:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 01:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 01:53	75-35-4	
cis-1,2-Dichloroethene	1.1J	ug/L	5.0	1		04/11/15 01:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 01:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 01:53	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 01:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 01:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 01:53	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 01:53	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 01:53	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 01:53	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 01:53	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 01:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 01:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 01:53	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 01:53	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 01:53	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 01:53	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 01:53	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 01:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 01:53	79-00-5	
Trichloroethene	1.0J	ug/L	5.0	1		04/11/15 01:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 01:53	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 01:53	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 01:53	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0502-S1(033115)-PDB		Lab ID: 50115663021		Collected: 03/31/15 14:30		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 01:53	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	79-116	1		04/11/15 01:53	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	80-114	1		04/11/15 01:53	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 01:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: **MW-0101-S1U(033115)-PDB** Lab ID: **50115663022** Collected: 03/31/15 14:40 Received: 03/31/15 17:29 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	500	5		04/11/15 02:27	67-64-1	
Benzene	1.2J	ug/L	25.0	5		04/11/15 02:27	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		04/11/15 02:27	75-27-4	
Bromoform	ND	ug/L	25.0	5		04/11/15 02:27	75-25-2	
Bromomethane	ND	ug/L	25.0	5		04/11/15 02:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		04/11/15 02:27	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		04/11/15 02:27	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		04/11/15 02:27	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		04/11/15 02:27	108-90-7	
Chloroethane	ND	ug/L	25.0	5		04/11/15 02:27	75-00-3	
Chloroform	ND	ug/L	25.0	5		04/11/15 02:27	67-66-3	
Chloromethane	ND	ug/L	25.0	5		04/11/15 02:27	74-87-3	
Cyclohexane	ND	ug/L	500	5		04/11/15 02:27	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/11/15 02:27	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		04/11/15 02:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/11/15 02:27	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 02:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 02:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 02:27	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/11/15 02:27	75-71-8	
1,1-Dichloroethane	4.2J	ug/L	25.0	5		04/11/15 02:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		04/11/15 02:27	107-06-2	
1,1-Dichloroethene	8.0J	ug/L	25.0	5		04/11/15 02:27	75-35-4	
cis-1,2-Dichloroethene	1060	ug/L	25.0	5		04/11/15 02:27	156-59-2	
trans-1,2-Dichloroethene	56.1	ug/L	25.0	5		04/11/15 02:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		04/11/15 02:27	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/11/15 02:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/11/15 02:27	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		04/11/15 02:27	100-41-4	
2-Hexanone	ND	ug/L	125	5		04/11/15 02:27	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/11/15 02:27	98-82-8	
Methyl acetate	ND	ug/L	250	5		04/11/15 02:27	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5		04/11/15 02:27	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5		04/11/15 02:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/11/15 02:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/11/15 02:27	1634-04-4	
Styrene	ND	ug/L	25.0	5		04/11/15 02:27	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/11/15 02:27	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		04/11/15 02:27	127-18-4	
Toluene	ND	ug/L	25.0	5		04/11/15 02:27	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/11/15 02:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/11/15 02:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/11/15 02:27	79-00-5	
Trichloroethene	17900	ug/L	500	100		04/13/15 04:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		04/11/15 02:27	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/11/15 02:27	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0101-S1U(033115)-PDB		Lab ID: 50115663022	Collected: 03/31/15 14:40	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Vinyl chloride	32.8	ug/L	10.0	5		04/11/15 02:27	75-01-4	
Xylene (Total)	ND	ug/L	50.0	5		04/11/15 02:27	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	79-116	5		04/11/15 02:27	1868-53-7	D4
4-Bromofluorobenzene (S)	102	%.	80-114	5		04/11/15 02:27	460-00-4	
Toluene-d8 (S)	97	%.	81-110	5		04/11/15 02:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: FD-2(033115)-AO-PDB		Lab ID: 50115663023		Collected: 03/31/15 08:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV	Analytical Method: EPA 8260								
Acetone	ND	ug/L	2500	25		04/11/15 03:34	67-64-1		
Benzene	ND	ug/L	125	25		04/11/15 03:34	71-43-2		
Bromodichloromethane	ND	ug/L	125	25		04/11/15 03:34	75-27-4		
Bromoform	ND	ug/L	125	25		04/11/15 03:34	75-25-2		
Bromomethane	ND	ug/L	125	25		04/11/15 03:34	74-83-9		
2-Butanone (MEK)	ND	ug/L	625	25		04/11/15 03:34	78-93-3		
Carbon disulfide	ND	ug/L	250	25		04/11/15 03:34	75-15-0		
Carbon tetrachloride	ND	ug/L	125	25		04/11/15 03:34	56-23-5		
Chlorobenzene	ND	ug/L	125	25		04/11/15 03:34	108-90-7		
Chloroethane	ND	ug/L	125	25		04/11/15 03:34	75-00-3		
Chloroform	ND	ug/L	125	25		04/11/15 03:34	67-66-3		
Chloromethane	ND	ug/L	125	25		04/11/15 03:34	74-87-3		
Cyclohexane	ND	ug/L	2500	25		04/11/15 03:34	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	250	25		04/11/15 03:34	96-12-8		
Dibromochloromethane	ND	ug/L	125	25		04/11/15 03:34	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	125	25		04/11/15 03:34	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	125	25		04/11/15 03:34	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	125	25		04/11/15 03:34	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	125	25		04/11/15 03:34	106-46-7		
Dichlorodifluoromethane	ND	ug/L	125	25		04/11/15 03:34	75-71-8		
1,1-Dichloroethane	ND	ug/L	125	25		04/11/15 03:34	75-34-3		
1,2-Dichloroethane	ND	ug/L	125	25		04/11/15 03:34	107-06-2		
1,1-Dichloroethene	ND	ug/L	125	25		04/11/15 03:34	75-35-4		
cis-1,2-Dichloroethene	1840	ug/L	125	25		04/11/15 03:34	156-59-2		
trans-1,2-Dichloroethene	42.3J	ug/L	125	25		04/11/15 03:34	156-60-5		
1,2-Dichloropropane	ND	ug/L	125	25		04/11/15 03:34	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	125	25		04/11/15 03:34	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	125	25		04/11/15 03:34	10061-02-6		
Ethylbenzene	ND	ug/L	125	25		04/11/15 03:34	100-41-4		
2-Hexanone	ND	ug/L	625	25		04/11/15 03:34	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	125	25		04/11/15 03:34	98-82-8		
Methyl acetate	ND	ug/L	1250	25		04/11/15 03:34	79-20-9	N2	
Methylcyclohexane	ND	ug/L	1250	25		04/11/15 03:34	108-87-2	N2	
Methylene Chloride	ND	ug/L	125	25		04/11/15 03:34	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	625	25		04/11/15 03:34	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	100	25		04/11/15 03:34	1634-04-4		
Styrene	ND	ug/L	125	25		04/11/15 03:34	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	125	25		04/11/15 03:34	79-34-5		
Tetrachloroethene	ND	ug/L	125	25		04/11/15 03:34	127-18-4		
Toluene	ND	ug/L	125	25		04/11/15 03:34	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	125	25		04/11/15 03:34	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	125	25		04/11/15 03:34	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	125	25		04/11/15 03:34	79-00-5		
Trichloroethene	16300	ug/L	1250	250		04/11/15 04:08	79-01-6		
Trichlorofluoromethane	ND	ug/L	125	25		04/11/15 03:34	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	125	25		04/11/15 03:34	76-13-1		
Vinyl chloride	ND	ug/L	50.0	25		04/11/15 03:34	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: FD-2(033115)-AO-PDB		Lab ID: 50115663023		Collected: 03/31/15 08:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	250	25		04/11/15 03:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	79-116	25		04/11/15 03:34	1868-53-7	D4
4-Bromofluorobenzene (S)		97	%.	80-114	25		04/11/15 03:34	460-00-4	
Toluene-d8 (S)		97	%.	81-110	25		04/11/15 03:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0517-S1(033115)-PDB		Lab ID: 50115663024		Collected: 03/31/15 14:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			04/13/15 09:41	67-64-1	
Benzene	1.3J	ug/L	25.0	5			04/13/15 09:41	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			04/13/15 09:41	75-27-4	
Bromoform	ND	ug/L	25.0	5			04/13/15 09:41	75-25-2	
Bromomethane	ND	ug/L	25.0	5			04/13/15 09:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			04/13/15 09:41	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			04/13/15 09:41	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			04/13/15 09:41	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			04/13/15 09:41	108-90-7	
Chloroethane	ND	ug/L	25.0	5			04/13/15 09:41	75-00-3	
Chloroform	ND	ug/L	25.0	5			04/13/15 09:41	67-66-3	
Chloromethane	ND	ug/L	25.0	5			04/13/15 09:41	74-87-3	
Cyclohexane	ND	ug/L	500	5			04/13/15 09:41	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			04/13/15 09:41	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			04/13/15 09:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			04/13/15 09:41	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			04/13/15 09:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			04/13/15 09:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			04/13/15 09:41	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			04/13/15 09:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			04/13/15 09:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			04/13/15 09:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			04/13/15 09:41	75-35-4	
cis-1,2-Dichloroethene	512	ug/L	25.0	5			04/13/15 09:41	156-59-2	
trans-1,2-Dichloroethene	70.9	ug/L	25.0	5			04/13/15 09:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			04/13/15 09:41	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			04/13/15 09:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			04/13/15 09:41	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			04/13/15 09:41	100-41-4	
2-Hexanone	ND	ug/L	125	5			04/13/15 09:41	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			04/13/15 09:41	98-82-8	
Methyl acetate	ND	ug/L	250	5			04/13/15 09:41	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5			04/13/15 09:41	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			04/13/15 09:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			04/13/15 09:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			04/13/15 09:41	1634-04-4	
Styrene	ND	ug/L	25.0	5			04/13/15 09:41	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			04/13/15 09:41	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			04/13/15 09:41	127-18-4	
Toluene	ND	ug/L	25.0	5			04/13/15 09:41	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			04/13/15 09:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			04/13/15 09:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			04/13/15 09:41	79-00-5	
Trichloroethene	2940	ug/L	100	20			04/11/15 08:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			04/13/15 09:41	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			04/13/15 09:41	76-13-1	
Vinyl chloride	4.7J	ug/L	10.0	5			04/13/15 09:41	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0517-S1(033115)-PDB		Lab ID: 50115663024		Collected: 03/31/15 14:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		04/13/15 09:41	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	79-116	5		04/13/15 09:41	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	80-114	5		04/13/15 09:41	460-00-4	
Toluene-d8 (S)		98	%.	81-110	5		04/13/15 09:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0604-S1(033115)-PDB		Lab ID: 50115663025	Collected: 03/31/15 15:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/11/15 08:38	67-64-1	
Benzene	0.40J	ug/L	5.0	1		04/11/15 08:38	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 08:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 08:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 08:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 08:38	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 08:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 08:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 08:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 08:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 08:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 08:38	74-87-3	
Cyclohexane	0.65J	ug/L	100	1		04/11/15 08:38	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 08:38	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 08:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 08:38	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 08:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 08:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 08:38	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 08:38	75-71-8	
1,1-Dichloroethane	2.6J	ug/L	5.0	1		04/11/15 08:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 08:38	107-06-2	
1,1-Dichloroethene	3.5J	ug/L	5.0	1		04/11/15 08:38	75-35-4	
cis-1,2-Dichloroethene	878	ug/L	125	25		04/11/15 09:11	156-59-2	
trans-1,2-Dichloroethene	112	ug/L	5.0	1		04/11/15 08:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 08:38	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 08:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 08:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 08:38	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 08:38	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 08:38	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 08:38	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 08:38	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 08:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 08:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 08:38	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 08:38	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 08:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 08:38	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 08:38	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 08:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 08:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 08:38	79-00-5	
Trichloroethene	2690	ug/L	125	25		04/11/15 09:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 08:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 08:38	76-13-1	
Vinyl chloride	57.6	ug/L	2.0	1		04/11/15 08:38	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0604-S1(033115)-PDB		Lab ID: 50115663025		Collected: 03/31/15 15:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 08:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		107	%.	79-116	1		04/11/15 08:38	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	80-114	1		04/11/15 08:38	460-00-4	
Toluene-d8 (S)		99	%.	81-110	1		04/11/15 08:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0503-S1(033115)-PDB		Lab ID: 50115663026		Collected: 03/31/15 15:10		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/11/15 09:45	67-64-1		
Benzene	ND	ug/L	5.0	1		04/11/15 09:45	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 09:45	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/11/15 09:45	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/11/15 09:45	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 09:45	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 09:45	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 09:45	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 09:45	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/11/15 09:45	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/11/15 09:45	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/11/15 09:45	74-87-3		
Cyclohexane	ND	ug/L	100	1		04/11/15 09:45	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 09:45	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 09:45	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 09:45	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 09:45	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 09:45	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 09:45	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 09:45	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 09:45	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 09:45	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 09:45	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 09:45	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 09:45	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 09:45	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 09:45	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 09:45	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 09:45	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		04/11/15 09:45	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 09:45	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		04/11/15 09:45	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 09:45	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 09:45	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 09:45	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 09:45	1634-04-4		
Styrene	ND	ug/L	5.0	1		04/11/15 09:45	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 09:45	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 09:45	127-18-4		
Toluene	ND	ug/L	5.0	1		04/11/15 09:45	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 09:45	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 09:45	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 09:45	79-00-5		
Trichloroethene	0.63J	ug/L	5.0	1		04/11/15 09:45	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 09:45	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 09:45	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 09:45	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0503-S1(033115)-PDB		Lab ID: 50115663026		Collected: 03/31/15 15:10		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 09:45	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	79-116	1		04/11/15 09:45	1868-53-7	
4-Bromofluorobenzene (S)		94	%.	80-114	1		04/11/15 09:45	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/11/15 09:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0507-S1(033115)-PDB		Lab ID: 50115663027		Collected: 03/31/15 15:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			04/11/15 11:25	67-64-1	
Benzene	ND	ug/L	5.0	1			04/11/15 11:25	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/11/15 11:25	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/11/15 11:25	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/11/15 11:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/11/15 11:25	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/11/15 11:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/11/15 11:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/11/15 11:25	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/11/15 11:25	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/11/15 11:25	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/11/15 11:25	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/11/15 11:25	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/11/15 11:25	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/11/15 11:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/11/15 11:25	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 11:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 11:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 11:25	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/11/15 11:25	75-71-8	
1,1-Dichloroethane	15.3	ug/L	5.0	1			04/11/15 11:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/11/15 11:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/11/15 11:25	75-35-4	
cis-1,2-Dichloroethene	60.0	ug/L	5.0	1			04/11/15 11:25	156-59-2	
trans-1,2-Dichloroethene	1.1J	ug/L	5.0	1			04/11/15 11:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/11/15 11:25	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 11:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 11:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/11/15 11:25	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/11/15 11:25	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/11/15 11:25	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/11/15 11:25	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/11/15 11:25	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/11/15 11:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/11/15 11:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/11/15 11:25	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/11/15 11:25	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/11/15 11:25	79-34-5	
Tetrachloroethene	1.4J	ug/L	5.0	1			04/11/15 11:25	127-18-4	
Toluene	ND	ug/L	5.0	1			04/11/15 11:25	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/11/15 11:25	120-82-1	
1,1,1-Trichloroethane	6.8	ug/L	5.0	1			04/11/15 11:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/11/15 11:25	79-00-5	
Trichloroethene	5.6	ug/L	5.0	1			04/11/15 11:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/11/15 11:25	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/11/15 11:25	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			04/11/15 11:25	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0507-S1(033115)-PDB		Lab ID: 50115663027		Collected: 03/31/15 15:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 11:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		108	%.	79-116	1		04/11/15 11:25	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	80-114	1		04/11/15 11:25	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 11:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0617-S1(033115)-PDB		Lab ID: 50115663028	Collected: 03/31/15 15:30	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/11/15 11:59	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 11:59	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 11:59	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 11:59	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 11:59	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 11:59	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 11:59	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 11:59	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 11:59	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 11:59	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 11:59	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 11:59	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 11:59	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 11:59	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 11:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 11:59	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:59	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:59	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:59	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 11:59	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 11:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 11:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 11:59	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 11:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 11:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 11:59	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 11:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 11:59	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 11:59	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 11:59	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 11:59	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 11:59	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 11:59	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 11:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 11:59	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 11:59	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 11:59	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 11:59	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 11:59	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 11:59	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:59	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 11:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 11:59	79-00-5	
Trichloroethene	0.29J	ug/L	5.0	1		04/11/15 11:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 11:59	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 11:59	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 11:59	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0617-S1(033115)-PDB		Lab ID: 50115663028		Collected: 03/31/15 15:30		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 11:59	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	79-116	1		04/11/15 11:59	1868-53-7	
4-Bromofluorobenzene (S)		92	%.	80-114	1		04/11/15 11:59	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 11:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0506-S1(033115)-PDB		Lab ID: 50115663029	Collected: 03/31/15 15:40	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/11/15 12:32	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 12:32	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 12:32	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 12:32	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 12:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 12:32	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 12:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 12:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 12:32	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 12:32	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 12:32	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 12:32	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 12:32	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 12:32	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 12:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 12:32	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 12:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 12:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 12:32	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 12:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 12:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 12:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 12:32	75-35-4	
cis-1,2-Dichloroethene	2.5J	ug/L	5.0	1		04/11/15 12:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 12:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 12:32	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 12:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 12:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 12:32	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 12:32	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 12:32	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 12:32	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 12:32	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 12:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 12:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 12:32	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 12:32	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 12:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 12:32	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 12:32	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 12:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 12:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 12:32	79-00-5	
Trichloroethene	0.37J	ug/L	5.0	1		04/11/15 12:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 12:32	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 12:32	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 12:32	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0506-S1(033115)-PDB		Lab ID: 50115663029		Collected: 03/31/15 15:40		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 12:32	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	79-116	1		04/11/15 12:32	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	80-114	1		04/11/15 12:32	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 12:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0504-S1(033115)-PDB		Lab ID: 50115663030		Collected: 03/31/15 15:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			04/11/15 13:06	67-64-1	
Benzene	1.0J	ug/L	5.0	1			04/11/15 13:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/11/15 13:06	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/11/15 13:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/11/15 13:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/11/15 13:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/11/15 13:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/11/15 13:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/11/15 13:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/11/15 13:06	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/11/15 13:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/11/15 13:06	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/11/15 13:06	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/11/15 13:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/11/15 13:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/11/15 13:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 13:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 13:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 13:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/11/15 13:06	75-71-8	
1,1-Dichloroethane	8.9	ug/L	5.0	1			04/11/15 13:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/11/15 13:06	107-06-2	
1,1-Dichloroethene	5.2	ug/L	5.0	1			04/11/15 13:06	75-35-4	
cis-1,2-Dichloroethene	909	ug/L	125	25			04/11/15 13:40	156-59-2	
trans-1,2-Dichloroethene	183	ug/L	5.0	1			04/11/15 13:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/11/15 13:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 13:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 13:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/11/15 13:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/11/15 13:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/11/15 13:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/11/15 13:06	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/11/15 13:06	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/11/15 13:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/11/15 13:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/11/15 13:06	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/11/15 13:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/11/15 13:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/11/15 13:06	127-18-4	
Toluene	ND	ug/L	5.0	1			04/11/15 13:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/11/15 13:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/11/15 13:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/11/15 13:06	79-00-5	
Trichloroethene	3010	ug/L	125	25			04/11/15 13:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/11/15 13:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/11/15 13:06	76-13-1	
Vinyl chloride	24.1	ug/L	2.0	1			04/11/15 13:06	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0504-S1(033115)-PDB		Lab ID: 50115663030		Collected: 03/31/15 15:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 13:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	79-116	1		04/11/15 13:06	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	80-114	1		04/11/15 13:06	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 13:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: EB-1(033115)-AO-PDB		Lab ID: 50115663031	Collected: 03/31/15 15:50	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/11/15 14:13	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 14:13	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 14:13	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 14:13	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 14:13	74-83-9	
2-Butanone (MEK)	9.4J	ug/L	25.0	1		04/11/15 14:13	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 14:13	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 14:13	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 14:13	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 14:13	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 14:13	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 14:13	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 14:13	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 14:13	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 14:13	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 14:13	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 14:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 14:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 14:13	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 14:13	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 14:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 14:13	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 14:13	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 14:13	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 14:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 14:13	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 14:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 14:13	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 14:13	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 14:13	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 14:13	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 14:13	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 14:13	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 14:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 14:13	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 14:13	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 14:13	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 14:13	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 14:13	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 14:13	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 14:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 14:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 14:13	79-00-5	
Trichloroethene	0.57J	ug/L	5.0	1		04/11/15 14:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 14:13	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 14:13	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 14:13	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: EB-1(033115)-AO-PDB		Lab ID: 50115663031		Collected: 03/31/15 15:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 14:13	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	79-116	1		04/11/15 14:13	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	80-114	1		04/11/15 14:13	460-00-4	
Toluene-d8 (S)		99	%.	81-110	1		04/11/15 14:13	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0505-S1(033115)-PDB		Lab ID: 50115663032	Collected: 03/31/15 16:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/11/15 14:47	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 14:47	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 14:47	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 14:47	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 14:47	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 14:47	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 14:47	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 14:47	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 14:47	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 14:47	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 14:47	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 14:47	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 14:47	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 14:47	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 14:47	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 14:47	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 14:47	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 14:47	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 14:47	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 14:47	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 14:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 14:47	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 14:47	75-35-4	
cis-1,2-Dichloroethene	8.3	ug/L	5.0	1		04/11/15 14:47	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 14:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 14:47	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 14:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 14:47	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 14:47	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 14:47	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 14:47	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 14:47	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 14:47	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 14:47	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 14:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 14:47	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 14:47	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 14:47	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 14:47	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 14:47	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 14:47	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 14:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 14:47	79-00-5	
Trichloroethene	0.75J	ug/L	5.0	1		04/11/15 14:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 14:47	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 14:47	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 14:47	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0505-S1(033115)-PDB		Lab ID: 50115663032		Collected: 03/31/15 16:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 14:47	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	79-116	1		04/11/15 14:47	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	80-114	1		04/11/15 14:47	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/11/15 14:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: **MW-0102-S1U(033115)-PDB** Lab ID: **50115663033** Collected: 03/31/15 16:10 Received: 03/31/15 17:29 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	500	5		04/12/15 14:21	67-64-1	
Benzene	ND	ug/L	25.0	5		04/12/15 14:21	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		04/12/15 14:21	75-27-4	
Bromoform	ND	ug/L	25.0	5		04/12/15 14:21	75-25-2	
Bromomethane	ND	ug/L	25.0	5		04/12/15 14:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		04/12/15 14:21	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		04/12/15 14:21	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		04/12/15 14:21	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		04/12/15 14:21	108-90-7	
Chloroethane	ND	ug/L	25.0	5		04/12/15 14:21	75-00-3	
Chloroform	ND	ug/L	25.0	5		04/12/15 14:21	67-66-3	
Chloromethane	ND	ug/L	25.0	5		04/12/15 14:21	74-87-3	
Cyclohexane	ND	ug/L	500	5		04/12/15 14:21	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/12/15 14:21	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		04/12/15 14:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/12/15 14:21	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/12/15 14:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/12/15 14:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/12/15 14:21	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/12/15 14:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		04/12/15 14:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		04/12/15 14:21	107-06-2	
1,1-Dichloroethene	2.8J	ug/L	25.0	5		04/12/15 14:21	75-35-4	
cis-1,2-Dichloroethene	867	ug/L	25.0	5		04/12/15 14:21	156-59-2	
trans-1,2-Dichloroethene	82.8	ug/L	25.0	5		04/12/15 14:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		04/12/15 14:21	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/12/15 14:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/12/15 14:21	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		04/12/15 14:21	100-41-4	
2-Hexanone	ND	ug/L	125	5		04/12/15 14:21	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/12/15 14:21	98-82-8	
Methyl acetate	ND	ug/L	250	5		04/12/15 14:21	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5		04/12/15 14:21	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5		04/12/15 14:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/12/15 14:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/12/15 14:21	1634-04-4	
Styrene	ND	ug/L	25.0	5		04/12/15 14:21	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/12/15 14:21	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		04/12/15 14:21	127-18-4	
Toluene	ND	ug/L	25.0	5		04/12/15 14:21	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/12/15 14:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/12/15 14:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/12/15 14:21	79-00-5	
Trichloroethene	2470	ug/L	250	50		04/12/15 14:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		04/12/15 14:21	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/12/15 14:21	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0102-S1U(033115)-PDB		Lab ID: 50115663033	Collected: 03/31/15 16:10	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Vinyl chloride	12.9	ug/L	10.0	5		04/12/15 14:21	75-01-4	
Xylene (Total)	ND	ug/L	50.0	5		04/12/15 14:21	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	106	%.	79-116	5		04/12/15 14:21	1868-53-7	D4
4-Bromofluorobenzene (S)	98	%.	80-114	5		04/12/15 14:21	460-00-4	
Toluene-d8 (S)	98	%.	81-110	5		04/12/15 14:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0516-S1(033115)-PDB		Lab ID: 50115663034		Collected: 03/31/15 16:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			04/11/15 15:21	67-64-1	
Benzene	ND	ug/L	5.0	1			04/11/15 15:21	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/11/15 15:21	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/11/15 15:21	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/11/15 15:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/11/15 15:21	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/11/15 15:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/11/15 15:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/11/15 15:21	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/11/15 15:21	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/11/15 15:21	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/11/15 15:21	74-87-3	
Cyclohexane	0.56J	ug/L	100	1			04/11/15 15:21	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/11/15 15:21	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/11/15 15:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/11/15 15:21	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 15:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 15:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 15:21	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/11/15 15:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/11/15 15:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/11/15 15:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/11/15 15:21	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			04/11/15 15:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			04/11/15 15:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/11/15 15:21	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 15:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 15:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/11/15 15:21	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/11/15 15:21	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/11/15 15:21	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/11/15 15:21	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/11/15 15:21	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/11/15 15:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/11/15 15:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/11/15 15:21	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/11/15 15:21	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/11/15 15:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/11/15 15:21	127-18-4	
Toluene	ND	ug/L	5.0	1			04/11/15 15:21	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/11/15 15:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/11/15 15:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/11/15 15:21	79-00-5	
Trichloroethene	0.26J	ug/L	5.0	1			04/11/15 15:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/11/15 15:21	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/11/15 15:21	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			04/11/15 15:21	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0516-S1(033115)-PDB		Lab ID: 50115663034		Collected: 03/31/15 16:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 15:21	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	79-116	1		04/11/15 15:21	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	80-114	1		04/11/15 15:21	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/11/15 15:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: FD-1(033115)-AO-PDB		Lab ID: 50115663035		Collected: 03/31/15 08:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV	Analytical Method: EPA 8260								
Acetone	ND	ug/L	500	5		04/13/15 10:10	67-64-1		
Benzene	ND	ug/L	25.0	5		04/13/15 10:10	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		04/13/15 10:10	75-27-4		
Bromoform	ND	ug/L	25.0	5		04/13/15 10:10	75-25-2		
Bromomethane	ND	ug/L	25.0	5		04/13/15 10:10	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		04/13/15 10:10	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		04/13/15 10:10	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		04/13/15 10:10	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		04/13/15 10:10	108-90-7		
Chloroethane	ND	ug/L	25.0	5		04/13/15 10:10	75-00-3		
Chloroform	ND	ug/L	25.0	5		04/13/15 10:10	67-66-3		
Chloromethane	ND	ug/L	25.0	5		04/13/15 10:10	74-87-3		
Cyclohexane	ND	ug/L	500	5		04/13/15 10:10	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/13/15 10:10	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		04/13/15 10:10	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/13/15 10:10	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/13/15 10:10	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/13/15 10:10	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/13/15 10:10	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/13/15 10:10	75-71-8		
1,1-Dichloroethane	2.0J	ug/L	25.0	5		04/13/15 10:10	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		04/13/15 10:10	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		04/13/15 10:10	75-35-4		
cis-1,2-Dichloroethene	478	ug/L	25.0	5		04/13/15 10:10	156-59-2		
trans-1,2-Dichloroethene	67.7	ug/L	25.0	5		04/13/15 10:10	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		04/13/15 10:10	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/13/15 10:10	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/13/15 10:10	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		04/13/15 10:10	100-41-4		
2-Hexanone	ND	ug/L	125	5		04/13/15 10:10	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/13/15 10:10	98-82-8		
Methyl acetate	ND	ug/L	250	5		04/13/15 10:10	79-20-9	N2	
Methylcyclohexane	ND	ug/L	250	5		04/13/15 10:10	108-87-2	N2	
Methylene Chloride	ND	ug/L	25.0	5		04/13/15 10:10	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/13/15 10:10	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/13/15 10:10	1634-04-4		
Styrene	ND	ug/L	25.0	5		04/13/15 10:10	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/13/15 10:10	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		04/13/15 10:10	127-18-4		
Toluene	ND	ug/L	25.0	5		04/13/15 10:10	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/13/15 10:10	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/13/15 10:10	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/13/15 10:10	79-00-5		
Trichloroethene	2550	ug/L	100	20		04/12/15 15:29	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		04/13/15 10:10	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/13/15 10:10	76-13-1		
Vinyl chloride	3.9J	ug/L	10.0	5		04/13/15 10:10	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: FD-1(033115)-AO-PDB		Lab ID: 50115663035		Collected: 03/31/15 08:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)	ND	ug/L	50.0	5		04/13/15 10:10	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	79-116	5		04/13/15 10:10	1868-53-7	D4	
4-Bromofluorobenzene (S)	98	%.	80-114	5		04/13/15 10:10	460-00-4		
Toluene-d8 (S)	98	%.	81-110	5		04/13/15 10:10	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0603-S1(033115)-AO-PDB Lab ID: 50115663036 Collected: 03/31/15 16:30 Received: 03/31/15 17:29 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	5.6J	ug/L	100	1		04/12/15 16:03	67-64-1	
Benzene	ND	ug/L	5.0	1		04/12/15 16:03	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/12/15 16:03	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/12/15 16:03	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/12/15 16:03	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/12/15 16:03	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/12/15 16:03	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/12/15 16:03	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/12/15 16:03	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/12/15 16:03	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/12/15 16:03	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/12/15 16:03	74-87-3	
Cyclohexane	0.36J	ug/L	100	1		04/12/15 16:03	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/12/15 16:03	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/12/15 16:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/12/15 16:03	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:03	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/12/15 16:03	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/12/15 16:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/12/15 16:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/12/15 16:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/12/15 16:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/12/15 16:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/12/15 16:03	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/12/15 16:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/12/15 16:03	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/12/15 16:03	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/12/15 16:03	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/12/15 16:03	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/12/15 16:03	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/12/15 16:03	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/12/15 16:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/12/15 16:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/12/15 16:03	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/12/15 16:03	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/12/15 16:03	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/12/15 16:03	127-18-4	
Toluene	ND	ug/L	5.0	1		04/12/15 16:03	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/12/15 16:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/12/15 16:03	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/12/15 16:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/12/15 16:03	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/12/15 16:03	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0603-S1(033115)-AO-PDB **Lab ID:** 50115663036 **Collected:** 03/31/15 16:30 **Received:** 03/31/15 17:29 **Matrix:** Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV								
Analytical Method: EPA 8260								
Vinyl chloride	ND	ug/L	2.0	1		04/12/15 16:03	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/12/15 16:03	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	98	%.	79-116	1		04/12/15 16:03	1868-53-7	
4-Bromofluorobenzene (S)	93	%.	80-114	1		04/12/15 16:03	460-00-4	
Toluene-d8 (S)	96	%.	81-110	1		04/12/15 16:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

QC Batch: MSV/75474

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 50115663001, 50115663002, 50115663003, 50115663004

METHOD BLANK: 1273121

Matrix: Water

Associated Lab Samples: 50115663001, 50115663002, 50115663003, 50115663004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	04/10/15 18:49	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/10/15 18:49	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/10/15 18:49	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	04/10/15 18:49	
1,1-Dichloroethane	ug/L	ND	5.0	04/10/15 18:49	
1,1-Dichloroethene	ug/L	ND	5.0	04/10/15 18:49	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/10/15 18:49	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	04/10/15 18:49	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/10/15 18:49	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/10/15 18:49	
1,2-Dichloroethane	ug/L	ND	5.0	04/10/15 18:49	
1,2-Dichloropropane	ug/L	ND	5.0	04/10/15 18:49	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/10/15 18:49	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/10/15 18:49	
2-Butanone (MEK)	ug/L	ND	25.0	04/10/15 18:49	
2-Hexanone	ug/L	ND	25.0	04/10/15 18:49	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/10/15 18:49	
Acetone	ug/L	ND	100	04/10/15 18:49	
Benzene	ug/L	ND	5.0	04/10/15 18:49	
Bromodichloromethane	ug/L	ND	5.0	04/10/15 18:49	
Bromoform	ug/L	ND	5.0	04/10/15 18:49	
Bromomethane	ug/L	ND	5.0	04/10/15 18:49	
Carbon disulfide	ug/L	ND	10.0	04/10/15 18:49	
Carbon tetrachloride	ug/L	ND	5.0	04/10/15 18:49	
Chlorobenzene	ug/L	ND	5.0	04/10/15 18:49	
Chloroethane	ug/L	ND	5.0	04/10/15 18:49	
Chloroform	ug/L	ND	5.0	04/10/15 18:49	
Chloromethane	ug/L	ND	5.0	04/10/15 18:49	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/10/15 18:49	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/10/15 18:49	
Cyclohexane	ug/L	ND	100	04/10/15 18:49	N2
Dibromochloromethane	ug/L	ND	5.0	04/10/15 18:49	
Dichlorodifluoromethane	ug/L	ND	5.0	04/10/15 18:49	
Ethylbenzene	ug/L	ND	5.0	04/10/15 18:49	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/10/15 18:49	
Methyl acetate	ug/L	ND	50.0	04/10/15 18:49	N2
Methyl-tert-butyl ether	ug/L	ND	4.0	04/10/15 18:49	
Methylcyclohexane	ug/L	ND	50.0	04/10/15 18:49	N2
Methylene Chloride	ug/L	ND	5.0	04/10/15 18:49	
Styrene	ug/L	ND	5.0	04/10/15 18:49	
Tetrachloroethene	ug/L	ND	5.0	04/10/15 18:49	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

METHOD BLANK: 1273121

Matrix: Water

Associated Lab Samples: 50115663001, 50115663002, 50115663003, 50115663004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Toluene	ug/L	ND	5.0	04/10/15 18:49	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/10/15 18:49	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/10/15 18:49	
Trichloroethene	ug/L	0.29J	5.0	04/10/15 18:49	
Trichlorofluoromethane	ug/L	ND	5.0	04/10/15 18:49	
Vinyl chloride	ug/L	ND	2.0	04/10/15 18:49	
Xylene (Total)	ug/L	ND	10.0	04/10/15 18:49	
4-Bromofluorobenzene (S)	%	97	80-114	04/10/15 18:49	
Dibromofluoromethane (S)	%	107	79-116	04/10/15 18:49	
Toluene-d8 (S)	%	101	81-110	04/10/15 18:49	

LABORATORY CONTROL SAMPLE: 1273122

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.3	105	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	47.2	94	66-126	
1,1,2-Trichloroethane	ug/L	50	50.9	102	77-130	
1,1,2-Trichlorotrifluoroethane	ug/L	50	51.2	102	68-139	
1,1-Dichloroethane	ug/L	50	52.0	104	75-130	
1,1-Dichloroethene	ug/L	50	50.6	101	68-127	
1,2,4-Trichlorobenzene	ug/L	50	51.8	104	68-131	
1,2-Dibromo-3-chloropropane	ug/L	50	46.6	93	64-124	
1,2-Dibromoethane (EDB)	ug/L	50	53.3	107	76-125	
1,2-Dichlorobenzene	ug/L	50	49.4	99	75-123	
1,2-Dichloroethane	ug/L	50	51.9	104	75-128	
1,2-Dichloropropane	ug/L	50	52.6	105	74-121	
1,3-Dichlorobenzene	ug/L	50	48.1	96	74-122	
1,4-Dichlorobenzene	ug/L	50	46.5	93	76-120	
2-Butanone (MEK)	ug/L	250	264	106	58-139	
2-Hexanone	ug/L	250	283	113	54-140	
4-Methyl-2-pentanone (MIBK)	ug/L	250	271	108	58-138	
Acetone	ug/L	250	234	94	49-150	
Benzene	ug/L	50	50.1	100	74-122	
Bromodichloromethane	ug/L	50	50.0	100	62-136	
Bromoform	ug/L	50	48.1	96	44-134	
Bromomethane	ug/L	50	89.4	179	22-181	
Carbon disulfide	ug/L	50	51.8	104	59-132	
Carbon tetrachloride	ug/L	50	56.8	114	56-137	
Chlorobenzene	ug/L	50	51.4	103	78-123	
Chloroethane	ug/L	50	52.9	106	60-144	
Chloroform	ug/L	50	48.5	97	78-126	
Chloromethane	ug/L	50	52.2	104	42-134	
cis-1,2-Dichloroethene	ug/L	50	52.5	105	75-122	
cis-1,3-Dichloropropene	ug/L	50	55.5	111	64-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

LABORATORY CONTROL SAMPLE: 1273122

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyclohexane	ug/L	50	50.7J	101	62-119	N2
Dibromochloromethane	ug/L	50	49.9	100	58-128	
Dichlorodifluoromethane	ug/L	50	52.8	106	35-181	
Ethylbenzene	ug/L	50	51.5	103	66-133	
Isopropylbenzene (Cumene)	ug/L	50	55.2	110	69-124	
Methyl acetate	ug/L	50	50.7	101	10-142	N2
Methyl-tert-butyl ether	ug/L	50	46.8	94	69-122	
Methylcyclohexane	ug/L	50	52.1	104	63-130	N2
Methylene Chloride	ug/L	50	50.9	102	68-132	
Styrene	ug/L	50	52.5	105	74-126	
Tetrachloroethene	ug/L	50	51.0	102	69-130	
Toluene	ug/L	50	50.9	102	72-122	
trans-1,2-Dichloroethene	ug/L	50	48.6	97	72-124	
trans-1,3-Dichloropropene	ug/L	50	57.7	115	64-121	
Trichloroethene	ug/L	50	49.6	99	76-126	
Trichlorofluoromethane	ug/L	50	56.2	112	76-149	
Vinyl chloride	ug/L	50	55.0	110	59-126	
Xylene (Total)	ug/L	150	157	105	70-124	
4-Bromofluorobenzene (S)	%			106	80-114	
Dibromofluoromethane (S)	%			105	79-116	
Toluene-d8 (S)	%			104	81-110	

MATRIX SPIKE SAMPLE: 1273123

Parameter	Units	50115663002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	50	53.9	108	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	44.0	88	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	48.1	96	61-139	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	50	55.0	110	55-151	
1,1-Dichloroethane	ug/L	ND	50	52.5	105	57-147	
1,1-Dichloroethene	ug/L	ND	50	52.8	106	55-145	
1,2,4-Trichlorobenzene	ug/L	ND	50	47.3	95	25-143	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	36.7	73	37-130	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50.4	101	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	47.9	96	38-136	
1,2-Dichloroethane	ug/L	ND	50	51.5	103	62-138	
1,2-Dichloropropane	ug/L	ND	50	49.1	98	59-130	
1,3-Dichlorobenzene	ug/L	ND	50	46.4	93	28-141	
1,4-Dichlorobenzene	ug/L	ND	50	45.4	91	30-139	
2-Butanone (MEK)	ug/L	ND	250	230	92	37-156	
2-Hexanone	ug/L	ND	250	243	97	44-143	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	240	96	46-144	
Acetone	ug/L	7.2J	250	222	86	39-156	
Benzene	ug/L	ND	50	50.4	101	62-129	
Bromodichloromethane	ug/L	ND	50	49.5	99	50-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

MATRIX SPIKE SAMPLE: 1273123		50115663002	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Bromoform	ug/L	ND	50	43.4	87	36-125	
Bromomethane	ug/L	ND	50	83.7	167	13-179	
Carbon disulfide	ug/L	ND	50	58.1	116	45-142	
Carbon tetrachloride	ug/L	ND	50	59.9	120	46-142	
Chlorobenzene	ug/L	ND	50	49.9	100	49-136	
Chloroethane	ug/L	ND	50	59.3	119	47-160	
Chloroform	ug/L	ND	50	48.4	97	54-150	
Chloromethane	ug/L	ND	50	53.8	108	30-148	
cis-1,2-Dichloroethene	ug/L	ND	50	52.5	105	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	49.9	100	52-123	
Cyclohexane	ug/L	0.49J	50	53.6J	106	43-135	N2
Dibromochloromethane	ug/L	ND	50	48.7	97	48-125	
Dichlorodifluoromethane	ug/L	ND	50	57.4	115	24-197	
Ethylbenzene	ug/L	ND	50	51.8	104	28-153	
Isopropylbenzene (Cumene)	ug/L	ND	50	55.7	111	18-152	
Methyl acetate	ug/L	ND	50	32.8J	66	10-125	N2
Methyl-tert-butyl ether	ug/L	ND	50	43.0	86	63-130	
Methylcyclohexane	ug/L	ND	50	53.7	107	32-155	N2
Methylene Chloride	ug/L	ND	50	49.6	99	45-156	
Styrene	ug/L	ND	50	50.2	100	36-139	
Tetrachloroethene	ug/L	ND	50	51.1	102	33-151	
Toluene	ug/L	ND	50	51.7	103	50-132	
trans-1,2-Dichloroethene	ug/L	0.29J	50	52.4	104	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	50.5	101	48-122	
Trichloroethene	ug/L	ND	50	50.2	100	50-143	
Trichlorofluoromethane	ug/L	ND	50	62.0	124	60-175	
Vinyl chloride	ug/L	ND	50	60.2	120	44-145	
Xylene (Total)	ug/L	ND	150	156	104	29-145	
4-Bromofluorobenzene (S)	%				109	80-114	
Dibromofluoromethane (S)	%				102	79-116	
Toluene-d8 (S)	%				104	81-110	

SAMPLE DUPLICATE: 1273124

Parameter	Units	50115663003	Dup	RPD	Max	
		Result	Result		RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	ND		20	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2-Dibromo-3-chloropropane	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

SAMPLE DUPLICATE: 1273124

Parameter	Units	50115663003 Result	Dup Result	RPD	Max RPD	Qualifiers
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	5.1J	5.3J		20	
Benzene	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	ND	ND		20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	ND	ND		20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Cyclohexane	ug/L	ND	ND		20	N2
Dibromochloromethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	
Methyl acetate	ug/L	ND	ND		20	N2
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylcyclohexane	ug/L	ND	ND		20	N2
Methylene Chloride	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	ND	ND		20	
Toluene	ug/L	ND	ND		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
Trichloroethene	ug/L	ND	ND		20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl chloride	ug/L	ND	ND		20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%	95	98	4		
Dibromofluoromethane (S)	%	107	105	2		
Toluene-d8 (S)	%	96	97	1		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

QC Batch:	MSV/75477	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	50115663005, 50115663006, 50115663007, 50115663008, 50115663009, 50115663010, 50115663012, 50115663014		

METHOD BLANK:	1273131	Matrix:	Water
Associated Lab Samples:	50115663005, 50115663006, 50115663007, 50115663008, 50115663009, 50115663010, 50115663012, 50115663014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	04/11/15 07:13	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/11/15 07:13	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/11/15 07:13	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	04/11/15 07:13	
1,1-Dichloroethane	ug/L	ND	5.0	04/11/15 07:13	
1,1-Dichloroethene	ug/L	ND	5.0	04/11/15 07:13	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/11/15 07:13	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	04/11/15 07:13	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/11/15 07:13	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/11/15 07:13	
1,2-Dichloroethane	ug/L	ND	5.0	04/11/15 07:13	
1,2-Dichloropropane	ug/L	ND	5.0	04/11/15 07:13	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/11/15 07:13	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/11/15 07:13	
2-Butanone (MEK)	ug/L	ND	25.0	04/11/15 07:13	
2-Hexanone	ug/L	ND	25.0	04/11/15 07:13	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/11/15 07:13	
Acetone	ug/L	ND	100	04/11/15 07:13	
Benzene	ug/L	ND	5.0	04/11/15 07:13	
Bromodichloromethane	ug/L	ND	5.0	04/11/15 07:13	
Bromoform	ug/L	ND	5.0	04/11/15 07:13	
Bromomethane	ug/L	ND	5.0	04/11/15 07:13	
Carbon disulfide	ug/L	ND	10.0	04/11/15 07:13	
Carbon tetrachloride	ug/L	ND	5.0	04/11/15 07:13	
Chlorobenzene	ug/L	ND	5.0	04/11/15 07:13	
Chloroethane	ug/L	ND	5.0	04/11/15 07:13	
Chloroform	ug/L	ND	5.0	04/11/15 07:13	
Chloromethane	ug/L	ND	5.0	04/11/15 07:13	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/11/15 07:13	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/11/15 07:13	
Cyclohexane	ug/L	ND	100	04/11/15 07:13	N2
Dibromochloromethane	ug/L	ND	5.0	04/11/15 07:13	
Dichlorodifluoromethane	ug/L	ND	5.0	04/11/15 07:13	
Ethylbenzene	ug/L	ND	5.0	04/11/15 07:13	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/11/15 07:13	
Methyl acetate	ug/L	ND	50.0	04/11/15 07:13	N2
Methyl-tert-butyl ether	ug/L	ND	4.0	04/11/15 07:13	
Methylcyclohexane	ug/L	ND	50.0	04/11/15 07:13	N2
Methylene Chloride	ug/L	ND	5.0	04/11/15 07:13	
Styrene	ug/L	ND	5.0	04/11/15 07:13	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

METHOD BLANK: 1273131

Matrix: Water

Associated Lab Samples: 50115663005, 50115663006, 50115663007, 50115663008, 50115663009, 50115663010, 50115663012, 50115663014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Tetrachloroethene	ug/L	ND	5.0	04/11/15 07:13	
Toluene	ug/L	ND	5.0	04/11/15 07:13	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/11/15 07:13	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/11/15 07:13	
Trichloroethene	ug/L	ND	5.0	04/11/15 07:13	
Trichlorofluoromethane	ug/L	ND	5.0	04/11/15 07:13	
Vinyl chloride	ug/L	ND	2.0	04/11/15 07:13	
Xylene (Total)	ug/L	ND	10.0	04/11/15 07:13	
4-Bromofluorobenzene (S)	%.	101	80-114	04/11/15 07:13	
Dibromofluoromethane (S)	%.	106	79-116	04/11/15 07:13	
Toluene-d8 (S)	%.	99	81-110	04/11/15 07:13	

LABORATORY CONTROL SAMPLE: 1273132

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	56.6	113	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	51.5	103	66-126	
1,1,2-Trichloroethane	ug/L	50	53.0	106	77-130	
1,1,2-Trichlorotrifluoroethane	ug/L	50	55.3	111	68-139	
1,1-Dichloroethane	ug/L	50	57.2	114	75-130	
1,1-Dichloroethene	ug/L	50	56.1	112	68-127	
1,2,4-Trichlorobenzene	ug/L	50	54.9	110	68-131	
1,2-Dibromo-3-chloropropane	ug/L	50	46.9	94	64-124	
1,2-Dibromoethane (EDB)	ug/L	50	57.6	115	76-125	
1,2-Dichlorobenzene	ug/L	50	55.1	110	75-123	
1,2-Dichloroethane	ug/L	50	57.9	116	75-128	
1,2-Dichloropropane	ug/L	50	56.6	113	74-121	
1,3-Dichlorobenzene	ug/L	50	52.7	105	74-122	
1,4-Dichlorobenzene	ug/L	50	51.3	103	76-120	
2-Butanone (MEK)	ug/L	250	277	111	58-139	
2-Hexanone	ug/L	250	275	110	54-140	
4-Methyl-2-pentanone (MIBK)	ug/L	250	267	107	58-138	
Acetone	ug/L	250	247	99	49-150	
Benzene	ug/L	50	55.0	110	74-122	
Bromodichloromethane	ug/L	50	54.9	110	62-136	
Bromoform	ug/L	50	52.2	104	44-134	
Bromomethane	ug/L	50	103	205	22-181	L3
Carbon disulfide	ug/L	50	59.4	119	59-132	
Carbon tetrachloride	ug/L	50	64.5	129	56-137	
Chlorobenzene	ug/L	50	54.0	108	78-123	
Chloroethane	ug/L	50	59.9	120	60-144	
Chloroform	ug/L	50	52.9	106	78-126	
Chloromethane	ug/L	50	56.2	112	42-134	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

LABORATORY CONTROL SAMPLE: 1273132

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ug/L	50	55.4	111	75-122	
cis-1,3-Dichloropropene	ug/L	50	55.6	111	64-126	
Cyclohexane	ug/L	50	54.3J	109	62-119	N2
Dibromochloromethane	ug/L	50	54.6	109	58-128	
Dichlorodifluoromethane	ug/L	50	55.6	111	35-181	
Ethylbenzene	ug/L	50	55.6	111	66-133	
Isopropylbenzene (Cumene)	ug/L	50	58.0	116	69-124	
Methyl acetate	ug/L	50	51.2	102	10-142	N2
Methyl-tert-butyl ether	ug/L	50	50.1	100	69-122	
Methylcyclohexane	ug/L	50	54.6	109	63-130	N2
Methylene Chloride	ug/L	50	55.1	110	68-132	
Styrene	ug/L	50	55.7	111	74-126	
Tetrachloroethene	ug/L	50	52.4	105	69-130	
Toluene	ug/L	50	55.2	110	72-122	
trans-1,2-Dichloroethene	ug/L	50	53.5	107	72-124	
trans-1,3-Dichloropropene	ug/L	50	57.3	115	64-121	
Trichloroethene	ug/L	50	54.6	109	76-126	
Trichlorofluoromethane	ug/L	50	62.8	126	76-149	
Vinyl chloride	ug/L	50	61.7	123	59-126	
Xylene (Total)	ug/L	150	165	110	70-124	
4-Bromofluorobenzene (S)	%			103	80-114	
Dibromofluoromethane (S)	%			107	79-116	
Toluene-d8 (S)	%			101	81-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1273133 1273134

Parameter	Units	50115663014 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	56.8	61.7	114	123	60-138	8	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	47.0	49.3	94	99	55-128	5	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	50.3	53.3	101	107	61-139	6	20	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	50	50	54.3	57.5	109	115	55-151	6	20	
1,1-Dichloroethane	ug/L	ND	50	50	55.2	58.8	110	118	57-147	6	20	
1,1-Dichloroethene	ug/L	ND	50	50	55.7	57.3	111	115	55-145	3	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	49.3	51.9	99	104	25-143	5	20	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	41.2	45.3	82	91	37-130	10	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	52.9	57.1	106	114	63-129	8	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	50.0	52.7	100	105	38-136	5	20	
1,2-Dichloroethane	ug/L	ND	50	50	55.5	59.0	111	118	62-138	6	20	
1,2-Dichloropropane	ug/L	ND	50	50	52.3	58.1	105	116	59-130	10	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	49.5	50.8	99	102	28-141	3	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	47.5	49.2	95	98	30-139	3	20	
2-Butanone (MEK)	ug/L	ND	250	250	251	281	100	113	37-156	12	20	
2-Hexanone	ug/L	ND	250	250	262	286	105	114	44-143	9	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1273133 1273134											
Parameter	Units	50115663014 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	255	272	102	109	46-144	7	20
Acetone	ug/L	13.5J	250	250	233	223	88	84	39-156	4	20
Benzene	ug/L	ND	50	50	53.4	57.1	107	114	62-129	7	20
Bromodichloromethane	ug/L	ND	50	50	52.3	56.9	105	114	50-142	8	20
Bromoform	ug/L	ND	50	50	48.8	49.9	98	100	36-125	2	20
Bromomethane	ug/L	ND	50	50	86.1	98.2	172	196	13-179	13	20 M0
Carbon disulfide	ug/L	ND	50	50	57.4	58.6	115	117	45-142	2	20
Carbon tetrachloride	ug/L	ND	50	50	64.4	69.7	129	139	46-142	8	20
Chlorobenzene	ug/L	ND	50	50	52.0	55.4	104	111	49-136	6	20
Chloroethane	ug/L	ND	50	50	54.5	59.0	109	118	47-160	8	20
Chloroform	ug/L	ND	50	50	51.4	55.9	103	112	54-150	8	20
Chloromethane	ug/L	ND	50	50	55.8	62.7	112	125	30-148	12	20
cis-1,2-Dichloroethene	ug/L	4.1J	50	50	59.5	66.2	111	124	60-135	11	20
cis-1,3-Dichloropropene	ug/L	ND	50	50	48.5	52.1	97	104	52-123	7	20
Cyclohexane	ug/L	ND	50	50	55.9J	59.9J	112	120	43-135		20 N2
Dibromochloromethane	ug/L	ND	50	50	50.8	54.1	102	108	48-125	6	20
Dichlorodifluoromethane	ug/L	ND	50	50	61.3	65.2	123	130	24-197	6	20
Ethylbenzene	ug/L	ND	50	50	54.3	57.1	109	114	28-153	5	20
Isopropylbenzene (Cumene)	ug/L	ND	50	50	57.3	61.6	115	123	18-152	7	20
Methyl acetate	ug/L	ND	50	50	24.8J	26.2J	50	52	10-125		20 N2
Methyl-tert-butyl ether	ug/L	ND	50	50	46.1	51.0	92	102	63-130	10	20
Methylcyclohexane	ug/L	ND	50	50	55.3	58.9	111	118	32-155	6	20 N2
Methylene Chloride	ug/L	ND	50	50	52.9	58.1	106	116	45-156	9	20
Styrene	ug/L	ND	50	50	51.3	56.0	103	112	36-139	9	20
Tetrachloroethene	ug/L	ND	50	50	52.2	54.8	104	110	33-151	5	20
Toluene	ug/L	ND	50	50	52.5	55.4	105	111	50-132	5	20
trans-1,2-Dichloroethene	ug/L	ND	50	50	53.2	57.1	106	114	40-153	7	20
trans-1,3-Dichloropropene	ug/L	ND	50	50	50.6	54.2	101	108	48-122	7	20
Trichloroethene	ug/L	0.36J	50	50	53.5	58.4	106	116	50-143	9	20
Trichlorofluoromethane	ug/L	ND	50	50	58.5	67.4	117	135	60-175	14	20
Vinyl chloride	ug/L	ND	50	50	60.6	65.4	121	131	44-145	8	20
Xylene (Total)	ug/L	ND	150	150	158	171	105	114	29-145	8	20
4-Bromofluorobenzene (S)	%.						105	106	80-114		
Dibromofluoromethane (S)	%.						108	108	79-116		
Toluene-d8 (S)	%.						98	101	81-110		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

QC Batch:	MSV/75483	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	50115663011, 50115663016, 50115663017, 50115663018, 50115663019, 50115663020, 50115663021, 50115663022, 50115663023		

METHOD BLANK: 1273163

Matrix: Water

Associated Lab Samples: 50115663011, 50115663016, 50115663017, 50115663018, 50115663019, 50115663020, 50115663021, 50115663022, 50115663023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	04/10/15 19:06	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/10/15 19:06	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/10/15 19:06	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	04/10/15 19:06	
1,1-Dichloroethane	ug/L	ND	5.0	04/10/15 19:06	
1,1-Dichloroethene	ug/L	ND	5.0	04/10/15 19:06	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/10/15 19:06	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	04/10/15 19:06	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/10/15 19:06	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/10/15 19:06	
1,2-Dichloroethane	ug/L	ND	5.0	04/10/15 19:06	
1,2-Dichloropropane	ug/L	ND	5.0	04/10/15 19:06	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/10/15 19:06	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/10/15 19:06	
2-Butanone (MEK)	ug/L	ND	25.0	04/10/15 19:06	
2-Hexanone	ug/L	ND	25.0	04/10/15 19:06	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/10/15 19:06	
Acetone	ug/L	ND	100	04/10/15 19:06	
Benzene	ug/L	ND	5.0	04/10/15 19:06	
Bromodichloromethane	ug/L	ND	5.0	04/10/15 19:06	
Bromoform	ug/L	ND	5.0	04/10/15 19:06	
Bromomethane	ug/L	ND	5.0	04/10/15 19:06	
Carbon disulfide	ug/L	ND	10.0	04/10/15 19:06	
Carbon tetrachloride	ug/L	ND	5.0	04/10/15 19:06	
Chlorobenzene	ug/L	ND	5.0	04/10/15 19:06	
Chloroethane	ug/L	ND	5.0	04/10/15 19:06	
Chloroform	ug/L	ND	5.0	04/10/15 19:06	
Chloromethane	ug/L	ND	5.0	04/10/15 19:06	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/10/15 19:06	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/10/15 19:06	
Cyclohexane	ug/L	ND	100	04/10/15 19:06	N2
Dibromochloromethane	ug/L	ND	5.0	04/10/15 19:06	
Dichlorodifluoromethane	ug/L	ND	5.0	04/10/15 19:06	
Ethylbenzene	ug/L	ND	5.0	04/10/15 19:06	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/10/15 19:06	
Methyl acetate	ug/L	ND	50.0	04/10/15 19:06	N2
Methyl-tert-butyl ether	ug/L	ND	4.0	04/10/15 19:06	
Methylcyclohexane	ug/L	ND	50.0	04/10/15 19:06	N2
Methylene Chloride	ug/L	ND	5.0	04/10/15 19:06	
Styrene	ug/L	ND	5.0	04/10/15 19:06	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

METHOD BLANK: 1273163

Matrix: Water

Associated Lab Samples: 50115663011, 50115663016, 50115663017, 50115663018, 50115663019, 50115663020, 50115663021, 50115663022, 50115663023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Tetrachloroethene	ug/L	ND	5.0	04/10/15 19:06	
Toluene	ug/L	ND	5.0	04/10/15 19:06	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/10/15 19:06	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/10/15 19:06	
Trichloroethene	ug/L	0.35J	5.0	04/10/15 19:06	
Trichlorofluoromethane	ug/L	ND	5.0	04/10/15 19:06	
Vinyl chloride	ug/L	ND	2.0	04/10/15 19:06	
Xylene (Total)	ug/L	ND	10.0	04/10/15 19:06	
4-Bromofluorobenzene (S)	%	98	80-114	04/10/15 19:06	
Dibromofluoromethane (S)	%	103	79-116	04/10/15 19:06	
Toluene-d8 (S)	%	95	81-110	04/10/15 19:06	

LABORATORY CONTROL SAMPLE: 1273164

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.7	105	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	48.9	98	66-126	
1,1,2-Trichloroethane	ug/L	50	49.7	99	77-130	
1,1,2-Trichlorotrifluoroethane	ug/L	50	50.9	102	68-139	
1,1-Dichloroethane	ug/L	50	54.1	108	75-130	
1,1-Dichloroethene	ug/L	50	53.9	108	68-127	
1,2,4-Trichlorobenzene	ug/L	50	49.1	98	68-131	
1,2-Dibromo-3-chloropropane	ug/L	50	53.2	106	64-124	
1,2-Dibromoethane (EDB)	ug/L	50	50.4	101	76-125	
1,2-Dichlorobenzene	ug/L	50	51.7	103	75-123	
1,2-Dichloroethane	ug/L	50	52.0	104	75-128	
1,2-Dichloropropane	ug/L	50	56.0	112	74-121	
1,3-Dichlorobenzene	ug/L	50	51.1	102	74-122	
1,4-Dichlorobenzene	ug/L	50	51.1	102	76-120	
2-Butanone (MEK)	ug/L	250	269	107	58-139	
2-Hexanone	ug/L	250	266	106	54-140	
4-Methyl-2-pentanone (MIBK)	ug/L	250	258	103	58-138	
Acetone	ug/L	250	273	109	49-150	
Benzene	ug/L	50	52.5	105	74-122	
Bromodichloromethane	ug/L	50	49.4	99	62-136	
Bromoform	ug/L	50	50.8	102	44-134	
Bromomethane	ug/L	50	95.9	192	22-181	L3
Carbon disulfide	ug/L	50	55.0	110	59-132	
Carbon tetrachloride	ug/L	50	59.7	119	56-137	
Chlorobenzene	ug/L	50	51.2	102	78-123	
Chloroethane	ug/L	50	68.8	138	60-144	
Chloroform	ug/L	50	50.4	101	78-126	
Chloromethane	ug/L	50	54.1	108	42-134	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

LABORATORY CONTROL SAMPLE: 1273164

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ug/L	50	53.0	106	75-122	
cis-1,3-Dichloropropene	ug/L	50	53.1	106	64-126	
Cyclohexane	ug/L	50	54.1J	108	62-119	N2
Dibromochloromethane	ug/L	50	51.0	102	58-128	
Dichlorodifluoromethane	ug/L	50	52.4	105	35-181	
Ethylbenzene	ug/L	50	52.4	105	66-133	
Isopropylbenzene (Cumene)	ug/L	50	56.1	112	69-124	
Methyl acetate	ug/L	50	49.3J	99	10-142	N2
Methyl-tert-butyl ether	ug/L	50	49.2	98	69-122	
Methylcyclohexane	ug/L	50	52.1	104	63-130	N2
Methylene Chloride	ug/L	50	55.1	110	68-132	
Styrene	ug/L	50	53.5	107	74-126	
Tetrachloroethene	ug/L	50	49.6	99	69-130	
Toluene	ug/L	50	51.3	103	72-122	
trans-1,2-Dichloroethene	ug/L	50	54.7	109	72-124	
trans-1,3-Dichloropropene	ug/L	50	57.9	116	64-121	
Trichloroethene	ug/L	50	52.2	104	76-126	
Trichlorofluoromethane	ug/L	50	60.4	121	76-149	
Vinyl chloride	ug/L	50	59.3	119	59-126	
Xylene (Total)	ug/L	150	158	105	70-124	
4-Bromofluorobenzene (S)	%.			99	80-114	
Dibromofluoromethane (S)	%.			103	79-116	
Toluene-d8 (S)	%.			99	81-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

QC Batch:	MSV/75484	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	50115663025, 50115663026, 50115663027, 50115663028, 50115663029, 50115663030, 50115663031, 50115663032, 50115663034		

METHOD BLANK:	1273168	Matrix:	Water
Associated Lab Samples:	50115663025, 50115663026, 50115663027, 50115663028, 50115663029, 50115663030, 50115663031, 50115663032, 50115663034		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	04/11/15 07:30	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/11/15 07:30	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/11/15 07:30	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	04/11/15 07:30	
1,1-Dichloroethane	ug/L	ND	5.0	04/11/15 07:30	
1,1-Dichloroethene	ug/L	ND	5.0	04/11/15 07:30	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/11/15 07:30	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	04/11/15 07:30	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/11/15 07:30	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/11/15 07:30	
1,2-Dichloroethane	ug/L	ND	5.0	04/11/15 07:30	
1,2-Dichloropropane	ug/L	ND	5.0	04/11/15 07:30	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/11/15 07:30	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/11/15 07:30	
2-Butanone (MEK)	ug/L	ND	25.0	04/11/15 07:30	
2-Hexanone	ug/L	ND	25.0	04/11/15 07:30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/11/15 07:30	
Acetone	ug/L	ND	100	04/11/15 07:30	
Benzene	ug/L	ND	5.0	04/11/15 07:30	
Bromodichloromethane	ug/L	ND	5.0	04/11/15 07:30	
Bromoform	ug/L	ND	5.0	04/11/15 07:30	
Bromomethane	ug/L	ND	5.0	04/11/15 07:30	
Carbon disulfide	ug/L	ND	10.0	04/11/15 07:30	
Carbon tetrachloride	ug/L	ND	5.0	04/11/15 07:30	
Chlorobenzene	ug/L	ND	5.0	04/11/15 07:30	
Chloroethane	ug/L	ND	5.0	04/11/15 07:30	
Chloroform	ug/L	ND	5.0	04/11/15 07:30	
Chloromethane	ug/L	ND	5.0	04/11/15 07:30	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/11/15 07:30	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/11/15 07:30	
Cyclohexane	ug/L	ND	100	04/11/15 07:30	N2
Dibromochloromethane	ug/L	ND	5.0	04/11/15 07:30	
Dichlorodifluoromethane	ug/L	ND	5.0	04/11/15 07:30	
Ethylbenzene	ug/L	ND	5.0	04/11/15 07:30	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/11/15 07:30	
Methyl acetate	ug/L	ND	50.0	04/11/15 07:30	N2
Methyl-tert-butyl ether	ug/L	ND	4.0	04/11/15 07:30	
Methylcyclohexane	ug/L	ND	50.0	04/11/15 07:30	N2
Methylene Chloride	ug/L	ND	5.0	04/11/15 07:30	
Styrene	ug/L	ND	5.0	04/11/15 07:30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

METHOD BLANK: 1273168

Matrix: Water

Associated Lab Samples: 50115663025, 50115663026, 50115663027, 50115663028, 50115663029, 50115663030, 50115663031, 50115663032, 50115663034

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Tetrachloroethene	ug/L	ND	5.0	04/11/15 07:30	
Toluene	ug/L	ND	5.0	04/11/15 07:30	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/11/15 07:30	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/11/15 07:30	
Trichloroethene	ug/L	ND	5.0	04/11/15 07:30	
Trichlorofluoromethane	ug/L	ND	5.0	04/11/15 07:30	
Vinyl chloride	ug/L	ND	2.0	04/11/15 07:30	
Xylene (Total)	ug/L	ND	10.0	04/11/15 07:30	
4-Bromofluorobenzene (S)	%	97	80-114	04/11/15 07:30	
Dibromofluoromethane (S)	%	105	79-116	04/11/15 07:30	
Toluene-d8 (S)	%	96	81-110	04/11/15 07:30	

LABORATORY CONTROL SAMPLE: 1273169

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.1	104	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	49.6	99	66-126	
1,1,2-Trichloroethane	ug/L	50	49.8	100	77-130	
1,1,2-Trichlorotrifluoroethane	ug/L	50	51.8	104	68-139	
1,1-Dichloroethane	ug/L	50	53.9	108	75-130	
1,1-Dichloroethene	ug/L	50	56.1	112	68-127	
1,2,4-Trichlorobenzene	ug/L	50	49.8	100	68-131	
1,2-Dibromo-3-chloropropane	ug/L	50	52.9	106	64-124	
1,2-Dibromoethane (EDB)	ug/L	50	50.5	101	76-125	
1,2-Dichlorobenzene	ug/L	50	52.1	104	75-123	
1,2-Dichloroethane	ug/L	50	50.5	101	75-128	
1,2-Dichloropropane	ug/L	50	55.7	111	74-121	
1,3-Dichlorobenzene	ug/L	50	51.7	103	74-122	
1,4-Dichlorobenzene	ug/L	50	52.5	105	76-120	
2-Butanone (MEK)	ug/L	250	263	105	58-139	
2-Hexanone	ug/L	250	248	99	54-140	
4-Methyl-2-pentanone (MIBK)	ug/L	250	245	98	58-138	
Acetone	ug/L	250	275	110	49-150	
Benzene	ug/L	50	52.8	106	74-122	
Bromodichloromethane	ug/L	50	49.4	99	62-136	
Bromoform	ug/L	50	52.5	105	44-134	
Bromomethane	ug/L	50	103	206	22-181	L3
Carbon disulfide	ug/L	50	55.2	110	59-132	
Carbon tetrachloride	ug/L	50	57.7	115	56-137	
Chlorobenzene	ug/L	50	49.9	100	78-123	
Chloroethane	ug/L	50	66.6	133	60-144	
Chloroform	ug/L	50	50.2	100	78-126	
Chloromethane	ug/L	50	54.8	110	42-134	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

LABORATORY CONTROL SAMPLE: 1273169

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ug/L	50	53.8	108	75-122	
cis-1,3-Dichloropropene	ug/L	50	50.0	100	64-126	
Cyclohexane	ug/L	50	53.7J	107	62-119	N2
Dibromochloromethane	ug/L	50	48.3	97	58-128	
Dichlorodifluoromethane	ug/L	50	52.3	105	35-181	
Ethylbenzene	ug/L	50	50.1	100	66-133	
Isopropylbenzene (Cumene)	ug/L	50	54.1	108	69-124	
Methyl acetate	ug/L	50	46.9J	94	10-142	N2
Methyl-tert-butyl ether	ug/L	50	48.9	98	69-122	
Methylcyclohexane	ug/L	50	50.5	101	63-130	N2
Methylene Chloride	ug/L	50	53.8	108	68-132	
Styrene	ug/L	50	51.9	104	74-126	
Tetrachloroethene	ug/L	50	47.2	94	69-130	
Toluene	ug/L	50	50.1	100	72-122	
trans-1,2-Dichloroethene	ug/L	50	55.8	112	72-124	
trans-1,3-Dichloropropene	ug/L	50	52.5	105	64-121	
Trichloroethene	ug/L	50	51.0	102	76-126	
Trichlorofluoromethane	ug/L	50	59.4	119	76-149	
Vinyl chloride	ug/L	50	60.2	120	59-126	
Xylene (Total)	ug/L	150	151	101	70-124	
4-Bromofluorobenzene (S)	%			96	80-114	
Dibromofluoromethane (S)	%			104	79-116	
Toluene-d8 (S)	%			96	81-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1273170 1273171

Parameter	Units	50115663026 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	57.8	57.4	116	115	60-138	1	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	48.4	48.5	97	97	55-128	0	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	50.0	51.2	100	102	61-139	2	20	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	50	50	54.5	55.6	109	111	55-151	2	20	
1,1-Dichloroethane	ug/L	ND	50	50	56.3	57.1	113	114	57-147	2	20	
1,1-Dichloroethene	ug/L	ND	50	50	57.7	56.6	115	113	55-145	2	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	47.7	50.1	95	100	25-143	5	20	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	49.4	51.5	99	103	37-130	4	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	52.1	53.0	104	106	63-129	2	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	50.3	52.4	101	105	38-136	4	20	
1,2-Dichloroethane	ug/L	ND	50	50	54.7	54.1	109	108	62-138	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	57.9	56.2	116	112	59-130	3	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	50.3	51.4	101	103	28-141	2	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	51.0	51.5	102	103	30-139	1	20	
2-Butanone (MEK)	ug/L	ND	250	250	258	257	103	103	37-156	0	20	
2-Hexanone	ug/L	ND	250	250	261	267	104	107	44-143	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1273170 1273171											
Parameter	Units	50115663026 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	255	261	102	104	46-144	2	20
Acetone	ug/L	ND	250	250	263	267	105	106	39-156	1	20
Benzene	ug/L	ND	50	50	55.1	55.5	110	111	62-129	1	20
Bromodichloromethane	ug/L	ND	50	50	51.9	51.2	104	102	50-142	1	20
Bromoform	ug/L	ND	50	50	49.6	50.8	99	102	36-125	2	20
Bromomethane	ug/L	ND	50	50	97.9	100	196	201	13-179	3	20 M0
Carbon disulfide	ug/L	ND	50	50	60.0	58.7	120	117	45-142	2	20
Carbon tetrachloride	ug/L	ND	50	50	64.8	64.8	130	130	46-142	0	20
Chlorobenzene	ug/L	ND	50	50	53.9	55.8	108	112	49-136	3	20
Chloroethane	ug/L	ND	50	50	65.6	68.3	131	137	47-160	4	20
Chloroform	ug/L	ND	50	50	53.5	53.1	107	106	54-150	1	20
Chloromethane	ug/L	ND	50	50	58.4	57.5	117	115	30-148	2	20
cis-1,2-Dichloroethene	ug/L	ND	50	50	56.9	55.4	114	111	60-135	3	20
cis-1,3-Dichloropropene	ug/L	ND	50	50	50.5	52.2	101	104	52-123	3	20
Cyclohexane	ug/L	ND	50	50	58.5J	59.5J	117	119	43-135		20 N2
Dibromochloromethane	ug/L	ND	50	50	52.1	53.7	104	107	48-125	3	20
Dichlorodifluoromethane	ug/L	ND	50	50	61.1	59.8	122	120	24-197	2	20
Ethylbenzene	ug/L	ND	50	50	54.4	57.1	109	114	28-153	5	20
Isopropylbenzene (Cumene)	ug/L	ND	50	50	60.1	61.7	120	123	18-152	3	20
Methyl acetate	ug/L	ND	50	50	28.4J	30.0J	57	60	10-125		20 N2
Methyl-tert-butyl ether	ug/L	ND	50	50	47.5	48.4	95	97	63-130	2	20
Methylcyclohexane	ug/L	ND	50	50	54.9	55.5	110	111	32-155	1	20 N2
Methylene Chloride	ug/L	ND	50	50	53.8	54.6	108	109	45-156	1	20
Styrene	ug/L	ND	50	50	54.4	56.3	109	113	36-139	3	20
Tetrachloroethene	ug/L	ND	50	50	53.2	55.5	106	111	33-151	4	20
Toluene	ug/L	ND	50	50	54.4	56.2	109	112	50-132	3	20
trans-1,2-Dichloroethene	ug/L	ND	50	50	59.3	59.0	119	118	40-153	0	20
trans-1,3-Dichloropropene	ug/L	ND	50	50	53.9	55.5	108	111	48-122	3	20
Trichloroethene	ug/L	0.63J	50	50	54.9	56.1	109	111	50-143	2	20
Trichlorofluoromethane	ug/L	ND	50	50	64.2	65.8	128	132	60-175	2	20
Vinyl chloride	ug/L	ND	50	50	65.1	62.1	130	124	44-145	5	20
Xylene (Total)	ug/L	ND	150	150	164	168	109	112	29-145	3	20
4-Bromofluorobenzene (S)	%						104	105	80-114		
Dibromofluoromethane (S)	%						106	104	79-116		
Toluene-d8 (S)	%						101	102	81-110		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

QC Batch: MSV/75522

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 50115663013, 50115663015, 50115663033, 50115663036

METHOD BLANK: 1273835

Matrix: Water

Associated Lab Samples: 50115663013, 50115663015, 50115663033, 50115663036

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	04/12/15 13:13	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/12/15 13:13	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/12/15 13:13	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	04/12/15 13:13	
1,1-Dichloroethane	ug/L	ND	5.0	04/12/15 13:13	
1,1-Dichloroethene	ug/L	ND	5.0	04/12/15 13:13	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/12/15 13:13	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	04/12/15 13:13	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/12/15 13:13	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/12/15 13:13	
1,2-Dichloroethane	ug/L	ND	5.0	04/12/15 13:13	
1,2-Dichloropropane	ug/L	ND	5.0	04/12/15 13:13	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/12/15 13:13	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/12/15 13:13	
2-Butanone (MEK)	ug/L	ND	25.0	04/12/15 13:13	
2-Hexanone	ug/L	ND	25.0	04/12/15 13:13	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/12/15 13:13	
Acetone	ug/L	ND	100	04/12/15 13:13	
Benzene	ug/L	ND	5.0	04/12/15 13:13	
Bromodichloromethane	ug/L	ND	5.0	04/12/15 13:13	
Bromoform	ug/L	ND	5.0	04/12/15 13:13	
Bromomethane	ug/L	ND	5.0	04/12/15 13:13	
Carbon disulfide	ug/L	ND	10.0	04/12/15 13:13	
Carbon tetrachloride	ug/L	ND	5.0	04/12/15 13:13	
Chlorobenzene	ug/L	ND	5.0	04/12/15 13:13	
Chloroethane	ug/L	ND	5.0	04/12/15 13:13	
Chloroform	ug/L	ND	5.0	04/12/15 13:13	
Chloromethane	ug/L	ND	5.0	04/12/15 13:13	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/12/15 13:13	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/12/15 13:13	
Cyclohexane	ug/L	ND	100	04/12/15 13:13	N2
Dibromochloromethane	ug/L	ND	5.0	04/12/15 13:13	
Dichlorodifluoromethane	ug/L	ND	5.0	04/12/15 13:13	
Ethylbenzene	ug/L	ND	5.0	04/12/15 13:13	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/12/15 13:13	
Methyl acetate	ug/L	ND	50.0	04/12/15 13:13	N2
Methyl-tert-butyl ether	ug/L	ND	4.0	04/12/15 13:13	
Methylcyclohexane	ug/L	ND	50.0	04/12/15 13:13	N2
Methylene Chloride	ug/L	ND	5.0	04/12/15 13:13	
Styrene	ug/L	ND	5.0	04/12/15 13:13	
Tetrachloroethene	ug/L	ND	5.0	04/12/15 13:13	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

METHOD BLANK: 1273835

Matrix: Water

Associated Lab Samples: 50115663013, 50115663015, 50115663033, 50115663036

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Toluene	ug/L	ND	5.0	04/12/15 13:13	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/12/15 13:13	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/12/15 13:13	
Trichloroethene	ug/L	ND	5.0	04/12/15 13:13	
Trichlorofluoromethane	ug/L	ND	5.0	04/12/15 13:13	
Vinyl chloride	ug/L	ND	2.0	04/12/15 13:13	
Xylene (Total)	ug/L	ND	10.0	04/12/15 13:13	
4-Bromofluorobenzene (S)	%	97	80-114	04/12/15 13:13	
Dibromofluoromethane (S)	%	107	79-116	04/12/15 13:13	
Toluene-d8 (S)	%	97	81-110	04/12/15 13:13	

LABORATORY CONTROL SAMPLE: 1273836

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	54.1	108	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	48.2	96	66-126	
1,1,2-Trichloroethane	ug/L	50	51.4	103	77-130	
1,1,2-Trichlorotrifluoroethane	ug/L	50	47.8	96	68-139	
1,1-Dichloroethane	ug/L	50	52.7	105	75-130	
1,1-Dichloroethene	ug/L	50	47.7	95	68-127	
1,2,4-Trichlorobenzene	ug/L	50	52.2	104	68-131	
1,2-Dibromo-3-chloropropane	ug/L	50	43.7	87	64-124	
1,2-Dibromoethane (EDB)	ug/L	50	52.2	104	76-125	
1,2-Dichloroethane	ug/L	50	50.7	101	75-123	
1,2-Dichloroethane	ug/L	50	51.5	103	75-128	
1,2-Dichloropropane	ug/L	50	53.6	107	74-121	
1,3-Dichlorobenzene	ug/L	50	50.6	101	74-122	
1,4-Dichlorobenzene	ug/L	50	49.4	99	76-120	
2-Butanone (MEK)	ug/L	250	255	102	58-139	
2-Hexanone	ug/L	250	257	103	54-140	
4-Methyl-2-pentanone (MIBK)	ug/L	250	249	100	58-138	
Acetone	ug/L	250	204	82	49-150	
Benzene	ug/L	50	52.3	105	74-122	
Bromodichloromethane	ug/L	50	50.8	102	62-136	
Bromoform	ug/L	50	49.1	98	44-134	
Bromomethane	ug/L	50	84.7	169	22-181	
Carbon disulfide	ug/L	50	54.1	108	59-132	
Carbon tetrachloride	ug/L	50	58.4	117	56-137	
Chlorobenzene	ug/L	50	51.1	102	78-123	
Chloroethane	ug/L	50	51.4	103	60-144	
Chloroform	ug/L	50	49.3	99	78-126	
Chloromethane	ug/L	50	46.2	92	42-134	
cis-1,2-Dichloroethene	ug/L	50	54.1	108	75-122	
cis-1,3-Dichloropropene	ug/L	50	52.6	105	64-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

LABORATORY CONTROL SAMPLE: 1273836

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyclohexane	ug/L	50	52.3J	105	62-119	N2
Dibromochloromethane	ug/L	50	50.4	101	58-128	
Dichlorodifluoromethane	ug/L	50	48.4	97	35-181	
Ethylbenzene	ug/L	50	51.2	102	66-133	
Isopropylbenzene (Cumene)	ug/L	50	54.5	109	69-124	
Methyl acetate	ug/L	50	47.5J	95	10-142	N2
Methyl-tert-butyl ether	ug/L	50	48.2	96	69-122	
Methylcyclohexane	ug/L	50	50.9	102	63-130	N2
Methylene Chloride	ug/L	50	52.6	105	68-132	
Styrene	ug/L	50	53.2	106	74-126	
Tetrachloroethene	ug/L	50	48.1	96	69-130	
Toluene	ug/L	50	50.5	101	72-122	
trans-1,2-Dichloroethene	ug/L	50	50.1	100	72-124	
trans-1,3-Dichloropropene	ug/L	50	54.4	109	64-121	
Trichloroethene	ug/L	50	52.4	105	76-126	
Trichlorofluoromethane	ug/L	50	53.2	106	76-149	
Vinyl chloride	ug/L	50	51.8	104	59-126	
Xylene (Total)	ug/L	150	153	102	70-124	
4-Bromofluorobenzene (S)	%			97	80-114	
Dibromofluoromethane (S)	%			103	79-116	
Toluene-d8 (S)	%			96	81-110	

MATRIX SPIKE SAMPLE: 1273837

Parameter	Units	50116373003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	50	55.0	110	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	54.1	108	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	52.8	106	61-139	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	50	51.5	103	55-151	
1,1-Dichloroethane	ug/L	ND	50	55.9	112	57-147	
1,1-Dichloroethene	ug/L	ND	50	54.0	108	55-145	
1,2,4-Trichlorobenzene	ug/L	ND	50	56.3	113	25-143	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	49.0	98	37-130	
1,2-Dibromoethane (EDB)	ug/L	ND	50	54.9	110	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	54.4	109	38-136	
1,2-Dichloroethane	ug/L	ND	50	52.2	104	62-138	
1,2-Dichloropropane	ug/L	ND	50	57.0	114	59-130	
1,3-Dichlorobenzene	ug/L	ND	50	54.6	109	28-141	
1,4-Dichlorobenzene	ug/L	ND	50	52.9	106	30-139	
2-Butanone (MEK)	ug/L	ND	250	266	107	37-156	
2-Hexanone	ug/L	ND	250	283	113	44-143	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	268	107	46-144	
Acetone	ug/L	ND	250	208	83	39-156	
Benzene	ug/L	ND	50	56.2	112	62-129	
Bromodichloromethane	ug/L	ND	50	51.1	102	50-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

MATRIX SPIKE SAMPLE: 1273837

Parameter	Units	50116373003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	ND	50	51.6	103	36-125	
Bromomethane	ug/L	ND	50	87.7	175	13-179	
Carbon disulfide	ug/L	ND	50	57.2	114	45-142	
Carbon tetrachloride	ug/L	ND	50	58.6	117	46-142	
Chlorobenzene	ug/L	ND	50	55.1	110	49-136	
Chloroethane	ug/L	ND	50	53.5	107	47-160	
Chloroform	ug/L	ND	50	51.3	103	54-150	
Chloromethane	ug/L	ND	50	52.8	106	30-148	
cis-1,2-Dichloroethene	ug/L	ND	50	57.7	115	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	53.4	107	52-123	
Cyclohexane	ug/L	ND	50	56.3J	113	43-135	N2
Dibromochloromethane	ug/L	ND	50	50.9	102	48-125	
Dichlorodifluoromethane	ug/L	ND	50	52.3	105	24-197	
Ethylbenzene	ug/L	ND	50	55.6	111	28-153	
Isopropylbenzene (Cumene)	ug/L	ND	50	58.8	118	18-152	
Methyl acetate	ug/L	ND	50	36.2J	72	10-125	N2
Methyl-tert-butyl ether	ug/L	ND	50	49.5	99	63-130	
Methylcyclohexane	ug/L	ND	50	53.5	107	32-155	N2
Methylene Chloride	ug/L	ND	50	55.1	110	45-156	
Styrene	ug/L	ND	50	54.6	109	36-139	
Tetrachloroethene	ug/L	ND	50	54.1	108	33-151	
Toluene	ug/L	ND	50	55.6	111	50-132	
trans-1,2-Dichloroethene	ug/L	ND	50	56.7	113	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	53.7	107	48-122	
Trichloroethene	ug/L	ND	50	54.3	109	50-143	
Trichlorofluoromethane	ug/L	ND	50	54.8	110	60-175	
Vinyl chloride	ug/L	ND	50	58.3	117	44-145	
Xylene (Total)	ug/L	ND	150	165	110	29-145	
4-Bromofluorobenzene (S)	%				98	80-114	
Dibromofluoromethane (S)	%				100	79-116	
Toluene-d8 (S)	%				102	81-110	

SAMPLE DUPLICATE: 1273838

Parameter	Units	50116373004 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	ND		20	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2-Dibromo-3-chloropropane	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

SAMPLE DUPLICATE: 1273838

Parameter	Units	50116373004 Result	Dup Result	RPD	Max RPD	Qualifiers
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	ND	ND		20	
Benzene	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	ND	ND		20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	ND	ND		20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Cyclohexane	ug/L	ND	ND		20	N2
Dibromochloromethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	
Methyl acetate	ug/L	ND	ND		20	N2
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylcyclohexane	ug/L	ND	ND		20	N2
Methylene Chloride	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	ND	ND		20	
Toluene	ug/L	ND	ND		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
Trichloroethene	ug/L	ND	ND		20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl chloride	ug/L	ND	ND		20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%	98	95	4		
Dibromofluoromethane (S)	%	97	102	5		
Toluene-d8 (S)	%	100	98	2		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

QC Batch: MSV/75529

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 50115663024, 50115663035

METHOD BLANK: 1273859

Matrix: Water

Associated Lab Samples: 50115663024, 50115663035

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	04/13/15 02:02	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/13/15 02:02	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/13/15 02:02	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	04/13/15 02:02	
1,1-Dichloroethane	ug/L	ND	5.0	04/13/15 02:02	
1,1-Dichloroethene	ug/L	ND	5.0	04/13/15 02:02	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/13/15 02:02	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	04/13/15 02:02	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/13/15 02:02	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/13/15 02:02	
1,2-Dichloroethane	ug/L	ND	5.0	04/13/15 02:02	
1,2-Dichloropropane	ug/L	ND	5.0	04/13/15 02:02	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/13/15 02:02	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/13/15 02:02	
2-Butanone (MEK)	ug/L	ND	25.0	04/13/15 02:02	
2-Hexanone	ug/L	ND	25.0	04/13/15 02:02	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/13/15 02:02	
Acetone	ug/L	ND	100	04/13/15 02:02	
Benzene	ug/L	0.37J	5.0	04/13/15 02:02	
Bromodichloromethane	ug/L	ND	5.0	04/13/15 02:02	
Bromoform	ug/L	ND	5.0	04/13/15 02:02	
Bromomethane	ug/L	ND	5.0	04/13/15 02:02	
Carbon disulfide	ug/L	ND	10.0	04/13/15 02:02	
Carbon tetrachloride	ug/L	ND	5.0	04/13/15 02:02	
Chlorobenzene	ug/L	ND	5.0	04/13/15 02:02	
Chloroethane	ug/L	ND	5.0	04/13/15 02:02	
Chloroform	ug/L	ND	5.0	04/13/15 02:02	
Chloromethane	ug/L	ND	5.0	04/13/15 02:02	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/13/15 02:02	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/13/15 02:02	
Cyclohexane	ug/L	ND	100	04/13/15 02:02	N2
Dibromochloromethane	ug/L	ND	5.0	04/13/15 02:02	
Dichlorodifluoromethane	ug/L	ND	5.0	04/13/15 02:02	
Ethylbenzene	ug/L	ND	5.0	04/13/15 02:02	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/13/15 02:02	
Methyl acetate	ug/L	ND	50.0	04/13/15 02:02	N2
Methyl-tert-butyl ether	ug/L	ND	4.0	04/13/15 02:02	
Methylcyclohexane	ug/L	ND	50.0	04/13/15 02:02	N2
Methylene Chloride	ug/L	ND	5.0	04/13/15 02:02	
Styrene	ug/L	ND	5.0	04/13/15 02:02	
Tetrachloroethene	ug/L	ND	5.0	04/13/15 02:02	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

METHOD BLANK: 1273859

Matrix: Water

Associated Lab Samples: 50115663024, 50115663035

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Toluene	ug/L	ND	5.0	04/13/15 02:02	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/13/15 02:02	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/13/15 02:02	
Trichloroethene	ug/L	ND	5.0	04/13/15 02:02	
Trichlorofluoromethane	ug/L	ND	5.0	04/13/15 02:02	
Vinyl chloride	ug/L	ND	2.0	04/13/15 02:02	
Xylene (Total)	ug/L	ND	10.0	04/13/15 02:02	
4-Bromofluorobenzene (S)	%	105	80-114	04/13/15 02:02	
Dibromofluoromethane (S)	%	104	79-116	04/13/15 02:02	
Toluene-d8 (S)	%	100	81-110	04/13/15 02:02	

LABORATORY CONTROL SAMPLE: 1273860

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	50.7	101	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	48.7	97	66-126	
1,1,2-Trichloroethane	ug/L	50	50.3	101	77-130	
1,1,2-Trichlorotrifluoroethane	ug/L	50	47.4	95	68-139	
1,1-Dichloroethane	ug/L	50	52.7	105	75-130	
1,1-Dichloroethene	ug/L	50	50.3	101	68-127	
1,2,4-Trichlorobenzene	ug/L	50	50.7	101	68-131	
1,2-Dibromo-3-chloropropane	ug/L	50	54.2	108	64-124	
1,2-Dibromoethane (EDB)	ug/L	50	51.2	102	76-125	
1,2-Dichlorobenzene	ug/L	50	51.9	104	75-123	
1,2-Dichloroethane	ug/L	50	48.7	97	75-128	
1,2-Dichloropropane	ug/L	50	54.8	110	74-121	
1,3-Dichlorobenzene	ug/L	50	50.4	101	74-122	
1,4-Dichlorobenzene	ug/L	50	51.7	103	76-120	
2-Butanone (MEK)	ug/L	250	253	101	58-139	
2-Hexanone	ug/L	250	251	100	54-140	
4-Methyl-2-pentanone (MIBK)	ug/L	250	254	102	58-138	
Acetone	ug/L	250	233	93	49-150	
Benzene	ug/L	50	51.9	104	74-122	
Bromodichloromethane	ug/L	50	47.2	94	62-136	
Bromoform	ug/L	50	50.5	101	44-134	
Bromomethane	ug/L	50	90.8	182	22-181	L3
Carbon disulfide	ug/L	50	54.6	109	59-132	
Carbon tetrachloride	ug/L	50	55.5	111	56-137	
Chlorobenzene	ug/L	50	51.3	103	78-123	
Chloroethane	ug/L	50	62.1	124	60-144	
Chloroform	ug/L	50	47.8	96	78-126	
Chloromethane	ug/L	50	49.1	98	42-134	
cis-1,2-Dichloroethene	ug/L	50	53.4	107	75-122	
cis-1,3-Dichloropropene	ug/L	50	54.3	109	64-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Racer Kokomo

Pace Project No.: 50115663

LABORATORY CONTROL SAMPLE: 1273860

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyclohexane	ug/L	50	52.8J	106	62-119	N2
Dibromochloromethane	ug/L	50	49.3	99	58-128	
Dichlorodifluoromethane	ug/L	50	48.1	96	35-181	
Ethylbenzene	ug/L	50	52.5	105	66-133	
Isopropylbenzene (Cumene)	ug/L	50	56.6	113	69-124	
Methyl acetate	ug/L	50	44.2J	88	10-142	N2
Methyl-tert-butyl ether	ug/L	50	48.1	96	69-122	
Methylcyclohexane	ug/L	50	51.1	102	63-130	N2
Methylene Chloride	ug/L	50	53.5	107	68-132	
Styrene	ug/L	50	54.0	108	74-126	
Tetrachloroethene	ug/L	50	50.9	102	69-130	
Toluene	ug/L	50	52.4	105	72-122	
trans-1,2-Dichloroethene	ug/L	50	55.0	110	72-124	
trans-1,3-Dichloropropene	ug/L	50	58.2	116	64-121	
Trichloroethene	ug/L	50	50.5	101	76-126	
Trichlorofluoromethane	ug/L	50	52.8	106	76-149	
Vinyl chloride	ug/L	50	54.9	110	59-126	
Xylene (Total)	ug/L	150	157	104	70-124	
4-Bromofluorobenzene (S)	%			103	80-114	
Dibromofluoromethane (S)	%			99	79-116	
Toluene-d8 (S)	%			101	81-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: Racer Kokomo

Pace Project No.: 50115663

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D4 Sample was diluted due to the presence of high levels of target analytes.

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

N2 The lab does not hold TNI accreditation for this parameter.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Racer Kokomo

Pace Project No.: 50115663

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50115663001	TB-1(033115)-AO	EPA 8260	MSV/75474		
50115663002	MW-0618-S1(033115)-PDB	EPA 8260	MSV/75474		
50115663003	MW-0613-S1(033115)-PDB	EPA 8260	MSV/75474		
50115663004	EB-2(033115)-AO-PDB	EPA 8260	MSV/75474		
50115663005	MW-0607-S1(033115)-PDB	EPA 8260	MSV/75477		
50115663006	MW-0608-S1(033115)-PDB	EPA 8260	MSV/75477		
50115663007	MW-0610-S1(033115)-PDB	EPA 8260	MSV/75477		
50115663008	MW-0612-S1(033115)-PDB	EPA 8260	MSV/75477		
50115663009	MW-0705-S1(033115)-PDB	EPA 8260	MSV/75477		
50115663010	MW-0704-S1(033115)-PDB	EPA 8260	MSV/75477		
50115663011	MW-0606-S1(033115)-PDB	EPA 8260	MSV/75483		
50115663012	MW-0509-S1(033115)-PDB	EPA 8260	MSV/75477		
50115663013	MW-0103-S1U(033115)-PDB	EPA 8260	MSV/75522		
50115663014	MW-0501-S1(033115)-PDB	EPA 8260	MSV/75477		
50115663015	MW-0623-S1(033115)-PDB	EPA 8260	MSV/75522		
50115663016	MW-0622-S1(033115)-PDB	EPA 8260	MSV/75483		
50115663017	MW-0620-S1(033115)-PDB	EPA 8260	MSV/75483		
50115663018	MW-0619-S1(033115)-PDB	EPA 8260	MSV/75483		
50115663019	MW-0605-S1(033115)-PDB	EPA 8260	MSV/75483		
50115663020	MW-0621-S1(033115)-PDB	EPA 8260	MSV/75483		
50115663021	MW-0502-S1(033115)-PDB	EPA 8260	MSV/75483		
50115663022	MW-0101-S1U(033115)-PDB	EPA 8260	MSV/75483		
50115663023	FD-2(033115)-AO-PDB	EPA 8260	MSV/75483		
50115663024	MW-0517-S1(033115)-PDB	EPA 8260	MSV/75529		
50115663025	MW-0604-S1(033115)-PDB	EPA 8260	MSV/75484		
50115663026	MW-0503-S1(033115)-PDB	EPA 8260	MSV/75484		
50115663027	MW-0507-S1(033115)-PDB	EPA 8260	MSV/75484		
50115663028	MW-0617-S1(033115)-PDB	EPA 8260	MSV/75484		
50115663029	MW-0506-S1(033115)-PDB	EPA 8260	MSV/75484		
50115663030	MW-0504-S1(033115)-PDB	EPA 8260	MSV/75484		
50115663031	EB-1(033115)-AO-PDB	EPA 8260	MSV/75484		
50115663032	MW-0505-S1(033115)-PDB	EPA 8260	MSV/75484		
50115663033	MW-0102-S1U(033115)-PDB	EPA 8260	MSV/75522		
50115663034	MW-0516-S1(033115)-PDB	EPA 8260	MSV/75484		
50115663035	FD-1(033115)-AO-PDB	EPA 8260	MSV/75529		
50115663036	MW-0603-S1(033115)-AO-PDB	EPA 8260	MSV/75522		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



www.paceanalytical.com

Section A Required Client Information:		Section B Required Project Information:		Section C Invoices Information:	
Company: ARCADIS	Report To: MAT GELES	Attention: ACCOUNTS PAYABLE	Page: 1 of 4		
Address: 132 E WASHINGTON ST	Copy To: MEYEL SNOKEY	Company Name: ARCADIS	1848390		
Phone: 317 231 6500	Purchase Order No.: INDIANAPOLIS IN46202	Address: HIGHWAYS LANDSCAPE CO	REGULATORY AGENCY		
Requested Due Date/TAT: 3/17/23 16:514	Project Name: PACE KORDMO	Pace Quote Reference: INDIANAPOLIS IN46202	☒ NPDES ☐ GROUND WATER ☐ DRINKING WATER ☐ UST ☐ RCRA ☐ OTHER		
	Project Number: INDIANAPOLIS IN46202	Pace Project Manager: INDIANAPOLIS IN46202	Site Location STATE: IN		

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives										Analysis Test ↑ Y / N ↓	Residual Chlorine (Y/N)	Pace Project No. / Lab I.D.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
				COMPOSITE START	COMPOSITE END/GRAB			Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
1	TB-1 (033115) - AO	DW	WQ G	3/31/15	—	3	3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	<i>Stefan Ogelt Arcadis</i>	3/31/15	17:29	<i>Marcia Bennett Pace</i>	3/31/15	17:29	5.80 Y
SAMPLER NAME AND SIGNATURE PRINT Name of SAMPLER: <i>ALEXANDRA ORRIST</i> DATE Signed (MM/DD/YYYY): <i>03/31/2015</i> SIGNATURE of SAMPLER: <i>Alexandra Orrist</i>							
Temp in °C Received on Custody Sealed Cooler (Y/N) Samples Intact (Y/N)							

ORIGINAL

Client w/ file



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company: Acadus	Report To: MATT GEULES	Attention: Acadus PAYABLE	Page: 2 of 9	1848391	
Address: 132 E WASHINGTON ST	Copy To: MEERL STURGEY	Company Name: Acadus	REGULATORY AGENCY		
INDIANAPOLIS IN 46204		Address: HIGHLANDS PARKWAY, CO	☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER ☐ UST ☐ RCRA ☐ OTHER		
Email To: MATT.GEULES@ACADUS-ES.COM	Purchase Order No.:	Pace Quote Reference:	Site Location		
Phone: 317 231 6514	Project Name: PAGE KOKOMO	Pace Project Manager:	IN		
Requested Due Date/TAT:	Project Number: N000884-2015	Pace Profile #:	STATE:		

[illegible][illegible]



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	AREADIS	Report To:	MATT GEIGES	Attention:	Accounts Payable
Address:	132 E WASHINGTON ST	Copy To:	MEEL STUCKEY	Company Name:	AREADIS
	INDIANAPOLIS IN 46204			Address:	HIGHWAYS LAND, CO
Email To:	MATT.GEIGES@AREADIS-US.COM	Purchase Order No.:		Pace Quote Reference:	
Phone:	317 231 6500	Project Name:	PAVE KORONA	Pace Project Manager:	
Requested Due Date/TAT:	3/7/23 6514	Project Number:	IN000824.2015	Pace Profile #:	

Page: 3 of 4

1848388

REGULATORY AGENCY

☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER

☐ UST ☐ RCRA ☐ OTHER

Site Location

STATE: IN

[illegible][illegible]

Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

FF-ALL-Q-020rev.07, 15-May-2007



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

[illegible]

Sample Condition Upon Receipt

Face Analytical

Client Name: Arcadis

Project # 50115663

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☒ no

Date/Time 5036A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other foam

Thermometer 1 2 3 4 5 6 A B C D E F

Type of Ice: Wet Blue None ☒ Samples on ice, cooling process has begun

Cooler Temperature 5.8°C
(Corrected, if applicable)

Ice Visible in Sample Containers: ☐ yes ☒ no

Temp should be above freezing to 6°C

Comments:

Date and Initials of person examining contents: MB 3/31/15

Chain of Custody Present:	☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out:	☒ Yes ☐ No ☐ N/A	2.
Chain of Custody Relinquished:	☒ Yes ☐ No ☐ N/A	3.
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A	4.
Short Hold Time Analysis (<72hr):	☐ Yes ☐ No ☒ N/A	5.
Rush Turn Around Time Requested:	☐ Yes ☐ No ☒ N/A	6.
Containers Intact:	☒ Yes ☐ No ☐ N/A	7.
Sample Labels match COC:	☒ Yes ☐ No ☐ N/A	8.
-Includes date/time/ID/Analysis		
All containers needing acid/base pres. have been checked?	☐ Yes ☐ No ☒ N/A	9. (Circle) HNO ₃ H ₂ SO ₄ NaOH HCl
exceptions: VOA, coliform, TOC, O&G		
All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.		
Headspace in VOA Vials (>6mm):	☐ Yes ☒ No ☐ N/A	10.
Trip Blank Present:	☒ Yes ☐ No ☐ N/A	11.
Trip Blank Custody Seals Present	☒ Yes ☐ No ☐ N/A	
Project Manager Review		
Samples Arrived within Hold Time:	☒ Yes ☐ No ☐ N/A	12.
Sufficient Volume:	☒ Yes ☐ No ☐ N/A	13.
Correct Containers Used:	☒ Yes ☐ No ☐ N/A	14.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review:

Date: 4/1/15

Sample Container Count



CLIENT: Arcadis

COC PAGE 1 of 4

COC ID# 1848390

Project # 56115663

Sample Line

Item	DG9H	AG1U	WG9U	AG0U	R	4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	BP3C	BP1U	SP5T	pH < 2	pH > 12	Comments
1																				
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

Container Codes

DG9H	40mL HCL amber vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WG9U	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	SP5T	120mL Coliform Na Thiosulfate
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

Sample Container Count



CLIENT: Arcadis

COC PAGE 2 of 4

COC ID# 1848391

Project # 50115663

Sample Line

Item	DG9H	AG1U	WG1U	AG0U	R	4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	BP3C	BP1U	SPST	pH <2	pH >12	Comments
1	3																			
2	3																			
3	9																			
4	3																			
5	3																			
6	3																			
7	3																			
8	3																			
9	3																			
10	3																			
11	3																			
12	3																			

Container Codes

DG9H	40mL HCL amber vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WG1U	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	U	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JG1U	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

Sample Container Count



CLIENT: Arcadis

COC PAGE 3 of 4

COC ID# 1848388

Project # 50116663

Sample Line Item	DG9H	AG1U	WG9U	AG0U	R	4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	BP3C	BP1U	SPST	pH < 2	pH > 12	Comments
1	3																			
2	3																			
3	3																			
4	3																			
5	3																			
6	3																			
7	3																			
8	3																			
9	3																			
10	3																			
11	3																			
12	3																			

Container Codes																				
DG9H	40mL HCL amber vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial													
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial													
WG9U	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial													
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial													
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab													
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide													
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can													
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial													
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial													
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial													
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL													
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFU	4oz wide jar w/hexane wipe													
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag													

Face Analytical[™]
www.faceanalytics.com

COC PAGE 4 of 4
COC ID# 1848389

Project # 50116663

Sample Line

Comments _____ pH <2 pH>12

[illegible]

DG9H	40mL HCL amber vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WG9U	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

4/15/2015

Mr. Rob Uppencamp
Arcadis U.S., Inc.
132 East Washington St., Suite 600

Indianapolis IN 46204

Project Name: RACER Kokomo
Project #: IN000884.2015
Workorder #: 1504081

Dear Mr. Rob Uppencamp

The following report includes the data for the above referenced project for sample(s) received on 4/3/2015 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 SIM are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Air Toxics Ltd. for your air analysis needs. Air Toxics Ltd. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott
Project Manager


WORK ORDER #: 1504081

Work Order Summary

CLIENT:	Mr. Rob Uppencamp Arcadis U.S., Inc. 132 East Washington St., Suite 600 Indianapolis, IN 46204	BILL TO:	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
PHONE:	317-231-6500	P.O. #	IN000884.2012.00006
FAX:	317-231-6514	PROJECT #	IN000884.2015 RACER Kokomo
DATE RECEIVED:	04/03/2015	CONTACT:	Ausha Scott
DATE COMPLETED:	04/15/2015		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	IA-4-M2 (033115)	Modified TO-15 SIM	12.4 "Hg	4.8 psi
02A	DUP-1 (033115)	Modified TO-15 SIM	5.1 "Hg	4.8 psi
03A	AMB-1 (033115)	Modified TO-15 SIM	4.3 "Hg	4.9 psi
04A	Lab Blank	Modified TO-15 SIM	NA	NA
05A	CCV	Modified TO-15 SIM	NA	NA
06A	LCS	Modified TO-15 SIM	NA	NA
06AA	LCSD	Modified TO-15 SIM	NA	NA

CERTIFIED BY:



Technical Director

DATE: 04/15/15

Certification numbers: AZ Licensure AZ0775, NJ NELAP - CA016, NY NELAP - 11291,
TX NELAP - T104704343-14-7, UT NELAP CA009332014-5, VA NELAP - 460197, WA NELAP - C935
Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)
Accreditation number: CA300005, Effective date: 10/18/2014, Expiration date: 10/17/2015.

Eurofins Air Toxics Inc., certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 9563
(916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
Modified TO-15 SIM
Arcadis U.S., Inc.
Workorder# 1504081

Three 6 Liter Summa Canister (SIM Certified) samples were received on April 03, 2015. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the SIM acquisition mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

Requirement	TO-15	ATL Modifications
ICAL %RSD acceptance criteria	$\leq 30\%$ RSD with 2 compounds allowed out to $< 40\%$ RSD	Project specific; default criteria is $\leq 30\%$ RSD with 10% of compounds allowed out to $< 40\%$ RSD
Daily Calibration	$\pm 30\%$ Difference	Project specific; default criteria is $\leq 30\%$ Difference with 10% of compounds allowed out up to $\leq 40\%$; flag and narrate outliers
Blank and standards	Zero air	Nitrogen
Method Detection Limit	Follow 40CFR Pt.136 App. B	The MDL met all relevant requirements in Method TO-15 (statistical MDL less than the LOQ). The concentration of the spiked replicate may have exceeded 10X the calculated MDL in some cases

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

As per project specific client request the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. All The canisters used for this project have been certified to the Reporting Limit for the target analytes included in this workorder. Concentrations that are below the level at which the canister was certified may be false positives.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds MODIFIED EPA METHOD TO-15 GC/MS SIM

Client Sample ID: IA-4-M2 (033115)

Lab ID#: 1504081-01A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
cis-1,2-Dichloroethene	0.045	0.0079 J	0.18	0.031 J
Trichloroethene	0.045	0.023 J	0.24	0.12 J
Tetrachloroethene	0.045	0.037 J	0.31	0.25 J
trans-1,2-Dichloroethene	0.23	0.0042 J	0.90	0.017 J

Client Sample ID: DUP-1 (033115)

Lab ID#: 1504081-02A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
cis-1,2-Dichloroethene	0.032	0.0065 J	0.13	0.026 J
Trichloroethene	0.032	0.020 J	0.17	0.11 J
Tetrachloroethene	0.032	0.036	0.22	0.24
trans-1,2-Dichloroethene	0.16	0.0039 J	0.63	0.016 J

Client Sample ID: AMB-1 (033115)

Lab ID#: 1504081-03A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
cis-1,2-Dichloroethene	0.031	0.0050 J	0.12	0.020 J
Trichloroethene	0.031	0.016 J	0.17	0.085 J
Tetrachloroethene	0.031	0.011 J	0.21	0.074 J



Air Toxics

Client Sample ID: IA-4-M2 (033115)

Lab ID#: 1504081-01A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e040913sim	Date of Collection:	4/1/15 9:40:00 AM
Dil. Factor:	2.27	Date of Analysis:	4/9/15 11:07 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.023	Not Detected	0.058	Not Detected
1,1-Dichloroethene	0.023	Not Detected	0.090	Not Detected
cis-1,2-Dichloroethene	0.045	0.0079 J	0.18	0.031 J
Trichloroethene	0.045	0.023 J	0.24	0.12 J
Tetrachloroethene	0.045	0.037 J	0.31	0.25 J
trans-1,2-Dichloroethene	0.23	0.0042 J	0.90	0.017 J

J = Estimated value.

Container Type: 6 Liter Summa Canister (SIM Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	108	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	98	70-130



Air Toxics

Client Sample ID: DUP-1 (033115)

Lab ID#: 1504081-02A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e040911sim	Date of Collection:	4/1/15
Dil. Factor:	1.60	Date of Analysis:	4/9/15 08:58 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.016	Not Detected	0.041	Not Detected
1,1-Dichloroethene	0.016	Not Detected	0.063	Not Detected
cis-1,2-Dichloroethene	0.032	0.0065 J	0.13	0.026 J
Trichloroethene	0.032	0.020 J	0.17	0.11 J
Tetrachloroethene	0.032	0.036	0.22	0.24
trans-1,2-Dichloroethene	0.16	0.0039 J	0.63	0.016 J

J = Estimated value.

Container Type: 6 Liter Summa Canister (SIM Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	104	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	99	70-130

Client Sample ID: AMB-1 (033115)

Lab ID#: 1504081-03A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e040912sim	Date of Collection:	4/1/15 9:55:00 AM
Dil. Factor:	1.56	Date of Analysis:	4/9/15 10:23 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.016	Not Detected	0.040	Not Detected
1,1-Dichloroethene	0.016	Not Detected	0.062	Not Detected
cis-1,2-Dichloroethene	0.031	0.0050 J	0.12	0.020 J
Trichloroethene	0.031	0.016 J	0.17	0.085 J
Tetrachloroethene	0.031	0.011 J	0.21	0.074 J
trans-1,2-Dichloroethene	0.16	Not Detected	0.62	Not Detected

J = Estimated value.

Container Type: 6 Liter Summa Canister (SIM Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	101	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	100	70-130



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 1504081-04A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e040906sima	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/9/15 01:22 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.010	Not Detected	0.026	Not Detected
1,1-Dichloroethene	0.010	Not Detected	0.040	Not Detected
cis-1,2-Dichloroethene	0.020	0.0073 J	0.079	0.029 J
Trichloroethene	0.020	0.0047 J	0.11	0.025 J
Tetrachloroethene	0.020	0.0011 J	0.14	0.0076 J
trans-1,2-Dichloroethene	0.10	0.0065 J	0.40	0.026 J

J = Estimated value.

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	105	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	97	70-130

Client Sample ID: CCV

Lab ID#: 1504081-05A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e040902sim	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/9/15 10:06 AM

Compound	%Recovery
----------	-----------

Vinyl Chloride	95
1,1-Dichloroethene	86
cis-1,2-Dichloroethene	99
Trichloroethene	89
Tetrachloroethene	101
trans-1,2-Dichloroethene	102

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	99	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	102	70-130

Client Sample ID: LCS

Lab ID#: 1504081-06A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e040903sim	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/9/15 10:50 AM

Compound	%Recovery	Method Limits
Vinyl Chloride	112	70-130
1,1-Dichloroethene	102	70-130
cis-1,2-Dichloroethene	123	70-130
Trichloroethene	100	70-130
Tetrachloroethene	113	70-130
trans-1,2-Dichloroethene	101	70-130

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	99	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	102	70-130

Client Sample ID: LCSD

Lab ID#: 1504081-06AA

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e040904sim	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/9/15 11:37 AM

Compound	%Recovery	Method Limits
Vinyl Chloride	109	70-130
1,1-Dichloroethene	100	70-130
cis-1,2-Dichloroethene	121	70-130
Trichloroethene	99	70-130
Tetrachloroethene	113	70-130
trans-1,2-Dichloroethene	99	70-130

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	99	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	104	70-130

**RACER Trust
Former GM Delco Plant 5**

Data Review

KOKOMO, INDIANA

Volatile Organic Compounds Analyses

SDG #50115663

Analyses Performed By:
Pace Analytical
Indianapolis, Indiana

Report #23521R
Review Level: Tier II
Project: IN000884.2015.00006

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) #50115663 for samples collected in association with the RACER Trust site in Kokomo, Indiana. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
						VOC	MISC
50115663	TB-1(033115)-AO	50115663001	Water	03/31/2015		X	
	MW-0618-S1(033115)-PDB	50115663002	Water	03/31/2015		X	
	MW-0613-S1(033115)-PDB	50115663003	Water	03/31/2015		X	
	EB-2(033115)-AO-PDB	50115663004	Water	03/31/2015		X	
	MW-0607-S1(033115)-PDB	50115663005	Water	03/31/2015		X	
	MW-0608-S1(033115)-PDB	50115663006	Water	03/31/2015		X	
	MW-0610-S1(033115)-PDB	50115663007	Water	03/31/2015		X	
	MW-0612-S1(033115)-PDB	50115663008	Water	03/31/2015		X	
	MW-0705-S1(033115)-PDB	50115663009	Water	03/31/2015		X	
	MW-0704-S1(033115)-PDB	50115663010	Water	03/31/2015		X	
	MW-0606-S1(033115)-PDB	50115663011	Water	03/31/2015		X	
	MW-0509-S1(033115)-PDB	50115663012	Water	03/31/2015		X	
	MW-0103-S1U(033115)-PDB	50115663013	Water	03/31/2015		X	
	MW-0501-S1(033115)-PDB	50115663014	Water	03/31/2015		X	
	MW-0623-S1(033115)-PDB	50115663015	Water	03/31/2015		X	
	MW-0622-S1(033115)-PDB	50115663016	Water	03/31/2015		X	
	MW-0620-S1(033115)-PDB	50115663017	Water	03/31/2015		X	
	MW-0619-S1(033115)-PDB	50115663018	Water	03/31/2015		X	
	MW-0605-S1(033115)-PDB	50115663019	Water	03/31/2015		X	
	MW-0621-S1(033115)-PDB	50115663020	Water	03/31/2015		X	
	MW-0502-S1(033115)-PDB	50115663021	Water	03/31/2015		X	
	MW-0101-S1U(033115)-PDB	50115663022	Water	03/31/2015		X	
	FD-2(033115)-AO-PDB	50115663023	Water	03/31/2015	MW-0622-S1(033115)-PDB	X	
	MW-0517-S1(033115)-PDB	50115663024	Water	03/31/2015		X	

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
						VOC	MISC
	MW-0604-S1(033115)-PDB	50115663025	Water	03/31/2015		X	
	MW-0503-S1(033115)-PDB	50115663026	Water	03/31/2015		X	
	MW-0507-S1(033115)-PDB	50115663027	Water	03/31/2015		X	
	MW-0617-S1(033115)-PDB	50115663028	Water	03/31/2015		X	
	MW-0506-S1(033115)-PDB	50115663029	Water	03/31/2015		X	
	MW-0504-S1(033115)-PDB	50115663030	Water	03/31/2015		X	
	EB-1(033115)-AO-PDB	50115663031	Water	03/31/2015		X	
	MW-0505-S1(033115)-PDB	50115663032	Water	03/31/2015		X	
	MW-0102-S1U(033115)-PDB	50115663033	Water	03/31/2015		X	
	MW-0516-S1(033115)-PDB	50115663034	Water	03/31/2015		X	
	FD-1(033115)-AO-PDB	50115663035	Water	03/31/2015	MW-0517-S1(033115)-PDB	X	
	MW-0603-S1(033115)-AO-PDB	50115663036	Water	03/31/2015		X	

Note:

1. The matrix spike/matrix spike duplicate (MS/MSD) analysis was performed on samples MW-0618-S1(033115)-PDB, MW-0501-S1(033115)-PDB and MW-0503-S1(033115)-PDB.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) Method 8260B. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected as unusable. The compound may or may not be present in the sample.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is

that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B	Water	14 days from collection to analysis	Cool to <6°C; pH < 2 with HCl
	Soil	48 hours from collection to extraction and 14 days from collection to analysis	Cool to <6°C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e. laboratory method blanks and field blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Field blanks also measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
MW-0509-S1(033115)-PDB MW-0501-S1(033115)-PDB MW-0503-S1(033115)-PDB MW-0617-S1(033115)-PDB MW-0506-S1(033115)-PDB MW-0505-S1(033115)-PDB MW-0516-S1(033115)-PDB	Trichloroethene (EB)	Detected sample results <RL and <BAL	"UB" at the RL
MW-0619-S1(033115)-PDB MW-0502-S1(033115)-PDB	Trichloroethene (MB)		
MW-0517-S1(033115)-PDB MW-0604-S1(033115)-PDB	Benzene (MB)		
MW-0618-S1(033115)-PDB MW-0613-S1(033115)-PDB EB-2(033115)-AO-PDB MW-0607-S1(033115)-PDB MW-0608-S1(033115)-PDB MW-0610-S1(033115)-PDB MW-0612-S1(033115)-PDB	Acetone (EB)		

Sample Locations	Analytes	Sample Result	Qualification
MW-0705-S1(033115)-PDB MW-0509-S1(033115)-PDB MW-0103-S1U(033115)-PDB MW-0501-S1(033115)-PDB MW-0623-S1(033115)-PDB MW-0603-S1(033115)-AO-PDB			

RL Reporting limit
EB Equipment blank

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within the control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The spiked compounds used in the MS/MSD analysis must exhibit recoveries within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS and MSD results must be within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSDs performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD spiking concentration by a factor of four or greater. Sample results associated with MS/MSD exceedances where the parent samples are not site-specific are not qualified.

Sample locations associated with the MS/MSD exhibiting recoveries outside of the control limits are presented in the following table.

Sample Locations	Compound	MS Recovery	MSD Recovery
MW-0501-S1(033115)-PDB MW-0503-S1(033115)-PDB	Bromomethane	>UL	>UL

The criteria used to evaluate the MS/MSD recoveries are presented in the following table. In the case of an MS/MSD deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J

Control Limit	Sample Result	Qualification
Parent sample concentration > four times the MS/MSD spiking solution concentration.	Detect	No Action
	Non-detect	

Note: The laboratory performed a laboratory duplicate in replace of the matrix spike duplicate (MSD) due to limited sample volume.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the accuracy of the analytical method independent of matrix interferences. The spiked compounds used in the LCS analysis must exhibit recoveries within the laboratory-established acceptance limits.

Sample locations associated with LCS analysis exhibiting recoveries outside of the control limits presented in the following table.

Sample Locations	Compound	LCS Recovery
All sample locations within this SDG with the exception to following sample locations: TB-1(033115)-AO MW-0618-S1(033115)-PDB MW-0613-S1(033115)-PDB EB-2(033115)-AO-PDB MW-0607-S1(033115)-PDB	Bromomethane	>UL

The criteria used to evaluate the LCS recoveries are presented in the following table. In the case of an LCS deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J

6. Field Duplicate Sample Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices and 50% for soil matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices or three times the RL is applied for soil matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compounds	Sample Result	Duplicate Result	RPD
MW-0622-S1(033115)-PDB/ FD-2(033115)-AO-PDB	cis-1,2-Dichloroethene	1790	1840	2.8%
	trans-1,2-Dichloroethene	35.8 J	42.3 J	AC
	Trichloroethene	21800	16300	28.9%
MW-0517-S1(033115)-PDB/ FD-1(033115)-AO-PDB	1,1-Dichloroethane	25 U	2.0 J	AC
	Benzene	1.3 J	25 U	AC
	cis-1,2-Dichloroethene	512	478	6.9%
	trans-1,2-Dichloroethene	70.9	67.7	4.6%
	Trichloroethene	2940	2550	14.2%
	Vinyl chloride	4.7 J	3.9 J	AC

AC Acceptable

Field duplicate analysis was not performed on a sample location within this SDG.

7. System Performance and Overall Assessment

The laboratory noted the N2 flag - The lab does not hold TNI accreditation for this parameter for certain compounds on the Analytical Results forms. No qualifications were necessary.

Sample results associated with compound that exhibited a concentration greater than the linear range of the instrument calibration are summarized in the following table.

Sample ID	Compound	Original Analysis	Diluted Analysis	Reported Analysis
MW-0612-S1(033115)-PDB	Trichloroethene	--	3870 D	3870 D
MW-0704-S1(033115)-PDB	Trichloroethene	--	2640 D	2640 D
MW-0606-S1(033115)-PDB	Trichloroethene	--	3030 D	3030 D
MW-0622-S1(033115)-PDB	Trichloroethene	--	21800 D	21800 D
MW-0620-S1(033115)-PDB	Trichloroethene	--	3000 D	3000 D
MW-0605-S1(033115)-PDB	Trichloroethene	--	983 D	983 D
MW-0621-S1(033115)-PDB	Trichloroethene	--	2110 D	2110 D
MW-0101-S1U(033115)-PDB	Trichloroethene	--	17900 D	17900 D
FD-2(033115)-AO-PDB	Trichloroethene	--	16300 D	16300 D
MW-0517-S1(033115)-PDB	Trichloroethene	--	2940 D	2940 D
MW-0604-S1(033115)-PDB	cis-1,2-Dichloroethene	--	878 D	878 D
	Trichloroethene	--	2690 D	2690 D
MW-0504-S1(033115)-PDB	cis-1,2-Dichloroethene	--	909 D	909 D
	Trichloroethene	--	3010 D	3010 D

Sample ID	Compound	Original Analysis	Diluted Analysis	Reported Analysis
MW-0102-S1U(033115)-PDB	Trichloroethene	--	2470 D	2470 D
FD-1(033115)-AO-PDB	Trichloroethene	--	2550 D	2550 D

Note: In the instance where both the original analysis and the diluted analysis sample results exhibited a concentration greater than and/or less than the calibration linear range of the instrument; the sample result exhibiting the greatest concentration will be reported as the final result.

Sample results associated with compounds exhibiting concentrations greater than the linear range are qualified as documented in the table below when reported as the final reported sample result.

Reported Sample Results	Qualification
Diluted sample result within calibration range	D
Diluted sample result less than the calibration range	DJ
Diluted sample result greater than the calibration range	EDJ
Original sample result greater than the calibration range	EJ

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X	X		
B. Equipment blanks		X	X		
C. Trip blanks		X		X	
Laboratory Control Sample (LCS)		X	X		
Laboratory Control Sample Duplicate(LCSD)		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS)		X	X		
Matrix Spike Duplicate(MSD)		X	X		
MS/MSD Precision (RPD)		X		X	
Field/Lab Duplicate (RPD)		X		X	
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent recovery
 RPD Relative percent difference
 %D Percent difference

Validation Performed By: Todd Church

Signature: 

Date: April 29, 2015

Peer Review: Joseph C. Houser

Date: May 8, 2015

**CHAIN OF CUSTODY /
CORRECTED SAMPLE ANALYSIS DATA SHEETS**

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: TB-1(033115)-AO		Lab ID: 50115663001	Collected: 03/31/15 08:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/11/15 01:03	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 01:03	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 01:03	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 01:03	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 01:03	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 01:03	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 01:03	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 01:03	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 01:03	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 01:03	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 01:03	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 01:03	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 01:03	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 01:03	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 01:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 01:03	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:03	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 01:03	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 01:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 01:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 01:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 01:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 01:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 01:03	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 01:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 01:03	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 01:03	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 01:03	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 01:03	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 01:03	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 01:03	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 01:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 01:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 01:03	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 01:03	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 01:03	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 01:03	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 01:03	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 01:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 01:03	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/11/15 01:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 01:03	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 01:03	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 01:03	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: TB-1(033115)-AO		Lab ID: 50115663001	Collected: 03/31/15 08:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Xylene (Total)	ND	ug/L	10.0	1		04/11/15 01:03	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	107	%.	79-116	1		04/11/15 01:03	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	80-114	1		04/11/15 01:03	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		04/11/15 01:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0618-S1(033115)-PDB		Lab ID: 50115663002	Collected: 03/31/15 11:25	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	100	~~7.23~~	ug/L	100	1	04/11/15 01:37	67-64-1	UB
Benzene	ND	ug/L	5.0	1	04/11/15 01:37	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1	04/11/15 01:37	75-27-4		
Bromoform	ND	ug/L	5.0	1	04/11/15 01:37	75-25-2		
Bromomethane	ND	ug/L	5.0	1	04/11/15 01:37	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1	04/11/15 01:37	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1	04/11/15 01:37	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1	04/11/15 01:37	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1	04/11/15 01:37	108-90-7		
Chloroethane	ND	ug/L	5.0	1	04/11/15 01:37	75-00-3		
Chloroform	ND	ug/L	5.0	1	04/11/15 01:37	67-66-3		
Chloromethane	ND	ug/L	5.0	1	04/11/15 01:37	74-87-3		
Cyclohexane	0.49J	ug/L	100	1	04/11/15 01:37	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1	04/11/15 01:37	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1	04/11/15 01:37	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1	04/11/15 01:37	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1	04/11/15 01:37	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1	04/11/15 01:37	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1	04/11/15 01:37	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1	04/11/15 01:37	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1	04/11/15 01:37	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1	04/11/15 01:37	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1	04/11/15 01:37	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1	04/11/15 01:37	156-59-2		
trans-1,2-Dichloroethene	0.29J	ug/L	5.0	1	04/11/15 01:37	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1	04/11/15 01:37	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1	04/11/15 01:37	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1	04/11/15 01:37	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1	04/11/15 01:37	100-41-4		
2-Hexanone	ND	ug/L	25.0	1	04/11/15 01:37	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1	04/11/15 01:37	98-82-8		
Methyl acetate	ND	ug/L	50.0	1	04/11/15 01:37	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1	04/11/15 01:37	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1	04/11/15 01:37	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1	04/11/15 01:37	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1	04/11/15 01:37	1634-04-4		
Styrene	ND	ug/L	5.0	1	04/11/15 01:37	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1	04/11/15 01:37	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1	04/11/15 01:37	127-18-4		
Toluene	ND	ug/L	5.0	1	04/11/15 01:37	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1	04/11/15 01:37	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1	04/11/15 01:37	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1	04/11/15 01:37	79-00-5		
Trichloroethene	ND	ug/L	5.0	1	04/11/15 01:37	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1	04/11/15 01:37	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1	04/11/15 01:37	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1	04/11/15 01:37	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0618-S1(033115)-PDB		Lab ID: 50115663002		Collected: 03/31/15 11:25		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 01:37	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		110	%.	79-116	1		04/11/15 01:37	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	80-114	1		04/11/15 01:37	460-00-4	
Toluene-d8 (S)		97	%.	81-110	1		04/11/15 01:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0613-S1(033115)-PDB		Lab ID: 50115663003		Collected: 03/31/15 11:35		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	100	~~5.13~~	ug/L	100	1		04/11/15 02:44	67-64-1	UB
Benzene		ND	ug/L	5.0	1		04/11/15 02:44	71-43-2	
Bromodichloromethane		ND	ug/L	5.0	1		04/11/15 02:44	75-27-4	
Bromoform		ND	ug/L	5.0	1		04/11/15 02:44	75-25-2	
Bromomethane		ND	ug/L	5.0	1		04/11/15 02:44	74-83-9	
2-Butanone (MEK)		ND	ug/L	25.0	1		04/11/15 02:44	78-93-3	
Carbon disulfide		ND	ug/L	10.0	1		04/11/15 02:44	75-15-0	
Carbon tetrachloride		ND	ug/L	5.0	1		04/11/15 02:44	56-23-5	
Chlorobenzene		ND	ug/L	5.0	1		04/11/15 02:44	108-90-7	
Chloroethane		ND	ug/L	5.0	1		04/11/15 02:44	75-00-3	
Chloroform		ND	ug/L	5.0	1		04/11/15 02:44	67-66-3	
Chloromethane		ND	ug/L	5.0	1		04/11/15 02:44	74-87-3	
Cyclohexane		ND	ug/L	100	1		04/11/15 02:44	110-82-7	N2
1,2-Dibromo-3-chloropropane		ND	ug/L	10.0	1		04/11/15 02:44	96-12-8	
Dibromochloromethane		ND	ug/L	5.0	1		04/11/15 02:44	124-48-1	
1,2-Dibromoethane (EDB)		ND	ug/L	5.0	1		04/11/15 02:44	106-93-4	
1,2-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 02:44	95-50-1	
1,3-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 02:44	541-73-1	
1,4-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 02:44	106-46-7	
Dichlorodifluoromethane		ND	ug/L	5.0	1		04/11/15 02:44	75-71-8	
1,1-Dichloroethane		ND	ug/L	5.0	1		04/11/15 02:44	75-34-3	
1,2-Dichloroethane		ND	ug/L	5.0	1		04/11/15 02:44	107-06-2	
1,1-Dichloroethene		ND	ug/L	5.0	1		04/11/15 02:44	75-35-4	
cis-1,2-Dichloroethene		ND	ug/L	5.0	1		04/11/15 02:44	156-59-2	
trans-1,2-Dichloroethene		ND	ug/L	5.0	1		04/11/15 02:44	156-60-5	
1,2-Dichloropropane		ND	ug/L	5.0	1		04/11/15 02:44	78-87-5	
cis-1,3-Dichloropropene		ND	ug/L	5.0	1		04/11/15 02:44	10061-01-5	
trans-1,3-Dichloropropene		ND	ug/L	5.0	1		04/11/15 02:44	10061-02-6	
Ethylbenzene		ND	ug/L	5.0	1		04/11/15 02:44	100-41-4	
2-Hexanone		ND	ug/L	25.0	1		04/11/15 02:44	591-78-6	
Isopropylbenzene (Cumene)		ND	ug/L	5.0	1		04/11/15 02:44	98-82-8	
Methyl acetate		ND	ug/L	50.0	1		04/11/15 02:44	79-20-9	N2
Methylcyclohexane		ND	ug/L	50.0	1		04/11/15 02:44	108-87-2	N2
Methylene Chloride		ND	ug/L	5.0	1		04/11/15 02:44	75-09-2	
4-Methyl-2-pentanone (MIBK)		ND	ug/L	25.0	1		04/11/15 02:44	108-10-1	
Methyl-tert-butyl ether		ND	ug/L	4.0	1		04/11/15 02:44	1634-04-4	
Styrene		ND	ug/L	5.0	1		04/11/15 02:44	100-42-5	
1,1,2,2-Tetrachloroethane		ND	ug/L	5.0	1		04/11/15 02:44	79-34-5	
Tetrachloroethene		ND	ug/L	5.0	1		04/11/15 02:44	127-18-4	
Toluene		ND	ug/L	5.0	1		04/11/15 02:44	108-88-3	
1,2,4-Trichlorobenzene		ND	ug/L	5.0	1		04/11/15 02:44	120-82-1	
1,1,1-Trichloroethane		ND	ug/L	5.0	1		04/11/15 02:44	71-55-6	
1,1,2-Trichloroethane		ND	ug/L	5.0	1		04/11/15 02:44	79-00-5	
Trichloroethene		ND	ug/L	5.0	1		04/11/15 02:44	79-01-6	
Trichlorofluoromethane		ND	ug/L	5.0	1		04/11/15 02:44	75-69-4	
1,1,2-Trichlorotrifluoroethane		ND	ug/L	5.0	1		04/11/15 02:44	76-13-1	
Vinyl chloride		ND	ug/L	2.0	1		04/11/15 02:44	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0613-S1(033115)-PDB		Lab ID: 50115663003		Collected: 03/31/15 11:35		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 02:44	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		107	%.	79-116	1		04/11/15 02:44	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	80-114	1		04/11/15 02:44	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 02:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: EB-2(033115)-AO-PDB		Lab ID: 50115663004	Collected: 03/31/15 11:35	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	100 ~~5.13~~	ug/L	100	1		04/11/15 03:51	67-64-1	UB
Benzene	ND	ug/L	5.0	1		04/11/15 03:51	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 03:51	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 03:51	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 03:51	74-83-9	
2-Butanone (MEK)	5.63	ug/L	25.0	1		04/11/15 03:51	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 03:51	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 03:51	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 03:51	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 03:51	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 03:51	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 03:51	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 03:51	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 03:51	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 03:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 03:51	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 03:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 03:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 03:51	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 03:51	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 03:51	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 03:51	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 03:51	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 03:51	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 03:51	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 03:51	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 03:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 03:51	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 03:51	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 03:51	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 03:51	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 03:51	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 03:51	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 03:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 03:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 03:51	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 03:51	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 03:51	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 03:51	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 03:51	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 03:51	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 03:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 03:51	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/11/15 03:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 03:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 03:51	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 03:51	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: EB-2(033115)-AO-PDB		Lab ID: 50115663004		Collected: 03/31/15 11:35		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 03:51	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		110	%.	79-116	1		04/11/15 03:51	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	80-114	1		04/11/15 03:51	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/11/15 03:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0607-S1(033115)-PDB		Lab ID: 50115663005		Collected: 03/31/15 11:45		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	100	~~4.83~~	ug/L	100	1		04/11/15 08:55	67-64-1	UB
Benzene		ND	ug/L	5.0	1		04/11/15 08:55	71-43-2	
Bromodichloromethane		ND	ug/L	5.0	1		04/11/15 08:55	75-27-4	
Bromoform		ND	ug/L	5.0	1		04/11/15 08:55	75-25-2	
Bromomethane		ND	ug/L	5.0	1		04/11/15 08:55	74-83-9	
2-Butanone (MEK)		ND	ug/L	25.0	1		04/11/15 08:55	78-93-3	
Carbon disulfide		ND	ug/L	10.0	1		04/11/15 08:55	75-15-0	
Carbon tetrachloride		ND	ug/L	5.0	1		04/11/15 08:55	56-23-5	
Chlorobenzene		ND	ug/L	5.0	1		04/11/15 08:55	108-90-7	
Chloroethane		ND	ug/L	5.0	1		04/11/15 08:55	75-00-3	
Chloroform		ND	ug/L	5.0	1		04/11/15 08:55	67-66-3	
Chloromethane		ND	ug/L	5.0	1		04/11/15 08:55	74-87-3	
Cyclohexane		0.23J	ug/L	100	1		04/11/15 08:55	110-82-7	N2
1,2-Dibromo-3-chloropropane		ND	ug/L	10.0	1		04/11/15 08:55	96-12-8	
Dibromochloromethane		ND	ug/L	5.0	1		04/11/15 08:55	124-48-1	
1,2-Dibromoethane (EDB)		ND	ug/L	5.0	1		04/11/15 08:55	106-93-4	
1,2-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 08:55	95-50-1	
1,3-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 08:55	541-73-1	
1,4-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 08:55	106-46-7	
Dichlorodifluoromethane		ND	ug/L	5.0	1		04/11/15 08:55	75-71-8	
1,1-Dichloroethane		ND	ug/L	5.0	1		04/11/15 08:55	75-34-3	
1,2-Dichloroethane		ND	ug/L	5.0	1		04/11/15 08:55	107-06-2	
1,1-Dichloroethene		ND	ug/L	5.0	1		04/11/15 08:55	75-35-4	
cis-1,2-Dichloroethene		ND	ug/L	5.0	1		04/11/15 08:55	156-59-2	
trans-1,2-Dichloroethene		ND	ug/L	5.0	1		04/11/15 08:55	156-60-5	
1,2-Dichloropropane		ND	ug/L	5.0	1		04/11/15 08:55	78-87-5	
cis-1,3-Dichloropropene		ND	ug/L	5.0	1		04/11/15 08:55	10061-01-5	
trans-1,3-Dichloropropene		ND	ug/L	5.0	1		04/11/15 08:55	10061-02-6	
Ethylbenzene		ND	ug/L	5.0	1		04/11/15 08:55	100-41-4	
2-Hexanone		ND	ug/L	25.0	1		04/11/15 08:55	591-78-6	
Isopropylbenzene (Cumene)		ND	ug/L	5.0	1		04/11/15 08:55	98-82-8	
Methyl acetate		ND	ug/L	50.0	1		04/11/15 08:55	79-20-9	N2
Methylcyclohexane		ND	ug/L	50.0	1		04/11/15 08:55	108-87-2	N2
Methylene Chloride		ND	ug/L	5.0	1		04/11/15 08:55	75-09-2	
4-Methyl-2-pentanone (MIBK)		ND	ug/L	25.0	1		04/11/15 08:55	108-10-1	
Methyl-tert-butyl ether		ND	ug/L	4.0	1		04/11/15 08:55	1634-04-4	
Styrene		ND	ug/L	5.0	1		04/11/15 08:55	100-42-5	
1,1,2,2-Tetrachloroethane		ND	ug/L	5.0	1		04/11/15 08:55	79-34-5	
Tetrachloroethene		ND	ug/L	5.0	1		04/11/15 08:55	127-18-4	
Toluene		ND	ug/L	5.0	1		04/11/15 08:55	108-88-3	
1,2,4-Trichlorobenzene		ND	ug/L	5.0	1		04/11/15 08:55	120-82-1	
1,1,1-Trichloroethane		ND	ug/L	5.0	1		04/11/15 08:55	71-55-6	
1,1,2-Trichloroethane		ND	ug/L	5.0	1		04/11/15 08:55	79-00-5	
Trichloroethene		ND	ug/L	5.0	1		04/11/15 08:55	79-01-6	
Trichlorofluoromethane		ND	ug/L	5.0	1		04/11/15 08:55	75-69-4	
1,1,2-Trichlorotrifluoroethane		ND	ug/L	5.0	1		04/11/15 08:55	76-13-1	
Vinyl chloride		ND	ug/L	2.0	1		04/11/15 08:55	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0607-S1(033115)-PDB		Lab ID: 50115663005		Collected: 03/31/15 11:45		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 08:55	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		109	%.	79-116	1		04/11/15 08:55	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	80-114	1		04/11/15 08:55	460-00-4	
Toluene-d8 (S)		97	%.	81-110	1		04/11/15 08:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0608-S1(033115)-PDB		Lab ID: 50115663006	Collected: 03/31/15 11:55	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	100	~~7.03~~ ug/L	100	1		04/11/15 09:28	67-64-1	UB
Benzene		ND ug/L	5.0	1		04/11/15 09:28	71-43-2	
Bromodichloromethane		ND ug/L	5.0	1		04/11/15 09:28	75-27-4	
Bromoform		ND ug/L	5.0	1		04/11/15 09:28	75-25-2	
Bromomethane		ND ug/L	5.0	1		04/11/15 09:28	74-83-9	
2-Butanone (MEK)		ND ug/L	25.0	1		04/11/15 09:28	78-93-3	
Carbon disulfide		ND ug/L	10.0	1		04/11/15 09:28	75-15-0	
Carbon tetrachloride		ND ug/L	5.0	1		04/11/15 09:28	56-23-5	
Chlorobenzene		ND ug/L	5.0	1		04/11/15 09:28	108-90-7	
Chloroethane		ND ug/L	5.0	1		04/11/15 09:28	75-00-3	
Chloroform		ND ug/L	5.0	1		04/11/15 09:28	67-66-3	
Chloromethane		ND ug/L	5.0	1		04/11/15 09:28	74-87-3	
Cyclohexane		ND ug/L	100	1		04/11/15 09:28	110-82-7	N2
1,2-Dibromo-3-chloropropane		ND ug/L	10.0	1		04/11/15 09:28	96-12-8	
Dibromochloromethane		ND ug/L	5.0	1		04/11/15 09:28	124-48-1	
1,2-Dibromoethane (EDB)		ND ug/L	5.0	1		04/11/15 09:28	106-93-4	
1,2-Dichlorobenzene		ND ug/L	5.0	1		04/11/15 09:28	95-50-1	
1,3-Dichlorobenzene		ND ug/L	5.0	1		04/11/15 09:28	541-73-1	
1,4-Dichlorobenzene		ND ug/L	5.0	1		04/11/15 09:28	106-46-7	
Dichlorodifluoromethane		ND ug/L	5.0	1		04/11/15 09:28	75-71-8	
1,1-Dichloroethane		1.4J ug/L	5.0	1		04/11/15 09:28	75-34-3	
1,2-Dichloroethane		ND ug/L	5.0	1		04/11/15 09:28	107-06-2	
1,1-Dichloroethene		0.33J ug/L	5.0	1		04/11/15 09:28	75-35-4	
cis-1,2-Dichloroethene		144 ug/L	5.0	1		04/11/15 09:28	156-59-2	
trans-1,2-Dichloroethene		13.1 ug/L	5.0	1		04/11/15 09:28	156-60-5	
1,2-Dichloropropane		ND ug/L	5.0	1		04/11/15 09:28	78-87-5	
cis-1,3-Dichloropropene		ND ug/L	5.0	1		04/11/15 09:28	10061-01-5	
trans-1,3-Dichloropropene		ND ug/L	5.0	1		04/11/15 09:28	10061-02-6	
Ethylbenzene		ND ug/L	5.0	1		04/11/15 09:28	100-41-4	
2-Hexanone		ND ug/L	25.0	1		04/11/15 09:28	591-78-6	
Isopropylbenzene (Cumene)		ND ug/L	5.0	1		04/11/15 09:28	98-82-8	
Methyl acetate		ND ug/L	50.0	1		04/11/15 09:28	79-20-9	N2
Methylcyclohexane		ND ug/L	50.0	1		04/11/15 09:28	108-87-2	N2
Methylene Chloride		ND ug/L	5.0	1		04/11/15 09:28	75-09-2	
4-Methyl-2-pentanone (MIBK)		ND ug/L	25.0	1		04/11/15 09:28	108-10-1	
Methyl-tert-butyl ether		ND ug/L	4.0	1		04/11/15 09:28	1634-04-4	
Styrene		ND ug/L	5.0	1		04/11/15 09:28	100-42-5	
1,1,2,2-Tetrachloroethane		ND ug/L	5.0	1		04/11/15 09:28	79-34-5	
Tetrachloroethene		ND ug/L	5.0	1		04/11/15 09:28	127-18-4	
Toluene		ND ug/L	5.0	1		04/11/15 09:28	108-88-3	
1,2,4-Trichlorobenzene		ND ug/L	5.0	1		04/11/15 09:28	120-82-1	
1,1,1-Trichloroethane		ND ug/L	5.0	1		04/11/15 09:28	71-55-6	
1,1,2-Trichloroethane		ND ug/L	5.0	1		04/11/15 09:28	79-00-5	
Trichloroethene		ND ug/L	5.0	1		04/11/15 09:28	79-01-6	
Trichlorofluoromethane		ND ug/L	5.0	1		04/11/15 09:28	75-69-4	
1,1,2-Trichlorotrifluoroethane		ND ug/L	5.0	1		04/11/15 09:28	76-13-1	
Vinyl chloride		4.0 ug/L	2.0	1		04/11/15 09:28	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0608-S1(033115)-PDB		Lab ID: 50115663006		Collected: 03/31/15 11:55		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 09:28	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		109	%.	79-116	1		04/11/15 09:28	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	80-114	1		04/11/15 09:28	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 09:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0610-S1(033115)-PDB		Lab ID: 50115663007	Collected: 03/31/15 12:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	100 ~~6.1J~~	ug/L	100	1		04/11/15 10:02	67-64-1	UB
Benzene	ND	ug/L	5.0	1		04/11/15 10:02	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 10:02	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 10:02	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 10:02	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 10:02	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 10:02	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 10:02	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 10:02	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 10:02	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 10:02	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 10:02	74-87-3	
Cyclohexane	0.43J	ug/L	100	1		04/11/15 10:02	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 10:02	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 10:02	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 10:02	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:02	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:02	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:02	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 10:02	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 10:02	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 10:02	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 10:02	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 10:02	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 10:02	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 10:02	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 10:02	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 10:02	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 10:02	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 10:02	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 10:02	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 10:02	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 10:02	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 10:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 10:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 10:02	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 10:02	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 10:02	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 10:02	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 10:02	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:02	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 10:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 10:02	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/11/15 10:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 10:02	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 10:02	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 10:02	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0610-S1(033115)-PDB		Lab ID: 50115663007		Collected: 03/31/15 12:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 10:02	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		113	%.	79-116	1		04/11/15 10:02	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	80-114	1		04/11/15 10:02	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/11/15 10:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0612-S1(033115)-PDB		Lab ID: 50115663008	Collected: 03/31/15 12:20	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	100 ~~6.43~~	ug/L	100	1		04/11/15 10:35	67-64-1	UB
Benzene	ND	ug/L	5.0	1		04/11/15 10:35	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 10:35	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 10:35	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 10:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 10:35	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 10:35	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 10:35	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 10:35	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 10:35	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 10:35	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 10:35	74-87-3	
Cyclohexane	0.32J	ug/L	100	1		04/11/15 10:35	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 10:35	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 10:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 10:35	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:35	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 10:35	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 10:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 10:35	107-06-2	
1,1-Dichloroethene	0.65J	ug/L	5.0	1		04/11/15 10:35	75-35-4	
cis-1,2-Dichloroethene	292	ug/L	5.0	1		04/11/15 10:35	156-59-2	
trans-1,2-Dichloroethene	49.6	ug/L	5.0	1		04/11/15 10:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 10:35	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 10:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 10:35	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 10:35	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 10:35	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 10:35	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 10:35	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 10:35	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 10:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 10:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 10:35	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 10:35	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 10:35	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 10:35	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 10:35	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 10:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 10:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 10:35	79-00-5	
Trichloroethene	3870	ug/L	125	25		04/11/15 11:09	79-01-6	D
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 10:35	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 10:35	76-13-1	
Vinyl chloride	11.6	ug/L	2.0	1		04/11/15 10:35	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0612-S1(033115)-PDB		Lab ID: 50115663008	Collected: 03/31/15 12:20	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Xylene (Total)	ND	ug/L	10.0	1		04/11/15 10:35	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	79-116	1		04/11/15 10:35	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	80-114	1		04/11/15 10:35	460-00-4	
Toluene-d8 (S)	97	%.	81-110	1		04/11/15 10:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0705-S1(033115)-PDB		Lab ID: 50115663009	Collected: 03/31/15 12:30	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	100 ~~4.9J~~	ug/L	100	1		04/11/15 11:42	67-64-1	UB
Benzene	ND	ug/L	5.0	1		04/11/15 11:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 11:42	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 11:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 11:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 11:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 11:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 11:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 11:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 11:42	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 11:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 11:42	74-87-3	
Cyclohexane	0.25J	ug/L	100	1		04/11/15 11:42	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 11:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 11:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 11:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 11:42	75-71-8	
1,1-Dichloroethane	0.80J	ug/L	5.0	1		04/11/15 11:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 11:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 11:42	75-35-4	
cis-1,2-Dichloroethene	47.9	ug/L	5.0	1		04/11/15 11:42	156-59-2	
trans-1,2-Dichloroethene	12.1	ug/L	5.0	1		04/11/15 11:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 11:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 11:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 11:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 11:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 11:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 11:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 11:42	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 11:42	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 11:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 11:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 11:42	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 11:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 11:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 11:42	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 11:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 11:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 11:42	79-00-5	
Trichloroethene	148	ug/L	5.0	1		04/11/15 11:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 11:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 11:42	76-13-1	
Vinyl chloride	3.6	ug/L	2.0	1		04/11/15 11:42	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0705-S1(033115)-PDB		Lab ID: 50115663009		Collected: 03/31/15 12:30		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 11:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	79-116	1		04/11/15 11:42	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	80-114	1		04/11/15 11:42	460-00-4	
Toluene-d8 (S)		97	%.	81-110	1		04/11/15 11:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0704-S1(033115)-PDB		Lab ID: 50115663010	Collected: 03/31/15 12:40	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	500	5		04/11/15 12:15	67-64-1	
Benzene	ND	ug/L	25.0	5		04/11/15 12:15	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		04/11/15 12:15	75-27-4	
Bromoform	ND	ug/L	25.0	5		04/11/15 12:15	75-25-2	
Bromomethane	ND	ug/L	25.0	5		04/11/15 12:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		04/11/15 12:15	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		04/11/15 12:15	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		04/11/15 12:15	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		04/11/15 12:15	108-90-7	
Chloroethane	ND	ug/L	25.0	5		04/11/15 12:15	75-00-3	
Chloroform	ND	ug/L	25.0	5		04/11/15 12:15	67-66-3	
Chloromethane	ND	ug/L	25.0	5		04/11/15 12:15	74-87-3	
Cyclohexane	ND	ug/L	500	5		04/11/15 12:15	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/11/15 12:15	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		04/11/15 12:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/11/15 12:15	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 12:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 12:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 12:15	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/11/15 12:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		04/11/15 12:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		04/11/15 12:15	107-06-2	
1,1-Dichloroethene	2.8J	ug/L	25.0	5		04/11/15 12:15	75-35-4	
cis-1,2-Dichloroethene	740	ug/L	25.0	5		04/11/15 12:15	156-59-2	
trans-1,2-Dichloroethene	101	ug/L	25.0	5		04/11/15 12:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		04/11/15 12:15	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/11/15 12:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/11/15 12:15	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		04/11/15 12:15	100-41-4	
2-Hexanone	ND	ug/L	125	5		04/11/15 12:15	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/11/15 12:15	98-82-8	
Methyl acetate	ND	ug/L	250	5		04/11/15 12:15	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5		04/11/15 12:15	108-87-2	N2
Methylene Chloride	3.3J	ug/L	25.0	5		04/11/15 12:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/11/15 12:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/11/15 12:15	1634-04-4	
Styrene	ND	ug/L	25.0	5		04/11/15 12:15	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/11/15 12:15	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		04/11/15 12:15	127-18-4	
Toluene	ND	ug/L	25.0	5		04/11/15 12:15	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/11/15 12:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/11/15 12:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/11/15 12:15	79-00-5	
Trichloroethene	2640	ug/L	250	50		04/11/15 12:49	79-01-6	D
Trichlorofluoromethane	ND	ug/L	25.0	5		04/11/15 12:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/11/15 12:15	76-13-1	
Vinyl chloride	3.7J	ug/L	10.0	5		04/11/15 12:15	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0704-S1(033115)-PDB		Lab ID: 50115663010		Collected: 03/31/15 12:40		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		04/11/15 12:15	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	79-116	5		04/11/15 12:15	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	80-114	5		04/11/15 12:15	460-00-4	
Toluene-d8 (S)		100	%.	81-110	5		04/11/15 12:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0606-S1(033115)-PDB		Lab ID: 50115663011	Collected: 03/31/15 12:50	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	1000	10		04/10/15 19:41	67-64-1	
Benzene	ND	ug/L	50.0	10		04/10/15 19:41	71-43-2	
Bromodichloromethane	ND	ug/L	50.0	10		04/10/15 19:41	75-27-4	
Bromoform	ND	ug/L	50.0	10		04/10/15 19:41	75-25-2	
Bromomethane	ND	ug/L	50.0	10		04/10/15 19:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	10		04/10/15 19:41	78-93-3	
Carbon disulfide	ND	ug/L	100	10		04/10/15 19:41	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	10		04/10/15 19:41	56-23-5	
Chlorobenzene	ND	ug/L	50.0	10		04/10/15 19:41	108-90-7	
Chloroethane	ND	ug/L	50.0	10		04/10/15 19:41	75-00-3	
Chloroform	ND	ug/L	50.0	10		04/10/15 19:41	67-66-3	
Chloromethane	ND	ug/L	50.0	10		04/10/15 19:41	74-87-3	
Cyclohexane	ND	ug/L	1000	10		04/10/15 19:41	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	100	10		04/10/15 19:41	96-12-8	
Dibromochloromethane	ND	ug/L	50.0	10		04/10/15 19:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	10		04/10/15 19:41	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	50.0	10		04/10/15 19:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	10		04/10/15 19:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	10		04/10/15 19:41	106-46-7	
Dichlorodifluoromethane	ND	ug/L	50.0	10		04/10/15 19:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	10		04/10/15 19:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	10		04/10/15 19:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	10		04/10/15 19:41	75-35-4	
cis-1,2-Dichloroethene	428	ug/L	50.0	10		04/10/15 19:41	156-59-2	
trans-1,2-Dichloroethene	94.6	ug/L	50.0	10		04/10/15 19:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	10		04/10/15 19:41	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	50.0	10		04/10/15 19:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	10		04/10/15 19:41	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	10		04/10/15 19:41	100-41-4	
2-Hexanone	ND	ug/L	250	10		04/10/15 19:41	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	10		04/10/15 19:41	98-82-8	
Methyl acetate	ND	ug/L	500	10		04/10/15 19:41	79-20-9	N2
Methylcyclohexane	ND	ug/L	500	10		04/10/15 19:41	108-87-2	N2
Methylene Chloride	ND	ug/L	50.0	10		04/10/15 19:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	10		04/10/15 19:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	10		04/10/15 19:41	1634-04-4	
Styrene	ND	ug/L	50.0	10		04/10/15 19:41	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	10		04/10/15 19:41	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	10		04/10/15 19:41	127-18-4	
Toluene	ND	ug/L	50.0	10		04/10/15 19:41	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	10		04/10/15 19:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	10		04/10/15 19:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	10		04/10/15 19:41	79-00-5	
Trichloroethene	3030	ug/L	250	50		04/10/15 20:15	79-01-6	D
Trichlorofluoromethane	ND	ug/L	50.0	10		04/10/15 19:41	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	50.0	10		04/10/15 19:41	76-13-1	
Vinyl chloride	ND	ug/L	20.0	10		04/10/15 19:41	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0606-S1(033115)-PDB		Lab ID: 50115663011		Collected: 03/31/15 12:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	100	10		04/10/15 19:41	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	79-116	10		04/10/15 19:41	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	80-114	10		04/10/15 19:41	460-00-4	
Toluene-d8 (S)		96	%.	81-110	10		04/10/15 19:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0509-S1(033115)-PDB		Lab ID: 50115663012		Collected: 03/31/15 13:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	100	~~7.63~~	ug/L	100	1		04/11/15 13:23	67-64-1	UB
Benzene		ND	ug/L	5.0	1		04/11/15 13:23	71-43-2	
Bromodichloromethane		ND	ug/L	5.0	1		04/11/15 13:23	75-27-4	
Bromoform		ND	ug/L	5.0	1		04/11/15 13:23	75-25-2	
Bromomethane		ND	ug/L	5.0	1		04/11/15 13:23	74-83-9	
2-Butanone (MEK)		ND	ug/L	25.0	1		04/11/15 13:23	78-93-3	
Carbon disulfide		ND	ug/L	10.0	1		04/11/15 13:23	75-15-0	
Carbon tetrachloride		ND	ug/L	5.0	1		04/11/15 13:23	56-23-5	
Chlorobenzene		ND	ug/L	5.0	1		04/11/15 13:23	108-90-7	
Chloroethane		ND	ug/L	5.0	1		04/11/15 13:23	75-00-3	
Chloroform		ND	ug/L	5.0	1		04/11/15 13:23	67-66-3	
Chloromethane		ND	ug/L	5.0	1		04/11/15 13:23	74-87-3	
Cyclohexane		ND	ug/L	100	1		04/11/15 13:23	110-82-7	N2
1,2-Dibromo-3-chloropropane		ND	ug/L	10.0	1		04/11/15 13:23	96-12-8	
Dibromochloromethane		ND	ug/L	5.0	1		04/11/15 13:23	124-48-1	
1,2-Dibromoethane (EDB)		ND	ug/L	5.0	1		04/11/15 13:23	106-93-4	
1,2-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 13:23	95-50-1	
1,3-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 13:23	541-73-1	
1,4-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 13:23	106-46-7	
Dichlorodifluoromethane		ND	ug/L	5.0	1		04/11/15 13:23	75-71-8	
1,1-Dichloroethane		ND	ug/L	5.0	1		04/11/15 13:23	75-34-3	
1,2-Dichloroethane		ND	ug/L	5.0	1		04/11/15 13:23	107-06-2	
1,1-Dichloroethene		ND	ug/L	5.0	1		04/11/15 13:23	75-35-4	
cis-1,2-Dichloroethene		ND	ug/L	5.0	1		04/11/15 13:23	156-59-2	
trans-1,2-Dichloroethene		ND	ug/L	5.0	1		04/11/15 13:23	156-60-5	
1,2-Dichloropropane		ND	ug/L	5.0	1		04/11/15 13:23	78-87-5	
cis-1,3-Dichloropropene		ND	ug/L	5.0	1		04/11/15 13:23	10061-01-5	
trans-1,3-Dichloropropene		ND	ug/L	5.0	1		04/11/15 13:23	10061-02-6	
Ethylbenzene		ND	ug/L	5.0	1		04/11/15 13:23	100-41-4	
2-Hexanone		ND	ug/L	25.0	1		04/11/15 13:23	591-78-6	
Isopropylbenzene (Cumene)		ND	ug/L	5.0	1		04/11/15 13:23	98-82-8	
Methyl acetate		ND	ug/L	50.0	1		04/11/15 13:23	79-20-9	N2
Methylcyclohexane		ND	ug/L	50.0	1		04/11/15 13:23	108-87-2	N2
Methylene Chloride		ND	ug/L	5.0	1		04/11/15 13:23	75-09-2	
4-Methyl-2-pentanone (MIBK)		ND	ug/L	25.0	1		04/11/15 13:23	108-10-1	
Methyl-tert-butyl ether		ND	ug/L	4.0	1		04/11/15 13:23	1634-04-4	
Styrene		ND	ug/L	5.0	1		04/11/15 13:23	100-42-5	
1,1,2,2-Tetrachloroethane		ND	ug/L	5.0	1		04/11/15 13:23	79-34-5	
Tetrachloroethene		ND	ug/L	5.0	1		04/11/15 13:23	127-18-4	
Toluene		ND	ug/L	5.0	1		04/11/15 13:23	108-88-3	
1,2,4-Trichlorobenzene		ND	ug/L	5.0	1		04/11/15 13:23	120-82-1	
1,1,1-Trichloroethane		ND	ug/L	5.0	1		04/11/15 13:23	71-55-6	
1,1,2-Trichloroethane		ND	ug/L	5.0	1		04/11/15 13:23	79-00-5	
Trichloroethene	5.0	~~0.563~~	ug/L	5.0	1		04/11/15 13:23	79-01-6	UB
Trichlorofluoromethane		ND	ug/L	5.0	1		04/11/15 13:23	75-69-4	
1,1,2-Trichlorotrifluoroethane		ND	ug/L	5.0	1		04/11/15 13:23	76-13-1	
Vinyl chloride		ND	ug/L	2.0	1		04/11/15 13:23	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0509-S1(033115)-PDB		Lab ID: 50115663012		Collected: 03/31/15 13:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 13:23	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		110	%.	79-116	1		04/11/15 13:23	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	80-114	1		04/11/15 13:23	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/11/15 13:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0103-S1U(033115)-PDB Lab ID: 50115663013 Collected: 03/31/15 13:10 Received: 03/31/15 17:29 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	100	~~6.73~~ ug/L	100	1		04/12/15 16:38	67-64-1	UB
Benzene	ND	ug/L	5.0	1		04/12/15 16:38	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/12/15 16:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/12/15 16:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/12/15 16:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/12/15 16:38	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/12/15 16:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/12/15 16:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/12/15 16:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/12/15 16:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/12/15 16:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/12/15 16:38	74-87-3	
Cyclohexane	0.39J	ug/L	100	1		04/12/15 16:38	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/12/15 16:38	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/12/15 16:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/12/15 16:38	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:38	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/12/15 16:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/12/15 16:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/12/15 16:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/12/15 16:38	75-35-4	
cis-1,2-Dichloroethene	4.1J	ug/L	5.0	1		04/12/15 16:38	156-59-2	
trans-1,2-Dichloroethene	0.31J	ug/L	5.0	1		04/12/15 16:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/12/15 16:38	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/12/15 16:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/12/15 16:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/12/15 16:38	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/12/15 16:38	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/12/15 16:38	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/12/15 16:38	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/12/15 16:38	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/12/15 16:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/12/15 16:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/12/15 16:38	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/12/15 16:38	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/12/15 16:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/12/15 16:38	127-18-4	
Toluene	ND	ug/L	5.0	1		04/12/15 16:38	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/12/15 16:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/12/15 16:38	79-00-5	
Trichloroethene	6.7	ug/L	5.0	1		04/12/15 16:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/12/15 16:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/12/15 16:38	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0103-S1U(033115)-PDB		Lab ID: 50115663013	Collected: 03/31/15 13:10	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Vinyl chloride	ND	ug/L	2.0	1		04/12/15 16:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/12/15 16:38	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	98	%.	79-116	1		04/12/15 16:38	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	80-114	1		04/12/15 16:38	460-00-4	
Toluene-d8 (S)	96	%.	81-110	1		04/12/15 16:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0501-S1(033115)-PDB		Lab ID: 50115663014		Collected: 03/31/15 13:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	100	~~13.53~~	ug/L	100	1		04/11/15 13:56	67-64-1	UB
Benzene		ND	ug/L	5.0	1		04/11/15 13:56	71-43-2	
Bromodichloromethane		ND	ug/L	5.0	1		04/11/15 13:56	75-27-4	
Bromoform		ND	ug/L	5.0	1		04/11/15 13:56	75-25-2	
Bromomethane		ND	ug/L	5.0	1		04/11/15 13:56	74-83-9	
2-Butanone (MEK)		ND	ug/L	25.0	1		04/11/15 13:56	78-93-3	
Carbon disulfide		ND	ug/L	10.0	1		04/11/15 13:56	75-15-0	
Carbon tetrachloride		ND	ug/L	5.0	1		04/11/15 13:56	56-23-5	
Chlorobenzene		ND	ug/L	5.0	1		04/11/15 13:56	108-90-7	
Chloroethane		ND	ug/L	5.0	1		04/11/15 13:56	75-00-3	
Chloroform		ND	ug/L	5.0	1		04/11/15 13:56	67-66-3	
Chloromethane		ND	ug/L	5.0	1		04/11/15 13:56	74-87-3	
Cyclohexane		ND	ug/L	100	1		04/11/15 13:56	110-82-7	N2
1,2-Dibromo-3-chloropropane		ND	ug/L	10.0	1		04/11/15 13:56	96-12-8	
Dibromochloromethane		ND	ug/L	5.0	1		04/11/15 13:56	124-48-1	
1,2-Dibromoethane (EDB)		ND	ug/L	5.0	1		04/11/15 13:56	106-93-4	
1,2-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 13:56	95-50-1	
1,3-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 13:56	541-73-1	
1,4-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 13:56	106-46-7	
Dichlorodifluoromethane		ND	ug/L	5.0	1		04/11/15 13:56	75-71-8	
1,1-Dichloroethane		ND	ug/L	5.0	1		04/11/15 13:56	75-34-3	
1,2-Dichloroethane		ND	ug/L	5.0	1		04/11/15 13:56	107-06-2	
1,1-Dichloroethene		ND	ug/L	5.0	1		04/11/15 13:56	75-35-4	
cis-1,2-Dichloroethene		4.13	ug/L	5.0	1		04/11/15 13:56	156-59-2	
trans-1,2-Dichloroethene		ND	ug/L	5.0	1		04/11/15 13:56	156-60-5	
1,2-Dichloropropane		ND	ug/L	5.0	1		04/11/15 13:56	78-87-5	
cis-1,3-Dichloropropene		ND	ug/L	5.0	1		04/11/15 13:56	10061-01-5	
trans-1,3-Dichloropropene		ND	ug/L	5.0	1		04/11/15 13:56	10061-02-6	
Ethylbenzene		ND	ug/L	5.0	1		04/11/15 13:56	100-41-4	
2-Hexanone		ND	ug/L	25.0	1		04/11/15 13:56	591-78-6	
Isopropylbenzene (Cumene)		ND	ug/L	5.0	1		04/11/15 13:56	98-82-8	
Methyl acetate		ND	ug/L	50.0	1		04/11/15 13:56	79-20-9	N2
Methylcyclohexane		ND	ug/L	50.0	1		04/11/15 13:56	108-87-2	N2
Methylene Chloride		ND	ug/L	5.0	1		04/11/15 13:56	75-09-2	
4-Methyl-2-pentanone (MIBK)		ND	ug/L	25.0	1		04/11/15 13:56	108-10-1	
Methyl-tert-butyl ether		ND	ug/L	4.0	1		04/11/15 13:56	1634-04-4	
Styrene		ND	ug/L	5.0	1		04/11/15 13:56	100-42-5	
1,1,2,2-Tetrachloroethane		ND	ug/L	5.0	1		04/11/15 13:56	79-34-5	
Tetrachloroethene		ND	ug/L	5.0	1		04/11/15 13:56	127-18-4	
Toluene		ND	ug/L	5.0	1		04/11/15 13:56	108-88-3	
1,2,4-Trichlorobenzene		ND	ug/L	5.0	1		04/11/15 13:56	120-82-1	
1,1,1-Trichloroethane		ND	ug/L	5.0	1		04/11/15 13:56	71-55-6	
1,1,2-Trichloroethane		ND	ug/L	5.0	1		04/11/15 13:56	79-00-5	
Trichloroethene	5.0	~~0.363~~	ug/L	5.0	1		04/11/15 13:56	79-01-6	UB
Trichlorofluoromethane		ND	ug/L	5.0	1		04/11/15 13:56	75-69-4	
1,1,2-Trichlorotrifluoroethane		ND	ug/L	5.0	1		04/11/15 13:56	76-13-1	
Vinyl chloride		ND	ug/L	2.0	1		04/11/15 13:56	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0501-S1(033115)-PDB		Lab ID: 50115663014		Collected: 03/31/15 13:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 13:56	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		109	%.	79-116	1		04/11/15 13:56	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	80-114	1		04/11/15 13:56	460-00-4	
Toluene-d8 (S)		101	%.	81-110	1		04/11/15 13:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0623-S1(033115)-PDB		Lab ID: 50115663015		Collected: 03/31/15 13:30		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	100	~~5.63~~	ug/L	100	1		04/12/15 17:12	67-64-1	UB
Benzene		ND	ug/L	5.0	1		04/12/15 17:12	71-43-2	
Bromodichloromethane		ND	ug/L	5.0	1		04/12/15 17:12	75-27-4	
Bromoform		ND	ug/L	5.0	1		04/12/15 17:12	75-25-2	
Bromomethane		ND	ug/L	5.0	1		04/12/15 17:12	74-83-9	
2-Butanone (MEK)		ND	ug/L	25.0	1		04/12/15 17:12	78-93-3	
Carbon disulfide		ND	ug/L	10.0	1		04/12/15 17:12	75-15-0	
Carbon tetrachloride		ND	ug/L	5.0	1		04/12/15 17:12	56-23-5	
Chlorobenzene		ND	ug/L	5.0	1		04/12/15 17:12	108-90-7	
Chloroethane		ND	ug/L	5.0	1		04/12/15 17:12	75-00-3	
Chloroform		ND	ug/L	5.0	1		04/12/15 17:12	67-66-3	
Chloromethane		ND	ug/L	5.0	1		04/12/15 17:12	74-87-3	
Cyclohexane		0.463	ug/L	100	1		04/12/15 17:12	110-82-7	N2
1,2-Dibromo-3-chloropropane		ND	ug/L	10.0	1		04/12/15 17:12	96-12-8	
Dibromochloromethane		ND	ug/L	5.0	1		04/12/15 17:12	124-48-1	
1,2-Dibromoethane (EDB)		ND	ug/L	5.0	1		04/12/15 17:12	106-93-4	
1,2-Dichlorobenzene		ND	ug/L	5.0	1		04/12/15 17:12	95-50-1	
1,3-Dichlorobenzene		ND	ug/L	5.0	1		04/12/15 17:12	541-73-1	
1,4-Dichlorobenzene		ND	ug/L	5.0	1		04/12/15 17:12	106-46-7	
Dichlorodifluoromethane		ND	ug/L	5.0	1		04/12/15 17:12	75-71-8	
1,1-Dichloroethane		ND	ug/L	5.0	1		04/12/15 17:12	75-34-3	
1,2-Dichloroethane		ND	ug/L	5.0	1		04/12/15 17:12	107-06-2	
1,1-Dichloroethene		ND	ug/L	5.0	1		04/12/15 17:12	75-35-4	
cis-1,2-Dichloroethene		ND	ug/L	5.0	1		04/12/15 17:12	156-59-2	
trans-1,2-Dichloroethene		ND	ug/L	5.0	1		04/12/15 17:12	156-60-5	
1,2-Dichloropropane		ND	ug/L	5.0	1		04/12/15 17:12	78-87-5	
cis-1,3-Dichloropropene		ND	ug/L	5.0	1		04/12/15 17:12	10061-01-5	
trans-1,3-Dichloropropene		ND	ug/L	5.0	1		04/12/15 17:12	10061-02-6	
Ethylbenzene		ND	ug/L	5.0	1		04/12/15 17:12	100-41-4	
2-Hexanone		ND	ug/L	25.0	1		04/12/15 17:12	591-78-6	
Isopropylbenzene (Cumene)		ND	ug/L	5.0	1		04/12/15 17:12	98-82-8	
Methyl acetate		ND	ug/L	50.0	1		04/12/15 17:12	79-20-9	N2
Methylcyclohexane		ND	ug/L	50.0	1		04/12/15 17:12	108-87-2	N2
Methylene Chloride		ND	ug/L	5.0	1		04/12/15 17:12	75-09-2	
4-Methyl-2-pentanone (MIBK)		ND	ug/L	25.0	1		04/12/15 17:12	108-10-1	
Methyl-tert-butyl ether		ND	ug/L	4.0	1		04/12/15 17:12	1634-04-4	
Styrene		ND	ug/L	5.0	1		04/12/15 17:12	100-42-5	
1,1,2,2-Tetrachloroethane		ND	ug/L	5.0	1		04/12/15 17:12	79-34-5	
Tetrachloroethene		ND	ug/L	5.0	1		04/12/15 17:12	127-18-4	
Toluene		ND	ug/L	5.0	1		04/12/15 17:12	108-88-3	
1,2,4-Trichlorobenzene		ND	ug/L	5.0	1		04/12/15 17:12	120-82-1	
1,1,1-Trichloroethane		ND	ug/L	5.0	1		04/12/15 17:12	71-55-6	
1,1,2-Trichloroethane		ND	ug/L	5.0	1		04/12/15 17:12	79-00-5	
Trichloroethene		ND	ug/L	5.0	1		04/12/15 17:12	79-01-6	
Trichlorofluoromethane		ND	ug/L	5.0	1		04/12/15 17:12	75-69-4	
1,1,2-Trichlorotrifluoroethane		ND	ug/L	5.0	1		04/12/15 17:12	76-13-1	
Vinyl chloride		ND	ug/L	2.0	1		04/12/15 17:12	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0623-S1(033115)-PDB		Lab ID: 50115663015		Collected: 03/31/15 13:30		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/12/15 17:12	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		96	%.	79-116	1		04/12/15 17:12	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	80-114	1		04/12/15 17:12	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/12/15 17:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0622-S1(033115)-PDB		Lab ID: 50115663016		Collected: 03/31/15 13:40		Received: 03/31/15 17:29		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	2000	20		04/10/15 20:49	67-64-1		
Benzene	ND	ug/L	100	20		04/10/15 20:49	71-43-2		
Bromodichloromethane	ND	ug/L	100	20		04/10/15 20:49	75-27-4		
Bromoform	ND	ug/L	100	20		04/10/15 20:49	75-25-2		
Bromomethane	ND	ug/L	100	20		04/10/15 20:49	74-83-9		
2-Butanone (MEK)	ND	ug/L	500	20		04/10/15 20:49	78-93-3		
Carbon disulfide	ND	ug/L	200	20		04/10/15 20:49	75-15-0		
Carbon tetrachloride	ND	ug/L	100	20		04/10/15 20:49	56-23-5		
Chlorobenzene	ND	ug/L	100	20		04/10/15 20:49	108-90-7		
Chloroethane	ND	ug/L	100	20		04/10/15 20:49	75-00-3		
Chloroform	ND	ug/L	100	20		04/10/15 20:49	67-66-3		
Chloromethane	ND	ug/L	100	20		04/10/15 20:49	74-87-3		
Cyclohexane	ND	ug/L	2000	20		04/10/15 20:49	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	200	20		04/10/15 20:49	96-12-8		
Dibromochloromethane	ND	ug/L	100	20		04/10/15 20:49	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	100	20		04/10/15 20:49	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	100	20		04/10/15 20:49	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	100	20		04/10/15 20:49	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	100	20		04/10/15 20:49	106-46-7		
Dichlorodifluoromethane	ND	ug/L	100	20		04/10/15 20:49	75-71-8		
1,1-Dichloroethane	ND	ug/L	100	20		04/10/15 20:49	75-34-3		
1,2-Dichloroethane	ND	ug/L	100	20		04/10/15 20:49	107-06-2		
1,1-Dichloroethene	ND	ug/L	100	20		04/10/15 20:49	75-35-4		
cis-1,2-Dichloroethene	1790	ug/L	100	20		04/10/15 20:49	156-59-2		
trans-1,2-Dichloroethene	35.8J	ug/L	100	20		04/10/15 20:49	156-60-5		
1,2-Dichloropropane	ND	ug/L	100	20		04/10/15 20:49	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	100	20		04/10/15 20:49	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	100	20		04/10/15 20:49	10061-02-6		
Ethylbenzene	ND	ug/L	100	20		04/10/15 20:49	100-41-4		
2-Hexanone	ND	ug/L	500	20		04/10/15 20:49	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	100	20		04/10/15 20:49	98-82-8		
Methyl acetate	ND	ug/L	1000	20		04/10/15 20:49	79-20-9	N2	
Methylcyclohexane	ND	ug/L	1000	20		04/10/15 20:49	108-87-2	N2	
Methylene Chloride	ND	ug/L	100	20		04/10/15 20:49	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	500	20		04/10/15 20:49	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	80.0	20		04/10/15 20:49	1634-04-4		
Styrene	ND	ug/L	100	20		04/10/15 20:49	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	100	20		04/10/15 20:49	79-34-5		
Tetrachloroethene	ND	ug/L	100	20		04/10/15 20:49	127-18-4		
Toluene	ND	ug/L	100	20		04/10/15 20:49	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	100	20		04/10/15 20:49	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	100	20		04/10/15 20:49	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	100	20		04/10/15 20:49	79-00-5		
Trichloroethene	21800	ug/L	2500	500		04/10/15 21:23	79-01-6	D	
Trichlorofluoromethane	ND	ug/L	100	20		04/10/15 20:49	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	100	20		04/10/15 20:49	76-13-1		
Vinyl chloride	ND	ug/L	40.0	20		04/10/15 20:49	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0622-S1(033115)-PDB		Lab ID: 50115663016		Collected: 03/31/15 13:40		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	200	20		04/10/15 20:49	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	79-116	20		04/10/15 20:49	1868-53-7	D4
4-Bromofluorobenzene (S)		99	%.	80-114	20		04/10/15 20:49	460-00-4	
Toluene-d8 (S)		100	%.	81-110	20		04/10/15 20:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0620-S1(033115)-PDB		Lab ID: 50115663017	Collected: 03/31/15 13:50	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/10/15 21:57	67-64-1	
Benzene	ND	ug/L	5.0	1		04/10/15 21:57	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/10/15 21:57	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/10/15 21:57	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/10/15 21:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/10/15 21:57	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/10/15 21:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/10/15 21:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/10/15 21:57	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/10/15 21:57	75-00-3	
Chloroform	6.3	ug/L	5.0	1		04/10/15 21:57	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/10/15 21:57	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/10/15 21:57	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/10/15 21:57	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/10/15 21:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/10/15 21:57	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 21:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 21:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 21:57	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/10/15 21:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/10/15 21:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/10/15 21:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/10/15 21:57	75-35-4	
cis-1,2-Dichloroethene	19.6	ug/L	5.0	1		04/10/15 21:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/10/15 21:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/10/15 21:57	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/10/15 21:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/10/15 21:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/10/15 21:57	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/10/15 21:57	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/10/15 21:57	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/10/15 21:57	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/10/15 21:57	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/10/15 21:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/10/15 21:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/10/15 21:57	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/10/15 21:57	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/10/15 21:57	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/10/15 21:57	127-18-4	
Toluene	ND	ug/L	5.0	1		04/10/15 21:57	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/10/15 21:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/10/15 21:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/10/15 21:57	79-00-5	
Trichloroethene	3000	ug/L	100	20		04/13/15 03:58	79-01-6	D
Trichlorofluoromethane	ND	ug/L	5.0	1		04/10/15 21:57	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/10/15 21:57	76-13-1	
Vinyl chloride	1.1J	ug/L	2.0	1		04/10/15 21:57	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0620-S1(033115)-PDB		Lab ID: 50115663017		Collected: 03/31/15 13:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/10/15 21:57	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		112	%.	79-116	1		04/10/15 21:57	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	80-114	1		04/10/15 21:57	460-00-4	
Toluene-d8 (S)		100	%.	81-110	1		04/10/15 21:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0619-S1(033115)-PDB		Lab ID: 50115663018		Collected: 03/31/15 14:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/10/15 22:31	67-64-1		
Benzene	ND	ug/L	5.0	1		04/10/15 22:31	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		04/10/15 22:31	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/10/15 22:31	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/10/15 22:31	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/10/15 22:31	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		04/10/15 22:31	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/10/15 22:31	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/10/15 22:31	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/10/15 22:31	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/10/15 22:31	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/10/15 22:31	74-87-3		
Cyclohexane	0.38J	ug/L	100	1		04/10/15 22:31	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/10/15 22:31	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		04/10/15 22:31	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/10/15 22:31	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 22:31	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 22:31	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 22:31	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/10/15 22:31	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/10/15 22:31	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/10/15 22:31	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/10/15 22:31	75-35-4		
cis-1,2-Dichloroethene	25.1	ug/L	5.0	1		04/10/15 22:31	156-59-2		
trans-1,2-Dichloroethene	0.94J	ug/L	5.0	1		04/10/15 22:31	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/10/15 22:31	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/10/15 22:31	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/10/15 22:31	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/10/15 22:31	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		04/10/15 22:31	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/10/15 22:31	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		04/10/15 22:31	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		04/10/15 22:31	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		04/10/15 22:31	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/10/15 22:31	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/10/15 22:31	1634-04-4		
Styrene	ND	ug/L	5.0	1		04/10/15 22:31	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/10/15 22:31	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/10/15 22:31	127-18-4		
Toluene	ND	ug/L	5.0	1		04/10/15 22:31	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/10/15 22:31	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/10/15 22:31	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/10/15 22:31	79-00-5		
Trichloroethene	5.0	~~3.0J~~	ug/L	5.0	1	04/10/15 22:31	79-01-6		UB
Trichlorofluoromethane	ND	ug/L	5.0	1		04/10/15 22:31	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/10/15 22:31	76-13-1		
Vinyl chloride	1.8J	ug/L	2.0	1		04/10/15 22:31	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0619-S1(033115)-PDB		Lab ID: 50115663018	Collected: 03/31/15 14:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Xylene (Total)	ND	ug/L	10.0	1		04/10/15 22:31	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	79-116	1		04/10/15 22:31	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	80-114	1		04/10/15 22:31	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		04/10/15 22:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0605-S1(033115)-PDB		Lab ID: 50115663019		Collected: 03/31/15 14:10		Received: 03/31/15 17:29		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV	Analytical Method: EPA 8260								
Acetone	ND	ug/L	100	1		04/10/15 23:39	67-64-1		
Benzene	ND	ug/L	5.0	1		04/10/15 23:39	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		04/10/15 23:39	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/10/15 23:39	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/10/15 23:39	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/10/15 23:39	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		04/10/15 23:39	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/10/15 23:39	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/10/15 23:39	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/10/15 23:39	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/10/15 23:39	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/10/15 23:39	74-87-3		
Cyclohexane	ND	ug/L	100	1		04/10/15 23:39	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/10/15 23:39	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		04/10/15 23:39	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/10/15 23:39	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 23:39	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 23:39	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/10/15 23:39	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/10/15 23:39	75-71-8		
1,1-Dichloroethane	1.8J	ug/L	5.0	1		04/10/15 23:39	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/10/15 23:39	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/10/15 23:39	75-35-4		
cis-1,2-Dichloroethene	12.0	ug/L	5.0	1		04/10/15 23:39	156-59-2		
trans-1,2-Dichloroethene	1.0J	ug/L	5.0	1		04/10/15 23:39	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/10/15 23:39	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/10/15 23:39	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/10/15 23:39	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/10/15 23:39	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		04/10/15 23:39	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/10/15 23:39	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		04/10/15 23:39	79-20-9	N2	
Methylcyclohexane	ND	ug/L	50.0	1		04/10/15 23:39	108-87-2	N2	
Methylene Chloride	ND	ug/L	5.0	1		04/10/15 23:39	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/10/15 23:39	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/10/15 23:39	1634-04-4		
Styrene	ND	ug/L	5.0	1		04/10/15 23:39	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/10/15 23:39	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/10/15 23:39	127-18-4		
Toluene	ND	ug/L	5.0	1		04/10/15 23:39	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/10/15 23:39	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/10/15 23:39	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/10/15 23:39	79-00-5		
Trichloroethene	983	ug/L	100	20		04/11/15 00:12	79-01-6	D	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/10/15 23:39	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/10/15 23:39	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		04/10/15 23:39	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0605-S1(033115)-PDB		Lab ID: 50115663019		Collected: 03/31/15 14:10		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/10/15 23:39	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	79-116	1		04/10/15 23:39	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	80-114	1		04/10/15 23:39	460-00-4	
Toluene-d8 (S)		94	%.	81-110	1		04/10/15 23:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0621-S1(033115)-PDB		Lab ID: 50115663020		Collected: 03/31/15 14:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5		04/11/15 00:46	67-64-1		
Benzene	ND	ug/L	25.0	5		04/11/15 00:46	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		04/11/15 00:46	75-27-4		
Bromoform	ND	ug/L	25.0	5		04/11/15 00:46	75-25-2		
Bromomethane	ND	ug/L	25.0	5		04/11/15 00:46	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		04/11/15 00:46	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		04/11/15 00:46	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		04/11/15 00:46	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		04/11/15 00:46	108-90-7		
Chloroethane	ND	ug/L	25.0	5		04/11/15 00:46	75-00-3		
Chloroform	ND	ug/L	25.0	5		04/11/15 00:46	67-66-3		
Chloromethane	ND	ug/L	25.0	5		04/11/15 00:46	74-87-3		
Cyclohexane	ND	ug/L	500	5		04/11/15 00:46	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/11/15 00:46	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		04/11/15 00:46	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/11/15 00:46	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 00:46	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 00:46	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 00:46	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/11/15 00:46	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		04/11/15 00:46	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		04/11/15 00:46	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		04/11/15 00:46	75-35-4		
cis-1,2-Dichloroethene	80.4	ug/L	25.0	5		04/11/15 00:46	156-59-2		
trans-1,2-Dichloroethene	27.6	ug/L	25.0	5		04/11/15 00:46	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		04/11/15 00:46	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/11/15 00:46	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/11/15 00:46	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		04/11/15 00:46	100-41-4		
2-Hexanone	ND	ug/L	125	5		04/11/15 00:46	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/11/15 00:46	98-82-8		
Methyl acetate	ND	ug/L	250	5		04/11/15 00:46	79-20-9		N2
Methylcyclohexane	ND	ug/L	250	5		04/11/15 00:46	108-87-2		N2
Methylene Chloride	ND	ug/L	25.0	5		04/11/15 00:46	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/11/15 00:46	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/11/15 00:46	1634-04-4		
Styrene	ND	ug/L	25.0	5		04/11/15 00:46	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/11/15 00:46	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		04/11/15 00:46	127-18-4		
Toluene	ND	ug/L	25.0	5		04/11/15 00:46	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/11/15 00:46	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/11/15 00:46	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/11/15 00:46	79-00-5		
Trichloroethene	2110	ug/L	250	50		04/11/15 01:20	79-01-6		D
Trichlorofluoromethane	ND	ug/L	25.0	5		04/11/15 00:46	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/11/15 00:46	76-13-1		
Vinyl chloride	ND	ug/L	10.0	5		04/11/15 00:46	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0621-S1(033115)-PDB		Lab ID: 50115663020		Collected: 03/31/15 14:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		04/11/15 00:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	79-116	5		04/11/15 00:46	1868-53-7	D4
4-Bromofluorobenzene (S)		102	%.	80-114	5		04/11/15 00:46	460-00-4	
Toluene-d8 (S)		99	%.	81-110	5		04/11/15 00:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0502-S1(033115)-PDB		Lab ID: 50115663021	Collected: 03/31/15 14:30	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/11/15 01:53	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 01:53	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 01:53	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 01:53	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 01:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 01:53	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 01:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 01:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 01:53	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 01:53	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 01:53	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 01:53	74-87-3	
Cyclohexane	0.36J	ug/L	100	1		04/11/15 01:53	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 01:53	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 01:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 01:53	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:53	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 01:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 01:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 01:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 01:53	75-35-4	
cis-1,2-Dichloroethene	1.1J	ug/L	5.0	1		04/11/15 01:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 01:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 01:53	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 01:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 01:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 01:53	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 01:53	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 01:53	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 01:53	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 01:53	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 01:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 01:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 01:53	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 01:53	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 01:53	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 01:53	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 01:53	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 01:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 01:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 01:53	79-00-5	
Trichloroethene	5.0 ~~1.0J~~	ug/L	5.0	1		04/11/15 01:53	79-01-6	UB
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 01:53	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 01:53	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 01:53	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0502-S1(033115)-PDB		Lab ID: 50115663021		Collected: 03/31/15 14:30		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 01:53	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	79-116	1		04/11/15 01:53	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	80-114	1		04/11/15 01:53	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 01:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0101-S1U(033115)-PDB Lab ID: 50115663022 Collected: 03/31/15 14:40 Received: 03/31/15 17:29 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	500	5		04/11/15 02:27	67-64-1	
Benzene	1.2J	ug/L	25.0	5		04/11/15 02:27	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		04/11/15 02:27	75-27-4	
Bromoform	ND	ug/L	25.0	5		04/11/15 02:27	75-25-2	
Bromomethane	ND	ug/L	25.0	5		04/11/15 02:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		04/11/15 02:27	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		04/11/15 02:27	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		04/11/15 02:27	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		04/11/15 02:27	108-90-7	
Chloroethane	ND	ug/L	25.0	5		04/11/15 02:27	75-00-3	
Chloroform	ND	ug/L	25.0	5		04/11/15 02:27	67-66-3	
Chloromethane	ND	ug/L	25.0	5		04/11/15 02:27	74-87-3	
Cyclohexane	ND	ug/L	500	5		04/11/15 02:27	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/11/15 02:27	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		04/11/15 02:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/11/15 02:27	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 02:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 02:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/11/15 02:27	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/11/15 02:27	75-71-8	
1,1-Dichloroethane	4.2J	ug/L	25.0	5		04/11/15 02:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		04/11/15 02:27	107-06-2	
1,1-Dichloroethene	8.0J	ug/L	25.0	5		04/11/15 02:27	75-35-4	
cis-1,2-Dichloroethene	1060	ug/L	25.0	5		04/11/15 02:27	156-59-2	
trans-1,2-Dichloroethene	56.1	ug/L	25.0	5		04/11/15 02:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		04/11/15 02:27	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/11/15 02:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/11/15 02:27	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		04/11/15 02:27	100-41-4	
2-Hexanone	ND	ug/L	125	5		04/11/15 02:27	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/11/15 02:27	98-82-8	
Methyl acetate	ND	ug/L	250	5		04/11/15 02:27	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5		04/11/15 02:27	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5		04/11/15 02:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/11/15 02:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/11/15 02:27	1634-04-4	
Styrene	ND	ug/L	25.0	5		04/11/15 02:27	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/11/15 02:27	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		04/11/15 02:27	127-18-4	
Toluene	ND	ug/L	25.0	5		04/11/15 02:27	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/11/15 02:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/11/15 02:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/11/15 02:27	79-00-5	
Trichloroethene	17900	ug/L	500	100		04/13/15 04:27	79-01-6	D
Trichlorofluoromethane	ND	ug/L	25.0	5		04/11/15 02:27	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/11/15 02:27	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0101-S1U(033115)-PDB		Lab ID: 50115663022	Collected: 03/31/15 14:40	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Vinyl chloride	32.8	ug/L	10.0	5		04/11/15 02:27	75-01-4	
Xylene (Total)	ND	ug/L	50.0	5		04/11/15 02:27	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	79-116	5		04/11/15 02:27	1868-53-7	D4
4-Bromofluorobenzene (S)	102	%.	80-114	5		04/11/15 02:27	460-00-4	
Toluene-d8 (S)	97	%.	81-110	5		04/11/15 02:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: FD-2(033115)-AO-PDB		Lab ID: 50115663023	Collected: 03/31/15 08:00	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	2500	25		04/11/15 03:34	67-64-1	
Benzene	ND	ug/L	125	25		04/11/15 03:34	71-43-2	
Bromodichloromethane	ND	ug/L	125	25		04/11/15 03:34	75-27-4	
Bromoform	ND	ug/L	125	25		04/11/15 03:34	75-25-2	
Bromomethane	ND	ug/L	125	25		04/11/15 03:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	625	25		04/11/15 03:34	78-93-3	
Carbon disulfide	ND	ug/L	250	25		04/11/15 03:34	75-15-0	
Carbon tetrachloride	ND	ug/L	125	25		04/11/15 03:34	56-23-5	
Chlorobenzene	ND	ug/L	125	25		04/11/15 03:34	108-90-7	
Chloroethane	ND	ug/L	125	25		04/11/15 03:34	75-00-3	
Chloroform	ND	ug/L	125	25		04/11/15 03:34	67-66-3	
Chloromethane	ND	ug/L	125	25		04/11/15 03:34	74-87-3	
Cyclohexane	ND	ug/L	2500	25		04/11/15 03:34	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	250	25		04/11/15 03:34	96-12-8	
Dibromochloromethane	ND	ug/L	125	25		04/11/15 03:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	125	25		04/11/15 03:34	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	125	25		04/11/15 03:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	125	25		04/11/15 03:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	125	25		04/11/15 03:34	106-46-7	
Dichlorodifluoromethane	ND	ug/L	125	25		04/11/15 03:34	75-71-8	
1,1-Dichloroethane	ND	ug/L	125	25		04/11/15 03:34	75-34-3	
1,2-Dichloroethane	ND	ug/L	125	25		04/11/15 03:34	107-06-2	
1,1-Dichloroethene	ND	ug/L	125	25		04/11/15 03:34	75-35-4	
cis-1,2-Dichloroethene	1840	ug/L	125	25		04/11/15 03:34	156-59-2	
trans-1,2-Dichloroethene	42.3J	ug/L	125	25		04/11/15 03:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	125	25		04/11/15 03:34	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	125	25		04/11/15 03:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	125	25		04/11/15 03:34	10061-02-6	
Ethylbenzene	ND	ug/L	125	25		04/11/15 03:34	100-41-4	
2-Hexanone	ND	ug/L	625	25		04/11/15 03:34	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	125	25		04/11/15 03:34	98-82-8	
Methyl acetate	ND	ug/L	1250	25		04/11/15 03:34	79-20-9	N2
Methylcyclohexane	ND	ug/L	1250	25		04/11/15 03:34	108-87-2	N2
Methylene Chloride	ND	ug/L	125	25		04/11/15 03:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	625	25		04/11/15 03:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	100	25		04/11/15 03:34	1634-04-4	
Styrene	ND	ug/L	125	25		04/11/15 03:34	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	125	25		04/11/15 03:34	79-34-5	
Tetrachloroethene	ND	ug/L	125	25		04/11/15 03:34	127-18-4	
Toluene	ND	ug/L	125	25		04/11/15 03:34	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	125	25		04/11/15 03:34	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	125	25		04/11/15 03:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	125	25		04/11/15 03:34	79-00-5	
Trichloroethene	16300	ug/L	1250	250		04/11/15 04:08	79-01-6	D
Trichlorofluoromethane	ND	ug/L	125	25		04/11/15 03:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	125	25		04/11/15 03:34	76-13-1	
Vinyl chloride	ND	ug/L	50.0	25		04/11/15 03:34	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: FD-2(033115)-AO-PDB		Lab ID: 50115663023		Collected: 03/31/15 08:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	250	25		04/11/15 03:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	79-116	25		04/11/15 03:34	1868-53-7	D4
4-Bromofluorobenzene (S)		97	%.	80-114	25		04/11/15 03:34	460-00-4	
Toluene-d8 (S)		97	%.	81-110	25		04/11/15 03:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0517-S1(033115)-PDB		Lab ID: 50115663024		Collected: 03/31/15 14:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			04/13/15 09:41	67-64-1	
Benzene	25.0 ~~1.33~~	ug/L	25.0	5			04/13/15 09:41	71-43-2	UB
Bromodichloromethane	ND	ug/L	25.0	5			04/13/15 09:41	75-27-4	
Bromoform	ND	ug/L	25.0	5			04/13/15 09:41	75-25-2	
Bromomethane	ND	ug/L	25.0	5			04/13/15 09:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			04/13/15 09:41	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			04/13/15 09:41	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			04/13/15 09:41	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			04/13/15 09:41	108-90-7	
Chloroethane	ND	ug/L	25.0	5			04/13/15 09:41	75-00-3	
Chloroform	ND	ug/L	25.0	5			04/13/15 09:41	67-66-3	
Chloromethane	ND	ug/L	25.0	5			04/13/15 09:41	74-87-3	
Cyclohexane	ND	ug/L	500	5			04/13/15 09:41	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			04/13/15 09:41	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			04/13/15 09:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			04/13/15 09:41	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			04/13/15 09:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			04/13/15 09:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			04/13/15 09:41	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			04/13/15 09:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			04/13/15 09:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			04/13/15 09:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			04/13/15 09:41	75-35-4	
cis-1,2-Dichloroethene	512	ug/L	25.0	5			04/13/15 09:41	156-59-2	
trans-1,2-Dichloroethene	70.9	ug/L	25.0	5			04/13/15 09:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			04/13/15 09:41	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			04/13/15 09:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			04/13/15 09:41	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			04/13/15 09:41	100-41-4	
2-Hexanone	ND	ug/L	125	5			04/13/15 09:41	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			04/13/15 09:41	98-82-8	
Methyl acetate	ND	ug/L	250	5			04/13/15 09:41	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5			04/13/15 09:41	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			04/13/15 09:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			04/13/15 09:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			04/13/15 09:41	1634-04-4	
Styrene	ND	ug/L	25.0	5			04/13/15 09:41	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			04/13/15 09:41	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			04/13/15 09:41	127-18-4	
Toluene	ND	ug/L	25.0	5			04/13/15 09:41	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			04/13/15 09:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			04/13/15 09:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			04/13/15 09:41	79-00-5	
Trichloroethene	2940	ug/L	100	20			04/11/15 08:04	79-01-6	D
Trichlorofluoromethane	ND	ug/L	25.0	5			04/13/15 09:41	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			04/13/15 09:41	76-13-1	
Vinyl chloride	4.7J	ug/L	10.0	5			04/13/15 09:41	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0517-S1(033115)-PDB		Lab ID: 50115663024		Collected: 03/31/15 14:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		04/13/15 09:41	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	79-116	5		04/13/15 09:41	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	80-114	5		04/13/15 09:41	460-00-4	
Toluene-d8 (S)		98	%.	81-110	5		04/13/15 09:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0604-S1(033115)-PDB		Lab ID: 50115663025		Collected: 03/31/15 15:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone		ND	ug/L	100	1		04/11/15 08:38	67-64-1	
Benzene	5.0	~~0.403~~	ug/L	5.0	1		04/11/15 08:38	71-43-2	UB
Bromodichloromethane		ND	ug/L	5.0	1		04/11/15 08:38	75-27-4	
Bromoform		ND	ug/L	5.0	1		04/11/15 08:38	75-25-2	
Bromomethane		ND	ug/L	5.0	1		04/11/15 08:38	74-83-9	
2-Butanone (MEK)		ND	ug/L	25.0	1		04/11/15 08:38	78-93-3	
Carbon disulfide		ND	ug/L	10.0	1		04/11/15 08:38	75-15-0	
Carbon tetrachloride		ND	ug/L	5.0	1		04/11/15 08:38	56-23-5	
Chlorobenzene		ND	ug/L	5.0	1		04/11/15 08:38	108-90-7	
Chloroethane		ND	ug/L	5.0	1		04/11/15 08:38	75-00-3	
Chloroform		ND	ug/L	5.0	1		04/11/15 08:38	67-66-3	
Chloromethane		ND	ug/L	5.0	1		04/11/15 08:38	74-87-3	
Cyclohexane		0.65J	ug/L	100	1		04/11/15 08:38	110-82-7	N2
1,2-Dibromo-3-chloropropane		ND	ug/L	10.0	1		04/11/15 08:38	96-12-8	
Dibromochloromethane		ND	ug/L	5.0	1		04/11/15 08:38	124-48-1	
1,2-Dibromoethane (EDB)		ND	ug/L	5.0	1		04/11/15 08:38	106-93-4	
1,2-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 08:38	95-50-1	
1,3-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 08:38	541-73-1	
1,4-Dichlorobenzene		ND	ug/L	5.0	1		04/11/15 08:38	106-46-7	
Dichlorodifluoromethane		ND	ug/L	5.0	1		04/11/15 08:38	75-71-8	
1,1-Dichloroethane		2.6J	ug/L	5.0	1		04/11/15 08:38	75-34-3	
1,2-Dichloroethane		ND	ug/L	5.0	1		04/11/15 08:38	107-06-2	
1,1-Dichloroethene		3.5J	ug/L	5.0	1		04/11/15 08:38	75-35-4	
cis-1,2-Dichloroethene		878	ug/L	125	25		04/11/15 09:11	156-59-2	D
trans-1,2-Dichloroethene		112	ug/L	5.0	1		04/11/15 08:38	156-60-5	
1,2-Dichloropropane		ND	ug/L	5.0	1		04/11/15 08:38	78-87-5	
cis-1,3-Dichloropropene		ND	ug/L	5.0	1		04/11/15 08:38	10061-01-5	
trans-1,3-Dichloropropene		ND	ug/L	5.0	1		04/11/15 08:38	10061-02-6	
Ethylbenzene		ND	ug/L	5.0	1		04/11/15 08:38	100-41-4	
2-Hexanone		ND	ug/L	25.0	1		04/11/15 08:38	591-78-6	
Isopropylbenzene (Cumene)		ND	ug/L	5.0	1		04/11/15 08:38	98-82-8	
Methyl acetate		ND	ug/L	50.0	1		04/11/15 08:38	79-20-9	N2
Methylcyclohexane		ND	ug/L	50.0	1		04/11/15 08:38	108-87-2	N2
Methylene Chloride		ND	ug/L	5.0	1		04/11/15 08:38	75-09-2	
4-Methyl-2-pentanone (MIBK)		ND	ug/L	25.0	1		04/11/15 08:38	108-10-1	
Methyl-tert-butyl ether		ND	ug/L	4.0	1		04/11/15 08:38	1634-04-4	
Styrene		ND	ug/L	5.0	1		04/11/15 08:38	100-42-5	
1,1,2,2-Tetrachloroethane		ND	ug/L	5.0	1		04/11/15 08:38	79-34-5	
Tetrachloroethene		ND	ug/L	5.0	1		04/11/15 08:38	127-18-4	
Toluene		ND	ug/L	5.0	1		04/11/15 08:38	108-88-3	
1,2,4-Trichlorobenzene		ND	ug/L	5.0	1		04/11/15 08:38	120-82-1	
1,1,1-Trichloroethane		ND	ug/L	5.0	1		04/11/15 08:38	71-55-6	
1,1,2-Trichloroethane		ND	ug/L	5.0	1		04/11/15 08:38	79-00-5	
Trichloroethene		2690	ug/L	125	25		04/11/15 09:11	79-01-6	D
Trichlorofluoromethane		ND	ug/L	5.0	1		04/11/15 08:38	75-69-4	
1,1,2-Trichlorotrifluoroethane		ND	ug/L	5.0	1		04/11/15 08:38	76-13-1	
Vinyl chloride		57.6	ug/L	2.0	1		04/11/15 08:38	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0604-S1(033115)-PDB		Lab ID: 50115663025		Collected: 03/31/15 15:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 08:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		107	%.	79-116	1		04/11/15 08:38	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	80-114	1		04/11/15 08:38	460-00-4	
Toluene-d8 (S)		99	%.	81-110	1		04/11/15 08:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0503-S1(033115)-PDB		Lab ID: 50115663026		Collected: 03/31/15 15:10		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/11/15 09:45	67-64-1		
Benzene	ND	ug/L	5.0	1		04/11/15 09:45	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 09:45	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/11/15 09:45	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/11/15 09:45	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 09:45	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 09:45	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 09:45	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 09:45	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/11/15 09:45	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/11/15 09:45	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/11/15 09:45	74-87-3		
Cyclohexane	ND	ug/L	100	1		04/11/15 09:45	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 09:45	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 09:45	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 09:45	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 09:45	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 09:45	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 09:45	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 09:45	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 09:45	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 09:45	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 09:45	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 09:45	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 09:45	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 09:45	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 09:45	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 09:45	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 09:45	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		04/11/15 09:45	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 09:45	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		04/11/15 09:45	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 09:45	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 09:45	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 09:45	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 09:45	1634-04-4		
Styrene	ND	ug/L	5.0	1		04/11/15 09:45	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 09:45	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 09:45	127-18-4		
Toluene	ND	ug/L	5.0	1		04/11/15 09:45	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 09:45	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 09:45	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 09:45	79-00-5		
Trichloroethene	5.0	~~0.633~~	ug/L	5.0	1	04/11/15 09:45	79-01-6		UB
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 09:45	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 09:45	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 09:45	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0503-S1(033115)-PDB		Lab ID: 50115663026		Collected: 03/31/15 15:10		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 09:45	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	79-116	1		04/11/15 09:45	1868-53-7	
4-Bromofluorobenzene (S)		94	%.	80-114	1		04/11/15 09:45	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/11/15 09:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0507-S1(033115)-PDB		Lab ID: 50115663027		Collected: 03/31/15 15:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			04/11/15 11:25	67-64-1	
Benzene	ND	ug/L	5.0	1			04/11/15 11:25	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/11/15 11:25	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/11/15 11:25	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/11/15 11:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/11/15 11:25	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/11/15 11:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/11/15 11:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/11/15 11:25	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/11/15 11:25	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/11/15 11:25	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/11/15 11:25	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/11/15 11:25	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/11/15 11:25	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/11/15 11:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/11/15 11:25	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 11:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 11:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 11:25	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/11/15 11:25	75-71-8	
1,1-Dichloroethane	15.3	ug/L	5.0	1			04/11/15 11:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/11/15 11:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/11/15 11:25	75-35-4	
cis-1,2-Dichloroethene	60.0	ug/L	5.0	1			04/11/15 11:25	156-59-2	
trans-1,2-Dichloroethene	1.1J	ug/L	5.0	1			04/11/15 11:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/11/15 11:25	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 11:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 11:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/11/15 11:25	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/11/15 11:25	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/11/15 11:25	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/11/15 11:25	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/11/15 11:25	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/11/15 11:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/11/15 11:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/11/15 11:25	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/11/15 11:25	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/11/15 11:25	79-34-5	
Tetrachloroethene	1.4J	ug/L	5.0	1			04/11/15 11:25	127-18-4	
Toluene	ND	ug/L	5.0	1			04/11/15 11:25	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/11/15 11:25	120-82-1	
1,1,1-Trichloroethane	6.8	ug/L	5.0	1			04/11/15 11:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/11/15 11:25	79-00-5	
Trichloroethene	5.6	ug/L	5.0	1			04/11/15 11:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/11/15 11:25	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/11/15 11:25	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			04/11/15 11:25	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0507-S1(033115)-PDB		Lab ID: 50115663027		Collected: 03/31/15 15:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 11:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		108	%.	79-116	1		04/11/15 11:25	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	80-114	1		04/11/15 11:25	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 11:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0617-S1(033115)-PDB		Lab ID: 50115663028		Collected: 03/31/15 15:30		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/11/15 11:59	67-64-1		
Benzene	ND	ug/L	5.0	1		04/11/15 11:59	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 11:59	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/11/15 11:59	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/11/15 11:59	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 11:59	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 11:59	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 11:59	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 11:59	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/11/15 11:59	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/11/15 11:59	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/11/15 11:59	74-87-3		
Cyclohexane	ND	ug/L	100	1		04/11/15 11:59	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 11:59	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 11:59	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 11:59	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:59	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:59	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:59	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 11:59	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 11:59	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 11:59	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 11:59	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 11:59	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 11:59	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 11:59	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 11:59	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 11:59	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 11:59	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		04/11/15 11:59	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 11:59	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		04/11/15 11:59	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 11:59	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 11:59	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 11:59	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 11:59	1634-04-4		
Styrene	ND	ug/L	5.0	1		04/11/15 11:59	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 11:59	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 11:59	127-18-4		
Toluene	ND	ug/L	5.0	1		04/11/15 11:59	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 11:59	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 11:59	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 11:59	79-00-5		
Trichloroethene	5.0	~~0.293~~	ug/L	5.0	1	04/11/15 11:59	79-01-6		UB
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 11:59	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 11:59	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 11:59	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0617-S1(033115)-PDB		Lab ID: 50115663028		Collected: 03/31/15 15:30		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 11:59	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	79-116	1		04/11/15 11:59	1868-53-7	
4-Bromofluorobenzene (S)		92	%.	80-114	1		04/11/15 11:59	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 11:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0506-S1(033115)-PDB		Lab ID: 50115663029		Collected: 03/31/15 15:40		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			04/11/15 12:32	67-64-1	
Benzene	ND	ug/L	5.0	1			04/11/15 12:32	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/11/15 12:32	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/11/15 12:32	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/11/15 12:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/11/15 12:32	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/11/15 12:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/11/15 12:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/11/15 12:32	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/11/15 12:32	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/11/15 12:32	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/11/15 12:32	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/11/15 12:32	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/11/15 12:32	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/11/15 12:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/11/15 12:32	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 12:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 12:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 12:32	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/11/15 12:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/11/15 12:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/11/15 12:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/11/15 12:32	75-35-4	
cis-1,2-Dichloroethene	2.5J	ug/L	5.0	1			04/11/15 12:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			04/11/15 12:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/11/15 12:32	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 12:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 12:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/11/15 12:32	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/11/15 12:32	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/11/15 12:32	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/11/15 12:32	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/11/15 12:32	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/11/15 12:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/11/15 12:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/11/15 12:32	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/11/15 12:32	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/11/15 12:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/11/15 12:32	127-18-4	
Toluene	ND	ug/L	5.0	1			04/11/15 12:32	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/11/15 12:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/11/15 12:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/11/15 12:32	79-00-5	
Trichloroethene	5.0	~~0.37J~~	ug/L	5.0	1		04/11/15 12:32	79-01-6	UB
Trichlorofluoromethane	ND	ug/L	5.0	1			04/11/15 12:32	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/11/15 12:32	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			04/11/15 12:32	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0506-S1(033115)-PDB		Lab ID: 50115663029		Collected: 03/31/15 15:40		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 12:32	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	79-116	1		04/11/15 12:32	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	80-114	1		04/11/15 12:32	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 12:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0504-S1(033115)-PDB		Lab ID: 50115663030	Collected: 03/31/15 15:50	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/11/15 13:06	67-64-1	
Benzene	1.0J	ug/L	5.0	1		04/11/15 13:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 13:06	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 13:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 13:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 13:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 13:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 13:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 13:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 13:06	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 13:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 13:06	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 13:06	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 13:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 13:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 13:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 13:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 13:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 13:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 13:06	75-71-8	
1,1-Dichloroethane	8.9	ug/L	5.0	1		04/11/15 13:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 13:06	107-06-2	
1,1-Dichloroethene	5.2	ug/L	5.0	1		04/11/15 13:06	75-35-4	
cis-1,2-Dichloroethene	909	ug/L	125	25		04/11/15 13:40	156-59-2	D
trans-1,2-Dichloroethene	183	ug/L	5.0	1		04/11/15 13:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 13:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 13:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 13:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 13:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 13:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 13:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 13:06	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 13:06	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 13:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 13:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 13:06	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 13:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 13:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 13:06	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 13:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 13:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 13:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 13:06	79-00-5	
Trichloroethene	3010	ug/L	125	25		04/11/15 13:40	79-01-6	D
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 13:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 13:06	76-13-1	
Vinyl chloride	24.1	ug/L	2.0	1		04/11/15 13:06	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0504-S1(033115)-PDB		Lab ID: 50115663030		Collected: 03/31/15 15:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 13:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	79-116	1		04/11/15 13:06	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	80-114	1		04/11/15 13:06	460-00-4	
Toluene-d8 (S)		96	%.	81-110	1		04/11/15 13:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: EB-1(033115)-AO-PDB		Lab ID: 50115663031	Collected: 03/31/15 15:50	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/11/15 14:13	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 14:13	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 14:13	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 14:13	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 14:13	74-83-9	
2-Butanone (MEK)	9.4J	ug/L	25.0	1		04/11/15 14:13	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 14:13	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 14:13	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 14:13	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 14:13	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 14:13	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 14:13	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/11/15 14:13	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 14:13	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 14:13	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 14:13	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 14:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 14:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 14:13	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 14:13	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 14:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 14:13	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 14:13	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 14:13	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 14:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 14:13	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 14:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 14:13	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 14:13	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 14:13	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 14:13	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 14:13	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 14:13	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 14:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 14:13	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 14:13	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 14:13	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 14:13	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 14:13	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 14:13	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 14:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 14:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 14:13	79-00-5	
Trichloroethene	0.57J	ug/L	5.0	1		04/11/15 14:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 14:13	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 14:13	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 14:13	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: EB-1(033115)-AO-PDB		Lab ID: 50115663031		Collected: 03/31/15 15:50		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 14:13	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	79-116	1		04/11/15 14:13	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	80-114	1		04/11/15 14:13	460-00-4	
Toluene-d8 (S)		99	%.	81-110	1		04/11/15 14:13	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0505-S1(033115)-PDB		Lab ID: 50115663032		Collected: 03/31/15 16:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			04/11/15 14:47	67-64-1	
Benzene	ND	ug/L	5.0	1			04/11/15 14:47	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/11/15 14:47	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/11/15 14:47	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/11/15 14:47	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/11/15 14:47	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/11/15 14:47	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/11/15 14:47	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/11/15 14:47	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/11/15 14:47	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/11/15 14:47	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/11/15 14:47	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/11/15 14:47	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/11/15 14:47	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/11/15 14:47	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/11/15 14:47	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 14:47	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 14:47	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/11/15 14:47	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/11/15 14:47	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/11/15 14:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/11/15 14:47	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/11/15 14:47	75-35-4	
cis-1,2-Dichloroethene	8.3	ug/L	5.0	1			04/11/15 14:47	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			04/11/15 14:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/11/15 14:47	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 14:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/11/15 14:47	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/11/15 14:47	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/11/15 14:47	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/11/15 14:47	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/11/15 14:47	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/11/15 14:47	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/11/15 14:47	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/11/15 14:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/11/15 14:47	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/11/15 14:47	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/11/15 14:47	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/11/15 14:47	127-18-4	
Toluene	ND	ug/L	5.0	1			04/11/15 14:47	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/11/15 14:47	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/11/15 14:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/11/15 14:47	79-00-5	
Trichloroethene	5.0	~~0.753~~	ug/L	5.0	1		04/11/15 14:47	79-01-6	UB
Trichlorofluoromethane	ND	ug/L	5.0	1			04/11/15 14:47	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/11/15 14:47	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			04/11/15 14:47	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0505-S1(033115)-PDB		Lab ID: 50115663032		Collected: 03/31/15 16:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 14:47	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	79-116	1		04/11/15 14:47	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	80-114	1		04/11/15 14:47	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/11/15 14:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: **MW-0102-S1U(033115)-PDB** Lab ID: **50115663033** Collected: 03/31/15 16:10 Received: 03/31/15 17:29 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	500	5		04/12/15 14:21	67-64-1	
Benzene	ND	ug/L	25.0	5		04/12/15 14:21	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		04/12/15 14:21	75-27-4	
Bromoform	ND	ug/L	25.0	5		04/12/15 14:21	75-25-2	
Bromomethane	ND	ug/L	25.0	5		04/12/15 14:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		04/12/15 14:21	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		04/12/15 14:21	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		04/12/15 14:21	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		04/12/15 14:21	108-90-7	
Chloroethane	ND	ug/L	25.0	5		04/12/15 14:21	75-00-3	
Chloroform	ND	ug/L	25.0	5		04/12/15 14:21	67-66-3	
Chloromethane	ND	ug/L	25.0	5		04/12/15 14:21	74-87-3	
Cyclohexane	ND	ug/L	500	5		04/12/15 14:21	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/12/15 14:21	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		04/12/15 14:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/12/15 14:21	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/12/15 14:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/12/15 14:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/12/15 14:21	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/12/15 14:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		04/12/15 14:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		04/12/15 14:21	107-06-2	
1,1-Dichloroethene	2.8J	ug/L	25.0	5		04/12/15 14:21	75-35-4	
cis-1,2-Dichloroethene	867	ug/L	25.0	5		04/12/15 14:21	156-59-2	
trans-1,2-Dichloroethene	82.8	ug/L	25.0	5		04/12/15 14:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		04/12/15 14:21	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/12/15 14:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/12/15 14:21	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		04/12/15 14:21	100-41-4	
2-Hexanone	ND	ug/L	125	5		04/12/15 14:21	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/12/15 14:21	98-82-8	
Methyl acetate	ND	ug/L	250	5		04/12/15 14:21	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5		04/12/15 14:21	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5		04/12/15 14:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/12/15 14:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/12/15 14:21	1634-04-4	
Styrene	ND	ug/L	25.0	5		04/12/15 14:21	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/12/15 14:21	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		04/12/15 14:21	127-18-4	
Toluene	ND	ug/L	25.0	5		04/12/15 14:21	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/12/15 14:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/12/15 14:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/12/15 14:21	79-00-5	
Trichloroethene	2470	ug/L	250	50		04/12/15 14:55	79-01-6	D
Trichlorofluoromethane	ND	ug/L	25.0	5		04/12/15 14:21	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/12/15 14:21	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0102-S1U(033115)-PDB **Lab ID:** 50115663033 **Collected:** 03/31/15 16:10 **Received:** 03/31/15 17:29 **Matrix:** Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV								
Analytical Method: EPA 8260								
Vinyl chloride	12.9	ug/L	10.0	5		04/12/15 14:21	75-01-4	
Xylene (Total)	ND	ug/L	50.0	5		04/12/15 14:21	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	106	%.	79-116	5		04/12/15 14:21	1868-53-7	D4
4-Bromofluorobenzene (S)	98	%.	80-114	5		04/12/15 14:21	460-00-4	
Toluene-d8 (S)	98	%.	81-110	5		04/12/15 14:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0516-S1(033115)-PDB		Lab ID: 50115663034	Collected: 03/31/15 16:20	Received: 03/31/15 17:29	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		04/11/15 15:21	67-64-1	
Benzene	ND	ug/L	5.0	1		04/11/15 15:21	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/11/15 15:21	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/11/15 15:21	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/11/15 15:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/11/15 15:21	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/11/15 15:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/11/15 15:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/11/15 15:21	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/11/15 15:21	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/11/15 15:21	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/11/15 15:21	74-87-3	
Cyclohexane	0.56J	ug/L	100	1		04/11/15 15:21	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/11/15 15:21	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/11/15 15:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/11/15 15:21	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 15:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 15:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/11/15 15:21	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/11/15 15:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/11/15 15:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/11/15 15:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/11/15 15:21	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 15:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/11/15 15:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/11/15 15:21	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 15:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/11/15 15:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/11/15 15:21	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/11/15 15:21	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/11/15 15:21	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/11/15 15:21	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/11/15 15:21	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/11/15 15:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/11/15 15:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/11/15 15:21	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/11/15 15:21	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/11/15 15:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/11/15 15:21	127-18-4	
Toluene	ND	ug/L	5.0	1		04/11/15 15:21	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/11/15 15:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/11/15 15:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/11/15 15:21	79-00-5	
Trichloroethene	5.0	~~0.26J~~	ug/L	5.0	1	04/11/15 15:21	79-01-6	UB
Trichlorofluoromethane	ND	ug/L	5.0	1		04/11/15 15:21	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/11/15 15:21	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		04/11/15 15:21	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0516-S1(033115)-PDB		Lab ID: 50115663034		Collected: 03/31/15 16:20		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		04/11/15 15:21	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	79-116	1		04/11/15 15:21	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	80-114	1		04/11/15 15:21	460-00-4	
Toluene-d8 (S)		98	%.	81-110	1		04/11/15 15:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: FD-1(033115)-AO-PDB		Lab ID: 50115663035		Collected: 03/31/15 08:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			04/13/15 10:10	67-64-1	
Benzene	ND	ug/L	25.0	5			04/13/15 10:10	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			04/13/15 10:10	75-27-4	
Bromoform	ND	ug/L	25.0	5			04/13/15 10:10	75-25-2	
Bromomethane	ND	ug/L	25.0	5			04/13/15 10:10	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			04/13/15 10:10	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			04/13/15 10:10	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			04/13/15 10:10	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			04/13/15 10:10	108-90-7	
Chloroethane	ND	ug/L	25.0	5			04/13/15 10:10	75-00-3	
Chloroform	ND	ug/L	25.0	5			04/13/15 10:10	67-66-3	
Chloromethane	ND	ug/L	25.0	5			04/13/15 10:10	74-87-3	
Cyclohexane	ND	ug/L	500	5			04/13/15 10:10	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			04/13/15 10:10	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			04/13/15 10:10	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			04/13/15 10:10	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			04/13/15 10:10	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			04/13/15 10:10	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			04/13/15 10:10	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			04/13/15 10:10	75-71-8	
1,1-Dichloroethane	2.0J	ug/L	25.0	5			04/13/15 10:10	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			04/13/15 10:10	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			04/13/15 10:10	75-35-4	
cis-1,2-Dichloroethene	478	ug/L	25.0	5			04/13/15 10:10	156-59-2	
trans-1,2-Dichloroethene	67.7	ug/L	25.0	5			04/13/15 10:10	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			04/13/15 10:10	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			04/13/15 10:10	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			04/13/15 10:10	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			04/13/15 10:10	100-41-4	
2-Hexanone	ND	ug/L	125	5			04/13/15 10:10	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			04/13/15 10:10	98-82-8	
Methyl acetate	ND	ug/L	250	5			04/13/15 10:10	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5			04/13/15 10:10	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			04/13/15 10:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			04/13/15 10:10	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			04/13/15 10:10	1634-04-4	
Styrene	ND	ug/L	25.0	5			04/13/15 10:10	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			04/13/15 10:10	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			04/13/15 10:10	127-18-4	
Toluene	ND	ug/L	25.0	5			04/13/15 10:10	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			04/13/15 10:10	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			04/13/15 10:10	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			04/13/15 10:10	79-00-5	
Trichloroethene	2550	ug/L	100	20			04/12/15 15:29	79-01-6	D
Trichlorofluoromethane	ND	ug/L	25.0	5			04/13/15 10:10	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			04/13/15 10:10	76-13-1	
Vinyl chloride	3.9J	ug/L	10.0	5			04/13/15 10:10	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: FD-1(033115)-AO-PDB		Lab ID: 50115663035		Collected: 03/31/15 08:00		Received: 03/31/15 17:29		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		04/13/15 10:10	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	79-116	5		04/13/15 10:10	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	80-114	5		04/13/15 10:10	460-00-4	
Toluene-d8 (S)		98	%.	81-110	5		04/13/15 10:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0603-S1(033115)-AO-PDB Lab ID: 50115663036 Collected: 03/31/15 16:30 Received: 03/31/15 17:29 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	~~5.61~~	ug/L	100	1		04/12/15 16:03	67-64-1	
Benzene	ND	ug/L	5.0	1		04/12/15 16:03	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/12/15 16:03	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/12/15 16:03	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/12/15 16:03	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/12/15 16:03	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/12/15 16:03	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/12/15 16:03	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/12/15 16:03	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/12/15 16:03	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/12/15 16:03	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/12/15 16:03	74-87-3	
Cyclohexane	0.361	ug/L	100	1		04/12/15 16:03	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/12/15 16:03	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/12/15 16:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/12/15 16:03	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:03	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/12/15 16:03	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/12/15 16:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/12/15 16:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/12/15 16:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/12/15 16:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/12/15 16:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/12/15 16:03	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/12/15 16:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/12/15 16:03	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/12/15 16:03	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/12/15 16:03	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/12/15 16:03	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/12/15 16:03	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/12/15 16:03	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/12/15 16:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/12/15 16:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/12/15 16:03	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/12/15 16:03	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/12/15 16:03	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/12/15 16:03	127-18-4	
Toluene	ND	ug/L	5.0	1		04/12/15 16:03	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/12/15 16:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/12/15 16:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/12/15 16:03	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/12/15 16:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/12/15 16:03	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/12/15 16:03	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Racer Kokomo

Pace Project No.: 50115663

Sample: MW-0603-S1(033115)-AO-PDB **Lab ID:** 50115663036 **Collected:** 03/31/15 16:30 **Received:** 03/31/15 17:29 **Matrix:** Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV								
Analytical Method: EPA 8260								
Vinyl chloride	ND	ug/L	2.0	1		04/12/15 16:03	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/12/15 16:03	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	98	%.	79-116	1		04/12/15 16:03	1868-53-7	
4-Bromofluorobenzene (S)	93	%.	80-114	1		04/12/15 16:03	460-00-4	
Toluene-d8 (S)	96	%.	81-110	1		04/12/15 16:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: Racer Kokomo

Pace Project No.: 50115663

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D4 Sample was diluted due to the presence of high levels of target analytes.

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

N2 The lab does not hold TNI accreditation for this parameter.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



Section A Required Client Information: Company: ARCADIS Address: 132 E WASHINGTON ST Indianapolis IN 46202 Email: MAIT@PACEANALYTICAL.COM Phone: 317 231 6500 Requested Due Date/TAT: 3/17/23 16:514		Section B Required Project Information: Report To: MAT GILES Copy To: MEYEL SNOKEY Purchase Order No.: Project Name: PACE KORDMO Project Number: 1N000884.2015		Section C Invoices Information: Attention: ACCOUNTS PAYABLE Company Name: ARCADIS Address: HIGHWAYS LANCET CO Pace Quote Reference: Pace Project Manager: Pace Profile #:	
Regulatory Agency: ☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER ☐ UST ☐ RCRA ☐ OTHER		Site Location: STATE: IN		Page: 1 of 4 1848390	

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analysis Test	Y/N	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)	Pace Project No. / Lab I.D.
				COMPOSITE START	COMPOSITE END/GRAB			Unpreserved H ₂ SO ₄ HNO ₃ HCl NaOH Na ₂ SO ₃ Methanol Other					
1	TB-1 (033115) - AO	DW	WQ G	3/31/15	—	3/31/15	3						5011 5663
2	MW-0618-SI (033115) - PDB	WT	WQ G	3/31/15	1125	3/31/15	3						501
3	MW-0613-SI (033115) - PDB	WT	WQ G	3/31/15	1135	3/31/15	3						002
4	EB-2 (033115) - AO - PDB	WT	WQ G	3/31/15	1135	3/31/15	3						003
5	MW-0607-SI (033115) - PDB	WT	WQ G	3/31/15	1145	3/31/15	3						004
6	MW-0608-SI (033115) - PDB	WT	WQ G	3/31/15	1155	3/31/15	3						005
7	MW-0610-SI (033115) - PDB	WT	WQ G	3/31/15	1200	3/31/15	3						006
8	MW-0602-SI (033115) - PDB	WT	WQ G	3/31/15	1210	3/31/15	3						007
9	MW-0612-SI (033115) - PDB	WT	WQ G	3/31/15	1220	3/31/15	3						008
10	MW-0705-SI (033115) - PDB	WT	WQ G	3/31/15	1230	3/31/15	3						009
11	MW-0704-SI (033115) - PDB	WT	WQ G	3/31/15	1240	3/31/15	3						010
12	MW-0606-SI (033115) - PDB	WT	WQ G	3/31/15	1250	3/31/15	3						011

ADDITIONAL COMMENTS: 3/31/15 17:29 Marcia Bennett/Pace		RELINQUISHED BY / AFFILIATION DATE 3/31/15 17:29	ACCEPTED BY / AFFILIATION DATE 3/31/15 17:29	SAMPLE CONDITIONS Temp in °C Received on Custody Sealed Cooler Samples Intact
SIGNATURE OF SAMPLER: PRINT Name of SAMPLER: ALEXANDRA ORRIST DATE Signed (MM/DD/YYYY): 03/31/2015		SIGNATURE OF SAMPLER: PRINT Name of SAMPLER: ALEXANDRA ORRIST DATE Signed (MM/DD/YYYY): 03/31/2015		

ORIGINAL

Client w/ file

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



www.paceanalabs.com

Page: 2 of 9

1848391

Section C

Section A

Required Client Information:

Company: Arcadis

Address: 132 E Washington St

City: Indianapolis IN 46204

State: IN

Zip: 46204

Phone: 317 231 6500

Fac: 317 231 6514

Requested Due Date/TAT: NDD0804.2015

Section B

Required Project Information:

Report To: Matt Geles

Copy To: Merrill Sawyer

Purchase Order No.:

Project Name: Paceel Koromo

Project Number: NDD0804.2015

Section D

Required Information:

Attention: Accounts Payable

Company Name: Arcadis

Address: Highlands Ranch, CO

Pace Quote Reference:

Pace Project Manager:

Pace Profile #:

REGULATORY AGENCY

☒ NPDES ☒ GROUND WATER ☐ DRINKING WATER

☐ UST ☐ RCRA ☐ OTHER

Site Location

STATE: IN

Requested Analysis Filtered (Y/N)

ITEM #	Section D Required Client Information		Matrix Codes MATRIX / CODE		SAMPLE TYPE (G=GRAB C=COMP)		COLLECTED			SAMPLE TEMP AT COLLECTION		# OF CONTAINERS	Preservatives							Analysis Test ↑	Y/N	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.								
	SAMPLE ID (A-Z, 0-9 / .)		DW Drinking Water	WT Waste Water	WW Waste Water Product	P Soil/Solid	SL Oil	OL Wipe	WP Air	AR Tissue	OT Other		COMPOSITE START	COMPOSITE END/GRAB	DATE	TIME	DATE	TIME	Unpreserved					H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other	
1	MW-0504-SI (033115) - PDB															3/31/15	1300				X										012
2	MW-0103-SIU (033115) PDB															3/31/15	1310				X										013
3	MW-0501-SI (033115) - PDB															3/31/15	1320				X										014
4	MW-0623-SI (033115) - PDB															3/31/15	1330				X										015
5	MW-0622-SI (033115) - PDB															3/31/15	1340				X										016
6	MW-0620-SI (033115) - PDB															3/31/15	1350				X										017
7	MW-0619-SI (033115) - PDB															3/31/15	1400				X										018
8	MW-0605-SI (033115) - PDB															3/31/15	1410				X										019
9	MW-0621-SI (033115) - PDB															3/31/15	1420				X										020
10	MW-0502-SI (033115) - PDB															3/31/15	1430				X										021
11	MW-0101-SIU (033115) PDB															3/31/15	1440				X										022
12	FD-2 (033115) - AO - PDB															3/31/15	—				X										023

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	Temp In °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)	SAMPLE CONDITIONS
	Leafy Green	Acres	3/31/15	17:29	Marcia Bennett	Poco	3/31/15	17:29	5.88	Y	



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	AREADIS	Report To:	MATT GEIGES	Attention:	Accounts Payable
Address:	132 E WASHINGTON ST	Copy To:	MEEL STUCKEY	Company Name:	AREADIS
	INDIANAPOLIS IN 46204			Address:	Highlands Ranch, CO
Email To:	MATT.GEIGES@AREADIS-US.COM	Purchase Order No.:		Pace Quote Reference:	
Phone:	317 231 6500	Project Name:	Pace Koromo	Pace Project Manager:	
Requested Due Date/TAT:	3/7/23 6514	Project Number:	IN000824.2015		

Page: 3 of 4

1848388

REGULATORY AGENCY

☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER

☐ UST ☐ RCRA ☐ OTHER

Site Location

STATE: IN

[illegible]

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
	<i>Alex Opelt / AREADIS</i>	3/31/15	17:29	<i>Marcia Bennett/Paco</i>	3/31/15	17:29	5.88	Y		
ORIGINAL SAMPLER NAME AND SIGNATURE PRINT Name of SAMPLER: <i>Alexandra Opelt</i> SIGNATURE of SAMPLER: <i>Alex Opelt</i> DATE Signed (MM/DD/YY): <i>03/31/2015</i>										

Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

FF-ALL-Q-020rev.07, 15-May-2007



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

[illegible]

**RACER Trust
Former GM Delco Plant 5**

Data Review

KOKOMO, INDIANA

Volatile Organic Compounds (TO-15) Analyses

SDG #1504081

Analyses Performed By:
Eurofins
Folsom, California

Report #23587R
Review Level: Tier II
Project: IN000884.2014.00007

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) #1504081 for samples collected in association with the RACER Trust site in Kokomo, Indiana. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis		
						VOC	Metal	Misc.
1504081	IA-4-M2 (033115)	1504081-01A	Air	4/1/15		X		
	DUP-1 (033115)	1504081-02A	Air	4/1/15	IA-4-M2 (033115)	X		
	AMB-1 (033115)	1504081-03A	Air	4/1/15		X		

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) Method TO-15. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected as unusable. The compound may or may not be present in the sample.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is

that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation	Return Canister Pressure
EPA TO-15	Air	30 days from collection to analysis	Ambient Temperature	< -1" Hg

All samples were analyzed within the specified holding time criteria and all canister return pressure/vacuum criteria were met.

2. Blank Contamination

Quality assurance (QA) blanks (i.e. laboratory method blanks and field blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Field blanks also measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the reporting limit (RL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
IA-4-M2 (033115) DUP-1 (033115)	cis-1,2-Dichloroethene	Detected sample results <RL and <BAL	"UB" at the RL
	Trichloroethene		
	trans-1,2-Dichloroethene		

RL Reporting limit

LB Lab blank

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The spiked compounds used in the LCS/LCSD analysis must exhibit recoveries within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis exhibited recoveries within the control limits.

5. Field Duplicate Sample Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 50% for air matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of three times the RL is applied for air matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
IA-4-M2 (033115)/ DUP-1 (033115)	Tetrachloroethene	0.25 J	0.24	AC

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

6. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: USEPA TO-15	Reported		Performance Acceptable		Not Required	
	No	Yes	No	Yes		
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)						
Tier II Validation						
Canister return pressure (<-1"Hg)		X		X		
Holding times		X		X		
Reporting limits (units)		X		X		
Blanks						
A. Method blanks		X	X			
B. Equipment/Field blanks		X		X		
C. Trip blanks					X	
Matrix Spike (MS) %R					X	
Matrix Spike Duplicate (MSD) %R					X	
MS/MSD Precision RPD					X	
Laboratory Control Sample (LCS) Accuracy (%R)		X		X		
Laboratory Control Sample Duplicate (LCSD) %R		X		X		
LCS/LCSD Precision (RPD)		X		X		
Field/Laboratory Duplicate Sample RPD		X		X		
Surrogate Spike %R		X		X		
Dilution Factor		X		X		

%R Percent recovery

RPD Relative percent difference

Validation Performed By: Todd Church

Signature: 

Date: May 8, 2015

Peer Review: Joseph C. Houser

Date: May 8, 2015

**CHAIN OF CUSTODY /
CORRECTED SAMPLE ANALYSIS DATA SHEETS**

LABORATORY NARRATIVE
Modified TO-15 SIM
Arcadis U.S., Inc.
Workorder# 1504081

Three 6 Liter Summa Canister (SIM Certified) samples were received on April 03, 2015. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the SIM acquisition mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

Requirement	TO-15	ATL Modifications
ICAL %RSD acceptance criteria	<=30% RSD with 2 compounds allowed out to < 40% RSD	Project specific; default criteria is <=30% RSD with 10% of compounds allowed out to < 40% RSD
Daily Calibration	+ - 30% Difference	Project specific; default criteria is <= 30% Difference with 10% of compounds allowed out up to <=40%; flag and narrate outliers
Blank and standards	Zero air	Nitrogen
Method Detection Limit	Follow 40CFR Pt.136 App. B	The MDL met all relevant requirements in Method TO-15 (statistical MDL less than the LOQ). The concentration of the spiked replicate may have exceeded 10X the calculated MDL in some cases

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

As per project specific client request the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. All The canisters used for this project have been certified to the Reporting Limit for the target analytes included in this workorder. Concentrations that are below the level at which the canister was certified may be false positives.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue



Air Toxics

Client Sample ID: IA-4-M2 (033115)

Lab ID#: 1504081-01A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e040913sim	Date of Collection:	4/1/15 9:40:00 AM
Dil. Factor:	2.27	Date of Analysis:	4/9/15 11:07 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)	
Vinyl Chloride	0.023	Not Detected	0.058	Not Detected	
1,1-Dichloroethene	0.023	Not Detected	0.090	Not Detected	
cis-1,2-Dichloroethene	0.045	~~0.0079 J~~	0.18	~~0.031 J~~	UB
Trichloroethene	0.045	~~0.023 J~~	0.24	~~0.12 J~~	UB
Tetrachloroethene	0.045	0.037 J	0.31	0.25 J	
trans-1,2-Dichloroethene	0.23	~~0.0042 J~~	0.90	~~0.017 J~~	UB

J = Estimated value.

Container Type: 6 Liter Summa Canister (SIM Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	108	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	98	70-130



Air Toxics

Client Sample ID: DUP-1 (033115)

Lab ID#: 1504081-02A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e040911sim	Date of Collection:	4/1/15
Dil. Factor:	1.60	Date of Analysis:	4/9/15 08:58 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)	
Vinyl Chloride	0.016	Not Detected	0.041	Not Detected	
1,1-Dichloroethene	0.016	Not Detected	0.063	Not Detected	
cis-1,2-Dichloroethene	0.032	~~0.0065 J~~	0.13	~~0.026 J~~	UB
Trichloroethene	0.032	~~0.020 J~~	0.17	~~0.11 J~~	UB
Tetrachloroethene	0.032	0.036	0.22	0.24	
trans-1,2-Dichloroethene	0.16	~~0.0039 J~~	0.63	~~0.016 J~~	UB

J = Estimated value.

Container Type: 6 Liter Summa Canister (SIM Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	104	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	99	70-130

Client Sample ID: AMB-1 (033115)

Lab ID#: 1504081-03A

MODIFIED EPA METHOD TO-15 GC/MS SIM

File Name:	e040912sim	Date of Collection:	4/1/15 9:55:00 AM
Dil. Factor:	1.56	Date of Analysis:	4/9/15 10:23 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.016	Not Detected	0.040	Not Detected
1,1-Dichloroethene	0.016	Not Detected	0.062	Not Detected
cis-1,2-Dichloroethene	0.031	0.0050 J	0.12	0.020 J
Trichloroethene	0.031	0.016 J	0.17	0.085 J
Tetrachloroethene	0.031	0.011 J	0.21	0.074 J
trans-1,2-Dichloroethene	0.16	Not Detected	0.62	Not Detected

J = Estimated value.

Container Type: 6 Liter Summa Canister (SIM Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	101	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	100	70-130