

RACER Trust

Semi-Annual Progress and Data Report – Second Half 2022

**USEPA ID No. IND000806844
Former GM Delco Plant 5
Kokomo, Indiana**

January 13, 2023

Semi-Annual Progress and Data Report – Second Half 2022

USEPA ID No. IND000806844

Former GM Delco Plant 5

Kokomo, Indiana

January 13, 2023

Prepared By:

Arcadis U.S., Inc.

150 W. Market Street, Suite 728

Indianapolis

Indiana 46204

Phone: 317 231 6500

Fax: 317 231 6514

Prepared For:

Robert Hare

Cleanup Manager

RACER Trust


1505 Woodward Avenue, Suite 200

PO Box 43859

Detroit, MI 48226


Our Ref:

30123295




Severin Presswood

Staff Geologist



Matthew Griles, LPG

Senior Project Geologist



Sarah Fisher

Senior Scientist

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

Contents

1	Introduction.....	1
2	Progress Report.....	1
3	Groundwater Gauging.....	1
4	Semi-Annual Groundwater Monitoring.....	2
4.1	Groundwater Sampling	2
4.2	Groundwater Results	2
4.2.1	Drinking Water Screening Criteria.....	3
4.2.2	Groundwater Vapor Intrusion Screening Criteria.....	3
4.2.3	Groundwater Contingency Plan	4
5	Summary and Conclusions	4
6	References	5

Tables

Table 1.	Monitoring Well Groundwater Elevation Data
Table 2.	Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
Table 3.	Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria

Figures

Figure 1.	Potentiometric Surface – S1 Unit (October 3, 2022)
Figure 2.	Potentiometric Surface – S2 Unit (October 3, 2022)
Figure 3A.	Groundwater Volatile Organic Compound Analytical Results Screened with MCLs – S1 Unit
Figure 3B.	Groundwater Volatile Organic Compound Analytical Results Screened with MCLs – S2 Unit
Figure 4.	TCE Groundwater Concentration Contours – S1 Unit (October 24, 25, November 21, 2022)
Figure 5A.	Off-Site Groundwater Volatile Organic Compound Analytical Results Screened with Residential Groundwater Vapor Intrusion Criteria – S1 Unit
Figure 5B.	Off-Site Groundwater Volatile Organic Compound Analytical Results Screened with Industrial Groundwater Vapor Intrusion Criteria – S1 Unit

Appendices

Appendix A.	Second Half 2022 Progress Report
Appendix B.	Groundwater Analytical Reports and Data Validation Reports

1 Introduction

Arcadis U.S. Inc. (Arcadis) has prepared this Semi-Annual Progress and Data Report on behalf of the Revitalizing Auto Communities Environmental Response (RACER) Trust. This report summarizes the second half 2022 activities related to groundwater gauging and groundwater sampling activities at the Former GM Delco Plant 5 in Kokomo, Indiana (the site).

2 Progress Report

In accordance with Section VII, Paragraph 26.b of the Administrative Order on Consent (United States Environmental Protection Agency [USEPA] Docket No. RCRA-05-2011-0017), the Second Half 2022 Progress Report is included as **Appendix A** and provides a summary of work performed to date, data collected, problems encountered, project schedule, and percent project completed.

3 Groundwater Gauging

On October 3, 2022, Arcadis measured the depth to groundwater at 50 monitoring wells located in the upper two sand and gravel units (S1 Unit and S2 Unit) at the site. The groundwater gauging data presented in **Table 1** were used to calculate groundwater elevations at each of the monitoring wells. The groundwater elevation contours in the S1 Unit are provided as **Figure 1**. The groundwater elevation contours in the S2 Unit are provided as **Figure 2**. It should be noted that 19 monitoring wells that were within the planned work area of the in-situ soil stabilization and solidification (ISS) activities were abandoned on June 29, 2022. These wells have been removed from **Table 1** and **Figures 1 and 2**.

Potentiometric Data for S1 and S2 Units – October 2022		
Sand and Gravel Unit	Potentiometric Surface Elevation (ft amsl)	General Gradient Direction
S1 Unit	809.49 to 812.84	Southeast
S2 Unit	807.88 to 808.46	South

ft amsl = feet above mean sea level

Groundwater in both the S1 Unit and S2 Unit are confined by overlying clay till units. Groundwater flow direction within the S1 Unit is consistent with previously observed groundwater contours and with those used in groundwater modeling previously performed by Arcadis. The groundwater gradient in the S1 Unit is minimal across the site; however, the gradient increases southeast of the site. Groundwater flow direction within the S2 Unit is generally flat with a slight gradient to the south and northwest from the center of the site, which has previously been observed within the S2 Unit near the site. The groundwater gradient in the S2 Unit has less than 0.6 feet difference in head observed between the northwestern and southeastern portions of the site. Arcadis will continue to evaluate the groundwater potentiometric surfaces and monitor flow directions for both the S1 Unit and S2 Unit through future gauging events.

4 Semi-Annual Groundwater Monitoring

4.1 Groundwater Sampling

On October 3 and October 25, 2022, Arcadis deployed passive diffusion bags (PDBs) in 32 monitoring wells screened in the S1 Unit and 14 monitoring wells screened in the S2 Unit to evaluate groundwater conditions at the site. Prior to deploying the PDBs, depth to groundwater and total depth of the monitoring wells were measured to verify the PDB placement. Each PDB was connected to a dedicated line in the monitoring well to ensure placement in the center of the screen. The PDBs were allowed to equilibrate inside each monitoring well for a minimum of 3-weeks prior to sampling.

Groundwater samples were collected on October 24 and November 21, 2022 from the PDBs as a part of the routine semi-annual groundwater sampling program. The PDBs were removed from the monitoring wells and groundwater samples were collected via a dedicated straw directly into laboratory-supplied containers. Additionally, grab groundwater samples were collected on a monthly basis (July through December) from select wells screened in the S1 using a bailer as part of the Groundwater Contingency Plan (Appendix F of the CMI Work Plan [Arcadis 2022]). All containers were immediately sealed, labeled, placed in an ice-packed cooler, and transported to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana. The groundwater samples were analyzed for VOCs in accordance with the USEPA SW-846, Method 8260.

4.2 Groundwater Results

VOC analytical results for groundwater samples are presented in **Table 2**. The laboratory analytical reports, along with the validation summaries, are provided in **Appendix B**. Note the groundwater samples collected as part of the Groundwater Contingency Plan have not been validated. Analytes that have been detected at concentrations higher than the applicable laboratory reporting limits are presented in **Table 2** and include:

- 1,1-dichloroethane (1,1-DCA)
- Acetone
- Trichloroethene (TCE)
- cis-1,2-dichloroethene (cis-1,2-DCE)
- trans-1,2-dichloroethene (trans-1,2-DCE)
- Vinyl chloride

The analytical results in **Table 2** were compared to Drinking Water Screening Criteria (USEPA Maximum Contaminant Levels [MCLs] or the Indiana Department of Environmental Management [IDEM] Risk-Based Closure Guide [R2] 2022 residential groundwater criteria, when MCLs are not established). Analytes that were detected at concentrations higher than the Drinking Water Screening Criteria during the second half 2022 event include:

- TCE
- cis-1,2-DCE
- trans-1,2-DCE
- Vinyl chloride

Groundwater analytical results from monitoring wells screened in the off-site S1 Unit were also compared to the site-specific Residential and Commercial/Industrial Groundwater Vapor Intrusion Screening Criteria (**Table 3**).

TCE was the only analyte that was detected at concentrations higher than the site-specific Residential or Commercial/Industrial Groundwater Vapor Intrusion Screening Criteria.

4.2.1 Drinking Water Screening Criteria

Based on the groundwater data collected during the second half 2022; TCE, cis-1,2-DCE, trans-1,2-DCE, and vinyl chloride were detected at concentrations higher than their respective Drinking Water Screening Criteria. Twenty-two monitoring wells in the S1 unit and six monitoring wells in the S2 unit contained at least one concentration higher than Drinking Water Screening Criteria. Analytical results for constituents that were detected at a concentration higher than their laboratory reporting limit during the current reporting period were screened against the Drinking Water Screening Criteria (**Figure 3A and Figure 3B**). Since TCE is the primary constituent of concern at the site, **Figure 4** presents groundwater isoconcentration contours for TCE in the S1 Unit. The TCE concentrations in groundwater are delineated with the existing monitoring well network.

As of 2016, the properties in the vicinity of these monitoring wells were connected to municipal water as evidenced by billing records. Additionally, a restriction of on-site potable water wells was proposed in the 2019 Corrective Measures Proposal submitted to USEPA (Arcadis 2019) and the Final Decision and Response to Comments issued by the USEPA on June 16, 2021 (USEPA 2021). Therefore, there are not expected to be any completed pathways for drinking groundwater in the vicinity of the site.

4.2.2 Groundwater Vapor Intrusion Screening Criteria

After the completion of the ISS remedial activities, RACER Trust will record an environmental restrictive covenant for the property that will require newly constructed structures to have a preemptive mitigation system or a vapor barrier prior to building occupancy; therefore, vapor intrusion evaluation of on-site groundwater concentrations is not necessary.

Off-site groundwater analytical results from the S1 Unit were compared to site-specific Groundwater Vapor Intrusion Screening Criteria, as presented in **Table 3**, and shown on **Figure 5A and Figure 5B**. These criteria have been established for two off site conditions: residential and commercial/industrial property uses. The screening criteria were calculated following an approach described in the IDEM 2012 RCG and detailed in the Risk Assessment Addendum to CMP Amendment (Arcadis 2014). Three monitoring wells have historically exceeded the site-specific Groundwater Vapor Intrusion Screening Criteria: MW-0606-S1, MW-0612-S1, and MW-0704-S1. The TCE concentration observed at monitoring well MW-0606-S1 (2,770 µg/L) exceeded the site-specific Groundwater Vapor Intrusion Screening Criteria for both Off-site Residential (1,540 µg/L) and Off-site Commercial/Industrial (2,150 µg/L) property uses. The TCE concentrations in monitoring MW-0606-S1 have fluctuated around the site-specific Groundwater Vapor Intrusion Screening Criteria for both Off-site Residential and Commercial/Industrial property uses over the past several years. The TCE concentration observed at monitoring well MW-0612-S1 (3,230 µg/L) exceeded the site-specific Groundwater Vapor Intrusion Screening Criteria for both Off-site Residential and Off-site Commercial/Industrial property uses. The TCE concentrations detected in monitoring well MW-0612-S1 have been relatively stable throughout the monitoring program. The TCE concentration observed at monitoring well MW-0704-S1 (2,040 µg/L) exceeded the site-specific Groundwater Vapor Intrusion Screening Criteria for Off-site Residential property use. The TCE concentrations in monitoring MW-0704-S1 have fluctuated around the site-specific Groundwater Vapor Intrusion Screening Criteria for Off-site Commercial/Industrial property use over the past several years. No other constituents were detected at concentrations higher than the Groundwater Vapor Intrusion Screening Criteria for Off-site Residential property

use. Based on historical uses of a neighboring property and the concentrations and types of chemicals identified in past vapor intrusion sampling, vapor intrusion monitoring in the off-site neighborhood is being managed by USEPA.

4.2.3 Groundwater Contingency Plan

Based on the Groundwater Contingency Plan, groundwater samples were collected from monitoring wells located immediately downgradient from the ISS excavations in July to serve as a baseline for subsequent sampling events that were completed to determine if there has been a significant increase since the start of the remedial activities. A significant increase is considered as an order of magnitude increase from baseline event. If concentrations from a monitoring well from Transect 1 exceeds the baseline concentration for that well by an order of magnitude, a confirmation groundwater sample will be collected from the identified monitoring well and submitted for a 2-day turnaround time. If the significant increase is confirmed, USEPA will be notified and the corresponding wells in Transect 2 will be sampled and results reviewed with USEPA to determine if additional contingency measures should be implemented.

A summary of the data from the monitoring wells identified in the Groundwater Contingency Plan are presented in Table 4. Based on the data, there has not been a significant increase in groundwater concentrations from the select wells since the start of the ISS activities.

5 Summary and Conclusions

During the second half 2022 groundwater sampling event, concentrations of site-specific constituents of concern were higher than the Drinking Water Screening Criteria in 22 of the 40 monitoring wells sampled in the S1 Unit and 6 of the 14 monitoring wells sampled in the S2 Unit. However, groundwater is not currently known to be used for potable purposes at or in the vicinity of the site; therefore, there are no known exposures of the groundwater. In 2023, RACER Trust will prepare and record an environmental restrictive covenant (ERC) for land use and groundwater use at the site and work with the officials from the City of Kokomo and Howard County to implement a Well Restriction Overlay District that will permanently restrict groundwater uses in the vicinity of the site.

The TCE concentration detected in groundwater from monitoring wells MW-0606-S1 and MW-0612-S1 (2,770 µg/L and 3,230 µg/L), located immediately east of the site, exceeded the site-specific Groundwater Vapor Intrusion Screening Criteria for Residential property use and the site-specific Groundwater Vapor Intrusion Screening Criteria for Off-site Commercial/ Industrial property use. The TCE concentration detected in groundwater from monitoring well MW-0704-S1 (2,040 µg/L) located immediately east of the site, exceeded the site-specific Groundwater Vapor Intrusion Screening Criteria for Off-site Residential property use. Vapor intrusion evaluation in the off-site neighborhood is being managed by USEPA.

Groundwater concentrations in the S1 Unit are consistent with past monitoring events with the concentrations in several monitoring wells fluctuating by orders of magnitude through time. The groundwater isoconcentration contours for TCE in the S1 Unit has maintained a similar footprint for many years. In general, groundwater concentrations are consistent with past observations, TCE concentrations are delineated in the S1 Unit, and there are no known exposures to groundwater impacts. In 2023, RACER Trust will prepare a Long-Term Stewardship Plan that will include details on future monitoring and reporting.

RACER Trust implemented the ISS remediation activities in July 2022 based on the USEPA Final Decision and Response to Comments in June 2021. Monthly groundwater sampling that has been completed during the

implementation of the ISS activities have not shown a significant increase in concentrations from the baseline sampling event completed at the beginning of the remediation. No groundwater contingency measures have been required. groundwater samples will continue to be collected on a monthly basis during the active portion of the ISS remedial efforts and then 30-days and 90-days after completion of the mixing activities.

6 References

- Arcadis U.S., Inc. 2014. Risk Assessment Addendum to CMP Amendment. Former GM Delco Plant 5, Kokomo, Indiana. June 11.
- Arcadis U.S., Inc. 2019. RCRA Corrective Action Corrective Measures Proposal, Former GM Delco Plant 5, Kokomo, IN. September 5.
- Arcadis U.S., Inc. 2022. Corrective Measures Implementation Work Plan, Former GM Delco Plant 5, Kokomo, IN. March 1.
- IDEM. 2012. Remediation Closure Guide. Office of Land Quality. March 22 with corrections through July 9.
- USEPA. 2011. Administrative Order on Consent (USEPA Docket No. RCRA-05-2011-0017), Remediation and Reuse Branch, Land and Chemicals Division. September 29.
- USEPA. 2021 Final Decision and Response to Comments for RACER Trust Former GM Delco Plant 5, 1723 North Washington Street, Kokomo, Indiana, EPA ID: IND 000 806 844. June 16

Tables

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0102-S1U	11/15/2004	11.10	26.00	826.36	815.26
MW-0102-S1U	9/20/2005	12.28	26.14	826.36	814.08
MW-0102-S1U	10/20/2005	12.12	26.28	826.36	814.24
MW-0102-S1U	10/25/2005	12.03	26.28	826.36	814.33
MW-0102-S1U	3/22/2006	10.50	25.90	826.36	815.86
MW-0102-S1U	3/31/2006	9.73	25.90	826.36	816.63
MW-0102-S1U	4/28/2006	10.47	NM	826.36	815.89
MW-0102-S1U	12/5/2006	9.33	NM	826.36	817.03
MW-0102-S1U	3/8/2007	10.32	26.28	826.36	816.04
MW-0102-S1U	1/16/2008	11.00	26.40	826.36	815.36
MW-0102-S1U	11/11/2008	14.33	26.26	826.36	812.03
MW-0102-S1U	2/17/2009	12.51	NM	826.36	813.85
MW-0102-S1U	6/12/2009	11.18	NM	826.36	815.18
MW-0102-S1U	3/29/2012	11.25	26.43	826.36	815.11
MW-0102-S1U	10/9/2012	13.76	26.25	826.36	812.60
MW-0102-S1U	3/12/2013	11.91	26.15	826.36	814.45
MW-0102-S1U	9/24/2013	12.74	26.41	826.36	813.62
MW-0102-S1U	4/22/2014	11.45	26.37	826.36	814.91
MW-0102-S1U	9/3/2014	13.06	26.40	826.36	813.30
MW-0102-S1U	3/10/2015	12.02	26.38	826.36	814.34
MW-0102-S1U	9/8/2015	12.15	26.21	826.36	814.21
MW-0102-S1U	3/10/2016	11.63	27.46	826.36	814.73
MW-0102-S1U	9/7/2016	12.39	26.41	826.36	813.97
MW-0102-S1U	11/16/2016	12.66	NM	826.36	813.70
MW-0102-S1U	3/3/2017	11.17	26.12	825.63	814.46
MW-0102-S1U	9/6/2017	11.70	26.38	825.63	813.93
MW-0102-S1U	3/6/2018	10.23	26.43	825.63	815.40
MW-0102-S1U	9/12/2018	10.12	26.34	825.63	815.51
MW-0102-S1U	3/4/2019	10.84	26.39	825.63	814.79
MW-0102-S1U	9/6/2019	12.38	26.35	825.63	813.25
MW-0102-S1U	3/4/2020	11.02	26.32	825.63	814.61
MW-0102-S1U	3/5/2021	12.41	26.40	825.63	813.22
MW-0102-S1U	10/8/2021	12.02	26.23	825.63	813.61
MW-0102-S1U	3/1/2022	10.23	26.35	825.63	815.40
MW-0102-S1U	10/3/2022	13.40	26.30	825.63	812.23
MW-0103-S1U	10/25/2005	13.47	NM	828.15	814.68
MW-0103-S1U	11/15/2005	12.60	20.00	828.15	815.55
MW-0103-S1U	3/22/2006	12.03	19.76	828.15	816.12
MW-0103-S1U	3/31/2006	11.26	19.76	828.15	816.89
MW-0103-S1U	4/28/2006	11.91	NM	828.15	816.24
MW-0103-S1U	12/5/2006	10.70	19.77	828.15	817.45
MW-0103-S1U	3/8/2007	11.71	19.76	828.15	816.44

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0103-S1U	1/16/2008	12.46	19.89	828.15	815.69
MW-0103-S1U	11/11/2008	15.87	19.81	828.15	812.28
MW-0103-S1U	2/17/2009	14.06	NM	828.15	814.09
MW-0103-S1U	6/12/2009	12.63	NM	828.15	815.52
MW-0103-S1U	10/9/2012	15.30	19.66	828.15	812.85
MW-0103-S1U	3/12/2013	13.47	19.66	828.15	814.68
MW-0103-S1U	9/24/2013	14.29	19.75	828.15	813.86
MW-0103-S1U	4/22/2014	12.94	19.74	828.15	815.21
MW-0103-S1U	9/3/2014	14.59	19.62	828.15	813.56
MW-0103-S1U	3/10/2015	13.55	19.65	828.15	814.60
MW-0103-S1U	9/8/2015	13.57	19.64	828.15	814.58
MW-0103-S1U	3/10/2016	13.08	19.73	828.15	815.07
MW-0103-S1U	9/7/2016	13.90	19.72	828.15	814.25
MW-0103-S1U	11/16/2016	14.19	NM	828.15	813.96
MW-0103-S1U	3/3/2017	12.71	19.75	827.57	814.86
MW-0103-S1U	9/6/2017	13.18	19.68	827.57	814.39
MW-0103-S1U	3/6/2018	11.62	19.67	827.57	815.95
MW-0103-S1U	9/12/2018	11.58	19.61	827.57	815.99
MW-0103-S1U	3/4/2019	12.29	19.70	827.57	815.28
MW-0103-S1U	9/6/2019	13.82	19.70	827.57	813.75
MW-0103-S1U	3/4/2020	12.52	19.76	827.57	815.05
MW-0103-S1U	3/5/2021	14.03	19.73	827.57	813.54
MW-0103-S1U	10/8/2021	13.49	17.68	827.57	814.08
MW-0103-S1U	3/1/2022	11.68	19.63	827.57	815.89
MW-0103-S1U	10/3/2022	14.80	19.60	827.57	812.77
MW-0501-S1	3/22/2006	12.18	34.39	828.65	816.47
MW-0501-S1	3/31/2006	11.41	34.39	828.65	817.24
MW-0501-S1	4/28/2006	12.07	NM	828.65	816.58
MW-0501-S1	12/5/2006	10.84	33.95	828.65	817.81
MW-0501-S1	3/8/2007	11.90	33.74	828.65	816.75
MW-0501-S1	1/16/2008	12.67	33.95	828.65	815.98
MW-0501-S1	11/11/2008	16.10	33.60	828.65	812.55
MW-0501-S1	2/17/2009	14.44	NM	828.65	814.21
MW-0501-S1	6/12/2009	12.77	NM	828.65	815.88
MW-0501-S1	4/13/2010	12.52	33.33	828.65	816.13
MW-0501-S1	9/5/2010	15.30	33.00	828.65	813.35
MW-0501-S1	4/20/2011	12.12	32.98	828.65	816.53
MW-0501-S1	9/27/2011	13.26	33.14	828.65	815.39
MW-0501-S1	3/29/2012	12.89	33.11	828.65	815.76
MW-0501-S1	10/9/2012	15.59	32.95	828.65	813.06
MW-0501-S1	3/12/2013	13.73	32.95	828.65	814.92
MW-0501-S1	9/24/2013	14.48	33.00	828.65	814.17

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0501-S1	4/22/2014	13.08	32.99	828.65	815.57
MW-0501-S1	9/3/2014	14.82	32.94	828.65	813.83
MW-0501-S1	3/10/2015	13.78	32.86	828.65	814.87
MW-0501-S1	9/8/2015	13.92	32.60	828.65	814.73
MW-0501-S1	3/10/2016	13.34	32.84	828.65	815.31
MW-0501-S1	9/7/2016	14.11	32.85	828.65	814.54
MW-0501-S1	11/16/2016	14.45	NM	828.65	814.20
MW-0501-S1	3/3/2017	12.89	32.51	827.92	815.03
MW-0501-S1	9/6/2017	13.37	32.71	827.92	814.55
MW-0501-S1	3/6/2018	11.81	32.71	827.92	816.11
MW-0501-S1	9/12/2018	11.71	32.62	827.92	816.21
MW-0501-S1	3/4/2019	12.45	32.69	827.92	815.47
MW-0501-S1	9/6/2019	14.02	32.60	827.92	813.90
MW-0501-S1	3/4/2020	12.77	32.60	827.92	815.15
MW-0501-S1	3/5/2021	14.31	32.60	827.92	813.61
MW-0501-S1	10/8/2021	13.74	32.70	827.92	814.18
MW-0501-S1	3/1/2022	11.82	32.52	827.92	816.10
MW-0501-S1	10/3/2022	Well buried under soil pile - unable to access			
MW-0501-S2	10/18/2005	14.87	76.30	828.75	813.88
MW-0501-S2	10/25/2005	15.02	76.30	828.75	813.73
MW-0501-S2	3/21/2006	12.83	76.30	828.75	815.92
MW-0501-S2	3/31/2006	11.98	76.30	828.75	816.77
MW-0501-S2	4/28/2006	12.00	NM	828.75	816.75
MW-0501-S2	12/5/2006	9.83	76.13	828.75	818.92
MW-0501-S2	3/8/2007	11.79	76.09	828.75	816.96
MW-0501-S2	1/16/2008	14.80	76.20	828.75	813.95
MW-0501-S2	11/11/2008	21.21	76.12	828.75	807.54
MW-0501-S2	2/17/2009	17.60	NM	828.75	811.15
MW-0501-S2	6/12/2009	15.49	NM	828.75	813.26
MW-0501-S2	4/13/2010	14.37	76.12	828.75	814.38
MW-0501-S2	9/5/2010	19.74	76.11	828.75	809.01
MW-0501-S2	4/20/2011	15.01	76.00	828.75	813.74
MW-0501-S2	9/27/2011	17.44	75.24	828.75	811.31
MW-0501-S2	3/29/2012	14.62	76.21	828.75	814.13
MW-0501-S2	10/9/2012	20.48	76.15	828.75	808.27
MW-0501-S2	3/12/2013	15.08	76.15	828.75	813.67
MW-0501-S2	9/24/2013	17.93	76.20	828.75	810.82
MW-0501-S2	4/22/2014	15.80	77.48	828.75	812.95
MW-0501-S2	9/3/2014	19.70	77.62	828.75	809.05
MW-0501-S2	3/10/2015	17.08	NM	828.75	811.67
MW-0501-S2	9/8/2015	15.21	74.02	828.75	813.54
MW-0501-S2	3/10/2016	15.33	76.24	828.75	813.42

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0501-S2	9/7/2016	18.36	76.25	828.75	810.39
MW-0501-S2	11/16/2016	16.55	NM	828.75	812.20
MW-0501-S2	3/3/2017	13.88	76.05	828.08	814.20
MW-0501-S2	9/6/2017	16.21	76.20	828.08	811.87
MW-0501-S2	3/6/2018	12.96	76.23	828.08	815.12
MW-0501-S2	9/12/2018	13.58	76.10	828.08	814.50
MW-0501-S2	3/4/2019	13.85	76.24	828.08	814.23
MW-0501-S2	9/6/2019	18.12	76.12	828.08	809.96
MW-0501-S2	3/4/2020	12.48	76.20	828.08	815.60
MW-0501-S2	3/5/2021	17.98	76.22	828.08	810.10
MW-0501-S2	10/8/2021	18.53	76.50	828.08	809.55
MW-0501-S2	3/1/2022	14.05	76.19	828.08	814.03
MW-0501-S2	10/3/2022	20.20	76.19	828.08	807.88
MW-0503-S1	10/25/2005	12.51	32.57	826.82	814.31
MW-0503-S1	3/24/2006	11.09	32.27	826.82	815.73
MW-0503-S1	3/31/2006	10.32	32.27	826.82	816.50
MW-0503-S1	4/28/2006	11.00	NM	826.82	815.82
MW-0503-S1	12/5/2006	9.84	NM	826.82	816.98
MW-0503-S1	3/8/2007	10.80	32.32	826.82	816.02
MW-0503-S1	1/16/2008	11.57	32.42	826.82	815.25
MW-0503-S1	11/11/2008	14.75	32.20	826.82	812.07
MW-0503-S1	2/17/2009	12.96	NM	826.82	813.86
MW-0503-S1	6/12/2009	11.68	NM	826.82	815.14
MW-0503-S1	4/13/2010	11.46	32.16	826.82	815.36
MW-0503-S1	9/5/2010	14.04	32.00	826.82	812.78
MW-0503-S1	4/20/2011	10.87	31.98	826.82	815.95
MW-0503-S1	9/27/2011	11.99	32.35	826.82	814.83
MW-0503-S1	3/29/2012	11.77	32.40	826.82	815.05
MW-0503-S1	10/9/2012	14.20	31.91	826.82	812.62
MW-0503-S1	3/12/2013	12.35	31.91	826.82	814.47
MW-0503-S1	9/24/2013	13.20	32.30	826.82	813.62
MW-0503-S1	4/22/2014	11.95	31.87	826.82	814.87
MW-0503-S1	9/3/2014	13.51	31.96	826.82	813.31
MW-0503-S1	3/10/2015	12.49	31.56	826.82	814.33
MW-0503-S1	9/8/2015	12.62	31.20	826.82	814.20
MW-0503-S1	3/10/2016	12.11	31.32	826.82	814.71
MW-0503-S1	9/7/2016	12.80	13.34	826.82	814.02
MW-0503-S1	11/16/2016	13.13	NM	826.82	813.69
MW-0503-S1	3/3/2017	10.73	30.90	826.25	815.52
MW-0503-S1	9/6/2017	12.20	30.94	826.25	814.05
MW-0503-S1	3/6/2018	10.73	30.94	826.25	815.52
MW-0503-S1	9/12/2018	10.66	30.80	826.25	815.59

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0503-S1	3/4/2019	11.32	30.78	826.25	814.93
MW-0503-S1	9/6/2019	12.85	30.85	826.25	813.40
MW-0503-S1	3/4/2020	11.48	30.80	826.25	814.77
MW-0503-S1	3/5/2021	12.83	30.71	826.25	813.42
MW-0503-S1	10/8/2021	12.43	30.67	826.25	813.82
MW-0503-S1	3/1/2022	10.38	29.20	826.25	815.87
MW-0503-S1	10/3/2022	14.50	30.50	826.25	811.75
MW-0503-S2	10/18/2005	13.28	68.33	826.81	813.53
MW-0503-S2	10/25/2005	13.27	68.33	826.81	813.54
MW-0503-S2	3/24/2006	10.38	68.05	826.81	816.43
MW-0503-S2	3/31/2006	9.53	68.05	826.81	817.28
MW-0503-S2	4/28/2006	10.51	NM	826.81	816.30
MW-0503-S2	12/5/2006	9.06	NM	826.81	817.75
MW-0503-S2	3/8/2007	10.28	68.13	826.81	816.53
MW-0503-S2	1/16/2008	12.92	68.30	826.81	813.89
MW-0503-S2	11/11/2008	18.80	68.19	826.81	808.01
MW-0503-S2	2/17/2009	15.41	NM	826.81	811.40
MW-0503-S2	6/12/2009	13.57	NM	826.81	813.24
MW-0503-S2	3/10/2016	13.46	NM	826.81	813.35
MW-0503-S2	9/7/2016	14.76	67.89	826.81	812.05
MW-0503-S2	11/16/2016	14.69	NM	826.81	812.12
MW-0503-S2	3/3/2017	12.30	68.37	826.25	813.95
MW-0503-S2	9/6/2017	14.29	68.23	826.25	811.96
MW-0503-S2	3/7/2018	11.32	68.76	826.25	814.93
MW-0503-S2	9/12/2018	11.71	68.20	826.25	814.54
MW-0503-S2	3/4/2019	13.21	68.25	826.25	813.04
MW-0503-S2	9/6/2019	16.08	68.30	826.25	810.17
MW-0503-S2	3/4/2020	10.95	68.35	826.25	815.30
MW-0503-S2	3/5/2021	15.75	68.38	826.25	810.50
MW-0503-S2	10/8/2021	16.38	68.33	826.25	809.87
MW-0503-S2	3/1/2022	12.18	68.20	826.25	814.07
MW-0503-S2	10/3/2022	17.80	68.70	826.25	808.45
MW-0504-S1	9/20/2005	12.51	29.73	826.15	813.64
MW-0504-S1	10/18/2005	12.25	29.19	826.15	813.90
MW-0504-S1	10/25/2005	12.23	29.19	826.15	813.92
MW-0504-S1	3/27/2006	11.10	28.69	826.15	815.05
MW-0504-S1	3/31/2006	10.33	28.69	826.15	815.82
MW-0504-S1	4/28/2006	10.88	NM	826.15	815.27
MW-0504-S1	12/5/2006	10.78	NM	826.15	815.37
MW-0504-S1	3/8/2007	10.68	30.82	826.15	815.47
MW-0504-S1	1/16/2008	11.25	30.90	826.15	814.90
MW-0504-S1	11/11/2008	14.40	30.76	826.15	811.75

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0504-S1	2/17/2009	12.58	NM	826.15	813.57
MW-0504-S1	6/12/2009	11.51	NM	826.15	814.64
MW-0504-S1	10/9/2012	13.84	30.71	826.15	812.31
MW-0504-S1	3/12/2013	12.02	30.71	826.15	814.13
MW-0504-S1	9/24/2013	12.90	30.98	826.15	813.25
MW-0504-S1	4/22/2014	11.81	30.91	826.15	814.34
MW-0504-S1	9/3/2014	13.21	31.71	826.15	812.94
MW-0504-S1	3/10/2015	12.22	30.55	826.15	813.93
MW-0504-S1	9/8/2015	12.38	30.15	826.15	813.77
MW-0504-S1	3/10/2016	11.84	30.76	826.15	814.31
MW-0504-S1	9/7/2016	12.58	30.50	826.15	813.57
MW-0504-S1	11/16/2016	12.80	NM	826.15	813.35
MW-0504-S1	3/3/2017	11.49	29.93	825.55	814.06
MW-0504-S1	9/6/2017	11.96	30.40	825.55	813.59
MW-0504-S1	3/6/2018	10.83	30.05	825.55	814.72
MW-0504-S1	9/12/2018	10.58	30.03	825.55	814.97
MW-0504-S1	3/4/2019	11.16	30.13	825.55	814.39
MW-0504-S1	9/6/2019	13.55	30.15	825.55	812.00
MW-0504-S1	3/4/2020	11.21	29.90	825.55	814.34
MW-0504-S1	3/5/2021	12.47	29.98	825.55	813.08
MW-0504-S1	10/8/2021	12.18	29.90	825.55	813.37
MW-0504-S1	3/1/2022	10.55	29.85	825.55	815.00
MW-0504-S1	10/3/2022	13.50	29.90	825.55	812.05
MW-0504-S2	3/27/2006	10.23	60.45	826.41	816.18
MW-0504-S2	3/31/2006	9.38	60.45	826.41	817.03
MW-0504-S2	4/28/2006	10.11	NM	826.41	816.30
MW-0504-S2	12/5/2006	8.70	NM	826.41	817.71
MW-0504-S2	3/8/2007	10.00	60.52	826.41	816.41
MW-0504-S2	1/16/2008	12.50	60.63	826.41	813.91
MW-0504-S2	11/11/2008	18.46	60.55	826.41	807.95
MW-0504-S2	2/17/2009	14.97	NM	826.41	811.44
MW-0504-S2	6/12/2009	13.14	NM	826.41	813.27
MW-0504-S2	3/10/2016	13.06	NM	826.41	813.35
MW-0504-S2	9/7/2016	15.76	60.43	826.41	810.65
MW-0504-S2	11/16/2016	14.31	NM	826.41	812.10
MW-0504-S2	3/3/2017	11.89	60.48	825.77	813.88
MW-0504-S2	9/6/2017	12.28	39.85	825.77	813.49
MW-0504-S2	3/6/2018	11.49	39.87	825.77	814.28
MW-0504-S2	9/12/2018	11.35	60.68	825.77	814.42
MW-0504-S2	3/4/2019	11.63	60.65	825.77	814.14
MW-0504-S2	9/6/2019	15.55	60.62	825.77	810.22
MW-0504-S2	3/4/2020	10.60	60.70	825.77	815.17

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0504-S2	3/5/2021	15.38	60.78	825.77	810.39
MW-0504-S2	10/8/2021	15.83	60.80	825.77	809.94
MW-0504-S2	3/1/2022	11.77	60.69	825.77	814.00
MW-0504-S2	10/3/2022	NM	NM	825.77	NM
MW-0505-S1	9/20/2005	11.42	39.00	825.44	814.02
MW-0505-S1	10/19/2005	11.19	40.28	825.44	814.25
MW-0505-S1	10/25/2005	11.16	40.28	825.44	814.28
MW-0505-S1	3/23/2006	9.70	40.00	825.44	815.74
MW-0505-S1	3/31/2006	8.93	40.00	825.44	816.51
MW-0505-S1	4/28/2006	9.69	NM	825.44	815.75
MW-0505-S1	12/5/2006	8.52	NM	825.44	816.92
MW-0505-S1	3/8/2007	9.48	40.71	825.44	815.96
MW-0505-S1	1/16/2008	10.15	40.80	825.44	815.29
MW-0505-S1	11/11/2008	13.46	40.65	825.44	811.98
MW-0505-S1	2/17/2009	11.63	NM	825.44	813.81
MW-0505-S1	6/12/2009	10.34	NM	825.44	815.10
MW-0505-S1	10/9/2012	12.47	40.67	825.44	812.97
MW-0505-S1	3/12/2013	11.02	40.67	825.44	814.42
MW-0505-S1	9/24/2013	11.85	40.84	825.44	813.59
MW-0505-S1	4/22/2014	10.64	40.41	825.44	814.80
MW-0505-S1	9/3/2014	12.20	40.80	825.44	813.24
MW-0505-S1	3/10/2015	11.17	40.75	825.44	814.27
MW-0505-S1	9/8/2015	11.30	40.52	825.44	814.14
MW-0505-S1	3/10/2016	10.77	40.75	825.44	814.67
MW-0505-S1	9/7/2016	11.53	40.71	825.44	813.91
MW-0505-S1	11/16/2016	11.78	NM	825.44	813.66
MW-0505-S1	3/3/2017	10.37	40.42	824.79	814.42
MW-0505-S1	9/6/2017	10.82	40.62	824.79	813.97
MW-0505-S1	3/6/2018	9.41	40.59	824.79	815.38
MW-0505-S1	9/12/2018	9.30	40.60	824.79	815.49
MW-0505-S1	3/4/2019	9.97	40.55	824.79	814.82
MW-0505-S1	9/6/2019	11.52	40.50	824.79	813.27
MW-0505-S1	3/4/2020	10.13	40.55	824.79	814.66
MW-0505-S1	3/5/2021	11.52	40.48	824.79	813.27
MW-0505-S1	10/8/2021	11.12	40.55	824.79	813.67
MW-0505-S1	3/1/2022	9.35	40.45	824.79	815.44
MW-0505-S1	10/3/2022	NM	NM	824.79	NM
MW-0505-S2	10/19/2005	12.37	67.63	825.06	812.69
MW-0505-S2	10/25/2005	11.42	67.63	825.06	813.64
MW-0505-S2	3/23/2006	9.59	67.32	825.06	815.47
MW-0505-S2	3/31/2006	8.74	67.32	825.06	816.32
MW-0505-S2	4/28/2006	9.65	NM	825.06	815.41

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0505-S2	12/5/2006	7.27	NM	825.06	817.79
MW-0505-S2	3/8/2007	8.55	67.45	825.06	816.51
MW-0505-S2	1/16/2008	11.10	67.50	825.06	813.96
MW-0505-S2	11/11/2008	17.04	67.45	825.06	808.02
MW-0505-S2	2/17/2009	13.63	NM	825.06	811.43
MW-0505-S2	6/12/2009	11.76	NM	825.06	813.30
MW-0505-S2	4/13/2010	11.74	67.38	825.06	813.32
MW-0505-S2	9/5/2010	15.76	67.50	825.06	809.30
MW-0505-S2	4/20/2011	11.23	67.35	825.06	813.83
MW-0505-S2	9/27/2011	13.51	67.60	825.06	811.55
MW-0505-S2	3/29/2012	11.03	67.55	825.06	814.03
MW-0505-S2	10/9/2012	16.46	67.46	825.06	808.60
MW-0505-S2	3/12/2013	11.58	67.46	825.06	813.48
MW-0505-S2	9/24/2013	14.10	67.52	825.06	810.96
MW-0505-S2	4/22/2014	11.99	67.59	825.06	813.07
MW-0505-S2	9/3/2014	15.65	68.81	825.06	809.41
MW-0505-S2	3/10/2015	13.18	NM	825.06	811.88
MW-0505-S2	9/8/2015	13.60	67.43	825.06	811.46
MW-0505-S2	3/10/2016	11.63	NM	825.06	813.43
MW-0505-S2	9/7/2016	14.17	67.56	825.06	810.89
MW-0505-S2	11/16/2016	12.87	NM	825.06	812.19
MW-0505-S2	3/3/2017	10.46	67.39	824.41	813.95
MW-0505-S2	9/6/2017	12.48	67.58	824.41	811.93
MW-0505-S2	3/6/2018	9.49	67.58	824.41	814.92
MW-0505-S2	9/12/2018	9.98	67.52	824.41	814.43
MW-0505-S2	3/4/2019	10.35	67.54	824.41	814.06
MW-0505-S2	9/6/2019	15.20	67.58	824.41	809.21
MW-0505-S2	3/4/2020	9.11	67.40	824.41	815.30
MW-0505-S2	3/5/2021	14.03	67.58	824.41	810.38
MW-0505-S2	10/8/2021	14.50	67.70	824.41	809.91
MW-0505-S2	3/1/2022	10.35	67.50	824.41	814.06
MW-0505-S2	10/3/2022	16.00	68.10	824.41	808.41
MW-0506-S1	10/19/2005	13.11	34.84	826.88	813.77
MW-0506-S1	10/25/2005	13.11	34.84	826.88	813.77
MW-0506-S1	3/27/2006	11.96	34.55	826.88	814.92
MW-0506-S1	3/31/2006	11.19	34.55	826.88	815.69
MW-0506-S1	4/28/2006	11.76	NM	826.88	815.12
MW-0506-S1	12/5/2006	10.72	NM	826.88	816.16
MW-0506-S1	3/8/2007	11.54	34.62	826.88	815.34
MW-0506-S1	1/16/2008	12.21	34.35	826.88	814.67
MW-0506-S1	11/11/2008	15.21	34.65	826.88	811.67
MW-0506-S1	2/17/2009	13.40	NM	826.88	813.48

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0506-S1	6/12/2009	12.38	NM	826.88	814.50
MW-0506-S1	10/9/2012	14.65	34.69	826.88	812.23
MW-0506-S1	3/12/2013	12.85	34.69	826.88	814.03
MW-0506-S1	9/24/2013	13.74	34.78	826.88	813.14
MW-0506-S1	4/22/2014	12.67	34.71	826.88	814.21
MW-0506-S1	9/3/2014	14.02	34.75	826.88	812.86
MW-0506-S1	3/10/2015	13.06	34.76	826.88	813.82
MW-0506-S1	9/8/2015	13.24	34.50	826.88	813.64
MW-0506-S1	3/10/2016	12.68	34.86	826.88	814.20
MW-0506-S1	9/7/2016	13.36	34.80	826.88	813.52
MW-0506-S1	11/16/2016	13.64	NM	826.88	813.24
MW-0506-S1	3/3/2017	12.36	34.55	826.27	813.91
MW-0506-S1	9/6/2017	12.83	34.75	826.27	813.44
MW-0506-S1	3/6/2018	11.54	34.50	826.27	814.73
MW-0506-S1	9/12/2018	11.42	34.58	826.27	814.85
MW-0506-S1	3/4/2019	12.04	34.62	826.27	814.23
MW-0506-S1	9/6/2019	13.40	34.52	826.27	812.87
MW-0506-S1	3/4/2020	12.05	34.30	826.27	814.22
MW-0506-S1	3/5/2021	13.28	34.67	826.27	812.99
MW-0506-S1	10/8/2021	13.65	34.48	826.27	812.62
MW-0506-S1	3/1/2022	11.42	34.50	826.27	814.85
MW-0506-S1	10/3/2022	14.30	34.80	826.27	811.97
MW-0506-S2	10/19/2005	13.58	72.52	827.10	813.52
MW-0506-S2	10/25/2005	13.58	72.52	827.10	813.52
MW-0506-S2	3/27/2006	11.95	72.24	827.10	815.15
MW-0506-S2	3/31/2006	11.10	72.24	827.10	816.00
MW-0506-S2	4/28/2006	10.84	NM	827.10	816.26
MW-0506-S2	12/5/2006	9.43	NM	827.10	817.67
MW-0506-S2	3/8/2007	11.72	72.26	827.10	815.38
MW-0506-S2	1/16/2008	13.20	72.40	827.10	813.90
MW-0506-S2	11/11/2008	19.11	72.35	827.10	807.99
MW-0506-S2	2/17/2009	15.69	NM	827.10	811.41
MW-0506-S2	6/12/2009	13.87	NM	827.10	813.23
MW-0506-S2	3/29/2012	13.13	72.41	827.10	813.97
MW-0506-S2	10/9/2012	18.51	72.38	827.10	808.59
MW-0506-S2	3/12/2013	13.66	72.38	827.10	813.44
MW-0506-S2	9/24/2013	16.20	72.44	827.10	810.90
MW-0506-S2	4/22/2014	14.13	72.56	827.10	812.97
MW-0506-S2	9/3/2014	17.70	73.52	827.10	809.40
MW-0506-S2	3/10/2015	15.27	NM	827.10	811.83
MW-0506-S2	9/8/2015	13.74	72.14	827.10	813.36
MW-0506-S2	3/10/2016	13.67	NM	827.10	813.43

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0506-S2	9/7/2016	16.08	72.45	827.10	811.02
MW-0506-S2	11/16/2016	13.53	NM	827.10	813.57
MW-0506-S2	3/3/2017	12.63	72.30	826.51	813.88
MW-0506-S2	9/6/2017	14.59	72.62	826.51	811.92
MW-0506-S2	3/6/2018	11.87	72.43	826.51	814.64
MW-0506-S2	9/12/2018	12.05	72.38	826.51	814.46
MW-0506-S2	3/4/2019	12.40	72.35	826.51	814.11
MW-0506-S2	9/6/2019	16.25	72.25	826.51	810.26
MW-0506-S2	3/4/2020	11.30	34.30	826.51	815.21
MW-0506-S2	3/5/2021	16.00	72.45	826.51	810.51
MW-0506-S2	10/8/2021	16.55	72.40	826.51	809.96
MW-0506-S2	3/1/2022	12.48	72.20	826.51	814.03
MW-0506-S2	10/3/2022	18.10	72.30	826.51	808.41
MW-0507-S1	10/19/2005	13.15	33.49	827.19	814.04
MW-0507-S1	10/25/2005	13.12	33.49	827.19	814.07
MW-0507-S1	3/27/2006	11.86	33.18	827.19	815.33
MW-0507-S1	3/31/2006	11.09	33.18	827.19	816.10
MW-0507-S1	4/28/2006	11.69	NM	827.19	815.50
MW-0507-S1	12/5/2006	10.58	NM	827.19	816.61
MW-0507-S1	3/8/2007	11.48	33.19	827.19	815.71
MW-0507-S1	1/16/2008	12.18	33.35	827.19	815.01
MW-0507-S1	11/11/2008	15.27	33.15	827.19	811.92
MW-0507-S1	2/17/2009	13.50	NM	827.19	813.69
MW-0507-S1	6/12/2009	12.33	NM	827.19	814.86
MW-0507-S1	4/13/2010	12.13	33.27	827.19	815.06
MW-0507-S1	9/5/2010	14.61	33.20	827.19	812.58
MW-0507-S1	4/20/2011	11.54	33.16	827.19	815.65
MW-0507-S1	9/27/2011	12.60	33.35	827.19	814.59
MW-0507-S1	3/29/2012	12.41	33.32	827.19	814.78
MW-0507-S1	10/9/2012	14.74	33.11	827.19	812.45
MW-0507-S1	3/12/2013	12.92	33.11	827.19	814.27
MW-0507-S1	9/24/2013	13.78	33.32	827.19	813.41
MW-0507-S1	4/22/2014	12.63	33.37	827.19	814.56
MW-0507-S1	9/3/2014	14.08	33.29	827.19	813.11
MW-0507-S1	3/10/2015	13.08	32.88	827.19	814.11
MW-0507-S1	9/8/2015	13.23	32.40	827.19	813.96
MW-0507-S1	3/10/2016	12.71	32.39	827.19	814.48
MW-0507-S1	9/7/2016	13.36	33.08	827.19	813.83
MW-0507-S1	11/16/2016	13.69	NM	827.19	813.50
MW-0507-S1	3/3/2017	12.37	31.89	826.48	814.11
MW-0507-S1	9/6/2017	12.78	32.64	826.48	813.70
MW-0507-S1	3/6/2018	11.48	32.02	826.48	815.00

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0507-S1	9/12/2018	11.36	31.85	826.48	815.12
MW-0507-S1	3/4/2019	12.00	31.95	826.48	814.48
MW-0507-S1	9/6/2019	13.42	32.00	826.48	813.06
MW-0507-S1	3/4/2020	12.07	31.70	826.48	814.41
MW-0507-S1	3/5/2021	13.36	31.73	826.48	813.12
MW-0507-S1	10/8/2021	13.05	36.92	826.48	813.43
MW-0507-S1	3/1/2022	11.39	31.73	826.48	815.09
MW-0507-S1	10/3/2022	14.30	32.80	826.48	812.18
MW-0509-S1	9/20/2005	12.18	38.00	826.33	814.15
MW-0509-S1	10/25/2005	11.92	38.11	826.33	814.41
MW-0509-S1	3/23/2006	10.43	37.82	826.33	815.90
MW-0509-S1	3/31/2006	9.66	37.82	826.33	816.67
MW-0509-S1	4/28/2006	10.35	NM	826.33	815.98
MW-0509-S1	12/5/2006	9.20	37.90	826.33	817.13
MW-0509-S1	3/8/2007	10.20	37.89	826.33	816.13
MW-0509-S1	1/16/2008	10.89	38.00	826.33	815.44
MW-0509-S1	11/11/2008	14.24	37.92	826.33	812.09
MW-0509-S1	2/17/2009	12.38	NM	826.33	813.95
MW-0509-S1	6/12/2009	11.04	NM	826.33	815.29
MW-0509-S1	4/13/2010	10.82	37.91	826.33	815.51
MW-0509-S1	9/5/2010	13.45	37.90	826.33	812.88
MW-0509-S1	4/20/2011	10.29	37.85	826.33	816.04
MW-0509-S1	9/27/2011	11.43	38.08	826.33	814.90
MW-0509-S1	3/29/2012	11.13	38.00	826.33	815.20
MW-0509-S1	10/9/2012	13.65	37.98	826.33	812.68
MW-0509-S1	3/12/2013	13.45	37.98	826.33	812.88
MW-0509-S1	9/24/2013	12.62	38.03	826.33	813.71
MW-0509-S1	4/22/2014	11.35	38.06	826.33	814.98
MW-0509-S1	3/10/2015	11.89	38.03	826.33	814.44
MW-0509-S1	9/8/2015	12.03	37.88	826.33	814.30
MW-0509-S1	3/10/2016	11.51	38.01	826.33	814.82
MW-0509-S1	9/7/2016	12.27	38.05	826.33	814.06
MW-0509-S1	11/16/2016	12.55	NM	826.33	813.78
MW-0509-S1	3/3/2017	11.08	38.04	825.72	814.64
MW-0509-S1	9/6/2017	11.59	38.00	825.72	814.13
MW-0509-S1	3/6/2018	10.10	37.89	825.72	815.62
MW-0509-S1	9/12/2018	10.02	38.01	825.72	815.70
MW-0509-S1	3/4/2019	10.72	38.00	825.72	815.00
MW-0509-S1	9/3/2019	12.98	38.02	826.33	813.35
MW-0509-S1	9/6/2019	12.25	28.00	825.72	813.47
MW-0509-S1	3/4/2020	10.88	37.90	825.72	814.84
MW-0509-S1	3/5/2021	12.29	37.55	825.72	813.43

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0509-S1	10/8/2021	11.88	37.75	825.72	813.84
MW-0509-S1	3/1/2022	10.10	37.96	825.72	815.62
MW-0509-S1	10/3/2022	13.30	37.80	825.72	812.42
MW-0516-S1	10/19/2005	13.42	32.88	827.98	814.56
MW-0516-S1	10/25/2005	13.42	32.88	827.98	814.56
MW-0516-S1	3/23/2006	11.88	32.61	827.98	816.10
MW-0516-S1	3/31/2006	11.13	32.61	827.98	816.85
MW-0516-S1	4/28/2006	11.78	NM	827.98	816.20
MW-0516-S1	12/5/2006	10.11	NM	827.98	817.87
MW-0516-S1	3/8/2007	11.59	32.66	827.98	816.39
MW-0516-S1	1/16/2008	12.35	32.40	827.98	815.63
MW-0516-S1	11/11/2008	15.74	32.60	827.98	812.24
MW-0516-S1	2/17/2009	14.00	NM	827.98	813.98
MW-0516-S1	6/12/2009	12.52	NM	827.98	815.46
MW-0516-S1	4/13/2010	12.24	32.70	827.98	815.74
MW-0516-S1	9/5/2010	14.96	32.65	827.98	813.02
MW-0516-S1	4/20/2011	11.31	32.60	827.98	816.67
MW-0516-S1	9/27/2011	12.92	32.84	827.98	815.06
MW-0516-S1	3/29/2012	12.59	32.80	827.98	815.39
MW-0516-S1	10/9/2012	15.16	32.60	827.98	812.82
MW-0516-S1	3/12/2013	13.33	32.60	827.98	814.65
MW-0516-S1	9/24/2013	14.08	32.79	827.98	813.90
MW-0516-S1	4/22/2014	12.74	32.80	827.98	815.24
MW-0516-S1	9/3/2014	14.46	32.84	827.98	813.52
MW-0516-S1	3/10/2015	13.40	32.80	827.98	814.58
MW-0516-S1	9/8/2015	13.55	32.78	827.98	814.43
MW-0516-S1	3/10/2016	12.94	32.78	827.98	815.04
MW-0516-S1	9/7/2016	13.71	32.71	828.98	815.27
MW-0516-S1	11/16/2016	13.98	NM	828.98	815.00
MW-0516-S1	3/3/2017	12.58	32.80	827.37	814.79
MW-0516-S1	9/6/2017	13.03	32.74	827.37	814.34
MW-0516-S1	3/6/2018	11.58	32.82	827.37	815.79
MW-0516-S1	9/12/2018	11.41	32.70	827.37	815.96
MW-0516-S1	3/4/2019	12.13	32.70	827.37	815.24
MW-0516-S1	9/6/2019	13.70	33.69	827.37	813.67
MW-0516-S1	3/4/2020	12.38	32.72	827.37	814.99
MW-0516-S1	3/5/2021	13.84	32.64	827.37	813.53
MW-0516-S1	10/8/2021	13.32	32.64	827.37	814.05
MW-0516-S1	3/1/2022	11.55	32.63	827.37	815.82
MW-0516-S1	10/3/2022	14.78	32.71	827.37	812.59
MW-0516-S2	10/20/2005	14.37	68.38	827.97	813.60
MW-0516-S2	10/25/2005	14.38	68.38	827.97	813.59

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0516-S2	3/23/2006	11.46	68.05	827.97	816.51
MW-0516-S2	3/31/2006	10.61	68.05	827.97	817.36
MW-0516-S2	4/28/2006	11.55	NM	827.97	816.42
MW-0516-S2	12/5/2006	10.55	NM	827.97	817.42
MW-0516-S2	3/8/2007	11.40	68.11	827.97	816.57
MW-0516-S2	1/16/2008	14.11	68.26	827.97	813.86
MW-0516-S2	11/11/2008	19.99	68.05	827.97	807.98
MW-0516-S2	2/17/2009	16.58	NM	827.97	811.39
MW-0516-S2	6/12/2009	14.71	NM	827.97	813.26
MW-0516-S2	4/13/2010	13.72	68.18	827.97	814.25
MW-0516-S2	4/20/2011	14.02	68.10	827.97	813.95
MW-0516-S2	3/12/2013	14.38	68.10	827.97	813.59
MW-0516-S2	9/24/2013	17.03	68.26	827.97	810.94
MW-0516-S2	4/22/2014	14.92	69.09	827.97	813.05
MW-0516-S2	9/3/2014	18.61	69.48	827.97	809.36
MW-0516-S2	3/10/2015	16.16	NM	827.97	811.81
MW-0516-S2	9/8/2015	14.52	69.38	827.97	813.45
MW-0516-S2	3/10/2016	14.58	68.79	827.97	813.39
MW-0516-S2	9/7/2016	17.16	68.32	828.97	811.81
MW-0516-S2	11/16/2016	15.78	NM	828.97	813.19
MW-0516-S2	3/3/2017	13.31	68.35	827.34	814.03
MW-0516-S2	9/6/2017	15.46	68.27	827.34	811.88
MW-0516-S2	3/6/2018	12.51	69.05	827.34	814.83
MW-0516-S2	9/12/2018	12.80	68.24	827.34	814.54
MW-0516-S2	3/4/2019	13.29	58.28	827.34	814.05
MW-0516-S2	9/6/2019	17.30	68.20	827.34	810.04
MW-0516-S2	3/4/2020	12.03	68.32	827.34	815.31
MW-0516-S2	3/5/2021	16.92	68.32	827.34	810.42
MW-0516-S2	10/8/2021	17.55	68.27	827.34	809.79
MW-0516-S2	3/1/2022	40.33	68.26	827.34	787.01
MW-0516-S2	10/3/2022	19.10	68.29	827.34	808.24
MW-0517-S1	9/20/2005	12.44	30.72	826.47	814.03
MW-0517-S1	10/18/2005	12.17	30.85	826.47	814.30
MW-0517-S1	10/25/2005	12.17	30.85	826.47	814.30
MW-0517-S1	3/22/2006	10.70	30.63	826.47	815.77
MW-0517-S1	3/31/2006	9.91	30.63	826.47	816.56
MW-0517-S1	4/28/2006	10.64	NM	826.47	815.83
MW-0517-S1	12/5/2006	9.48	NM	826.47	816.99
MW-0517-S1	3/8/2007	10.42	30.51	826.47	816.05
MW-0517-S1	1/16/2008	11.23	30.70	826.47	815.24
MW-0517-S1	11/11/2008	14.47	30.60	826.47	812.00
MW-0517-S1	2/17/2009	12.65	NM	826.47	813.82

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0517-S1	6/12/2009	11.34	NM	826.47	815.13
MW-0517-S1	10/9/2012	13.88	30.62	826.47	812.59
MW-0517-S1	3/12/2013	11.98	30.62	826.47	814.49
MW-0517-S1	9/24/2013	12.87	30.75	826.47	813.60
MW-0517-S1	4/22/2014	11.65	30.76	826.47	814.82
MW-0517-S1	9/3/2014	13.20	30.32	826.47	813.27
MW-0517-S1	3/10/2015	12.17	30.07	826.47	814.30
MW-0517-S1	9/8/2015	12.27	29.78	826.47	814.20
MW-0517-S1	3/10/2016	11.77	29.86	826.47	814.70
MW-0517-S1	9/7/2016	12.51	29.76	827.47	814.96
MW-0517-S1	11/16/2016	12.76	NM	827.47	814.71
MW-0517-S1	3/3/2017	11.36	29.31	825.82	814.46
MW-0517-S1	9/6/2017	11.85	29.39	825.82	813.97
MW-0517-S1	3/6/2018	10.38	29.42	825.82	815.44
MW-0517-S1	9/12/2018	10.32	29.32	825.82	815.50
MW-0517-S1	3/4/2019	10.95	29.28	825.82	814.87
MW-0517-S1	9/6/2019	12.48	29.20	825.82	813.34
MW-0517-S1	3/4/2020	11.10	29.10	825.82	814.72
MW-0517-S1	3/5/2021	12.50	29.22	825.82	813.32
MW-0517-S1	10/8/2021	12.15	29.22	825.82	813.67
MW-0517-S1	3/1/2022	10.38	29.20	825.82	815.44
MW-0517-S1	10/3/2022	NM	NM	825.82	NM
MW-0602-S1	3/24/2006	11.70	28.31	825.30	813.60
MW-0602-S1	3/31/2006	10.93	28.31	825.30	814.37
MW-0602-S1	4/28/2006	10.90	NM	825.30	814.40
MW-0602-S1	12/5/2006	9.94	NM	825.30	815.36
MW-0602-S1	3/8/2007	10.68	27.20	825.30	814.62
MW-0602-S1	1/16/2008	11.10	27.41	825.30	814.20
MW-0602-S1	11/11/2008	13.93	27.11	825.30	811.37
MW-0602-S1	2/17/2009	12.20	NM	825.30	813.10
MW-0602-S1	6/12/2009	11.71	NM	825.30	813.59
MW-0602-S1	4/13/2010	11.36	27.31	825.30	813.94
MW-0602-S1	9/5/2010	12.79	27.24	825.30	812.51
MW-0602-S1	4/20/2011	11.01	27.07	825.30	814.29
MW-0602-S1	9/27/2011	11.65	27.39	825.30	813.65
MW-0602-S1	3/29/2012	11.30	27.20	825.30	814.00
MW-0602-S1	10/9/2012	12.64	27.00	825.30	812.66
MW-0602-S1	3/12/2013	11.62	27.00	825.30	813.68
MW-0602-S1	9/24/2013	12.64	27.20	825.30	812.66
MW-0602-S1	4/22/2014	11.52	24.09	825.30	813.78
MW-0602-S1	9/3/2014	12.79	27.06	825.30	812.51
MW-0602-S1	3/10/2015	12.04	26.96	825.30	813.26

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0602-S1	9/8/2015	NM	NM	825.30	NM
MW-0602-S1	3/10/2016	12.01	27.03	825.30	813.29
MW-0602-S1	9/7/2016	12.02	26.90	826.30	814.28
MW-0602-S1	11/16/2016	13.22	NM	826.30	813.08
MW-0602-S1	3/3/2017	11.37	26.63	824.68	813.31
MW-0602-S1	9/6/2017	11.89	26.81	824.68	812.79
MW-0602-S1	3/6/2018	10.67	26.92	824.68	814.01
MW-0602-S1	9/12/2018	10.54	26.78	824.68	814.14
MW-0602-S1	3/4/2019	11.18	26.71	824.68	813.50
MW-0602-S1	9/6/2019	12.41	26.65	824.68	812.27
MW-0602-S1	3/4/2020	9.45	26.76	824.68	815.23
MW-0602-S1	3/5/2021	12.18	26.60	824.68	812.50
MW-0602-S1	10/8/2021	11.86	26.50	824.68	812.82
MW-0602-S1	3/1/2022	10.70	26.49	824.68	813.98
MW-0602-S1	10/3/2022	13.30	26.69	824.68	811.38
MW-0603-S1	3/24/2006	10.79	24.38	826.09	815.30
MW-0603-S1	3/31/2006	10.02	24.38	826.09	816.07
MW-0603-S1	4/28/2006	10.71	NM	826.09	815.38
MW-0603-S1	12/5/2006	9.59	NM	826.09	816.50
MW-0603-S1	3/8/2007	10.46	24.12	826.09	815.63
MW-0603-S1	1/16/2008	11.06	24.33	826.09	815.03
MW-0603-S1	11/11/2008	14.15	24.15	826.09	811.94
MW-0603-S1	2/17/2009	12.35	NM	826.09	813.74
MW-0603-S1	6/12/2009	11.25	NM	826.09	814.84
MW-0603-S1	4/13/2010	11.06	24.31	826.09	815.03
MW-0603-S1	9/5/2010	13.46	24.20	826.09	812.63
MW-0603-S1	4/20/2011	10.44	24.10	826.09	815.65
MW-0603-S1	9/27/2011	11.53	24.22	826.09	814.56
MW-0603-S1	3/29/2012	11.33	24.15	826.09	814.76
MW-0603-S1	10/9/2012	13.55	24.00	826.09	812.54
MW-0603-S1	3/12/2013	11.85	24.00	826.09	814.24
MW-0603-S1	9/24/2013	12.65	24.18	826.09	813.44
MW-0603-S1	4/22/2014	11.52	24.09	826.09	814.57
MW-0603-S1	9/3/2014	12.91	24.78	826.09	813.18
MW-0603-S1	3/10/2015	11.96	24.05	826.09	814.13
MW-0603-S1	9/8/2015	12.14	24.07	826.09	813.95
MW-0603-S1	3/10/2016	11.64	24.04	826.09	814.45
MW-0603-S1	9/7/2016	12.27	24.10	826.09	813.82
MW-0603-S1	11/16/2016	12.76	NM	826.09	813.33
MW-0603-S1	3/3/2017	11.29	24.13	825.36	814.07
MW-0603-S1	9/6/2017	11.70	23.99	825.36	813.66
MW-0603-S1	3/6/2018	10.40	24.23	825.36	814.96

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0603-S1	9/12/2018	10.29	24.04	825.36	815.07
MW-0603-S1	3/4/2019	10.93	24.04	825.36	814.43
MW-0603-S1	9/6/2019	12.35	24.01	825.36	813.01
MW-0603-S1	3/4/2020	11.03	24.00	825.36	814.33
MW-0603-S1	3/5/2021	12.24	23.91	825.36	813.12
MW-0603-S1	10/8/2021	11.85	23.87	825.36	813.51
MW-0603-S1	3/1/2022	10.40	23.51	825.36	814.96
MW-0603-S1	10/3/2022	13.30	23.38	825.36	812.06
MW-0604-S1	3/22/2006	10.65	29.41	826.28	815.63
MW-0604-S1	3/31/2006	9.87	29.41	826.28	816.41
MW-0604-S1	4/28/2006	10.59	NM	826.28	815.69
MW-0604-S1	12/5/2006	9.45	NM	826.28	816.83
MW-0604-S1	3/8/2007	10.37	28.81	826.28	815.91
MW-0604-S1	1/16/2008	11.15	28.95	826.28	815.13
MW-0604-S1	11/11/2008	14.27	28.73	826.28	812.01
MW-0604-S1	2/17/2009	12.51	NM	826.28	813.77
MW-0604-S1	6/12/2009	11.26	NM	826.28	815.02
MW-0604-S1	10/9/2012	13.73	28.78	826.28	812.55
MW-0604-S1	3/12/2013	11.87	28.78	826.28	814.41
MW-0604-S1	9/24/2013	12.74	28.91	826.28	813.54
MW-0604-S1	4/22/2014	11.59	28.98	826.28	814.69
MW-0604-S1	9/3/2014	13.09	28.41	826.28	813.19
MW-0604-S1	3/10/2015	12.06	28.58	826.28	814.22
MW-0604-S1	9/8/2015	12.13	27.94	826.28	814.15
MW-0604-S1	3/10/2016	11.66	28.18	826.28	814.62
MW-0604-S1	9/7/2016	12.40	28.24	826.28	813.88
MW-0604-S1	11/16/2016	12.64	NM	826.28	813.64
MW-0604-S1	3/3/2017	11.29	27.70	825.62	814.33
MW-0604-S1	9/6/2017	11.72	27.79	825.62	813.90
MW-0604-S1	3/6/2018	10.31	27.87	825.62	815.31
MW-0604-S1	9/12/2018	10.25	27.83	825.62	815.37
MW-0604-S1	3/4/2019	10.90	27.80	825.62	814.72
MW-0604-S1	9/6/2019	12.38	27.75	825.62	813.24
MW-0604-S1	3/4/2020	11.02	27.80	825.62	814.60
MW-0604-S1	3/5/2021	12.36	27.80	825.62	813.26
MW-0604-S1	10/8/2021	12.00	27.62	825.62	813.62
MW-0604-S1	3/1/2022	10.30	27.65	825.62	815.32
MW-0604-S1	10/3/2022	13.40	27.60	825.62	812.22
MW-0604-S2	3/22/2006	10.02	61.06	826.44	816.42
MW-0604-S2	3/31/2006	9.27	61.06	826.44	817.17
MW-0604-S2	4/28/2006	10.13	NM	826.44	816.31
MW-0604-S2	12/5/2006	8.70	NM	826.44	817.74

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0604-S2	3/8/2007	9.93	61.12	826.44	816.51
MW-0604-S2	1/16/2008	12.51	61.21	826.44	813.93
MW-0604-S2	11/11/2008	18.45	61.05	826.44	807.99
MW-0604-S2	2/17/2009	15.02	NM	826.44	811.42
MW-0604-S2	6/12/2009	13.17	NM	826.44	813.27
MW-0604-S2	4/13/2010	12.17	61.10	826.44	814.27
MW-0604-S2	9/5/2010	17.17	61.55	826.44	809.27
MW-0604-S2	4/20/2011	12.63	61.00	826.44	813.81
MW-0604-S2	9/27/2011	14.89	61.32	826.44	811.55
MW-0604-S2	3/29/2012	12.41	61.23	826.44	814.03
MW-0604-S2	10/9/2012	17.88	61.14	826.44	808.56
MW-0604-S2	3/12/2013	13.01	61.14	826.44	813.43
MW-0604-S2	9/24/2013	15.49	61.22	826.44	810.95
MW-0604-S2	4/22/2014	13.49	61.26	826.44	812.95
MW-0604-S2	9/3/2014	17.02	61.20	826.44	809.42
MW-0604-S2	3/10/2015	14.59	NM	826.44	811.85
MW-0604-S2	9/8/2015	12.97	61.11	826.44	813.47
MW-0604-S2	3/10/2016	12.98	NM	826.44	813.46
MW-0604-S2	9/7/2016	15.49	61.24	826.44	810.95
MW-0604-S2	11/16/2016	14.30	NM	826.44	812.14
MW-0604-S2	3/3/2017	11.91	61.05	825.86	813.95
MW-0604-S2	9/6/2017	13.91	61.09	825.86	811.95
MW-0604-S2	3/6/2018	10.91	61.23	825.86	814.95
MW-0604-S2	9/12/2018	11.37	61.23	825.86	814.49
MW-0604-S2	3/4/2019	11.75	61.20	825.86	814.11
MW-0604-S2	9/6/2019	15.70	61.25	825.86	810.16
MW-0604-S2	3/4/2020	10.57	61.27	825.86	815.29
MW-0604-S2	3/5/2021	15.40	61.20	825.86	810.46
MW-0604-S2	10/8/2021	15.87	61.10	825.86	809.99
MW-0604-S2	3/1/2022	20.80	61.20	825.86	805.06
MW-0604-S2	10/3/2022	NM	NM	825.86	NM
MW-0606-S1	3/23/2006	8.80	31.65	824.10	815.30
MW-0606-S1	3/31/2006	8.03	31.65	824.10	816.07
MW-0606-S1	4/28/2006	8.71	NM	824.10	815.39
MW-0606-S1	12/5/2006	7.67	NM	824.10	816.43
MW-0606-S1	3/8/2007	8.54	31.52	824.10	815.56
MW-0606-S1	11/11/2008	12.36	31.40	824.10	811.74
MW-0606-S1	2/17/2009	10.43	NM	824.10	813.67
MW-0606-S1	6/12/2009	8.38	NM	824.10	815.72
MW-0606-S1	4/13/2010	9.20	31.42	824.10	814.90
MW-0606-S1	10/9/2012	11.72	31.26	824.10	812.38
MW-0606-S1	3/12/2013	9.89	31.26	824.10	814.21

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0606-S1	9/24/2013	10.51	31.34	824.10	813.59
MW-0606-S1	4/22/2014	9.71	31.27	824.10	814.39
MW-0606-S1	9/3/2014	11.11	31.25	824.10	812.99
MW-0606-S1	3/10/2015	10.08	30.91	824.10	814.02
MW-0606-S1	9/8/2015	10.27	29.81	824.10	813.83
MW-0606-S1	3/10/2016	9.69	30.82	824.10	814.41
MW-0606-S1	9/7/2016	10.47	30.73	824.10	813.63
MW-0606-S1	11/16/2016	11.04	NM	824.10	813.06
MW-0606-S1	3/3/2017	9.39	30.71	823.45	814.06
MW-0606-S1	9/6/2017	9.02	30.61	823.45	814.43
MW-0606-S1	3/9/2018	8.51	30.93	823.45	814.94
MW-0606-S1	9/12/2018	8.42	30.68	823.45	815.03
MW-0606-S1	9/6/2019	10.51	30.60	823.45	812.94
MW-0606-S1	3/4/2020	9.05	30.64	823.45	814.40
MW-0606-S1	3/5/2021	10.36	30.51	823.45	813.09
MW-0606-S1	10/8/2021	10.05	30.52	823.45	813.40
MW-0606-S1	3/1/2022	8.51	30.49	823.45	814.94
MW-0606-S1	10/3/2022	11.30	30.56	823.45	812.15
MW-0606-S2	3/23/2006	7.68	58.83	823.97	816.29
MW-0606-S2	3/31/2006	6.93	58.83	823.97	817.04
MW-0606-S2	4/28/2006	8.72	NM	823.97	815.25
MW-0606-S2	12/5/2006	6.35	NM	823.97	817.62
MW-0606-S2	3/8/2007	7.61	58.67	823.97	816.36
MW-0606-S2	11/11/2008	15.92	58.70	823.97	808.05
MW-0606-S2	2/17/2009	12.51	NM	823.97	811.46
MW-0606-S2	6/12/2009	10.68	NM	823.97	813.29
MW-0606-S2	9/5/2010	14.62	59.00	823.97	809.35
MW-0606-S2	4/20/2011	10.15	58.63	823.97	813.82
MW-0606-S2	9/27/2011	12.38	58.90	823.97	811.59
MW-0606-S2	3/29/2012	10.00	58.80	823.97	813.97
MW-0606-S2	10/9/2012	15.34	58.69	823.97	808.63
MW-0606-S2	3/12/2013	10.47	58.69	823.97	813.50
MW-0606-S2	9/24/2013	13.00	58.85	823.97	810.97
MW-0606-S2	4/22/2014	11.06	58.84	823.97	812.91
MW-0606-S2	9/3/2014	14.46	58.82	823.97	809.51
MW-0606-S2	3/10/2015	12.10	NM	823.97	811.87
MW-0606-S2	9/8/2015	10.65	59.35	823.97	813.32
MW-0606-S2	3/10/2016	10.53	58.83	823.97	813.44
MW-0606-S2	9/7/2016	NM	NM	823.97	NM
MW-0606-S2	11/16/2016	10.01	NM	823.97	813.96
MW-0606-S2	3/3/2017	9.48	58.84	823.39	813.91
MW-0606-S2	9/6/2017	11.38	58.70	823.39	812.01
MW-0606-S2	3/6/2018	8.49	59.25	823.39	814.90

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0606-S2	9/12/2018	8.90	58.78	823.39	814.49
MW-0606-S2	9/6/2019	13.10	58.81	823.39	810.29
MW-0606-S2	3/4/2020	8.21	58.75	823.39	815.18
MW-0606-S2	3/5/2021	12.89	58.81	823.39	810.50
MW-0606-S2	10/8/2021	13.41	58.68	823.39	809.98
MW-0606-S2	3/1/2022	9.38	58.69	823.39	814.01
MW-0606-S2	10/3/2022	15.03	58.70	823.39	808.36
MW-0607-S1	3/24/2006	8.55	26.85	822.65	814.10
MW-0607-S1	3/31/2006	7.78	26.85	822.65	814.87
MW-0607-S1	4/28/2006	8.52	NM	822.65	814.13
MW-0607-S1	12/5/2006	7.68	NM	822.65	814.97
MW-0607-S1	3/8/2007	8.33	26.55	822.65	814.32
MW-0607-S1	1/16/2008	8.88	26.68	822.65	813.77
MW-0607-S1	11/11/2008	11.61	26.50	822.65	811.04
MW-0607-S1	2/17/2009	9.72	NM	822.65	812.93
MW-0607-S1	6/12/2009	9.12	NM	822.65	813.53
MW-0607-S1	4/13/2010	9.00	26.50	822.65	813.65
MW-0607-S1	9/5/2010	10.98	26.50	822.65	811.67
MW-0607-S1	4/20/2011	8.49	26.42	822.65	814.16
MW-0607-S1	9/27/2011	9.31	26.40	822.65	813.34
MW-0607-S1	3/29/2012	9.26	26.27	822.65	813.39
MW-0607-S1	10/9/2012	11.05	26.00	822.65	811.60
MW-0607-S1	3/12/2013	9.40	26.00	822.65	813.25
MW-0607-S1	9/24/2013	10.30	26.25	822.65	812.35
MW-0607-S1	4/22/2014	9.53	26.16	822.65	813.12
MW-0607-S1	9/3/2014	10.53	26.23	822.65	812.12
MW-0607-S1	3/10/2015	9.69	26.27	822.65	812.96
MW-0607-S1	9/8/2015	9.82	26.17	822.65	812.83
MW-0607-S1	3/10/2016	9.29	29.14	822.65	813.36
MW-0607-S1	9/7/2016	9.96	26.13	822.65	812.69
MW-0607-S1	11/16/2016	10.98	NM	822.65	811.67
MW-0607-S1	3/3/2017	90.80	26.12	821.93	731.13
MW-0607-S1	9/6/2017	8.51	26.06	821.93	813.42
MW-0607-S1	3/6/2018	8.54	26.25	821.93	813.39
MW-0607-S1	9/12/2018	8.42	26.01	821.93	813.51
MW-0607-S1	3/4/2019	8.90	26.03	821.93	813.03
MW-0607-S1	9/6/2019	10.02	26.03	821.93	811.91
MW-0607-S1	3/4/2020	8.69	26.10	821.93	813.24
MW-0607-S1	3/5/2021	9.73	26.05	821.93	812.20
MW-0607-S1	10/8/2021	9.57	26.04	821.93	812.36
MW-0607-S1	3/1/2022	8.35	26.00	821.93	813.58
MW-0607-S1	10/3/2022	10.88	24.81	821.93	811.05
MW-0607-S2	3/8/2007	7.00	50.51	823.06	816.06
MW-0607-S2	1/16/2008	9.27	50.65	823.06	813.79
MW-0607-S2	11/11/2008	14.91	50.57	823.06	808.15

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0607-S2	2/17/2009	11.53	NM	823.06	811.53
MW-0607-S2	6/12/2009	9.83	NM	823.06	813.23
MW-0607-S2	4/13/2010	8.78	50.58	823.06	814.28
MW-0607-S2	9/5/2010	13.63	57.05	823.06	809.43
MW-0607-S2	4/20/2011	9.15	50.47	823.06	813.91
MW-0607-S2	9/27/2011	11.47	50.72	823.06	811.59
MW-0607-S2	3/29/2012	9.21	50.68	823.06	813.85
MW-0607-S2	10/9/2012	14.27	50.66	823.06	808.79
MW-0607-S2	3/12/2013	9.56	50.66	823.06	813.50
MW-0607-S2	9/24/2013	12.10	50.74	823.06	810.96
MW-0607-S2	4/22/2014	10.16	50.68	823.06	812.90
MW-0607-S2	9/3/2014	13.42	50.66	823.06	809.64
MW-0607-S2	3/10/2015	11.22	NM	823.06	811.84
MW-0607-S2	9/8/2015	9.91	46.85	823.06	813.15
MW-0607-S2	3/10/2016	9.77	50.69	823.06	813.29
MW-0607-S2	9/7/2016	12.05	50.89	823.06	811.01
MW-0607-S2	11/16/2016	11.03	NM	823.06	812.03
MW-0607-S2	3/3/2017	8.78	50.73	822.35	813.57
MW-0607-S2	9/6/2017	10.41	50.66	822.35	811.94
MW-0607-S2	3/6/2018	7.69	50.75	822.35	814.66
MW-0607-S2	9/12/2018	8.05	50.65	822.35	814.30
MW-0607-S2	3/4/2019	8.50	50.68	822.35	813.85
MW-0607-S2	9/6/2019	12.14	50.68	822.35	810.21
MW-0607-S2	3/4/2020	7.51	50.76	822.35	814.84
MW-0607-S2	3/5/2021	11.83	50.72	822.35	810.52
MW-0607-S2	10/8/2021	12.41	50.69	822.35	809.94
MW-0607-S2	3/1/2022	8.55	50.65	822.35	813.80
MW-0607-S2	10/3/2022	13.95	50.83	822.35	808.40
MW-0608-S1	3/23/2006	11.74	30.81	825.97	814.23
MW-0608-S1	3/31/2006	10.97	30.81	825.97	815.00
MW-0608-S1	4/28/2006	11.66	NM	825.97	814.31
MW-0608-S1	12/5/2006	10.73	NM	825.97	815.24
MW-0608-S1	3/8/2007	11.43	30.38	825.97	814.54
MW-0608-S1	1/16/2008	11.94	30.45	825.97	814.03
MW-0608-S1	11/11/2008	14.67	30.20	825.97	811.30
MW-0608-S1	2/17/2009	12.93	NM	825.97	813.04
MW-0608-S1	6/12/2009	12.27	NM	825.97	813.70
MW-0608-S1	4/13/2010	12.13	30.11	825.97	813.84
MW-0608-S1	9/5/2010	14.08	29.96	825.97	811.89
MW-0608-S1	4/20/2011	11.50	29.90	825.97	814.47
MW-0608-S1	9/27/2011	12.38	30.00	825.97	813.59
MW-0608-S1	3/29/2012	12.19	30.02	825.97	813.78
MW-0608-S1	10/9/2012	14.10	29.60	825.97	811.87
MW-0608-S1	3/12/2013	12.42	29.60	825.97	813.55
MW-0608-S1	9/24/2013	13.35	29.40	825.97	812.62

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0608-S1	4/22/2014	12.47	29.26	825.97	813.50
MW-0608-S1	9/3/2014	13.58	28.94	825.97	812.39
MW-0608-S1	3/10/2015	12.70	28.73	825.97	813.27
MW-0608-S1	9/8/2015	12.93	28.58	825.97	813.04
MW-0608-S1	3/10/2016	12.38	28.62	825.97	813.59
MW-0608-S1	9/7/2016	13.04	28.37	825.97	812.93
MW-0608-S1	11/16/2016	13.17	NM	825.97	812.80
MW-0608-S1	3/3/2017	12.14	28.29	825.26	813.12
MW-0608-S1	9/6/2017	12.59	28.23	825.26	812.67
MW-0608-S1	3/6/2018	11.47	28.53	825.26	813.79
MW-0608-S1	9/12/2018	11.34	28.22	825.26	813.92
MW-0608-S1	3/4/2019	11.85	28.19	825.26	813.41
MW-0608-S1	9/6/2019	13.02	28.13	825.26	812.24
MW-0608-S1	3/4/2020	11.76	28.20	825.26	813.50
MW-0608-S1	3/5/2021	12.80	27.99	825.26	812.46
MW-0608-S1	10/8/2021	12.59	29.98	825.26	812.67
MW-0608-S1	3/1/2022	11.30	27.95	825.26	813.96
MW-0608-S1	10/3/2022	14.62	27.65	825.26	810.64
MW-0608-S2	3/23/2006	9.71	67.75	825.97	816.26
MW-0608-S2	3/31/2006	8.86	67.75	825.97	817.11
MW-0608-S2	4/28/2006	9.76	NM	825.97	816.21
MW-0608-S2	12/5/2006	8.43	NM	825.97	817.54
MW-0608-S2	3/8/2007	9.70	67.76	825.97	816.27
MW-0608-S2	1/16/2008	12.10	68.91	825.97	813.87
MW-0608-S2	11/11/2008	17.84	67.80	825.97	808.13
MW-0608-S2	2/17/2009	14.45	NM	825.97	811.52
MW-0608-S2	6/12/2009	12.68	NM	825.97	813.29
MW-0608-S2	4/13/2010	11.59	67.85	825.97	814.38
MW-0608-S2	9/5/2010	16.55	68.25	825.97	809.42
MW-0608-S2	4/20/2011	12.12	67.70	825.97	813.85
MW-0608-S2	9/27/2011	14.31	67.99	825.97	811.66
MW-0608-S2	3/29/2012	11.90	67.90	825.97	814.07
MW-0608-S2	10/9/2012	17.22	67.75	825.97	808.75
MW-0608-S2	3/21/2013	12.43	67.75	825.97	813.54
MW-0608-S2	9/24/2013	14.96	67.04	825.97	811.01
MW-0608-S2	4/22/2014	13.02	68.94	825.97	812.95
MW-0608-S2	9/3/2014	16.41	67.81	825.97	809.56
MW-0608-S2	3/10/2015	14.10	NM	825.97	811.87
MW-0608-S2	9/8/2015	12.80	68.73	825.97	813.17
MW-0608-S2	3/10/2016	12.48	67.96	825.97	813.49
MW-0608-S2	9/7/2016	15.17	67.91	825.97	810.80
MW-0608-S2	11/16/2016	13.82	NM	825.97	812.15
MW-0608-S2	3/3/2017	11.52	68.01	825.19	813.67
MW-0608-S2	9/6/2017	13.31	67.95	825.19	811.88
MW-0608-S2	3/6/2018	10.63	68.38	825.19	814.56

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0608-S2	9/12/2018	10.91	67.90	825.19	814.28
MW-0608-S2	3/4/2019	11.34	67.90	825.19	813.85
MW-0608-S2	9/6/2019	15.10	67.92	825.19	810.09
MW-0608-S2	3/4/2020	10.26	68.00	825.19	814.93
MW-0608-S2	3/5/2021	14.84	67.92	825.19	810.35
MW-0608-S2	10/8/2021	15.46	65.95	825.19	809.73
MW-0608-S2	3/1/2022	11.38	67.80	825.19	813.81
MW-0608-S2	10/3/2022	16.88	65.19	825.19	808.31
MW-0609-S1	3/23/2006	9.49	28.45	822.75	813.26
MW-0609-S1	3/31/2006	9.17	28.45	822.75	813.58
MW-0609-S1	4/28/2006	9.47	NM	822.75	813.28
MW-0609-S1	12/5/2006	8.62	NM	822.75	814.13
MW-0609-S1	3/9/2007	9.15	27.05	822.75	813.60
MW-0609-S1	1/16/2008	9.45	27.40	822.75	813.30
MW-0609-S1	11/11/2008	11.81	27.05	822.75	810.94
MW-0609-S1	2/17/2009	10.22	NM	822.75	812.53
MW-0609-S1	6/12/2009	9.73	NM	822.75	813.02
MW-0609-S1	4/13/2010	9.84	26.99	822.75	812.91
MW-0609-S1	9/5/2010	11.35	27.05	822.75	811.40
MW-0609-S1	4/20/2011	9.13	27.00	822.75	813.62
MW-0609-S1	9/27/2011	9.85	27.04	822.75	812.90
MW-0609-S1	3/29/2012	9.76	27.11	822.75	812.99
MW-0609-S1	10/9/2012	11.31	26.80	822.75	811.44
MW-0609-S1	3/12/2013	18.78	26.80	822.75	803.97
MW-0609-S1	9/24/2013	10.64	27.00	822.75	812.11
MW-0609-S1	4/22/2014	10.00	26.93	822.75	812.75
MW-0609-S1	9/3/2014	10.84	26.83	822.75	811.91
MW-0609-S1	9/8/2015	10.32	26.87	822.75	812.43
MW-0609-S1	3/10/2016	9.86	26.77	822.75	812.89
MW-0609-S1	9/7/2016	10.43	26.68	822.75	812.32
MW-0609-S1	11/16/2016	10.83	NM	822.75	811.92
MW-0609-S1	3/3/2017	9.67	26.65	822.00	812.33
MW-0609-S1	9/6/2017	10.15	26.60	822.00	811.85
MW-0609-S1	3/6/2018	NM	NM	822.00	NM
MW-0609-S1	9/12/2018	9.05	25.75	822.00	812.95
MW-0609-S1	3/4/2019	9.50	25.80	822.00	812.50
MW-0609-S1	9/6/2019	10.01	25.82	822.00	811.99
MW-0609-S1	3/4/2020	9.30	25.76	822.00	812.70
MW-0609-S1	3/5/2021	10.11	25.81	822.00	811.89
MW-0609-S1	10/8/2021	9.95	25.81	822.00	812.05
MW-0609-S1	3/1/2022	8.80	25.70	822.00	813.20
MW-0609-S1	10/3/2022	11.12	25.44	822.00	810.88
MW-0609-S2	12/5/2006	5.68	NM	823.09	817.41
MW-0609-S2	3/8/2007	6.93	61.32	823.09	816.16
MW-0609-S2	1/16/2008	9.24	61.44	823.09	813.85

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0609-S2	11/11/2008	14.97	61.30	823.09	808.12
MW-0609-S2	2/17/2009	11.60	NM	823.09	811.49
MW-0609-S2	6/12/2009	9.86	NM	823.09	813.23
MW-0609-S2	4/13/2010	8.77	62.43	823.09	814.32
MW-0609-S2	9/5/2010	13.69	61.45	823.09	809.40
MW-0609-S2	4/20/2011	9.22	61.30	823.09	813.87
MW-0609-S2	9/27/2011	11.52	61.59	823.09	811.57
MW-0609-S2	3/29/2012	9.15	61.52	823.09	813.94
MW-0609-S2	10/9/2012	14.36	26.80	823.09	808.73
MW-0609-S2	3/12/2013	9.62	26.80	823.09	813.47
MW-0609-S2	9/24/2013	12.15	61.54	823.09	810.94
MW-0609-S2	4/22/2014	10.21	61.49	823.09	812.88
MW-0609-S2	9/3/2014	13.53	61.51	823.09	809.56
MW-0609-S2	3/10/2015	11.23	NM	823.09	811.86
MW-0609-S2	9/8/2015	10.10	62.50	823.09	812.99
MW-0609-S2	3/10/2016	9.65	61.53	823.09	813.44
MW-0609-S2	9/7/2016	12.37	61.43	823.09	810.72
MW-0609-S2	11/16/2016	10.96	NM	823.09	812.13
MW-0609-S2	3/3/2017	8.73	61.53	822.46	813.73
MW-0609-S2	9/6/2017	10.50	61.52	822.46	811.96
MW-0609-S2	3/6/2018	7.72	61.63	822.46	814.74
MW-0609-S2	9/12/2018	6.11	61.45	822.46	816.35
MW-0609-S2	3/4/2019	8.48	61.43	822.46	813.98
MW-0609-S2	9/6/2019	12.24	61.50	822.46	810.22
MW-0609-S2	3/4/2020	7.45	61.54	822.46	815.01
MW-0609-S2	3/5/2021	11.93	61.55	822.46	810.53
MW-0609-S2	10/8/2021	12.64	61.50	822.46	809.82
MW-0609-S2	3/1/2022	8.55	61.40	822.46	813.91
MW-0609-S2	10/3/2022	14.00	60.95	822.46	808.46
MW-0610-S1	12/5/2006	8.87	NM	822.55	813.68
MW-0610-S1	3/8/2007	9.42	31.55	822.55	813.13
MW-0610-S1	1/16/2008	9.97	31.59	822.55	812.58
MW-0610-S1	11/11/2008	11.85	31.46	822.55	810.70
MW-0610-S1	2/17/2009	10.39	NM	822.55	812.16
MW-0610-S1	6/12/2009	10.07	NM	822.55	812.48
MW-0610-S1	4/13/2010	10.28	31.49	822.55	812.27
MW-0610-S1	9/5/2010	11.55	31.65	822.55	811.00
MW-0610-S1	4/20/2011	9.55	31.42	822.55	813.00
MW-0610-S1	9/27/2011	11.18	31.68	822.55	811.37
MW-0610-S1	3/29/2012	10.13	31.64	822.55	812.42
MW-0610-S1	10/9/2012	11.39	31.44	822.55	811.16
MW-0610-S1	3/12/2013	10.16	31.44	822.55	812.39
MW-0610-S1	9/24/2013	10.85	31.63	822.55	811.70
MW-0610-S1	4/22/2014	9.45	31.65	822.55	813.10
MW-0610-S1	9/3/2014	11.06	31.59	822.55	811.49

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0610-S1	3/10/2015	10.41	31.64	822.55	812.14
MW-0610-S1	9/8/2015	10.59	31.67	822.55	811.96
MW-0610-S1	3/10/2016	10.11	31.65	822.55	812.44
MW-0610-S1	9/7/2016	10.78	31.66	822.55	811.77
MW-0610-S1	11/16/2016	11.07	NM	822.55	811.48
MW-0610-S1	3/3/2017	9.89	31.67	821.78	811.89
MW-0610-S1	9/6/2017	10.28	31.61	821.78	811.50
MW-0610-S1	3/6/2018	9.60	31.86	821.78	812.18
MW-0610-S1	9/12/2018	9.28	31.65	821.78	812.50
MW-0610-S1	3/4/2019	9.65	31.60	821.78	812.13
MW-0610-S1	9/6/2019	10.73	31.62	821.78	811.05
MW-0610-S1	3/4/2020	9.60	31.69	821.78	812.18
MW-0610-S1	3/5/2021	10.30	31.69	821.78	811.48
MW-0610-S1	10/8/2021	10.20	31.67	821.78	811.58
MW-0610-S1	3/1/2022	9.35	31.60	821.78	812.43
MW-0610-S1	10/3/2022	11.30	29.65	821.78	810.48
MW-0611-S1	12/5/2006	4.97	NM	821.77	816.80
MW-0611-S1	3/8/2007	7.45	17.60	821.77	814.32
MW-0611-S1	1/16/2008	8.06	17.70	821.77	813.71
MW-0611-S1	2/17/2009	11.15	NM	821.77	810.62
MW-0611-S1	6/12/2009	10.00	NM	821.77	811.77
MW-0611-S1	4/13/2010	8.85	17.60	821.77	812.92
MW-0611-S1	9/5/2010	12.67	17.65	821.77	809.10
MW-0611-S1	10/9/2012	Well covered with debris.			
MW-0611-S1	11/16/2016	10.72	NM	821.77	811.05
MW-0611-S1	3/3/2017	8.65	17.76	818.04	809.39
MW-0611-S1	9/6/2017	Well covered with debris.			
MW-0611-S1	3/6/2018	7.31	17.82	818.04	810.73
MW-0611-S1	9/12/2018	6.05	17.60	818.04	811.99
MW-0611-S1	9/6/2019	9.69	17.40	818.04	808.35
MW-0611-S1-R	3/4/2020	7.90	17.65	820.91	813.01
MW-0611-S1-R	3/5/2021	10.12	17.86	820.91	810.79
MW-0611-S1-R	10/8/2021	10.26	17.83	820.91	810.65
MW-0611-S1-R	3/1/2022	7.60	17.80	820.91	813.31
MW-0611-S1-R	10/3/2022	11.42	17.86	820.91	809.49
MW-0612-S1	12/5/2006	9.13	NM	823.85	814.72
MW-0612-S1	3/8/2007	8.90	27.12	823.85	814.95
MW-0612-S1	1/16/2008	9.50	27.25	823.85	814.35
MW-0612-S1	11/11/2008	12.44	27.15	823.85	811.41
MW-0612-S1	2/17/2009	10.59	NM	823.85	813.26
MW-0612-S1	6/12/2009	9.71	NM	823.85	814.14
MW-0612-S1	3/29/2012	9.79	27.30	823.85	814.06
MW-0612-S1	10/9/2012	11.84	27.10	823.85	812.01
MW-0612-S1	3/12/2013	10.10	27.10	823.85	813.75
MW-0612-S1	9/24/2013	10.49	27.32	823.85	813.36

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0612-S1	4/22/2014	10.03	27.30	823.85	813.82
MW-0612-S1	9/3/2014	11.29	27.31	823.85	812.56
MW-0612-S1	3/10/2015	10.30	27.30	823.85	813.55
MW-0612-S1	9/8/2015	10.52	27.33	823.85	813.33
MW-0612-S1	3/10/2016	9.95	27.33	823.85	813.90
MW-0612-S1	9/7/2016	10.66	27.33	823.85	813.19
MW-0612-S1	11/16/2016	10.98	NM	823.85	812.87
MW-0612-S1	3/3/2017	9.70	27.34	823.14	813.44
MW-0612-S1	9/6/2017	10.12	27.30	823.14	813.02
MW-0612-S1	3/6/2018	8.93	27.39	823.14	814.21
MW-0612-S1	9/12/2018	8.84	27.30	823.14	814.30
MW-0612-S1	3/4/2019	9.38	27.29	823.14	813.76
MW-0612-S1	9/6/2019	10.65	27.30	823.14	812.49
MW-0612-S1	3/4/2020	9.29	27.38	823.14	813.85
MW-0612-S1	3/5/2021	10.48	27.35	823.14	812.66
MW-0612-S1	10/8/2021	10.25	27.32	823.14	812.89
MW-0612-S1	3/1/2022	9.80	27.28	823.14	813.34
MW-0612-S1	10/3/2022	11.82	25.52	823.14	811.32
MW-0612-S2	12/5/2006	6.34	NM	823.84	817.50
MW-0612-S2	3/8/2007	7.59	54.94	823.84	816.25
MW-0612-S2	1/16/2008	10.00	55.10	823.84	813.84
MW-0612-S2	11/11/2008	15.74	55.00	823.84	808.10
MW-0612-S2	2/17/2009	12.34	NM	823.84	811.50
MW-0612-S2	6/12/2009	10.57	NM	823.84	813.27
MW-0612-S2	3/29/2012	9.78	55.14	823.84	814.06
MW-0612-S2	10/9/2012	15.14	54.90	823.84	808.70
MW-0612-S2	3/12/2013	10.35	54.90	823.84	813.49
MW-0612-S2	9/24/2013	12.57	55.15	823.84	811.27
MW-0612-S2	4/22/2014	10.91	55.11	823.84	812.93
MW-0612-S2	9/3/2014	14.28	55.07	823.84	809.56
MW-0612-S2	3/10/2015	11.96	NM	823.84	811.88
MW-0612-S2	9/8/2015	10.60	54.65	823.84	813.24
MW-0612-S2	3/10/2016	10.38	55.98	823.84	813.46
MW-0612-S2	9/7/2016	12.87	55.14	823.84	810.97
MW-0612-S2	11/16/2016	11.71	NM	823.84	812.13
MW-0612-S2	3/3/2017	9.43	55.18	823.14	813.71
MW-0612-S2	9/6/2017	11.23	55.11	823.14	811.91
MW-0612-S2	3/6/2018	8.43	55.62	823.14	814.71
MW-0612-S2	9/12/2018	8.78	55.11	823.14	814.36
MW-0612-S2	3/4/2019	9.17	55.11	823.14	813.97
MW-0612-S2	9/6/2019	12.98	55.11	823.14	810.16
MW-0612-S2	3/4/2020	8.11	55.20	823.14	815.03
MW-0612-S2	3/5/2021	12.71	55.16	823.14	810.43
MW-0612-S2	10/8/2021	13.25	55.14	823.14	809.89
MW-0612-S2	3/1/2022	9.28	55.08	823.14	813.86

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0612-S2	10/3/2022	14.75	46.30	823.14	808.39
MW-0613-S1	12/5/2006	5.87	NM	822.03	816.16
MW-0613-S1	3/8/2007	6.72	25.36	822.03	815.31
MW-0613-S1	1/16/2008	7.40	25.50	822.03	814.63
MW-0613-S1	11/11/2008	10.57	25.39	822.03	811.46
MW-0613-S1	2/17/2009	8.53	NM	822.03	813.50
MW-0613-S1	6/12/2009	7.61	NM	822.03	814.42
MW-0613-S1	4/13/2010	7.40	25.40	822.03	814.63
MW-0613-S1	9/5/2010	9.85	25.40	822.03	812.18
MW-0613-S1	4/20/2011	6.79	25.58	822.03	815.24
MW-0613-S1	9/27/2011	7.84	25.58	822.03	814.19
MW-0613-S1	3/29/2012	7.53	25.34	822.03	814.50
MW-0613-S1	10/9/2012	9.96	25.37	822.03	812.07
MW-0613-S1	3/12/2013	8.01	25.37	822.03	814.02
MW-0613-S1	9/24/2013	9.03	25.55	822.03	813.00
MW-0613-S1	4/22/2014	7.97	25.55	822.03	814.06
MW-0613-S1	9/3/2014	9.34	25.55	822.03	812.69
MW-0613-S1	3/10/2015	8.32	24.81	822.03	813.71
MW-0613-S1	9/8/2015	8.49	25.61	822.03	813.54
MW-0613-S1	3/10/2016	7.86	25.78	822.03	814.17
MW-0613-S1	9/7/2016	8.67	25.58	822.03	813.36
MW-0613-S1	11/16/2016	8.76	NM	822.03	813.27
MW-0613-S1	3/3/2017	7.61	25.60	821.47	813.86
MW-0613-S1	9/6/2017	8.02	25.59	821.47	813.45
MW-0613-S1	3/6/2018	8.76	25.77	821.47	812.71
MW-0613-S1	9/12/2018	6.66	25.55	821.47	814.81
MW-0613-S1	3/4/2019	7.30	25.54	821.47	814.17
MW-0613-S1	9/6/2019	8.75	25.60	821.47	812.72
MW-0613-S1	3/4/2020	7.20	25.66	821.47	814.27
MW-0613-S1	3/5/2021	8.54	25.62	821.47	812.93
MW-0613-S1	10/8/2021	8.27	25.60	821.47	813.20
MW-0613-S1	3/1/2022	6.70	25.55	821.47	814.77
MW-0613-S1	10/3/2022	9.76	23.44	821.47	811.71
MW-0614-S2	12/5/2006	9.05	NM	826.81	817.76
MW-0614-S2	3/8/2007	10.33	57.68	826.81	816.48
MW-0614-S2	1/16/2008	13.00	57.80	826.81	813.81
MW-0614-S2	11/11/2008	18.81	57.55	826.81	808.00
MW-0614-S2	2/17/2009	15.45	NM	826.81	811.36
MW-0614-S2	6/12/2009	13.58	NM	826.81	813.23
MW-0614-S2	4/13/2010	12.58	57.80	826.81	814.23
MW-0614-S2	9/5/2010	17.57	58.05	826.81	809.24
MW-0614-S2	4/20/2011	12.97	57.65	826.81	813.84
MW-0614-S2	9/27/2011	15.21	57.90	826.81	811.60
MW-0614-S2	3/29/2012	12.84	57.85	826.81	813.97
MW-0614-S2	10/9/2012	18.27	57.70	826.81	808.54

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0614-S2	3/12/2013	13.25	57.70	826.81	813.56
MW-0614-S2	9/24/2013	15.91	57.91	826.81	810.90
MW-0614-S2	4/22/2014	13.78	57.87	826.81	813.03
MW-0614-S2	9/3/2014	16.43	57.85	826.81	810.38
MW-0614-S2	3/10/2015	15.13	NM	826.81	811.68
MW-0614-S2	9/8/2015	13.36	57.95	826.81	813.45
MW-0614-S2	3/10/2016	13.41	57.88	826.81	813.40
MW-0614-S2	9/7/2016	15.91	57.49	826.81	810.90
MW-0614-S2	11/16/2016	14.86	NM	826.81	811.95
MW-0614-S2	3/3/2017	12.22	57.93	826.22	814.00
MW-0614-S2	9/6/2017	14.30	57.84	826.22	811.92
MW-0614-S2	3/6/2018	11.38	58.44	826.22	814.84
MW-0614-S2	9/12/2018	11.71	57.82	826.22	814.51
MW-0614-S2	3/4/2019	12.20	57.85	826.22	814.02
MW-0614-S2	9/6/2019	16.18	57.90	826.22	810.04
MW-0614-S2	3/4/2020	11.00	57.91	826.22	815.22
MW-0614-S2	3/5/2021	15.86	57.92	826.22	810.36
MW-0614-S2	10/8/2021	16.32	57.82	826.22	809.90
MW-0614-S2	3/1/2022	12.35	57.65	826.22	813.87
MW-0614-S2	10/3/2022	18.01	57.45	826.22	808.21
MW-0616-S1	12/5/2006	6.58	NM	822.06	815.48
MW-0616-S1	3/8/2007	7.11	24.36	822.06	814.95
MW-0616-S1	1/16/2008	7.47	24.50	822.06	814.59
MW-0616-S1	11/11/2008	9.84	24.25	822.06	812.22
MW-0616-S1	2/17/2009	8.31	NM	822.06	813.75
MW-0616-S1	6/12/2009	7.53	NM	822.06	814.53
MW-0616-S1	4/13/2010	7.49	24.30	822.06	814.57
MW-0616-S1	9/5/2010	9.28	24.25	822.06	812.78
MW-0616-S1	4/20/2011	6.39	24.22	822.06	815.67
MW-0616-S1	9/27/2011	7.53	24.40	822.06	814.53
MW-0616-S1	3/29/2012	7.68	24.53	822.06	814.38
MW-0616-S1	10/9/2012	9.32	24.19	822.06	812.74
MW-0616-S1	3/12/2013	8.09	24.19	822.06	813.97
MW-0616-S1	9/24/2013	8.59	24.24	822.06	813.47
MW-0616-S1	4/22/2014	7.83	24.24	822.06	814.23
MW-0616-S1	9/3/2014	8.70	24.21	822.06	813.36
MW-0616-S1	3/10/2015	7.97	22.50	822.06	814.09
MW-0616-S1	9/8/2015	8.29	24.21	822.06	813.77
MW-0616-S1	3/10/2016	7.79	24.17	822.06	814.27
MW-0616-S1	9/7/2016	14.49	24.19	822.06	807.57
MW-0616-S1	11/16/2016	8.87	NM	822.06	813.19
MW-0616-S1	3/3/2017	7.73	24.02	821.29	813.56
MW-0616-S1	9/6/2017	7.84	24.00	821.29	813.45
MW-0616-S1	3/6/2018	7.12	24.24	821.29	814.17
MW-0616-S1	9/12/2018	6.94	24.09	821.29	814.35

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0616-S1	3/4/2019	7.43	24.05	821.29	813.86
MW-0616-S1	9/6/2019	8.75	24.02	821.29	812.54
MW-0616-S1	3/4/2020	7.51	24.10	821.29	813.78
MW-0616-S1	3/5/2021	8.26	23.97	821.29	813.03
MW-0616-S1	10/8/2021	7.88	23.99	821.29	813.41
MW-0616-S1	3/1/2022	7.00	23.98	821.29	814.29
MW-0616-S1	10/3/2022	9.02	24.05	821.29	812.27
MW-0617-S1	3/8/2007	11.18	29.36	826.47	815.29
MW-0617-S1	1/16/2008	11.90	29.50	826.47	814.57
MW-0617-S1	11/11/2008	14.87	29.40	826.47	811.60
MW-0617-S1	2/17/2009	13.07	NM	826.47	813.40
MW-0617-S1	6/12/2009	12.03	NM	826.47	814.44
MW-0617-S1	10/9/2012	14.27	29.41	826.47	812.20
MW-0617-S1	3/12/2013	12.64	29.41	826.47	813.83
MW-0617-S1	9/24/2013	13.38	29.50	826.47	813.09
MW-0617-S1	4/22/2014	12.32	29.47	826.47	814.15
MW-0617-S1	9/3/2014	13.63	29.51	826.47	812.84
MW-0617-S1	3/10/2015	12.72	29.49	826.47	813.75
MW-0617-S1	9/8/2015	12.89	29.30	826.47	813.58
MW-0617-S1	3/10/2016	12.37	29.58	826.47	814.10
MW-0617-S1	9/7/2016	13.05	29.57	826.47	813.42
MW-0617-S1	11/16/2016	13.32	NM	826.47	813.15
MW-0617-S1	3/3/2017	12.04	28.25	826.10	814.06
MW-0617-S1	9/6/2017	12.47	29.50	826.10	813.63
MW-0617-S1	3/6/2018	10.21	29.49	826.10	815.89
MW-0617-S1	9/12/2018	11.08	29.45	826.10	815.02
MW-0617-S1	3/4/2019	11.72	29.49	826.10	814.38
MW-0617-S1	9/6/2019	13.05	29.50	826.10	813.05
MW-0617-S1	3/4/2020	11.72	29.43	826.10	814.38
MW-0617-S1	3/5/2021	12.97	29.54	826.10	813.13
MW-0617-S1	10/8/2021	12.68	29.52	826.10	813.42
MW-0617-S1	3/1/2022	11.08	29.46	826.10	815.02
MW-0617-S1	10/3/2022	13.80	29.50	826.10	812.30
MW-0617-S2	3/8/2007	10.21	63.37	826.66	816.45
MW-0617-S2	1/16/2008	12.80	63.15	826.66	813.86
MW-0617-S2	11/11/2008	18.68	63.20	826.66	807.98
MW-0617-S2	2/17/2009	15.33	NM	826.66	811.33
MW-0617-S2	6/12/2009	13.44	NM	826.66	813.22
MW-0617-S2	6/12/2009	13.44	NM	826.66	813.22
MW-0617-S2	3/10/2016	13.02	NM	826.66	813.64
MW-0617-S2	9/7/2016	15.01	63.22	826.66	811.65
MW-0617-S2	11/16/2016	14.57	63.45	826.66	812.09
MW-0617-S2	3/3/2017	12.22	62.98	826.02	813.80
MW-0617-S2	9/6/2017	14.18	63.27	826.02	811.84
MW-0617-S2	3/6/2018	11.26	62.83	826.02	814.76

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0617-S2	9/12/2018	Unable to locate.			
MW-0617-S2	3/4/2019	12.00	62.75	826.02	814.02
MW-0617-S2	9/6/2019	15.85	62.90	826.02	810.17
MW-0617-S2	3/4/2020	10.83	62.80	826.02	815.19
MW-0617-S2	3/5/2021	15.66	62.98	826.02	810.36
MW-0617-S2	10/8/2021	16.15	63.15	826.02	809.87
MW-0617-S2	3/1/2022	12.06	63.00	826.02	813.96
MW-0617-S2	10/3/2022	17.60	63.80	826.02	808.42
MW-0618-S1	12/5/2006	8.13	NM	824.84	816.71
MW-0618-S1	3/8/2007	9.08	27.00	824.84	815.76
MW-0618-S1	1/16/2008	9.72	27.12	824.84	815.12
MW-0618-S1	11/11/2008	13.07	27.05	824.84	811.77
MW-0618-S1	2/17/2009	11.09	NM	824.84	813.75
MW-0618-S1	6/12/2009	9.94	NM	824.84	814.90
MW-0618-S1	4/13/2010	9.73	27.31	824.84	815.11
MW-0618-S1	9/5/2010	12.32	27.05	824.84	812.52
MW-0618-S1	4/20/2011	9.13	26.99	824.84	815.71
MW-0618-S1	9/27/2011	10.28	27.20	824.84	814.56
MW-0618-S1	3/29/2012	10.06	27.19	824.84	814.78
MW-0618-S1	10/9/2012	12.43	26.99	824.84	812.41
MW-0618-S1	3/12/2013	10.51	26.99	824.84	814.33
MW-0618-S1	9/24/2013	11.48	27.18	824.84	813.36
MW-0618-S1	4/22/2014	10.28	27.17	824.84	814.56
MW-0618-S1	9/3/2014	11.78	27.18	824.84	813.06
MW-0618-S1	3/10/2015	10.68	NM	824.84	814.16
MW-0618-S1	9/8/2015	10.93	27.19	824.84	813.91
MW-0618-S1	3/10/2016	10.25	27.18	824.84	814.59
MW-0618-S1	9/7/2016	11.09	27.17	824.84	813.75
MW-0618-S1	11/16/2016	16.59	NM	824.84	808.25
MW-0618-S1	3/3/2017	10.01	27.21	824.22	814.21
MW-0618-S1	9/6/2017	10.43	27.20	824.22	813.79
MW-0618-S1	3/6/2018	9.10	27.24	824.22	815.12
MW-0618-S1	9/12/2018	8.86	27.20	824.22	815.36
MW-0618-S1	3/4/2019	9.62	27.15	824.22	814.60
MW-0618-S1	9/6/2019	Well access blocked via dumpster.			
MW-0618-S1	3/4/2020	9.65	27.22	824.22	814.57
MW-0618-S1	3/5/2021	11.07	27.21	824.22	813.15
MW-0618-S1	10/8/2021	10.72	27.19	824.22	813.50
MW-0618-S1	3/1/2022	9.01	27.14	824.22	815.21
MW-0618-S1	10/3/2022	12.21	27.14	824.22	812.01
MW-0619-S1	12/5/2006	10.13	NM	827.46	817.33
MW-0619-S1	3/8/2007	11.12	26.07	827.46	816.34
MW-0619-S1	1/16/2008	11.88	26.20	827.46	815.58
MW-0619-S1	11/11/2008	15.29	26.10	827.46	812.17
MW-0619-S1	2/17/2009	13.51	NM	827.46	813.95

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0619-S1	6/12/2009	12.03	NM	827.46	815.43
MW-0619-S1	10/9/2012	14.69	26.07	827.46	812.77
MW-0619-S1	3/12/2013	12.85	26.07	827.46	814.61
MW-0619-S1	9/24/2013	13.65	26.25	827.46	813.81
MW-0619-S1	4/22/2014	12.34	26.24	827.46	815.12
MW-0619-S1	9/3/2014	14.02	26.26	827.46	813.44
MW-0619-S1	3/10/2015	12.93	26.24	827.46	814.53
MW-0619-S1	9/8/2015	13.05	26.26	827.46	814.41
MW-0619-S1	3/10/2016	12.55	26.33	827.46	814.91
MW-0619-S1	9/7/2016	13.33	26.21	827.46	814.13
MW-0619-S1	11/16/2016	13.61	NM	827.46	813.85
MW-0619-S1	3/3/2017	12.07	26.02	826.12	814.05
MW-0619-S1	9/6/2017	12.57	26.26	826.12	813.55
MW-0619-S1	3/6/2018	11.07	26.22	826.12	815.05
MW-0619-S1	9/12/2018	11.00	26.20	826.12	815.12
MW-0619-S1	3/4/2019	11.68	26.23	826.12	814.44
MW-0619-S1	9/6/2019	13.25	26.20	826.12	812.87
MW-0619-S1	3/4/2020	11.88	26.20	826.12	814.24
MW-0619-S1	3/5/2021	13.29	26.20	826.12	812.83
MW-0619-S1	10/8/2021	12.90	26.10	826.12	813.22
MW-0619-S1	3/1/2022	11.10	26.15	826.12	815.02
MW-0619-S1	10/25/2022	14.68	25.80	826.12	811.44
MW-0621-S1	12/5/2006	9.53	NM	826.72	817.19
MW-0621-S1	3/8/2007	10.49	24.55	826.72	816.23
MW-0621-S1	1/16/2008	11.19	24.66	826.72	815.53
MW-0621-S1	11/11/2008	14.62	24.58	826.72	812.10
MW-0621-S1	2/17/2009	12.84	NM	826.72	813.88
MW-0621-S1	6/12/2009	11.39	NM	826.72	815.33
MW-0621-S1	4/13/2010	11.15	24.63	826.72	815.57
MW-0621-S1	9/5/2010	13.86	24.62	826.72	812.86
MW-0621-S1	4/20/2011	10.68	24.54	826.72	816.04
MW-0621-S1	9/27/2011	11.81	24.78	826.72	814.91
MW-0621-S1	3/29/2012	11.47	24.71	826.72	815.25
MW-0621-S1	10/9/2012	14.05	24.61	826.72	812.67
MW-0621-S1	3/12/2013	12.19	24.61	826.72	814.53
MW-0621-S1	9/24/2013	13.00	24.73	826.72	813.72
MW-0621-S1	4/22/2014	11.71	24.72	826.72	815.01
MW-0621-S1	9/3/2014	13.31	24.74	826.72	813.41
MW-0621-S1	3/10/2015	12.28	24.73	826.72	814.44
MW-0621-S1	9/8/2015	12.38	24.53	826.72	814.34
MW-0621-S1	3/10/2016	11.90	24.85	826.72	814.82
MW-0621-S1	9/7/2016	12.76	24.76	826.72	813.96
MW-0621-S1	11/16/2016	12.92	NM	826.72	813.80
MW-0621-S1	3/3/2017	11.47	24.57	826.14	814.67
MW-0621-S1	9/6/2017	11.91	24.75	826.14	814.23

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0621-S1	3/6/2018	10.42	24.78	826.14	815.72
MW-0621-S1	9/12/2018	10.40	24.73	826.14	815.74
MW-0621-S1	3/4/2019	11.05	24.73	826.14	815.09
MW-0621-S1	9/6/2019	12.63	24.75	826.14	813.51
MW-0621-S1	3/4/2020	11.23	24.70	826.14	814.91
MW-0621-S1	3/5/2021	12.71	24.79	826.14	813.43
MW-0621-S1	10/8/2021	14.48	24.75	826.14	811.66
MW-0621-S1	3/1/2022	10.45	24.72	826.14	815.69
MW-0621-S1	10/3/2022	13.30	24.80	826.14	812.84
MW-0623-S1	3/8/2007	12.37	25.04	829.09	816.72
MW-0623-S1	1/16/2008	13.17	25.17	829.09	815.92
MW-0623-S1	11/11/2008	16.58	25.18	829.09	812.51
MW-0623-S1	2/17/2009	14.96	NM	829.09	814.13
MW-0623-S1	6/12/2009	13.37	NM	829.09	815.72
MW-0623-S1	4/13/2010	13.00	25.10	829.09	816.09
MW-0623-S1	9/5/2010	15.79	25.10	829.09	813.30
MW-0623-S1	4/20/2011	12.62	25.00	829.09	816.47
MW-0623-S1	9/27/2011	13.80	25.26	829.09	815.29
MW-0623-S1	3/29/2012	13.32	25.20	829.09	815.77
MW-0623-S1	10/9/2012	16.04	25.05	829.09	813.05
MW-0623-S1	3/12/2013	14.23	25.05	829.09	814.86
MW-0623-S1	9/24/2013	14.94	25.22	829.09	814.15
MW-0623-S1	4/22/2014	13.53	25.21	829.09	815.56
MW-0623-S1	9/3/2014	15.31	25.23	829.09	813.78
MW-0623-S1	3/10/2015	14.27	25.25	829.09	814.82
MW-0623-S1	9/8/2015	14.83	23.43	829.09	814.26
MW-0623-S1	3/10/2016	14.86	25.34	829.09	814.23
MW-0623-S1	9/7/2016	14.58	25.26	829.09	814.51
MW-0623-S1	11/16/2016	14.93	NM	829.09	814.16
MW-0623-S1	3/3/2017	13.37	25.00	828.47	815.10
MW-0623-S1	9/6/2017	13.88	25.25	828.47	814.59
MW-0623-S1	3/6/2018	12.28	25.25	828.47	816.19
MW-0623-S1	9/12/2018	12.22	25.25	828.47	816.25
MW-0623-S1	3/4/2019	12.92	25.25	828.47	815.55
MW-0623-S1	9/6/2019	14.50	25.18	828.47	813.97
MW-0623-S1	3/4/2020	13.30	25.30	828.47	815.17
MW-0623-S1	3/5/2021	14.84	25.28	828.47	813.63
MW-0623-S1	10/8/2021	14.20	25.27	828.47	814.27
MW-0623-S1	3/1/2022	12.33	25.22	828.47	816.14
MW-0623-S1	10/3/2022	NM	NM	828.47	NM
MW-0704-S1	1/16/2008	9.84	29.31	825.38	815.54
MW-0704-S1	11/11/2008	13.15	29.20	825.38	812.22
MW-0704-S1	2/17/2009	11.27	NM	825.38	814.11
MW-0704-S1	6/12/2009	10.04	NM	825.38	815.34
MW-0704-S1	4/13/2010	9.83	29.23	825.38	815.55

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0704-S1	9/5/2010	12.38	29.20	825.38	813.00
MW-0704-S1	4/20/2011	9.26	29.17	825.38	816.12
MW-0704-S1	9/27/2011	10.39	29.39	825.38	814.99
MW-0704-S1	3/29/2012	10.14	29.35	825.38	815.24
MW-0704-S1	10/9/2012	12.52	29.16	825.38	812.86
MW-0704-S1	3/12/2013	10.67	29.16	825.38	814.71
MW-0704-S1	9/24/2013	11.55	29.36	825.38	813.83
MW-0704-S1	4/22/2014	10.38	29.36	825.38	815.00
MW-0704-S1	9/3/2014	11.86	29.33	825.38	813.52
MW-0704-S1	3/10/2015	10.80	29.28	825.38	814.58
MW-0704-S1	9/8/2015	11.01	29.39	825.38	814.37
MW-0704-S1	3/10/2016	10.41	29.38	825.38	814.97
MW-0704-S1	9/7/2016	11.20	29.37	825.38	814.18
MW-0704-S1	11/16/2016	11.66	NM	825.38	813.72
MW-0704-S1	3/3/2017	10.09	29.38	824.44	814.35
MW-0704-S1	9/6/2017	10.54	29.34	824.44	813.90
MW-0704-S1	3/6/2018	9.14	29.58	824.44	815.30
MW-0704-S1	9/12/2018	9.05	29.30	824.44	815.39
MW-0704-S1	3/4/2019	9.71	29.32	824.44	814.73
MW-0704-S1	9/6/2019	11.22	29.35	824.44	813.22
MW-0704-S1	3/4/2020	9.27	29.42	824.44	815.17
MW-0704-S1	3/5/2021	11.17	29.40	824.44	813.27
MW-0704-S1	10/8/2021	19.82	29.39	824.44	804.62
MW-0704-S1	3/1/2022	9.06	29.32	824.44	815.38
MW-0704-S1	10/3/2022	12.22	29.45	824.44	812.22
MW-0705-S1	1/16/2008	11.20	25.78	826.16	814.96
MW-0705-S1	11/11/2008	13.71	25.68	826.16	812.45
MW-0705-S1	2/17/2009	11.86	NM	826.16	814.30
MW-0705-S1	6/12/2009	10.79	NM	826.16	815.37
MW-0705-S1	10/9/2012	13.10	25.65	826.16	813.06
MW-0705-S1	3/12/2013	11.31	25.65	826.16	814.85
MW-0705-S1	9/24/2013	12.20	25.85	826.16	813.96
MW-0705-S1	4/22/2014	11.09	25.82	826.16	815.07
MW-0705-S1	9/3/2014	12.50	25.82	826.16	813.66
MW-0705-S1	3/10/2015	11.91	25.80	826.16	814.25
MW-0705-S1	9/8/2015	11.67	25.87	826.16	814.49
MW-0705-S1	3/10/2016	11.08	25.85	826.16	815.08
MW-0705-S1	9/7/2016	11.83	25.83	826.16	814.33
MW-0705-S1	11/16/2016	12.09	NM	826.16	814.07
MW-0705-S1	3/3/2017	10.86	25.88	824.79	813.93
MW-0705-S1	9/6/2017	11.23	25.80	824.79	813.56
MW-0705-S1	3/6/2018	9.93	26.13	824.79	814.86
MW-0705-S1	9/12/2018	9.81	25.81	824.79	814.98
MW-0705-S1	3/4/2019	10.45	25.80	824.79	814.34
MW-0705-S1	9/6/2019	11.94	25.80	824.79	812.85

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0705-S1	3/4/2020	10.44	25.85	824.79	814.35
MW-0705-S1	3/5/2021	11.73	25.84	824.79	813.06
MW-0705-S1	10/8/2021	11.45	25.37	824.79	813.34
MW-0705-S1	3/1/2022	9.91	25.80	824.79	814.88
MW-0705-S1	10/3/2022	12.28	25.84	824.79	812.51
MW-2201-S1	10/3/2022	14.70	18.80	NS	NS
MW-2202-S1	10/25/2022	14.70	18.80	NS	NS
MW-2203-S1	10/3/2022	13.88	14.27	NS	NS
MW-2204-S1	10/3/2022	13.60	27.90	NS	NS
MW-2205-S1	10/3/2022	13.90	26.70	NS	NS
MW-2206-S1	10/3/2022	13.80	26.80	NS	NS
MW-2207-S1	10/3/2022	13.60	24.40	NS	NS
MW-2208-S1	10/3/2022	13.00	20.90	NS	NS
MW-2210-S1	10/3/2022	12.70	22.50	NS	NS
MW-2211-S1	10/3/2022	13.50	25.70	NS	NS
MW-2212-S1	10/3/2022	13.30	24.90	NS	NS
MW-2213-S1	10/3/2022	14.20	19.80	NS	NS

Notes:

* : Monitoring wells re-surveyed March 2017 by John H. Stephens R.L.S, Inc.
 AMSL: Above mean sea level
 NM: Reading not collected
 NS: Monitoring well not surveyed

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0503-S1	10/18/2005	MW-0503-1L (101805)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/24/2006	MW-0503-S1 (032406)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	6/25/2009	MW-0503-S1 (062509)	Low-Flow	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0503-S1	10/31/2012	MW-0503-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	4/2/2013	MW-0503-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	10/16/2013	MW-0503-S1(101613)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	5/13/2014	MW-0503-S1 (051314)	PDB	< 5.0 U	66.9 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	9/25/2014	MW-0503-S1(092514)PDB	PDB	< 5.0 U	118	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/31/2015	MW-0503-S1(033115)-PDB	PDB	< 5.0 U	< 100 U	0.63 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	9/30/2015	MW-0503-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/30/2016	MW-0503-S1(033016)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	9/27/2016	MW-0503-S1(092716)PDB	PDB	< 5.0 U	217 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/24/2017	MW-0503-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	9/27/2017	MW-0503-S1 (0-2717)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0503-S1	3/27/2018	MW-0503-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	10/4/2018	MW-0503-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/26/2019	MW-0503-S1 (32619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	9/27/2019	MW-0503-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/27/2020	MW-0503-S1 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	10/8/2020	MW-0503-S1(100820)	PDB	< 5.0 U	33.7 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/29/2021	MW-0503-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	10/29/2021	MW-0503-S1 (102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/23/2022	MW-0503-S1 (032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	10/24/2022	MW-0503-S1 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0504-S1	10/18/2005	MW-0504-1L (101805)	Low-Flow	13	< 50.0 U	1,500	660	62	16
MW-0504-S1	3/27/2006	MW-0504-S1 (032706)	Low-Flow	15	< 50.0 U	1,400	1,200	90	23
MW-0504-S1	11/20/2006	MW-0504-S1 (112006)	Direct fill	10	< 50.0 U	1,400	700	91	17
MW-0504-S1	10/31/2012	MW-0504-S1(103112)PDB	PDB	7.6	< 100 U	3,040 D	1,030 D	132	20.9
MW-0504-S1	4/2/2013	MW-0504-S1 (040213) PDB	PDB	9.9	< 100 U	3,370 EJ	1,120 EJ	188 EJ	25.2
MW-0504-S1	10/16/2013	MW-0504-S1(101613)	PDB	10.4	< 100 U	3,240 D	1,020 D	175	22.9
MW-0504-S1	5/13/2014	MW-0504-S1 (051314)	PDB	7.8	57.3 UB	2,740 D	826 D	154	24.4
MW-0504-S1	9/25/2014	MW-0504-S1(092514)PDB	PDB	4.8 J	< 100 U	2,540 D	749 D	109	14.7
MW-0504-S1	3/31/2015	MW-0504-S1(033115)-PDB	PDB	8.9	< 100 U	3,010 D	909 D	183	24.1
MW-0504-S1	9/30/2015	MW-0504-S1(093015)PDB	PDB	9.5	< 100 UB	3,000 D	923 D	179	19.4
MW-0504-S1	3/9/2016	MW-0504-S1(030916)	Low-Flow	< 25.0 U	< 500 U	1,820 D	571	92.2	8.9 J
MW-0504-S1	9/27/2016	MW-0504-S1(092716)PDB	PDB	< 50.0 U	< 1,000 U	2,620	661	105	< 20.0 U
MW-0504-S1	3/24/2017	MW-0504-S1(032417)PDB	PDB	< 25.0 U	< 500 U	2,640 D	839	124	19.7
MW-0504-S1	9/27/2017	MW-0504-S1 (092717)	PDB	< 25.0 U	< 500 U	2,520	714	108	13.3 J
MW-0504-S1	3/27/2018	MW-0504-S1 (032718)	PDB	< 25.0 U	< 500 U	665	260	31.2	< 10.0 U
MW-0504-S1	10/4/2018	MW-0504-S1 (100418)	PDB	< 25.0 U	< 500 U	1,890	507	75.2	12.7
MW-0504-S1	3/26/2019	MW-0504-S1 (032619)	PDB	< 25.0 U	< 500 U	2,210	748	114	16.0
MW-0504-S1	9/27/2019	MW-0504-S1(092719)	PDB	5.9	< 100 U	1,730	536	88.7	10.4
MW-0504-S1	3/27/2020	MW-0504-S1 (032720)	PDB	5.8	8.6 J	1,750	559	95.9	13.2
MW-0504-S1	10/8/2020	MW-0504-S1(100820)	PDB	< 125 U	< 2,500 U	2,120	657	96.0 J	14.4 J
MW-0504-S1	3/29/2021	MW-0504-S1(032921)	PDB	6.4	< 100 U	2,010	583	115	11.1
MW-0504-S1	10/29/2021	MW-0504-S1(102921)	PDB	4.5 J	< 100 UB	806	538	54.9	0.23 J
MW-0504-S1	3/23/2022	MW-0504-S1 (032322)	PDB	< 25.0 U	< 500 U	2,160	933	121	15.4
MW-0504-S1	7/27/2022	MW-0504-S1 (072722)	PDB	3.7 J	< 100 U	826	307	69.6	8.9 J+
MW-0504-S1	10/24/2022	DUP-01 (102422)	PDB	6.9	< 100 UB	1,960	738	103	13.3
MW-0504-S1	10/24/2022	MW-0504-S1 (102422)	PDB	6.7	< 100 UB	1,930	709	103	13.1
MW-0505-S1	10/19/2005	FD-3 (101905)	Low-Flow	< 5.0 U	< 50.0 U	29	24	< 5.0 U	< 2.0 U
MW-0505-S1	10/19/2005	MW-0505-1L (101905)	Low-Flow	< 5.0 U	< 50.0 U	31	25	< 5.0 U	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0505-S1	3/23/2006	MW-0505-S1 (032306)	Low-Flow	< 5.0 U	< 50.0 U	6.0	19	< 5.0 U	< 2.0 U
MW-0505-S1	6/24/2009	MW-0505-S1 (062409)	Low-Flow	< 5 U	< 100 UJ	< 5 U	7.9	< 5 U	< 2 U
MW-0505-S1	10/31/2012	MW-0505-S1(103112)PDB	PDB	< 5.0 U	< 100 U	2.7 J	5.9	< 5.0 U	< 2.0 U
MW-0505-S1	9/25/2014	MW-0505-S1(092514)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	6.6	< 5.0 U	< 2.0 U
MW-0505-S1	3/31/2015	MW-0505-S1(033115)-PDB	PDB	< 5.0 U	< 100 U	0.75 J	8.3	< 5.0 U	< 2.0 U
MW-0505-S1	9/30/2015	MW-0505-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	0.33 J	8.3	< 5.0 U	< 2.0 U
MW-0505-S1	3/30/2016	MW-0505-S1(033016)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	6.8	< 5.0 U	< 2.0 U
MW-0505-S1	9/27/2016	MW-0505-S1(092716)PDB	PDB	< 5.0 U	< 100 U	7.6	5.1	< 5.0 U	< 2.0 U
MW-0505-S1	3/24/2017	MW-0505-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S1	9/27/2017	MW-0505-S1 (092717)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0505-S1	3/27/2018	MW-0505-S1 (032718)	PDB	< 5.0 U	6.5 J	< 5.0 UB	4.2 J	< 5.0 U	< 2.0 U
MW-0505-S1	10/4/2018	MW-0505-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S1	3/26/2019	MW-0505-S1 (032619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S1	9/27/2019	MW-0505-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S1	3/27/2020	MW-0505-S1 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S1	10/8/2020	MW-0505-S1(100820)	PDB	< 5.0 U	17.8 J	< 5.0 U	< 5 UB	< 5.0 U	< 2.0 U
MW-0505-S1	3/29/2021	MW-0505-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	2.6 J	< 5.0 U	< 2.0 U
MW-0505-S1	10/29/2021	MW-0505-S1(102921)	PDB	< 5.0 U	< 100 UB	< 5 UB	1.9 J	< 5.0 U	< 2.0 U
MW-0505-S1	3/23/2022	MW-0505-S1(032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	3.0 J	< 5.0 U	< 2.0 U
MW-0505-S1	11/21/2022	MW-0505-S1 (112122)	PDB	< 5.0 U	105	< 5.0 U	2.4 J	< 5.0 U	< 2.0 U
MW-0506-S1	10/19/2005	MW-0506-1L (101905)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	1/3/2006	MW-0506-1L (01/03/06)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/27/2006	FD-1 (032706)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/27/2006	MW-0506-S1 (032706)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	6/24/2009	MW-0506-S1 (062409)	Low-Flow	< 5 U	< 100 UJ	7.2	13.9	< 5 U	< 2 U
MW-0506-S1	10/31/2012	FD-1(103112)PDB-JG	PDB	< 5.0 U	< 100 U	< 5.0 U	4.6 J	< 5.0 U	< 2.0 U
MW-0506-S1	10/31/2012	FD-3(103112)LF-WK	Low-Flow	< 5.0 U	< 100 U	453 D	646 D	72.8	< 2.0 U
MW-0506-S1	10/31/2012	MW-0506-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	5.4	< 5.0 U	< 2.0 U
MW-0506-S1	4/2/2013	MW-0506-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	36.3 J	13.3 J	< 5.0 U	< 2.0 U
MW-0506-S1	10/16/2013	MW-0506-S1(101613)	PDB	< 5.0 U	< 100 U	< 5.0 U	3.4 J	< 5.0 U	< 2.0 U
MW-0506-S1	5/13/2014	MW-0506-S1 (051314)	PDB	< 5.0 U	56.7 UB	< 5.0 U	3.2 J	< 5.0 U	< 2.0 U
MW-0506-S1	9/25/2014	MW-0506-S1(092514)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	2.7 J	< 5.0 U	< 2.0 U
MW-0506-S1	3/31/2015	MW-0506-S1(033115)-PDB	PDB	< 5.0 U	< 100 U	0.37 J	2.5 J	< 5.0 U	< 2.0 U
MW-0506-S1	9/30/2015	MW-0506-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	1.2 J	< 5.0 U	< 2.0 U
MW-0506-S1	3/30/2016	MW-0506-S1(033016)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	9/27/2016	MW-0506-S1(092716)PDB	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/24/2017	MW-0506-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	9/27/2017	MW-0506-S1 (092717)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0506-S1	3/27/2018	MW-0506-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	1.5 J	< 5.0 U	< 2.0 U
MW-0506-S1	10/4/2018	MW-0506-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/26/2019	MW-0506-S1 (032619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	9/27/2019	MW-0506-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/27/2020	MW-0506-S1 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	1.6 J	0.92 J	< 2.0 U
MW-0506-S1	10/8/2020	MW-0506-S1(100820)	PDB	< 5.0 U	13.9 J	< 5.0 U	< 5 UB	< 5.0 U	< 2.0 U
MW-0506-S1	3/29/2021	MW-0506-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	2.8 J	0.64 J	< 2.0 U
MW-0506-S1	10/29/2021	MW-0506-S1 (102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	2.1 J	1.3 J	< 2.0 U
MW-0506-S1	3/23/2022	MW-0506-S1 (032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	2.1 J	1.0 J	< 2.0 U
MW-0506-S1	10/24/2022	MW-0506-S1 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	2.4 J	1.2 J	< 2.0 U
MW-0507-S1	10/19/2005	MW-0507-1L (101905)	Low-Flow	39	< 50.0 U	16	83	< 5.0 U	< 2.0 U
MW-0507-S1	3/27/2006	MW-0507-S1 (032706)	Low-Flow	190	< 50.0 U	52	310	6.0	< 2.0 U
MW-0507-S1	10/31/2012	MW-0507-S1(103112)PDB	PDB	< 5.0 U	< 100 U	4.7 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0507-S1	4/2/2013	MW-0507-S1 (040213) PDB	PDB	8.3	< 100 U	10.1 J	27.6	< 5.0 U	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
 RACER Trust Former GM Delco Plant 5
 Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0507-S1	10/16/2013	MW-0507-S1(101613)	PDB	6.6	< 100 U	1.9 J	19.9	< 5.0 U	< 2.0 U
MW-0507-S1	5/13/2014	MW-0507-S1 (051314)	PDB	< 5.0 U	< 100 U	< 5.0 U	3.2 J	< 5.0 U	< 2.0 U
MW-0507-S1	9/25/2014	MW-0507-S1(092514)PDB	PDB	< 5.0 U	< 100 U	2.8 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0507-S1	3/31/2015	MW-0507-S1(033115)-PDB	PDB	15.3	< 100 U	5.6	60.0	1.1 J	< 2.0 U
MW-0507-S1	9/30/2015	MW-0507-S1(093015)PDB	PDB	27.7	< 100 UB	3.7 J	83.8	1.8 J	< 2.0 U
MW-0507-S1	3/30/2016	MW-0507-S1(033016)PDB	PDB	24.4	< 100 U	5.1	75.8	< 5.0 U	< 2.0 U
MW-0507-S1	9/27/2016	MW-0507-S1(092716)PDB	PDB	< 5.0 U	< 100 UJ	< 5.0 U	9.9	< 5.0 U	< 2.0 U
MW-0507-S1	3/24/2017	MW-0507-S1(032417)PDB	PDB	28.7	< 100 U	< 5.0 U	81.1	< 5.0 U	< 2.0 U
MW-0507-S1	9/27/2017	MW-0507-S1 (0-2717)	PDB	21.1	< 100 UJ	< 5.0 U	53.9	< 5.0 U	< 2.0 U
MW-0507-S1	3/27/2018	MW-0507-S1 (032718)	PDB	19.5	< 100 U	45.4	73.7	1.1 J	< 2.0 U
MW-0507-S1	10/4/2018	MW-0507-S1 (100418)	PDB	41.1	< 100 U	< 5.0 U	135	< 5.0 U	< 2.0 U
MW-0507-S1	3/26/2019	MW-0507-S1 (32619)	PDB	36.6	< 100 U	< 5.0 U	140	< 5.0 U	< 2.0 U
MW-0507-S1	9/27/2019	MW-0507-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	5.1	< 5.0 U	< 2.0 U
MW-0507-S1	3/27/2020	MW-0507-S1 (032720)	PDB	41.2	< 100 U	4.3 J	127	2.1 J	< 2.0 U
MW-0507-S1	10/8/2020	MW-0507-S1(100820)	PDB	3.7 J	14.2 J	< 5.0 U	12.1	< 5.0 U	0.27 J
MW-0507-S1	3/29/2021	MW-0507-S1(032921)	PDB	8.9	< 100 U	1.8 J	31.9	0.95 J	< 2.0 U
MW-0507-S1	10/29/2021	MW-0507-S1 (102921)	PDB	11.6	< 100 UB	< 5 UB	51.2	1.1 J	< 2.0 U
MW-0507-S1	3/23/2022	MW-0507-S1 (032322)	PDB	44.6	< 100 UB	3.7 J	171	2.9 J	< 2.0 U
MW-0507-S1	10/24/2022	MW-0507-S1 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	0.82 J	< 5.0 U	< 2.0 U
MW-0509-S1	10/19/2005	MW-0509-1L (101905)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/23/2006	MW-0509-S1 (032306)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	6/24/2009	MW-0509-S1 (062409)	Low-Flow	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0509-S1	10/31/2012	MW-0509-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	4/2/2013	MW-0509-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	1.1 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	10/16/2013	MW-0509-S1(101613)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	5/13/2014	MW-0509-S1 (051314)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	9/25/2014	MW-0509-S1(092514)PDB	PDB	< 5.0 U	87.4 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/31/2015	MW-0509-S1(033115)-PDB	PDB	< 5.0 U	< 100 UB	0.56 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	9/30/2015	MW-0509-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	0.53 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/30/2016	MW-0509-S1(033016)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	9/27/2016	MW-0509-S1(092716)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/24/2017	MW-0509-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	9/27/2017	MW-0509-S1 (092717)	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/27/2018	MW-0509-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	10/4/2018	MW-0509-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/26/2019	MW-0509-S1 (32619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	9/27/2019	MW-0509-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/27/2020	MW-0509-S1 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	10/8/2020	MW-0509-S1(100820)	PDB	< 5.0 U	13.9 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/29/2021	MW-0509-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	10/29/2021	MW-0509-S1(102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	3/23/2022	MW-0509-S1(032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0509-S1	10/24/2022	MW-0509-S1 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/19/2005	MW-0516-2L (101905)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/23/2006	MW-0516-S1 (032306)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-LF	Low-Flow	< 5 U	< 100 UJ	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-PDB	PDB	< 5 U	< 100 UJ	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/5/2010	MW-0516-S1 (050510)	PDB	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/6/2010	MW-0516-S1 (050610)LF	Low-Flow	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	10/28/2010	MW-0516-S1(102810)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2011	MW-0516-S1(051311)	PDB	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0516-S1	10/18/2011	MW-0516-S1(101811)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria

RACER Trust Former GM Delco Plant 5

Kokomo, Indiana

Design & Consultancy
for natural and
built assets

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0516-S1	10/31/2012	MW-0516-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	4/2/2013	MW-0516-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/16/2013	MW-0516-S1(101613)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2014	MW-0516-S1(051314)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/25/2014	MW-0516-S1(092514)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/31/2015	MW-0516-S1(033115)-PDB	PDB	< 5.0 U	< 100 U	0.26 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/30/2015	MW-0516-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	FD-1(033016)-LM	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	MW-0516-S1(033016)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2016	MW-0516-S1(091716)PDB	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/24/2017	MW-0516-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2017	MW-0516-S1 (092717)	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/27/2018	MW-0516-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/4/2018	MW-0516-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/26/2019	MW-0516-S1 (032619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2019	MW-0516-S1(092719)	PDB	< 5.0 U	32.0 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/27/2020	MW-0516-S1 (032720)	PDB	< 5.0 U	5.0 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/8/2020	MW-0516-S1(100820)	PDB	< 5.0 U	13.1 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/29/2021	MW-0516-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/29/2021	MW-0516-S1(102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/23/2022	MW-0516-S1(032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/24/2022	MW-0516-S1 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0517-S1	10/18/2005	MW-0517-1L (101805)	Low-Flow	8.4 J	< 50.0 UJ	690 J	370 J	42 J	15 J
MW-0517-S1	3/22/2006	MW-0517-S1 (032206)	Low-Flow	10	< 50.0 U	1,800	900	65	30
MW-0517-S1	10/31/2012	MW-0517-S1(103112)PDB	PDB	< 5.0 U	< 100 U	103	37.0	18.8	< 2.0 U
MW-0517-S1	4/2/2013	FD-1 (040213) JG	PDB	6.1	< 100 U	6,440 D	593 D	77.4	1.6 J
MW-0517-S1	4/2/2013	MW-0517-S1 (040213) PDB	PDB	6.1	< 100 U	6,270 EJ	572 EJ	80.4	1.9 J
MW-0517-S1	10/16/2013	FD-1(101613)-WK	PDB	< 5.0 U	< 100 U	2,570 D	322 D	68.7	3.1
MW-0517-S1	10/16/2013	MW-0517-S1(101613)	PDB	< 5.0 U	< 100 U	2,010 D	270 D	65.1	3.0
MW-0517-S1	5/13/2014	FD-1(051314)	PDB	< 50.0 U	< 1,000 U	4,240 D	505	58.6	< 20.0 U
MW-0517-S1	5/13/2014	MW-0517-S1(051314)	PDB	4.3 J	< 100 UB	2,830 D	582 D	84.5	2.7
MW-0517-S1	9/25/2014	MW-0517-S1(092514)PDB	PDB	< 5.0 U	< 100 U	2,200 D	303 D	62.3	2.4
MW-0517-S1	3/31/2015	FD-1(033115)-AO-PDB	PDB	2.0 J	< 500 U	2,550 D	478	67.7	3.9 J
MW-0517-S1	3/31/2015	MW-0517-S1(033115)-PDB	PDB	< 25.0 U	< 500 U	2,940 D	512	70.9	4.7 J
MW-0517-S1	9/30/2015	FD-1(093015)-CK	PDB	< 5.0 U	< 100 UB	312 D	80.7	44.5	< 2.0 U
MW-0517-S1	9/30/2015	MW-0517-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	346 D	78.0	44.8	< 2.0 U
MW-0517-S1	3/9/2016	FD-01(030916)	Low-Flow	< 25.0 U	< 500 U	3,720 D	601	72.0	< 10.0 U
MW-0517-S1	3/9/2016	MW-0517-S1(030916)	Low-Flow	< 25.0 U	< 500 U	3,570 D	600	74.3	< 10.0 U
MW-0517-S1	9/27/2016	FD-1(092716)RW	PDB	< 5.0 U	< 100 UJ	809 D	145	40.6	< 2.0 U
MW-0517-S1	9/27/2016	MW-0517-S1(092716)PDB	PDB	< 5.0 U	< 100 UJ	760 D	145	42.0	< 2.0 U
MW-0517-S1	3/24/2017	FD-1(032417)-LF	Low-Flow	< 25.0 U	< 500 U	5,220 D	1,000	94.5	< 10.0 U
MW-0517-S1	3/24/2017	MW-0517-S1(032417)PDB	PDB	< 25.0 U	< 500 U	4,740 D	1,030	92.2	< 10.0 U
MW-0517-S1	9/27/2017	FD-1 (092717)		< 5.0 U	< 100 UJ	127	44.9	25.2	< 2.0 U
MW-0517-S1	9/27/2017	MW-0517-S1 (092717)	PDB	< 5.0 U	< 100 UJ	130	43.3	25.1	< 2.0 U
MW-0517-S1	3/27/2018	FD-1 (032718)		< 25.0 U	< 500 U	4,400	786	77.6	< 10.0 U
MW-0517-S1	3/27/2018	MW-0517-S1 (032718)	PDB	< 25.0 U	< 500 U	4,480	816	77.0	< 10.0 U
MW-0517-S1	10/4/2018	FD-1-(100418)-KA	PDB	< 25.0 U	< 500 U	1,040	194	44.3	< 10.0 U
MW-0517-S1	10/4/2018	MW-0517-S1 (100418)	PDB	< 25.0 U	< 500 U	985	216	41.3	< 10.0 U
MW-0517-S1	3/26/2019	FD-1 (32619)-KA	PDB	< 25.0 U	< 500 U	5,810	1,390	97.3 J	< 10.0 U
MW-0517-S1	3/26/2019	MW-0517-S1 (32619)	PDB	< 25.0 U	< 500 U	6,650	1,450	64.0 J	< 10.0 U
MW-0517-S1	9/27/2019	FD-1(092719)	PDB	< 25.0 U	< 500 U	556	153	34.7	< 10.0 U
MW-0517-S1	9/27/2019	MW-0517-S1(092719)	PDB	< 25.0 U	< 500 U	530	148	34.3	< 10.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0517-S1	3/27/2020	FD-1 (032720) DH	PDB	< 500 U	< 10,000 U	4,930	935	116 J	< 200 U
MW-0517-S1	3/27/2020	MW-0517-S1 (032720)	PDB	< 25.0 U	< 500 U	5,300	993	87.8	< 10.0 U
MW-0517-S1	10/8/2020	FD-1(100820)-SO	PDB	1.5 J	15.1 J	1,450	329	79.8	1.1 J
MW-0517-S1	10/8/2020	MW-0517-S1(100820)	PDB	< 25.0 U	< 500 U	1,500	366	66.0	< 10.0 U
MW-0517-S1	3/29/2021	DUP-3(032921)	PDB	3.6 J	< 100 U	5,260	890	119	1.4 J
MW-0517-S1	3/29/2021	MW-0517-S1(032921)	PDB	3.7 J	< 100 U	4,150	776	120	1.3 J
MW-0517-S1	10/29/2021	FD-1(102921)	PDB	< 25.0 U	< 500 UB	3,450	760	122	2.6 J
MW-0517-S1	10/29/2021	MW-0517-S1(102921)	PDB	< 50.0 U	< 1,000 UB	4,030	761	114	< 20.0 U
MW-0517-S1	3/23/2022	FD-1(032322)-CS	PDB	3.3 J	< 100 U	4,180 J	984	109	3.5 J
MW-0517-S1	3/23/2022	MW-0517-S1(032322)	PDB	< 50.0 U	< 1,000 UB	6,120 J	989	103	< 20.0 U
MW-0517-S1	7/27/2022	MW-0517-S1 (072722)	PDB	3.2 J	< 100 U	3,350 J-	910	114	7.4
MW-0517-S1	8/26/2022	MW-0517-S1 (082622)	PDB	< 5.0 U	< 100 U	2,140	532	78.8	2.1
MW-0517-S1	9/26/2022	MW-0517-S1 (09262022)	PDB	2.2 J	< 100 U	2,960	765	106	2.8
MW-0517-S1	10/25/2022	MW-0517-S1(102522)	Bailer	< 25.0 U	< 500 U	3,240	786	99.2	1.9 J
MW-0602-S1	3/24/2006	MW-0602-S1 (032406)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	11/7/2006	MW-0602-S1 (110706)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/31/2012	MW-0602-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/16/2013	MW-0602-S1(101613)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	5/13/2014	MW-0602-S1(051314)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/25/2014	MW-0602-S1(092514)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/30/2016	MW-0602-S1(033016)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2016	MW-0602-S1(092716)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/24/2017	MW-0602-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2017	MW-0602-S1 (092717)	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/27/2018	MW-0602-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/4/2018	MW-0602-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/26/2019	MW-0602-S1 (032619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2019	MW-0602-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/27/2020	MW-0602-S1 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/8/2020	MW-0602-S1(100820)	PDB	< 5.0 U	10.1 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/29/2021	MW-0602-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/29/2021	MW-0602-S1(102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/23/2022	MW-0602-S1(032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/24/2022	MW-0602-S1 (102422)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2006	MW-0603-S1 (032406)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	11/8/2006	MW-0603-S1 (110806)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	6/25/2009	MW-0603-S1 (062509)	Low-Flow	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	5/5/2010	MW-0603-S1 (050510)	PDB	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	10/28/2010	MW-0603-S1(102810)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2011	MW-0603-S1(051311)	PDB	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0603-S1	10/18/2011	MW-0603-S1(101811)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/31/2012	MW-0603-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/16/2013	MW-0603-S1(101613)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2014	MW-0603-S1(051314)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/25/2014	MW-0603-S1(092514)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/31/2015	MW-0603-S1(033115)-AO-PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/30/2015	MW-0603-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	0.27 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/30/2016	MW-0603-S1(033016)PDB	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2016	MW-0603-S1(091716)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2017	MW-0603-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2017	MW-0603-S1 (092717)	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/27/2018	MW-0603-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0603-S1	10/4/2018	MW-0603-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/26/2019	MW-0603-S1 (032619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2019	MW-0603-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/27/2020	MW-0603-S1 (032720)	PDB	< 5.0 U	3.6 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/8/2020	MW-0603-S1(100820)	PDB	< 5.0 U	13.2 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/29/2021	MW-0603-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/29/2021	MW-0603-S1(102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/23/2022	MW-0603-S1(032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/24/2022	MW-0603-S1 (102422)	PDB	< 5.0 U	< 116 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0604-S1	3/22/2006	MW-0604-S1 (032206)	Low-Flow	11	< 50.0 U	4,900	1,400	120	43
MW-0604-S1	11/8/2006	MW-0604-S1 (110806)	Low-Flow	6.5	< 50.0 U	2,700	600	76	31
MW-0604-S1	10/31/2012	MW-0604(103112)PDB	PDB	< 5.0 U	< 100 U	59.5	7.6	< 5.0 U	< 2.0 U
MW-0604-S1	4/2/2013	MW-0604-S1 (040213) PDB	PDB	< 5.0 U	60.2 J	2,720 EJ	698 EJ	76.4 J	36.2 J
MW-0604-S1	10/16/2013	MW-0604-S1(101613)	PDB	< 5.0 U	< 100 U	1,100 D	368 D	43.1	19.4
MW-0604-S1	5/13/2014	MW-0604-S1 (051314)	PDB	< 5.0 U	62.5 UB	747 D	271	27.2	16.2
MW-0604-S1	9/25/2014	FD-1(092514)-AO	PDB	< 5.0 U	< 100 U	1,480 D	489 D	39.7	20.3
MW-0604-S1	9/25/2014	MW-0604-S1(092514)PDB	PDB	< 5.0 U	< 100 U	1,410 D	414 D	51.5	24.8
MW-0604-S1	3/31/2015	MW-0604-S1(033115)-PDB	PDB	2.6 J	< 100 U	2,690 D	878 D	112	57.6
MW-0604-S1	9/30/2015	MW-0604-S1(093015)PDB	PDB	0.98 J	< 100 UB	1,240 D	353 D	52.7	12.5
MW-0604-S1	3/30/2016	MW-0604-S1(033016)PDB	PDB	< 5.0 U	< 100 U	3,340 D	1,030 D	97.2	37.7
MW-0604-S1	9/27/2016	MW-0604-S1(092716)PDB	PDB	< 5.0 U	< 100 UJ	1,190 D	344	37.8	11.8
MW-0604-S1	3/24/2017	MW-0604-S1(032417)PDB	PDB	< 5.0 U	< 100 U	3,250 D	1,280 D	101	33.8
MW-0604-S1	9/27/2017	MW-0604-S1 (092717)	PDB	< 5.0 U	< 100 U	3,870	1,260	101	34.4 J
MW-0604-S1	3/27/2018	MW-0604-S1 (032718)	PDB	< 5.0 U	< 100 U	555	208	23.3	5.1
MW-0604-S1	10/4/2018	MW-0604-S1 (100418)	PDB	< 5.0 U	< 100 U	247	81.9	10.9	< 2.0 U
MW-0604-S1	3/26/2019	MW-0604-S1 (32619)	PDB	< 5.0 U	< 100 U	2,220	859	63.2 J	8.8
MW-0604-S1	9/27/2019	MW-0604-S1(092719)	PDB	< 5.0 U	< 100 U	159	108	9.2	< 2.0 U
MW-0604-S1	3/27/2020	MW-0604-S1 (032720)	PDB	< 5.0 U	< 100 U	3,160	1,340	101	31.2
MW-0604-S1	10/8/2020	MW-0604-S1(100820)	PDB	< 5.0 U	17.7 J	183	78.6	9.9	1.6 J
MW-0604-S1	3/29/2021	MW-0604-S1(032921)	PDB	< 5.0 U	< 100 U	1,630	591	78.7	28.4
MW-0604-S1	10/29/2021	MW-0604-S1(102921)	PDB	< 5.0 U	< 100 UB	144	65.1	9.0	1.2 J
MW-0604-S1	3/23/2022	MW-0604-S1 (032322)	PDB	1.9 J	< 100 UB	1,320	606	57.3	18.4
MW-0604-S1	7/27/2022	DUP-2 (072722)	PDB	3.0 J	< 100 U	2,280	790	91.9	36.9
MW-0604-S1	7/27/2022	MW-0604-S1 (072722)	PDB	2.7 J	< 100 U	1,960	691	86.2	35.0
MW-0604-S1	8/26/2022	MW-0604-S1 (082622)	PDB	1.1 J	< 100 U	1,200	452	46.9	14.4
MW-0604-S1	9/26/2022	DUP-01 (09262022)-TW	PDB	< 50.0 U	< 1,000 U	1,630	557	51.2	16.0 J
MW-0604-S1	9/26/2022	MW-0604-S1 (09262022)	PDB	1.5 J	< 100 U	1,370	498	64.1	22.4
MW-0604-S1	10/25/2022	MW-0604-S1(102522)	Bailer	< 25.0 U	< 500 U	2,290	901	83.6	34.7
MW-0606-S1	3/23/2006	MW-0606-S1 (032306)	Low-Flow	< 5.0 U	< 50.0 U	970	230	42	< 2.0 U
MW-0606-S1	11/6/2006	MW-0606-S1 (110606)	Low-Flow	< 5.0 U	< 50.0 U	770	210	43	1.0 J
MW-0606-S1	10/31/2012	MW-0606-S1(103112)LF	Low-Flow	< 5.0 U	< 100 U	2,410 D	288 D	76.5	< 2.0 U
MW-0606-S1	10/31/2012	MW-0606-S1(103112)PDB	PDB	< 5.0 U	< 100 U	2,380 D	281 D	78.8	1.2 J
MW-0606-S1	4/2/2013	MW-0606-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	4,490 EJ	394 EJ	105	2.0
MW-0606-S1	10/16/2013	MW-0606-S1(101613)	PDB	< 5.0 U	< 100 U	2,650 D	314 D	92.8	1.3 J
MW-0606-S1	5/13/2014	MW-0606-S1(051314)	PDB	< 25.0 U	< 500 U	3,280 D	365	75.9	< 10.0 U
MW-0606-S1	9/25/2014	MW-0606-S1(092514)PDB	PDB	< 5.0 U	< 100 U	2,580 DJ	448 D	81.0	1.2 J
MW-0606-S1	3/31/2015	MW-0606-S1(033115)-PDB	PDB	< 50.0 U	< 1,000 U	3,030 D	428	94.6	< 20.0 U
MW-0606-S1	9/30/2015	MW-0606-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	1,260 D	285	45.6	0.43 J
MW-0606-S1	3/9/2016	MW-0606-S1(030916)	Low-Flow	< 5.0 U	< 100 U	1,960 D	329 D	62.6	< 2.0 U
MW-0606-S1	9/27/2016	MW-0606-S1(092716)PDB	PDB	< 50.0 U	< 1,000 U	1,130	633	58.0	< 20.0 U
MW-0606-S1	3/24/2017	MW-0606-S1(032417)PDB	PDB	< 5.0 U	< 100 U	2,820 D	441	97.8	< 2.0 U
MW-0606-S1	9/27/2017	MW-0606-S1 (092717)	PDB	< 5.0 U	< 100 UJ	1,470	250	51.0	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
 RACER Trust Former GM Delco Plant 5
 Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0606-S1	3/27/2018	MW-0606-S1 (032718)	PDB	< 5.0 U	2.8 J	1,880	279	81.5	0.92 J
MW-0606-S1	10/4/2018	MW-0606-S1 (100418)	PDB	< 5.0 U	< 100 U	1,960	453	97.0	< 2.0 U
MW-0606-S1	3/25/2019	MW-0606-S1 (032519)	Low-Flow	< 5.0 U	< 100 U	1,340	245	55.3	< 2.0 U
MW-0606-S1	9/27/2019	MW-0606-S1(092719)	PDB	< 5.0 U	< 100 U	2,020	360	83.1	< 2.0 U
MW-0606-S1	3/27/2020	MW-0606-S1 (032720)	PDB	< 25.0 U	< 500 U	2,740	656	109	< 10.0 U
MW-0606-S1	10/8/2020	MW-0606-S1(100820)	PDB	< 50.0 U	< 1,000 U	1,500	676	80.2	< 20.0 U
MW-0606-S1	3/29/2021	MW-0606-S1(032921)	PDB	< 5.0 U	< 100 U	2,470	675	139	1.3 J
MW-0606-S1	10/29/2021	MW-0606-S1(102921)	PDB	< 5.0 U	< 100 UB	1,420	622	87.6	0.94 J
MW-0606-S1	3/23/2022	MW-0606-S1 (032322)	PDB	< 50.0 U	< 1,000 U	2,510	1,040	116	< 20.0 U
MW-0606-S1	10/24/2022	DUP-03 (102422)-RJW	PDB	< 5.0 U	< 100 U	2,820	1,220	140	1.7 J
MW-0606-S1	10/24/2022	MW-0606-S1 (102422)	PDB	< 5.0 U	< 100 U	2,770	1,210	138	1.6 J
MW-0607-S1	3/24/2006	MW-0607-S1 (032406)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	11/6/2006	MW-0607-S1 (110606)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	6/25/2009	MW-0607-S1 (062509)	Low-Flow	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/5/2010	MW-0607-S1 (050510)	PDB	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/6/2010	MW-0607-S1 (050610)LF	Low-Flow	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	10/28/2010	MW-0607-S1(102810)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2011	MW-0607-S1(051311)	PDB	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0607-S1	10/18/2011	MW-0607-S1(101811)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/31/2012	MW-0607-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 UB	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	4/2/2013	MW-0607-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	36.9 J	2.9 J	< 5.0 U	< 2.0 U
MW-0607-S1	10/16/2013	MW-0607-S1(101613)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2014	MW-0607-S1(051314)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/25/2014	MW-0607-S1(092514)PDB	PDB	< 5.0 U	< 100 U	4.0 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/31/2015	MW-0607-S1(033115)-PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/30/2015	MW-0607-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/30/2016	MW-0607-S1(033016)PDB	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2016	MW-0607-S1(092716)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/24/2017	MW-0607-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2017	MW-0607-S1 (092717)	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/27/2018	MW-0607-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/4/2018	MW-0607-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/26/2019	MW-0607-S1 (032619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2019	MW-0607-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/27/2020	MW-0607-S1 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/8/2020	MW-0607-S1(100820)	PDB	< 5.0 U	17.5 J	< 5.0 U	< 5 UB	< 5.0 U	< 2.0 U
MW-0607-S1	3/29/2021	MW-0607-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/29/2021	MW-0607-S1(102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/23/2022	MW-0607-S1 (032322)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/24/2022	MW-0607-S1 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/23/2006	MW-0608-S1 (032306)	Low-Flow	< 5.0 U	< 50.0 U	2.0 J	2.9 J	< 5.0 U	< 2.0 U
MW-0608-S1	11/7/2006	MW-0608-S1 (110706)	Low-Flow	< 5.0 U	< 50.0 U	1.7 J	35	3.3 J	< 2.0 U
MW-0608-S1	6/26/2009	MW-0608-S1 (062609)	Low-Flow	< 5 U	< 100 U	< 5 U	24.5	< 5 U	4.9
MW-0608-S1	10/31/2012	MW-0608-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 UB	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	4/2/2013	MW-0608-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	5.2 J	30.9	< 5.0 U	1.7 J
MW-0608-S1	10/16/2013	MW-0608-S1(101613)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	5/13/2014	MW-0608-S1(051314)	PDB	< 5.0 U	< 100 U	3.5 J	148	11.7	5.4
MW-0608-S1	9/25/2014	MW-0608-S1(092514)PDB	PDB	< 5.0 U	< 100 U	1.5 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/31/2015	MW-0608-S1(033115)-PDB	PDB	1.4 J	< 100 UB	< 5.0 U	144	13.1	4.0
MW-0608-S1	9/30/2015	MW-0608-S1(093015)PDB	PDB	3.9 J	< 100 UB	< 5.0 U	243 D	35.3	5.8
MW-0608-S1	3/30/2016	MW-0608-S1(033016)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	97.8	9.3	2.6
MW-0608-S1	9/27/2016	MW-0608-S1(092716)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0608-S1	3/24/2017	MW-0608-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	30.3	< 5.0 U	< 2.0 U
MW-0608-S1	9/27/2017	MW-0608-S1 (092717)	PDB	< 5.0 U	< 100 UJ	< 5.0 U	427	44.0	5.1
MW-0608-S1	3/27/2018	MW-0608-S1 (032718)	PDB	3.6 J	< 100 U	< 5.0 U	371	45.1	5.1
MW-0608-S1	10/4/2018	MW-0608-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	453	58.3	6.5
MW-0608-S1	3/26/2019	MW-0608-S1 (032619)	PDB	< 5.0 U	< 100 U	< 5.0 U	286	34.5	3.8
MW-0608-S1	9/27/2019	MW-0608-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	4.2 J	< 5.0 U	< 2.0 U
MW-0608-S1	3/27/2020	MW-0608-S1 (032720)	PDB	2.6 J	< 100 U	< 5.0 U	484	47.0	3.2
MW-0608-S1	10/8/2020	MW-0608-S1(100820)	PDB	2.7 J	18.5 J	< 5 UB	372	48.2	4.8
MW-0608-S1	3/29/2021	MW-0608-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	358 EJ	67.0	3.3
MW-0608-S1	10/29/2021	MW-0608-S1(102921)	PDB	< 5.0 U	< 100 UB	< 5 UB	1.0 J	< 5.0 U	< 2.0 U
MW-0608-S1	3/23/2022	MW-0608-S1 (032322)	PDB	2.8 J	< 100 UB	< 5.0 U	443	67.6	3.3
MW-0608-S1	10/24/2022	MW-0608-S1 (102422)	PDB	< 5.0 U	< 100 UB	0.61 J	409	53.3	4.7
MW-0609-S1	3/23/2006	MW-0609-S1 (032306)	Low-Flow	< 5.0 U	< 50.0 U	260	61	9.7	< 2.0 U
MW-0609-S1	11/9/2006	MW-0609-S1 (110906)	Low-Flow	< 5.0 U	< 50.0 U	220	55	9.0	< 2.0 U
MW-0609-S1	6/26/2009	FD-1-PS (062609)	Low-Flow	< 5 U	< 100 U	69.4	225	25.4	3.7
MW-0609-S1	6/26/2009	MW-0609-S1 (062609)	Low-Flow	< 5 U	< 100 U	69.9	226	26.1	3.6
MW-0609-S1	10/31/2012	MW-0609-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	3.8 J	< 5.0 U	< 2.0 U
MW-0609-S1	4/2/2013	MW-0609-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	8.2 J	18.9	< 5.0 U	< 2.0 U
MW-0609-S1	10/16/2013	MW-0609-S1(101613)	PDB	< 5.0 U	< 100 U	5.9	489 D	40.1	7.8
MW-0609-S1	5/13/2014	MW-0609-S1(051314)	PDB	< 5.0 U	< 100 UB	40.1	198 D	16.2	5.4
MW-0609-S1	9/25/2014	MW-0609-S1(092514)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	26.6	2.7 J	6.2
MW-0609-S1	9/30/2015	MW-0609-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	248	347 D	53.1	3.2
MW-0609-S1	3/30/2016	MW-0609-S1(033016)PDB	PDB	< 5.0 U	< 100 UJ	7.9	18.6	< 5.0 U	< 2.0 U
MW-0609-S1	9/27/2016	MW-0609-S1(092716)PDB	PDB	< 5.0 U	< 100 U	17.1	496	49.7	18.1
MW-0609-S1	3/24/2017	MW-0609-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	7.5	< 5.0 U	< 2.0 U
MW-0609-S1	9/27/2017	MW-0609-S1 (092717)	PDB	< 5.0 U	< 100 UJ	< 5.0 U	147	8.1	15.0
MW-0609-S1	4/17/2018	MW-0609-S1 (041718)	PDB	< 5.0 U	< 100 U	< 5.0 U	1.1 J	< 5.0 U	< 2.0 U
MW-0609-S1	10/4/2018	MW-0609-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	3/26/2019	MW-0609-S1 (032619)	PDB	< 5.0 U	< 100 U	< 5.0 U	26.0	< 5.0 U	< 2.0 U
MW-0609-S1	9/27/2019	MW-0609-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	3/27/2020	MW-0609-S1 (032720)	PDB	< 5.0 U	37.9 J	1.2 J	8.7	0.63 J	< 2.0 U
MW-0609-S1	10/8/2020	MW-0609-S1(100820)	PDB	< 5.0 U	21.1 J	< 5.0 U	92.4	0.52 J	27.1
MW-0609-S1	3/29/2021	MW-0609-S1(032921)	PDB	< 5.0 U	5.7 J	< 5.0 U	8.7	< 5.0 U	0.99 J
MW-0609-S1	10/29/2021	MW-0609-S1(102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	3/23/2022	MW-0609-S1 (032322)	PDB	< 5.0 U	< 100 UB	0.39 J	26.5	< 5.0 U	5.0
MW-0609-S1	10/24/2022	MW-0609-S1 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	1.7 J	< 5.0 U	1.3 J
MW-0610-S1	11/10/2006	MW-0610-S1 (111006)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	40	4.2 J	1.9 J
MW-0610-S1	11/12/2008	MW-0610-S1 (111208)	Low-Flow	< 5.0 U	< 100 R	< 5.0 U	19.1	< 5.0 U	< 2.0 U
MW-0610-S1	5/5/2010	MW-0610-S1 (050510)	PDB	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0610-S1	10/28/2010	MW-0610-S1(102810)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2011	MW-0610-S1(051311)	PDB	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0610-S1	10/18/2011	MW-0610-S1(101811)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/31/2012	MW-0610-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/16/2013	MW-0610-S1(101613)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2014	MW-0610-S1(051314)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/25/2014	MW-0610-S1(092514)PDB	PDB	< 5.0 U	< 100 U	2.0 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/31/2015	MW-0610-S1(033115)-PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/30/2015	MW-0610-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	2.1 J	< 5.0 U	< 2.0 U
MW-0610-S1	3/30/2016	MW-0610-S1(033016)PDB	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2016	MW-0610-S1(092716)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/24/2017	MW-0610-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2017	MW-0610-S1 (092717)	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0610-S1	3/27/2018	MW-0610-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/4/2018	MW-0610-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/26/2019	MW-0610-S1 (032619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2019	MW-0610-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/27/2020	MW-0610-S1 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/8/2020	MW-0610-S1(100820)	PDB	< 5.0 U	26.2 J	< 5.0 U	< 5 UB	< 5.0 U	< 2.0 U
MW-0610-S1	3/29/2021	MW-0610-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/29/2021	MW-0610-S1(102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	0.37 J	< 5.0 U	< 2.0 U
MW-0610-S1	3/23/2022	MW-0610-S1 (032322)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/24/2022	MW-0610-S1 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	1.2 J	< 5.0 U	< 2.0 U
MW-0611-S1-R	10/31/2019	MW-0611-S1-R(103119)	Low-Flow	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1-R	10/29/2021	MW-0611-S1R(102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1-R	10/24/2022	MW-0611-S1-R (102422)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0612-S1	11/9/2006	MW-0612-S1 (110906)	Low-Flow	< 5.0 U	< 50.0 U	3,300	130	43	2.4
MW-0612-S1	3/7/2007	FD-1-MG (030707)	Low-Flow	< 5.0 U	< 100 R	3,760	132	38.6	3.1
MW-0612-S1	3/7/2007	MW-0612-S1 (030707)	Low-Flow	< 5.0 U	< 100 U	3,950	161	38.9	< 2.0 U
MW-0612-S1	6/25/2009	MW-0612-S1 (062509)	Low-Flow	< 50 U	< 1,000 UJ	4,370	207	< 50 U	< 20 U
MW-0612-S1	4/19/2012	MW-0612-S1 (041912)-PDB	Low-Flow	< 5.0 U	< 100 U	4,750 D	223	44.9	15.1
MW-0612-S1	10/31/2012	FD-2(103112)PDB-WK	PDB	< 5.0 U	< 100 U	675 D	850 D	141	< 2.0 U
MW-0612-S1	10/31/2012	MW-0612-S1(103112)LF	Low-Flow	< 5.0 U	< 100 U	2,490 D	185	45.8	11.8
MW-0612-S1	10/31/2012	MW-0612-S1(103112)PDB	PDB	< 5.0 U	< 100 U	5,440 D	275	48.5	24.5
MW-0612-S1	4/2/2013	MW-0612-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	3,720 EJ	191	41.0	9.3
MW-0612-S1	10/16/2013	MW-0612-S1(101613)	PDB	< 5.0 U	< 100 U	3,220 D	242	49.1	12.4
MW-0612-S1	5/13/2014	MW-0612-S1(051314)	PDB	< 5.0 U	< 100 UB	3,400 D	248 D	46.2	13.2
MW-0612-S1	9/25/2014	MW-0612-S1(092514)PDB	PDB	< 5.0 U	< 100 U	3,190 DJ	251	43.2	13.7
MW-0612-S1	3/31/2015	MW-0612-S1(033115)-PDB	PDB	< 5.0 U	< 100 UB	3,870 D	292	49.6	11.6
MW-0612-S1	9/30/2015	MW-0612-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	4,420 D	268 D	62.5	7.6
MW-0612-S1	3/9/2016	MW-0612-S1(030916)	Low-Flow	< 25.0 U	< 500 U	2,380 D	193	47.2	< 10.0 U
MW-0612-S1	9/27/2016	MW-0612-S1(092716)PDB	PDB	< 50.0 U	< 1,000 U	4,630 D	249	< 50.0 U	< 20.0 U
MW-0612-S1	3/24/2017	MW-0612-S1(032417)PDB	PDB	< 25.0 U	< 500 U	3,960 D	254	49.4	< 10.0 U
MW-0612-S1	9/27/2017	MW-0612-S1 (092717)	PDB	< 25.0 U	< 500 UJ	674	100	< 25.0 U	< 10.0 U
MW-0612-S1	3/27/2018	MW-0612-S1 (032718)	PDB	< 25.0 U	< 500 U	4,360	278	47.8	6.6 J
MW-0612-S1	10/4/2018	MW-0612-S1 (100418)	PDB	< 25.0 U	< 500 U	4,180	306	47.0	< 10.0 U
MW-0612-S1	3/26/2019	MW-0612-S1 (032619)	PDB	< 25.0 U	< 500 U	4,110	341	54.4	< 10.0 U
MW-0612-S1	9/27/2019	MW-0612-S1(092719)	PDB	< 25.0 U	< 500 U	358	35.9	< 25.0 U	< 10.0 U
MW-0612-S1	3/27/2020	MW-0612-S1 (032720)	PDB	< 25.0 U	< 500 U	2,810	283	45.4	12.0
MW-0612-S1	10/8/2020	MW-0612-S1(100820)	PDB	< 25.0 U	< 500 U	3,220	332	45.2	25.4
MW-0612-S1	3/29/2021	MW-0612-S1(032921)	PDB	< 25.0 U	< 500 U	3,850	363	50.7	19.8
MW-0612-S1	10/29/2021	MW-0612-S1(102921)	PDB	< 25.0 U	< 500 UB	3,610	351	45.5	24.0
MW-0612-S1	3/23/2022	MW-0612-S1(032322)	PDB	< 25.0 U	< 500 UB	3,070	259	45.1	12.9
MW-0612-S1	10/24/2022	DUP-05 (102422)-RJW	PDB	< 5.0 U	< 100 UB	3,200	441	48.9	30.3
MW-0612-S1	10/24/2022	MW-0612-S1 (102422)	PDB	< 25.0 U	< 500 U	3,230	435	50.4	31.9
MW-0613-S1	11/10/2006	MW-0613-S1 (111006)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	11/12/2008	MW-0613-S1 (111208)	Low-Flow	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/5/2010	MW-0613-S1 (050510)	PDB	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0613-S1	10/28/2010	MW-0613-S1(102810)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2011	MW-0613-S1(051311)	PDB	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0613-S1	10/18/2011	MW-0613-S1(101811)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/31/2012	MW-0613-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.2 UB	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	4/2/2013	MW-0613-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	24.0 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/16/2013	MW-0613-S1(101613)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2014	MW-0613-S1(051314)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
 RACER Trust Former GM Delco Plant 5
 Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0613-S1	9/25/2014	MW-0613-S1(092514)PDB	PDB	< 5.0 U	< 100 U	2.9 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/31/2015	MW-0613-S1(033115)-PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/30/2015	MW-0613-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/30/2016	MW-0613-S1(033016)PDB	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2016	MW-0613-S1(092716)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/24/2017	MW-0613-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2017	MW-0613-S1 (092717)	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/27/2018	MW-0613-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/4/2018	MW-0613-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/26/2019	MW-0613-S1 (032619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2019	MW-0613-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/27/2020	MW-0613-S1 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/8/2020	MW-0613-S1(100820)	PDB	< 5.0 U	20.3 J	< 5 UB	< 5 UB	--	< 2.0 U
MW-0613-S1	3/29/2021	MW-0613-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/29/2021	MW-0613-S1(102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/23/2022	MW-0613-S1 (032322)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/24/2022	MW-0613-S1 (102422)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/7/2007	MW-0617-S1 (030707)	Low-Flow	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	11/12/2008	MW-0617-S1 (111208)	Low-Flow	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	12/29/2008	MW-0617-S1 (122908)	Low-Flow	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/31/2012	MW-0617-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/16/2013	MW-0617-S1(101613)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	5/13/2014	MW-0617-S1 (051314)	PDB	< 5.0 U	56.5 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/25/2014	MW-0617-S1(092514)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/31/2015	MW-0617-S1(033115)-PDB	PDB	< 5.0 U	< 100 U	0.29 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/30/2015	MW-0617-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/30/2016	MW-0617-S1(033016)PDB	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2016	MW-0617-S1(092716)PDB	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/24/2017	MW-0617-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2017	MW-0617-S1 (092717)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0617-S1	3/27/2018	MW-0617-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/4/2018	MW-0617-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/26/2019	MW-0617-S1 (32619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2019	MW-0617-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/27/2020	MW-0617-S1 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/8/2020	MW-0617-S1(100820)	PDB	< 5.0 U	12.8 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/29/2021	MW-0617-S1(032921)	PDB	< 5.0 U	15.6 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/29/2021	MW-0617-S1 (102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/23/2022	MW-0617-S1 (032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	2.5 J	< 5.0 U	< 2.0 U
MW-0617-S1	10/24/2022	MW-0617-S1 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/13/2006	MW-0618-S1 (111306)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/12/2008	MW-0618-S1 (111208)	Low-Flow	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/31/2012	MW-0618-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 UB	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	4/2/2013	MW-0618-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	5.2 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/16/2013	MW-0618-S1(101613)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	5/13/2014	MW-0618-S1(051314)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/31/2015	MW-0618-S1(033115)-PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	0.29 J	< 2.0 U
MW-0618-S1	9/30/2015	MW-0618-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	0.28 J	0.91 J	0.74 J	< 2.0 U
MW-0618-S1	3/30/2016	MW-0618-S1(033016)PDB	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2016	MW-0618-S1(092716)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/24/2017	MW-0618-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2017	MW-0618-S1 (092717)	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0618-S1	3/27/2018	MW-0618-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/4/2018	MW-0618-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/26/2019	MW-0618-S1 (032619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/27/2020	MW-0618-S1 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	1.1 J	0.75 J	0.42 J
MW-0618-S1	10/8/2020	MW-0618-S1(100820)	PDB	< 5.0 U	23.9 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/29/2021	MW-0618-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	2.0 J	1.6 J	< 2.0 U
MW-0618-S1	10/29/2021	MW-0618-S1(102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	1.4 J	1.1 J	< 2.0 U
MW-0618-S1	3/23/2022	MW-0618-S1 (032322)	PDB	< 5.0 U	< 100 U	< 5.0 U	1.4 J	0.98 J	< 2.0 U
MW-0618-S1	10/24/2022	MW-0618-S1 (102422)	PDB	< 5.0 U	< 100 U	< 5.0 U	0.59 J	0.42 J	< 2.0 U
MW-0619-S1	11/20/2006	MW-0619-S1 (112006)	Direct fill	< 5.0 U	< 50.0 U	1,900	390	26	1.8 J
MW-0619-S1	11/14/2008	FD-2-TK (111408)	Low-Flow	< 5.0 U	< 100 R	3,140	347	31.8	5.0
MW-0619-S1	11/14/2008	MW-0619-S1 (111408)	Low-Flow	< 5.0 U	< 100 R	3,200	345	33.8	4.9
MW-0619-S1	10/31/2012	MW-0619-S1(103112)PDB	PDB	< 5.0 U	< 100 U	963 D	143	6.7	< 2.0 U
MW-0619-S1	4/2/2013	MW-0619-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	4.7 J	18.4 J	< 5.0 U	< 2.0 U
MW-0619-S1	10/16/2013	MW-0619-S1(101613)	PDB	< 5.0 U	< 100 U	929 D	165	8.4	< 2.0 U
MW-0619-S1	5/13/2014	MW-0619-S1 (051314)	PDB	< 5.0 U	54.4 UB	2.3 J	19.7	< 5.0 U	< 2.0 U
MW-0619-S1	9/25/2014	MW-0619-S1(092514)PDB	PDB	< 5.0 U	< 100 U	20.1	17.8	< 5.0 U	< 2.0 U
MW-0619-S1	3/31/2015	MW-0619-S1(033115)-PDB	PDB	< 5.0 U	< 100 U	3.0 J	25.1	0.94 J	1.8 J
MW-0619-S1	9/30/2015	MW-0619-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	1,310 D	195	13.0	1.5 J
MW-0619-S1	3/30/2016	MW-0619-S1(033016)PDB	PDB	< 5.0 U	< 100 UJ	< 5.0 U	23.7	< 5.0 U	< 2.0 U
MW-0619-S1	9/27/2016	MW-0619-S1(092716)PDB	PDB	< 5.0 U	< 100 U	202	50.0	< 5.0 U	< 2.0 U
MW-0619-S1	3/24/2017	MW-0619-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	20.5	< 5.0 U	< 2.0 U
MW-0619-S1	9/27/2017	MW-0619-S1 (092717)	Low-Flow	< 5.0 U	< 100 UJ	818	114	8.0	< 2.0 U
MW-0619-S1	3/27/2018	MW-0619-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 UB	22.0	< 5.0 U	1.5 J
MW-0619-S1	10/4/2018	MW-0619-S1 (100418)	PDB	< 5.0 U	< 100 U	533	110	7.8	< 2.0 U
MW-0619-S1	3/26/2019	MW-0619-S1 (32619)	PDB	< 5.0 U	< 100 U	32.8	22.5	< 5.0 U	< 2.0 U
MW-0619-S1	9/27/2019	MW-0619-S1(092719)	PDB	< 5.0 U	< 100 U	224	55.5	< 5.0 U	1.1 J
MW-0619-S1	3/27/2020	MW-0619-S1 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	17.3	0.93 J	1.5 J
MW-0619-S1	10/8/2020	MW-0619-S1(100820)	PDB	< 5.0 U	< 100 U	383	75.3	4.7 J	2.1
MW-0619-S1	3/29/2021	MW-0619-S1(032921)	PDB	< 5.0 U	< 100 U	6.1	21.6	1.1 J	1.5 J
MW-0619-S1	10/29/2021	MW-0619-S1 (102921)	PDB	< 5.0 U	< 100 UB	65.9	33.1	1.2 J	1.5 J
MW-0619-S1	3/23/2022	MW-0619-S1(032322)	PDB	< 5.0 U	< 100 UB	9.0	21.3	1.0 J	0.89 J
MW-0619-S1	8/26/2022	MW-0619-S1 (082622)	PDB	< 5.0 U	< 100 U	2,470	277	44.2	2.4
MW-0619-S1	9/26/2022	MW-0619-S1 (09262022)	PDB	< 50.0 U	< 1,000 U	1,600	189	22.5 J	< 20.0 U
MW-0619-S1	10/25/2022	MW-0619-S1(102522)	Bailer	< 5.0 U	< 100 U	2,330	268	33.7	2.0 J
MW-0621-S1	11/20/2006	FD-3-MG (112006)	Direct fill	< 5.0 U	< 50.0 U	3,500 J	82	20	< 2.0 U
MW-0621-S1	11/20/2006	MW-0621-S1 (112006)	Direct fill	< 5.0 U	< 50.0 U	6,400	80	19	< 2.0 U
MW-0621-S1	11/14/2008	MW-0621-S1 (111408)	Low-Flow	< 5.0 U	< 100 R	3,110	119	19.4	< 2.0 U
MW-0621-S1	10/31/2012	MW-0621-S1(103112)PDB	PDB	< 5.0 U	< 100 U	1,790 D	72.9	25.6	< 2.0 U
MW-0621-S1	4/2/2013	MW-0621-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	1,640 EJ	70.0 J	24.8 J	< 2.0 U
MW-0621-S1	10/16/2013	MW-0621-S1(101613)	PDB	< 5.0 U	< 100 U	3,220 D	109	30.6	< 2.0 U
MW-0621-S1	5/13/2014	MW-0621-S1 (051314)	PDB	< 5.0 U	55.5 UB	1,070 D	71.2	28.5	< 2.0 U
MW-0621-S1	9/25/2014	MW-0621-S1(092514)PDB	PDB	< 5.0 U	< 100 U	3,300 DJ	118	36.1	2.0 J
MW-0621-S1	3/31/2015	FD-2(033115)-AO-PDB	PDB	< 125 U	< 2,500 U	16,300 D	1,840	42.3 J	< 50.0 U
MW-0621-S1	3/31/2015	MW-0621-S1(033115)-PDB	PDB	< 25.0 U	< 500 U	2,110 D	80.4	27.6	< 10.0 U
MW-0621-S1	9/30/2015	MW-0621-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	2,760 D	95.6	32.1	1.4 J
MW-0621-S1	3/9/2016	MW-0621-S1(030916)	Low-Flow	< 25.0 U	< 500 U	3,030 D	124	38.1	< 10.0 U
MW-0621-S1	9/27/2016	MW-0621-S1(092716)PDB	PDB	< 50.0 U	< 1,000 U	4,000 D	174	< 50.0 U	< 20.0 U
MW-0621-S1	3/24/2017	MW-0621-S1(032417)PDB	PDB	< 25.0 U	< 500 U	1,280	104	33.3	< 10.0 U
MW-0621-S1	9/27/2017	MW-0621-S1 (092717)	PDB	< 5.0 U	< 100 U	2,010	220	29.5	< 2.0 UJ
MW-0621-S1	3/27/2018	MW-0621-S1 (032718)	PDB	< 25.0 U	11.0 J	1,460	247	31.5	< 10.0 U
MW-0621-S1	10/4/2018	MW-0621-S1 (100418)	PDB	< 25.0 U	< 500 U	2,170	389	31.7	< 10.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0621-S1	3/26/2019	MW-0621-S1 (32619)	PDB	< 25.0 U	< 500 U	1,800	361	37.8	< 10.0 U
MW-0621-S1	9/27/2019	MW-0621-S1(092719)	PDB	< 25.0 U	< 500 U	1,160	278	25.1	< 10.0 U
MW-0621-S1	3/27/2020	MW-0621-S1 (032720)	PDB	< 25.0 U	< 500 U	1,280	304	27.6	< 10.0 U
MW-0621-S1	10/8/2020	MW-0621-S1(100820)	PDB	< 5.0 U	16.1 J	1,180	296	33.8	< 2.0 U
MW-0621-S1	3/29/2021	MW-0621-S1(032921)	PDB	< 5.0 U	< 100 U	1,320	295	36.9	< 2.0 U
MW-0621-S1	10/29/2021	MW-0621-S1 (102921)	PDB	< 5.0 U	< 100 UB	1,960	417	26.9	0.73 J
MW-0621-S1	3/23/2022	MW-0621-S1(032322)	PDB	< 5.0 U	< 100 UB	184	88.0	7.1	< 2.0 U
MW-0621-S1	7/29/2022	MW-0621-S1 (072922)	PDB	< 5.0 U	< 100 U	2,290	356	30.2	< 2.0 U
MW-0621-S1	8/26/2022	MW-0621-S1 (082622)	PDB	< 5.0 U	< 100 U	1,750	322	30.4	1.3 J
MW-0621-S1	9/26/2022	MW-0621-S1 (09262022)	PDB	< 5.0 U	< 100 U	1,870	314	29.7	1.3 J
MW-0621-S1	10/25/2022	MW-0621-S1(102522)	Bailer	< 25.0 U	< 500 U	2,130	330	27.4	< 10.0 U
MW-0623-S1	3/7/2007	MW-0623-S1 (030707)	Low-Flow	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	11/12/2008	FD-3-MAH (111208)	Low-Flow	< 5.0 U	< 100 R	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	11/12/2008	MW-0623-S1 (111208)	Low-Flow	< 5.0 U	< 100 R	20.3 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	12/29/2008	MW-0623-S1 (122908)	Low-Flow	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	5/5/2010	MW-0623-S1 (050510)	PDB	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0623-S1	10/28/2010	MW-0623-S1(102810)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	5/13/2011	MW-0623-S1(051311)	PDB	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0623-S1	10/18/2011	MW-0623-S1(101811)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	10/31/2012	MW-0623-S1(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	4/2/2013	MW-0623-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	228	20.7	< 5.0 U	< 2.0 U
MW-0623-S1	10/16/2013	MW-0623-S1(101613)	PDB	< 5.0 U	< 100 U	3.1 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	5/13/2014	MW-0623-S1 (051314)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	9/25/2014	MW-0623-S1(092514)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/31/2015	MW-0623-S1(033115)-PDB	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	9/30/2015	MW-0623-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	0.47 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/30/2016	MW-0623-S1(033016)PDB	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	9/27/2016	MW-0623-S1(092716)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/24/2017	MW-0623-S1(032417)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	9/27/2017	MW-0623-S1 (092717)	PDB	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/27/2018	MW-0623-S1 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	10/4/2018	MW-0623-S1 (100418)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/26/2019	MW-0623-S1 (32619)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	9/27/2019	MW-0623-S1(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/27/2020	MW-0623-S1(032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	10/8/2020	MW-0623-S1(100820)	PDB	< 5.0 U	20.8 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/29/2021	MW-0623-S1(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	10/29/2021	MW-0623-S1 (102921)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/23/2022	MW-0623-S1(032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	11/21/2022	MW-0623-S1 (112122)	PDB	< 5.0 U	56.3 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0704-S1	11/13/2008	MW-0704-S1 (111308)	Low-Flow	< 5.0 U	< 100 R	1,370	408	71.8	< 2.0 U
MW-0704-S1	6/25/2009	MW-0704-S1 (062509)	Low-Flow	< 5 U	< 100 UJ	1,200	571	103	5.6
MW-0704-S1	10/31/2012	MW-0704-S1(103112)PDB	PDB	< 5.0 U	< 100 U	1,640 D	635 D	81.3	2.9
MW-0704-S1	4/2/2013	MW-0704-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	2,000 D	714 D	96.1	2.6
MW-0704-S1	10/16/2013	MW-0704-S1(101613)	PDB	< 5.0 U	< 100 U	1,830 D	628 D	99.5	4.5
MW-0704-S1	5/13/2014	MW-0704-S1(051314)	PDB	< 25.0 U	< 500 U	2,080 D	606	77.4	< 10.0 U
MW-0704-S1	9/25/2014	MW-0704-S1(092514)PDB	PDB	< 5.0 U	< 100 U	3,240 DJ	704 D	109	5.1
MW-0704-S1	3/31/2015	MW-0704-S1(033115)-PDB	PDB	< 25.0 U	< 500 U	2,640 D	740	101	3.7 J
MW-0704-S1	9/30/2015	MW-0704-S1(093015)PDB	PDB	< 5.0 U	< 100 UB	1,880 D	620 D	94.9	4.8
MW-0704-S1	3/9/2016	MW-0704-S1(030916)	Low-Flow	< 25.0 U	< 500 U	1,370 D	660	89.5	< 10.0 U
MW-0704-S1	9/27/2016	MW-0704-S1(092716)PDB	PDB	< 50.0 U	< 1,000 U	2,480	668	88.9	< 20.0 U
MW-0704-S1	3/24/2017	MW-0704-S1(032417)PDB	PDB	< 25.0 U	< 500 U	2,000 D	569	76.0	< 10.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0704-S1	9/27/2017	MW-0704-S1 (092717)	PDB	< 25.0 U	< 500 UJ	2,150	614	83.0	< 10.0 U
MW-0704-S1	3/27/2018	MW-0704-S1 (032718)	PDB	< 25.0 U	< 500 U	1,890	532	73.5	< 10.0 U
MW-0704-S1	10/4/2018	MW-0704-S1 (100418)	PDB	< 25.0 U	< 500 U	1,120	578	83.1	< 10.0 U
MW-0704-S1	3/26/2019	MW-0704-S1 (032619)	PDB	< 25.0 U	< 500 U	1,640	461	59.8	< 10.0 U
MW-0704-S1	9/27/2019	MW-0704-S1(092719)	PDB	< 25.0 U	< 500 U	2,640	454	72.4	< 10.0 U
MW-0704-S1	3/27/2020	MW-0704-S1 (032720)	PDB	< 25.0 U	< 500 U	1,300	514	73.7	< 10.0 U
MW-0704-S1	10/8/2020	MW-0704-S1(100820)	PDB	< 50.0 U	< 1,000 U	1,450	635	64.1	3.3 J
MW-0704-S1	3/29/2021	MW-0704-S1(032921)	PDB	< 5.0 U	6.8 J	2,620	565	108	2.3
MW-0704-S1	10/29/2021	MW-0704-S1(102921)	PDB	< 5.0 U	< 100 UB	2,060	661	98.7	3.2
MW-0704-S1	3/23/2022	MW-0704-S1(032322)	PDB	< 5.0 U	< 100 UB	2,250	539	84.3	2.5
MW-0704-S1	7/29/2022	MW-0704-S1 (072922)	PDB	< 5.0 U	< 100 U	2,310	488	71.9	1.9 J
MW-0704-S1	10/24/2022	MW-0704-S1 (102422)	PDB	< 5.0 U	< 100 U	2,040	1,040	88.1	2.5
MW-0705-S1	11/13/2008	MW-0705-S1 (111308)	Low-Flow	< 5.0 U	< 100 R	187	37.2	9.4	< 2.0 U
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-LF	Low-Flow	< 5 U	< 100 UJ	178	50.0	14.9	5.1
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-PDB	PDB	< 5 U	< 100 UJ	86.3	34.0	9.0	4.8
MW-0705-S1	10/31/2012	MW-0705-S1(103112)PDB	PDB	< 5.0 U	< 100 U	146	39.8	9.4	4.2
MW-0705-S1	4/2/2013	MW-0705-S1 (040213) PDB	PDB	< 5.0 U	< 100 U	177	46.8	13.7	4.1
MW-0705-S1	10/16/2013	MW-0705-S1(101613)	PDB	< 5.0 U	< 100 U	185	50.3	11.9	3.9
MW-0705-S1	5/13/2014	MW-0705-S1(051314)	PDB	< 5.0 U	< 100 UB	131	42.1	10.7	4.2
MW-0705-S1	9/25/2014	MW-0705-S1(092514)PDB	PDB	< 5.0 U	< 100 U	115	40.6	9.3	3.1
MW-0705-S1	3/31/2015	MW-0705-S1(033115)-PDB	PDB	0.80 J	< 100 UB	148	47.9	12.1	3.6
MW-0705-S1	9/30/2015	MW-0705-S1(093015)PDB	PDB	0.71 J	< 100 UB	176	59.5	18.5	3.2
MW-0705-S1	3/30/2016	MW-0705-S1(033016)PDB	PDB	< 5.0 U	< 100 UJ	135	46.5	11.6	3.4
MW-0705-S1	9/27/2016	MW-0705-S1(092716)PDB	PDB	< 5.0 U	< 100 U	149	46.7	13.0	3.2
MW-0705-S1	3/24/2017	MW-0705-S1(032417)PDB	PDB	< 5.0 U	< 100 U	98.6	35.3	9.4	< 2.0 U
MW-0705-S1	9/27/2017	MW-0705-S1 (092717)	PDB	< 5.0 U	< 100 UJ	107	39.1	10.1	3.3
MW-0705-S1	3/27/2018	MW-0705-S1 (032718)	PDB	< 5.0 U	< 100 U	114	44.6	11.7	4.2
MW-0705-S1	10/4/2018	MW-0705-S1 (100418)	PDB	< 5.0 U	< 100 U	119	53.7	13.0	3.6
MW-0705-S1	3/26/2019	MW-0705-S1 (032619)	PDB	< 5.0 U	< 100 U	89.7	45.9	10.2	2.9
MW-0705-S1	9/27/2019	MW-0705-S1(092719)	PDB	< 5.0 U	< 100 U	7.9	5.5	< 5.0 U	< 2.0 U
MW-0705-S1	3/27/2020	MW-0705-S1 (032720)	PDB	< 5.0 UJ	< 100 U	72.7	52.9	9.4	4.1
MW-0705-S1	10/8/2020	MW-0705-S1(100820)	PDB	0.67 J	26.8 J	97.1	68.4	10	5.7
MW-0705-S1	3/29/2021	MW-0705-S1(032921)	PDB	< 5.0 U	< 100 U	81.6	62.3	9.9	5.2
MW-0705-S1	10/29/2021	MW-0705-S1(102921)	PDB	< 5.0 U	< 100 UB	81.6	74.9	9.4	5.0
MW-0705-S1	3/23/2022	MW-0705-S1(032322)	PDB	< 5.0 U	< 100 UB	76.2	68.5	9.9	4.4
MW-0705-S1	7/29/2022	MW-0705-S1 (072922)	PDB	< 5.0 U	< 100 U	31.6	31.7	3.8 J	< 2.0 U
MW-0705-S1	10/24/2022	MW-0705-S1 (102422)	PDB	< 5.0 U	< 100 U	61.0	73.9	7.3	4.6
MW-2201-S1	7/29/2022	MW-2201-S1 (072922)	PDB	< 5.0 U	< 100 U	223	493	6.2	33.1
MW-2201-S1	8/26/2022	MW-2201-S1 (082622)	PDB	2.9 J	< 100 U	226	866	9.5	44.4
MW-2201-S1	9/26/2022	MW-2201-S1 (09262022)	PDB	1.7 J	< 100 U	937	2,070	38.9	184
MW-2201-S1	10/25/2022	MW-2201-S1(102522)	Bailer	< 50.0 U	< 1,000 U	1,490	2,300	28.2 J	236
MW-2202-S1	7/29/2022	MW-2202-S1 (072922)	PDB	5.1	< 100 U	2,140	941	58.9	11.9
MW-2202-S1	8/26/2022	DUP-01 (082622)	PDB	14.4	< 100 U	1,040	848	55.2	17.5
MW-2202-S1	8/26/2022	MW-2202-S1 (082622)	PDB	15.9	< 100 U	1,120	916	54.0	19.1
MW-2202-S1	9/26/2022	MW-2202-S1 (09262022)	PDB	5.5	< 100 U	1,820	815	68.8	14.3
MW-2202-S1	10/25/2022	MW-2202-S1(102522)	Bailer	5.3 J	< 500 UB	1,850	828	60.5	11.1
MW-2203-S1	7/27/2022	MW-2203-S1 (072722)	PDB	14.9	< 100 U	243	497	67.9	8.0
MW-2203-S1	10/24/2022	MW-2203-S1 (102422)	PDB	< 5.0 U	< 100 UB	2.3 J	29.4	1.2 J	< 2.0 U
MW-2204-S1	7/27/2022	MW-2204-S1 (072722)	PDB	< 25.0 U	< 500 UB	6,570	522	29.9	9.7 J
MW-2204-S1	10/24/2022	MW-2204-S1 (102422)	PDB	< 50.0 U	< 1,000 UB	3,960	889	60.8	13.2 J
MW-2205-S1	7/27/2022	MW-2205-S1 (072722)	PDB	< 25.0 U	< 500 U	3,200	268	25.8	< 10.0 U
MW-2205-S1	10/24/2022	MW-2205-S1 (102422)	PDB	< 50.0 U	< 1,000 UB	6,380	564	52.8	< 20.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana



Design & Consultancy
for natural and
built assets

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-2206-S1	7/27/2022	DUP-1 (1072722)	PDB	< 100 U	< 2,000 U	16,600	539	117	< 40.0 U
MW-2206-S1	7/27/2022	MW-2206-S1 (072722)	PDB	< 100 U	< 2,000 U	16,700	576	117	< 40.0 U
MW-2206-S1	10/24/2022	MW-2206-S1 (102422)	PDB	< 1,000 U	< 20,000 U	19,800	644 J	108 J	< 400 U
MW-2207-S1	7/29/2022	MW-2207-S1 (072922)	PDB	< 5.0 U	< 100 U	16,600	546	34.6	2.5
MW-2207-S1	8/26/2022	MW-2207-S1 (082622)	PDB	< 50.0 U	< 1,000 U	17,100	595	33.2 J	< 20.0 U
MW-2207-S1	9/26/2022	MW-2207-S1 (09262022)	PDB	< 50.0 U	< 1,000 U	10,800	617	32.5 J	< 20.0 U
MW-2207-S1	10/25/2022	DUP-01(102522)	PDB	< 500 U	< 10,000 U	14,700	655	< 500 U	< 200 U
MW-2207-S1	10/25/2022	MW-2207-S1(102522)	Bailer	< 500 U	< 10,000 UB	14,600	676	< 500 U	< 200 U
MW-2208-S1	7/27/2022	MW-2208-S1 (072722)	PDB	< 5.0 U	< 100 U	4,050	1,700	67.1	19.1 J+
MW-2208-S1	10/24/2022	MW-2208-S1 (102422)	PDB	< 500 U	< 10,000 UB	5,780	4,060	51.5 J	< 200 U
MW-2210-S1	7/27/2022	MW-2210-S1 (072722)	PDB	< 5.0 U	< 100 U	973	340	31.9	44.6
MW-2210-S1	10/24/2022	MW-2210-S1 (102422)	PDB	< 25.0 U	< 500 UB	1,100	517	29.8	38.0
MW-2211-S1	7/27/2022	MW-2211-S1 (072722)	PDB	6.1	< 100 U	878	726	62.7	5.6
MW-2211-S1	8/26/2022	MW-2211-S1 (082622)	PDB	1.9 J	< 100 U	1,380	458	45.2	3.4
MW-2211-S1	9/26/2022	MW-2211-S1 (09262022)	PDB	3.0 J	< 100 U	1,490	576	59.7	5.7
MW-2211-S1	10/25/2022	MW-2211-S1(102522)	Bailer	5.6 J	< 500 U	582	801	49.3	3.2 J
MW-2212-S1	7/27/2022	MW-2212-S1 (072722)	PDB	3.7 J	< 100 U	2,240	591	84.5	8.2
MW-2212-S1	10/24/2022	MW-2212-S1 (102422)	PDB	< 50.0 U	< 1,000 UB	2,270	676	72.9	5.1 J
MW-2213-S1	7/27/2022	MW-2213-S1 (072722)	PDB	< 5.0 U	< 100 U	18.9	1,510	33.6	149
MW-2213-S1	10/24/2022	MW-2213-S1 (102422)	PDB	< 25.0 U	< 500 UB	22.2 J	2,190	32.2	107
MW-0102-S1U	6/22/2001	MW-2 DUP~06/22/2001~N~LB	Low-Flow	< 50 U	--	410	360	< 50 U	< 20 U
MW-0102-S1U	6/22/2001	MW-2~06/22/2001~N~LB	Low-Flow	< 50 U	--	370	340	< 50 U	< 20 U
MW-0102-S1U	11/15/2004	MW-2 (111504)~RE	Low-Flow	< 5.0 U	< 50.0 U	4,600	770	74	37
MW-0102-S1U	10/20/2005	MW-2-IU (102005)	Low-Flow	< 5.0 U	< 50.0 U	3,800	770	68	21
MW-0102-S1U	3/22/2006	MW-0102-S1U (032206)	Low-Flow	< 5.0 U	< 50.0 U	4,800	1,000	88	21
MW-0102-S1U	4/19/2012	MW-0102-S1U (041912)-LF	Low-Flow	< 5.0 U	< 100 U	2,380 D	563 D	85.9	21.2
MW-0102-S1U	4/19/2012	MW-0102-S1U (041912)-PDB	PDB	< 5.0 U	< 100 U	3,970 D	948 D	108	35.1
MW-0102-S1U	10/31/2012	MW-0102-S1U(103112)PDB	PDB	< 5.0 U	< 100 U	3,770 D	916 D	114	35.3
MW-0102-S1U	4/2/2013	MW-0102-S1U (040213)PDB	PDB	< 5.0 U	< 100 U	3,370 EJ	847 EJ	103	21.5
MW-0102-S1U	10/16/2013	MW-0102-S1U(101613)	PDB	< 25.0 U	< 500 U	3,870 D	988	105	6.5 J
MW-0102-S1U	5/13/2014	MW-0102-S1U (051314)	PDB	< 5.0 U	< 100 U	2,910 D	826 D	103	21.8
MW-0102-S1U	9/25/2014	MW-0102-S1U(092514)PDB	PDB	< 5.0 U	< 100 U	2,950 D	907 D	75.2	17.4
MW-0102-S1U	3/31/2015	MW-0102-S1U(033115)-PDB	PDB	< 25.0 U	< 500 U	2,470 D	867	82.8	12.9
MW-0102-S1U	9/30/2015	MW-0102-S1U(093015)PDB	PDB	4.4 J	< 100 UB	4,440 D	1,280 D	125	28.6
MW-0102-S1U	3/9/2016	MW-0102-S1U(030916)	Low-Flow	< 25.0 U	< 500 U	2,360 D	1,010	114	17.0
MW-0102-S1U	9/27/2016	MW-0102-S1U(092716)PDB	PDB	< 50.0 U	< 1,000 U	5,060 D	1,230	104	21.6
MW-0102-S1U	3/24/2017	MW-0102-S1U(032417)PDB	PDB	< 25.0 U	< 500 U	3,640 D	1,310	120	27.2
MW-0102-S1U	9/27/2017	MW-0102-S1U (092717)	PDB	< 25.0 U	< 500 UJ	3,470	1,310	112	17.9
MW-0102-S1U	3/27/2018	MW-0102-S1U (032718)	PDB	< 25.0 U	< 500 U	636	195	9.9 J	< 10.0 U
MW-0102-S1U	10/4/2018	MW-0102-S1U (100418)	PDB	< 25.0 U	< 500 U	4,570	1,400	102	19.7
MW-0102-S1U	9/27/2019	MW-0102-S1U(092719)	PDB	< 25.0 U	< 500 U	2,730	921	86.0	11.4
MW-0102-S1U	3/27/2020	MW-0102-S1U (032720)	PDB	< 25.0 U	< 500 U	3,660	1,150	105	14.6
MW-0102-S1U	10/8/2020	MW-0102-S1U(100820)	PDB	2.7 J	< 500 U	3,200	1,070	104	9.9 J
MW-0102-S1U	3/29/2021	MW-0102-S1(032921)	PDB	< 250 U	< 5,000 U	6,680	2,040	209 J	< 100 U
MW-0102-S1U	10/29/2021	MW-0102-S1U(102921)	PDB	< 250 U	< 5,000 U	3,450	1,190	101 J	< 100 U
MW-0102-S1U	3/23/2022	MW-0102-S1U(032322)	PDB	< 5.0 U	< 100 U	3,340	897	108	12.1 J
MW-0102-S1U	11/21/2022	MW-0102-S1U (112122)	PDB	< 5.0 U	80.4 J	1.7 J	797	10.4	0.61 J
MW-0103-S1U	6/22/2001	MW-3~06/22/2001~N~LB	Low-Flow	< 5.0 U	--	12	71	18	2.2
MW-0103-S1U	11/15/2004	MW-3 (111504)~RE	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	110	25	< 2.0 U
MW-0103-S1U	3/22/2006	MW-0103-S1U (032206)	Low-Flow	< 5.0 U	< 50.0 U	13	150	37	< 2.0 U
MW-0103-S1U	6/24/2009	MW-0103-S1U (062409)	Low-Flow	< 5 U	< 100 UJ	< 5 U	264	34.8	3.9
MW-0103-S1U	10/31/2012	MW-0103-S1U(103112)PDB	PDB	< 5.0 U	< 100 U	2.7 J	4.1 J	< 5.0 U	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
 RACER Trust Former GM Delco Plant 5
 Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0103-S1U	4/2/2013	MW-0103-S1U (040213)PDB	PDB	< 5.0 U	< 100 U	40.4 J	8.1 J	< 5.0 U	< 2.0 U
MW-0103-S1U	10/16/2013	MW-0103-S1U(101613)	PDB	< 5.0 U	< 100 U	6.0	14.8	< 5.0 U	< 2.0 U
MW-0103-S1U	5/13/2014	MW-0103-S1U (051314)	PDB	< 5.0 U	62.5 UB	8.8	3.6 J	< 5.0 U	< 2.0 U
MW-0103-S1U	9/25/2014	MW-0103-S1U(092514)PDB	PDB	< 5.0 U	< 100 U	11.5	2.5 J	< 5.0 U	< 2.0 U
MW-0103-S1U	3/31/2015	MW-0103-S1U(033115)-PDB	PDB	< 5.0 U	< 100 UB	6.7	4.1 J	0.31 J	< 2.0 U
MW-0103-S1U	9/30/2015	MW-0103-S1U(093015)PDB	PDB	< 5.0 U	< 100 UB	1.8 J	293	22.4	1.4 J
MW-0103-S1U	3/30/2016	MW-0103-S1U(033016)PDB	PDB	< 5.0 U	< 100 U	5.3	7.6	< 5.0 U	< 2.0 UJ
MW-0103-S1U	9/27/2016	MW-0103-S1U(092716)PDB	PDB	< 5.0 U	< 100 U	9.3	< 5.0 U	< 5.0 U	< 2.0 U
MW-0103-S1U	3/24/2017	MW-0103-S1U(032417)PDB	PDB	< 5.0 U	< 100 U	6.2	< 5.0 U	< 5.0 U	< 2.0 U
MW-0103-S1U	9/27/2017	MW-0103-S1U (092717)	PDB	< 5.0 U	< 100 UJ	5.5	< 5.0 U	< 5.0 U	< 2.0 U
MW-0103-S1U	3/27/2018	MW-103-S1U (032718)	PDB	< 5.0 U	< 100 U	< 5.6 UB	22.3	1.3 J	< 2.0 U
MW-0103-S1U	10/4/2018	MW-0103-S1U (100418)	PDB	< 5.0 U	< 100 U	9.5	< 5.0 U	< 5.0 U	< 2.0 U
MW-0103-S1U	3/26/2019	MW-0103-S1U (32619)	PDB	< 5.0 U	< 100 U	< 5.0 U	7.4	< 5.0 U	< 2.0 U
MW-0103-S1U	9/27/2019	MW-0103-S1U(092719)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0103-S1U	3/27/2020	MW-0103-S1U (032720)	PDB	< 5.0 U	< 100 U	5.1	2.8 J	< 5.0 U	< 2.0 U
MW-0103-S1U	10/8/2020	MW-0103-S1U(100820)	PDB	< 5.0 U	30.2 J	< 5 UB	< 5 UB	< 5.0 U	< 2.0 U
MW-0103-S1U	3/29/2021	MW-0103-S1U (032921)	PDB	< 5.0 U	< 100 U	7.9	< 5.0 U	< 5.0 U	< 2.0 U
MW-0103-S1U	10/29/2021	MW-0103-S1U (102921)	PDB	< 5.0 U	< 100 UB	3.5 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0103-S1U	3/23/2022	MW-0103-S1U(032322)	PDB	< 5.0 U	< 100 UB	6.2	3.2 J	< 5.0 U	< 2.0 U
MW-0103-S1U	10/24/2022	MW-0103-S1U (102422)	PDB	< 5.0 U	< 100 UB	0.98 J	2.0 J	< 5.0 U	< 2.0 U
MW-0501-S2	10/18/2005	MW-0501-2L (101805)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S2	3/21/2006	MW-0501-S2 (032106)	Low-Flow	< 5.0 U	< 50.0 U	2.2 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S2	6/24/2009	MW-0501-S2 (062409)	Low-Flow	< 5 U	< 100 UJ	< 5 U	< 5 U	< 5 U	< 2 U
MW-0501-S2	5/5/2010	MW-0501-S2 (050510)	PDB	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0501-S2	10/28/2010	MW-0501-S2(102810)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S2	5/13/2011	MW-0501-S2(051311)	PDB	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0501-S2	10/18/2011	MW-0501-S2(101811)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S2	3/27/2018	MW-501-S2 (032718)	PDB	< 5.0 U	10.2 J	< 5.0 UB	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S2	3/27/2020	MW-0501-S2 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S2	3/29/2021	MW-0501-S2(032921)	PDB	< 5.0 U	31.2 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S2	3/23/2022	MW-0501-S2(032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	2.1 J	< 5.0 U	< 2.0 U
MW-0501-S2	10/24/2022	MW-0501-S2 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S2	10/18/2005	MW-0503-2L (101805)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	9.9	< 5.0 U	< 2.0 U
MW-0503-S2	3/24/2006	MW-0503-S2 (032406)	Low-Flow	< 5.0 U	< 50.0 U	1.3 J	7.8	< 5.0 U	< 2.0 U
MW-0503-S2	6/24/2009	MW-0503-S2 (062409)	Low-Flow	< 5 U	< 100 U	< 5 U	8.4	< 5 U	< 2 U
MW-0503-S2	3/27/2018	MW-0503-S2 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	11.4	1.1 J	< 2.0 U
MW-0503-S2	3/27/2020	MW-0503-S2 (032720)	PDB	< 5.0 U	19.1 J	< 5.0 U	12.1	1.1 J	< 2.0 U
MW-0503-S2	3/29/2021	MW-0503-S2(032921)	PDB	7.0	< 100 U	< 5.0 U	47.9	2.4 J	< 2.0 U
MW-0503-S2	3/23/2022	MW-0503-S2 (032322)	PDB	3.0 J	< 100 UB	< 5.0 U	28.1	1.6 J	< 2.0 U
MW-0503-S2	10/24/2022	MW-0503-S2 (102422)	PDB	7.2	< 100 UB	0.43 J	52.6	2.2 J	< 2.0 U
MW-0504-S2	3/27/2006	MW-0504-S2 (032706)	Low-Flow	< 5.0 U	< 50.0 U	1.5 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0504-S2	11/7/2006	MW-0504-S2 (110706)	Low-Flow	< 5.0 U	< 50.0 U	100	300	20	< 2.0 U
MW-0504-S2	3/27/2018	MW-0504-S2 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 UB	255	12.4	0.83 J
MW-0504-S2	3/27/2020	MW-0504-S2 (032720)	PDB	< 5.0 U	5.7 J	< 5.0 U	692	24.5	< 2.0 U
MW-0504-S2	3/29/2021	MW-0504-S2(032921)	PDB	< 5.0 U	< 100 U	3.3 J	1,290	40.8	< 2.0 U
MW-0504-S2	3/23/2022	MW-0504-S2 (032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	686	31.2	< 2.0 U
MW-0504-S2	11/21/2022	MW-0504-S2 (112122)	PDB	< 5.0 U	43.7 J	< 5.0 U	1,240	46.6	24.7
MW-0505-S2	10/19/2005	MW-0505-2L (101905)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S2	3/23/2006	MW-0505-S2 (032306)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S2	6/24/2009	MW-0505-S2 (062409)	Low-Flow	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0505-S2	3/27/2018	MW-0505-S2 (032718)	PDB	< 5.0 U	2.3 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S2	3/27/2020	MW-0505-S2 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0505-S2	3/29/2021	MW-0505-S2(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S2	3/23/2022	MW-0505-S2(032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S2	11/21/2022	MW-0505-S2 (112122)	PDB	< 5.0 U	114	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S2	10/19/2005	MW-0506-3L (101905)	Low-Flow	< 5.0 U	< 50.0 U	630	470	44	< 2.0 U
MW-0506-S2	1/3/2006	MW-0506-2L (01/03/06)	Low-Flow	< 5.0 U	< 50.0 U	650	540	48	< 2.0 U
MW-0506-S2	3/27/2006	MW-0506-S2 (032706)	Low-Flow	< 5.0 U	< 50.0 U	670	620	50	< 2.0 U
MW-0506-S2	6/24/2009	MW-0506-S2 (062409)	Low-Flow	< 5 U	< 100 UJ	445	634	80.5	3.1
MW-0506-S2	4/19/2012	MW-0506-S2 (041912)-LF	Low-Flow	< 5.0 U	< 100 U	585 D	565 D	68.5	< 2.0 U
MW-0506-S2	4/19/2012	MW-0506-S2 (041912)-PDB	PDB	< 5.0 U	< 100 U	583 D	520 D	67.1	< 2.0 U
MW-0506-S2	10/31/2012	MW-0506-S2(103112)LF	Low-Flow	< 5.0 U	< 100 U	433 D	635 D	69.7	< 2.0 U
MW-0506-S2	10/31/2012	MW-0506-S2(103112)PDB	PDB	< 5.0 U	< 100 U	233	636 D	34.7	< 2.0 U
MW-0506-S2	3/27/2018	MW-0506-S2 (032718)	PDB	< 5.0 U	< 100 U	32.6	16.3	3.8 J	< 2.0 U
MW-0506-S2	3/27/2020	MW-0506-S2 (032720)	PDB	< 5.0 U	8.4 J	515	675	66.0	1.2 J
MW-0506-S2	3/29/2021	MW-0506-S2(032921)	PDB	< 5.0 U	5.6 J	359	778	94.3	1.1 J
MW-0506-S2	3/23/2022	MW-0506-S2 (032322)	PDB	< 5.0 U	< 100 U	22.6	28.0	5.4	< 2.0 U
MW-0506-S2	10/24/2022	MW-0506-S2 (102422)	PDB	0.83 J	< 100 UB	324	660	61.1	1.5 J
MW-0516-S2	10/20/2005	MW-0516-3L (102005)	Low-Flow	< 5.0 U	< 50.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	3/23/2006	MW-0516-S2 (032306)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	6/25/2009	MW-0516-S2 (062509)	Low-Flow	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S2	3/27/2018	MW-0516-S2 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	3/27/2020	MW-0516-S2 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	3/29/2021	MW-0516-S2(032921)	PDB	< 5.0 U	7.5 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	3/23/2022	MW-0516-S2(032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	10/24/2022	MW-0516-S2 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0604-S2	3/22/2006	MW-0604-S2 (032206)	Low-Flow	< 5.0 U	< 50.0 U	100	39	20	< 2.0 U
MW-0604-S2	11/9/2006	MW-0604-S2 (110906)	Low-Flow	< 5.0 U	< 50.0 U	27	60	10	< 2.0 U
MW-0604-S2	6/24/2009	MW-0604-S2 (062409)	Low-Flow	< 5 U	< 100 U	< 5 U	94.6	8.9	< 2 U
MW-0604-S2	3/27/2018	MW-0604-S2 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0604-S2	3/27/2020	MW-0604-S2 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0604-S2	3/29/2021	MW-0604-S2(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0604-S2	3/23/2022	MW-0604-S2 (032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0604-S2	11/21/2022	DUP-02 (112122)	PDB	< 5.0 U	40.2 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0604-S2	11/21/2022	MW-0604-S2 (112122)	PDB	< 5.0 U	38.8 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0606-S2	3/23/2006	MW-0606-S2 (032306)	Low-Flow	< 5.0 U	< 50.0 U	2.8 J	1.8 J	< 5.0 U	< 2.0 U
MW-0606-S2	11/6/2006	MW-0606-S2 (110606)	Low-Flow	< 5.0 U	< 50.0 U	2.3 J	< 7.2 U	< 5.0 U	< 2.0 U
MW-0606-S2	6/26/2009	MW-0606-S2 (062609)	Low-Flow	< 5 U	< 100 UJ	390	245	50.9	< 2 U
MW-0606-S2	4/19/2012	MW-0606-S2 (041912)-PDB	PDB	< 5.0 U	< 100 U	729 D	194	47.5	< 2.0 U
MW-0606-S2	10/31/2012	MW-0606-S2(103112)PDB	PDB	< 5.0 U	< 100 U	532 D	192	43.6	< 2.0 U
MW-0606-S2	3/27/2018	MW-0606-S2 (032718)	PDB	< 5.0 U	< 100 U	458	309	73.2	< 2.0 U
MW-0606-S2	3/27/2020	MW-0606-S2 (032720)	PDB	< 5.0 U	< 100 U	24.8	730	81.8	1.1 J
MW-0606-S2	3/29/2021	MW-0606-S2(032921)	PDB	< 5.0 U	< 100 U	286	434	86.3	3.2
MW-0606-S2	3/23/2022	MW-0606-S2(032322)	PDB	< 50.0 U	< 1,000 U	5.2 J	784	31.7 J	59.4
MW-0606-S2	10/24/2022	DUP-04 (102422)-RJW	PDB	< 5.0 U	< 100 U	318	396	71.0	1.2 J
MW-0606-S2	10/24/2022	MW-0606-S2 (102422)	PDB	< 5.0 U	< 100 U	322	396	70.4	1.3 J
MW-0607-S2	3/7/2007	MW-0607-S2 (030707)	Low-Flow	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	11/12/2008	MW-0607-S2 (111208)	Low-Flow	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	5/5/2010	MW-0607-S2 (050510)	PDB	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S2	5/6/2010	MW-0607-S2 (050610)LF	Low-Flow	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S2	10/28/2010	MW-0607-S2(102810)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	5/13/2011	MW-0607-S2(051311)	PDB	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.66 J
MW-0607-S2	10/18/2011	MW-0607-S2(101811)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	3/27/2018	MW-0607-S2 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0607-S2	3/27/2020	MW-0607-S2 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.52 J
MW-0607-S2	3/29/2021	MW-0607-S2(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	3/23/2022	MW-0607-S2 (032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.48 J
MW-0607-S2	10/24/2022	MW-0607-S2 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.41 J
MW-0608-S2	3/23/2006	MW-0608-S2 (032306)	Low-Flow	< 5.0 U	< 50.0 U	100	900	100	< 2.0 U
MW-0608-S2	11/7/2006	MW-0608-S2 (110706)	Low-Flow	< 5.0 UJ	< 50.0 U	63	630	88 J	< 2.0 U
MW-0608-S2	6/26/2009	FD-2-PS (062609)	Low-Flow	< 5 U	< 100 U	12.4	635	109	2.5
MW-0608-S2	6/26/2009	MW-0608-S2 (062609)	Low-Flow	< 5 U	< 100 U	12.2	605	113	2.6
MW-0608-S2	3/27/2018	MW-0608-S2 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 UB	801	112	2.1
MW-0608-S2	3/27/2020	MW-0608-S2 (032720)	PDB	< 5.0 U	35.3 J	1.7 J	888	100	1.9 J
MW-0608-S2	3/29/2021	MW-0608-S2(032921)	PDB	< 5.0 U	< 100 U	0.55 J	294	34.1	3.5
MW-0608-S2	3/23/2022	MW-0608-S2 (032322)	PDB	< 50.0 U	< 1,000 U	5.1 J	1,010	104	3.1 J
MW-0608-S2	10/24/2022	MW-0608-S2 (102422)	PDB	0.96 J	< 100 UB	0.89 J	283	32.9	1.6 J
MW-0609-S2	11/10/2006	MW-0609-S2 (111006)	Low-Flow	< 5.0 U	< 50.0 U	< 5.0 U	73	10	4.1
MW-0609-S2	11/12/2008	MW-0609-S2 (111208)	Low-Flow	< 5.0 U	< 100 R	< 5.0 U	22.2	< 5.0 U	< 2.0 U
MW-0609-S2	5/5/2010	MW-0609-S2 (050510)	PDB	< 5 U	< 100 U	< 5 U	127	17.0	4.1
MW-0609-S2	5/6/2010	MW-0609-S2 (050610)LF	Low-Flow	< 5 U	< 100 U	< 5 U	102	13.0	3.5
MW-0609-S2	10/28/2010	MW-0609-S2(102810)	PDB	< 5.0 U	< 100 U	< 5.0 U	20.3	< 5.0 U	< 2.0 U
MW-0609-S2	5/13/2011	MW-0609-S2(051311)	PDB	< 4.0 U	< 40 U	< 4.0 U	130	17	4.8
MW-0609-S2	10/18/2011	MW-0609-S2(101811)	PDB	< 5.0 U	< 100 U	< 5.0 U	24.1	< 5.0 U	< 2.0 U
MW-0609-S2	4/20/2012	MW-0609-S2_20120420	Low-Flow	< 5.0 U	< 100 U	< 5.0 U	175	21.1	3.2
MW-0609-S2	10/31/2012	MW-0609-S2(103112)PDB	PDB	< 5.0 U	< 100 U	< 5.0 U	21.3	< 5.0 U	< 2.0 U
MW-0609-S2	3/27/2018	MW-0609-S2 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	202	24.6	9.3
MW-0609-S2	3/27/2020	MW-0609-S2 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	207	24.5	24.2
MW-0609-S2	3/29/2021	MW-0609-S2(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	74.4	9.0	11.0
MW-0609-S2	3/23/2022	MW-0609-S2 (032322)	PDB	< 5.0 U	< 100 U	< 5.0 U	200	21.8	11.8
MW-0609-S2	10/24/2022	MW-0609-S2 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	16.8	1.7 J	0.43 J
MW-0612-S2	11/10/2006	MW-0612-S2 (111006)	Low-Flow	< 5.0 U	< 50.0 U	1,400	360	130	< 2.0 U
MW-0612-S2	3/7/2007	MW-0612-S2 (030707)	Low-Flow	< 5.0 U	< 100 U	1,320	827	160	< 2.0 U
MW-0612-S2	6/25/2009	MW-0612-S2 (062509)-LF	Low-Flow	< 5 U	< 100 UJ	353	1,440	199	< 2 U
MW-0612-S2	6/25/2009	MW-0612-S2 (062509)-PDB	PDB	< 5 U	< 100 UJ	268	1,360	183	< 2 U
MW-0612-S2	4/19/2012	MW-0612-S2 (041912)-LF	Low-Flow	< 5.0 U	< 100 U	747 D	663 D	148	< 2.0 U
MW-0612-S2	4/19/2012	MW-0612-S2 (041912)-PDB	PDB	< 5.0 U	< 100 U	625 D	678 D	140	< 2.0 U
MW-0612-S2	10/31/2012	MW-0612-S2(103112)LF	Low-Flow	< 5.0 U	< 100 U	857 D	871 D	150	< 2.0 U
MW-0612-S2	10/31/2012	MW-0612-S2(103112)PDB	PDB	< 5.0 U	< 100 U	647 D	868 D	127	< 2.0 U
MW-0612-S2	3/27/2018	MW-0612-S2 (032718)	PDB	< 5.0 U	< 100 U	237	698	91.3	2.2
MW-0612-S2	3/27/2020	MW-0612-S2 (032720)	PDB	< 25.0 U	< 500 U	3.2 J	1,350	97.6	116
MW-0612-S2	3/23/2022	MW-0612-S2(032322)	PDB	< 5.0 U	< 100 UB	142	1,880	132	42.9
MW-0612-S2	10/24/2022	MW-0612-S2 (102422)	PDB	< 5.0 U	< 100 UB	11.4	154	7.8	1.0 J
MW-0614-S2	11/16/2006	MW-0614-S2 (111606)	Direct fill	< 5.0 U	< 50.0 U	< 5.0 U	2.6 J	< 5.0 U	< 2.0 U
MW-0614-S2	11/12/2008	MW-0614-S2 (111208)	Low-Flow	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	5/5/2010	MW-0614-S2 (050510)	PDB	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0614-S2	10/28/2010	MW-0614-S2(102810)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	5/13/2011	MW-0614-S2(051311)	PDB	< 1.0 U	< 10 UB	< 1.0 U	1.6	< 1.0 U	< 1.0 U
MW-0614-S2	10/18/2011	MW-0614-S2(101811)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	3/27/2018	MW-0614-S2 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 U	2.0 J	< 5.0 U	< 2.0 U
MW-0614-S2	3/27/2020	MW-0614-S2 (032720)	PDB	< 5.0 U	5.4 J	< 5.0 U	1.8 J	< 5.0 U	< 2.0 U
MW-0614-S2	3/29/2021	MW-0614-S2(032921)	PDB	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	3/23/2022	MW-0614-S2(032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	10/24/2022	MW-0614-S2 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S2	3/7/2007	MW-0617-S2 (030707)	Low-Flow	< 5.0 U	< 100 U	386	518	74.5	< 2.0 U
MW-0617-S2	11/14/2008	MW-0617-S2 (111408)	Low-Flow	< 5.0 U	< 100 R	209	342	34.4	< 2.0 U

Table 2

Groundwater Analytical Data Summary Screened Against Drinking Water Criteria

RACER Trust Former GM Delco Plant 5

Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethane	Acetone	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Maximum Contaminant Level†				30	20,000	5	70	100	2
MW-0617-S2	12/29/2008	FD-1-MAH (122908)	Low-Flow	< 5.0 U	< 100 U	221	668	60.2	< 2.0 U
MW-0617-S2	12/29/2008	MW-0617-S2 (122908)	Low-Flow	< 5.0 U	< 100 U	227	586	62.4	< 2.0 U
MW-0617-S2	3/27/2018	MW-0617-S2 (032718)	PDB	< 5.0 U	< 100 U	< 5.0 UB	4.6 J	< 5.0 U	< 2.0 U
MW-0617-S2	3/27/2020	MW-0617-S2 (032720)	PDB	< 5.0 U	< 100 U	< 5.0 U	3.9 J	< 5.0 U	19.8
MW-0617-S2	3/29/2021	MW-0617-S2(032921)	PDB	< 5.0 U	7.2 J	< 5.0 U	7.3	< 5.0 U	11.1
MW-0617-S2	3/23/2022	MW-0617-S2 (032322)	PDB	< 5.0 U	< 100 UB	< 5.0 U	4.2 J	< 5.0 U	4.3
MW-0617-S2	10/24/2022	MW-0617-S2 (102422)	PDB	< 5.0 U	< 100 UB	< 5.0 U	7.7	< 5.0 U	9.2

Notes:

Only constituents of concern detected at a concentration higher than the applicable laboratory reporting limit one or more times during the groundwater monitoring event are presented.

† The data are screened against United States Environmental Protection Agency (USEPA) Drinking Water Screening Criteria (Maximum Contaminant Levels [MCLs])

* No MCL is established for 1,1-dichloroethane or acetone; as such, the Indiana Department of Environmental Management Risk-Based Closure Guide (R2) 2022 residential groundwater criteria were used for screening purposes

SHADED Concentrations highlighted gray exceed the screening criteria

µg/L: micrograms per liter

J: The compound was positively identified; however, the associated numerical value is an estimated concentration only

PDB: Passive diffusion bag

U: The compound was analyzed for but not detected. The associated value is the compound quantitation limit

UB: Compound considered non-detect at the listed value due to associated blank contamination

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater
Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (ug/L)			
				Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Site specific Groundwater Vapor Intrusion Screening Level-Residential†				1,540	41,260	44,270	540
Site specific Groundwater Vapor Intrusion Screening Level-Commercial/Industrial†				2,150	57,760	61,980	1,810
MW-0516-S1	10/19/2005	MW-0516-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/23/2006	MW-0516-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/5/2010	MW-0516-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/6/2010	MW-0516-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	10/28/2010	MW-0516-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2011	MW-0516-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0516-S1	10/18/2011	MW-0516-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/31/2012	MW-0516-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	4/2/2013	MW-0516-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/16/2013	MW-0516-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2014	MW-0516-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/25/2014	MW-0516-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/31/2015	MW-0516-S1(033115)-PDB	PDB	0.26 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/30/2015	MW-0516-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	FD-1(033016)-LM	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	MW-0516-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2016	MW-0516-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/24/2017	MW-0516-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2017	MW-0516-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/27/2018	MW-0516-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/4/2018	MW-0516-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/26/2019	MW-0516-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2019	MW-0516-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/27/2020	MW-0516-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/8/2020	MW-0516-S1(100820)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/29/2021	MW-0516-S1(032921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/29/2021	MW-0516-S1(102921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/23/2022	MW-0516-S1(032322)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/24/2022	MW-0516-S1 (102422)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/24/2006	MW-0602-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	11/7/2006	MW-0602-S1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/31/2012	MW-0602-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/16/2013	MW-0602-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	5/13/2014	MW-0602-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/25/2014	MW-0602-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/30/2016	MW-0602-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2016	MW-0602-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/24/2017	MW-0602-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2017	MW-0602-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/27/2018	MW-0602-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/4/2018	MW-0602-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater
Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (ug/L)			
				Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Site specific Groundwater Vapor Intrusion Screening Level-Residential†				1,540	41,260	44,270	540
Site specific Groundwater Vapor Intrusion Screening Level-Commercial/Industrial†				2,150	57,760	61,980	1,810
MW-0602-S1	3/26/2019	MW-0602-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2019	MW-0602-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/27/2020	MW-0602-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/8/2020	MW-0602-S1(100820)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/29/2021	MW-0602-S1(032921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/29/2021	MW-0602-S1(102921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/23/2022	MW-0602-S1(032322)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/24/2022	MW-0602-S1 (102422)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2006	MW-0603-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	11/8/2006	MW-0603-S1 (110806)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	6/25/2009	MW-0603-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	5/5/2010	MW-0603-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	10/28/2010	MW-0603-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2011	MW-0603-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0603-S1	10/18/2011	MW-0603-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/31/2012	MW-0603-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/16/2013	MW-0603-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2014	MW-0603-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/25/2014	MW-0603-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/31/2015	MW-0603-S1(033115)-AO-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/30/2015	MW-0603-S1(093015)PDB	PDB	0.27 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/30/2016	MW-0603-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2016	MW-0603-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2017	MW-0603-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2017	MW-0603-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/27/2018	MW-0603-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/4/2018	MW-0603-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/26/2019	MW-0603-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2019	MW-0603-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/27/2020	MW-0603-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/8/2020	MW-0603-S1(100820)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/29/2021	MW-0603-S1(032921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/29/2021	MW-0603-S1(102921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/23/2022	MW-0603-S1(032322)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/24/2022	MW-0603-S1 (102422)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0606-S1	3/23/2006	MW-0606-S1 (032306)	Low-Flow	970	230	42	< 2.0 U
MW-0606-S1	11/6/2006	MW-0606-S1 (110606)	Low-Flow	770	210	43	1.0 J
MW-0606-S1	10/31/2012	MW-0606-S1(103112)LF	Low-Flow	2,410 D	288 D	76.5	< 2.0 U
MW-0606-S1	10/31/2012	MW-0606-S1(103112)PDB	PDB	2,380 D	281 D	78.8	1.2 J
MW-0606-S1	4/2/2013	MW-0606-S1 (040213) PDB	PDB	4,490 EJ	394 EJ	105	2.0
MW-0606-S1	10/16/2013	MW-0606-S1(101613)	PDB	2,650 D	314 D	92.8	1.3 J
MW-0606-S1	5/13/2014	MW-0606-S1(051314)	PDB	3,280 D	365	75.9	< 10.0 U
MW-0606-S1	9/25/2014	MW-0606-S1(092514)PDB	PDB	2,580 DJ	448 D	81.0	1.2 J

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater
Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (ug/L)			
				Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Site specific Groundwater Vapor Intrusion Screening Level-Residential†				1,540	41,260	44,270	540
Site specific Groundwater Vapor Intrusion Screening Level-Commercial/Industrial†				2,150	57,760	61,980	1,810
MW-0606-S1	3/31/2015	MW-0606-S1(033115)-PDB	PDB	3,030 D	428	94.6	< 20.0 U
MW-0606-S1	9/30/2015	MW-0606-S1(093015)PDB	PDB	1,260 D	285	45.6	0.43 J
MW-0606-S1	3/9/2016	MW-0606-S1(030916)	Low-Flow	1,960 D	329 D	62.6	< 2.0 U
MW-0606-S1	9/27/2016	MW-0606-S1(092716)PDB	PDB	1,130	633	58.0	< 20.0 U
MW-0606-S1	3/24/2017	MW-0606-S1(032417)PDB	PDB	2,820 D	441	97.8	< 2.0 U
MW-0606-S1	9/27/2017	MW-0606-S1 (092717)	PDB	1,470	250	51.0	< 2.0 U
MW-0606-S1	3/27/2018	MW-0606-S1 (032718)	PDB	1,880	279	81.5	0.92 J
MW-0606-S1	10/4/2018	MW-0606-S1 (100418)	PDB	1,960	453	97.0	< 2.0 U
MW-0606-S1	3/25/2019	MW-0606-S1 (032519)	Low-Flow	1,340	245	55.3	< 2.0 U
MW-0606-S1	9/27/2019	MW-0606-S1(092719)	PDB	2,020	360	83.1	< 2.0 U
MW-0606-S1	3/27/2020	MW-0606-S1 (032720)	PDB	2,740	656	109	< 10.0 U
MW-0606-S1	10/8/2020	MW-0606-S1(100820)	PDB	1,500	676	80.2	< 20.0 U
MW-0606-S1	3/29/2021	MW-0606-S1(032921)	PDB	2,470	675	139	1.3 J
MW-0606-S1	10/29/2021	MW-0606-S1(102921)	PDB	1,420	622	87.6	0.94 J
MW-0606-S1	3/23/2022	MW-0606-S1 (032322)	PDB	2,510	1,040	116	< 20.0 U
MW-0606-S1	10/24/2022	DUP-03 (102422)-RJW	PDB	2,820	1,220	140	1.7 J
MW-0606-S1	10/24/2022	MW-0606-S1 (102422)	PDB	2,770	1,210	138	1.6 J
MW-0607-S1	3/24/2006	MW-0607-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	11/6/2006	MW-0607-S1 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	6/25/2009	MW-0607-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/5/2010	MW-0607-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/6/2010	MW-0607-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	10/28/2010	MW-0607-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2011	MW-0607-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0607-S1	10/18/2011	MW-0607-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/31/2012	MW-0607-S1(103112)PDB	PDB	< 5.0 UB	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	4/2/2013	MW-0607-S1 (040213) PDB	PDB	36.9 J	2.9 J	< 5.0 U	< 2.0 U
MW-0607-S1	10/16/2013	MW-0607-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2014	MW-0607-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/25/2014	MW-0607-S1(092514)PDB	PDB	4.0 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/31/2015	MW-0607-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/30/2015	MW-0607-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/30/2016	MW-0607-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2016	MW-0607-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/24/2017	MW-0607-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2017	MW-0607-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/27/2018	MW-0607-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/4/2018	MW-0607-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/26/2019	MW-0607-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2019	MW-0607-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/27/2020	MW-0607-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/8/2020	MW-0607-S1(100820)	PDB	< 5.0 U	< 5 UB	< 5.0 U	< 2.0 U
MW-0607-S1	3/29/2021	MW-0607-S1(032921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater
Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (ug/L)			
				Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Site specific Groundwater Vapor Intrusion Screening Level-Residential†				1,540	41,260	44,270	540
Site specific Groundwater Vapor Intrusion Screening Level-Commercial/Industrial†				2,150	57,760	61,980	1,810
MW-0607-S1	10/29/2021	MW-0607-S1(102921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/23/2022	MW-0607-S1 (032322)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/24/2022	MW-0607-S1 (102422)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/23/2006	MW-0608-S1 (032306)	Low-Flow	2.0 J	2.9 J	< 5.0 U	< 2.0 U
MW-0608-S1	11/7/2006	MW-0608-S1 (110706)	Low-Flow	1.7 J	35	3.3 J	< 2.0 U
MW-0608-S1	6/26/2009	MW-0608-S1 (062609)	Low-Flow	< 5 U	24.5	< 5 U	4.9
MW-0608-S1	10/31/2012	MW-0608-S1(103112)PDB	PDB	< 5.0 UB	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	4/2/2013	MW-0608-S1 (040213) PDB	PDB	5.2 J	30.9	< 5.0 U	1.7 J
MW-0608-S1	10/16/2013	MW-0608-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	5/13/2014	MW-0608-S1(051314)	PDB	3.5 J	148	11.7	5.4
MW-0608-S1	9/25/2014	MW-0608-S1(092514)PDB	PDB	1.5 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/31/2015	MW-0608-S1(033115)-PDB	PDB	< 5.0 U	144	13.1	4.0
MW-0608-S1	9/30/2015	MW-0608-S1(093015)PDB	PDB	< 5.0 U	243 D	35.3	5.8
MW-0608-S1	3/30/2016	MW-0608-S1(033016)PDB	PDB	< 5.0 U	97.8	9.3	2.6
MW-0608-S1	9/27/2016	MW-0608-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/24/2017	MW-0608-S1(032417)PDB	PDB	< 5.0 U	30.3	< 5.0 U	< 2.0 U
MW-0608-S1	9/27/2017	MW-0608-S1 (092717)	PDB	< 5.0 U	427	44.0	5.1
MW-0608-S1	3/27/2018	MW-0608-S1 (032718)	PDB	< 5.0 U	371	45.1	5.1
MW-0608-S1	10/4/2018	MW-0608-S1 (100418)	PDB	< 5.0 U	453	58.3	6.5
MW-0608-S1	3/26/2019	MW-0608-S1 (032619)	PDB	< 5.0 U	286	34.5	3.8
MW-0608-S1	9/27/2019	MW-0608-S1(092719)	PDB	< 5.0 U	4.2 J	< 5.0 U	< 2.0 U
MW-0608-S1	3/27/2020	MW-0608-S1 (032720)	PDB	< 5.0 U	484	47.0	3.2
MW-0608-S1	10/8/2020	MW-0608-S1(100820)	PDB	< 5 UB	372	48.2	4.8
MW-0608-S1	3/29/2021	MW-0608-S1(032921)	PDB	< 5.0 U	358 EJ	67.0	3.3
MW-0608-S1	10/29/2021	MW-0608-S1(102921)	PDB	< 5 UB	1.0 J	< 5.0 U	< 2.0 U
MW-0608-S1	3/23/2022	MW-0608-S1 (032322)	PDB	< 5.0 U	443	67.6	3.3
MW-0608-S1	10/24/2022	MW-0608-S1 (102422)	PDB	0.61 J	409	53.3	4.7
MW-0609-S1	3/23/2006	MW-0609-S1 (032306)	Low-Flow	260	61	9.7	< 2.0 U
MW-0609-S1	11/9/2006	MW-0609-S1 (110906)	Low-Flow	220	55	9.0	< 2.0 U
MW-0609-S1	6/26/2009	FD-1-PS (062609)	Low-Flow	69.4	225	25.4	3.7
MW-0609-S1	6/26/2009	MW-0609-S1 (062609)	Low-Flow	69.9	226	26.1	3.6
MW-0609-S1	10/31/2012	MW-0609-S1(103112)PDB	PDB	< 5.0 U	3.8 J	< 5.0 U	< 2.0 U
MW-0609-S1	4/2/2013	MW-0609-S1 (040213) PDB	PDB	8.2 J	18.9	< 5.0 U	< 2.0 U
MW-0609-S1	10/16/2013	MW-0609-S1(101613)	PDB	5.9	489 D	40.1	7.8
MW-0609-S1	5/13/2014	MW-0609-S1(051314)	PDB	40.1	198 D	16.2	5.4
MW-0609-S1	9/25/2014	MW-0609-S1(092514)PDB	PDB	< 5.0 U	26.6	2.7 J	6.2
MW-0609-S1	9/30/2015	MW-0609-S1(093015)PDB	PDB	248	347 D	53.1	3.2
MW-0609-S1	3/30/2016	MW-0609-S1(033016)PDB	PDB	7.9	18.6	< 5.0 U	< 2.0 U
MW-0609-S1	9/27/2016	MW-0609-S1(092716)PDB	PDB	17.1	496	49.7	18.1
MW-0609-S1	3/24/2017	MW-0609-S1(032417)PDB	PDB	< 5.0 U	7.5	< 5.0 U	< 2.0 U
MW-0609-S1	9/27/2017	MW-0609-S1 (092717)	PDB	< 5.0 U	147	8.1	15.0
MW-0609-S1	4/17/2018	MW-0609-S1 (041718)	PDB	< 5.0 U	1.1 J	< 5.0 U	< 2.0 U
MW-0609-S1	10/4/2018	MW-0609-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater
Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (ug/L)			
				Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Site specific Groundwater Vapor Intrusion Screening Level-Residential†				1,540	41,260	44,270	540
Site specific Groundwater Vapor Intrusion Screening Level-Commercial/Industrial†				2,150	57,760	61,980	1,810
MW-0609-S1	3/26/2019	MW-0609-S1 (032619)	PDB	< 5.0 U	26.0	< 5.0 U	< 2.0 U
MW-0609-S1	9/27/2019	MW-0609-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	3/27/2020	MW-0609-S1 (032720)	PDB	1.2 J	8.7	0.63 J	< 2.0 U
MW-0609-S1	10/8/2020	MW-0609-S1(100820)	PDB	< 5.0 U	92.4	0.52 J	27.1
MW-0609-S1	3/29/2021	MW-0609-S1(032921)	PDB	< 5.0 U	8.7	< 5.0 U	0.99 J
MW-0609-S1	10/29/2021	MW-0609-S1(102921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	3/23/2022	MW-0609-S1 (032322)	PDB	0.39 J	26.5	< 5.0 U	5.0
MW-0609-S1	10/24/2022	MW-0609-S1 (102422)	PDB	< 5.0 U	1.7 J	< 5.0 U	1.3 J
MW-0610-S1	11/10/2006	MW-0610-S1 (111006)	Low-Flow	< 5.0 U	40	4.2 J	1.9 J
MW-0610-S1	11/12/2008	MW-0610-S1 (111208)	Low-Flow	< 5.0 U	19.1	< 5.0 U	< 2.0 U
MW-0610-S1	5/5/2010	MW-0610-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 2 U
MW-0610-S1	10/28/2010	MW-0610-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2011	MW-0610-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0610-S1	10/18/2011	MW-0610-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/31/2012	MW-0610-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/16/2013	MW-0610-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2014	MW-0610-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/25/2014	MW-0610-S1(092514)PDB	PDB	2.0 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/31/2015	MW-0610-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/30/2015	MW-0610-S1(093015)PDB	PDB	< 5.0 U	2.1 J	< 5.0 U	< 2.0 U
MW-0610-S1	3/30/2016	MW-0610-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2016	MW-0610-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/24/2017	MW-0610-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2017	MW-0610-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/27/2018	MW-0610-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/4/2018	MW-0610-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/26/2019	MW-0610-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2019	MW-0610-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/27/2020	MW-0610-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/8/2020	MW-0610-S1(100820)	PDB	< 5.0 U	< 5 UB	< 5.0 U	< 2.0 U
MW-0610-S1	3/29/2021	MW-0610-S1(032921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/29/2021	MW-0610-S1(102921)	PDB	< 5.0 U	0.37 J	< 5.0 U	< 2.0 U
MW-0610-S1	3/23/2022	MW-0610-S1 (032322)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/24/2022	MW-0610-S1 (102422)	PDB	< 5.0 U	1.2 J	< 5.0 U	< 2.0 U
MW-0611-S1-R	10/31/2019	MW-0611-S1-R(103119)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1-R	10/29/2021	MW-0611-S1R(102921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1-R	10/24/2022	MW-0611-S1-R (102422)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0612-S1	11/9/2006	MW-0612-S1 (110906)	Low-Flow	3,300	130	43	2.4
MW-0612-S1	3/7/2007	FD-1-MG (030707)	Low-Flow	3,760	132	38.6	3.1
MW-0612-S1	3/7/2007	MW-0612-S1 (030707)	Low-Flow	3,950	161	38.9	< 2.0 U
MW-0612-S1	6/25/2009	MW-0612-S1 (062509)	Low-Flow	4,370	207	< 50 U	< 20 U
MW-0612-S1	4/19/2012	MW-0612-S1 (041912)-PDB	Low-Flow	4,750 D	223	44.9	15.1
MW-0612-S1	10/31/2012	FD-2(103112)PDB-WK	PDB	675 D	850 D	141	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater
Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (ug/L)			
				Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Site specific Groundwater Vapor Intrusion Screening Level-Residential†				1,540	41,260	44,270	540
Site specific Groundwater Vapor Intrusion Screening Level-Commercial/Industrial†				2,150	57,760	61,980	1,810
MW-0612-S1	10/31/2012	MW-0612-S1(103112)LF	Low-Flow	2,490 D	185	45.8	11.8
MW-0612-S1	10/31/2012	MW-0612-S1(103112)PDB	PDB	5,440 D	275	48.5	24.5
MW-0612-S1	4/2/2013	MW-0612-S1 (040213) PDB	PDB	3,720 EJ	191	41.0	9.3
MW-0612-S1	10/16/2013	MW-0612-S1(101613)	PDB	3,220 D	242	49.1	12.4
MW-0612-S1	5/13/2014	MW-0612-S1(051314)	PDB	3,400 D	248 D	46.2	13.2
MW-0612-S1	9/25/2014	MW-0612-S1(092514)PDB	PDB	3,190 DJ	251	43.2	13.7
MW-0612-S1	3/31/2015	MW-0612-S1(033115)-PDB	PDB	3,870 D	292	49.6	11.6
MW-0612-S1	9/30/2015	MW-0612-S1(093015)PDB	PDB	4,420 D	268 D	62.5	7.6
MW-0612-S1	3/9/2016	MW-0612-S1(030916)	Low-Flow	2,380 D	193	47.2	< 10.0 U
MW-0612-S1	9/27/2016	MW-0612-S1(092716)PDB	PDB	4,630 D	249	< 50.0 U	< 20.0 U
MW-0612-S1	3/24/2017	MW-0612-S1(032417)PDB	PDB	3,960 D	254	49.4	< 10.0 U
MW-0612-S1	9/27/2017	MW-0612-S1 (092717)	PDB	674	100	< 25.0 U	< 10.0 U
MW-0612-S1	3/27/2018	MW-0612-S1 (032718)	PDB	4,360	278	47.8	6.6 J
MW-0612-S1	10/4/2018	MW-0612-S1 (100418)	PDB	4,180	306	47.0	< 10.0 U
MW-0612-S1	3/26/2019	MW-0612-S1 (032619)	PDB	4,110	341	54.4	< 10.0 U
MW-0612-S1	9/27/2019	MW-0612-S1(092719)	PDB	358	35.9	< 25.0 U	< 10.0 U
MW-0612-S1	3/27/2020	MW-0612-S1 (032720)	PDB	2,810	283	45.4	12.0
MW-0612-S1	10/8/2020	MW-0612-S1(100820)	PDB	3,220	332	45.2	25.4
MW-0612-S1	3/29/2021	MW-0612-S1(032921)	PDB	3,850	363	50.7	19.8
MW-0612-S1	10/29/2021	MW-0612-S1(102921)	PDB	3,610	351	45.5	24.0
MW-0612-S1	3/23/2022	MW-0612-S1(032322)	PDB	3,070	259	45.1	12.9
MW-0612-S1	10/24/2022	DUP-05 (102422)-RJW	PDB	3,200	441	48.9	30.3
MW-0612-S1	10/24/2022	MW-0612-S1 (102422)	PDB	3,230	435	50.4	31.9
MW-0613-S1	11/10/2006	MW-0613-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	11/12/2008	MW-0613-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/5/2010	MW-0613-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 2 U
MW-0613-S1	10/28/2010	MW-0613-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2011	MW-0613-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0613-S1	10/18/2011	MW-0613-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/31/2012	MW-0613-S1(103112)PDB	PDB	< 5.2 UB	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	4/2/2013	MW-0613-S1 (040213) PDB	PDB	24.0 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/16/2013	MW-0613-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2014	MW-0613-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/25/2014	MW-0613-S1(092514)PDB	PDB	2.9 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/31/2015	MW-0613-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/30/2015	MW-0613-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/30/2016	MW-0613-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2016	MW-0613-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/24/2017	MW-0613-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2017	MW-0613-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/27/2018	MW-0613-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/4/2018	MW-0613-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/26/2019	MW-0613-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater
Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (ug/L)			
				Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Site specific Groundwater Vapor Intrusion Screening Level-Residential†				1,540	41,260	44,270	540
Site specific Groundwater Vapor Intrusion Screening Level-Commercial/Industrial†				2,150	57,760	61,980	1,810
MW-0613-S1	9/27/2019	MW-0613-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/27/2020	MW-0613-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/8/2020	MW-0613-S1(100820)	PDB	< 5 UB	< 5 UB	--	< 2.0 U
MW-0613-S1	3/29/2021	MW-0613-S1(032921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/29/2021	MW-0613-S1(102921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/23/2022	MW-0613-S1 (032322)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/24/2022	MW-0613-S1 (102422)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/7/2007	MW-0617-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	11/12/2008	MW-0617-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	12/29/2008	MW-0617-S1 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/31/2012	MW-0617-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/16/2013	MW-0617-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	5/13/2014	MW-0617-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/25/2014	MW-0617-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/31/2015	MW-0617-S1(033115)-PDB	PDB	0.29 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/30/2015	MW-0617-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/30/2016	MW-0617-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2016	MW-0617-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/24/2017	MW-0617-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2017	MW-0617-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0617-S1	3/27/2018	MW-0617-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/4/2018	MW-0617-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/26/2019	MW-0617-S1 (32619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2019	MW-0617-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/27/2020	MW-0617-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/8/2020	MW-0617-S1(100820)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/29/2021	MW-0617-S1(032921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/29/2021	MW-0617-S1 (102921)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/23/2022	MW-0617-S1 (032322)	PDB	< 5.0 U	2.5 J	< 5.0 U	< 2.0 U
MW-0617-S1	10/24/2022	MW-0617-S1 (102422)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/13/2006	MW-0618-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/12/2008	MW-0618-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/31/2012	MW-0618-S1(103112)PDB	PDB	< 5.0 UB	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	4/2/2013	MW-0618-S1 (040213) PDB	PDB	5.2 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/16/2013	MW-0618-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	5/13/2014	MW-0618-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/31/2015	MW-0618-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	0.29 J	< 2.0 U
MW-0618-S1	9/30/2015	MW-0618-S1(093015)PDB	PDB	0.28 J	0.91 J	0.74 J	< 2.0 U
MW-0618-S1	3/30/2016	MW-0618-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2016	MW-0618-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/24/2017	MW-0618-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2017	MW-0618-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/27/2018	MW-0618-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater
Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (ug/L)			
				Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Site specific Groundwater Vapor Intrusion Screening Level-Residential†				1,540	41,260	44,270	540
Site specific Groundwater Vapor Intrusion Screening Level-Commercial/Industrial†				2,150	57,760	61,980	1,810
MW-0618-S1	10/4/2018	MW-0618-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/26/2019	MW-0618-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/27/2020	MW-0618-S1 (032720)	PDB	< 5.0 U	1.1 J	0.75 J	0.42 J
MW-0618-S1	10/8/2020	MW-0618-S1(100820)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/29/2021	MW-0618-S1(032921)	PDB	< 5.0 U	2.0 J	1.6 J	< 2.0 U
MW-0618-S1	10/29/2021	MW-0618-S1(102921)	PDB	< 5.0 U	1.4 J	1.1 J	< 2.0 U
MW-0618-S1	3/23/2022	MW-0618-S1 (032322)	PDB	< 5.0 U	1.4 J	0.98 J	< 2.0 U
MW-0618-S1	10/24/2022	MW-0618-S1 (102422)	PDB	< 5.0 U	0.59 J	0.42 J	< 2.0 U
MW-0704-S1	11/13/2008	MW-0704-S1 (111308)	Low-Flow	1,370	408	71.8	< 2.0 U
MW-0704-S1	6/25/2009	MW-0704-S1 (062509)	Low-Flow	1,200	571	103	5.6
MW-0704-S1	10/31/2012	MW-0704-S1(103112)PDB	PDB	1,640 D	635 D	81.3	2.9
MW-0704-S1	4/2/2013	MW-0704-S1 (040213) PDB	PDB	2,000 D	714 D	96.1	2.6
MW-0704-S1	10/16/2013	MW-0704-S1(101613)	PDB	1,830 D	628 D	99.5	4.5
MW-0704-S1	5/13/2014	MW-0704-S1(051314)	PDB	2,080 D	606	77.4	< 10.0 U
MW-0704-S1	9/25/2014	MW-0704-S1(092514)PDB	PDB	3,240 DJ	704 D	109	5.1
MW-0704-S1	3/31/2015	MW-0704-S1(033115)-PDB	PDB	2,640 D	740	101	3.7 J
MW-0704-S1	9/30/2015	MW-0704-S1(093015)PDB	PDB	1,880 D	620 D	94.9	4.8
MW-0704-S1	3/9/2016	MW-0704-S1(030916)	Low-Flow	1,370 D	660	89.5	< 10.0 U
MW-0704-S1	9/27/2016	MW-0704-S1(092716)PDB	PDB	2,480	668	88.9	< 20.0 U
MW-0704-S1	3/24/2017	MW-0704-S1(032417)PDB	PDB	2,000 D	569	76.0	< 10.0 U
MW-0704-S1	9/27/2017	MW-0704-S1 (092717)	PDB	2,150	614	83.0	< 10.0 U
MW-0704-S1	3/27/2018	MW-0704-S1 (032718)	PDB	1,890	532	73.5	< 10.0 U
MW-0704-S1	10/4/2018	MW-0704-S1 (100418)	PDB	1,120	578	83.1	< 10.0 U
MW-0704-S1	3/26/2019	MW-0704-S1 (032619)	PDB	1,640	461	59.8	< 10.0 U
MW-0704-S1	9/27/2019	MW-0704-S1(092719)	PDB	2,640	454	72.4	< 10.0 U
MW-0704-S1	3/27/2020	MW-0704-S1 (032720)	PDB	1,300	514	73.7	< 10.0 U
MW-0704-S1	10/8/2020	MW-0704-S1(100820)	PDB	1,450	635	64.1	3.3 J
MW-0704-S1	3/29/2021	MW-0704-S1(032921)	PDB	2,620	565	108	2.3
MW-0704-S1	10/29/2021	MW-0704-S1(102921)	PDB	2,060	661	98.7	3.2
MW-0704-S1	3/23/2022	MW-0704-S1(032322)	PDB	2,250	539	84.3	2.5
MW-0704-S1	7/29/2022	MW-0704-S1 (072922)	PDB	2,310	488	71.9	1.9 J
MW-0704-S1	10/24/2022	MW-0704-S1 (102422)	PDB	2,040	1,040	88.1	2.5
MW-0705-S1	11/13/2008	MW-0705-S1 (111308)	Low-Flow	187	37.2	9.4	< 2.0 U
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-LF	Low-Flow	178	50.0	14.9	5.1
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-PDB	PDB	86.3	34.0	9.0	4.8
MW-0705-S1	10/31/2012	MW-0705-S1(103112)PDB	PDB	146	39.8	9.4	4.2
MW-0705-S1	4/2/2013	MW-0705-S1 (040213) PDB	PDB	177	46.8	13.7	4.1
MW-0705-S1	10/16/2013	MW-0705-S1(101613)	PDB	185	50.3	11.9	3.9
MW-0705-S1	5/13/2014	MW-0705-S1(051314)	PDB	131	42.1	10.7	4.2
MW-0705-S1	9/25/2014	MW-0705-S1(092514)PDB	PDB	115	40.6	9.3	3.1
MW-0705-S1	3/31/2015	MW-0705-S1(033115)-PDB	PDB	148	47.9	12.1	3.6
MW-0705-S1	9/30/2015	MW-0705-S1(093015)PDB	PDB	176	59.5	18.5	3.2
MW-0705-S1	3/30/2016	MW-0705-S1(033016)PDB	PDB	135	46.5	11.6	3.4

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater
Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (ug/L)			
				Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Site specific Groundwater Vapor Intrusion Screening Level-Residential‡				1,540	41,260	44,270	540
Site specific Groundwater Vapor Intrusion Screening Level-Commercial/Industrial‡				2,150	57,760	61,980	1,810
MW-0705-S1	9/27/2016	MW-0705-S1(092716)PDB	PDB	149	46.7	13.0	3.2
MW-0705-S1	3/24/2017	MW-0705-S1(032417)PDB	PDB	98.6	35.3	9.4	< 2.0 U
MW-0705-S1	9/27/2017	MW-0705-S1 (092717)	PDB	107	39.1	10.1	3.3
MW-0705-S1	3/27/2018	MW-0705-S1 (032718)	PDB	114	44.6	11.7	4.2
MW-0705-S1	10/4/2018	MW-0705-S1 (100418)	PDB	119	53.7	13.0	3.6
MW-0705-S1	3/26/2019	MW-0705-S1 (032619)	PDB	89.7	45.9	10.2	2.9
MW-0705-S1	9/27/2019	MW-0705-S1(092719)	PDB	7.9	5.5	< 5.0 U	< 2.0 U
MW-0705-S1	3/27/2020	MW-0705-S1 (032720)	PDB	72.7	52.9	9.4	4.1
MW-0705-S1	10/8/2020	MW-0705-S1(100820)	PDB	97.1	68.4	10	5.7
MW-0705-S1	3/29/2021	MW-0705-S1(032921)	PDB	81.6	62.3	9.9	5.2
MW-0705-S1	10/29/2021	MW-0705-S1(102921)	PDB	81.6	74.9	9.4	5.0
MW-0705-S1	3/23/2022	MW-0705-S1(032322)	PDB	76.2	68.5	9.9	4.4
MW-0705-S1	7/29/2022	MW-0705-S1 (072922)	PDB	31.6	31.7	3.8 J	< 2.0 U
MW-0705-S1	10/24/2022	MW-0705-S1 (102422)	PDB	61.0	73.9	7.3	4.6

Notes:

Only vapor intrusion constituents of concern detected at a concentration higher than the applicable laboratory reporting limit one or more times during the groundwater monitoring event are presented.

‡ The data are screened against site-specific Groundwater Vapor Intrusion Screening Criteria for residential and commercial/industrial values

BOLD Results exceed the residential screening criteria

SHADED Results exceed the commercial/industrial screening criteria


µg/L Results are reported in micrograms per liter


J: The compound was positively identified; however, the associated numerical value is an estimated concentration only


PDB: Passive Diffusion Bag Sampling Technique


U: The compound was analyzed for but not detected. The associated value is the compound quantitation limit

Figures










LEGEND

- MW-0501-S2 ● MONITORING WELL SCREENED IN S2 UNIT
- AREA OF INTEREST (AOI)
- PROPERTY BOUNDARY
- DENOTES AREA WHERE S2 UNIT IS NOT PRESENT
- RAILROAD TRACKS

USEPA Maximum Contaminant Level (MCL) Groundwater Screening Level	
CONSTITUENT OF CONCERN	MCL
1,1-Dichloroethane (1,1-DCA)	30
Acetone (ACETONE)	20,000
Trichloroethene (TCE)	5
cis-1,2-Dichloroethene (CIS-1,2-DCE)	70
trans-1,2-Dichloroethene (TRANS-1,2-DCE)	100
Vinyl Chloride (VC)	2

- NOTES:
- RESULTS ARE REPORTED IN MICROGRAMS PER LITER (µg/L).
 - THE DATA ARE SCREENED AGAINST UNITED STATES ENVIRONMENTAL PROTECTION AGENCY (USEPA) DRINKING WATER CRITERIA (MCLs).
 - ONLY CONSTITUENTS OF CONCERN DETECTED AT A CONCENTRATION HIGHER THAN THE APPLICABLE LABORATORY REPORTING LIMIT ONE OR MORE TIMES DURING THE GROUNDWATER MONITORING EVENT ARE PRESENTED.
 - RED VALUES EXCEED THE SCREENING CRITERIA.
 - < - THE COMPOUND WAS ANALYZED FOR BUT NOT DETECTED. THE ASSOCIATED VALUE IS THE COMPOUND QUANTITATION LIMIT.
 - J - THE COMPOUND WAS POSITIVELY IDENTIFIED; HOWEVER, THE ASSOCIATED NUMERICAL VALUE IS AN ESTIMATED CONCENTRATION ONLY.




RACER TRUST
FORMER GM DELCO PLANT 5
KOKOMO, INDIANA

**SEMI-ANNUAL DATA REPORT -
SECOND HALF 2022**

**GROUNDWATER VOLATILE ORGANIC
COMPOUND ANALYTICAL RESULTS
SCREENED WITH MCLs - S2 UNIT**

FIGURE
3B




LEGEND

- MW-0603-S1 ● MONITORING WELL SCREENED IN S1 UNIT
- ▭ AREA OF INTEREST (AOI)
- PROPERTY BOUNDARY
- ||||| RAILROAD TRACKS
- (1,960) TRICHLOROETHYLENE (TCE) CONCENTRATION IN MICROGRAMS PER LITER (µg/L)
- <5.0 ISOCONCENTRATION CONTOUR IN µg/L

NOTES

- * = MW-0102-S1U, MW-0505-S1, MW-0705-S1, AND MW-2211-S1 WERE NOT USED FOR CONTOURING.
- [#] = DUPLICATE SAMPLE.
- J = ESTIMATED CONCENTRATION.
- < = THE COMPOUND WAS ANALYZED FOR BUT NOT DETECTED. THE ASSOCIATED VALUE IS THE COMPOUND QUANTITATION LIMIT.
- (NA) = NOT ACCESSIBLE.




RACER TRUST
FORMER GM DELCO PLANT 5
KOKOMO, INDIANA
SEMI-ANNUAL DATA REPORT -
SECOND HALF 2022

TCE GROUNDWATER CONCENTRATION
CONTOURS - S1 UNIT
(OCTOBER 24, 25, NOVEMBER 21, 2022)



FIGURE
4



LEGEND

MW-0603-S1 ● MONITORING WELL SCREENED IN S1 UNIT

▭ AREA OF INTEREST (AOI)

--- PROPERTY BOUNDARY

||||| RAILROAD TRACKS

Site Specific Residential Vapor Intrusion Screening Criteria	
CONSTITUENT OF CONCERN	SCREENING CRITERIA
Trichloroethene (TCE)	1,540
cis-1,2-Dichloroethene (CIS-1,2-DCE)	41,260
trans-1,2-Dichloroethene (TRANS-1,2-DCE)	44,270
Vinyl Chloride (VC)	540

- NOTES:
1. RESULTS ARE REPORTED IN MICROGRAMS PER LITER (µg/L).
 2. THE DATA ARE SCREENED AGAINST SITE SPECIFIC RESIDENTIAL VAPOR INTRUSION CRITERIA.
 3. ONLY VAPOR INTRUSION CONSTITUENTS OF CONCERN DETECTED AT A CONCENTRATION HIGHER THAN THE APPLICABLE LABORATORY REPORTING LIMIT ONE OR MORE TIMES DURING THE GROUNDWATER MONITORING EVENT ARE PRESENTED.
 4. RED VALUES EXCEED THE SCREENING CRITERIA.
 5. < - THE COMPOUND WAS ANALYZED FOR BUT NOT DETECTED. THE ASSOCIATED VALUE IS THE COMPOUND QUANTITATION LIMIT.
 6. J - THE COMPOUND WAS POSITIVELY IDENTIFIED; HOWEVER, THE ASSOCIATED NUMERICAL VALUE IS AN ESTIMATED CONCENTRATION ONLY.



RACER TRUST
FORMER GM DELCO PLANT 5
KOKOMO, INDIANA


**SEMI-ANNUAL DATA REPORT -
SECOND HALF 2022**

**OFF-SITE GROUNDWATER VOLATILE ORGANIC
COMPOUND ANALYTICAL RESULTS SCREENED
WITH RESIDENTIAL GROUNDWATER VAPOR
INTRUSION CRITERIA - S1 UNIT**

ARCADIS

FIGURE
5A

CITY: Syracuse DIV: GROUP: Env-141 DBA: Schilling LD: A Schilling PIC: (S. Fisher) PM: (M. Gilles) TM: (S. Presswood) LVR: (OptiOne) - OFF - REF
C:\Users\BArbora\OneDrive\Acadical\AUS-RACER TRUST-1723 N WASHINGTON ST-KOKOMO Indiana\Project Files\2022\01-11 Progress\01-DWG\GWE-OFFSITE VOC INDUSTRIAL DEC 2022.dwg LAYOUT: SB SAVED: 1/4/2023 11:20 AM ACADVER: 24.2S (LMS TECH) PAGESETUP: PDF
PLOT STYLE TABLE: PLT\Full.ctb PLOTTED: 1/4/2023 11:23 AM BY: ROBITAILLE, BEVERLY




LEGEND

- MW-0603-S1 MONITORING WELL SCREENED IN S1 UNIT
- AREA OF INTEREST (AOI)
- PROPERTY BOUNDARY
- RAILROAD TRACKS

Site Specific Industrial Vapor Intrusion Screening Criteria	
CONSTITUENT OF CONCERN	SCREENING CRITERIA
Trichloroethene (TCE)	2,150
cis-1,2-Dichloroethene (CIS-1,2-DCE)	57,760
trans-1,2-Dichloroethene (TRANS-1,2-DCE)	61,980
Vinyl Chloride (VC)	1,810

- NOTES:
1. RESULTS ARE REPORTED IN MICROGRAMS PER LITER (µg/L).
 2. THE DATA ARE SCREENED AGAINST SITE SPECIFIC INDUSTRIAL VAPOR INTRUSION CRITERIA.
 3. ONLY VAPOR INTRUSION CONSTITUENTS OF CONCERN DETECTED AT A CONCENTRATION HIGHER THAN THE APPLICABLE LABORATORY REPORTING LIMIT ONE OR MORE TIMES DURING THE GROUNDWATER MONITORING EVENT ARE PRESENTED.
 4. RED VALUES EXCEED THE SCREENING CRITERIA.
 5. < - THE COMPOUND WAS ANALYZED FOR BUT NOT DETECTED. THE ASSOCIATED VALUE IS THE COMPOUND QUANTITATION LIMIT.
 6. J - THE COMPOUND WAS POSITIVELY IDENTIFIED; HOWEVER, THE ASSOCIATED NUMERICAL VALUE IS AN ESTIMATED CONCENTRATION ONLY.



RACER TRUST
FORMER GM DELCO PLANT 5
KOKOMO, INDIANA

**SEMI-ANNUAL DATA REPORT -
SECOND HALF 2022**

**OFF-SITE GROUNDWATER VOLATILE ORGANIC
COMPOUND ANALYTICAL RESULTS SCREENED
WITH INDUSTRIAL GROUNDWATER VAPOR
INTRUSION CRITERIA - S1 UNIT**

FIGURE
5B

Appendix A

Second Half 2022 Progress Report



**Revitalizing Auto Communities
Environmental Response Trust**

Mr. Andrew Kleinberg
U.S. Environmental Protection Agency, Region 5
Waste Management Division
77 West Jackson Blvd., LR-16J
Chicago, IL 60604-3590

January 13, 2023

RE: Second Half 2022 Progress Report
RCRA Corrective Action
Former GM Delco Plant 5, Kokomo, IN
USEPA ID No. IND000806844

Dear Mr. Kleinberg:

In accordance with the Performance-based Administrative Order on Consent (Order) between the U.S. Environmental Protection Agency Region 5 (USEPA) and Revitalizing Auto Communities Environmental Response (RACER) Trust, please find the attached progress report for the second half of 2022. This progress report details activities that have been completed at the RACER Trust owned Former GM Delco Plant 5 in Kokomo, Indiana (Site) from July 1, 2022 through December 31, 2022.

Please let me know if you have any questions about the report.

Sincerely,

Robert W. Hare, P.E., CHMM
Cleanup Manager – (IL, IN, KS, MO)

Attachment A – Second Half 2022 Progress Report

ATTACHMENT A
SECOND HALF 2022 PROGRESS REPORT
PERFORMANCE-BASED ADMINISTRATIVE ORDER ON CONSENT
RCRA CORRECTIVE ACTION
FORMER GM DELCO PLANT 5, KOKOMO, IN
JULY 1, 2022 TO DECEMBER 31, 2022

WORK PERFORMED THIS HALF

- On July 15, 2022, submitted the Semi-Annual Progress and Data Report, First Half 2022 to USEPA.
- Mobilized to the site on July 5, 2022 to initiate implementation of the Corrective Measures Work Plan (in-situ soil stabilization and solidification [ISS]). Continued ISS activities including perimeter air monitoring and downgradient groundwater monitoring through December 23, 2022. RACER Trust will continue ISS activities and backfilling starting on January 3, 2023.
- Completed site-wide groundwater gauging on October 3, 2022.
- Deployed passive diffusion bag samplers on October 3, 2022 and October 25, 2022. Groundwater samples were collected from passive diffusion bag samplers on October 24, 2022 and November 21, 2022 after three weeks of equilibration.

DATA AVAILABLE DURING THIS HALF

- Analytical results from the October through November 2022 groundwater sampling event are included in the attached *Semi-Annual Progress and Data Report, Second Half 2022*.
- Analytical results from the ISS implementation (soil, air, and groundwater) have been provided to USEPA through direct email communications and summaries of the data have been posted to the RACER Trust public website: <https://www.racertrust.org/properties/kokomo-industrial-land>

PROBLEMS ENCOUNTERED

- During implementation of the ISS Corrective Measures, perimeter air data have exceeded the screening levels; however, USEPA has requested that RACER Trust continue with the ISS implementation, while collecting daily air samples during ISS mixing or backfilling activities.

SUMMARY OF PROBLEM RESOLUTION

- RACER Trust initially stopped work and placed a layer of overburden over the cells that had been mixed with zero valent iron (ZVI) and then implemented the application of odor suppressing foam on the surface of the ISS mixing cells. RACER Trust has continued to collect air samples from the perimeter air stations on a daily basis during ISS mixing or backfilling activities.

POTENTIAL PROBLEMS

- None.

ESTIMATED PERCENT COMPLETE AND INFORMATION SUMMARY FOR SELECTED ACTIVITIES

- Description of Current Conditions 100%

Summarized available information for the Site and identified seven Areas of Interest (AOIs), four of which require additional investigation. No ecological habitat was identified at or in the immediate vicinity of the Site. Due May 15, 2006 and submitted October 10, 2005.

- Public Participation Plan 100%
- Resource Conservation and Recovery Act (RCRA) Facility Investigation (RFI) Work Plan 100%

Submitted December 15, 2005.

- RFI Phase I Implementation 100%

Objective was to characterize the hydrogeology, to evaluate potential off-site groundwater impacts and to characterize AOIs at the Site. Phase I included installation of 38 soil borings and 20 monitoring wells. Ninety-five soil, eight borehole water, and 23 groundwater samples were analyzed. Completed in October 2005.

- RFI Data Report (Phase I data) 100%

Major findings included identifying small, isolated zones with perched groundwater, and two continuous saturated sand units over the investigation area with shallow groundwater flow generally to the southeast. Trichloroethene (TCE) is primary chemical of concern, with source areas identified in AOIs 5 and 7. TCE groundwater impacts extend off-site, but are not present in

borehole water samples collected approximately 800 feet from the Site. No potable water wells were identified in immediate vicinity of the Site. Currently, no unacceptable risks to human health have been identified. Submitted January 19, 2006.

- RFI Phase II Implementation 100%

Objective was to further characterize on- and off-site groundwater impacts and AOIs on Site. Phase II included installation of 29 soil borings and 20 monitoring wells. Seventy-five soil, two borehole water, and 20 groundwater samples were analyzed. Completed in March 2006.

- RFI Data Report (updated to include Phase II data) 100%

Major findings included more precise delineation of on- and off-site TCE groundwater impacts. Groundwater flow in the bedrock appears to be generally to the northeast. TCE distribution in bedrock groundwater indicates an upgradient source of TCE to the bedrock groundwater. Source area soil impacts were more precisely delineated at AOIs 5 and 7, and a possible additional source area was identified in the vicinity of the former south manufacturing building. Currently, no unacceptable risks to human health have been identified. Submitted May 26, 2006.

- RFI Phase III Implementation 100%

Objective was to further characterize on- and off-site groundwater impacts and AOIs on site. The initial RFI Phase III field work included installation of six soil borings and 13 monitoring wells. Fourteen soil, four borehole water, and 42 groundwater samples were submitted for analysis. An additional six soil borings and four monitoring wells were installed, and 16 soil samples and four groundwater samples were collected as part of additional “step-out” activities (Phase IIIb) performed based on review of preliminary RFI Phase III soil and borehole water sample analytical data. Following review of the preliminary data from Phase IIIb, two additional monitoring wells were installed (Phase IIIc) to further characterize and delineate the extent of groundwater containing TCE in the S1 unit in the northwestern portion of the Site (MW-0623-S1), and in the S2 unit east of the Site along Lordeman Street (MW-0607-S2). Access was obtained to the adjacent former Midwest Plating property, where three monitoring wells were installed, and soil and groundwater samples were collected. Started on October 9, 2006 and completed in March 2007.

- RFI Data Report (updated to include Phase III data) 100%

Major findings included more precise delineation of on- and off-site groundwater impacts. Groundwater flow in the bedrock appears to generally be to the south. The source of the cis-1,2-dichloroethene (cis-1,2-DCE) in bedrock groundwater is uncertain. Additional characterization of the groundwater in the bedrock is necessary. There are relatively high concentrations of TCE and tetrachloroethene (PCE) in the soil at the former Midwest Plating property. More precise delineation of source area soil impacts is necessary at AOI 5 and the former south manufacturing building. Currently, no unacceptable risks to human health have been identified. Submitted June 1, 2007.

- RFI Soil Gas Sampling 100%

Objective is to allow for verifying the appropriateness of the groundwater vapor intrusion criteria that have been used to guide the RFI field investigation at the Site. A work plan addendum was submitted to USEPA on July 10, 2007. A conference call was held with USEPA to discuss the work plan, and the work plan was subsequently revised. USEPA's comments were incorporated, and the work plan addendum was resubmitted to USEPA. Soil gas monitoring ports were installed in the residential area east of the Site on August 7, 2007, and soil gas samples were collected on August 13, 2007. Preliminary soil gas analytical results were submitted to USEPA on August 28, 2007, and a conference call was held to discuss those results on August 30, 2007. Additional soil gas sampling ports were installed on September 4, 2007, and additional soil gas samples were collected on September 17, 2007. The preliminary analytical results from the second sampling event were submitted to USEPA on September 27, 2007. USEPA provided comments on the preliminary data in a letter dated October 2, 2007. The comment letter and results were discussed during an October 16, 2007, conference call. Additional risk evaluation was completed and submitted to USEPA on October 30, 2007, and a conference call to discuss the additional information was held on November 28, 2007. General Motors Company's (GM's) response to USEPA's October 2, 2007 comment letter was submitted to USEPA on December 3, 2007.

- Soil Gas Investigation Data Report 100%

The final soil gas investigation data report was submitted to USEPA on December 21, 2007.

- RFI Phase IV Implementation 100%

Objectives are to further characterize on-site soil impacts in the former south manufacturing building, to characterize the groundwater flow, and to delineate the horizontal and vertical extent of cis-1,2-DCE in the groundwater in the bedrock.

A total of 62 soil borings were advanced from August 29, 2007 to September 5, 2007 within and in the vicinity of the former north and south manufacturing buildings. These were field screened. Soil samples were collected based on field observations, and a total of 31 soil samples were submitted for laboratory analysis. An additional 26 soil borings were advanced from November 19, 2007 to November 20, 2007 to delineate TCE within, and in the vicinity of the north and south manufacturing buildings. A total of 60 soil samples were submitted for laboratory analysis. An additional 14 soil borings were advanced on January 15, 2008, to delineate TCE within, and in the vicinity of the north and south manufacturing buildings. A total of 15 soil samples were submitted for laboratory analysis. Based on review of these data, TCE is adequately delineated.

Installation of the pilot bedrock boring, packer testing, Flexible Liner Underground Technologies (FLUTE) hydraulic profiling, discrete low-flow vertical groundwater sampling, and isolated groundwater sampling was completed between August 20, 2007, and December 8, 2007. A preliminary report of the results from the pilot bedrock boring was submitted to USEPA on November 16, 2007. An updated report was submitted to USEPA on March 21, 2008. Three additional bedrock monitoring wells were installed in the upper transmissive zone from December

4, 2007 to December 15, 2007. Installation of the additional three deeper bedrock boreholes was completed from April 14, 2008, to May 1, 2008. FLUTe hydraulic profiling of the bedrock boreholes was completed from May 13, 2008, to May 15, 2008. The technical memo with the results of the profiling was submitted to USEPA on July 10, 2008. Discrete depth vertical groundwater sampling (packer sampling) of select intervals in the boreholes was completed in the third quarter 2008. An updated technical memo to summarize the data, and provide recommendations for future groundwater sampling was prepared and submitted to USEPA on October 20, 2008. A groundwater sampling event was completed in November 2008 that included collecting depth to water information across the entire monitoring well network, collecting samples from a subset of approximately 30 existing wells, and discrete depth vertical groundwater sampling (packer sampling) of select intervals in the boreholes; all to confirm the characterization of contaminated groundwater on and off site.

- RFI Supplemental Data Report (updated to include Phase IV soil data) 100%

Major findings included a more complete characterization of on-site soil impacts at AOIs 2 and 3 and the former north and south manufacturing buildings. In addition, the Phase IV soil results were evaluated relative to the determination included in the CA725 Report for the Former GM Delco Plant 5 Facility in Kokomo, Indiana, completed by ENVIRON in 2007, that all current human exposures to “contamination” at or from the Facility are under control, based on soil data collected prior to September 1, 2007. The evaluation of the Phase IV soil data indicated that results do not alter the conclusions presented in the CA725 Report or the “YE” determination for the CA725. Submitted June 27, 2008.

- Groundwater Evaluation 100%

A draft groundwater evaluation was prepared to report GM’s evaluation of groundwater quality and flow data collected through February 2009. Submitted to USEPA on April 10, 2009. This evaluation will be included in the RFI Report. A meeting was held with USEPA on May 19, 2009 to discuss the evaluation and proposed additional investigation.

- Additional Groundwater Investigation 100%

Groundwater sampling completed June 17 through 19, 2009.

- Draft RFI Report 100%

(Submitted October 5, 2009)

A meeting was held with USEPA on October 27, 2009, to review the draft report. USEPA provided comments on the human health risk assessment on December 22, 2009. A call was held with USEPA on February 22, 2010, to discuss USEPA’s comments on the RFI risk assessment. Based on that call, a revised RFI Report was submitted to USEPA for review on March 18, 2010.

- Final RFI Report 100%

The final RFI Report was submitted to USEPA on May 21, 2010.

- Human Health EI (CA725) Report 100%

(Submitted November 30, 2007)

Minor comments were received from USEPA on December 12, 2007, and revisions submitted on December 20, 2007. USEPA approved the determination on January 3, 2008.

- Groundwater Migration EI (CA750) 100%

(Submitted November 30, 2009)

A draft determination was submitted to USEPA on October 30, 2009, and was reviewed with USEPA via teleconference on November 12, 2009. The final determination was submitted to USEPA on November 30, 2009. USEPA approved the determination on December 22, 2009.

- Draft Corrective Measures Proposal 100%

(Originally due June 30, 2010, Revised due date of August 31, 2010, Submitted on August 30, 2010)

Motors Liquidation Company (MLC), formerly GM, requested an extension to submit the Corrective Measures Proposal (CMP) on June 22, 2010. USEPA agreed to extend the submittal date for the CMP to August 31, 2010. The draft CMP was submitted to USEPA on August 30, 2010. The draft CMP included proposed corrective measures to mitigate potentially significant future exposures that could result from historical site activities. The draft CMP also included documentation of groundwater modeling performed to support the identification of the area(s) where a groundwater use restriction should be pursued as part of final corrective measures. USEPA and MLC met on November 17, 2010, to discuss the draft CMP. Based on that meeting, MLC prepared and submitted additional information to USEPA on December 23, 2010. USEPA provided comments on the draft CMP on January 7, 2011. Based on the comments, additional evaluation was completed, and the results of that evaluation were submitted to USEPA. A conference call with USEPA was held on February 18, 2011, to discuss the comments and the results of the additional evaluation. April 30, 2011 was the established due date for revised CMP that addresses USEPA comments.

- Corrective Measures Proposal 100%

(The Final CMP was submitted to USEPA on December 6, 2011. Based on change in conceptual site model, a revised draft CMP was prepared in 2017 and 2018. The final CMP was submitted to USEPA on September 5, 2019.)

The vertical aquifer profiling and hydraulic profiling investigation conducted in 2016 allowed for the development of a refined conceptual site model for the Site and a pre-design investigation and treatability studies were completed in 2018. Subsequently, a new CMP was prepared to summarize activities and data since the RFI, update the risk evaluation, and evaluate proposed remedial alternatives. The updated CMP was submitted to USEPA on September 5, 2019.

- Semi-Annual Groundwater Monitoring 100%

The second half 2022 semi-annual groundwater monitoring event was completed on November 21, 2022.

- Vapor Intrusion Conceptual Site Model 100%

A revised version of the Conceptual Site Model (CSM) was reviewed with USEPA on December 10, 2013. Out of the review, the USEPA and RACER Trust, formerly MLC, concluded that additional data are needed to finalize the CSM. As such, RACER Trust is developing an approach to further investigate the risk of vapor intrusion associated with Site-related groundwater impacts. RACER Trust also informed USEPA that the Trust will work with USEPA to address public health concerns within the soil gas focus area. Data from a further vapor intrusion investigation and indoor air testing program were shared with USEPA on March 31, 2014. USEPA concurred that the soil gas and indoor air impacts identified to the east of the Site are not related to RACER Trust. USEPA has referred the soil gas and potential vapor intrusion issue to the east of the Site to Superfund for further evaluation. Per a request by the USEPA, ARCADIS will convert the current CSM from a presentation format into a written document format for submittal into the record. The Vapor Intrusion Conceptual Site Model was finalized and submitted to USEPA on October 19, 2015.

- Monitored Natural Attenuation Evaluation 100%

An evaluation of MNA was completed to determine if MNA could be incorporated into the final corrective measures for the Site. The MNA evaluation report was submitted to USEPA on January 19, 2016.

- Calcium Oxide Pilot Study 100%

A Work Plan for the pilot study was drafted and submitted to USEPA (June 30, 2015). An RFP was prepared and submitted to a selection of contractors (August 8, 2015). The evaluation of remedial technologies is currently on hold until additional data is collected to further enhance the conceptual site model. This additional data collection includes the completion of a vertical aquifer and hydraulic profiling transect along the eastern property boundary. RACER Trust and USEPA made the decision to re-evaluate the corrective measures and RACER Trust will prepare a new CMP to capture all data and information generated since the last submitted CMP, as described above.

- Pre-Design Investigation and Treatability Study 100%

A work plan for the pre-design investigation (PDI) was drafted and submitted to USEPA (March 7, 2018). The PDI was completed from March 20, 2018 through April 5, 2018). Soils were collected in order to complete the treatability study.

- Corrective Measures Implementation (CMI) Work Plan 100%

A draft Corrective Measures Implementation Work Plan was submitted on October 25, 2021 based on the Final Decision and Response to Comments signed on June 16, 2021. EPA provided comments on the *CMI Work Plan*. RACER and Arcadis submitted a revised CMI Work Plan on June 11, 2022 which addressed EPA's comments.

- Corrective Measures Implementation 5%
 - Bid documents and Contractor Selection 100%
 - Mobilization and Baseline Sampling 100%
 - Overburden Removal 100%
 - In-Situ Stabilization and Solidification Mixing 90%
 - Backfill and Site Restoration 40%
- Long-Term Stewardship (LTS) Plan 0%

A Long-Term Stewardship (LTS) Plan for monitoring and maintenance activities after remediation is implemented is required based on the Final Decision and Response to Comments signed on June 16, 2021.

- Institutional Controls 0%
 - Environmental Restrictive Covenant for Site 0%
 - Well Restriction Overlay District 0%

SUMMARY OF CONTACTS WITH INTERESTED PARTIES

- The following documents were placed in the public information repository:
 - *Semi-Annual Progress and Data Report, First Half 2022*, Former GM Delco Plant 5, Kokomo, IN, USEPA ID No. IND000806844, July 15, 2022.

CHANGES IN PERSONNEL

- The USEPA Project Manager position transitioned to Andrew Kleinberg and Jennifer Stanhope on July 29, 2022.

PROJECTED WORK FOR NEXT REPORTING PERIOD

The following activities are anticipated to be completed in the first half of 2023:

- Finish implementation of the CMI Work Plan.
 - Complete ZVI and Portland cement mixing.
 - Backfill the excavation using overburden and regrade Site.
 - Place topsoil over the disturbed area, seed, and fertilize.
 - Complete groundwater gauging and sampling events per the Groundwater Contingency Plan during the completion of the ISS activities and then at 30-days and 90-days after completion of the CMI field activities.
 - Post analytical data and progress updates periodically to the RACER Trust public website.
- Begin preparation of LTS Plan.
- Begin process of obtaining a well restriction overlay district from the city of Kokomo and Howard County.
- Draft Environmental Restrictive Covenant for review by USEPA and the Indiana Department of Environmental Management.
- Complete the spring site-wide groundwater gauging and sampling event in March 2023.
- Prepare summaries of meetings, data reviews, or conference calls with USEPA, as appropriate.

Appendix B

Groundwater Analytical Reports and Data Validation Reports

November 07, 2022

Mr. Matt Griles
Arcadis U.S., Inc.
55 Monument Circle
Suite 300B
Indianapolis, IN 46204

RE: Project: RACER Kokomo 30123295
Pace Project No.: 50329214

Dear Mr. Griles:

Enclosed are the analytical results for sample(s) received by the laboratory on October 25, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Olivia Deck
olivia.deck@pacelabs.com
(317)228-3102
Project Manager

Enclosures

cc: Ms. Sarah Fisher, Arcadis U.S., Inc.
Jason Moore, Arcadis U.S., Inc.
Severin Presswood, Arcadis
Felicitas Schneider, Arcadis U.S., Inc.
Emma TerBeek, Arcadis U.S., Inc.
Riley White, Arcadis
Terrence Wilson, Arcadis U.S., Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268

Illinois Accreditation #: 200074

Indiana Drinking Water Laboratory #: C-49-06

Kansas/TNI Certification #: E-10177

Kentucky UST Agency Interest #: 80226

Kentucky WW Laboratory ID #: 98019

Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065

Oklahoma Laboratory #: 9204

Texas Certification #: T104704355

Wisconsin Laboratory #: 999788130

USDA Soil Permit #: P330-19-00257

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50329214001	MW-0517-S1(102522)	Water	10/25/22 11:35	10/25/22 15:00
50329214002	MW-0604-S1(102522)	Water	10/25/22 12:00	10/25/22 15:00
50329214003	MW-2211-S1(102522)	Water	10/25/22 10:50	10/25/22 15:00
50329214004	MW-2201-S1(102522)	Water	10/25/22 12:15	10/25/22 15:00
50329214005	MW-2202-S1(102522)	Water	10/25/22 11:10	10/25/22 15:00
50329214006	MW-2207-S1(102522)	Water	10/25/22 12:02	10/25/22 15:00
50329214007	MW-0619-S1(102522)	Water	10/25/22 11:37	10/25/22 15:00
50329214008	MW-0621-S1(102522)	Water	10/25/22 12:30	10/25/22 15:00
50329214009	TRIP BLANK	Water	10/25/22 08:00	10/25/22 15:00
50329214010	DUP-01(102522)	Water	10/25/22 08:00	10/25/22 15:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50329214001	MW-0517-S1(102522)	EPA 8260	TMW	51	PASI-I
50329214002	MW-0604-S1(102522)	EPA 8260	TMW	51	PASI-I
50329214003	MW-2211-S1(102522)	EPA 8260	TMW	51	PASI-I
50329214004	MW-2201-S1(102522)	EPA 8260	TMW	51	PASI-I
50329214005	MW-2202-S1(102522)	EPA 8260	TMW	51	PASI-I
50329214006	MW-2207-S1(102522)	EPA 8260	TMW	51	PASI-I
50329214007	MW-0619-S1(102522)	EPA 8260	TMW	51	PASI-I
50329214008	MW-0621-S1(102522)	EPA 8260	TMW	51	PASI-I
50329214009	TRIP BLANK	EPA 8260	TMW	51	PASI-I
50329214010	DUP-01(102522)	EPA 8260	TMW	51	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50329214001	MW-0517-S1(102522)					
EPA 8260	1,1-Dichloroethene	2.1J	ug/L	25.0	11/02/22 08:06	
EPA 8260	cis-1,2-Dichloroethene	786	ug/L	25.0	11/02/22 08:06	
EPA 8260	trans-1,2-Dichloroethene	99.2	ug/L	25.0	11/02/22 08:06	
EPA 8260	Trichloroethene	3240	ug/L	250	11/02/22 08:36	
EPA 8260	Vinyl chloride	1.9J	ug/L	10.0	11/02/22 08:06	
50329214002	MW-0604-S1(102522)					
EPA 8260	1,1-Dichloroethene	3.1J	ug/L	25.0	11/02/22 09:06	
EPA 8260	cis-1,2-Dichloroethene	901	ug/L	25.0	11/02/22 09:06	
EPA 8260	trans-1,2-Dichloroethene	83.6	ug/L	25.0	11/02/22 09:06	
EPA 8260	Trichloroethene	2290	ug/L	125	11/02/22 07:50	
EPA 8260	Vinyl chloride	34.7	ug/L	10.0	11/02/22 09:06	
50329214003	MW-2211-S1(102522)					
EPA 8260	1,1-Dichloroethane	5.6J	ug/L	25.0	11/02/22 08:21	
EPA 8260	1,1-Dichloroethene	2.6J	ug/L	25.0	11/02/22 08:21	
EPA 8260	cis-1,2-Dichloroethene	801	ug/L	25.0	11/02/22 08:21	
EPA 8260	trans-1,2-Dichloroethene	49.3	ug/L	25.0	11/02/22 08:21	
EPA 8260	Trichloroethene	582	ug/L	25.0	11/02/22 08:21	
EPA 8260	Vinyl chloride	3.2J	ug/L	10.0	11/02/22 08:21	
50329214004	MW-2201-S1(102522)					
EPA 8260	1,1-Dichloroethene	6.3J	ug/L	50.0	11/02/22 08:51	
EPA 8260	cis-1,2-Dichloroethene	2300	ug/L	50.0	11/02/22 08:51	
EPA 8260	trans-1,2-Dichloroethene	28.2J	ug/L	50.0	11/02/22 08:51	
EPA 8260	Trichloroethene	1490	ug/L	50.0	11/02/22 08:51	
EPA 8260	Vinyl chloride	236	ug/L	20.0	11/02/22 08:51	
50329214005	MW-2202-S1(102522)					
EPA 8260	Acetone	22.4J	ug/L	500	11/02/22 09:22	B
EPA 8260	1,1-Dichloroethane	5.3J	ug/L	25.0	11/02/22 09:22	
EPA 8260	1,1-Dichloroethene	3.3J	ug/L	25.0	11/02/22 09:22	
EPA 8260	cis-1,2-Dichloroethene	828	ug/L	25.0	11/02/22 09:22	
EPA 8260	trans-1,2-Dichloroethene	60.5	ug/L	25.0	11/02/22 09:22	
EPA 8260	Trichloroethene	1850	ug/L	125	11/03/22 16:55	
EPA 8260	Vinyl chloride	11.1	ug/L	10.0	11/02/22 09:22	
50329214006	MW-2207-S1(102522)					
EPA 8260	Acetone	412J	ug/L	10000	11/02/22 09:52	B
EPA 8260	cis-1,2-Dichloroethene	676	ug/L	500	11/02/22 09:52	
EPA 8260	Trichloroethene	14600	ug/L	500	11/02/22 09:52	
50329214007	MW-0619-S1(102522)					
EPA 8260	1,1-Dichloroethene	1.5J	ug/L	5.0	11/02/22 00:29	
EPA 8260	cis-1,2-Dichloroethene	268	ug/L	5.0	11/02/22 00:29	
EPA 8260	trans-1,2-Dichloroethene	33.7	ug/L	5.0	11/02/22 00:29	
EPA 8260	Trichloroethene	2330	ug/L	100	11/03/22 17:25	M1
EPA 8260	Vinyl chloride	2.0J	ug/L	2.0	11/02/22 00:29	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50329214008	MW-0621-S1(102522)					
EPA 8260	cis-1,2-Dichloroethene	330	ug/L	25.0	11/02/22 02:31	
EPA 8260	trans-1,2-Dichloroethene	27.4	ug/L	25.0	11/02/22 02:31	
EPA 8260	Trichloroethene	2130	ug/L	125	11/03/22 17:56	
50329214009	TRIP BLANK					
EPA 8260	Methylene Chloride	1.3J	ug/L	5.0	11/02/22 03:01	B
EPA 8260	Trichloroethene	0.47J	ug/L	5.0	11/02/22 03:01	
50329214010	DUP-01(102522)					
EPA 8260	cis-1,2-Dichloroethene	655	ug/L	500	11/02/22 03:31	
EPA 8260	Trichloroethene	14700	ug/L	500	11/02/22 03:31	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0517-S1(102522)		Lab ID: 50329214001	Collected: 10/25/22 11:35	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	500	5		11/02/22 08:06	67-64-1	
Benzene	ND	ug/L	25.0	5		11/02/22 08:06	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		11/02/22 08:06	75-27-4	
Bromoform	ND	ug/L	25.0	5		11/02/22 08:06	75-25-2	
Bromomethane	ND	ug/L	25.0	5		11/02/22 08:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		11/02/22 08:06	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		11/02/22 08:06	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		11/02/22 08:06	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		11/02/22 08:06	108-90-7	
Chloroethane	ND	ug/L	25.0	5		11/02/22 08:06	75-00-3	
Chloroform	ND	ug/L	25.0	5		11/02/22 08:06	67-66-3	
Chloromethane	ND	ug/L	25.0	5		11/02/22 08:06	74-87-3	
Cyclohexane	ND	ug/L	500	5		11/02/22 08:06	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		11/02/22 08:06	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		11/02/22 08:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		11/02/22 08:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 08:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 08:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 08:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		11/02/22 08:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		11/02/22 08:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		11/02/22 08:06	107-06-2	
1,1-Dichloroethene	2.13	ug/L	25.0	5		11/02/22 08:06	75-35-4	
cis-1,2-Dichloroethene	786	ug/L	25.0	5		11/02/22 08:06	156-59-2	
trans-1,2-Dichloroethene	99.2	ug/L	25.0	5		11/02/22 08:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		11/02/22 08:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 08:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 08:06	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		11/02/22 08:06	100-41-4	
2-Hexanone	ND	ug/L	125	5		11/02/22 08:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		11/02/22 08:06	98-82-8	
Methyl acetate	ND	ug/L	250	5		11/02/22 08:06	79-20-9	
Methylcyclohexane	ND	ug/L	250	5		11/02/22 08:06	108-87-2	
Methylene Chloride	ND	ug/L	25.0	5		11/02/22 08:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		11/02/22 08:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		11/02/22 08:06	1634-04-4	
Styrene	ND	ug/L	25.0	5		11/02/22 08:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		11/02/22 08:06	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		11/02/22 08:06	127-18-4	
Toluene	ND	ug/L	25.0	5		11/02/22 08:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		11/02/22 08:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		11/02/22 08:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		11/02/22 08:06	79-00-5	
Trichloroethene	3240	ug/L	250	50		11/02/22 08:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		11/02/22 08:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		11/02/22 08:06	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0517-S1(102522)		Lab ID: 50329214001		Collected: 10/25/22 11:35		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		1.9J	ug/L	10.0	5		11/02/22 08:06	75-01-4	
Xylene (Total)		ND	ug/L	50.0	5		11/02/22 08:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	5		11/02/22 08:06	1868-53-7	D4
4-Bromofluorobenzene (S)		102	%.	79-124	5		11/02/22 08:06	460-00-4	
Toluene-d8 (S)		99	%.	73-122	5		11/02/22 08:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0604-S1(102522)		Lab ID: 50329214002	Collected: 10/25/22 12:00	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	500	5		11/02/22 09:06	67-64-1	
Benzene	ND	ug/L	25.0	5		11/02/22 09:06	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		11/02/22 09:06	75-27-4	
Bromoform	ND	ug/L	25.0	5		11/02/22 09:06	75-25-2	
Bromomethane	ND	ug/L	25.0	5		11/02/22 09:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		11/02/22 09:06	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		11/02/22 09:06	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		11/02/22 09:06	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		11/02/22 09:06	108-90-7	
Chloroethane	ND	ug/L	25.0	5		11/02/22 09:06	75-00-3	
Chloroform	ND	ug/L	25.0	5		11/02/22 09:06	67-66-3	
Chloromethane	ND	ug/L	25.0	5		11/02/22 09:06	74-87-3	
Cyclohexane	ND	ug/L	500	5		11/02/22 09:06	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		11/02/22 09:06	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		11/02/22 09:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		11/02/22 09:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 09:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 09:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 09:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		11/02/22 09:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		11/02/22 09:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		11/02/22 09:06	107-06-2	
1,1-Dichloroethene	3.13	ug/L	25.0	5		11/02/22 09:06	75-35-4	
cis-1,2-Dichloroethene	901	ug/L	25.0	5		11/02/22 09:06	156-59-2	
trans-1,2-Dichloroethene	83.6	ug/L	25.0	5		11/02/22 09:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		11/02/22 09:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 09:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 09:06	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		11/02/22 09:06	100-41-4	
2-Hexanone	ND	ug/L	125	5		11/02/22 09:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		11/02/22 09:06	98-82-8	
Methyl acetate	ND	ug/L	250	5		11/02/22 09:06	79-20-9	
Methylcyclohexane	ND	ug/L	250	5		11/02/22 09:06	108-87-2	
Methylene Chloride	ND	ug/L	25.0	5		11/02/22 09:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		11/02/22 09:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		11/02/22 09:06	1634-04-4	
Styrene	ND	ug/L	25.0	5		11/02/22 09:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		11/02/22 09:06	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		11/02/22 09:06	127-18-4	
Toluene	ND	ug/L	25.0	5		11/02/22 09:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		11/02/22 09:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		11/02/22 09:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		11/02/22 09:06	79-00-5	
Trichloroethene	2290	ug/L	125	25		11/02/22 07:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		11/02/22 09:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		11/02/22 09:06	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0604-S1(102522)		Lab ID: 50329214002		Collected: 10/25/22 12:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	34.7	ug/L	10.0	5		11/02/22 09:06	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		11/02/22 09:06	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	5		11/02/22 09:06	1868-53-7	D4	
4-Bromofluorobenzene (S)	103	%.	79-124	5		11/02/22 09:06	460-00-4		
Toluene-d8 (S)	100	%.	73-122	5		11/02/22 09:06	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2211-S1(102522)		Lab ID: 50329214003		Collected: 10/25/22 10:50		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	500	5		11/02/22 08:21	67-64-1		
Benzene	ND	ug/L	25.0	5		11/02/22 08:21	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		11/02/22 08:21	75-27-4		
Bromoform	ND	ug/L	25.0	5		11/02/22 08:21	75-25-2		
Bromomethane	ND	ug/L	25.0	5		11/02/22 08:21	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		11/02/22 08:21	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		11/02/22 08:21	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		11/02/22 08:21	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		11/02/22 08:21	108-90-7		
Chloroethane	ND	ug/L	25.0	5		11/02/22 08:21	75-00-3		
Chloroform	ND	ug/L	25.0	5		11/02/22 08:21	67-66-3		
Chloromethane	ND	ug/L	25.0	5		11/02/22 08:21	74-87-3		
Cyclohexane	ND	ug/L	500	5		11/02/22 08:21	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		11/02/22 08:21	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		11/02/22 08:21	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		11/02/22 08:21	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 08:21	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 08:21	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 08:21	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		11/02/22 08:21	75-71-8		
1,1-Dichloroethane	5.6J	ug/L	25.0	5		11/02/22 08:21	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		11/02/22 08:21	107-06-2		
1,1-Dichloroethene	2.6J	ug/L	25.0	5		11/02/22 08:21	75-35-4		
cis-1,2-Dichloroethene	801	ug/L	25.0	5		11/02/22 08:21	156-59-2		
trans-1,2-Dichloroethene	49.3	ug/L	25.0	5		11/02/22 08:21	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		11/02/22 08:21	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 08:21	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 08:21	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		11/02/22 08:21	100-41-4		
2-Hexanone	ND	ug/L	125	5		11/02/22 08:21	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		11/02/22 08:21	98-82-8		
Methyl acetate	ND	ug/L	250	5		11/02/22 08:21	79-20-9		
Methylcyclohexane	ND	ug/L	250	5		11/02/22 08:21	108-87-2		
Methylene Chloride	ND	ug/L	25.0	5		11/02/22 08:21	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		11/02/22 08:21	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		11/02/22 08:21	1634-04-4		
Styrene	ND	ug/L	25.0	5		11/02/22 08:21	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		11/02/22 08:21	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		11/02/22 08:21	127-18-4		
Toluene	ND	ug/L	25.0	5		11/02/22 08:21	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		11/02/22 08:21	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		11/02/22 08:21	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		11/02/22 08:21	79-00-5		
Trichloroethene	582	ug/L	25.0	5		11/02/22 08:21	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		11/02/22 08:21	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		11/02/22 08:21	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2211-S1(102522)		Lab ID: 50329214003		Collected: 10/25/22 10:50		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	3.2J	ug/L	10.0	5		11/02/22 08:21	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		11/02/22 08:21	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	5		11/02/22 08:21	1868-53-7	D4	
4-Bromofluorobenzene (S)	102	%.	79-124	5		11/02/22 08:21	460-00-4		
Toluene-d8 (S)	100	%.	73-122	5		11/02/22 08:21	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2201-S1(102522)		Lab ID: 50329214004	Collected: 10/25/22 12:15	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	1000	10		11/02/22 08:51	67-64-1	
Benzene	ND	ug/L	50.0	10		11/02/22 08:51	71-43-2	
Bromodichloromethane	ND	ug/L	50.0	10		11/02/22 08:51	75-27-4	
Bromoform	ND	ug/L	50.0	10		11/02/22 08:51	75-25-2	
Bromomethane	ND	ug/L	50.0	10		11/02/22 08:51	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	10		11/02/22 08:51	78-93-3	
Carbon disulfide	ND	ug/L	100	10		11/02/22 08:51	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	10		11/02/22 08:51	56-23-5	
Chlorobenzene	ND	ug/L	50.0	10		11/02/22 08:51	108-90-7	
Chloroethane	ND	ug/L	50.0	10		11/02/22 08:51	75-00-3	
Chloroform	ND	ug/L	50.0	10		11/02/22 08:51	67-66-3	
Chloromethane	ND	ug/L	50.0	10		11/02/22 08:51	74-87-3	
Cyclohexane	ND	ug/L	1000	10		11/02/22 08:51	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	100	10		11/02/22 08:51	96-12-8	
Dibromochloromethane	ND	ug/L	50.0	10		11/02/22 08:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	10		11/02/22 08:51	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	50.0	10		11/02/22 08:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	10		11/02/22 08:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	10		11/02/22 08:51	106-46-7	
Dichlorodifluoromethane	ND	ug/L	50.0	10		11/02/22 08:51	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	10		11/02/22 08:51	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	10		11/02/22 08:51	107-06-2	
1,1-Dichloroethene	6.3J	ug/L	50.0	10		11/02/22 08:51	75-35-4	
cis-1,2-Dichloroethene	2300	ug/L	50.0	10		11/02/22 08:51	156-59-2	
trans-1,2-Dichloroethene	28.2J	ug/L	50.0	10		11/02/22 08:51	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	10		11/02/22 08:51	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	50.0	10		11/02/22 08:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	10		11/02/22 08:51	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	10		11/02/22 08:51	100-41-4	
2-Hexanone	ND	ug/L	250	10		11/02/22 08:51	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	10		11/02/22 08:51	98-82-8	
Methyl acetate	ND	ug/L	500	10		11/02/22 08:51	79-20-9	
Methylcyclohexane	ND	ug/L	500	10		11/02/22 08:51	108-87-2	
Methylene Chloride	ND	ug/L	50.0	10		11/02/22 08:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	10		11/02/22 08:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	10		11/02/22 08:51	1634-04-4	
Styrene	ND	ug/L	50.0	10		11/02/22 08:51	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	10		11/02/22 08:51	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	10		11/02/22 08:51	127-18-4	
Toluene	ND	ug/L	50.0	10		11/02/22 08:51	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	10		11/02/22 08:51	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	10		11/02/22 08:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	10		11/02/22 08:51	79-00-5	
Trichloroethene	1490	ug/L	50.0	10		11/02/22 08:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	10		11/02/22 08:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	50.0	10		11/02/22 08:51	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2201-S1(102522)		Lab ID: 50329214004		Collected: 10/25/22 12:15		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	236	ug/L	20.0	10		11/02/22 08:51	75-01-4		
Xylene (Total)	ND	ug/L	100	10		11/02/22 08:51	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	10		11/02/22 08:51	1868-53-7	D4	
4-Bromofluorobenzene (S)	103	%.	79-124	10		11/02/22 08:51	460-00-4		
Toluene-d8 (S)	99	%.	73-122	10		11/02/22 08:51	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2202-S1(102522)		Lab ID: 50329214005	Collected: 10/25/22 11:10	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	22.4J	ug/L	500	5		11/02/22 09:22	67-64-1	B
Benzene	ND	ug/L	25.0	5		11/02/22 09:22	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		11/02/22 09:22	75-27-4	
Bromoform	ND	ug/L	25.0	5		11/02/22 09:22	75-25-2	
Bromomethane	ND	ug/L	25.0	5		11/02/22 09:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		11/02/22 09:22	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		11/02/22 09:22	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		11/02/22 09:22	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		11/02/22 09:22	108-90-7	
Chloroethane	ND	ug/L	25.0	5		11/02/22 09:22	75-00-3	
Chloroform	ND	ug/L	25.0	5		11/02/22 09:22	67-66-3	
Chloromethane	ND	ug/L	25.0	5		11/02/22 09:22	74-87-3	
Cyclohexane	ND	ug/L	500	5		11/02/22 09:22	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		11/02/22 09:22	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		11/02/22 09:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		11/02/22 09:22	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 09:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 09:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 09:22	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		11/02/22 09:22	75-71-8	
1,1-Dichloroethane	5.3J	ug/L	25.0	5		11/02/22 09:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		11/02/22 09:22	107-06-2	
1,1-Dichloroethene	3.3J	ug/L	25.0	5		11/02/22 09:22	75-35-4	
cis-1,2-Dichloroethene	828	ug/L	25.0	5		11/02/22 09:22	156-59-2	
trans-1,2-Dichloroethene	60.5	ug/L	25.0	5		11/02/22 09:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		11/02/22 09:22	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 09:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 09:22	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		11/02/22 09:22	100-41-4	
2-Hexanone	ND	ug/L	125	5		11/02/22 09:22	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		11/02/22 09:22	98-82-8	
Methyl acetate	ND	ug/L	250	5		11/02/22 09:22	79-20-9	
Methylcyclohexane	ND	ug/L	250	5		11/02/22 09:22	108-87-2	
Methylene Chloride	ND	ug/L	25.0	5		11/02/22 09:22	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		11/02/22 09:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		11/02/22 09:22	1634-04-4	
Styrene	ND	ug/L	25.0	5		11/02/22 09:22	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		11/02/22 09:22	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		11/02/22 09:22	127-18-4	
Toluene	ND	ug/L	25.0	5		11/02/22 09:22	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		11/02/22 09:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		11/02/22 09:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		11/02/22 09:22	79-00-5	
Trichloroethene	1850	ug/L	125	25		11/03/22 16:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		11/02/22 09:22	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		11/02/22 09:22	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2202-S1(102522)		Lab ID: 50329214005		Collected: 10/25/22 11:10		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	11.1	ug/L	10.0	5		11/02/22 09:22	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		11/02/22 09:22	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	5		11/02/22 09:22	1868-53-7	D4	
4-Bromofluorobenzene (S)	102	%.	79-124	5		11/02/22 09:22	460-00-4		
Toluene-d8 (S)	100	%.	73-122	5		11/02/22 09:22	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2207-S1(102522)		Lab ID: 50329214006		Collected: 10/25/22 12:02		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	412J	ug/L	10000	100			11/02/22 09:52	67-64-1	B
Benzene	ND	ug/L	500	100			11/02/22 09:52	71-43-2	
Bromodichloromethane	ND	ug/L	500	100			11/02/22 09:52	75-27-4	
Bromoform	ND	ug/L	500	100			11/02/22 09:52	75-25-2	
Bromomethane	ND	ug/L	500	100			11/02/22 09:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	2500	100			11/02/22 09:52	78-93-3	
Carbon disulfide	ND	ug/L	1000	100			11/02/22 09:52	75-15-0	
Carbon tetrachloride	ND	ug/L	500	100			11/02/22 09:52	56-23-5	
Chlorobenzene	ND	ug/L	500	100			11/02/22 09:52	108-90-7	
Chloroethane	ND	ug/L	500	100			11/02/22 09:52	75-00-3	
Chloroform	ND	ug/L	500	100			11/02/22 09:52	67-66-3	
Chloromethane	ND	ug/L	500	100			11/02/22 09:52	74-87-3	
Cyclohexane	ND	ug/L	10000	100			11/02/22 09:52	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	1000	100			11/02/22 09:52	96-12-8	
Dibromochloromethane	ND	ug/L	500	100			11/02/22 09:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	500	100			11/02/22 09:52	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	500	100			11/02/22 09:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	500	100			11/02/22 09:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	500	100			11/02/22 09:52	106-46-7	
Dichlorodifluoromethane	ND	ug/L	500	100			11/02/22 09:52	75-71-8	
1,1-Dichloroethane	ND	ug/L	500	100			11/02/22 09:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	500	100			11/02/22 09:52	107-06-2	
1,1-Dichloroethene	ND	ug/L	500	100			11/02/22 09:52	75-35-4	
cis-1,2-Dichloroethene	676	ug/L	500	100			11/02/22 09:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	500	100			11/02/22 09:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	500	100			11/02/22 09:52	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	500	100			11/02/22 09:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	500	100			11/02/22 09:52	10061-02-6	
Ethylbenzene	ND	ug/L	500	100			11/02/22 09:52	100-41-4	
2-Hexanone	ND	ug/L	2500	100			11/02/22 09:52	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	500	100			11/02/22 09:52	98-82-8	
Methyl acetate	ND	ug/L	5000	100			11/02/22 09:52	79-20-9	
Methylcyclohexane	ND	ug/L	5000	100			11/02/22 09:52	108-87-2	
Methylene Chloride	ND	ug/L	500	100			11/02/22 09:52	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	2500	100			11/02/22 09:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	400	100			11/02/22 09:52	1634-04-4	
Styrene	ND	ug/L	500	100			11/02/22 09:52	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	500	100			11/02/22 09:52	79-34-5	
Tetrachloroethene	ND	ug/L	500	100			11/02/22 09:52	127-18-4	
Toluene	ND	ug/L	500	100			11/02/22 09:52	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	500	100			11/02/22 09:52	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	500	100			11/02/22 09:52	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	500	100			11/02/22 09:52	79-00-5	
Trichloroethene	14600	ug/L	500	100			11/02/22 09:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	500	100			11/02/22 09:52	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	500	100			11/02/22 09:52	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2207-S1(102522)		Lab ID: 50329214006		Collected: 10/25/22 12:02		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	200	100		11/02/22 09:52	75-01-4		
Xylene (Total)	ND	ug/L	1000	100		11/02/22 09:52	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	100		11/02/22 09:52	1868-53-7	D4	
4-Bromofluorobenzene (S)	102	%.	79-124	100		11/02/22 09:52	460-00-4		
Toluene-d8 (S)	100	%.	73-122	100		11/02/22 09:52	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0619-S1(102522)		Lab ID: 50329214007		Collected: 10/25/22 11:37		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1		11/02/22 00:29	67-64-1		
Benzene	ND	ug/L	5.0	1		11/02/22 00:29	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		11/02/22 00:29	75-27-4		
Bromoform	ND	ug/L	5.0	1		11/02/22 00:29	75-25-2		
Bromomethane	ND	ug/L	5.0	1		11/02/22 00:29	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		11/02/22 00:29	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		11/02/22 00:29	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		11/02/22 00:29	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		11/02/22 00:29	108-90-7		
Chloroethane	ND	ug/L	5.0	1		11/02/22 00:29	75-00-3		
Chloroform	ND	ug/L	5.0	1		11/02/22 00:29	67-66-3		
Chloromethane	ND	ug/L	5.0	1		11/02/22 00:29	74-87-3		
Cyclohexane	ND	ug/L	100	1		11/02/22 00:29	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/02/22 00:29	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		11/02/22 00:29	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/02/22 00:29	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/02/22 00:29	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/02/22 00:29	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/02/22 00:29	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/02/22 00:29	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		11/02/22 00:29	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		11/02/22 00:29	107-06-2		
1,1-Dichloroethene	1.53	ug/L	5.0	1		11/02/22 00:29	75-35-4		
cis-1,2-Dichloroethene	268	ug/L	5.0	1		11/02/22 00:29	156-59-2		
trans-1,2-Dichloroethene	33.7	ug/L	5.0	1		11/02/22 00:29	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		11/02/22 00:29	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/02/22 00:29	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/02/22 00:29	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		11/02/22 00:29	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		11/02/22 00:29	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/02/22 00:29	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		11/02/22 00:29	79-20-9		
Methylcyclohexane	ND	ug/L	50.0	1		11/02/22 00:29	108-87-2		
Methylene Chloride	ND	ug/L	5.0	1		11/02/22 00:29	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/02/22 00:29	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/02/22 00:29	1634-04-4		
Styrene	ND	ug/L	5.0	1		11/02/22 00:29	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/02/22 00:29	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		11/02/22 00:29	127-18-4		
Toluene	ND	ug/L	5.0	1		11/02/22 00:29	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/02/22 00:29	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/02/22 00:29	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/02/22 00:29	79-00-5		
Trichloroethene	2330	ug/L	100	20		11/03/22 17:25	79-01-6	M1	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/02/22 00:29	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/02/22 00:29	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0619-S1(102522)		Lab ID: 50329214007		Collected: 10/25/22 11:37		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	2.0J	ug/L	2.0	1		11/02/22 00:29	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/02/22 00:29	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	1		11/02/22 00:29	1868-53-7		
4-Bromofluorobenzene (S)	103	%.	79-124	1		11/02/22 00:29	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/02/22 00:29	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0621-S1(102522)		Lab ID: 50329214008		Collected: 10/25/22 12:30		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	500	5		11/02/22 02:31	67-64-1		
Benzene	ND	ug/L	25.0	5		11/02/22 02:31	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		11/02/22 02:31	75-27-4		
Bromoform	ND	ug/L	25.0	5		11/02/22 02:31	75-25-2		
Bromomethane	ND	ug/L	25.0	5		11/02/22 02:31	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		11/02/22 02:31	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		11/02/22 02:31	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		11/02/22 02:31	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		11/02/22 02:31	108-90-7		
Chloroethane	ND	ug/L	25.0	5		11/02/22 02:31	75-00-3		
Chloroform	ND	ug/L	25.0	5		11/02/22 02:31	67-66-3		
Chloromethane	ND	ug/L	25.0	5		11/02/22 02:31	74-87-3		
Cyclohexane	ND	ug/L	500	5		11/02/22 02:31	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		11/02/22 02:31	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		11/02/22 02:31	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		11/02/22 02:31	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 02:31	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 02:31	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 02:31	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		11/02/22 02:31	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		11/02/22 02:31	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		11/02/22 02:31	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		11/02/22 02:31	75-35-4		
cis-1,2-Dichloroethene	330	ug/L	25.0	5		11/02/22 02:31	156-59-2		
trans-1,2-Dichloroethene	27.4	ug/L	25.0	5		11/02/22 02:31	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		11/02/22 02:31	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 02:31	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 02:31	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		11/02/22 02:31	100-41-4		
2-Hexanone	ND	ug/L	125	5		11/02/22 02:31	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		11/02/22 02:31	98-82-8		
Methyl acetate	ND	ug/L	250	5		11/02/22 02:31	79-20-9		
Methylcyclohexane	ND	ug/L	250	5		11/02/22 02:31	108-87-2		
Methylene Chloride	ND	ug/L	25.0	5		11/02/22 02:31	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		11/02/22 02:31	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		11/02/22 02:31	1634-04-4		
Styrene	ND	ug/L	25.0	5		11/02/22 02:31	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		11/02/22 02:31	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		11/02/22 02:31	127-18-4		
Toluene	ND	ug/L	25.0	5		11/02/22 02:31	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		11/02/22 02:31	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		11/02/22 02:31	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		11/02/22 02:31	79-00-5		
Trichloroethene	2130	ug/L	125	25		11/03/22 17:56	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		11/02/22 02:31	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		11/02/22 02:31	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0621-S1(102522)		Lab ID: 50329214008		Collected: 10/25/22 12:30		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	10.0	5		11/02/22 02:31	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		11/02/22 02:31	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	5		11/02/22 02:31	1868-53-7	D4	
4-Bromofluorobenzene (S)	102	%.	79-124	5		11/02/22 02:31	460-00-4		
Toluene-d8 (S)	99	%.	73-122	5		11/02/22 02:31	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: TRIP BLANK		Lab ID: 50329214009		Collected: 10/25/22 08:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1		11/02/22 03:01	67-64-1		
Benzene	ND	ug/L	5.0	1		11/02/22 03:01	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		11/02/22 03:01	75-27-4		
Bromoform	ND	ug/L	5.0	1		11/02/22 03:01	75-25-2		
Bromomethane	ND	ug/L	5.0	1		11/02/22 03:01	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		11/02/22 03:01	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		11/02/22 03:01	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		11/02/22 03:01	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		11/02/22 03:01	108-90-7		
Chloroethane	ND	ug/L	5.0	1		11/02/22 03:01	75-00-3		
Chloroform	ND	ug/L	5.0	1		11/02/22 03:01	67-66-3		
Chloromethane	ND	ug/L	5.0	1		11/02/22 03:01	74-87-3		
Cyclohexane	ND	ug/L	100	1		11/02/22 03:01	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/02/22 03:01	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		11/02/22 03:01	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/02/22 03:01	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/02/22 03:01	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/02/22 03:01	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/02/22 03:01	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/02/22 03:01	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		11/02/22 03:01	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		11/02/22 03:01	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		11/02/22 03:01	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/02/22 03:01	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/02/22 03:01	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		11/02/22 03:01	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/02/22 03:01	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/02/22 03:01	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		11/02/22 03:01	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		11/02/22 03:01	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/02/22 03:01	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		11/02/22 03:01	79-20-9		
Methylcyclohexane	ND	ug/L	50.0	1		11/02/22 03:01	108-87-2		
Methylene Chloride	1.3J	ug/L	5.0	1		11/02/22 03:01	75-09-2		B
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/02/22 03:01	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/02/22 03:01	1634-04-4		
Styrene	ND	ug/L	5.0	1		11/02/22 03:01	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/02/22 03:01	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		11/02/22 03:01	127-18-4		
Toluene	ND	ug/L	5.0	1		11/02/22 03:01	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/02/22 03:01	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/02/22 03:01	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/02/22 03:01	79-00-5		
Trichloroethene	0.47J	ug/L	5.0	1		11/02/22 03:01	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		11/02/22 03:01	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/02/22 03:01	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: TRIP BLANK		Lab ID: 50329214009		Collected: 10/25/22 08:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/02/22 03:01	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/02/22 03:01	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	1		11/02/22 03:01	1868-53-7		
4-Bromofluorobenzene (S)	102	%.	79-124	1		11/02/22 03:01	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/02/22 03:01	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: DUP-01(102522)		Lab ID: 50329214010		Collected: 10/25/22 08:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	10000	100		11/02/22 03:31	67-64-1		
Benzene	ND	ug/L	500	100		11/02/22 03:31	71-43-2		
Bromodichloromethane	ND	ug/L	500	100		11/02/22 03:31	75-27-4		
Bromoform	ND	ug/L	500	100		11/02/22 03:31	75-25-2		
Bromomethane	ND	ug/L	500	100		11/02/22 03:31	74-83-9		
2-Butanone (MEK)	ND	ug/L	2500	100		11/02/22 03:31	78-93-3		
Carbon disulfide	ND	ug/L	1000	100		11/02/22 03:31	75-15-0		
Carbon tetrachloride	ND	ug/L	500	100		11/02/22 03:31	56-23-5		
Chlorobenzene	ND	ug/L	500	100		11/02/22 03:31	108-90-7		
Chloroethane	ND	ug/L	500	100		11/02/22 03:31	75-00-3		
Chloroform	ND	ug/L	500	100		11/02/22 03:31	67-66-3		
Chloromethane	ND	ug/L	500	100		11/02/22 03:31	74-87-3		
Cyclohexane	ND	ug/L	10000	100		11/02/22 03:31	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	1000	100		11/02/22 03:31	96-12-8		
Dibromochloromethane	ND	ug/L	500	100		11/02/22 03:31	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	500	100		11/02/22 03:31	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	500	100		11/02/22 03:31	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	500	100		11/02/22 03:31	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	500	100		11/02/22 03:31	106-46-7		
Dichlorodifluoromethane	ND	ug/L	500	100		11/02/22 03:31	75-71-8		
1,1-Dichloroethane	ND	ug/L	500	100		11/02/22 03:31	75-34-3		
1,2-Dichloroethane	ND	ug/L	500	100		11/02/22 03:31	107-06-2		
1,1-Dichloroethene	ND	ug/L	500	100		11/02/22 03:31	75-35-4		
cis-1,2-Dichloroethene	655	ug/L	500	100		11/02/22 03:31	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	500	100		11/02/22 03:31	156-60-5		
1,2-Dichloropropane	ND	ug/L	500	100		11/02/22 03:31	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	500	100		11/02/22 03:31	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	500	100		11/02/22 03:31	10061-02-6		
Ethylbenzene	ND	ug/L	500	100		11/02/22 03:31	100-41-4		
2-Hexanone	ND	ug/L	2500	100		11/02/22 03:31	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	500	100		11/02/22 03:31	98-82-8		
Methyl acetate	ND	ug/L	5000	100		11/02/22 03:31	79-20-9		
Methylcyclohexane	ND	ug/L	5000	100		11/02/22 03:31	108-87-2		
Methylene Chloride	ND	ug/L	500	100		11/02/22 03:31	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	2500	100		11/02/22 03:31	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	400	100		11/02/22 03:31	1634-04-4		
Styrene	ND	ug/L	500	100		11/02/22 03:31	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	500	100		11/02/22 03:31	79-34-5		
Tetrachloroethene	ND	ug/L	500	100		11/02/22 03:31	127-18-4		
Toluene	ND	ug/L	500	100		11/02/22 03:31	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	500	100		11/02/22 03:31	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	500	100		11/02/22 03:31	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	500	100		11/02/22 03:31	79-00-5		
Trichloroethene	14700	ug/L	500	100		11/02/22 03:31	79-01-6		
Trichlorofluoromethane	ND	ug/L	500	100		11/02/22 03:31	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	500	100		11/02/22 03:31	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: DUP-01(102522)		Lab ID: 50329214010		Collected: 10/25/22 08:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	200	100		11/02/22 03:31	75-01-4	
Xylene (Total)		ND	ug/L	1000	100		11/02/22 03:31	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	100		11/02/22 03:31	1868-53-7	D4
4-Bromofluorobenzene (S)		102	%.	79-124	100		11/02/22 03:31	460-00-4	
Toluene-d8 (S)		99	%.	73-122	100		11/02/22 03:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

QC Batch:	704190	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50329214003, 50329214004, 50329214005, 50329214006

METHOD BLANK: 3237194 Matrix: Water

Associated Lab Samples: 50329214003, 50329214004, 50329214005, 50329214006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	11/01/22 23:43	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	11/01/22 23:43	
1,1,2-Trichloroethane	ug/L	ND	5.0	11/01/22 23:43	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	11/01/22 23:43	
1,1-Dichloroethane	ug/L	ND	5.0	11/01/22 23:43	
1,1-Dichloroethene	ug/L	ND	5.0	11/01/22 23:43	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	11/01/22 23:43	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	11/01/22 23:43	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	11/01/22 23:43	
1,2-Dichlorobenzene	ug/L	ND	5.0	11/01/22 23:43	
1,2-Dichloroethane	ug/L	ND	5.0	11/01/22 23:43	
1,2-Dichloropropane	ug/L	ND	5.0	11/01/22 23:43	
1,3-Dichlorobenzene	ug/L	ND	5.0	11/01/22 23:43	
1,4-Dichlorobenzene	ug/L	ND	5.0	11/01/22 23:43	
2-Butanone (MEK)	ug/L	ND	25.0	11/01/22 23:43	
2-Hexanone	ug/L	ND	25.0	11/01/22 23:43	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	11/01/22 23:43	
Acetone	ug/L	4.3J	100	11/01/22 23:43	
Benzene	ug/L	ND	5.0	11/01/22 23:43	
Bromodichloromethane	ug/L	ND	5.0	11/01/22 23:43	
Bromoform	ug/L	ND	5.0	11/01/22 23:43	
Bromomethane	ug/L	ND	5.0	11/01/22 23:43	
Carbon disulfide	ug/L	ND	10.0	11/01/22 23:43	
Carbon tetrachloride	ug/L	ND	5.0	11/01/22 23:43	
Chlorobenzene	ug/L	ND	5.0	11/01/22 23:43	
Chloroethane	ug/L	ND	5.0	11/01/22 23:43	
Chloroform	ug/L	ND	5.0	11/01/22 23:43	
Chloromethane	ug/L	ND	5.0	11/01/22 23:43	
cis-1,2-Dichloroethene	ug/L	ND	5.0	11/01/22 23:43	
cis-1,3-Dichloropropene	ug/L	ND	5.0	11/01/22 23:43	
Cyclohexane	ug/L	ND	100	11/01/22 23:43	
Dibromochloromethane	ug/L	ND	5.0	11/01/22 23:43	
Dichlorodifluoromethane	ug/L	ND	5.0	11/01/22 23:43	
Ethylbenzene	ug/L	ND	5.0	11/01/22 23:43	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	11/01/22 23:43	
Methyl acetate	ug/L	ND	50.0	11/01/22 23:43	
Methyl-tert-butyl ether	ug/L	ND	4.0	11/01/22 23:43	
Methylcyclohexane	ug/L	ND	50.0	11/01/22 23:43	
Methylene Chloride	ug/L	4.1J	5.0	11/01/22 23:43	
Styrene	ug/L	ND	5.0	11/01/22 23:43	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

METHOD BLANK: 3237194

Matrix: Water

Associated Lab Samples: 50329214003, 50329214004, 50329214005, 50329214006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Tetrachloroethene	ug/L	ND	5.0	11/01/22 23:43	
Toluene	ug/L	ND	5.0	11/01/22 23:43	
trans-1,2-Dichloroethene	ug/L	ND	5.0	11/01/22 23:43	
trans-1,3-Dichloropropene	ug/L	ND	5.0	11/01/22 23:43	
Trichloroethene	ug/L	ND	5.0	11/01/22 23:43	
Trichlorofluoromethane	ug/L	ND	5.0	11/01/22 23:43	
Vinyl chloride	ug/L	ND	2.0	11/01/22 23:43	
Xylene (Total)	ug/L	ND	10.0	11/01/22 23:43	
4-Bromofluorobenzene (S)	%	103	79-124	11/01/22 23:43	
Dibromofluoromethane (S)	%	99	82-128	11/01/22 23:43	
Toluene-d8 (S)	%	100	73-122	11/01/22 23:43	

LABORATORY CONTROL SAMPLE: 3237195

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	43.8	88	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	44.4	89	72-123	
1,1,2-Trichloroethane	ug/L	50	43.5	87	73-124	
1,1,2-Trichlorotrifluoroethane	ug/L	50	44.0	88	60-148	
1,1-Dichloroethane	ug/L	50	45.8	92	71-124	
1,1-Dichloroethene	ug/L	50	44.1	88	63-138	
1,2,4-Trichlorobenzene	ug/L	50	38.2	76	68-132	
1,2-Dibromo-3-chloropropane	ug/L	50	43.6	87	66-122	
1,2-Dibromoethane (EDB)	ug/L	50	42.1	84	75-123	
1,2-Dichlorobenzene	ug/L	50	42.1	84	76-118	
1,2-Dichloroethane	ug/L	50	44.2	88	68-126	
1,2-Dichloropropane	ug/L	50	44.3	89	73-127	
1,3-Dichlorobenzene	ug/L	50	41.5	83	75-119	
1,4-Dichlorobenzene	ug/L	50	41.0	82	74-118	
2-Butanone (MEK)	ug/L	250	222	89	57-130	
2-Hexanone	ug/L	250	213	85	57-130	
4-Methyl-2-pentanone (MIBK)	ug/L	250	216	86	58-134	
Acetone	ug/L	250	219	88	41-133	
Benzene	ug/L	50	43.7	87	76-121	
Bromodichloromethane	ug/L	50	42.8	86	72-125	
Bromoform	ug/L	50	41.8	84	57-134	
Bromomethane	ug/L	50	56.2	112	10-187	
Carbon disulfide	ug/L	50	43.7	87	59-125	
Carbon tetrachloride	ug/L	50	43.1	86	71-134	
Chlorobenzene	ug/L	50	43.3	87	74-119	
Chloroethane	ug/L	50	50.4	101	49-152	
Chloroform	ug/L	50	42.5	85	68-123	
Chloromethane	ug/L	50	50.1	100	33-133	
cis-1,2-Dichloroethene	ug/L	50	43.4	87	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

LABORATORY CONTROL SAMPLE: 3237195

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,3-Dichloropropene	ug/L	50	44.1	88	69-128	
Cyclohexane	ug/L	50	44.1J	88	61-128	
Dibromochloromethane	ug/L	50	43.2	86	69-127	
Dichlorodifluoromethane	ug/L	50	36.9	74	19-136	
Ethylbenzene	ug/L	50	42.7	85	74-122	
Isopropylbenzene (Cumene)	ug/L	50	43.0	86	75-124	
Methyl acetate	ug/L	250	227	91	62-147	
Methyl-tert-butyl ether	ug/L	50	44.6	89	71-125	
Methylcyclohexane	ug/L	50	42.3J	85	68-120	
Methylene Chloride	ug/L	50	48.4	97	71-125	
Styrene	ug/L	50	44.1	88	74-126	
Tetrachloroethene	ug/L	50	42.4	85	74-129	
Toluene	ug/L	50	42.1	84	70-118	
trans-1,2-Dichloroethene	ug/L	50	43.3	87	69-124	
trans-1,3-Dichloropropene	ug/L	50	43.1	86	66-125	
Trichloroethene	ug/L	50	44.1	88	73-125	
Trichlorofluoromethane	ug/L	50	51.8	104	56-139	
Vinyl chloride	ug/L	50	51.7	103	46-134	
Xylene (Total)	ug/L	150	124	83	71-123	
4-Bromofluorobenzene (S)	%			100	79-124	
Dibromofluoromethane (S)	%			99	82-128	
Toluene-d8 (S)	%			100	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3237209 3237210

Parameter	Units	50329469003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	48.2	48.2	96	96	60-143	0	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	52.5	51.6	105	103	64-135	2	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	50.3	49.6	101	99	66-137	2	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	49.6	49.0	99	98	57-171	1	20	
Trichlorotrifluoroethane												
1,1-Dichloroethane	ug/L	ND	50	50	50.1	49.6	100	99	62-144	1	20	
1,1-Dichloroethene	ug/L	ND	50	50	48.6	48.5	97	97	55-158	0	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	41.5	41.0	83	82	27-149	1	20	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	51.2	49.0	102	98	59-132	4	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	49.1	47.4	98	95	68-136	3	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	47.6	47.0	95	94	47-140	1	20	
1,2-Dichloroethane	ug/L	ND	50	50	50.4	50.1	101	100	61-144	0	20	
1,2-Dichloropropane	ug/L	ND	50	50	50.3	49.7	101	99	67-141	1	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	46.0	45.0	92	90	39-142	2	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	45.8	45.1	92	90	39-140	2	20	
2-Butanone (MEK)	ug/L	ND	250	250	266	258	106	103	49-149	3	20	
2-Hexanone	ug/L	ND	250	250	257	252	103	101	48-147	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			3237209	3237210								
		50329469003	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits		Max RPD	
Parameter	Units	Result								RPD		Qual
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	263	253	105	101	50-152	4	20	
Acetone	ug/L	ND	250	250	243	253	95	100	23-157	4	20	
Benzene	ug/L	ND	50	50	49.5	49.0	99	98	68-139	1	20	
Bromodichloromethane	ug/L	ND	50	50	48.5	48.1	97	96	65-139	1	20	
Bromoform	ug/L	ND	50	50	47.9	47.0	96	94	51-139	2	20	
Bromomethane	ug/L	ND	50	50	62.6	62.3	125	125	10-189	1	20	
Carbon disulfide	ug/L	ND	50	50	48.3	46.9	97	94	45-143	3	20	
Carbon tetrachloride	ug/L	ND	50	50	47.8	47.1	96	94	61-153	1	20	
Chlorobenzene	ug/L	ND	50	50	48.5	47.8	97	96	57-137	1	20	
Chloroethane	ug/L	ND	50	50	55.2	54.4	110	109	41-183	2	20	
Chloroform	ug/L	ND	50	50	47.8	47.3	95	94	61-138	1	20	
Chloromethane	ug/L	ND	50	50	56.0	55.2	112	110	25-150	1	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	48.6	48.2	97	96	58-142	1	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	49.5	49.0	99	98	53-140	1	20	
Cyclohexane	ug/L	ND	50	50	48.4J	47.2J	97	94	64-139		20	
Dibromochloromethane	ug/L	ND	50	50	49.5	49.0	99	98	61-139	1	20	
Dichlorodifluoromethane	ug/L	ND	50	50	40.3	39.5	81	79	10-150	2	20	
Ethylbenzene	ug/L	ND	50	50	47.7	47.2	95	94	54-141	1	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	48.1	47.3	96	95	48-145	2	20	
Methyl acetate	ug/L	ND	250	250	235	227	94	91	37-152	4	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	52.0	51.3	104	103	62-143	1	20	
Methylcyclohexane	ug/L	ND	50	50	47.4J	47.2J	95	94	76-122		20	
Methylene Chloride	ug/L	ND	50	50	53.7	54.2	107	108	59-141	1	20	
Styrene	ug/L	ND	50	50	49.1	47.7	98	95	51-146	3	20	
Tetrachloroethene	ug/L	ND	50	50	47.0	46.3	93	92	50-149	2	20	
Toluene	ug/L	ND	50	50	46.9	46.5	93	92	59-134	1	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	47.6	47.7	95	95	57-141	0	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	48.4	47.4	97	95	51-136	2	20	
Trichloroethene	ug/L	ND	50	50	48.8	47.7	97	95	55-147	2	20	
Trichlorofluoromethane	ug/L	ND	50	50	57.8	56.9	116	114	55-160	2	20	
Vinyl chloride	ug/L	ND	50	50	57.2	56.7	114	113	36-154	1	20	
Xylene (Total)	ug/L	ND	150	150	139	137	93	91	50-143	2	20	
4-Bromofluorobenzene (S)	%.						100	99	79-124			
Dibromofluoromethane (S)	%.						101	100	82-128			
Toluene-d8 (S)	%.						101	100	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

QC Batch:	704194	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50329214001, 50329214002, 50329214007, 50329214008, 50329214009, 50329214010

METHOD BLANK: 3237221 Matrix: Water

Associated Lab Samples: 50329214001, 50329214002, 50329214007, 50329214008, 50329214009, 50329214010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	11/01/22 23:58	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	11/01/22 23:58	
1,1,2-Trichloroethane	ug/L	ND	5.0	11/01/22 23:58	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	11/01/22 23:58	
1,1-Dichloroethane	ug/L	ND	5.0	11/01/22 23:58	
1,1-Dichloroethene	ug/L	ND	5.0	11/01/22 23:58	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	11/01/22 23:58	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	11/01/22 23:58	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	11/01/22 23:58	
1,2-Dichlorobenzene	ug/L	ND	5.0	11/01/22 23:58	
1,2-Dichloroethane	ug/L	ND	5.0	11/01/22 23:58	
1,2-Dichloropropane	ug/L	ND	5.0	11/01/22 23:58	
1,3-Dichlorobenzene	ug/L	ND	5.0	11/01/22 23:58	
1,4-Dichlorobenzene	ug/L	ND	5.0	11/01/22 23:58	
2-Butanone (MEK)	ug/L	ND	25.0	11/01/22 23:58	
2-Hexanone	ug/L	ND	25.0	11/01/22 23:58	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	11/01/22 23:58	
Acetone	ug/L	ND	100	11/01/22 23:58	
Benzene	ug/L	ND	5.0	11/01/22 23:58	
Bromodichloromethane	ug/L	ND	5.0	11/01/22 23:58	
Bromoform	ug/L	ND	5.0	11/01/22 23:58	
Bromomethane	ug/L	ND	5.0	11/01/22 23:58	
Carbon disulfide	ug/L	ND	10.0	11/01/22 23:58	
Carbon tetrachloride	ug/L	ND	5.0	11/01/22 23:58	
Chlorobenzene	ug/L	ND	5.0	11/01/22 23:58	
Chloroethane	ug/L	ND	5.0	11/01/22 23:58	
Chloroform	ug/L	ND	5.0	11/01/22 23:58	
Chloromethane	ug/L	ND	5.0	11/01/22 23:58	
cis-1,2-Dichloroethene	ug/L	ND	5.0	11/01/22 23:58	
cis-1,3-Dichloropropene	ug/L	ND	5.0	11/01/22 23:58	
Cyclohexane	ug/L	ND	100	11/01/22 23:58	
Dibromochloromethane	ug/L	ND	5.0	11/01/22 23:58	
Dichlorodifluoromethane	ug/L	ND	5.0	11/01/22 23:58	
Ethylbenzene	ug/L	ND	5.0	11/01/22 23:58	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	11/01/22 23:58	
Methyl acetate	ug/L	ND	50.0	11/01/22 23:58	
Methyl-tert-butyl ether	ug/L	ND	4.0	11/01/22 23:58	
Methylcyclohexane	ug/L	ND	50.0	11/01/22 23:58	
Methylene Chloride	ug/L	4.9J	5.0	11/01/22 23:58	
Styrene	ug/L	ND	5.0	11/01/22 23:58	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

METHOD BLANK: 3237221

Matrix: Water

Associated Lab Samples: 50329214001, 50329214002, 50329214007, 50329214008, 50329214009, 50329214010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Tetrachloroethene	ug/L	ND	5.0	11/01/22 23:58	
Toluene	ug/L	ND	5.0	11/01/22 23:58	
trans-1,2-Dichloroethene	ug/L	ND	5.0	11/01/22 23:58	
trans-1,3-Dichloropropene	ug/L	ND	5.0	11/01/22 23:58	
Trichloroethene	ug/L	ND	5.0	11/01/22 23:58	
Trichlorofluoromethane	ug/L	ND	5.0	11/01/22 23:58	
Vinyl chloride	ug/L	ND	2.0	11/01/22 23:58	
Xylene (Total)	ug/L	ND	10.0	11/01/22 23:58	
4-Bromofluorobenzene (S)	%	102	79-124	11/01/22 23:58	
Dibromofluoromethane (S)	%	100	82-128	11/01/22 23:58	
Toluene-d8 (S)	%	101	73-122	11/01/22 23:58	

LABORATORY CONTROL SAMPLE: 3237222

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.6	97	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	48.6	97	72-123	
1,1,2-Trichloroethane	ug/L	50	49.0	98	73-124	
1,1,2-Trichlorotrifluoroethane	ug/L	50	50.2	100	60-148	
1,1-Dichloroethane	ug/L	50	49.6	99	71-124	
1,1-Dichloroethene	ug/L	50	49.2	98	63-138	
1,2,4-Trichlorobenzene	ug/L	50	41.0	82	68-132	
1,2-Dibromo-3-chloropropane	ug/L	50	47.4	95	66-122	
1,2-Dibromoethane (EDB)	ug/L	50	48.1	96	75-123	
1,2-Dichlorobenzene	ug/L	50	45.8	92	76-118	
1,2-Dichloroethane	ug/L	50	48.3	97	68-126	
1,2-Dichloropropane	ug/L	50	49.4	99	73-127	
1,3-Dichlorobenzene	ug/L	50	45.1	90	75-119	
1,4-Dichlorobenzene	ug/L	50	44.5	89	74-118	
2-Butanone (MEK)	ug/L	250	206	82	57-130	
2-Hexanone	ug/L	250	211	85	57-130	
4-Methyl-2-pentanone (MIBK)	ug/L	250	236	94	58-134	
Acetone	ug/L	250	164	66	41-133	
Benzene	ug/L	50	48.8	98	76-121	
Bromodichloromethane	ug/L	50	48.2	96	72-125	
Bromoform	ug/L	50	45.8	92	57-134	
Bromomethane	ug/L	50	58.7	117	10-187	
Carbon disulfide	ug/L	50	49.0	98	59-125	
Carbon tetrachloride	ug/L	50	48.1	96	71-134	
Chlorobenzene	ug/L	50	48.0	96	74-119	
Chloroethane	ug/L	50	52.3	105	49-152	
Chloroform	ug/L	50	47.3	95	68-123	
Chloromethane	ug/L	50	55.0	110	33-133	
cis-1,2-Dichloroethene	ug/L	50	48.4	97	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

LABORATORY CONTROL SAMPLE: 3237222

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,3-Dichloropropene	ug/L	50	48.6	97	69-128	
Cyclohexane	ug/L	50	48.1J	96	61-128	
Dibromochloromethane	ug/L	50	47.5	95	69-127	
Dichlorodifluoromethane	ug/L	50	40.6	81	19-136	
Ethylbenzene	ug/L	50	46.9	94	74-122	
Isopropylbenzene (Cumene)	ug/L	50	47.2	94	75-124	
Methyl acetate	ug/L	250	246	98	62-147	
Methyl-tert-butyl ether	ug/L	50	49.8	100	71-125	
Methylcyclohexane	ug/L	50	46.3J	93	68-120	
Methylene Chloride	ug/L	50	55.0	110	71-125	
Styrene	ug/L	50	48.1	96	74-126	
Tetrachloroethene	ug/L	50	46.7	93	74-129	
Toluene	ug/L	50	46.5	93	70-118	
trans-1,2-Dichloroethene	ug/L	50	48.6	97	69-124	
trans-1,3-Dichloropropene	ug/L	50	47.2	94	66-125	
Trichloroethene	ug/L	50	49.0	98	73-125	
Trichlorofluoromethane	ug/L	50	54.8	110	56-139	
Vinyl chloride	ug/L	50	54.9	110	46-134	
Xylene (Total)	ug/L	150	137	91	71-123	
4-Bromofluorobenzene (S)	%			100	79-124	
Dibromofluoromethane (S)	%			100	82-128	
Toluene-d8 (S)	%			100	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3237223 3237224

Parameter	Units	50329214007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	50.0	50.0	100	100	60-143	0	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	52.0	53.0	104	106	64-135	2	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	50.9	50.5	102	101	66-137	1	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	51.9	51.0	104	102	57-171	2	20	
Trichlorotrifluoroethane												
1,1-Dichloroethane	ug/L	ND	50	50	51.8	50.3	104	101	62-144	3	20	
1,1-Dichloroethene	ug/L	1.5J	50	50	52.1	52.0	101	101	55-158	0	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	44.4	44.6	89	89	27-149	0	20	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	49.2	49.2	98	98	59-132	0	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	50.1	49.3	100	99	68-136	2	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	48.8	49.1	98	98	47-140	1	20	
1,2-Dichloroethane	ug/L	ND	50	50	50.7	50.1	101	100	61-144	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	50.1	49.8	100	100	67-141	1	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	48.0	48.2	96	96	39-142	0	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	47.7	47.8	95	96	39-140	0	20	
2-Butanone (MEK)	ug/L	ND	250	250	212	214	85	85	49-149	1	20	
2-Hexanone	ug/L	ND	250	250	223	219	89	87	48-147	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3237223				3237224								
			MS	MSD								
	50329214007		Spike	Spike	MS	MSD	MS	MSD	% Rec		Max	
Parameter	Units	Result	Conc.	Conc.	Result	Result	% Rec	% Rec	Limits	RPD	RPD	Qual
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	252	246	101	98	50-152	2	20	
Acetone	ug/L	ND	250	250	185	169	73	66	23-157	9	20	
Benzene	ug/L	ND	50	50	50.6	50.4	101	101	68-139	0	20	
Bromodichloromethane	ug/L	ND	50	50	49.3	49.1	99	98	65-139	0	20	
Bromoform	ug/L	ND	50	50	47.1	47.0	94	94	51-139	0	20	
Bromomethane	ug/L	ND	50	50	60.2	60.6	120	121	10-189	1	20	
Carbon disulfide	ug/L	ND	50	50	50.4	49.4	101	99	45-143	2	20	
Carbon tetrachloride	ug/L	ND	50	50	49.6	48.8	99	98	61-153	2	20	
Chlorobenzene	ug/L	ND	50	50	50.4	50.2	101	100	57-137	0	20	
Chloroethane	ug/L	ND	50	50	53.8	53.8	108	108	41-183	0	20	
Chloroform	ug/L	ND	50	50	48.8	48.5	97	97	61-138	1	20	
Chloromethane	ug/L	ND	50	50	56.4	55.6	113	111	25-150	1	20	
cis-1,2-Dichloroethene	ug/L	268	50	50	307	313	77	89	58-142	2	20	E
cis-1,3-Dichloropropene	ug/L	ND	50	50	51.0	50.7	102	101	53-140	1	20	
Cyclohexane	ug/L	ND	50	50	50.0J	50.1J	100	100	64-139		20	
Dibromochloromethane	ug/L	ND	50	50	50.0	50.0	100	100	61-139	0	20	
Dichlorodifluoromethane	ug/L	ND	50	50	40.5	39.5	81	79	10-150	3	20	
Ethylbenzene	ug/L	ND	50	50	49.9	49.4	100	99	54-141	1	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	50.3	49.3	101	99	48-145	2	20	
Methyl acetate	ug/L	ND	250	250	239	239	96	96	37-152	0	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	52.0	51.8	104	104	62-143	0	20	
Methylcyclohexane	ug/L	ND	50	50	47.0J	46.6J	94	93	76-122		20	
Methylene Chloride	ug/L	ND	50	50	57.4	57.1	115	114	59-141	1	20	
Styrene	ug/L	ND	50	50	50.7	50.1	101	100	51-146	1	20	
Tetrachloroethene	ug/L	ND	50	50	49.1	48.2	98	96	50-149	2	20	
Toluene	ug/L	ND	50	50	48.8	48.2	97	96	59-134	1	20	
trans-1,2-Dichloroethene	ug/L	33.7	50	50	83.3	83.9	99	100	57-141	1	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	49.6	49.3	99	99	51-136	1	20	
Trichloroethene	ug/L	2330	50	50	1970	2030	-707	-604	55-147	3	20	E,M1
Trichlorofluoromethane	ug/L	ND	50	50	56.1	55.6	112	111	55-160	1	20	
Vinyl chloride	ug/L	2.0J	50	50	58.2	57.7	112	111	36-154	1	20	
Xylene (Total)	ug/L	ND	150	150	145	143	96	95	50-143	1	20	
4-Bromofluorobenzene (S)	%.						99	100	79-124			
Dibromofluoromethane (S)	%.						100	101	82-128			
Toluene-d8 (S)	%.						100	99	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

B Analyte was detected in the associated method blank.

D4 Sample was diluted due to the presence of high levels of target analytes.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50329214001	MW-0517-S1(102522)	EPA 8260	704194		
50329214002	MW-0604-S1(102522)	EPA 8260	704194		
50329214003	MW-2211-S1(102522)	EPA 8260	704190		
50329214004	MW-2201-S1(102522)	EPA 8260	704190		
50329214005	MW-2202-S1(102522)	EPA 8260	704190		
50329214006	MW-2207-S1(102522)	EPA 8260	704190		
50329214007	MW-0619-S1(102522)	EPA 8260	704194		
50329214008	MW-0621-S1(102522)	EPA 8260	704194		
50329214009	TRIP BLANK	EPA 8260	704194		
50329214010	DUP-01(102522)	EPA 8260	704194		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

WO#: 50329214



50329214

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

I acknowledge and acceptance of the Pace Terms and Conditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>.

Section

Required Client Information:

Required Project Information:

Section C

Invoice Information:

Page : 1 Of 1

Company: Arcadis U.S., Inc.	Report To: Cameron Stewart	Attention:	Regulatory Agency
Address: 150 West Market Street	Copy To: ~~XXXXXXXXXX~~	Company Name:	
Suite 728, Indianapolis, IN 46204	<i>Riley White / Terrence Wilson</i>	Address:	
Email: william.stephens@arcadis.com	Purchase Order #:	Pace Quote:	
Phone: (317)217-0336 Fax:	Project Name: RACER Kokomo	Pace Project Manager: olivia.deck@pacelabs.com,	
Requested Due Date: <i>Standard</i>	Project #: 30123295	Pace Profile #: 3454	State / Location IN

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 /, -) Sample Ids must be unique	MATRIX Drinking Water DW Water WT Waste Water WW Product P Soil/Solid SL Oil OL Wipe WP Air AR Other OT Tissue TS	CODE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Y/N	Requested Analysis Filtered (Y/N)												Residual Chlorine (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
												Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2SO3	Methanol	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
						START		END																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
						DATE	TIME	DATE	TIME																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1	MW-0517-S1 (102522)	WT	G					10/25	1135	3					X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	Riley White / Arcadis	10/25/22	1500	mm	10/25/22	1500	24	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed:

TEMP in C

Received on
Ice (Y/N)Custody
Sealed (Y/N)Cooling
Cool (Y/N)

Page 37 of 39

Samples
Intact (Y/N)

39



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 10/25/22/1816-MW

1. Courier: ☐ FED EX ☐ UPS ☒ CLIENT ☐ PACE ☐ USPS ☐ OTHER _____

2. Custody Seal on Cooler/Box Present: ☐ Yes ☒ No

(If yes)Seals Intact: ☐ Yes ☐ No (leave blank if no seals were present)

3. Thermometer: 1 2 3 4 5 6 A B C D E F

4. Cooler Temperature(s): 27/24
(Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

5. Packing Material: ☐ Bubble Wrap ☒ Bubble Bags

☐ None

☐ Other _____

6. Ice Type: ☒ Wet ☐ Blue ☐ None

7. If temp. is over 6°C or under 0°C, was the PM notified?: ☐ Yes ☐ No
Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		☒	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			
Short Hold Time Analysis (48 hours or less)? Analysis:		☒	Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form			
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:			<u>Present</u>	<u>Absent</u>	<u>N/A</u>
Rush TAT Requested (4 days or less):		☒	Residual Chlorine Check (SVOC 625 Pest/PCB 608)			
Custody Signatures Present?		☒	Residual Chlorine Check (Total/Amenable/Free Cyanide)			
Containers Intact?:		☒	Headspace Wisconsin Sulfide?			
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID		☒	Headspace in VOA Vials (>6mm): See Container Count form for details	<u>Present</u>	<u>Absent</u>	<u>No VOA Vials Sent</u>
Extra labels on Terracore Vials? (soils only)			Trip Blank Present?			
			Trip Blank Custody Seals?:			

COMMENTS:

Sample Container Count

** Place a RED dot on containers
that are out of conformance **

COC Line Item	WGFI	MeOH (only) SBS DI R	VIALS				AMBER GLASS							PLASTIC								OTHER			Matrix	Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide ZnAc																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			VOA VIAL HS (>6mm)	VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG2U	AG3S	AG3SF	AG3C	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	Syringe Kit				Red	Yellow	Green	Black																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
1			3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									</

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass
DG9S	40mL H2SO4 amber vial	BG3H	250mL HCl Clear Glass
DG9T	40mL Na Thio amber vial	BG3U	250mL Unpres Clear Glass
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass
WGFI	4oz clear soil jar	AG2S	500mL H2SO4 amber glass
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass
BG1H	1L HCl clear glass	AG3SF	250mL H2SO4 amb glass -field filtered
BG1S	1L H2SO4 clear glass	AG3U	250mL unpres amber glass
GN	General	AG3C	250mL NaOH amber glass

Plastic

BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
T	Tedlar Bag (air sample)
U	Summa Can (air sample)
WT	Water
SL	Solid Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

November 04, 2022

Mr. Matt Griles
Arcadis U.S., Inc.
55 Monument Circle
Suite 300B
Indianapolis, IN 46204

RE: Project: RACER Kokomo 30123295
Pace Project No.: 50329215

Dear Mr. Griles:

Enclosed are the analytical results for sample(s) received by the laboratory on October 25, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Olivia Deck
olivia.deck@pacelabs.com
(317)228-3102
Project Manager

Enclosures

cc: Ms. Sarah Fisher, Arcadis U.S., Inc.
Jason Moore, Arcadis U.S., Inc.
Severin Presswood, Arcadis
Felicitas Schneider, Arcadis U.S., Inc.
Emma TerBeek, Arcadis U.S., Inc.
Riley White, Arcadis
Terrence Wilson, Arcadis U.S., Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268

Illinois Accreditation #: 200074

Indiana Drinking Water Laboratory #: C-49-06

Kansas/TNI Certification #: E-10177

Kentucky UST Agency Interest #: 80226

Kentucky WW Laboratory ID #: 98019

Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065

Oklahoma Laboratory #: 9204

Texas Certification #: T104704355

Wisconsin Laboratory #: 999788130

USDA Soil Permit #: P330-19-00257

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50329215001	MW-2203-S1 (102422)	Water	10/24/22 10:28	10/25/22 15:00
50329215002	MW-2204-S1 (102422)	Water	10/24/22 10:45	10/25/22 15:00
50329215003	MW-2205-S1 (102422)	Water	10/24/22 11:00	10/25/22 15:00
50329215004	MW-2206-S1 (102422)	Water	10/24/22 11:11	10/25/22 15:00
50329215005	MW-2208-S1 (102422)	Water	10/24/22 11:35	10/25/22 15:00
50329215006	MW-2210-S1 (102422)	Water	10/24/22 11:49	10/25/22 15:00
50329215007	MW-2212-S1 (102422)	Water	10/24/22 12:15	10/25/22 15:00
50329215008	MW-2213-S1 (102422)	Water	10/24/22 10:15	10/25/22 15:00
50329215009	MW-0614-S2 (102422)	Water	10/24/22 14:40	10/25/22 15:00
50329215010	MW-0603-S1 (102422)	Water	10/24/22 15:09	10/25/22 15:00
50329215011	MW-0509-S1 (102422)	Water	10/24/22 13:29	10/25/22 15:00
50329215012	MW-0507-S1 (102422)	Water	10/24/22 15:45	10/25/22 15:00
50329215013	MW-0506-S2 (102422)	Water	10/24/22 13:07	10/25/22 15:00
50329215014	MW-0506-S1 (102422)	Water	10/24/22 12:44	10/25/22 15:00
50329215015	MW-0504-S1 (102422)	Water	10/24/22 12:29	10/25/22 15:00
50329215016	MW-0503-S1 (102422)	Water	10/24/22 15:26	10/25/22 15:00
50329215017	MW-0501-S2 (102422)	Water	10/24/22 13:45	10/25/22 15:00
50329215018	MW-0103-S10 (102422)	Water	10/24/22 10:00	10/25/22 15:00
50329215019	EB-01 (102422)	Water	10/24/22 12:54	10/25/22 15:00
50329215020	EB-03 (102422)	Water	10/24/22 14:45	10/25/22 15:00
50329215021	Dup-01 (102422)	Water	10/24/22 08:00	10/25/22 15:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50329215001	MW-2203-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215002	MW-2204-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215003	MW-2205-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215004	MW-2206-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215005	MW-2208-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215006	MW-2210-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215007	MW-2212-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215008	MW-2213-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215009	MW-0614-S2 (102422)	EPA 8260	TMW	51	PASI-I
50329215010	MW-0603-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215011	MW-0509-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215012	MW-0507-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215013	MW-0506-S2 (102422)	EPA 8260	TMW	51	PASI-I
50329215014	MW-0506-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215015	MW-0504-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215016	MW-0503-S1 (102422)	EPA 8260	TMW	51	PASI-I
50329215017	MW-0501-S2 (102422)	EPA 8260	TMW	51	PASI-I
50329215018	MW-0103-S10 (102422)	EPA 8260	TMW	51	PASI-I
50329215019	EB-01 (102422)	EPA 8260	TMW	51	PASI-I
50329215020	EB-03 (102422)	EPA 8260	TMW	51	PASI-I
50329215021	Dup-01 (102422)	EPA 8260	TMW	51	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50329215001	MW-2203-S1 (102422)					
EPA 8260	Acetone	16.7J	ug/L	100	11/01/22 02:01	
EPA 8260	cis-1,2-Dichloroethene	29.4	ug/L	5.0	11/01/22 02:01	
EPA 8260	trans-1,2-Dichloroethene	1.2J	ug/L	5.0	11/01/22 02:01	
EPA 8260	Trichloroethene	2.3J	ug/L	5.0	11/01/22 02:01	
50329215002	MW-2204-S1 (102422)					
EPA 8260	Acetone	83.3J	ug/L	1000	11/01/22 02:31	
EPA 8260	1,1-Dichloroethene	6.2J	ug/L	50.0	11/01/22 02:31	
EPA 8260	cis-1,2-Dichloroethene	889	ug/L	50.0	11/01/22 02:31	
EPA 8260	trans-1,2-Dichloroethene	60.8	ug/L	50.0	11/01/22 02:31	
EPA 8260	Methyl acetate	24.6J	ug/L	500	11/01/22 02:31	
EPA 8260	Trichloroethene	3960	ug/L	500	11/01/22 20:10	
EPA 8260	Vinyl chloride	13.2J	ug/L	20.0	11/01/22 02:31	
50329215003	MW-2205-S1 (102422)					
EPA 8260	Acetone	65.5J	ug/L	1000	11/01/22 03:02	
EPA 8260	cis-1,2-Dichloroethene	564	ug/L	50.0	11/01/22 03:02	
EPA 8260	trans-1,2-Dichloroethene	52.8	ug/L	50.0	11/01/22 03:02	
EPA 8260	Methyl acetate	21.8J	ug/L	500	11/01/22 03:02	
EPA 8260	Trichloroethene	6380	ug/L	500	11/01/22 20:40	
50329215004	MW-2206-S1 (102422)					
EPA 8260	cis-1,2-Dichloroethene	644J	ug/L	1000	11/01/22 03:32	
EPA 8260	trans-1,2-Dichloroethene	108J	ug/L	1000	11/01/22 03:32	
EPA 8260	Trichloroethene	19800	ug/L	1000	11/01/22 03:32	
50329215005	MW-2208-S1 (102422)					
EPA 8260	Acetone	394J	ug/L	10000	11/01/22 04:03	
EPA 8260	cis-1,2-Dichloroethene	4060	ug/L	500	11/01/22 04:03	
EPA 8260	trans-1,2-Dichloroethene	51.5J	ug/L	500	11/01/22 04:03	
EPA 8260	Methyl acetate	363J	ug/L	5000	11/01/22 04:03	
EPA 8260	Trichloroethene	5780	ug/L	500	11/01/22 04:03	
50329215006	MW-2210-S1 (102422)					
EPA 8260	Acetone	57.3J	ug/L	500	11/01/22 04:33	
EPA 8260	cis-1,2-Dichloroethene	517	ug/L	25.0	11/01/22 04:33	
EPA 8260	trans-1,2-Dichloroethene	29.8	ug/L	25.0	11/01/22 04:33	
EPA 8260	Trichloroethene	1100	ug/L	25.0	11/01/22 04:33	
EPA 8260	Vinyl chloride	38.0	ug/L	10.0	11/01/22 04:33	
50329215007	MW-2212-S1 (102422)					
EPA 8260	Acetone	80.4J	ug/L	1000	11/01/22 05:04	
EPA 8260	cis-1,2-Dichloroethene	676	ug/L	50.0	11/01/22 05:04	
EPA 8260	trans-1,2-Dichloroethene	72.9	ug/L	50.0	11/01/22 05:04	
EPA 8260	Methyl acetate	73.7J	ug/L	500	11/01/22 05:04	
EPA 8260	Trichloroethene	2270	ug/L	50.0	11/01/22 05:04	
EPA 8260	Vinyl chloride	5.1J	ug/L	20.0	11/01/22 05:04	
50329215008	MW-2213-S1 (102422)					
EPA 8260	Acetone	59.6J	ug/L	500	11/01/22 05:34	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50329215008	MW-2213-S1 (102422)					
EPA 8260	Cyclohexane	3.8J	ug/L	500	11/01/22 05:34	
EPA 8260	1,1-Dichloroethene	4.2J	ug/L	25.0	11/01/22 05:34	
EPA 8260	cis-1,2-Dichloroethene	2190	ug/L	250	11/01/22 21:56	
EPA 8260	trans-1,2-Dichloroethene	32.2	ug/L	25.0	11/01/22 05:34	
EPA 8260	Methyl acetate	21.6J	ug/L	250	11/01/22 05:34	
EPA 8260	Trichloroethene	22.2J	ug/L	25.0	11/01/22 05:34	
EPA 8260	Vinyl chloride	107	ug/L	10.0	11/01/22 05:34	
50329215009	MW-0614-S2 (102422)					
EPA 8260	Acetone	84.2J	ug/L	100	11/01/22 06:05	
50329215010	MW-0603-S1 (102422)					
EPA 8260	Acetone	116	ug/L	100	11/01/22 06:35	
50329215011	MW-0509-S1 (102422)					
EPA 8260	Acetone	89.6J	ug/L	100	11/01/22 07:06	
50329215012	MW-0507-S1 (102422)					
EPA 8260	Acetone	58.1J	ug/L	100	11/01/22 07:36	
EPA 8260	cis-1,2-Dichloroethene	0.82J	ug/L	5.0	11/01/22 07:36	
50329215013	MW-0506-S2 (102422)					
EPA 8260	Acetone	55.9J	ug/L	100	10/31/22 23:43	
EPA 8260	1,1-Dichloroethane	0.83J	ug/L	5.0	10/31/22 23:43	
EPA 8260	1,1-Dichloroethene	1.5J	ug/L	5.0	10/31/22 23:43	
EPA 8260	cis-1,2-Dichloroethene	660	ug/L	50.0	11/01/22 21:11	
EPA 8260	trans-1,2-Dichloroethene	61.1	ug/L	5.0	10/31/22 23:43	
EPA 8260	Trichloroethene	324	ug/L	50.0	11/01/22 21:11	
EPA 8260	Vinyl chloride	1.5J	ug/L	2.0	10/31/22 23:43	
50329215014	MW-0506-S1 (102422)					
EPA 8260	Acetone	17.4J	ug/L	100	11/01/22 00:14	
EPA 8260	cis-1,2-Dichloroethene	2.4J	ug/L	5.0	11/01/22 00:14	
EPA 8260	trans-1,2-Dichloroethene	1.2J	ug/L	5.0	11/01/22 00:14	
50329215015	MW-0504-S1 (102422)					
EPA 8260	Acetone	25.3J	ug/L	100	11/01/22 00:44	
EPA 8260	Benzene	0.61J	ug/L	5.0	11/01/22 00:44	
EPA 8260	1,1-Dichloroethane	6.7	ug/L	5.0	11/01/22 00:44	
EPA 8260	1,1-Dichloroethene	3.4J	ug/L	5.0	11/01/22 00:44	
EPA 8260	cis-1,2-Dichloroethene	709	ug/L	125	11/01/22 01:15	
EPA 8260	trans-1,2-Dichloroethene	103	ug/L	5.0	11/01/22 00:44	
EPA 8260	Trichloroethene	1930	ug/L	125	11/01/22 01:15	
EPA 8260	Vinyl chloride	13.1	ug/L	2.0	11/01/22 00:44	
50329215016	MW-0503-S1 (102422)					
EPA 8260	Acetone	99.2J	ug/L	100	11/01/22 08:06	
50329215017	MW-0501-S2 (102422)					
EPA 8260	Acetone	30.5J	ug/L	100	11/01/22 01:45	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50329215018	MW-0103-S10 (102422)					
EPA 8260	Acetone	21.2J	ug/L	100	11/01/22 03:17	
EPA 8260	cis-1,2-Dichloroethene	2.0J	ug/L	5.0	11/01/22 03:17	
EPA 8260	Trichloroethene	0.98J	ug/L	5.0	11/01/22 03:17	
50329215019	EB-01 (102422)					
EPA 8260	Acetone	12.0J	ug/L	100	11/01/22 03:47	
50329215020	EB-03 (102422)					
EPA 8260	Acetone	12.6J	ug/L	100	11/01/22 04:18	
50329215021	Dup-01 (102422)					
EPA 8260	Acetone	24.3J	ug/L	100	11/01/22 04:48	
EPA 8260	Benzene	0.59J	ug/L	5.0	11/01/22 04:48	
EPA 8260	1,1-Dichloroethane	6.9	ug/L	5.0	11/01/22 04:48	
EPA 8260	1,1-Dichloroethene	3.6J	ug/L	5.0	11/01/22 04:48	
EPA 8260	cis-1,2-Dichloroethene	738	ug/L	125	11/01/22 21:41	
EPA 8260	trans-1,2-Dichloroethene	103	ug/L	5.0	11/01/22 04:48	
EPA 8260	Trichloroethene	1960	ug/L	125	11/01/22 21:41	
EPA 8260	Vinyl chloride	13.3	ug/L	2.0	11/01/22 04:48	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2203-S1 (102422)		Lab ID: 50329215001	Collected: 10/24/22 10:28	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	16.7J	ug/L	100	1		11/01/22 02:01	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 02:01	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 02:01	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 02:01	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 02:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 02:01	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 02:01	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 02:01	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 02:01	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 02:01	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 02:01	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 02:01	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 02:01	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 02:01	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 02:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 02:01	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:01	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 02:01	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:01	75-35-4	
cis-1,2-Dichloroethene	29.4	ug/L	5.0	1		11/01/22 02:01	156-59-2	
trans-1,2-Dichloroethene	1.2J	ug/L	5.0	1		11/01/22 02:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 02:01	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:01	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 02:01	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 02:01	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 02:01	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 02:01	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 02:01	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 02:01	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 02:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 02:01	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 02:01	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 02:01	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 02:01	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 02:01	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:01	79-00-5	
Trichloroethene	2.3J	ug/L	5.0	1		11/01/22 02:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 02:01	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 02:01	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2203-S1 (102422)		Lab ID: 50329215001		Collected: 10/24/22 10:28		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 02:01	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 02:01	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/01/22 02:01	1868-53-7		
4-Bromofluorobenzene (S)	103	%.	79-124	1		11/01/22 02:01	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/01/22 02:01	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2204-S1 (102422)		Lab ID: 50329215002	Collected: 10/24/22 10:45	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	83.3J	ug/L	1000	10		11/01/22 02:31	67-64-1	
Benzene	ND	ug/L	50.0	10		11/01/22 02:31	71-43-2	
Bromodichloromethane	ND	ug/L	50.0	10		11/01/22 02:31	75-27-4	
Bromoform	ND	ug/L	50.0	10		11/01/22 02:31	75-25-2	
Bromomethane	ND	ug/L	50.0	10		11/01/22 02:31	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	10		11/01/22 02:31	78-93-3	
Carbon disulfide	ND	ug/L	100	10		11/01/22 02:31	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	10		11/01/22 02:31	56-23-5	
Chlorobenzene	ND	ug/L	50.0	10		11/01/22 02:31	108-90-7	
Chloroethane	ND	ug/L	50.0	10		11/01/22 02:31	75-00-3	
Chloroform	ND	ug/L	50.0	10		11/01/22 02:31	67-66-3	
Chloromethane	ND	ug/L	50.0	10		11/01/22 02:31	74-87-3	
Cyclohexane	ND	ug/L	1000	10		11/01/22 02:31	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	100	10		11/01/22 02:31	96-12-8	
Dibromochloromethane	ND	ug/L	50.0	10		11/01/22 02:31	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	10		11/01/22 02:31	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 02:31	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 02:31	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 02:31	106-46-7	
Dichlorodifluoromethane	ND	ug/L	50.0	10		11/01/22 02:31	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	10		11/01/22 02:31	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	10		11/01/22 02:31	107-06-2	
1,1-Dichloroethene	6.2J	ug/L	50.0	10		11/01/22 02:31	75-35-4	
cis-1,2-Dichloroethene	889	ug/L	50.0	10		11/01/22 02:31	156-59-2	
trans-1,2-Dichloroethene	60.8	ug/L	50.0	10		11/01/22 02:31	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	10		11/01/22 02:31	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	50.0	10		11/01/22 02:31	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	10		11/01/22 02:31	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	10		11/01/22 02:31	100-41-4	
2-Hexanone	ND	ug/L	250	10		11/01/22 02:31	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	10		11/01/22 02:31	98-82-8	
Methyl acetate	24.6J	ug/L	500	10		11/01/22 02:31	79-20-9	
Methylcyclohexane	ND	ug/L	500	10		11/01/22 02:31	108-87-2	
Methylene Chloride	ND	ug/L	50.0	10		11/01/22 02:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	10		11/01/22 02:31	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	10		11/01/22 02:31	1634-04-4	
Styrene	ND	ug/L	50.0	10		11/01/22 02:31	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	10		11/01/22 02:31	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	10		11/01/22 02:31	127-18-4	
Toluene	ND	ug/L	50.0	10		11/01/22 02:31	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	10		11/01/22 02:31	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	10		11/01/22 02:31	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	10		11/01/22 02:31	79-00-5	
Trichloroethene	3960	ug/L	500	100		11/01/22 20:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	10		11/01/22 02:31	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	50.0	10		11/01/22 02:31	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2204-S1 (102422)		Lab ID: 50329215002		Collected: 10/24/22 10:45		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	13.2J	ug/L	20.0	10		11/01/22 02:31	75-01-4		
Xylene (Total)	ND	ug/L	100	10		11/01/22 02:31	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	10		11/01/22 02:31	1868-53-7	D4	
4-Bromofluorobenzene (S)	103	%.	79-124	10		11/01/22 02:31	460-00-4		
Toluene-d8 (S)	99	%.	73-122	10		11/01/22 02:31	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2205-S1 (102422)		Lab ID: 50329215003	Collected: 10/24/22 11:00	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	65.5J	ug/L	1000	10		11/01/22 03:02	67-64-1	
Benzene	ND	ug/L	50.0	10		11/01/22 03:02	71-43-2	
Bromodichloromethane	ND	ug/L	50.0	10		11/01/22 03:02	75-27-4	
Bromoform	ND	ug/L	50.0	10		11/01/22 03:02	75-25-2	
Bromomethane	ND	ug/L	50.0	10		11/01/22 03:02	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	10		11/01/22 03:02	78-93-3	
Carbon disulfide	ND	ug/L	100	10		11/01/22 03:02	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	10		11/01/22 03:02	56-23-5	
Chlorobenzene	ND	ug/L	50.0	10		11/01/22 03:02	108-90-7	
Chloroethane	ND	ug/L	50.0	10		11/01/22 03:02	75-00-3	
Chloroform	ND	ug/L	50.0	10		11/01/22 03:02	67-66-3	
Chloromethane	ND	ug/L	50.0	10		11/01/22 03:02	74-87-3	
Cyclohexane	ND	ug/L	1000	10		11/01/22 03:02	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	100	10		11/01/22 03:02	96-12-8	
Dibromochloromethane	ND	ug/L	50.0	10		11/01/22 03:02	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	10		11/01/22 03:02	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 03:02	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 03:02	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 03:02	106-46-7	
Dichlorodifluoromethane	ND	ug/L	50.0	10		11/01/22 03:02	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	10		11/01/22 03:02	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	10		11/01/22 03:02	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	10		11/01/22 03:02	75-35-4	
cis-1,2-Dichloroethene	564	ug/L	50.0	10		11/01/22 03:02	156-59-2	
trans-1,2-Dichloroethene	52.8	ug/L	50.0	10		11/01/22 03:02	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	10		11/01/22 03:02	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	50.0	10		11/01/22 03:02	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	10		11/01/22 03:02	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	10		11/01/22 03:02	100-41-4	
2-Hexanone	ND	ug/L	250	10		11/01/22 03:02	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	10		11/01/22 03:02	98-82-8	
Methyl acetate	21.8J	ug/L	500	10		11/01/22 03:02	79-20-9	
Methylcyclohexane	ND	ug/L	500	10		11/01/22 03:02	108-87-2	
Methylene Chloride	ND	ug/L	50.0	10		11/01/22 03:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	10		11/01/22 03:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	10		11/01/22 03:02	1634-04-4	
Styrene	ND	ug/L	50.0	10		11/01/22 03:02	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	10		11/01/22 03:02	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	10		11/01/22 03:02	127-18-4	
Toluene	ND	ug/L	50.0	10		11/01/22 03:02	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	10		11/01/22 03:02	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	10		11/01/22 03:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	10		11/01/22 03:02	79-00-5	
Trichloroethene	6380	ug/L	500	100		11/01/22 20:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	10		11/01/22 03:02	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	50.0	10		11/01/22 03:02	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2205-S1 (102422)		Lab ID: 50329215003		Collected: 10/24/22 11:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	20.0	10		11/01/22 03:02	75-01-4		
Xylene (Total)	ND	ug/L	100	10		11/01/22 03:02	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	10		11/01/22 03:02	1868-53-7	D4	
4-Bromofluorobenzene (S)	103	%.	79-124	10		11/01/22 03:02	460-00-4		
Toluene-d8 (S)	99	%.	73-122	10		11/01/22 03:02	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2206-S1 (102422)		Lab ID: 50329215004		Collected: 10/24/22 11:11		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	20000	200			11/01/22 03:32	67-64-1	
Benzene	ND	ug/L	1000	200			11/01/22 03:32	71-43-2	
Bromodichloromethane	ND	ug/L	1000	200			11/01/22 03:32	75-27-4	
Bromoform	ND	ug/L	1000	200			11/01/22 03:32	75-25-2	
Bromomethane	ND	ug/L	1000	200			11/01/22 03:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	5000	200			11/01/22 03:32	78-93-3	
Carbon disulfide	ND	ug/L	2000	200			11/01/22 03:32	75-15-0	
Carbon tetrachloride	ND	ug/L	1000	200			11/01/22 03:32	56-23-5	
Chlorobenzene	ND	ug/L	1000	200			11/01/22 03:32	108-90-7	
Chloroethane	ND	ug/L	1000	200			11/01/22 03:32	75-00-3	
Chloroform	ND	ug/L	1000	200			11/01/22 03:32	67-66-3	
Chloromethane	ND	ug/L	1000	200			11/01/22 03:32	74-87-3	
Cyclohexane	ND	ug/L	20000	200			11/01/22 03:32	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	2000	200			11/01/22 03:32	96-12-8	
Dibromochloromethane	ND	ug/L	1000	200			11/01/22 03:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1000	200			11/01/22 03:32	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1000	200			11/01/22 03:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1000	200			11/01/22 03:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1000	200			11/01/22 03:32	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1000	200			11/01/22 03:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	1000	200			11/01/22 03:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	1000	200			11/01/22 03:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	1000	200			11/01/22 03:32	75-35-4	
cis-1,2-Dichloroethene	644J	ug/L	1000	200			11/01/22 03:32	156-59-2	
trans-1,2-Dichloroethene	108J	ug/L	1000	200			11/01/22 03:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	1000	200			11/01/22 03:32	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1000	200			11/01/22 03:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1000	200			11/01/22 03:32	10061-02-6	
Ethylbenzene	ND	ug/L	1000	200			11/01/22 03:32	100-41-4	
2-Hexanone	ND	ug/L	5000	200			11/01/22 03:32	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1000	200			11/01/22 03:32	98-82-8	
Methyl acetate	ND	ug/L	10000	200			11/01/22 03:32	79-20-9	
Methylcyclohexane	ND	ug/L	10000	200			11/01/22 03:32	108-87-2	
Methylene Chloride	ND	ug/L	1000	200			11/01/22 03:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5000	200			11/01/22 03:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	800	200			11/01/22 03:32	1634-04-4	
Styrene	ND	ug/L	1000	200			11/01/22 03:32	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	1000	200			11/01/22 03:32	79-34-5	
Tetrachloroethene	ND	ug/L	1000	200			11/01/22 03:32	127-18-4	
Toluene	ND	ug/L	1000	200			11/01/22 03:32	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	1000	200			11/01/22 03:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1000	200			11/01/22 03:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1000	200			11/01/22 03:32	79-00-5	
Trichloroethene	19800	ug/L	1000	200			11/01/22 03:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	1000	200			11/01/22 03:32	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	1000	200			11/01/22 03:32	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2206-S1 (102422)		Lab ID: 50329215004		Collected: 10/24/22 11:11		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	400	200		11/01/22 03:32	75-01-4	
Xylene (Total)		ND	ug/L	2000	200		11/01/22 03:32	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	200		11/01/22 03:32	1868-53-7	D4
4-Bromofluorobenzene (S)		102	%.	79-124	200		11/01/22 03:32	460-00-4	
Toluene-d8 (S)		99	%.	73-122	200		11/01/22 03:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2208-S1 (102422)		Lab ID: 50329215005	Collected: 10/24/22 11:35	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	394J	ug/L	10000	100		11/01/22 04:03	67-64-1	
Benzene	ND	ug/L	500	100		11/01/22 04:03	71-43-2	
Bromodichloromethane	ND	ug/L	500	100		11/01/22 04:03	75-27-4	
Bromoform	ND	ug/L	500	100		11/01/22 04:03	75-25-2	
Bromomethane	ND	ug/L	500	100		11/01/22 04:03	74-83-9	
2-Butanone (MEK)	ND	ug/L	2500	100		11/01/22 04:03	78-93-3	
Carbon disulfide	ND	ug/L	1000	100		11/01/22 04:03	75-15-0	
Carbon tetrachloride	ND	ug/L	500	100		11/01/22 04:03	56-23-5	
Chlorobenzene	ND	ug/L	500	100		11/01/22 04:03	108-90-7	
Chloroethane	ND	ug/L	500	100		11/01/22 04:03	75-00-3	
Chloroform	ND	ug/L	500	100		11/01/22 04:03	67-66-3	
Chloromethane	ND	ug/L	500	100		11/01/22 04:03	74-87-3	
Cyclohexane	ND	ug/L	10000	100		11/01/22 04:03	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	1000	100		11/01/22 04:03	96-12-8	
Dibromochloromethane	ND	ug/L	500	100		11/01/22 04:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	500	100		11/01/22 04:03	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	500	100		11/01/22 04:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	500	100		11/01/22 04:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	500	100		11/01/22 04:03	106-46-7	
Dichlorodifluoromethane	ND	ug/L	500	100		11/01/22 04:03	75-71-8	
1,1-Dichloroethane	ND	ug/L	500	100		11/01/22 04:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	500	100		11/01/22 04:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	500	100		11/01/22 04:03	75-35-4	
cis-1,2-Dichloroethene	4060	ug/L	500	100		11/01/22 04:03	156-59-2	
trans-1,2-Dichloroethene	51.5J	ug/L	500	100		11/01/22 04:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	500	100		11/01/22 04:03	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	500	100		11/01/22 04:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	500	100		11/01/22 04:03	10061-02-6	
Ethylbenzene	ND	ug/L	500	100		11/01/22 04:03	100-41-4	
2-Hexanone	ND	ug/L	2500	100		11/01/22 04:03	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	500	100		11/01/22 04:03	98-82-8	
Methyl acetate	363J	ug/L	5000	100		11/01/22 04:03	79-20-9	
Methylcyclohexane	ND	ug/L	5000	100		11/01/22 04:03	108-87-2	
Methylene Chloride	ND	ug/L	500	100		11/01/22 04:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	2500	100		11/01/22 04:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	400	100		11/01/22 04:03	1634-04-4	
Styrene	ND	ug/L	500	100		11/01/22 04:03	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	500	100		11/01/22 04:03	79-34-5	
Tetrachloroethene	ND	ug/L	500	100		11/01/22 04:03	127-18-4	
Toluene	ND	ug/L	500	100		11/01/22 04:03	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	500	100		11/01/22 04:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	500	100		11/01/22 04:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	500	100		11/01/22 04:03	79-00-5	
Trichloroethene	5780	ug/L	500	100		11/01/22 04:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	500	100		11/01/22 04:03	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	500	100		11/01/22 04:03	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2208-S1 (102422)		Lab ID: 50329215005		Collected: 10/24/22 11:35		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	200	100		11/01/22 04:03	75-01-4		
Xylene (Total)	ND	ug/L	1000	100		11/01/22 04:03	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	100		11/01/22 04:03	1868-53-7	D4	
4-Bromofluorobenzene (S)	103	%.	79-124	100		11/01/22 04:03	460-00-4		
Toluene-d8 (S)	100	%.	73-122	100		11/01/22 04:03	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2210-S1 (102422)		Lab ID: 50329215006	Collected: 10/24/22 11:49	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	57.3J	ug/L	500	5		11/01/22 04:33	67-64-1	
Benzene	ND	ug/L	25.0	5		11/01/22 04:33	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		11/01/22 04:33	75-27-4	
Bromoform	ND	ug/L	25.0	5		11/01/22 04:33	75-25-2	
Bromomethane	ND	ug/L	25.0	5		11/01/22 04:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		11/01/22 04:33	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		11/01/22 04:33	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		11/01/22 04:33	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		11/01/22 04:33	108-90-7	
Chloroethane	ND	ug/L	25.0	5		11/01/22 04:33	75-00-3	
Chloroform	ND	ug/L	25.0	5		11/01/22 04:33	67-66-3	
Chloromethane	ND	ug/L	25.0	5		11/01/22 04:33	74-87-3	
Cyclohexane	ND	ug/L	500	5		11/01/22 04:33	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		11/01/22 04:33	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		11/01/22 04:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		11/01/22 04:33	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		11/01/22 04:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		11/01/22 04:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		11/01/22 04:33	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		11/01/22 04:33	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		11/01/22 04:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		11/01/22 04:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5		11/01/22 04:33	75-35-4	
cis-1,2-Dichloroethene	517	ug/L	25.0	5		11/01/22 04:33	156-59-2	
trans-1,2-Dichloroethene	29.8	ug/L	25.0	5		11/01/22 04:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		11/01/22 04:33	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		11/01/22 04:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		11/01/22 04:33	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		11/01/22 04:33	100-41-4	
2-Hexanone	ND	ug/L	125	5		11/01/22 04:33	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		11/01/22 04:33	98-82-8	
Methyl acetate	ND	ug/L	250	5		11/01/22 04:33	79-20-9	
Methylcyclohexane	ND	ug/L	250	5		11/01/22 04:33	108-87-2	
Methylene Chloride	ND	ug/L	25.0	5		11/01/22 04:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		11/01/22 04:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		11/01/22 04:33	1634-04-4	
Styrene	ND	ug/L	25.0	5		11/01/22 04:33	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		11/01/22 04:33	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		11/01/22 04:33	127-18-4	
Toluene	ND	ug/L	25.0	5		11/01/22 04:33	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		11/01/22 04:33	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		11/01/22 04:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		11/01/22 04:33	79-00-5	
Trichloroethene	1100	ug/L	25.0	5		11/01/22 04:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		11/01/22 04:33	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		11/01/22 04:33	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2210-S1 (102422)		Lab ID: 50329215006		Collected: 10/24/22 11:49		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		38.0	ug/L	10.0	5		11/01/22 04:33	75-01-4	
Xylene (Total)		ND	ug/L	50.0	5		11/01/22 04:33	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	5		11/01/22 04:33	1868-53-7	D4
4-Bromofluorobenzene (S)		103	%.	79-124	5		11/01/22 04:33	460-00-4	
Toluene-d8 (S)		99	%.	73-122	5		11/01/22 04:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2212-S1 (102422)		Lab ID: 50329215007	Collected: 10/24/22 12:15	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	80.4J	ug/L	1000	10		11/01/22 05:04	67-64-1	
Benzene	ND	ug/L	50.0	10		11/01/22 05:04	71-43-2	
Bromodichloromethane	ND	ug/L	50.0	10		11/01/22 05:04	75-27-4	
Bromoform	ND	ug/L	50.0	10		11/01/22 05:04	75-25-2	
Bromomethane	ND	ug/L	50.0	10		11/01/22 05:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	10		11/01/22 05:04	78-93-3	
Carbon disulfide	ND	ug/L	100	10		11/01/22 05:04	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	10		11/01/22 05:04	56-23-5	
Chlorobenzene	ND	ug/L	50.0	10		11/01/22 05:04	108-90-7	
Chloroethane	ND	ug/L	50.0	10		11/01/22 05:04	75-00-3	
Chloroform	ND	ug/L	50.0	10		11/01/22 05:04	67-66-3	
Chloromethane	ND	ug/L	50.0	10		11/01/22 05:04	74-87-3	
Cyclohexane	ND	ug/L	1000	10		11/01/22 05:04	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	100	10		11/01/22 05:04	96-12-8	
Dibromochloromethane	ND	ug/L	50.0	10		11/01/22 05:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	10		11/01/22 05:04	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 05:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 05:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 05:04	106-46-7	
Dichlorodifluoromethane	ND	ug/L	50.0	10		11/01/22 05:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	10		11/01/22 05:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	10		11/01/22 05:04	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	10		11/01/22 05:04	75-35-4	
cis-1,2-Dichloroethene	676	ug/L	50.0	10		11/01/22 05:04	156-59-2	
trans-1,2-Dichloroethene	72.9	ug/L	50.0	10		11/01/22 05:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	10		11/01/22 05:04	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	50.0	10		11/01/22 05:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	10		11/01/22 05:04	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	10		11/01/22 05:04	100-41-4	
2-Hexanone	ND	ug/L	250	10		11/01/22 05:04	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	10		11/01/22 05:04	98-82-8	
Methyl acetate	73.7J	ug/L	500	10		11/01/22 05:04	79-20-9	
Methylcyclohexane	ND	ug/L	500	10		11/01/22 05:04	108-87-2	
Methylene Chloride	ND	ug/L	50.0	10		11/01/22 05:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	10		11/01/22 05:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	10		11/01/22 05:04	1634-04-4	
Styrene	ND	ug/L	50.0	10		11/01/22 05:04	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	10		11/01/22 05:04	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	10		11/01/22 05:04	127-18-4	
Toluene	ND	ug/L	50.0	10		11/01/22 05:04	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	10		11/01/22 05:04	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	10		11/01/22 05:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	10		11/01/22 05:04	79-00-5	
Trichloroethene	2270	ug/L	50.0	10		11/01/22 05:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	10		11/01/22 05:04	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	50.0	10		11/01/22 05:04	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2212-S1 (102422)		Lab ID: 50329215007		Collected: 10/24/22 12:15		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		5.1J	ug/L	20.0	10		11/01/22 05:04	75-01-4	
Xylene (Total)		ND	ug/L	100	10		11/01/22 05:04	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	10		11/01/22 05:04	1868-53-7	D4
4-Bromofluorobenzene (S)		104	%.	79-124	10		11/01/22 05:04	460-00-4	
Toluene-d8 (S)		100	%.	73-122	10		11/01/22 05:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2213-S1 (102422)		Lab ID: 50329215008	Collected: 10/24/22 10:15	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	59.6J	ug/L	500	5		11/01/22 05:34	67-64-1	
Benzene	ND	ug/L	25.0	5		11/01/22 05:34	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		11/01/22 05:34	75-27-4	
Bromoform	ND	ug/L	25.0	5		11/01/22 05:34	75-25-2	
Bromomethane	ND	ug/L	25.0	5		11/01/22 05:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		11/01/22 05:34	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		11/01/22 05:34	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		11/01/22 05:34	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		11/01/22 05:34	108-90-7	
Chloroethane	ND	ug/L	25.0	5		11/01/22 05:34	75-00-3	
Chloroform	ND	ug/L	25.0	5		11/01/22 05:34	67-66-3	
Chloromethane	ND	ug/L	25.0	5		11/01/22 05:34	74-87-3	
Cyclohexane	3.8J	ug/L	500	5		11/01/22 05:34	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		11/01/22 05:34	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		11/01/22 05:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		11/01/22 05:34	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		11/01/22 05:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		11/01/22 05:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		11/01/22 05:34	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		11/01/22 05:34	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		11/01/22 05:34	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		11/01/22 05:34	107-06-2	
1,1-Dichloroethene	4.2J	ug/L	25.0	5		11/01/22 05:34	75-35-4	
cis-1,2-Dichloroethene	2190	ug/L	250	50		11/01/22 21:56	156-59-2	
trans-1,2-Dichloroethene	32.2	ug/L	25.0	5		11/01/22 05:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		11/01/22 05:34	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		11/01/22 05:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		11/01/22 05:34	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		11/01/22 05:34	100-41-4	
2-Hexanone	ND	ug/L	125	5		11/01/22 05:34	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		11/01/22 05:34	98-82-8	
Methyl acetate	21.6J	ug/L	250	5		11/01/22 05:34	79-20-9	
Methylcyclohexane	ND	ug/L	250	5		11/01/22 05:34	108-87-2	
Methylene Chloride	ND	ug/L	25.0	5		11/01/22 05:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		11/01/22 05:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		11/01/22 05:34	1634-04-4	
Styrene	ND	ug/L	25.0	5		11/01/22 05:34	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		11/01/22 05:34	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		11/01/22 05:34	127-18-4	
Toluene	ND	ug/L	25.0	5		11/01/22 05:34	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		11/01/22 05:34	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		11/01/22 05:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		11/01/22 05:34	79-00-5	
Trichloroethene	22.2J	ug/L	25.0	5		11/01/22 05:34	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		11/01/22 05:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		11/01/22 05:34	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2213-S1 (102422)		Lab ID: 50329215008		Collected: 10/24/22 10:15		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	107	ug/L	10.0	5		11/01/22 05:34	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		11/01/22 05:34	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	5		11/01/22 05:34	1868-53-7	D4	
4-Bromofluorobenzene (S)	102	%.	79-124	5		11/01/22 05:34	460-00-4		
Toluene-d8 (S)	99	%.	73-122	5		11/01/22 05:34	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0614-S2 (102422)		Lab ID: 50329215009	Collected: 10/24/22 14:40	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	84.2J	ug/L	100	1		11/01/22 06:05	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 06:05	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 06:05	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 06:05	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 06:05	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 06:05	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 06:05	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 06:05	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 06:05	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 06:05	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 06:05	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 06:05	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 06:05	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 06:05	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 06:05	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 06:05	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:05	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:05	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 06:05	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 06:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 06:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 06:05	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 06:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 06:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 06:05	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 06:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 06:05	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 06:05	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 06:05	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 06:05	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 06:05	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 06:05	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 06:05	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 06:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 06:05	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 06:05	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 06:05	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 06:05	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 06:05	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:05	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 06:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 06:05	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 06:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 06:05	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 06:05	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0614-S2 (102422)		Lab ID: 50329215009		Collected: 10/24/22 14:40		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 06:05	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 06:05	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	1		11/01/22 06:05	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	79-124	1		11/01/22 06:05	460-00-4	
Toluene-d8 (S)		100	%.	73-122	1		11/01/22 06:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0603-S1 (102422)		Lab ID: 50329215010	Collected: 10/24/22 15:09	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	116	ug/L	100	1		11/01/22 06:35	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 06:35	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 06:35	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 06:35	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 06:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 06:35	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 06:35	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 06:35	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 06:35	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 06:35	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 06:35	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 06:35	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 06:35	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 06:35	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 06:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 06:35	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:35	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 06:35	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 06:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 06:35	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 06:35	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 06:35	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 06:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 06:35	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 06:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 06:35	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 06:35	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 06:35	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 06:35	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 06:35	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 06:35	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 06:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 06:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 06:35	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 06:35	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 06:35	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 06:35	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 06:35	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 06:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 06:35	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 06:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 06:35	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 06:35	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0603-S1 (102422)		Lab ID: 50329215010		Collected: 10/24/22 15:09		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 06:35	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 06:35	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	1		11/01/22 06:35	1868-53-7		
4-Bromofluorobenzene (S)	102	%.	79-124	1		11/01/22 06:35	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/01/22 06:35	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0509-S1 (102422)		Lab ID: 50329215011	Collected: 10/24/22 13:29	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	89.6J	ug/L	100	1		11/01/22 07:06	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 07:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 07:06	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 07:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 07:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 07:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 07:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 07:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 07:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 07:06	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 07:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 07:06	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 07:06	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 07:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 07:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 07:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 07:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 07:06	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 07:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 07:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 07:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 07:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 07:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 07:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 07:06	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 07:06	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 07:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 07:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 07:06	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 07:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 07:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 07:06	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 07:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:06	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 07:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 07:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 07:06	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0509-S1 (102422)		Lab ID: 50329215011		Collected: 10/24/22 13:29		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 07:06	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 07:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	1		11/01/22 07:06	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	79-124	1		11/01/22 07:06	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 07:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0507-S1 (102422)		Lab ID: 50329215012	Collected: 10/24/22 15:45	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	58.1J	ug/L	100	1		11/01/22 07:36	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 07:36	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 07:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 07:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 07:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 07:36	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 07:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 07:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 07:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 07:36	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 07:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 07:36	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 07:36	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 07:36	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 07:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 07:36	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:36	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 07:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 07:36	75-35-4	
cis-1,2-Dichloroethene	0.82J	ug/L	5.0	1		11/01/22 07:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 07:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 07:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 07:36	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 07:36	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 07:36	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 07:36	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 07:36	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 07:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 07:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 07:36	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 07:36	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 07:36	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 07:36	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 07:36	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:36	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 07:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 07:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 07:36	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0507-S1 (102422)		Lab ID: 50329215012		Collected: 10/24/22 15:45		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 07:36	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 07:36	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	1		11/01/22 07:36	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	79-124	1		11/01/22 07:36	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 07:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0506-S2 (102422)		Lab ID: 50329215013	Collected: 10/24/22 13:07	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	55.9J	ug/L	100	1		10/31/22 23:43	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 23:43	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 23:43	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 23:43	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 23:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 23:43	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 23:43	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 23:43	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 23:43	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 23:43	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 23:43	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 23:43	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 23:43	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 23:43	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 23:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 23:43	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:43	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 23:43	75-71-8	
1,1-Dichloroethane	0.83J	ug/L	5.0	1		10/31/22 23:43	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 23:43	107-06-2	
1,1-Dichloroethene	1.5J	ug/L	5.0	1		10/31/22 23:43	75-35-4	
cis-1,2-Dichloroethene	660	ug/L	50.0	10		11/01/22 21:11	156-59-2	
trans-1,2-Dichloroethene	61.1	ug/L	5.0	1		10/31/22 23:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 23:43	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 23:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 23:43	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 23:43	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 23:43	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 23:43	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 23:43	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 23:43	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 23:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 23:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 23:43	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 23:43	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 23:43	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 23:43	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 23:43	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:43	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 23:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 23:43	79-00-5	
Trichloroethene	324	ug/L	50.0	10		11/01/22 21:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 23:43	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 23:43	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0506-S2 (102422)		Lab ID: 50329215013		Collected: 10/24/22 13:07		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		1.5J	ug/L	2.0	1		10/31/22 23:43	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 23:43	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	82-128	1		10/31/22 23:43	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	79-124	1		10/31/22 23:43	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		10/31/22 23:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0506-S1 (102422)		Lab ID: 50329215014	Collected: 10/24/22 12:44	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	17.4J	ug/L	100	1		11/01/22 00:14	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 00:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 00:14	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 00:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 00:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 00:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 00:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 00:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 00:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 00:14	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 00:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 00:14	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 00:14	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 00:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 00:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 00:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 00:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 00:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 00:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 00:14	75-35-4	
cis-1,2-Dichloroethene	2.4J	ug/L	5.0	1		11/01/22 00:14	156-59-2	
trans-1,2-Dichloroethene	1.2J	ug/L	5.0	1		11/01/22 00:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 00:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 00:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 00:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 00:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 00:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 00:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 00:14	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 00:14	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 00:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 00:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 00:14	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 00:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 00:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 00:14	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 00:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 00:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 00:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 00:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 00:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 00:14	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0506-S1 (102422)		Lab ID: 50329215014		Collected: 10/24/22 12:44		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 00:14	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 00:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		11/01/22 00:14	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	79-124	1		11/01/22 00:14	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 00:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0504-S1 (102422)		Lab ID: 50329215015	Collected: 10/24/22 12:29	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	25.3J	ug/L	100	1		11/01/22 00:44	67-64-1	
Benzene	0.61J	ug/L	5.0	1		11/01/22 00:44	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 00:44	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 00:44	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 00:44	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 00:44	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 00:44	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 00:44	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 00:44	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 00:44	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 00:44	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 00:44	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 00:44	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 00:44	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 00:44	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 00:44	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:44	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:44	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:44	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 00:44	75-71-8	
1,1-Dichloroethane	6.7	ug/L	5.0	1		11/01/22 00:44	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 00:44	107-06-2	
1,1-Dichloroethene	3.4J	ug/L	5.0	1		11/01/22 00:44	75-35-4	
cis-1,2-Dichloroethene	709	ug/L	125	25		11/01/22 01:15	156-59-2	
trans-1,2-Dichloroethene	103	ug/L	5.0	1		11/01/22 00:44	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 00:44	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 00:44	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 00:44	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 00:44	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 00:44	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 00:44	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 00:44	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 00:44	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 00:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 00:44	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 00:44	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 00:44	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 00:44	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 00:44	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 00:44	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:44	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 00:44	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 00:44	79-00-5	
Trichloroethene	1930	ug/L	125	25		11/01/22 01:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 00:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 00:44	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0504-S1 (102422)		Lab ID: 50329215015		Collected: 10/24/22 12:29		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	13.1	ug/L	2.0	1		11/01/22 00:44	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 00:44	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	1		11/01/22 00:44	1868-53-7		
4-Bromofluorobenzene (S)	102	%.	79-124	1		11/01/22 00:44	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/01/22 00:44	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0503-S1 (102422)		Lab ID: 50329215016	Collected: 10/24/22 15:26	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	99.2J	ug/L	100	1		11/01/22 08:06	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 08:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 08:06	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 08:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 08:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 08:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 08:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 08:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 08:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 08:06	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 08:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 08:06	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 08:06	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 08:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 08:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 08:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 08:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 08:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 08:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 08:06	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 08:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 08:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 08:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 08:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 08:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 08:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 08:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 08:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 08:06	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 08:06	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 08:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 08:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 08:06	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 08:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 08:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 08:06	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 08:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 08:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 08:06	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 08:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 08:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 08:06	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0503-S1 (102422)		Lab ID: 50329215016		Collected: 10/24/22 15:26		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 08:06	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 08:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	1		11/01/22 08:06	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	79-124	1		11/01/22 08:06	460-00-4	
Toluene-d8 (S)		100	%.	73-122	1		11/01/22 08:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0501-S2 (102422)		Lab ID: 50329215017	Collected: 10/24/22 13:45	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	30.5J	ug/L	100	1		11/01/22 01:45	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 01:45	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 01:45	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 01:45	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 01:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 01:45	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 01:45	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 01:45	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 01:45	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 01:45	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 01:45	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 01:45	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 01:45	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 01:45	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 01:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 01:45	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 01:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 01:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 01:45	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 01:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 01:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 01:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 01:45	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 01:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 01:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 01:45	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 01:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 01:45	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 01:45	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 01:45	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 01:45	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 01:45	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 01:45	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 01:45	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 01:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 01:45	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 01:45	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 01:45	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 01:45	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 01:45	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 01:45	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 01:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 01:45	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 01:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 01:45	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 01:45	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0501-S2 (102422)		Lab ID: 50329215017		Collected: 10/24/22 13:45		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 01:45	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 01:45	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	1		11/01/22 01:45	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	79-124	1		11/01/22 01:45	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 01:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0103-S10 (102422)		Lab ID: 50329215018	Collected: 10/24/22 10:00	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	21.2J	ug/L	100	1		11/01/22 03:17	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 03:17	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 03:17	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 03:17	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 03:17	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 03:17	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 03:17	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 03:17	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 03:17	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 03:17	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 03:17	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 03:17	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 03:17	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 03:17	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 03:17	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 03:17	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:17	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:17	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:17	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 03:17	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 03:17	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 03:17	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 03:17	75-35-4	
cis-1,2-Dichloroethene	2.0J	ug/L	5.0	1		11/01/22 03:17	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 03:17	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 03:17	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 03:17	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 03:17	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 03:17	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 03:17	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 03:17	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 03:17	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 03:17	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 03:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 03:17	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 03:17	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 03:17	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 03:17	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 03:17	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 03:17	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:17	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 03:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 03:17	79-00-5	
Trichloroethene	0.98J	ug/L	5.0	1		11/01/22 03:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 03:17	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 03:17	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0103-S10 (102422)		Lab ID: 50329215018		Collected: 10/24/22 10:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 03:17	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 03:17	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/01/22 03:17	1868-53-7		
4-Bromofluorobenzene (S)	103	%.	79-124	1		11/01/22 03:17	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/01/22 03:17	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: EB-01 (102422)		Lab ID: 50329215019		Collected: 10/24/22 12:54		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	12.0J	ug/L	100	1		11/01/22 03:47	67-64-1		
Benzene	ND	ug/L	5.0	1		11/01/22 03:47	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 03:47	75-27-4		
Bromoform	ND	ug/L	5.0	1		11/01/22 03:47	75-25-2		
Bromomethane	ND	ug/L	5.0	1		11/01/22 03:47	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 03:47	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 03:47	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 03:47	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 03:47	108-90-7		
Chloroethane	ND	ug/L	5.0	1		11/01/22 03:47	75-00-3		
Chloroform	ND	ug/L	5.0	1		11/01/22 03:47	67-66-3		
Chloromethane	ND	ug/L	5.0	1		11/01/22 03:47	74-87-3		
Cyclohexane	ND	ug/L	100	1		11/01/22 03:47	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 03:47	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 03:47	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 03:47	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:47	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:47	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:47	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 03:47	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 03:47	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 03:47	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 03:47	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 03:47	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 03:47	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 03:47	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 03:47	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 03:47	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 03:47	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		11/01/22 03:47	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 03:47	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		11/01/22 03:47	79-20-9		
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 03:47	108-87-2		
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 03:47	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 03:47	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 03:47	1634-04-4		
Styrene	ND	ug/L	5.0	1		11/01/22 03:47	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 03:47	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 03:47	127-18-4		
Toluene	ND	ug/L	5.0	1		11/01/22 03:47	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:47	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 03:47	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 03:47	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		11/01/22 03:47	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 03:47	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 03:47	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: EB-01 (102422)		Lab ID: 50329215019		Collected: 10/24/22 12:54		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 03:47	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 03:47	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/01/22 03:47	1868-53-7		
4-Bromofluorobenzene (S)	102	%.	79-124	1		11/01/22 03:47	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/01/22 03:47	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: EB-03 (102422)		Lab ID: 50329215020		Collected: 10/24/22 14:45		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	12.6J	ug/L	100	1		11/01/22 04:18	67-64-1		
Benzene	ND	ug/L	5.0	1		11/01/22 04:18	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 04:18	75-27-4		
Bromoform	ND	ug/L	5.0	1		11/01/22 04:18	75-25-2		
Bromomethane	ND	ug/L	5.0	1		11/01/22 04:18	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 04:18	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 04:18	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 04:18	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 04:18	108-90-7		
Chloroethane	ND	ug/L	5.0	1		11/01/22 04:18	75-00-3		
Chloroform	ND	ug/L	5.0	1		11/01/22 04:18	67-66-3		
Chloromethane	ND	ug/L	5.0	1		11/01/22 04:18	74-87-3		
Cyclohexane	ND	ug/L	100	1		11/01/22 04:18	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 04:18	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 04:18	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 04:18	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:18	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:18	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:18	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 04:18	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 04:18	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 04:18	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:18	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:18	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:18	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 04:18	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:18	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:18	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 04:18	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		11/01/22 04:18	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 04:18	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		11/01/22 04:18	79-20-9		
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 04:18	108-87-2		
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 04:18	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 04:18	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 04:18	1634-04-4		
Styrene	ND	ug/L	5.0	1		11/01/22 04:18	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 04:18	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 04:18	127-18-4		
Toluene	ND	ug/L	5.0	1		11/01/22 04:18	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:18	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:18	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:18	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		11/01/22 04:18	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 04:18	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 04:18	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: EB-03 (102422)		Lab ID: 50329215020		Collected: 10/24/22 14:45		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 04:18	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 04:18	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/01/22 04:18	1868-53-7		
4-Bromofluorobenzene (S)	102	%.	79-124	1		11/01/22 04:18	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/01/22 04:18	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: Dup-01 (102422)		Lab ID: 50329215021	Collected: 10/24/22 08:00	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	24.3J	ug/L	100	1		11/01/22 04:48	67-64-1	
Benzene	0.59J	ug/L	5.0	1		11/01/22 04:48	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 04:48	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 04:48	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 04:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 04:48	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 04:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 04:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 04:48	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 04:48	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 04:48	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 04:48	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 04:48	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 04:48	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 04:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 04:48	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:48	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 04:48	75-71-8	
1,1-Dichloroethane	6.9	ug/L	5.0	1		11/01/22 04:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 04:48	107-06-2	
1,1-Dichloroethene	3.6J	ug/L	5.0	1		11/01/22 04:48	75-35-4	
cis-1,2-Dichloroethene	738	ug/L	125	25		11/01/22 21:41	156-59-2	
trans-1,2-Dichloroethene	103	ug/L	5.0	1		11/01/22 04:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 04:48	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 04:48	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 04:48	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 04:48	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 04:48	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 04:48	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 04:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 04:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 04:48	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 04:48	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 04:48	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 04:48	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 04:48	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:48	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:48	79-00-5	
Trichloroethene	1960	ug/L	125	25		11/01/22 21:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 04:48	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 04:48	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: Dup-01 (102422)		Lab ID: 50329215021		Collected: 10/24/22 08:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	13.3	ug/L	2.0	1		11/01/22 04:48	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 04:48	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	1		11/01/22 04:48	1868-53-7		
4-Bromofluorobenzene (S)	104	%.	79-124	1		11/01/22 04:48	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/01/22 04:48	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

QC Batch:	703719	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis
Associated Lab Samples:	50329215001, 50329215002, 50329215003, 50329215004, 50329215005, 50329215006, 50329215007, 50329215008, 50329215009, 50329215010, 50329215011, 50329215012, 50329215016		

METHOD BLANK: 3235045

Matrix: Water

Associated Lab Samples: 50329215001, 50329215002, 50329215003, 50329215004, 50329215005, 50329215006, 50329215007, 50329215008, 50329215009, 50329215010, 50329215011, 50329215012, 50329215016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	10/31/22 22:58	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	10/31/22 22:58	
1,1,2-Trichloroethane	ug/L	ND	5.0	10/31/22 22:58	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	10/31/22 22:58	
1,1-Dichloroethane	ug/L	ND	5.0	10/31/22 22:58	
1,1-Dichloroethene	ug/L	ND	5.0	10/31/22 22:58	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	10/31/22 22:58	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	10/31/22 22:58	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	10/31/22 22:58	
1,2-Dichlorobenzene	ug/L	ND	5.0	10/31/22 22:58	
1,2-Dichloroethane	ug/L	ND	5.0	10/31/22 22:58	
1,2-Dichloropropane	ug/L	ND	5.0	10/31/22 22:58	
1,3-Dichlorobenzene	ug/L	ND	5.0	10/31/22 22:58	
1,4-Dichlorobenzene	ug/L	ND	5.0	10/31/22 22:58	
2-Butanone (MEK)	ug/L	ND	25.0	10/31/22 22:58	
2-Hexanone	ug/L	ND	25.0	10/31/22 22:58	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	10/31/22 22:58	
Acetone	ug/L	ND	100	10/31/22 22:58	
Benzene	ug/L	ND	5.0	10/31/22 22:58	
Bromodichloromethane	ug/L	ND	5.0	10/31/22 22:58	
Bromoform	ug/L	ND	5.0	10/31/22 22:58	
Bromomethane	ug/L	ND	5.0	10/31/22 22:58	
Carbon disulfide	ug/L	ND	10.0	10/31/22 22:58	
Carbon tetrachloride	ug/L	ND	5.0	10/31/22 22:58	
Chlorobenzene	ug/L	ND	5.0	10/31/22 22:58	
Chloroethane	ug/L	ND	5.0	10/31/22 22:58	
Chloroform	ug/L	ND	5.0	10/31/22 22:58	
Chloromethane	ug/L	ND	5.0	10/31/22 22:58	
cis-1,2-Dichloroethene	ug/L	ND	5.0	10/31/22 22:58	
cis-1,3-Dichloropropene	ug/L	ND	5.0	10/31/22 22:58	
Cyclohexane	ug/L	ND	100	10/31/22 22:58	
Dibromochloromethane	ug/L	ND	5.0	10/31/22 22:58	
Dichlorodifluoromethane	ug/L	ND	5.0	10/31/22 22:58	
Ethylbenzene	ug/L	ND	5.0	10/31/22 22:58	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	10/31/22 22:58	
Methyl acetate	ug/L	ND	50.0	10/31/22 22:58	
Methyl-tert-butyl ether	ug/L	ND	4.0	10/31/22 22:58	
Methylcyclohexane	ug/L	ND	50.0	10/31/22 22:58	
Methylene Chloride	ug/L	ND	5.0	10/31/22 22:58	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

METHOD BLANK: 3235045

Matrix: Water

Associated Lab Samples: 50329215001, 50329215002, 50329215003, 50329215004, 50329215005, 50329215006, 50329215007, 50329215008, 50329215009, 50329215010, 50329215011, 50329215012, 50329215016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Styrene	ug/L	ND	5.0	10/31/22 22:58	
Tetrachloroethene	ug/L	ND	5.0	10/31/22 22:58	
Toluene	ug/L	ND	5.0	10/31/22 22:58	
trans-1,2-Dichloroethene	ug/L	ND	5.0	10/31/22 22:58	
trans-1,3-Dichloropropene	ug/L	ND	5.0	10/31/22 22:58	
Trichloroethene	ug/L	ND	5.0	10/31/22 22:58	
Trichlorofluoromethane	ug/L	ND	5.0	10/31/22 22:58	
Vinyl chloride	ug/L	ND	2.0	10/31/22 22:58	
Xylene (Total)	ug/L	ND	10.0	10/31/22 22:58	
4-Bromofluorobenzene (S)	%	103	79-124	10/31/22 22:58	
Dibromofluoromethane (S)	%	100	82-128	10/31/22 22:58	
Toluene-d8 (S)	%	100	73-122	10/31/22 22:58	

LABORATORY CONTROL SAMPLE: 3235046

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	49.0	98	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	48.1	96	72-123	
1,1,2-Trichloroethane	ug/L	50	47.2	94	73-124	
1,1,2-Trichlorotrifluoroethane	ug/L	50	50.4	101	60-148	
1,1-Dichloroethane	ug/L	50	49.4	99	71-124	
1,1-Dichloroethene	ug/L	50	49.0	98	63-138	
1,2,4-Trichlorobenzene	ug/L	50	42.5	85	68-132	
1,2-Dibromo-3-chloropropane	ug/L	50	48.7	97	66-122	
1,2-Dibromoethane (EDB)	ug/L	50	46.2	92	75-123	
1,2-Dichlorobenzene	ug/L	50	46.8	94	76-118	
1,2-Dichloroethane	ug/L	50	48.0	96	68-126	
1,2-Dichloropropane	ug/L	50	48.3	97	73-127	
1,3-Dichlorobenzene	ug/L	50	45.8	92	75-119	
1,4-Dichlorobenzene	ug/L	50	45.1	90	74-118	
2-Butanone (MEK)	ug/L	250	237	95	57-130	
2-Hexanone	ug/L	250	231	92	57-130	
4-Methyl-2-pentanone (MIBK)	ug/L	250	232	93	58-134	
Acetone	ug/L	250	235	94	41-133	
Benzene	ug/L	50	48.4	97	76-121	
Bromodichloromethane	ug/L	50	47.4	95	72-125	
Bromoform	ug/L	50	46.6	93	57-134	
Bromomethane	ug/L	50	58.9	118	10-187	
Carbon disulfide	ug/L	50	48.3	97	59-125	
Carbon tetrachloride	ug/L	50	49.0	98	71-134	
Chlorobenzene	ug/L	50	47.8	96	74-119	
Chloroethane	ug/L	50	58.6	117	49-152	
Chloroform	ug/L	50	47.5	95	68-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

LABORATORY CONTROL SAMPLE: 3235046

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloromethane	ug/L	50	58.1	116	33-133	
cis-1,2-Dichloroethene	ug/L	50	47.7	95	73-122	
cis-1,3-Dichloropropene	ug/L	50	48.4	97	69-128	
Cyclohexane	ug/L	50	47.9J	96	61-128	
Dibromochloromethane	ug/L	50	48.0	96	69-127	
Dichlorodifluoromethane	ug/L	50	49.1	98	19-136	
Ethylbenzene	ug/L	50	47.4	95	74-122	
Isopropylbenzene (Cumene)	ug/L	50	48.1	96	75-124	
Methyl acetate	ug/L	250	244	97	62-147	
Methyl-tert-butyl ether	ug/L	50	49.2	98	71-125	
Methylcyclohexane	ug/L	50	47.3J	95	68-120	
Methylene Chloride	ug/L	50	51.0	102	71-125	
Styrene	ug/L	50	48.4	97	74-126	
Tetrachloroethene	ug/L	50	47.4	95	74-129	
Toluene	ug/L	50	46.0	92	70-118	
trans-1,2-Dichloroethene	ug/L	50	47.9	96	69-124	
trans-1,3-Dichloropropene	ug/L	50	47.8	96	66-125	
Trichloroethene	ug/L	50	47.9	96	73-125	
Trichlorofluoromethane	ug/L	50	59.4	119	56-139	
Vinyl chloride	ug/L	50	58.9	118	46-134	
Xylene (Total)	ug/L	150	137	91	71-123	
4-Bromofluorobenzene (S)	%			100	79-124	
Dibromofluoromethane (S)	%			101	82-128	
Toluene-d8 (S)	%			100	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3235047 3235048

Parameter	Units	50329215016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	49.3	49.2	99	98	60-143	0	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	50.5	50.3	101	101	64-135	1	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	49.1	49.3	98	99	66-137	0	20	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	50	50	50.4	50.3	101	101	57-171	0	20	
1,1-Dichloroethane	ug/L	ND	50	50	51.6	51.2	103	102	62-144	1	20	
1,1-Dichloroethene	ug/L	ND	50	50	48.9	48.5	98	97	55-158	1	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	37.6	37.0	75	74	27-149	2	20	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	48.6	49.6	97	99	59-132	2	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	47.1	47.2	94	94	68-136	0	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	46.7	45.9	93	92	47-140	2	20	
1,2-Dichloroethane	ug/L	ND	50	50	50.0	49.5	100	99	61-144	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	49.8	49.8	100	100	67-141	0	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	44.2	43.8	88	88	39-142	1	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	43.6	42.7	87	85	39-140	2	20	
2-Butanone (MEK)	ug/L	ND	250	250	250	255	100	102	49-149	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			3235047	3235048								
		50329215016	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits		Max RPD	Qual
Parameter	Units	Result								RPD		
2-Hexanone	ug/L	ND	250	250	239	246	95	98	48-147	3	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	243	249	97	99	50-152	2	20	
Acetone	ug/L	99.2J	250	250	317	323	87	90	23-157	2	20	
Benzene	ug/L	ND	50	50	49.2	49.0	98	98	68-139	0	20	
Bromodichloromethane	ug/L	ND	50	50	48.3	48.0	97	96	65-139	1	20	
Bromoform	ug/L	ND	50	50	46.7	47.0	93	94	51-139	1	20	
Bromomethane	ug/L	ND	50	50	59.5	59.8	119	120	10-189	1	20	
Carbon disulfide	ug/L	ND	50	50	47.1	46.6	94	93	45-143	1	20	
Carbon tetrachloride	ug/L	ND	50	50	48.1	48.1	96	96	61-153	0	20	
Chlorobenzene	ug/L	ND	50	50	47.4	47.4	95	95	57-137	0	20	
Chloroethane	ug/L	ND	50	50	56.7	56.9	113	114	41-183	0	20	
Chloroform	ug/L	ND	50	50	47.6	47.4	95	95	61-138	0	20	
Chloromethane	ug/L	ND	50	50	57.1	57.3	114	115	25-150	0	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	48.0	48.0	96	96	58-142	0	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	48.2	48.3	96	97	53-140	0	20	
Cyclohexane	ug/L	ND	50	50	49.7J	49.2J	99	98	64-139		20	
Dibromochloromethane	ug/L	ND	50	50	48.6	48.7	97	97	61-139	0	20	
Dichlorodifluoromethane	ug/L	ND	50	50	48.4	47.5	97	95	10-150	2	20	
Ethylbenzene	ug/L	ND	50	50	46.9	46.8	94	94	54-141	0	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	47.3	47.0	95	94	48-145	0	20	
Methyl acetate	ug/L	ND	250	250	179	180	72	72	37-152	1	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	50.5	50.8	101	102	62-143	0	20	
Methylcyclohexane	ug/L	ND	50	50	48.3J	47.6J	97	95	76-122		20	
Methylene Chloride	ug/L	ND	50	50	49.5	49.3	99	99	59-141	0	20	
Styrene	ug/L	ND	50	50	46.9	45.8	94	92	51-146	2	20	
Tetrachloroethene	ug/L	ND	50	50	45.4	45.8	91	92	50-149	1	20	
Toluene	ug/L	ND	50	50	46.2	45.8	92	91	59-134	1	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	46.3	46.6	93	93	57-141	1	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	46.5	46.4	93	93	51-136	0	20	
Trichloroethene	ug/L	ND	50	50	47.0	46.9	94	94	55-147	0	20	
Trichlorofluoromethane	ug/L	ND	50	50	58.9	59.1	118	118	55-160	0	20	
Vinyl chloride	ug/L	ND	50	50	59.0	58.9	118	118	36-154	0	20	
Xylene (Total)	ug/L	ND	150	150	134	134	90	89	50-143	0	20	
4-Bromofluorobenzene (S)	%.						99	99	79-124			
Dibromofluoromethane (S)	%.						99	100	82-128			
Toluene-d8 (S)	%.						100	100	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

QC Batch:	703721	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis
Associated Lab Samples:	50329215013, 50329215014, 50329215015, 50329215017, 50329215018, 50329215019, 50329215020, 50329215021		

METHOD BLANK: 3235051

Matrix: Water

Associated Lab Samples: 50329215013, 50329215014, 50329215015, 50329215017, 50329215018, 50329215019, 50329215020, 50329215021

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	10/31/22 23:13	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	10/31/22 23:13	
1,1,2-Trichloroethane	ug/L	ND	5.0	10/31/22 23:13	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	10/31/22 23:13	
1,1-Dichloroethane	ug/L	ND	5.0	10/31/22 23:13	
1,1-Dichloroethene	ug/L	ND	5.0	10/31/22 23:13	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	10/31/22 23:13	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	10/31/22 23:13	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	10/31/22 23:13	
1,2-Dichlorobenzene	ug/L	ND	5.0	10/31/22 23:13	
1,2-Dichloroethane	ug/L	ND	5.0	10/31/22 23:13	
1,2-Dichloropropane	ug/L	ND	5.0	10/31/22 23:13	
1,3-Dichlorobenzene	ug/L	ND	5.0	10/31/22 23:13	
1,4-Dichlorobenzene	ug/L	ND	5.0	10/31/22 23:13	
2-Butanone (MEK)	ug/L	ND	25.0	10/31/22 23:13	
2-Hexanone	ug/L	ND	25.0	10/31/22 23:13	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	10/31/22 23:13	
Acetone	ug/L	ND	100	10/31/22 23:13	
Benzene	ug/L	ND	5.0	10/31/22 23:13	
Bromodichloromethane	ug/L	ND	5.0	10/31/22 23:13	
Bromoform	ug/L	ND	5.0	10/31/22 23:13	
Bromomethane	ug/L	ND	5.0	10/31/22 23:13	
Carbon disulfide	ug/L	ND	10.0	10/31/22 23:13	
Carbon tetrachloride	ug/L	ND	5.0	10/31/22 23:13	
Chlorobenzene	ug/L	ND	5.0	10/31/22 23:13	
Chloroethane	ug/L	ND	5.0	10/31/22 23:13	
Chloroform	ug/L	ND	5.0	10/31/22 23:13	
Chloromethane	ug/L	ND	5.0	10/31/22 23:13	
cis-1,2-Dichloroethene	ug/L	ND	5.0	10/31/22 23:13	
cis-1,3-Dichloropropene	ug/L	ND	5.0	10/31/22 23:13	
Cyclohexane	ug/L	ND	100	10/31/22 23:13	
Dibromochloromethane	ug/L	ND	5.0	10/31/22 23:13	
Dichlorodifluoromethane	ug/L	ND	5.0	10/31/22 23:13	
Ethylbenzene	ug/L	ND	5.0	10/31/22 23:13	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	10/31/22 23:13	
Methyl acetate	ug/L	ND	50.0	10/31/22 23:13	
Methyl-tert-butyl ether	ug/L	ND	4.0	10/31/22 23:13	
Methylcyclohexane	ug/L	ND	50.0	10/31/22 23:13	
Methylene Chloride	ug/L	ND	5.0	10/31/22 23:13	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

METHOD BLANK: 3235051

Matrix: Water

Associated Lab Samples: 50329215013, 50329215014, 50329215015, 50329215017, 50329215018, 50329215019, 50329215020, 50329215021

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Styrene	ug/L	ND	5.0	10/31/22 23:13	
Tetrachloroethene	ug/L	ND	5.0	10/31/22 23:13	
Toluene	ug/L	ND	5.0	10/31/22 23:13	
trans-1,2-Dichloroethene	ug/L	ND	5.0	10/31/22 23:13	
trans-1,3-Dichloropropene	ug/L	ND	5.0	10/31/22 23:13	
Trichloroethene	ug/L	ND	5.0	10/31/22 23:13	
Trichlorofluoromethane	ug/L	ND	5.0	10/31/22 23:13	
Vinyl chloride	ug/L	ND	2.0	10/31/22 23:13	
Xylene (Total)	ug/L	ND	10.0	10/31/22 23:13	
4-Bromofluorobenzene (S)	%	102	79-124	10/31/22 23:13	
Dibromofluoromethane (S)	%	101	82-128	10/31/22 23:13	
Toluene-d8 (S)	%	99	73-122	10/31/22 23:13	

LABORATORY CONTROL SAMPLE: 3235052

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	51.6	103	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	50.3	101	72-123	
1,1,2-Trichloroethane	ug/L	50	50.4	101	73-124	
1,1,2-Trichlorotrifluoroethane	ug/L	50	53.5	107	60-148	
1,1-Dichloroethane	ug/L	50	51.3	103	71-124	
1,1-Dichloroethene	ug/L	50	51.9	104	63-138	
1,2,4-Trichlorobenzene	ug/L	50	45.5	91	68-132	
1,2-Dibromo-3-chloropropane	ug/L	50	48.7	97	66-122	
1,2-Dibromoethane (EDB)	ug/L	50	48.8	98	75-123	
1,2-Dichlorobenzene	ug/L	50	49.8	100	76-118	
1,2-Dichloroethane	ug/L	50	49.7	99	68-126	
1,2-Dichloropropane	ug/L	50	51.0	102	73-127	
1,3-Dichlorobenzene	ug/L	50	49.2	98	75-119	
1,4-Dichlorobenzene	ug/L	50	48.6	97	74-118	
2-Butanone (MEK)	ug/L	250	206	82	57-130	
2-Hexanone	ug/L	250	211	84	57-130	
4-Methyl-2-pentanone (MIBK)	ug/L	250	239	96	58-134	
Acetone	ug/L	250	164	66	41-133	
Benzene	ug/L	50	50.3	101	76-121	
Bromodichloromethane	ug/L	50	51.0	102	72-125	
Bromoform	ug/L	50	48.7	97	57-134	
Bromomethane	ug/L	50	59.1	118	10-187	
Carbon disulfide	ug/L	50	52.0	104	59-125	
Carbon tetrachloride	ug/L	50	51.0	102	71-134	
Chlorobenzene	ug/L	50	51.0	102	74-119	
Chloroethane	ug/L	50	56.4	113	49-152	
Chloroform	ug/L	50	49.7	99	68-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

LABORATORY CONTROL SAMPLE: 3235052

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloromethane	ug/L	50	59.2	118	33-133	
cis-1,2-Dichloroethene	ug/L	50	50.2	100	73-122	
cis-1,3-Dichloropropene	ug/L	50	51.2	102	69-128	
Cyclohexane	ug/L	50	51.2J	102	61-128	
Dibromochloromethane	ug/L	50	50.8	102	69-127	
Dichlorodifluoromethane	ug/L	50	49.1	98	19-136	
Ethylbenzene	ug/L	50	49.7	99	74-122	
Isopropylbenzene (Cumene)	ug/L	50	51.0	102	75-124	
Methyl acetate	ug/L	250	245	98	62-147	
Methyl-tert-butyl ether	ug/L	50	51.0	102	71-125	
Methylcyclohexane	ug/L	50	49.3J	99	68-120	
Methylene Chloride	ug/L	50	54.5	109	71-125	
Styrene	ug/L	50	50.9	102	74-126	
Tetrachloroethene	ug/L	50	50.1	100	74-129	
Toluene	ug/L	50	49.0	98	70-118	
trans-1,2-Dichloroethene	ug/L	50	50.6	101	69-124	
trans-1,3-Dichloropropene	ug/L	50	50.1	100	66-125	
Trichloroethene	ug/L	50	51.2	102	73-125	
Trichlorofluoromethane	ug/L	50	58.5	117	56-139	
Vinyl chloride	ug/L	50	58.7	117	46-134	
Xylene (Total)	ug/L	150	147	98	71-123	
4-Bromofluorobenzene (S)	%			100	79-124	
Dibromofluoromethane (S)	%			100	82-128	
Toluene-d8 (S)	%			100	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3235053 3235054

Parameter	Units	50329215017 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	50.7	51.0	101	102	60-143	1	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	53.1	52.9	106	106	64-135	0	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	51.4	51.4	103	103	66-137	0	20	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	50	50	53.5	53.6	107	107	57-171	0	20	
1,1-Dichloroethane	ug/L	ND	50	50	51.6	52.1	103	104	62-144	1	20	
1,1-Dichloroethene	ug/L	ND	50	50	51.4	52.0	103	104	55-158	1	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	42.6	42.8	85	86	27-149	1	20	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	51.5	52.3	103	105	59-132	2	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	50.6	51.0	101	102	68-136	1	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	48.8	49.0	98	98	47-140	0	20	
1,2-Dichloroethane	ug/L	ND	50	50	50.1	51.3	100	103	61-144	2	20	
1,2-Dichloropropane	ug/L	ND	50	50	51.5	51.2	103	102	67-141	0	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	47.4	47.7	95	95	39-142	1	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	47.2	46.8	94	94	39-140	1	20	
2-Butanone (MEK)	ug/L	ND	250	250	218	219	87	88	49-149	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			3235053	3235054								
		50329215017	MS	MSD								
Parameter	Units	Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
2-Hexanone	ug/L	ND	250	250	226	226	90	90	48-147	0	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	257	255	103	102	50-152	1	20	
Acetone	ug/L	30.5J	250	250	213	201	73	68	23-157	6	20	
Benzene	ug/L	ND	50	50	50.1	50.7	100	101	68-139	1	20	
Bromodichloromethane	ug/L	ND	50	50	50.2	50.1	100	100	65-139	0	20	
Bromoform	ug/L	ND	50	50	48.8	49.8	98	100	51-139	2	20	
Bromomethane	ug/L	ND	50	50	57.6	58.4	115	117	10-189	1	20	
Carbon disulfide	ug/L	ND	50	50	50.0	50.2	100	100	45-143	0	20	
Carbon tetrachloride	ug/L	ND	50	50	50.1	50.5	100	101	61-153	1	20	
Chlorobenzene	ug/L	ND	50	50	50.5	50.2	101	100	57-137	1	20	
Chloroethane	ug/L	ND	50	50	56.1	57.6	112	115	41-183	3	20	
Chloroform	ug/L	ND	50	50	49.1	49.6	98	99	61-138	1	20	
Chloromethane	ug/L	ND	50	50	58.1	59.6	116	119	25-150	3	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	49.6	50.0	99	100	58-142	1	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	51.3	51.5	103	103	53-140	1	20	
Cyclohexane	ug/L	ND	50	50	49.9J	51.4J	100	103	64-139		20	
Dibromochloromethane	ug/L	ND	50	50	50.9	51.4	102	103	61-139	1	20	
Dichlorodifluoromethane	ug/L	ND	50	50	47.4	49.3	95	99	10-150	4	20	
Ethylbenzene	ug/L	ND	50	50	49.3	49.8	99	100	54-141	1	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	49.9	50.3	100	101	48-145	1	20	
Methyl acetate	ug/L	ND	250	250	201	201	80	80	37-152	0	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	52.1	52.8	104	106	62-143	1	20	
Methylcyclohexane	ug/L	ND	50	50	48.9J	49.3J	98	99	76-122		20	
Methylene Chloride	ug/L	ND	50	50	51.2	52.7	102	105	59-141	3	20	
Styrene	ug/L	ND	50	50	49.0	49.8	98	100	51-146	2	20	
Tetrachloroethene	ug/L	ND	50	50	48.7	48.9	97	98	50-149	0	20	
Toluene	ug/L	ND	50	50	48.5	49.0	97	98	59-134	1	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	49.5	50.4	99	101	57-141	2	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	50.0	50.0	100	100	51-136	0	20	
Trichloroethene	ug/L	ND	50	50	49.6	49.7	99	99	55-147	0	20	
Trichlorofluoromethane	ug/L	ND	50	50	57.9	58.6	116	117	55-160	1	20	
Vinyl chloride	ug/L	ND	50	50	58.2	58.9	116	118	36-154	1	20	
Xylene (Total)	ug/L	ND	150	150	144	144	96	96	50-143	0	20	
4-Bromofluorobenzene (S)	%.						99	100	79-124			
Dibromofluoromethane (S)	%.						99	99	82-128			
Toluene-d8 (S)	%.						101	100	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D4 Sample was diluted due to the presence of high levels of target analytes.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: RACER Kokomo 30123295

Pace Project No.: 50329215


Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50329215001	MW-2203-S1 (102422)	EPA 8260	703719		
50329215002	MW-2204-S1 (102422)	EPA 8260	703719		
50329215003	MW-2205-S1 (102422)	EPA 8260	703719		
50329215004	MW-2206-S1 (102422)	EPA 8260	703719		
50329215005	MW-2208-S1 (102422)	EPA 8260	703719		
50329215006	MW-2210-S1 (102422)	EPA 8260	703719		
50329215007	MW-2212-S1 (102422)	EPA 8260	703719		
50329215008	MW-2213-S1 (102422)	EPA 8260	703719		
50329215009	MW-0614-S2 (102422)	EPA 8260	703719		
50329215010	MW-0603-S1 (102422)	EPA 8260	703719		
50329215011	MW-0509-S1 (102422)	EPA 8260	703719		
50329215012	MW-0507-S1 (102422)	EPA 8260	703719		
50329215013	MW-0506-S2 (102422)	EPA 8260	703721		
50329215014	MW-0506-S1 (102422)	EPA 8260	703721		
50329215015	MW-0504-S1 (102422)	EPA 8260	703721		
50329215016	MW-0503-S1 (102422)	EPA 8260	703719		
50329215017	MW-0501-S2 (102422)	EPA 8260	703721		
50329215018	MW-0103-S10 (102422)	EPA 8260	703721		
50329215019	EB-01 (102422)	EPA 8260	703721		
50329215020	EB-03 (102422)	EPA 8260	703721		
50329215021	Dup-01 (102422)	EPA 8260	703721		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



W0#: 50329215



50329215

/ Analytical Request Document

DOCUMENT. All relevant fields must be completed accurately.

s and Conditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>.

Submitting a sample via this chain of

Section A

Section

Required Client Information:

Required Project Information:

Invoice Information:

Company: Arcadis U.S., Inc.	Report To: Cameron Stewart	Attention:
Address: 150 West Market Street	Copy To: William Stephens	Company Name:
Suite 728, Indianapolis, IN 46204		Address:
Email: william.stephens@arcadis.com	Purchase Order #:	Pace Quote:
Phone: (317)217-0336 Fax:	Project Name: RACER Kokomo	Pace Project Manager: olivia.deck@pacelabs.com,
Requested Due Date:	Project #:	Pace Profile #: 3454

Page: 1 Of 2

Regulatory Agency

State / Location

IN

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample IDs must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives										Y/N	Requested Analysis Filtered (Y/N)										Residual Chlorine (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	VOC 8260																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	Terrence Wilson/Arcadis	10/25/22	1400	Terrence Wilson / Arcadis	10/25/22	1400				
	Terrence Wilson / Arcadis	10/25/22	1500	Terrence Wilson	10/25/22	1500	1-2	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed:

TEMP in C

Received on

Ice

Sealed

Custody

Cooler

Capped

Samples

Initialed

(Y/N)



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>.

Section A

Required Client Information:

Company: Arcadis U.S., Inc.
Address: 150 West Market Street
Suite 728, Indianapolis, IN 46204
Email: william.stephens@arcadis.com
Phone: (317)217-0336 Fax:
Requested Due Date:

Section B

Required Project Information:

Report To: Cameron Stewart
Copy To: William Stephens
Purchase Order #:
Project Name: RACER Kokomo
Project #:

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Quote:
Pace Project Manager: olivia.deck@pacelabs.com
Pace Profile #: 3454

Page: 2 Of 2

Regulatory Agency

State / Location

IN

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample IDs must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Y/N Analyses Test	Requested Analysis Filtered (Y/N)												Residual Chlorine (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other		VOC 8260																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	Terence Wilson / Arcadis	10/25/22	1400	Shirley W. Webb / Arcadis	10/25/22	1400				
	Shirley W. Webb / Arcadis	10/25/22	1500		10/25/22	1500	1-2	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Terence Wilson

SIGNATURE of SAMPLER: Terence Wilson

DATE Signed: 10/25/22

TEMP in C

Received on

Ice

(Y/N)

Custody

Sealed

Closer

Cap

Label

Signatures

Intact

(Y/N)



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 10-25-22 / 1854 - MW

1. Courier: ☐ FED EX ☐ UPS ☒ CLIENT ☐ PACE ☐ USPS ☐ OTHER _____

2. Custody Seal on Cooler/Box Present: ☐ Yes ☒ No

(If yes) Seals Intact: ☐ Yes ☐ No (leave blank if no seals were present)

3. Thermometer: 1 2 3 4 5 6 A B C D E F

4. Cooler Temperature(s): 1.5/1.2
(Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

5. Packing Material: ☐ Bubble Wrap ☒ Bubble Bags

☐ None ☐ Other _____

6. Ice Type: ☒ Wet ☐ Blue ☐ None

7. If temp. is over 6°C or under 0°C, was the PM notified?: ☐ Yes ☐ No
Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		☒	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			
Short Hold Time Analysis (48 hours or less)? Analysis:		☒	Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form			
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:	☒	Residual Chlorine Check (SVOC 625 Pest/PCB 608)	<u>Present</u>	<u>Absent</u>	<u>N/A</u>
Rush TAT Requested (4 days or less):	☒		Residual Chlorine Check (Total/Amenable/Free Cyanide)			☒
Custody Signatures Present?	☒		Headspace Wisconsin Sulfide?			☒
Containers Intact?:	☒		Headspace in VOA Vials (>6mm): See Container Count form for details	<u>Present</u>	<u>Absent</u>	<u>No VOA Vials Sent</u>
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	☒		Trip Blank Present?		☒	
Extra labels on Terracore Vials? (soils only)			Trip Blank Custody Seals?:			☒

COMMENTS:

Sample Container Count

** Place a RED dot on containers that are out of conformance **

COC Line Item	WGUFU	MeOH (only) SBS DI R	VIALS										AMBER GLASS							PLASTIC								OTHER			Matrix																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			VOA VIAL HS (>6mm)	VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG2U	AG3S	AG3SF	AG3C	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	Syringe Kit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

Container Codes

Glass				Plastic			
DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic	BP4U	125mL unpreserved plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic	BP4N	125mL HNO3 plastic
DG9S	40mL H2SO4 amber vial	BG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic	BP4S	125mL H2SO4 plastic
DG9T	40mL Na Thio amber vial	BG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic	Miscellaneous	
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac		
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic	Syringe Kit	LL Cr+6 sampling kit
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic	ZPLC	Ziploc Bag
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic	R	Terracore Kit
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic	SP5T	120mL Coliform Sodium Thiosulfate
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac	T	Tedlar Bag (air sample)
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic	U	Summa Can (air sample)
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic	WT	Water
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered	SL	Solid Solid
BG1H	1L HCl clear glass	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic	OL	Oil
BG1S	1L H2SO4 clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic	NAL	Non-aqueous liquid
GN	General	AG3C	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic	WP	Wipe

Sample Container Count

** Place a RED dot on containers that are out of conformance **

COC Line Item	WGFI	MeOH (only)	SBS	DI	VIALS				AMBER GLASS						PLASTIC								OTHER		Matrix																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					R	DG9H VOA VIAL HS (>6mm)	VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG2U	AG3S	AG3SF	AG3C	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B		BP3Z	CG3H	Syringe Kit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1					3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

Container Codes

Glass				Plastic			
DG9H	40mL HCl amber vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic	BP4U	125mL unpreserved plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic	BP4N	125mL HNO3 plastic
DG9S	40mL H2SO4 amber vial	BG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic	BP4S	125mL H2SO4 plastic
DG9T	40mL Na Thio amber vial	BG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic	Miscellaneous	
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac		
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic	Syringe Kit	LL Cr+6 sampling kit
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic	ZPLC	Ziploc Bag
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic	R	Terracore Kit
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic	SP5T	120mL Coliform Sodium Thiosulfate
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac	T	Tedlar Bag (air sample)
WGFI	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic	U	Summa Can (air sample)
JGFI	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic	WT	Water
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered	SL	Solid Solid
BG1H	1L HCl clear glass	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic	OL	Oil
BG1S	1L H2SO4 clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic	NAL	Non-aqueous liquid
GN	General	AG3C	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic	WP	Wipe

November 02, 2022

Mr. Matt Griles
Arcadis U.S., Inc.
55 Monument Circle
Suite 300B
Indianapolis, IN 46204

RE: Project: RACER Kokomo 30123295
Pace Project No.: 50329216

Dear Mr. Griles:

Enclosed are the analytical results for sample(s) received by the laboratory on October 25, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Olivia Deck
olivia.deck@pacelabs.com
(317)228-3102
Project Manager

Enclosures

cc: Ms. Sarah Fisher, Arcadis U.S., Inc.
Jason Moore, Arcadis U.S., Inc.
Severin Presswood, Arcadis
Felicitas Schneider, Arcadis U.S., Inc.
Emma TerBeek, Arcadis U.S., Inc.
Riley White, Arcadis
Terrence Wilson, Arcadis U.S., Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268

Illinois Accreditation #: 200074

Indiana Drinking Water Laboratory #: C-49-06

Kansas/TNI Certification #: E-10177

Kentucky UST Agency Interest #: 80226

Kentucky WW Laboratory ID #: 98019

Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065

Oklahoma Laboratory #: 9204

Texas Certification #: T104704355

Wisconsin Laboratory #: 999788130

USDA Soil Permit #: P330-19-00257

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50329216001	TRIP BLANK	Water	10/24/22 08:00	10/25/22 15:10
50329216002	MW-0618-S1 (102422)	Water	10/24/22 10:00	10/25/22 15:10
50329216003	MW-0613-S1 (102422)	Water	10/24/22 10:20	10/25/22 15:10
50329216004	MW-0607-S1 (102422)	Water	10/24/22 10:40	10/25/22 15:10
50329216005	MW-0607-S2 (102422)	Water	10/24/22 10:50	10/25/22 15:10
50329216006	MW-0609-S1 (102422)	Water	10/24/22 11:15	10/25/22 15:10
50329216007	MW-0609-S2 (102422)	Water	10/24/22 11:30	10/25/22 15:10
50329216008	EB-02 (102422)-RJW	Water	10/24/22 10:30	10/25/22 15:10
50329216009	MW-0610-S1 (102422)	Water	10/24/22 11:50	10/25/22 15:10
50329216010	MW-0704-S1 (102422)	Water	10/24/22 12:15	10/25/22 15:10
50329216011	MW-0606-S1 (102422)	Water	10/24/22 12:30	10/25/22 15:10
50329216012	MW-0606-S2 (102422)	Water	10/24/22 12:45	10/25/22 15:10
50329216013	MW-0612-S1 (102422)	Water	10/24/22 13:00	10/25/22 15:10
50329216014	MW-0612-S2 (102422)	Water	10/24/22 13:15	10/25/22 15:10
50329216015	MW-0705-S1 (102422)	Water	10/24/22 13:30	10/25/22 15:10
50329216016	MW-0608-S1 (102422)	Water	10/24/22 13:45	10/25/22 15:10
50329216017	MW-0608-S2 (102422)	Water	10/24/22 14:00	10/25/22 15:10
50329216018	MW-0602-S1 (102422)	Water	10/24/22 14:10	10/25/22 15:10
50329216019	MW-0611-S1-R (102422)	Water	10/24/22 14:30	10/25/22 15:10
50329216020	MW-0516-S1 (102422)	Water	10/24/22 14:40	10/25/22 15:10
50329216021	MW-0516-S2 (102422)	Water	10/24/22 15:00	10/25/22 15:10
50329216022	DUP-05 (102422)-RJW	Water	10/24/22 08:00	10/25/22 15:10
50329216023	DUP-03 (102422)-RJW	Water	10/24/22 08:00	10/25/22 15:10
50329216024	DUP-04 (102422)-RJW	Water	10/24/22 08:00	10/25/22 15:10
50329216025	MW-0503-S2 (102422)	Water	10/24/22 15:30	10/25/22 15:10
50329216026	MW-0617-S1 (102422)	Water	10/24/22 15:45	10/25/22 15:10
50329216027	MW-0617-S2 (102422)	Water	10/24/22 16:00	10/25/22 15:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50329216001	TRIP BLANK	EPA 8260	BES	51	PASI-I
50329216002	MW-0618-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216003	MW-0613-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216004	MW-0607-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216005	MW-0607-S2 (102422)	EPA 8260	BES	51	PASI-I
50329216006	MW-0609-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216007	MW-0609-S2 (102422)	EPA 8260	BES	51	PASI-I
50329216008	EB-02 (102422)-RJW	EPA 8260	BES	51	PASI-I
50329216009	MW-0610-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216010	MW-0704-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216011	MW-0606-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216012	MW-0606-S2 (102422)	EPA 8260	BES	51	PASI-I
50329216013	MW-0612-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216014	MW-0612-S2 (102422)	EPA 8260	BES	51	PASI-I
50329216015	MW-0705-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216016	MW-0608-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216017	MW-0608-S2 (102422)	EPA 8260	BES	51	PASI-I
50329216018	MW-0602-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216019	MW-0611-S1-R (102422)	EPA 8260	BES	51	PASI-I
50329216020	MW-0516-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216021	MW-0516-S2 (102422)	EPA 8260	BES	51	PASI-I
50329216022	DUP-05 (102422)-RJW	EPA 8260	BES	51	PASI-I
50329216023	DUP-03 (102422)-RJW	EPA 8260	BES	51	PASI-I
50329216024	DUP-04 (102422)-RJW	EPA 8260	BES	51	PASI-I
50329216025	MW-0503-S2 (102422)	EPA 8260	BES	51	PASI-I
50329216026	MW-0617-S1 (102422)	EPA 8260	BES	51	PASI-I
50329216027	MW-0617-S2 (102422)	EPA 8260	BES	51	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50329216002	MW-0618-S1 (102422)					
EPA 8260	cis-1,2-Dichloroethene	0.59J	ug/L	5.0	10/31/22 12:56	
EPA 8260	trans-1,2-Dichloroethene	0.42J	ug/L	5.0	10/31/22 12:56	
50329216004	MW-0607-S1 (102422)					
EPA 8260	Acetone	44.7J	ug/L	100	10/31/22 13:42	
50329216005	MW-0607-S2 (102422)					
EPA 8260	Acetone	32.6J	ug/L	100	10/31/22 14:04	
EPA 8260	Vinyl chloride	0.41J	ug/L	2.0	10/31/22 14:04	
50329216006	MW-0609-S1 (102422)					
EPA 8260	Acetone	37.2J	ug/L	100	10/31/22 14:27	
EPA 8260	Carbon disulfide	1.1J	ug/L	10.0	10/31/22 14:27	
EPA 8260	cis-1,2-Dichloroethene	1.7J	ug/L	5.0	10/31/22 14:27	
EPA 8260	Toluene	0.32J	ug/L	5.0	10/31/22 14:27	
EPA 8260	Vinyl chloride	1.3J	ug/L	2.0	10/31/22 14:27	
50329216007	MW-0609-S2 (102422)					
EPA 8260	Acetone	70.5J	ug/L	100	10/31/22 14:50	
EPA 8260	cis-1,2-Dichloroethene	16.8	ug/L	5.0	10/31/22 14:50	
EPA 8260	trans-1,2-Dichloroethene	1.7J	ug/L	5.0	10/31/22 14:50	
EPA 8260	Vinyl chloride	0.43J	ug/L	2.0	10/31/22 14:50	
50329216009	MW-0610-S1 (102422)					
EPA 8260	Acetone	39.4J	ug/L	100	10/31/22 15:36	
EPA 8260	Carbon disulfide	1.3J	ug/L	10.0	10/31/22 15:36	
EPA 8260	cis-1,2-Dichloroethene	1.2J	ug/L	5.0	10/31/22 15:36	
50329216010	MW-0704-S1 (102422)					
EPA 8260	1,1-Dichloroethene	2.8J	ug/L	5.0	11/01/22 06:46	
EPA 8260	cis-1,2-Dichloroethene	1040	ug/L	50.0	10/31/22 22:49	
EPA 8260	trans-1,2-Dichloroethene	88.1	ug/L	5.0	11/01/22 06:46	
EPA 8260	Trichloroethene	2040	ug/L	50.0	10/31/22 22:49	
EPA 8260	Vinyl chloride	2.5	ug/L	2.0	11/01/22 06:46	
50329216011	MW-0606-S1 (102422)					
EPA 8260	1,1-Dichloroethene	3.3J	ug/L	5.0	11/01/22 07:09	
EPA 8260	cis-1,2-Dichloroethene	1210	ug/L	50.0	10/31/22 23:12	
EPA 8260	trans-1,2-Dichloroethene	138	ug/L	5.0	11/01/22 07:09	
EPA 8260	Toluene	0.30J	ug/L	5.0	11/01/22 07:09	
EPA 8260	Trichloroethene	2770	ug/L	50.0	10/31/22 23:12	
EPA 8260	Vinyl chloride	1.6J	ug/L	2.0	11/01/22 07:09	
50329216012	MW-0606-S2 (102422)					
EPA 8260	1,1-Dichloroethene	0.71J	ug/L	5.0	10/31/22 23:34	
EPA 8260	cis-1,2-Dichloroethene	396	ug/L	50.0	11/01/22 12:17	
EPA 8260	trans-1,2-Dichloroethene	70.4	ug/L	5.0	10/31/22 23:34	
EPA 8260	Trichloroethene	322	ug/L	50.0	11/01/22 12:17	
EPA 8260	Vinyl chloride	1.3J	ug/L	2.0	10/31/22 23:34	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50329216013	MW-0612-S1 (102422)					
EPA 8260	cis-1,2-Dichloroethene	435	ug/L	25.0	11/01/22 06:23	
EPA 8260	trans-1,2-Dichloroethene	50.4	ug/L	25.0	11/01/22 06:23	
EPA 8260	1,2,4-Trichlorobenzene	2.0J	ug/L	25.0	11/01/22 06:23	
EPA 8260	Trichloroethene	3230	ug/L	250	10/31/22 23:57	
EPA 8260	Vinyl chloride	31.9	ug/L	10.0	11/01/22 06:23	
50329216014	MW-0612-S2 (102422)					
EPA 8260	Acetone	32.7J	ug/L	100	11/01/22 13:25	
EPA 8260	cis-1,2-Dichloroethene	154	ug/L	5.0	11/01/22 13:25	
EPA 8260	trans-1,2-Dichloroethene	7.8	ug/L	5.0	11/01/22 13:25	
EPA 8260	Toluene	0.32J	ug/L	5.0	11/01/22 13:25	
EPA 8260	Trichloroethene	11.4	ug/L	5.0	11/01/22 13:25	
EPA 8260	Vinyl chloride	1.0J	ug/L	2.0	11/01/22 13:25	
50329216015	MW-0705-S1 (102422)					
EPA 8260	cis-1,2-Dichloroethene	73.9	ug/L	5.0	11/01/22 00:43	
EPA 8260	trans-1,2-Dichloroethene	7.3	ug/L	5.0	11/01/22 00:43	
EPA 8260	Trichloroethene	61.0	ug/L	5.0	11/01/22 00:43	
EPA 8260	Vinyl chloride	4.6	ug/L	2.0	11/01/22 00:43	
50329216016	MW-0608-S1 (102422)					
EPA 8260	Acetone	55.8J	ug/L	100	11/01/22 07:54	
EPA 8260	1,1-Dichloroethene	1.4J	ug/L	5.0	11/01/22 07:54	
EPA 8260	cis-1,2-Dichloroethene	409	ug/L	50.0	11/01/22 01:05	
EPA 8260	trans-1,2-Dichloroethene	53.3	ug/L	5.0	11/01/22 07:54	
EPA 8260	Trichloroethene	0.61J	ug/L	5.0	11/01/22 07:54	
EPA 8260	Vinyl chloride	4.7	ug/L	2.0	11/01/22 07:54	
50329216017	MW-0608-S2 (102422)					
EPA 8260	Acetone	38.0J	ug/L	100	11/01/22 08:17	
EPA 8260	1,1-Dichloroethane	0.96J	ug/L	5.0	11/01/22 08:17	
EPA 8260	1,1-Dichloroethene	0.74J	ug/L	5.0	11/01/22 08:17	
EPA 8260	cis-1,2-Dichloroethene	283	ug/L	50.0	11/01/22 01:28	
EPA 8260	trans-1,2-Dichloroethene	32.9	ug/L	5.0	11/01/22 08:17	
EPA 8260	Trichloroethene	0.89J	ug/L	5.0	11/01/22 08:17	
EPA 8260	Vinyl chloride	1.6J	ug/L	2.0	11/01/22 08:17	
50329216019	MW-0611-S1-R (102422)					
EPA 8260	Benzene	1.0J	ug/L	5.0	11/01/22 02:13	
50329216020	MW-0516-S1 (102422)					
EPA 8260	Acetone	19.9J	ug/L	100	11/01/22 02:36	
50329216021	MW-0516-S2 (102422)					
EPA 8260	Acetone	45.6J	ug/L	100	11/01/22 02:59	
50329216022	DUP-05 (102422)-RJW					
EPA 8260	Acetone	21.8J	ug/L	100	11/01/22 08:40	
EPA 8260	1,1-Dichloroethene	0.69J	ug/L	5.0	11/01/22 08:40	
EPA 8260	cis-1,2-Dichloroethene	441	ug/L	50.0	11/01/22 03:22	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50329216022	DUP-05 (102422)-RJW					
EPA 8260	trans-1,2-Dichloroethene	48.9	ug/L	5.0	11/01/22 08:40	
EPA 8260	Trichloroethene	3200	ug/L	500	11/01/22 12:40	
EPA 8260	Vinyl chloride	30.3	ug/L	2.0	11/01/22 08:40	
50329216023	DUP-03 (102422)-RJW					
EPA 8260	1,1-Dichloroethene	3.6J	ug/L	5.0	11/01/22 09:03	
EPA 8260	cis-1,2-Dichloroethene	1220	ug/L	50.0	11/01/22 03:45	
EPA 8260	trans-1,2-Dichloroethene	140	ug/L	5.0	11/01/22 09:03	
EPA 8260	Toluene	0.31J	ug/L	5.0	11/01/22 09:03	
EPA 8260	Trichloroethene	2820	ug/L	50.0	11/01/22 03:45	
EPA 8260	Vinyl chloride	1.7J	ug/L	2.0	11/01/22 09:03	
50329216024	DUP-04 (102422)-RJW					
EPA 8260	1,1-Dichloroethene	0.74J	ug/L	5.0	11/01/22 04:07	
EPA 8260	cis-1,2-Dichloroethene	396	ug/L	50.0	11/01/22 13:03	
EPA 8260	trans-1,2-Dichloroethene	71.0	ug/L	5.0	11/01/22 04:07	
EPA 8260	Trichloroethene	318	ug/L	50.0	11/01/22 13:03	
EPA 8260	Vinyl chloride	1.2J	ug/L	2.0	11/01/22 04:07	
50329216025	MW-0503-S2 (102422)					
EPA 8260	Acetone	59.8J	ug/L	100	11/01/22 04:30	
EPA 8260	1,1-Dichloroethane	7.2	ug/L	5.0	11/01/22 04:30	
EPA 8260	cis-1,2-Dichloroethene	52.6	ug/L	5.0	11/01/22 04:30	
EPA 8260	trans-1,2-Dichloroethene	2.2J	ug/L	5.0	11/01/22 04:30	
EPA 8260	Trichloroethene	0.43J	ug/L	5.0	11/01/22 04:30	
50329216026	MW-0617-S1 (102422)					
EPA 8260	Acetone	44.2J	ug/L	100	11/01/22 04:53	
50329216027	MW-0617-S2 (102422)					
EPA 8260	Acetone	26.4J	ug/L	100	11/01/22 05:15	
EPA 8260	cis-1,2-Dichloroethene	7.7	ug/L	5.0	11/01/22 05:15	
EPA 8260	Toluene	0.34J	ug/L	5.0	11/01/22 05:15	
EPA 8260	Vinyl chloride	9.2	ug/L	2.0	11/01/22 05:15	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: TRIP BLANK		Lab ID: 50329216001	Collected: 10/24/22 08:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		10/31/22 12:33	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 12:33	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 12:33	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 12:33	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 12:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 12:33	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 12:33	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 12:33	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 12:33	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 12:33	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 12:33	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 12:33	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 12:33	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 12:33	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 12:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 12:33	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:33	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 12:33	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 12:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 12:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 12:33	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 12:33	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 12:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 12:33	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 12:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 12:33	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 12:33	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 12:33	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 12:33	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 12:33	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 12:33	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 12:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 12:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 12:33	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 12:33	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 12:33	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 12:33	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 12:33	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:33	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 12:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 12:33	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 12:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 12:33	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 12:33	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: TRIP BLANK		Lab ID: 50329216001		Collected: 10/24/22 08:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		10/31/22 12:33	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 12:33	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	82-128	1		10/31/22 12:33	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	79-124	1		10/31/22 12:33	460-00-4	
Toluene-d8 (S)		102	%.	73-122	1		10/31/22 12:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0618-S1 (102422)		Lab ID: 50329216002	Collected: 10/24/22 10:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		10/31/22 12:56	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 12:56	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 12:56	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 12:56	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 12:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 12:56	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 12:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 12:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 12:56	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 12:56	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 12:56	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 12:56	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 12:56	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 12:56	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 12:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 12:56	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:56	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 12:56	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 12:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 12:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 12:56	75-35-4	
cis-1,2-Dichloroethene	0.59J	ug/L	5.0	1		10/31/22 12:56	156-59-2	
trans-1,2-Dichloroethene	0.42J	ug/L	5.0	1		10/31/22 12:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 12:56	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 12:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 12:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 12:56	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 12:56	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 12:56	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 12:56	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 12:56	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 12:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 12:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 12:56	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 12:56	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 12:56	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 12:56	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 12:56	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:56	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 12:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 12:56	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 12:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 12:56	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 12:56	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0618-S1 (102422)		Lab ID: 50329216002		Collected: 10/24/22 10:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		10/31/22 12:56	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 12:56	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	82-128	1		10/31/22 12:56	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	79-124	1		10/31/22 12:56	460-00-4	
Toluene-d8 (S)		100	%.	73-122	1		10/31/22 12:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0613-S1 (102422)		Lab ID: 50329216003		Collected: 10/24/22 10:20		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			10/31/22 13:19	67-64-1	
Benzene	ND	ug/L	5.0	1			10/31/22 13:19	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			10/31/22 13:19	75-27-4	
Bromoform	ND	ug/L	5.0	1			10/31/22 13:19	75-25-2	
Bromomethane	ND	ug/L	5.0	1			10/31/22 13:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			10/31/22 13:19	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			10/31/22 13:19	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			10/31/22 13:19	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			10/31/22 13:19	108-90-7	
Chloroethane	ND	ug/L	5.0	1			10/31/22 13:19	75-00-3	
Chloroform	ND	ug/L	5.0	1			10/31/22 13:19	67-66-3	
Chloromethane	ND	ug/L	5.0	1			10/31/22 13:19	74-87-3	
Cyclohexane	ND	ug/L	100	1			10/31/22 13:19	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			10/31/22 13:19	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			10/31/22 13:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			10/31/22 13:19	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			10/31/22 13:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			10/31/22 13:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			10/31/22 13:19	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			10/31/22 13:19	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			10/31/22 13:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			10/31/22 13:19	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			10/31/22 13:19	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			10/31/22 13:19	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			10/31/22 13:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			10/31/22 13:19	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			10/31/22 13:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			10/31/22 13:19	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			10/31/22 13:19	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			10/31/22 13:19	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			10/31/22 13:19	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			10/31/22 13:19	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1			10/31/22 13:19	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1			10/31/22 13:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			10/31/22 13:19	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			10/31/22 13:19	1634-04-4	
Styrene	ND	ug/L	5.0	1			10/31/22 13:19	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			10/31/22 13:19	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			10/31/22 13:19	127-18-4	
Toluene	ND	ug/L	5.0	1			10/31/22 13:19	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			10/31/22 13:19	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			10/31/22 13:19	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			10/31/22 13:19	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			10/31/22 13:19	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			10/31/22 13:19	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			10/31/22 13:19	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0613-S1 (102422)		Lab ID: 50329216003		Collected: 10/24/22 10:20		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		10/31/22 13:19	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 13:19	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	82-128	1		10/31/22 13:19	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	79-124	1		10/31/22 13:19	460-00-4	
Toluene-d8 (S)		100	%.	73-122	1		10/31/22 13:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0607-S1 (102422)		Lab ID: 50329216004	Collected: 10/24/22 10:40	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	44.7J	ug/L	100	1		10/31/22 13:42	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 13:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 13:42	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 13:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 13:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 13:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 13:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 13:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 13:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 13:42	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 13:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 13:42	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 13:42	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 13:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 13:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 13:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 13:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 13:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 13:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 13:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 13:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 13:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 13:42	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 13:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 13:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 13:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 13:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 13:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 13:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 13:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 13:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 13:42	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 13:42	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 13:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 13:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 13:42	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 13:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 13:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 13:42	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 13:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 13:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 13:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 13:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 13:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 13:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 13:42	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0607-S1 (102422)		Lab ID: 50329216004		Collected: 10/24/22 10:40		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		10/31/22 13:42	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 13:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		10/31/22 13:42	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	79-124	1		10/31/22 13:42	460-00-4	
Toluene-d8 (S)		98	%.	73-122	1		10/31/22 13:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0607-S2 (102422)		Lab ID: 50329216005	Collected: 10/24/22 10:50	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	32.6J	ug/L	100	1		10/31/22 14:04	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 14:04	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 14:04	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 14:04	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 14:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 14:04	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 14:04	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 14:04	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 14:04	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 14:04	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 14:04	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 14:04	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 14:04	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 14:04	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 14:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 14:04	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:04	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 14:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 14:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 14:04	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 14:04	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 14:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 14:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 14:04	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 14:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 14:04	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 14:04	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 14:04	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 14:04	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 14:04	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 14:04	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 14:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 14:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 14:04	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 14:04	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 14:04	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 14:04	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 14:04	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:04	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 14:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 14:04	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 14:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 14:04	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 14:04	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0607-S2 (102422)		Lab ID: 50329216005		Collected: 10/24/22 10:50		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		0.41J	ug/L	2.0	1		10/31/22 14:04	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 14:04	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	82-128	1		10/31/22 14:04	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	79-124	1		10/31/22 14:04	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		10/31/22 14:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0609-S1 (102422)		Lab ID: 50329216006	Collected: 10/24/22 11:15	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	37.2J	ug/L	100	1		10/31/22 14:27	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 14:27	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 14:27	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 14:27	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 14:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 14:27	78-93-3	
Carbon disulfide	1.1J	ug/L	10.0	1		10/31/22 14:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 14:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 14:27	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 14:27	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 14:27	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 14:27	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 14:27	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 14:27	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 14:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 14:27	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:27	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 14:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 14:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 14:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 14:27	75-35-4	
cis-1,2-Dichloroethene	1.7J	ug/L	5.0	1		10/31/22 14:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 14:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 14:27	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 14:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 14:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 14:27	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 14:27	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 14:27	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 14:27	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 14:27	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 14:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 14:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 14:27	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 14:27	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 14:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 14:27	127-18-4	
Toluene	0.32J	ug/L	5.0	1		10/31/22 14:27	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 14:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 14:27	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 14:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 14:27	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 14:27	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0609-S1 (102422)		Lab ID: 50329216006		Collected: 10/24/22 11:15		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		1.3J	ug/L	2.0	1		10/31/22 14:27	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 14:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	82-128	1		10/31/22 14:27	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	79-124	1		10/31/22 14:27	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		10/31/22 14:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0609-S2 (102422)		Lab ID: 50329216007	Collected: 10/24/22 11:30	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	70.5J	ug/L	100	1		10/31/22 14:50	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 14:50	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 14:50	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 14:50	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 14:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 14:50	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 14:50	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 14:50	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 14:50	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 14:50	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 14:50	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 14:50	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 14:50	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 14:50	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 14:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 14:50	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:50	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 14:50	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 14:50	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 14:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 14:50	75-35-4	
cis-1,2-Dichloroethene	16.8	ug/L	5.0	1		10/31/22 14:50	156-59-2	
trans-1,2-Dichloroethene	1.7J	ug/L	5.0	1		10/31/22 14:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 14:50	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 14:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 14:50	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 14:50	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 14:50	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 14:50	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 14:50	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 14:50	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 14:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 14:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 14:50	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 14:50	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 14:50	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 14:50	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 14:50	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 14:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 14:50	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 14:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 14:50	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 14:50	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0609-S2 (102422)		Lab ID: 50329216007		Collected: 10/24/22 11:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		0.43J	ug/L	2.0	1		10/31/22 14:50	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 14:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		10/31/22 14:50	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	79-124	1		10/31/22 14:50	460-00-4	
Toluene-d8 (S)		97	%.	73-122	1		10/31/22 14:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: EB-02 (102422)-RJW		Lab ID: 50329216008		Collected: 10/24/22 10:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1		10/31/22 15:13	67-64-1		
Benzene	ND	ug/L	5.0	1		10/31/22 15:13	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 15:13	75-27-4		
Bromoform	ND	ug/L	5.0	1		10/31/22 15:13	75-25-2		
Bromomethane	ND	ug/L	5.0	1		10/31/22 15:13	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 15:13	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 15:13	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 15:13	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 15:13	108-90-7		
Chloroethane	ND	ug/L	5.0	1		10/31/22 15:13	75-00-3		
Chloroform	ND	ug/L	5.0	1		10/31/22 15:13	67-66-3		
Chloromethane	ND	ug/L	5.0	1		10/31/22 15:13	74-87-3		
Cyclohexane	ND	ug/L	100	1		10/31/22 15:13	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 15:13	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 15:13	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 15:13	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 15:13	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 15:13	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 15:13	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 15:13	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 15:13	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 15:13	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 15:13	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 15:13	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 15:13	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 15:13	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 15:13	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 15:13	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 15:13	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		10/31/22 15:13	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 15:13	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		10/31/22 15:13	79-20-9		
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 15:13	108-87-2		
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 15:13	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 15:13	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 15:13	1634-04-4		
Styrene	ND	ug/L	5.0	1		10/31/22 15:13	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 15:13	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 15:13	127-18-4		
Toluene	ND	ug/L	5.0	1		10/31/22 15:13	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 15:13	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 15:13	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 15:13	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		10/31/22 15:13	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 15:13	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 15:13	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: EB-02 (102422)-RJW		Lab ID: 50329216008		Collected: 10/24/22 10:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		10/31/22 15:13	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		10/31/22 15:13	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	106	%.	82-128	1		10/31/22 15:13	1868-53-7		
4-Bromofluorobenzene (S)	101	%.	79-124	1		10/31/22 15:13	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		10/31/22 15:13	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0610-S1 (102422)		Lab ID: 50329216009	Collected: 10/24/22 11:50	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	39.4J	ug/L	100	1		10/31/22 15:36	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 15:36	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 15:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 15:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 15:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 15:36	78-93-3	
Carbon disulfide	1.3J	ug/L	10.0	1		10/31/22 15:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 15:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 15:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 15:36	75-00-3	M1
Chloroform	ND	ug/L	5.0	1		10/31/22 15:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 15:36	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 15:36	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 15:36	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 15:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 15:36	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 15:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 15:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 15:36	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 15:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 15:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 15:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 15:36	75-35-4	
cis-1,2-Dichloroethene	1.2J	ug/L	5.0	1		10/31/22 15:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 15:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 15:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 15:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 15:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 15:36	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 15:36	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 15:36	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 15:36	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 15:36	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 15:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 15:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 15:36	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 15:36	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 15:36	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 15:36	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 15:36	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 15:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 15:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 15:36	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 15:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 15:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 15:36	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0610-S1 (102422)		Lab ID: 50329216009		Collected: 10/24/22 11:50		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		10/31/22 15:36	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 15:36	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		10/31/22 15:36	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	79-124	1		10/31/22 15:36	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		10/31/22 15:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0704-S1 (102422)		Lab ID: 50329216010	Collected: 10/24/22 12:15	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		11/01/22 06:46	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 06:46	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 06:46	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 06:46	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 06:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 06:46	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 06:46	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 06:46	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 06:46	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 06:46	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 06:46	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 06:46	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 06:46	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 06:46	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 06:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 06:46	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:46	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 06:46	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 06:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 06:46	107-06-2	
1,1-Dichloroethene	2.8J	ug/L	5.0	1		11/01/22 06:46	75-35-4	
cis-1,2-Dichloroethene	1040	ug/L	50.0	10		10/31/22 22:49	156-59-2	
trans-1,2-Dichloroethene	88.1	ug/L	5.0	1		11/01/22 06:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 06:46	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 06:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 06:46	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 06:46	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 06:46	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 06:46	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 06:46	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 06:46	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 06:46	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 06:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 06:46	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 06:46	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 06:46	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 06:46	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 06:46	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:46	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 06:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 06:46	79-00-5	
Trichloroethene	2040	ug/L	50.0	10		10/31/22 22:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 06:46	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 06:46	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0704-S1 (102422)		Lab ID: 50329216010		Collected: 10/24/22 12:15		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	2.5	ug/L	2.0	1		11/01/22 06:46	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 06:46	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/01/22 06:46	1868-53-7		
4-Bromofluorobenzene (S)	100	%.	79-124	1		11/01/22 06:46	460-00-4		
Toluene-d8 (S)	101	%.	73-122	1		11/01/22 06:46	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0606-S1 (102422)		Lab ID: 50329216011	Collected: 10/24/22 12:30	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		11/01/22 07:09	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 07:09	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 07:09	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 07:09	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 07:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 07:09	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 07:09	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 07:09	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 07:09	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 07:09	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 07:09	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 07:09	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 07:09	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 07:09	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 07:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 07:09	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:09	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 07:09	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:09	107-06-2	
1,1-Dichloroethene	3.3J	ug/L	5.0	1		11/01/22 07:09	75-35-4	
cis-1,2-Dichloroethene	1210	ug/L	50.0	10		10/31/22 23:12	156-59-2	
trans-1,2-Dichloroethene	138	ug/L	5.0	1		11/01/22 07:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 07:09	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:09	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 07:09	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 07:09	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 07:09	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 07:09	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 07:09	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 07:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 07:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 07:09	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 07:09	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 07:09	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 07:09	127-18-4	
Toluene	0.30J	ug/L	5.0	1		11/01/22 07:09	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:09	79-00-5	
Trichloroethene	2770	ug/L	50.0	10		10/31/22 23:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 07:09	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 07:09	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0606-S1 (102422)		Lab ID: 50329216011		Collected: 10/24/22 12:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		1.6J	ug/L	2.0	1		11/01/22 07:09	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 07:09	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	82-128	1		11/01/22 07:09	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	79-124	1		11/01/22 07:09	460-00-4	
Toluene-d8 (S)		102	%.	73-122	1		11/01/22 07:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0606-S2 (102422)		Lab ID: 50329216012	Collected: 10/24/22 12:45	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		10/31/22 23:34	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 23:34	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 23:34	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 23:34	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 23:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 23:34	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 23:34	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 23:34	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 23:34	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 23:34	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 23:34	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 23:34	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 23:34	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 23:34	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 23:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 23:34	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:34	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 23:34	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 23:34	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 23:34	107-06-2	
1,1-Dichloroethene	0.713	ug/L	5.0	1		10/31/22 23:34	75-35-4	
cis-1,2-Dichloroethene	396	ug/L	50.0	10		11/01/22 12:17	156-59-2	
trans-1,2-Dichloroethene	70.4	ug/L	5.0	1		10/31/22 23:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 23:34	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 23:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 23:34	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 23:34	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 23:34	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 23:34	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 23:34	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 23:34	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 23:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 23:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 23:34	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 23:34	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 23:34	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 23:34	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 23:34	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:34	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 23:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 23:34	79-00-5	
Trichloroethene	322	ug/L	50.0	10		11/01/22 12:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 23:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 23:34	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0606-S2 (102422)		Lab ID: 50329216012		Collected: 10/24/22 12:45		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		1.3J	ug/L	2.0	1		10/31/22 23:34	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 23:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		10/31/22 23:34	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	79-124	1		10/31/22 23:34	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		10/31/22 23:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0612-S1 (102422)		Lab ID: 50329216013		Collected: 10/24/22 13:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	500	5			11/01/22 06:23	67-64-1	
Benzene	ND	ug/L	25.0	5			11/01/22 06:23	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			11/01/22 06:23	75-27-4	
Bromoform	ND	ug/L	25.0	5			11/01/22 06:23	75-25-2	
Bromomethane	ND	ug/L	25.0	5			11/01/22 06:23	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			11/01/22 06:23	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			11/01/22 06:23	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			11/01/22 06:23	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			11/01/22 06:23	108-90-7	
Chloroethane	ND	ug/L	25.0	5			11/01/22 06:23	75-00-3	
Chloroform	ND	ug/L	25.0	5			11/01/22 06:23	67-66-3	
Chloromethane	ND	ug/L	25.0	5			11/01/22 06:23	74-87-3	
Cyclohexane	ND	ug/L	500	5			11/01/22 06:23	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			11/01/22 06:23	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			11/01/22 06:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			11/01/22 06:23	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			11/01/22 06:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			11/01/22 06:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			11/01/22 06:23	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			11/01/22 06:23	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			11/01/22 06:23	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			11/01/22 06:23	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			11/01/22 06:23	75-35-4	
cis-1,2-Dichloroethene	435	ug/L	25.0	5			11/01/22 06:23	156-59-2	
trans-1,2-Dichloroethene	50.4	ug/L	25.0	5			11/01/22 06:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			11/01/22 06:23	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			11/01/22 06:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			11/01/22 06:23	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			11/01/22 06:23	100-41-4	
2-Hexanone	ND	ug/L	125	5			11/01/22 06:23	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			11/01/22 06:23	98-82-8	
Methyl acetate	ND	ug/L	250	5			11/01/22 06:23	79-20-9	
Methylcyclohexane	ND	ug/L	250	5			11/01/22 06:23	108-87-2	
Methylene Chloride	ND	ug/L	25.0	5			11/01/22 06:23	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			11/01/22 06:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			11/01/22 06:23	1634-04-4	
Styrene	ND	ug/L	25.0	5			11/01/22 06:23	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			11/01/22 06:23	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			11/01/22 06:23	127-18-4	
Toluene	ND	ug/L	25.0	5			11/01/22 06:23	108-88-3	
1,2,4-Trichlorobenzene	2.0J	ug/L	25.0	5			11/01/22 06:23	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			11/01/22 06:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			11/01/22 06:23	79-00-5	
Trichloroethene	3230	ug/L	250	50			10/31/22 23:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			11/01/22 06:23	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			11/01/22 06:23	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0612-S1 (102422)		Lab ID: 50329216013		Collected: 10/24/22 13:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		31.9	ug/L	10.0	5		11/01/22 06:23	75-01-4	
Xylene (Total)		ND	ug/L	50.0	5		11/01/22 06:23	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	82-128	5		11/01/22 06:23	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	79-124	5		11/01/22 06:23	460-00-4	
Toluene-d8 (S)		100	%.	73-122	5		11/01/22 06:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0612-S2 (102422)		Lab ID: 50329216014	Collected: 10/24/22 13:15	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	32.7J	ug/L	100	1		11/01/22 13:25	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 13:25	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 13:25	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 13:25	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 13:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 13:25	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 13:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 13:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 13:25	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 13:25	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 13:25	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 13:25	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 13:25	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 13:25	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 13:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 13:25	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 13:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 13:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 13:25	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 13:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 13:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 13:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 13:25	75-35-4	
cis-1,2-Dichloroethene	154	ug/L	5.0	1		11/01/22 13:25	156-59-2	
trans-1,2-Dichloroethene	7.8	ug/L	5.0	1		11/01/22 13:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 13:25	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 13:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 13:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 13:25	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 13:25	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 13:25	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 13:25	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 13:25	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 13:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 13:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 13:25	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 13:25	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 13:25	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 13:25	127-18-4	
Toluene	0.32J	ug/L	5.0	1		11/01/22 13:25	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 13:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 13:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 13:25	79-00-5	
Trichloroethene	11.4	ug/L	5.0	1		11/01/22 13:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 13:25	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 13:25	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0612-S2 (102422)		Lab ID: 50329216014		Collected: 10/24/22 13:15		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		1.0J	ug/L	2.0	1		11/01/22 13:25	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 13:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	82-128	1		11/01/22 13:25	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	79-124	1		11/01/22 13:25	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 13:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0705-S1 (102422)		Lab ID: 50329216015	Collected: 10/24/22 13:30	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		11/01/22 00:43	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 00:43	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 00:43	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 00:43	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 00:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 00:43	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 00:43	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 00:43	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 00:43	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 00:43	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 00:43	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 00:43	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 00:43	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 00:43	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 00:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 00:43	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:43	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 00:43	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 00:43	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 00:43	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 00:43	75-35-4	
cis-1,2-Dichloroethene	73.9	ug/L	5.0	1		11/01/22 00:43	156-59-2	
trans-1,2-Dichloroethene	7.3	ug/L	5.0	1		11/01/22 00:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 00:43	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 00:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 00:43	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 00:43	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 00:43	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 00:43	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 00:43	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 00:43	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 00:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 00:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 00:43	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 00:43	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 00:43	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 00:43	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 00:43	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:43	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 00:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 00:43	79-00-5	
Trichloroethene	61.0	ug/L	5.0	1		11/01/22 00:43	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 00:43	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 00:43	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0705-S1 (102422)		Lab ID: 50329216015		Collected: 10/24/22 13:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		4.6	ug/L	2.0	1		11/01/22 00:43	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 00:43	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	82-128	1		11/01/22 00:43	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	79-124	1		11/01/22 00:43	460-00-4	
Toluene-d8 (S)		100	%.	73-122	1		11/01/22 00:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0608-S1 (102422)		Lab ID: 50329216016	Collected: 10/24/22 13:45	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	55.8J	ug/L	100	1		11/01/22 07:54	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 07:54	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 07:54	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 07:54	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 07:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 07:54	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 07:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 07:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 07:54	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 07:54	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 07:54	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 07:54	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 07:54	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 07:54	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 07:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 07:54	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:54	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 07:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:54	107-06-2	
1,1-Dichloroethene	1.4J	ug/L	5.0	1		11/01/22 07:54	75-35-4	
cis-1,2-Dichloroethene	409	ug/L	50.0	10		11/01/22 01:05	156-59-2	
trans-1,2-Dichloroethene	53.3	ug/L	5.0	1		11/01/22 07:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 07:54	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 07:54	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 07:54	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 07:54	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 07:54	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 07:54	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 07:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 07:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 07:54	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 07:54	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 07:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 07:54	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 07:54	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:54	79-00-5	
Trichloroethene	0.61J	ug/L	5.0	1		11/01/22 07:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 07:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 07:54	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0608-S1 (102422)		Lab ID: 50329216016		Collected: 10/24/22 13:45		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		4.7	ug/L	2.0	1		11/01/22 07:54	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 07:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		11/01/22 07:54	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	79-124	1		11/01/22 07:54	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 07:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0608-S2 (102422)		Lab ID: 50329216017	Collected: 10/24/22 14:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	38.0J	ug/L	100	1		11/01/22 08:17	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 08:17	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 08:17	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 08:17	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 08:17	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 08:17	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 08:17	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 08:17	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 08:17	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 08:17	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 08:17	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 08:17	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 08:17	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 08:17	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 08:17	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 08:17	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:17	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:17	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:17	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 08:17	75-71-8	
1,1-Dichloroethane	0.96J	ug/L	5.0	1		11/01/22 08:17	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 08:17	107-06-2	
1,1-Dichloroethene	0.74J	ug/L	5.0	1		11/01/22 08:17	75-35-4	
cis-1,2-Dichloroethene	283	ug/L	50.0	10		11/01/22 01:28	156-59-2	
trans-1,2-Dichloroethene	32.9	ug/L	5.0	1		11/01/22 08:17	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 08:17	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 08:17	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 08:17	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 08:17	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 08:17	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 08:17	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 08:17	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 08:17	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 08:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 08:17	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 08:17	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 08:17	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 08:17	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 08:17	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 08:17	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:17	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 08:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 08:17	79-00-5	
Trichloroethene	0.89J	ug/L	5.0	1		11/01/22 08:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 08:17	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 08:17	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0608-S2 (102422)		Lab ID: 50329216017		Collected: 10/24/22 14:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	1.6J	ug/L	2.0	1		11/01/22 08:17	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 08:17	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	102	%.	82-128	1		11/01/22 08:17	1868-53-7		
4-Bromofluorobenzene (S)	97	%.	79-124	1		11/01/22 08:17	460-00-4		
Toluene-d8 (S)	96	%.	73-122	1		11/01/22 08:17	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0602-S1 (102422)		Lab ID: 50329216018		Collected: 10/24/22 14:10		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			11/01/22 01:51	67-64-1	
Benzene	ND	ug/L	5.0	1			11/01/22 01:51	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			11/01/22 01:51	75-27-4	
Bromoform	ND	ug/L	5.0	1			11/01/22 01:51	75-25-2	
Bromomethane	ND	ug/L	5.0	1			11/01/22 01:51	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			11/01/22 01:51	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			11/01/22 01:51	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			11/01/22 01:51	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			11/01/22 01:51	108-90-7	
Chloroethane	ND	ug/L	5.0	1			11/01/22 01:51	75-00-3	
Chloroform	ND	ug/L	5.0	1			11/01/22 01:51	67-66-3	
Chloromethane	ND	ug/L	5.0	1			11/01/22 01:51	74-87-3	
Cyclohexane	ND	ug/L	100	1			11/01/22 01:51	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			11/01/22 01:51	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			11/01/22 01:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			11/01/22 01:51	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 01:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 01:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 01:51	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			11/01/22 01:51	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			11/01/22 01:51	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			11/01/22 01:51	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			11/01/22 01:51	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			11/01/22 01:51	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			11/01/22 01:51	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			11/01/22 01:51	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			11/01/22 01:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			11/01/22 01:51	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			11/01/22 01:51	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			11/01/22 01:51	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			11/01/22 01:51	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			11/01/22 01:51	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1			11/01/22 01:51	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1			11/01/22 01:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			11/01/22 01:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			11/01/22 01:51	1634-04-4	
Styrene	ND	ug/L	5.0	1			11/01/22 01:51	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			11/01/22 01:51	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			11/01/22 01:51	127-18-4	
Toluene	ND	ug/L	5.0	1			11/01/22 01:51	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			11/01/22 01:51	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			11/01/22 01:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			11/01/22 01:51	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			11/01/22 01:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			11/01/22 01:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			11/01/22 01:51	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0602-S1 (102422)		Lab ID: 50329216018		Collected: 10/24/22 14:10		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 01:51	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 01:51	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	82-128	1		11/01/22 01:51	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	79-124	1		11/01/22 01:51	460-00-4	
Toluene-d8 (S)		98	%.	73-122	1		11/01/22 01:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0611-S1-R (102422)		Lab ID: 50329216019		Collected: 10/24/22 14:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			11/01/22 02:13	67-64-1	
Benzene	1.0J	ug/L	5.0	1			11/01/22 02:13	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			11/01/22 02:13	75-27-4	
Bromoform	ND	ug/L	5.0	1			11/01/22 02:13	75-25-2	
Bromomethane	ND	ug/L	5.0	1			11/01/22 02:13	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			11/01/22 02:13	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			11/01/22 02:13	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			11/01/22 02:13	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			11/01/22 02:13	108-90-7	
Chloroethane	ND	ug/L	5.0	1			11/01/22 02:13	75-00-3	
Chloroform	ND	ug/L	5.0	1			11/01/22 02:13	67-66-3	
Chloromethane	ND	ug/L	5.0	1			11/01/22 02:13	74-87-3	
Cyclohexane	ND	ug/L	100	1			11/01/22 02:13	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			11/01/22 02:13	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			11/01/22 02:13	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			11/01/22 02:13	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 02:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 02:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 02:13	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			11/01/22 02:13	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			11/01/22 02:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			11/01/22 02:13	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			11/01/22 02:13	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			11/01/22 02:13	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			11/01/22 02:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			11/01/22 02:13	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			11/01/22 02:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			11/01/22 02:13	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			11/01/22 02:13	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			11/01/22 02:13	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			11/01/22 02:13	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			11/01/22 02:13	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1			11/01/22 02:13	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1			11/01/22 02:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			11/01/22 02:13	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			11/01/22 02:13	1634-04-4	
Styrene	ND	ug/L	5.0	1			11/01/22 02:13	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			11/01/22 02:13	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			11/01/22 02:13	127-18-4	
Toluene	ND	ug/L	5.0	1			11/01/22 02:13	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			11/01/22 02:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			11/01/22 02:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			11/01/22 02:13	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			11/01/22 02:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			11/01/22 02:13	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			11/01/22 02:13	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0611-S1-R (102422)		Lab ID: 50329216019		Collected: 10/24/22 14:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 02:13	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 02:13	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/01/22 02:13	1868-53-7		
4-Bromofluorobenzene (S)	101	%.	79-124	1		11/01/22 02:13	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/01/22 02:13	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0516-S1 (102422)		Lab ID: 50329216020	Collected: 10/24/22 14:40	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	19.9J	ug/L	100	1		11/01/22 02:36	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 02:36	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 02:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 02:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 02:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 02:36	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 02:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 02:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 02:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 02:36	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 02:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 02:36	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 02:36	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 02:36	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 02:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 02:36	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:36	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 02:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 02:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 02:36	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 02:36	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 02:36	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 02:36	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 02:36	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 02:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 02:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 02:36	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 02:36	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 02:36	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 02:36	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 02:36	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:36	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 02:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 02:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 02:36	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0516-S1 (102422)		Lab ID: 50329216020		Collected: 10/24/22 14:40		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 02:36	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 02:36	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	82-128	1		11/01/22 02:36	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	79-124	1		11/01/22 02:36	460-00-4	
Toluene-d8 (S)		97	%.	73-122	1		11/01/22 02:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0516-S2 (102422)		Lab ID: 50329216021	Collected: 10/24/22 15:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	45.6J	ug/L	100	1		11/01/22 02:59	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 02:59	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 02:59	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 02:59	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 02:59	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 02:59	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 02:59	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 02:59	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 02:59	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 02:59	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 02:59	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 02:59	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 02:59	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 02:59	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 02:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 02:59	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:59	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:59	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:59	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 02:59	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:59	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 02:59	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:59	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 02:59	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 02:59	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 02:59	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 02:59	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 02:59	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 02:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 02:59	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 02:59	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 02:59	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 02:59	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 02:59	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 02:59	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:59	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:59	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 02:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 02:59	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 02:59	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0516-S2 (102422)		Lab ID: 50329216021		Collected: 10/24/22 15:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 02:59	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 02:59	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	82-128	1		11/01/22 02:59	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-124	1		11/01/22 02:59	460-00-4	
Toluene-d8 (S)		98	%.	73-122	1		11/01/22 02:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: DUP-05 (102422)-RJW		Lab ID: 50329216022	Collected: 10/24/22 08:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	21.8J	ug/L	100	1		11/01/22 08:40	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 08:40	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 08:40	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 08:40	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 08:40	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 08:40	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 08:40	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 08:40	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 08:40	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 08:40	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 08:40	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 08:40	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 08:40	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 08:40	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 08:40	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 08:40	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:40	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:40	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:40	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 08:40	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 08:40	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 08:40	107-06-2	
1,1-Dichloroethene	0.69J	ug/L	5.0	1		11/01/22 08:40	75-35-4	
cis-1,2-Dichloroethene	441	ug/L	50.0	10		11/01/22 03:22	156-59-2	
trans-1,2-Dichloroethene	48.9	ug/L	5.0	1		11/01/22 08:40	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 08:40	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 08:40	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 08:40	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 08:40	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 08:40	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 08:40	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 08:40	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 08:40	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 08:40	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 08:40	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 08:40	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 08:40	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 08:40	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 08:40	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 08:40	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:40	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 08:40	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 08:40	79-00-5	
Trichloroethene	3200	ug/L	500	100		11/01/22 12:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 08:40	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 08:40	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: DUP-05 (102422)-RJW		Lab ID: 50329216022		Collected: 10/24/22 08:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		30.3	ug/L	2.0	1		11/01/22 08:40	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 08:40	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	1		11/01/22 08:40	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	79-124	1		11/01/22 08:40	460-00-4	
Toluene-d8 (S)		100	%.	73-122	1		11/01/22 08:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: DUP-03 (102422)-RJW		Lab ID: 50329216023		Collected: 10/24/22 08:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1		11/01/22 09:03	67-64-1		
Benzene	ND	ug/L	5.0	1		11/01/22 09:03	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 09:03	75-27-4		
Bromoform	ND	ug/L	5.0	1		11/01/22 09:03	75-25-2		
Bromomethane	ND	ug/L	5.0	1		11/01/22 09:03	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 09:03	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 09:03	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 09:03	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 09:03	108-90-7		
Chloroethane	ND	ug/L	5.0	1		11/01/22 09:03	75-00-3		
Chloroform	ND	ug/L	5.0	1		11/01/22 09:03	67-66-3		
Chloromethane	ND	ug/L	5.0	1		11/01/22 09:03	74-87-3		
Cyclohexane	ND	ug/L	100	1		11/01/22 09:03	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 09:03	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 09:03	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 09:03	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 09:03	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 09:03	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 09:03	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 09:03	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 09:03	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 09:03	107-06-2		
1,1-Dichloroethene	3.6J	ug/L	5.0	1		11/01/22 09:03	75-35-4		
cis-1,2-Dichloroethene	1220	ug/L	50.0	10		11/01/22 03:45	156-59-2		
trans-1,2-Dichloroethene	140	ug/L	5.0	1		11/01/22 09:03	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 09:03	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 09:03	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 09:03	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 09:03	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		11/01/22 09:03	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 09:03	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		11/01/22 09:03	79-20-9		
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 09:03	108-87-2		
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 09:03	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 09:03	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 09:03	1634-04-4		
Styrene	ND	ug/L	5.0	1		11/01/22 09:03	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 09:03	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 09:03	127-18-4		
Toluene	0.31J	ug/L	5.0	1		11/01/22 09:03	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 09:03	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 09:03	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 09:03	79-00-5		
Trichloroethene	2820	ug/L	50.0	10		11/01/22 03:45	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 09:03	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 09:03	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: DUP-03 (102422)-RJW		Lab ID: 50329216023		Collected: 10/24/22 08:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	1.7J	ug/L	2.0	1		11/01/22 09:03	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 09:03	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	1		11/01/22 09:03	1868-53-7		
4-Bromofluorobenzene (S)	101	%.	79-124	1		11/01/22 09:03	460-00-4		
Toluene-d8 (S)	102	%.	73-122	1		11/01/22 09:03	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: DUP-04 (102422)-RJW		Lab ID: 50329216024		Collected: 10/24/22 08:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			11/01/22 04:07	67-64-1	
Benzene	ND	ug/L	5.0	1			11/01/22 04:07	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			11/01/22 04:07	75-27-4	
Bromoform	ND	ug/L	5.0	1			11/01/22 04:07	75-25-2	
Bromomethane	ND	ug/L	5.0	1			11/01/22 04:07	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			11/01/22 04:07	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			11/01/22 04:07	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			11/01/22 04:07	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			11/01/22 04:07	108-90-7	
Chloroethane	ND	ug/L	5.0	1			11/01/22 04:07	75-00-3	
Chloroform	ND	ug/L	5.0	1			11/01/22 04:07	67-66-3	
Chloromethane	ND	ug/L	5.0	1			11/01/22 04:07	74-87-3	
Cyclohexane	ND	ug/L	100	1			11/01/22 04:07	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			11/01/22 04:07	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			11/01/22 04:07	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			11/01/22 04:07	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 04:07	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 04:07	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 04:07	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			11/01/22 04:07	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			11/01/22 04:07	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			11/01/22 04:07	107-06-2	
1,1-Dichloroethene	0.743	ug/L	5.0	1			11/01/22 04:07	75-35-4	
cis-1,2-Dichloroethene	396	ug/L	50.0	10			11/01/22 13:03	156-59-2	
trans-1,2-Dichloroethene	71.0	ug/L	5.0	1			11/01/22 04:07	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			11/01/22 04:07	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			11/01/22 04:07	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			11/01/22 04:07	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			11/01/22 04:07	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			11/01/22 04:07	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			11/01/22 04:07	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			11/01/22 04:07	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1			11/01/22 04:07	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1			11/01/22 04:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			11/01/22 04:07	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			11/01/22 04:07	1634-04-4	
Styrene	ND	ug/L	5.0	1			11/01/22 04:07	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			11/01/22 04:07	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			11/01/22 04:07	127-18-4	
Toluene	ND	ug/L	5.0	1			11/01/22 04:07	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			11/01/22 04:07	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			11/01/22 04:07	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			11/01/22 04:07	79-00-5	
Trichloroethene	318	ug/L	50.0	10			11/01/22 13:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			11/01/22 04:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			11/01/22 04:07	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: DUP-04 (102422)-RJW		Lab ID: 50329216024		Collected: 10/24/22 08:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	1.2J	ug/L	2.0	1		11/01/22 04:07	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 04:07	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128	1		11/01/22 04:07	1868-53-7		
4-Bromofluorobenzene (S)	100	%.	79-124	1		11/01/22 04:07	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/01/22 04:07	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0503-S2 (102422)		Lab ID: 50329216025	Collected: 10/24/22 15:30	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	59.8J	ug/L	100	1		11/01/22 04:30	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 04:30	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 04:30	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 04:30	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 04:30	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 04:30	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 04:30	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 04:30	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 04:30	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 04:30	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 04:30	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 04:30	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 04:30	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 04:30	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 04:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 04:30	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:30	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 04:30	75-71-8	
1,1-Dichloroethane	7.2	ug/L	5.0	1		11/01/22 04:30	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 04:30	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:30	75-35-4	
cis-1,2-Dichloroethene	52.6	ug/L	5.0	1		11/01/22 04:30	156-59-2	
trans-1,2-Dichloroethene	2.2J	ug/L	5.0	1		11/01/22 04:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 04:30	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:30	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 04:30	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 04:30	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 04:30	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 04:30	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 04:30	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 04:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 04:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 04:30	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 04:30	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 04:30	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 04:30	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 04:30	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:30	79-00-5	
Trichloroethene	0.43J	ug/L	5.0	1		11/01/22 04:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 04:30	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 04:30	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0503-S2 (102422)		Lab ID: 50329216025		Collected: 10/24/22 15:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 04:30	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 04:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	82-128	1		11/01/22 04:30	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	79-124	1		11/01/22 04:30	460-00-4	
Toluene-d8 (S)		98	%.	73-122	1		11/01/22 04:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0617-S1 (102422)		Lab ID: 50329216026	Collected: 10/24/22 15:45	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	44.2J	ug/L	100	1		11/01/22 04:53	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 04:53	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 04:53	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 04:53	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 04:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 04:53	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 04:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 04:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 04:53	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 04:53	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 04:53	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 04:53	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 04:53	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 04:53	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 04:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 04:53	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:53	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 04:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 04:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 04:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:53	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 04:53	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 04:53	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 04:53	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 04:53	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 04:53	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 04:53	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 04:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 04:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 04:53	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 04:53	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 04:53	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 04:53	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 04:53	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:53	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 04:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 04:53	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 04:53	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0617-S1 (102422)		Lab ID: 50329216026		Collected: 10/24/22 15:45		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 04:53	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 04:53	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		11/01/22 04:53	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	79-124	1		11/01/22 04:53	460-00-4	
Toluene-d8 (S)		98	%.	73-122	1		11/01/22 04:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0617-S2 (102422)		Lab ID: 50329216027	Collected: 10/24/22 16:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	26.4J	ug/L	100	1		11/01/22 05:15	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 05:15	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 05:15	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 05:15	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 05:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 05:15	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 05:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 05:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 05:15	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 05:15	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 05:15	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 05:15	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 05:15	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 05:15	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 05:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 05:15	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 05:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 05:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 05:15	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 05:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 05:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 05:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 05:15	75-35-4	
cis-1,2-Dichloroethene	7.7	ug/L	5.0	1		11/01/22 05:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 05:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 05:15	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 05:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 05:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 05:15	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 05:15	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 05:15	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 05:15	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 05:15	108-87-2	M1
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 05:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 05:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 05:15	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 05:15	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 05:15	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 05:15	127-18-4	
Toluene	0.34J	ug/L	5.0	1		11/01/22 05:15	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 05:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 05:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 05:15	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 05:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 05:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 05:15	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0617-S2 (102422)		Lab ID: 50329216027		Collected: 10/24/22 16:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	9.2	ug/L	2.0	1		11/01/22 05:15	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 05:15	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128	1		11/01/22 05:15	1868-53-7		
4-Bromofluorobenzene (S)	102	%.	79-124	1		11/01/22 05:15	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/01/22 05:15	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

QC Batch:	703468	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis
Associated Lab Samples:	50329216001, 50329216002, 50329216003, 50329216004, 50329216005, 50329216006, 50329216007, 50329216008, 50329216009		

METHOD BLANK: 3234183

Matrix: Water

Associated Lab Samples: 50329216001, 50329216002, 50329216003, 50329216004, 50329216005, 50329216006, 50329216007, 50329216008, 50329216009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	10/31/22 10:17	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	10/31/22 10:17	
1,1,2-Trichloroethane	ug/L	ND	5.0	10/31/22 10:17	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	10/31/22 10:17	
1,1-Dichloroethane	ug/L	ND	5.0	10/31/22 10:17	
1,1-Dichloroethene	ug/L	ND	5.0	10/31/22 10:17	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	10/31/22 10:17	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	10/31/22 10:17	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	10/31/22 10:17	
1,2-Dichlorobenzene	ug/L	ND	5.0	10/31/22 10:17	
1,2-Dichloroethane	ug/L	ND	5.0	10/31/22 10:17	
1,2-Dichloropropane	ug/L	ND	5.0	10/31/22 10:17	
1,3-Dichlorobenzene	ug/L	ND	5.0	10/31/22 10:17	
1,4-Dichlorobenzene	ug/L	ND	5.0	10/31/22 10:17	
2-Butanone (MEK)	ug/L	ND	25.0	10/31/22 10:17	
2-Hexanone	ug/L	ND	25.0	10/31/22 10:17	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	10/31/22 10:17	
Acetone	ug/L	ND	100	10/31/22 10:17	
Benzene	ug/L	ND	5.0	10/31/22 10:17	
Bromodichloromethane	ug/L	ND	5.0	10/31/22 10:17	
Bromoform	ug/L	ND	5.0	10/31/22 10:17	
Bromomethane	ug/L	ND	5.0	10/31/22 10:17	
Carbon disulfide	ug/L	ND	10.0	10/31/22 10:17	
Carbon tetrachloride	ug/L	ND	5.0	10/31/22 10:17	
Chlorobenzene	ug/L	ND	5.0	10/31/22 10:17	
Chloroethane	ug/L	ND	5.0	10/31/22 10:17	
Chloroform	ug/L	ND	5.0	10/31/22 10:17	
Chloromethane	ug/L	ND	5.0	10/31/22 10:17	
cis-1,2-Dichloroethene	ug/L	ND	5.0	10/31/22 10:17	
cis-1,3-Dichloropropene	ug/L	ND	5.0	10/31/22 10:17	
Cyclohexane	ug/L	ND	100	10/31/22 10:17	
Dibromochloromethane	ug/L	ND	5.0	10/31/22 10:17	
Dichlorodifluoromethane	ug/L	ND	5.0	10/31/22 10:17	
Ethylbenzene	ug/L	ND	5.0	10/31/22 10:17	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	10/31/22 10:17	
Methyl acetate	ug/L	ND	50.0	10/31/22 10:17	
Methyl-tert-butyl ether	ug/L	ND	4.0	10/31/22 10:17	
Methylcyclohexane	ug/L	ND	50.0	10/31/22 10:17	
Methylene Chloride	ug/L	ND	5.0	10/31/22 10:17	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

METHOD BLANK: 3234183

Matrix: Water

Associated Lab Samples: 50329216001, 50329216002, 50329216003, 50329216004, 50329216005, 50329216006, 50329216007, 50329216008, 50329216009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Styrene	ug/L	ND	5.0	10/31/22 10:17	
Tetrachloroethene	ug/L	ND	5.0	10/31/22 10:17	
Toluene	ug/L	ND	5.0	10/31/22 10:17	
trans-1,2-Dichloroethene	ug/L	ND	5.0	10/31/22 10:17	
trans-1,3-Dichloropropene	ug/L	ND	5.0	10/31/22 10:17	
Trichloroethene	ug/L	ND	5.0	10/31/22 10:17	
Trichlorofluoromethane	ug/L	ND	5.0	10/31/22 10:17	
Vinyl chloride	ug/L	ND	2.0	10/31/22 10:17	
Xylene (Total)	ug/L	ND	10.0	10/31/22 10:17	
4-Bromofluorobenzene (S)	%	101	79-124	10/31/22 10:17	
Dibromofluoromethane (S)	%	100	82-128	10/31/22 10:17	
Toluene-d8 (S)	%	100	73-122	10/31/22 10:17	

LABORATORY CONTROL SAMPLE: 3234184

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	51.9	104	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	50.2	100	72-123	
1,1,2-Trichloroethane	ug/L	50	53.5	107	73-124	
1,1,2-Trichlorotrifluoroethane	ug/L	50	50.8	102	60-148	
1,1-Dichloroethane	ug/L	50	52.7	105	71-124	
1,1-Dichloroethene	ug/L	50	50.9	102	63-138	
1,2,4-Trichlorobenzene	ug/L	50	61.2	122	68-132	
1,2-Dibromo-3-chloropropane	ug/L	50	47.1	94	66-122	
1,2-Dibromoethane (EDB)	ug/L	50	54.9	110	75-123	
1,2-Dichlorobenzene	ug/L	50	55.6	111	76-118	
1,2-Dichloroethane	ug/L	50	52.1	104	68-126	
1,2-Dichloropropane	ug/L	50	52.9	106	73-127	
1,3-Dichlorobenzene	ug/L	50	55.9	112	75-119	
1,4-Dichlorobenzene	ug/L	50	56.0	112	74-118	
2-Butanone (MEK)	ug/L	250	198	79	57-130	
2-Hexanone	ug/L	250	238	95	57-130	
4-Methyl-2-pentanone (MIBK)	ug/L	250	257	103	58-134	
Acetone	ug/L	250	158	63	41-133	
Benzene	ug/L	50	56.3	113	76-121	
Bromodichloromethane	ug/L	50	52.0	104	72-125	
Bromoform	ug/L	50	46.9	94	57-134	
Bromomethane	ug/L	50	50.4	101	10-187	
Carbon disulfide	ug/L	50	49.2	98	59-125	
Carbon tetrachloride	ug/L	50	50.6	101	71-134	
Chlorobenzene	ug/L	50	55.5	111	74-119	
Chloroethane	ug/L	50	45.1	90	49-152	
Chloroform	ug/L	50	52.8	106	68-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

LABORATORY CONTROL SAMPLE: 3234184

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloromethane	ug/L	50	52.8	106	33-133	
cis-1,2-Dichloroethene	ug/L	50	52.7	105	73-122	
cis-1,3-Dichloropropene	ug/L	50	59.2	118	69-128	
Cyclohexane	ug/L	50	50.0J	100	61-128	
Dibromochloromethane	ug/L	50	52.9	106	69-127	
Dichlorodifluoromethane	ug/L	50	27.7	55	19-136	
Ethylbenzene	ug/L	50	55.5	111	74-122	
Isopropylbenzene (Cumene)	ug/L	50	53.8	108	75-124	
Methyl acetate	ug/L	250	235	94	62-147	
Methyl-tert-butyl ether	ug/L	50	53.9	108	71-125	
Methylcyclohexane	ug/L	50	45.4J	91	68-120	
Methylene Chloride	ug/L	50	44.1	88	71-125	
Styrene	ug/L	50	57.1	114	74-126	
Tetrachloroethene	ug/L	50	51.4	103	74-129	
Toluene	ug/L	50	53.1	106	70-118	
trans-1,2-Dichloroethene	ug/L	50	51.8	104	69-124	
trans-1,3-Dichloropropene	ug/L	50	55.1	110	66-125	
Trichloroethene	ug/L	50	51.3	103	73-125	
Trichlorofluoromethane	ug/L	50	47.7	95	56-139	
Vinyl chloride	ug/L	50	45.0	90	46-134	
Xylene (Total)	ug/L	150	164	109	71-123	
4-Bromofluorobenzene (S)	%			102	79-124	
Dibromofluoromethane (S)	%			97	82-128	
Toluene-d8 (S)	%			101	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3234327 3234328

Parameter	Units	50329216009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	52.6	52.6	105	105	60-143	0	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	50.4	48.2	101	96	64-135	4	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	51.7	53.1	103	106	66-137	3	20	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	50	50	53.3	52.0	107	104	57-171	2	20	
1,1-Dichloroethane	ug/L	ND	50	50	53.0	52.3	106	105	62-144	1	20	
1,1-Dichloroethene	ug/L	ND	50	50	52.3	50.2	105	100	55-158	4	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	48.6	53.1	97	106	27-149	9	20	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	45.8	45.2	92	90	59-132	1	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	54.2	54.1	108	108	68-136	0	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	48.9	52.3	98	105	47-140	7	20	
1,2-Dichloroethane	ug/L	ND	50	50	54.1	52.9	108	106	61-144	2	20	
1,2-Dichloropropane	ug/L	ND	50	50	54.0	51.3	108	103	67-141	5	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	47.2	51.7	94	103	39-142	9	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	47.4	51.4	95	103	39-140	8	20	
2-Butanone (MEK)	ug/L	ND	250	250	201	199	80	79	49-149	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3234327				3234328								
		50329216009	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits		Max RPD	Qual
Parameter	Units	Result								RPD	RPD	
2-Hexanone	ug/L	ND	250	250	230	228	92	91	48-147	1	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	252	247	101	99	50-152	2	20	
Acetone	ug/L	39.4J	250	250	186	178	59	56	23-157	4	20	
Benzene	ug/L	ND	50	50	55.9	56.4	112	113	68-139	1	20	
Bromodichloromethane	ug/L	ND	50	50	52.8	52.8	106	106	65-139	0	20	
Bromoform	ug/L	ND	50	50	46.7	46.6	93	93	51-139	0	20	
Bromomethane	ug/L	ND	50	50	36.9	37.0	74	74	10-189	0	20	
Carbon disulfide	ug/L	1.3J	50	50	52.7	50.9	103	99	45-143	3	20	
Carbon tetrachloride	ug/L	ND	50	50	51.3	50.9	103	102	61-153	1	20	
Chlorobenzene	ug/L	ND	50	50	50.6	53.4	101	107	57-137	5	20	
Chloroethane	ug/L	ND	50	50	110	101	220	202	41-183	9	20	M1
Chloroform	ug/L	ND	50	50	53.2	51.6	106	103	61-138	3	20	
Chloromethane	ug/L	ND	50	50	43.3	40.7	87	81	25-150	6	20	
cis-1,2-Dichloroethene	ug/L	1.2J	50	50	54.6	54.7	107	107	58-142	0	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	55.7	56.3	111	113	53-140	1	20	
Cyclohexane	ug/L	ND	50	50	50.9J	50.2J	102	100	64-139		20	
Dibromochloromethane	ug/L	ND	50	50	53.5	53.6	107	107	61-139	0	20	
Dichlorodifluoromethane	ug/L	ND	50	50	28.4	27.9	57	56	10-150	2	20	
Ethylbenzene	ug/L	ND	50	50	49.5	53.4	99	107	54-141	8	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	45.7	51.5	91	103	48-145	12	20	
Methyl acetate	ug/L	ND	250	250	225	212	90	85	37-152	6	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	56.3	54.6	113	109	62-143	3	20	
Methylcyclohexane	ug/L	ND	50	50	44.5J	46.3J	89	93	76-122		20	
Methylene Chloride	ug/L	ND	50	50	46.6	44.1	93	88	59-141	6	20	
Styrene	ug/L	ND	50	50	50.8	54.0	102	108	51-146	6	20	
Tetrachloroethene	ug/L	ND	50	50	45.8	50.3	92	101	50-149	9	20	
Toluene	ug/L	ND	50	50	49.2	52.6	98	105	59-134	7	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	50.4	50.3	101	101	57-141	0	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	53.5	54.6	107	109	51-136	2	20	
Trichloroethene	ug/L	ND	50	50	49.9	51.0	100	102	55-147	2	20	
Trichlorofluoromethane	ug/L	ND	50	50	49.6	48.1	99	96	55-160	3	20	
Vinyl chloride	ug/L	ND	50	50	43.8	42.4	88	85	36-154	3	20	
Xylene (Total)	ug/L	ND	150	150	143	157	95	105	50-143	9	20	
4-Bromofluorobenzene (S)	%						102	102	79-124			
Dibromofluoromethane (S)	%						101	99	82-128			
Toluene-d8 (S)	%						100	101	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

QC Batch:	703508	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis
Associated Lab Samples:	50329216010, 50329216011, 50329216012, 50329216013, 50329216015, 50329216016, 50329216017, 50329216018, 50329216019, 50329216020, 50329216021, 50329216022, 50329216023, 50329216024, 50329216025, 50329216026, 50329216027		

METHOD BLANK: 3234374

Matrix: Water

Associated Lab Samples: 50329216010, 50329216011, 50329216012, 50329216013, 50329216015, 50329216016, 50329216017, 50329216018, 50329216019, 50329216020, 50329216021, 50329216022, 50329216023, 50329216024, 50329216025, 50329216026, 50329216027

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	10/31/22 22:26	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	10/31/22 22:26	
1,1,2-Trichloroethane	ug/L	ND	5.0	10/31/22 22:26	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	10/31/22 22:26	
1,1-Dichloroethane	ug/L	ND	5.0	10/31/22 22:26	
1,1-Dichloroethene	ug/L	ND	5.0	10/31/22 22:26	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	10/31/22 22:26	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	10/31/22 22:26	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	10/31/22 22:26	
1,2-Dichlorobenzene	ug/L	ND	5.0	10/31/22 22:26	
1,2-Dichloroethane	ug/L	ND	5.0	10/31/22 22:26	
1,2-Dichloropropane	ug/L	ND	5.0	10/31/22 22:26	
1,3-Dichlorobenzene	ug/L	ND	5.0	10/31/22 22:26	
1,4-Dichlorobenzene	ug/L	ND	5.0	10/31/22 22:26	
2-Butanone (MEK)	ug/L	ND	25.0	10/31/22 22:26	
2-Hexanone	ug/L	ND	25.0	10/31/22 22:26	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	10/31/22 22:26	
Acetone	ug/L	ND	100	10/31/22 22:26	
Benzene	ug/L	ND	5.0	10/31/22 22:26	
Bromodichloromethane	ug/L	ND	5.0	10/31/22 22:26	
Bromoform	ug/L	ND	5.0	10/31/22 22:26	
Bromomethane	ug/L	ND	5.0	10/31/22 22:26	
Carbon disulfide	ug/L	ND	10.0	10/31/22 22:26	
Carbon tetrachloride	ug/L	ND	5.0	10/31/22 22:26	
Chlorobenzene	ug/L	ND	5.0	10/31/22 22:26	
Chloroethane	ug/L	ND	5.0	10/31/22 22:26	
Chloroform	ug/L	ND	5.0	10/31/22 22:26	
Chloromethane	ug/L	ND	5.0	10/31/22 22:26	
cis-1,2-Dichloroethene	ug/L	ND	5.0	10/31/22 22:26	
cis-1,3-Dichloropropene	ug/L	ND	5.0	10/31/22 22:26	
Cyclohexane	ug/L	ND	100	10/31/22 22:26	
Dibromochloromethane	ug/L	ND	5.0	10/31/22 22:26	
Dichlorodifluoromethane	ug/L	ND	5.0	10/31/22 22:26	
Ethylbenzene	ug/L	ND	5.0	10/31/22 22:26	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	10/31/22 22:26	
Methyl acetate	ug/L	ND	50.0	10/31/22 22:26	
Methyl-tert-butyl ether	ug/L	ND	4.0	10/31/22 22:26	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

METHOD BLANK: 3234374

Matrix: Water

Associated Lab Samples: 50329216010, 50329216011, 50329216012, 50329216013, 50329216015, 50329216016, 50329216017, 50329216018, 50329216019, 50329216020, 50329216021, 50329216022, 50329216023, 50329216024, 50329216025, 50329216026, 50329216027

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Methylcyclohexane	ug/L	ND	50.0	10/31/22 22:26	
Methylene Chloride	ug/L	ND	5.0	10/31/22 22:26	
Styrene	ug/L	ND	5.0	10/31/22 22:26	
Tetrachloroethene	ug/L	ND	5.0	10/31/22 22:26	
Toluene	ug/L	ND	5.0	10/31/22 22:26	
trans-1,2-Dichloroethene	ug/L	ND	5.0	10/31/22 22:26	
trans-1,3-Dichloropropene	ug/L	ND	5.0	10/31/22 22:26	
Trichloroethene	ug/L	ND	5.0	10/31/22 22:26	
Trichlorofluoromethane	ug/L	ND	5.0	10/31/22 22:26	
Vinyl chloride	ug/L	ND	2.0	10/31/22 22:26	
Xylene (Total)	ug/L	ND	10.0	10/31/22 22:26	
4-Bromofluorobenzene (S)	%	99	79-124	10/31/22 22:26	
Dibromofluoromethane (S)	%	103	82-128	10/31/22 22:26	
Toluene-d8 (S)	%	96	73-122	10/31/22 22:26	

LABORATORY CONTROL SAMPLE: 3234375

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	51.9	104	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	49.7	99	72-123	
1,1,2-Trichloroethane	ug/L	50	53.7	107	73-124	
1,1,2-Trichlorotrifluoroethane	ug/L	50	49.9	100	60-148	
1,1-Dichloroethane	ug/L	50	50.4	101	71-124	
1,1-Dichloroethene	ug/L	50	50.5	101	63-138	
1,2,4-Trichlorobenzene	ug/L	50	51.8	104	68-132	
1,2-Dibromo-3-chloropropane	ug/L	50	48.4	97	66-122	
1,2-Dibromoethane (EDB)	ug/L	50	56.4	113	75-123	
1,2-Dichlorobenzene	ug/L	50	53.0	106	76-118	
1,2-Dichloroethane	ug/L	50	54.9	110	68-126	
1,2-Dichloropropane	ug/L	50	52.5	105	73-127	
1,3-Dichlorobenzene	ug/L	50	51.7	103	75-119	
1,4-Dichlorobenzene	ug/L	50	51.3	103	74-118	
2-Butanone (MEK)	ug/L	250	202	81	57-130	
2-Hexanone	ug/L	250	238	95	57-130	
4-Methyl-2-pentanone (MIBK)	ug/L	250	263	105	58-134	
Acetone	ug/L	250	161	64	41-133	
Benzene	ug/L	50	55.9	112	76-121	
Bromodichloromethane	ug/L	50	52.6	105	72-125	
Bromoform	ug/L	50	46.8	94	57-134	
Bromomethane	ug/L	50	46.6	93	10-187	
Carbon disulfide	ug/L	50	48.1	96	59-125	
Carbon tetrachloride	ug/L	50	50.9	102	71-134	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

LABORATORY CONTROL SAMPLE: 3234375

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chlorobenzene	ug/L	50	54.4	109	74-119	
Chloroethane	ug/L	50	46.4	93	49-152	
Chloroform	ug/L	50	52.2	104	68-123	
Chloromethane	ug/L	50	40.6	81	33-133	
cis-1,2-Dichloroethene	ug/L	50	53.0	106	73-122	
cis-1,3-Dichloropropene	ug/L	50	57.3	115	69-128	
Cyclohexane	ug/L	50	50.1J	100	61-128	
Dibromochloromethane	ug/L	50	53.1	106	69-127	
Dichlorodifluoromethane	ug/L	50	26.0	52	19-136	
Ethylbenzene	ug/L	50	53.8	108	74-122	
Isopropylbenzene (Cumene)	ug/L	50	52.3	105	75-124	
Methyl acetate	ug/L	250	238	95	62-147	
Methyl-tert-butyl ether	ug/L	50	54.6	109	71-125	
Methylcyclohexane	ug/L	50	45.1J	90	68-120	
Methylene Chloride	ug/L	50	52.8	106	71-125	
Styrene	ug/L	50	55.6	111	74-126	
Tetrachloroethene	ug/L	50	50.4	101	74-129	
Toluene	ug/L	50	52.5	105	70-118	
trans-1,2-Dichloroethene	ug/L	50	51.0	102	69-124	
trans-1,3-Dichloropropene	ug/L	50	54.1	108	66-125	
Trichloroethene	ug/L	50	51.2	102	73-125	
Trichlorofluoromethane	ug/L	50	47.5	95	56-139	
Vinyl chloride	ug/L	50	42.4	85	46-134	
Xylene (Total)	ug/L	150	159	106	71-123	
4-Bromofluorobenzene (S)	%			103	79-124	
Dibromofluoromethane (S)	%			100	82-128	
Toluene-d8 (S)	%			102	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3234376 3234377

Parameter	Units	50329216027 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	46.9	50.4	94	101	60-143	7	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	44.9	44.5	90	89	64-135	1	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	48.3	50.0	97	100	66-137	4	20	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	50	50	49.0	51.7	98	103	57-171	5	20	
1,1-Dichloroethane	ug/L	ND	50	50	46.9	50.5	94	101	62-144	7	20	
1,1-Dichloroethene	ug/L	ND	50	50	47.1	49.3	94	99	55-158	5	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	27.1	27.4	54	55	27-149	1	20	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	40.9	42.8	82	86	59-132	5	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	48.1	50.8	96	102	68-136	5	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	33.6	34.8	67	70	47-140	4	20	
1,2-Dichloroethane	ug/L	ND	50	50	49.7	52.7	99	105	61-144	6	20	
1,2-Dichloropropane	ug/L	ND	50	50	46.4	50.6	93	101	67-141	9	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3234376				3234377								
		50329216027	MS	MSD								
Parameter	Units	Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3-Dichlorobenzene	ug/L	ND	50	50	29.2	30.9	58	62	39-142	6	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	29.0	29.9	58	60	39-140	3	20	
2-Butanone (MEK)	ug/L	ND	250	250	202	199	81	80	49-149	2	20	
2-Hexanone	ug/L	ND	250	250	232	228	93	91	48-147	2	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	249	250	100	100	50-152	0	20	
Acetone	ug/L	26.4J	250	250	166	169	56	57	23-157	1	20	
Benzene	ug/L	ND	50	50	49.2	52.2	98	104	68-139	6	20	
Bromodichloromethane	ug/L	ND	50	50	47.6	50.3	95	101	65-139	6	20	
Bromoform	ug/L	ND	50	50	39.9	41.0	80	82	51-139	3	20	
Bromomethane	ug/L	ND	50	50	43.1	45.5	86	91	10-189	5	20	
Carbon disulfide	ug/L	ND	50	50	40.7	43.1	81	86	45-143	6	20	
Carbon tetrachloride	ug/L	ND	50	50	45.1	47.6	90	95	61-153	5	20	
Chlorobenzene	ug/L	ND	50	50	39.0	41.6	78	83	57-137	6	20	
Chloroethane	ug/L	ND	50	50	43.1	44.6	86	89	41-183	3	20	
Chloroform	ug/L	ND	50	50	48.5	50.6	97	101	61-138	4	20	
Chloromethane	ug/L	ND	50	50	37.6	42.7	75	85	25-150	13	20	
cis-1,2-Dichloroethene	ug/L	7.7	50	50	53.6	57.3	92	99	58-142	7	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	46.9	49.3	94	99	53-140	5	20	
Cyclohexane	ug/L	ND	50	50	45.1J	47.2J	90	94	64-139		20	
Dibromochloromethane	ug/L	ND	50	50	47.7	48.6	95	97	61-139	2	20	
Dichlorodifluoromethane	ug/L	ND	50	50	26.3	27.3	53	55	10-150	4	20	
Ethylbenzene	ug/L	ND	50	50	35.0	38.8	70	78	54-141	10	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	30.5	33.7	61	67	48-145	10	20	
Methyl acetate	ug/L	ND	250	250	181	185	73	74	37-152	2	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	52.5	54.0	105	108	62-143	3	20	
Methylcyclohexane	ug/L	ND	50	50	36.9J	41.6J	74	83	76-122		20	M1
Methylene Chloride	ug/L	ND	50	50	47.4	49.7	95	99	59-141	5	20	
Styrene	ug/L	ND	50	50	38.4	40.4	77	81	51-146	5	20	
Tetrachloroethene	ug/L	ND	50	50	34.8	37.6	70	75	50-149	8	20	
Toluene	ug/L	0.34J	50	50	40.3	42.8	80	85	59-134	6	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	42.6	46.0	85	91	57-141	8	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	44.2	47.0	88	94	51-136	6	20	
Trichloroethene	ug/L	ND	50	50	40.4	43.7	81	87	55-147	8	20	
Trichlorofluoromethane	ug/L	ND	50	50	46.3	47.7	93	95	55-160	3	20	
Vinyl chloride	ug/L	9.2	50	50	49.0	51.2	80	84	36-154	4	20	
Xylene (Total)	ug/L	ND	150	150	104	111	70	74	50-143	6	20	
4-Bromofluorobenzene (S)	%.						102	101	79-124			
Dibromofluoromethane (S)	%.						98	100	82-128			
Toluene-d8 (S)	%.						102	101	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295
Pace Project No.: 50329216

QC Batch:	703729	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50329216014

METHOD BLANK: 3235096 Matrix: Water

Associated Lab Samples: 50329216014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	11/01/22 11:55	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	11/01/22 11:55	
1,1,2-Trichloroethane	ug/L	ND	5.0	11/01/22 11:55	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	11/01/22 11:55	
1,1-Dichloroethane	ug/L	ND	5.0	11/01/22 11:55	
1,1-Dichloroethene	ug/L	ND	5.0	11/01/22 11:55	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	11/01/22 11:55	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	11/01/22 11:55	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	11/01/22 11:55	
1,2-Dichlorobenzene	ug/L	ND	5.0	11/01/22 11:55	
1,2-Dichloroethane	ug/L	ND	5.0	11/01/22 11:55	
1,2-Dichloropropane	ug/L	ND	5.0	11/01/22 11:55	
1,3-Dichlorobenzene	ug/L	ND	5.0	11/01/22 11:55	
1,4-Dichlorobenzene	ug/L	ND	5.0	11/01/22 11:55	
2-Butanone (MEK)	ug/L	ND	25.0	11/01/22 11:55	
2-Hexanone	ug/L	ND	25.0	11/01/22 11:55	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	11/01/22 11:55	
Acetone	ug/L	ND	100	11/01/22 11:55	
Benzene	ug/L	ND	5.0	11/01/22 11:55	
Bromodichloromethane	ug/L	ND	5.0	11/01/22 11:55	
Bromoform	ug/L	ND	5.0	11/01/22 11:55	
Bromomethane	ug/L	ND	5.0	11/01/22 11:55	
Carbon disulfide	ug/L	ND	10.0	11/01/22 11:55	
Carbon tetrachloride	ug/L	ND	5.0	11/01/22 11:55	
Chlorobenzene	ug/L	ND	5.0	11/01/22 11:55	
Chloroethane	ug/L	ND	5.0	11/01/22 11:55	
Chloroform	ug/L	ND	5.0	11/01/22 11:55	
Chloromethane	ug/L	ND	5.0	11/01/22 11:55	
cis-1,2-Dichloroethene	ug/L	ND	5.0	11/01/22 11:55	
cis-1,3-Dichloropropene	ug/L	ND	5.0	11/01/22 11:55	
Cyclohexane	ug/L	ND	100	11/01/22 11:55	
Dibromochloromethane	ug/L	ND	5.0	11/01/22 11:55	
Dichlorodifluoromethane	ug/L	ND	5.0	11/01/22 11:55	
Ethylbenzene	ug/L	ND	5.0	11/01/22 11:55	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	11/01/22 11:55	
Methyl acetate	ug/L	ND	50.0	11/01/22 11:55	
Methyl-tert-butyl ether	ug/L	ND	4.0	11/01/22 11:55	
Methylcyclohexane	ug/L	ND	50.0	11/01/22 11:55	
Methylene Chloride	ug/L	ND	5.0	11/01/22 11:55	
Styrene	ug/L	ND	5.0	11/01/22 11:55	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

METHOD BLANK: 3235096

Matrix: Water

Associated Lab Samples: 50329216014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Tetrachloroethene	ug/L	ND	5.0	11/01/22 11:55	
Toluene	ug/L	ND	5.0	11/01/22 11:55	
trans-1,2-Dichloroethene	ug/L	ND	5.0	11/01/22 11:55	
trans-1,3-Dichloropropene	ug/L	ND	5.0	11/01/22 11:55	
Trichloroethene	ug/L	ND	5.0	11/01/22 11:55	
Trichlorofluoromethane	ug/L	ND	5.0	11/01/22 11:55	
Vinyl chloride	ug/L	ND	2.0	11/01/22 11:55	
Xylene (Total)	ug/L	ND	10.0	11/01/22 11:55	
4-Bromofluorobenzene (S)	%	101	79-124	11/01/22 11:55	
Dibromofluoromethane (S)	%	103	82-128	11/01/22 11:55	
Toluene-d8 (S)	%	99	73-122	11/01/22 11:55	

LABORATORY CONTROL SAMPLE: 3235097

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	51.1	102	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	49.7	99	72-123	
1,1,2-Trichloroethane	ug/L	50	52.8	106	73-124	
1,1,2-Trichlorotrifluoroethane	ug/L	50	50.1	100	60-148	
1,1-Dichloroethane	ug/L	50	51.2	102	71-124	
1,1-Dichloroethene	ug/L	50	50.6	101	63-138	
1,2,4-Trichlorobenzene	ug/L	50	57.7	115	68-132	
1,2-Dibromo-3-chloropropane	ug/L	50	47.5	95	66-122	
1,2-Dibromoethane (EDB)	ug/L	50	54.9	110	75-123	
1,2-Dichlorobenzene	ug/L	50	54.8	110	76-118	
1,2-Dichloroethane	ug/L	50	52.2	104	68-126	
1,2-Dichloropropane	ug/L	50	52.3	105	73-127	
1,3-Dichlorobenzene	ug/L	50	53.9	108	75-119	
1,4-Dichlorobenzene	ug/L	50	53.9	108	74-118	
2-Butanone (MEK)	ug/L	250	203	81	57-130	
2-Hexanone	ug/L	250	232	93	57-130	
4-Methyl-2-pentanone (MIBK)	ug/L	250	256	102	58-134	
Acetone	ug/L	250	148	59	41-133	
Benzene	ug/L	50	55.7	111	76-121	
Bromodichloromethane	ug/L	50	53.1	106	72-125	
Bromoform	ug/L	50	47.7	95	57-134	
Bromomethane	ug/L	50	47.3	95	10-187	
Carbon disulfide	ug/L	50	47.8	96	59-125	
Carbon tetrachloride	ug/L	50	50.3	101	71-134	
Chlorobenzene	ug/L	50	53.6	107	74-119	
Chloroethane	ug/L	50	44.7	89	49-152	
Chloroform	ug/L	50	52.2	104	68-123	
Chloromethane	ug/L	50	43.2	86	33-133	
cis-1,2-Dichloroethene	ug/L	50	52.1	104	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

LABORATORY CONTROL SAMPLE: 3235097

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,3-Dichloropropene	ug/L	50	57.5	115	69-128	
Cyclohexane	ug/L	50	49.6J	99	61-128	
Dibromochloromethane	ug/L	50	53.5	107	69-127	
Dichlorodifluoromethane	ug/L	50	24.8	50	19-136	
Ethylbenzene	ug/L	50	53.8	108	74-122	
Isopropylbenzene (Cumene)	ug/L	50	51.5	103	75-124	
Methyl acetate	ug/L	250	237	95	62-147	
Methyl-tert-butyl ether	ug/L	50	53.5	107	71-125	
Methylcyclohexane	ug/L	50	44.9J	90	68-120	
Methylene Chloride	ug/L	50	44.4	89	71-125	
Styrene	ug/L	50	56.3	113	74-126	
Tetrachloroethene	ug/L	50	50.3	101	74-129	
Toluene	ug/L	50	51.7	103	70-118	
trans-1,2-Dichloroethene	ug/L	50	50.1	100	69-124	
trans-1,3-Dichloropropene	ug/L	50	55.4	111	66-125	
Trichloroethene	ug/L	50	50.6	101	73-125	
Trichlorofluoromethane	ug/L	50	47.1	94	56-139	
Vinyl chloride	ug/L	50	42.0	84	46-134	
Xylene (Total)	ug/L	150	158	106	71-123	
4-Bromofluorobenzene (S)	%			102	79-124	
Dibromofluoromethane (S)	%			100	82-128	
Toluene-d8 (S)	%			101	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3235109 3235110

Parameter	Units	50329335003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	6.7	50	50	57.1	57.0	101	101	60-143	0	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	46.7	46.5	93	93	64-135	0	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	50.0	51.7	100	103	66-137	3	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	50.3	49.6	101	99	57-171	1	20	
Trichlorotrifluoroethane												
1,1-Dichloroethane	ug/L	ND	50	50	48.4	50.6	97	101	62-144	4	20	
1,1-Dichloroethene	ug/L	ND	50	50	49.9	49.5	100	99	55-158	1	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	50.8	52.0	102	104	27-149	2	20	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	44.1	42.5	88	85	59-132	4	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	49.9	51.7	100	103	68-136	3	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	49.7	50.7	99	101	47-140	2	20	
1,2-Dichloroethane	ug/L	ND	50	50	52.2	51.9	104	104	61-144	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	50.2	50.4	100	101	67-141	0	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	49.2	49.9	98	100	39-142	1	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	48.9	49.9	98	100	39-140	2	20	
2-Butanone (MEK)	ug/L	ND	250	250	192	191	77	76	49-149	0	20	
2-Hexanone	ug/L	ND	250	250	218	217	87	87	48-147	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			3235109	3235110								
		50329335003	MS	MSD								
Parameter	Units	Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	238	243	95	97	50-152	2	20	
Acetone	ug/L	ND	250	250	138	134	55	54	23-157	3	20	
Benzene	ug/L	ND	50	50	54.1	54.5	108	109	68-139	1	20	
Bromodichloromethane	ug/L	ND	50	50	50.5	50.6	101	101	65-139	0	20	
Bromoform	ug/L	ND	50	50	43.8	44.2	88	88	51-139	1	20	
Bromomethane	ug/L	ND	50	50	40.2	44.2	80	88	10-189	10	20	
Carbon disulfide	ug/L	ND	50	50	45.4	46.4	91	93	45-143	2	20	
Carbon tetrachloride	ug/L	ND	50	50	48.4	49.5	97	99	61-153	2	20	
Chlorobenzene	ug/L	ND	50	50	50.4	52.0	101	104	57-137	3	20	
Chloroethane	ug/L	ND	50	50	42.2	43.9	84	88	41-183	4	20	
Chloroform	ug/L	ND	50	50	51.6	50.7	102	100	61-138	2	20	
Chloromethane	ug/L	ND	50	50	37.5	43.1	75	86	25-150	14	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	51.1	50.8	102	102	58-142	1	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	53.4	54.1	107	108	53-140	1	20	
Cyclohexane	ug/L	ND	50	50	48.3J	48.6J	97	97	64-139		20	
Dibromochloromethane	ug/L	ND	50	50	51.0	51.1	102	102	61-139	0	20	
Dichlorodifluoromethane	ug/L	ND	50	50	24.4	25.0	49	50	10-150	3	20	
Ethylbenzene	ug/L	ND	50	50	50.4	52.5	101	105	54-141	4	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	48.6	50.9	97	102	48-145	5	20	
Methyl acetate	ug/L	ND	250	250	216	213	86	85	37-152	2	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	51.6	51.9	103	104	62-143	1	20	
Methylcyclohexane	ug/L	ND	50	50	43.9J	44.9J	88	90	76-122		20	
Methylene Chloride	ug/L	ND	50	50	45.0	45.5	90	91	59-141	1	20	
Styrene	ug/L	ND	50	50	52.9	54.1	106	108	51-146	2	20	
Tetrachloroethene	ug/L	ND	50	50	47.8	49.0	96	98	50-149	3	20	
Toluene	ug/L	ND	50	50	49.3	51.2	98	102	59-134	4	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	47.9	48.5	96	97	57-141	1	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	50.3	53.0	101	106	51-136	5	20	
Trichloroethene	ug/L	ND	50	50	51.2	51.0	98	98	55-147	0	20	
Trichlorofluoromethane	ug/L	ND	50	50	45.9	46.6	92	93	55-160	1	20	
Vinyl chloride	ug/L	ND	50	50	39.8	41.1	80	82	36-154	3	20	
Xylene (Total)	ug/L	ND	150	150	149	154	99	103	50-143	4	20	
4-Bromofluorobenzene (S)	%.						99	102	79-124			
Dibromofluoromethane (S)	%.						96	98	82-128			
Toluene-d8 (S)	%.						100	102	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D4 Sample was diluted due to the presence of high levels of target analytes.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50329216001	TRIP BLANK	EPA 8260	703468		
50329216002	MW-0618-S1 (102422)	EPA 8260	703468		
50329216003	MW-0613-S1 (102422)	EPA 8260	703468		
50329216004	MW-0607-S1 (102422)	EPA 8260	703468		
50329216005	MW-0607-S2 (102422)	EPA 8260	703468		
50329216006	MW-0609-S1 (102422)	EPA 8260	703468		
50329216007	MW-0609-S2 (102422)	EPA 8260	703468		
50329216008	EB-02 (102422)-RJW	EPA 8260	703468		
50329216009	MW-0610-S1 (102422)	EPA 8260	703468		
50329216010	MW-0704-S1 (102422)	EPA 8260	703508		
50329216011	MW-0606-S1 (102422)	EPA 8260	703508		
50329216012	MW-0606-S2 (102422)	EPA 8260	703508		
50329216013	MW-0612-S1 (102422)	EPA 8260	703508		
50329216014	MW-0612-S2 (102422)	EPA 8260	703729		
50329216015	MW-0705-S1 (102422)	EPA 8260	703508		
50329216016	MW-0608-S1 (102422)	EPA 8260	703508		
50329216017	MW-0608-S2 (102422)	EPA 8260	703508		
50329216018	MW-0602-S1 (102422)	EPA 8260	703508		
50329216019	MW-0611-S1-R (102422)	EPA 8260	703508		
50329216020	MW-0516-S1 (102422)	EPA 8260	703508		
50329216021	MW-0516-S2 (102422)	EPA 8260	703508		
50329216022	DUP-05 (102422)-RJW	EPA 8260	703508		
50329216023	DUP-03 (102422)-RJW	EPA 8260	703508		
50329216024	DUP-04 (102422)-RJW	EPA 8260	703508		
50329216025	MW-0503-S2 (102422)	EPA 8260	703508		
50329216026	MW-0617-S1 (102422)	EPA 8260	703508		
50329216027	MW-0617-S2 (102422)	EPA 8260	703508		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



50328216

ditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>.

Page : 1 Of 7

Section B

Required Project Information:

Company: Arcadis U.S., Inc.	Report To: Cameron Stewart	Attention:
Address: 150 West Market Street	Copy To: ~~William Stephens~~ Riley White	Company Name:
Suite 728, Indianapolis, IN 46204		Address:
Email: william.stephens@arcadis.com	Purchase Order #:	Pace Quote:
Phone: (317)217-0336	Project Name: RACER Kokomo	Pace Project Manager: olivia.deck@pacelabs.com,
Requested Due Date: Standard	Project #: 30123295	Pace Profile #: 3454

	Regulatory Agency
	State / Location
	IN

SAMPLER NAME AND SIGNATURE		TEMP in C	Received on Ice (Y/N)	Custody Sealed (Y/N)	Cooler Label (Y/N)	Samples Contact Label (Y/N)
PRINT Name of SAMPLER: <i>Riley White</i>						
SIGNATURE of SAMPLER: <i>[Signature]</i>	DATE Signed: <i>10/25/22</i>					



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>.

Section A

Required Client Information:

Company: Arcadis U.S., Inc.
Address: 150 West Market Street
Suite 728, Indianapolis, IN 46204
Email: william.stephens@arcadis.com
Phone: (317)217-0336 Fax:
Requested Due Date: Standard

Section B

Required Project Information:

Report To: Cameron Stewart
Copy To: William Stephens
Purchase Order #:
Project Name: RACER Kokomo
Project #:

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Quote:
Pace Project Manager: olivia.deck@pacelabs.com
Pace Profile #: 3454

Page: 2 Of 3

Regulatory Agency

State / Location

IN

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 /, -) Sample IDs must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Analyses Test Y/N	VOC 8260	Residual Chlorine (Y/N)	
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other				
						DATE	TIME	DATE	TIME														

1	MW-0612-S1 (102422)	WT	G			10/24	1300	3					X																				013	
2	MW-0612-S2 (102422)						1315																										014	
3	MW-0705-S1 (102422)						1330																										015	
4	MW-0608-S1 (102422)						1345																										016	
5	MW-0608-S2 (102422)						1400																										017	
6	MW-0602-S1 (102422)						1410																										018	
7	MW-0611-S1-R (102422)						1430																										019	
8	MW-0516-S1 (102422)						1440																										020	
9	MW-0516-S2 (102422)						1500																										021	
10	DUP-05 (102422) - RJW																																	022
11	DUP-03 (102422) - RJW																																	023
12	DUP-04 (102422) - RJW																																	024

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS			
		Cameron Stewart / Arcadis		10/25	1510	[Signature]		10/25	1510	1.2	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed:

TEMP in C

Received on

Ice

(Y/N)

Custody

Sealed

Cooler

(Y/N)

Other

Samples

Intact

(Y/N)



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>.

Section A

Required Client Information:

Company: Arcadis U.S., Inc.
Address: 150 West Market Street
Suite 728, Indianapolis, IN 46204
Email: william.stephens@arcadis.com
Phone: (317)217-0336 Fax:
Requested Due Date: 10/25/22

Section B

Required Project Information:

Report To: Cameron Stewart
Copy To: William Stephens
Purchase Order #:
Project Name: RACER Kokomo
Project #:

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Quote:
Pace Project Manager: olivia.deck@pacelabs.com
Pace Profile #: 3454

Page: 3 Of 3

Regulatory Agency

State / Location

IN

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample IDs must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Y/N	Requested Analysis Filtered (Y/N)												Residual Chlorine (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other		VOC 8260																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS		
	<i>William Stephens / Arcadis</i>	10/25	1510	<i>Olivia Deck</i>	10/25	1510	1-2	Y	N Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed: 10/25/22

TEMP in C

Received on

Ice (Y/N)

Custody

Sealed

Cooler

(Y/N)

Samples

Intact

(Y/N)



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 10-25-22/1854-MW

1. Courier: ☐ FED EX ☐ UPS ☒ CLIENT ☐ PACE ☐ USPS ☐ OTHER

2. Custody Seal on Cooler/Box Present: ☐ Yes ☒ No

(If yes) Seals Intact: ☐ Yes ☐ No (leave blank if no seals were present)

3. Thermometer: 1 2 3 4 5 6 A B C D E F

4. Cooler Temperature(s): 1.5/1.2

(Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

5. Packing Material: ☐ Bubble Wrap ☒ Bubble Bags

☐ None

☐ Other

6. Ice Type: ☒ Wet ☐ Blue ☐ None

7. If temp. is over 6°C or under 0°C, was the PM notified?: ☐ Yes ☐ No

Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		☒	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			
Short Hold Time Analysis (48 hours or less)? Analysis:		☒	Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form			
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:			Present	Absent	N/A
Rush TAT Requested (4 days or less):		☒	Residual Chlorine Check (SVOC 625 Pest/PCB 608)			
Custody Signatures Present?		☒	Residual Chlorine Check (Total/Amenable/Free Cyanide)			
Containers Intact?:		☒	Headspace Wisconsin Sulfide?			
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID		☒	Headspace in VOA Vials (>6mm): See Container Count form for details	Present	Absent	No VOA Vials Sent
Extra labels on Terracore Vials? (soils only)			Trip Blank Present?			
			Trip Blank Custody Seals?:			

COMMENTS: MW-0503-52 (102422), MW-0617-51 (102422), and MW-0617-52 (102422) date/time written for 10/25/22 after sample receipt time, DMP 10/25/22

Sample Container Count

** Place a RED dot on containers that are out of conformance **

COC Line Item	WGUFU	MeOH (only)	VIALS				AMBER GLASS						PLASTIC								OTHER		Matrix	Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc				
		SBS																													
		DI																													
		R	DG9H	VOA VIAL HS (>6mm)	VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG2U	AG3S	AG3SF	AG3C	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B		BP3Z	CG3H	Syringe Kit			HNO3 <2	H2SO4 <2	NaOH >10
1			3																												5
2																															
3																															
4																															
5																															
6																															
7																															
8																															
9																															
10																															
11																															
12																															

Container Codes

Glass				Plastic			
DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic	BP4U	125mL unpreserved plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic	BP4N	125mL HNO3 plastic
DG9S	40mL H2SO4 amber vial	BG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic	BP4S	125mL H2SO4 plastic
DG9T	40mL Na Thio amber vial	BG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic	Miscellaneous	
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac		
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic	Syringe Kit	LL Cr+6 sampling kit
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic	ZPLC	Ziploc Bag
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic	R	Terracore Kit
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic	SP5T	120mL Coliform Sodium Thiosulfate
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac	T	Tedlar Bag (air sample)
WGUFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic	U	Summa Can (air sample)
JGUFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic	WT	Water
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered	SL	Solid Solid
BG1H	1L HCl clear glass	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic	OL	Oil
BG1S	1L H2SO4 clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic	NAL	Non-aqueous liquid
GN	General	AG3C	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic	WP	Wipe

Sample Container Count

** Place a RED dot on containers that are out of conformance **

COC Line Item	WGUFU	MeOH (only)	VIALS							AMBER GLASS							PLASTIC							OTHER			Matrix	Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		SBS	VOA VIAL HS (>6mm)	VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG2U	AG3S	AG3SF	AG3C	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	Syringe Kit					Red	Yellow	Green	Black																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		DI																											R	DG9H	DG9H																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</

Container Codes

Glass				Plastic											
DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic			BP4U	125mL unpreserved plastic						
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic			BP4N	125mL HNO3 plastic						
DG9S	40mL H2SO4 amber vial	BG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic			BP4S	125mL H2SO4 plastic						
DG9T	40mL Na Thio amber vial	BG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic			Miscellaneous							
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac										
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic										
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic			Syringe Kit	LL Cr+6 sampling kit						
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic			ZPLC	Ziploc Bag						
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic			R	Terracore Kit						
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac			SP5T	120mL Coliform Sodium Thiosulfate						
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic			T	Tedlar Bag (air sample)						
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic			U	Summa Can (air sample)						
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered			WT	Water						
BG1H	1L HCl clear glass	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic			SL	Solid Solid						
BG1S	1L H2SO4 clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic			OL:	Oil						
GN	General	AG3C	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic			NAL	Non-aqueous liquid						
								WP	Wipe						

Sample Container Count

** Place a RED dot on containers that are out of conformance **

COC Line Item	WG <u>FU</u>	R	MeOH (only)	VIALS					AMBER GLASS					PLASTIC										OTHER			Matrix	Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			SBS	VOA VIAL HS (>6mm)	VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG2U	AG3S	AG3SF	AG3C	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	Syringe Kit	Red		Yellow	Green	Black																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			DI																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			DG9H																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
1			3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

Container Codes

Glass				Plastic			
DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic	BP4U	125mL unpreserved plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic	BP4N	125mL HNO3 plastic
DG9S	40mL H2SO4 amber vial	BG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic	BP4S	125mL H2SO4 plastic
DG9T	40mL Na Thio amber vial	BG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic	Miscellaneous	
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac		
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic	Syringe Kit	LL Cr+6 sampling kit
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic	ZPLC	Ziploc Bag
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic	R	Terracore Kit
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic	SP5T	120mL Coliform Sodium Thiosulfate
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac	T	Tedlar Bag (air sample)
WGUFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic	U	Summa Can (air sample)
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic	WT	Water
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered	SL	Solid Solid
BG1H	1L HCl clear glass	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic	OL	Oil
BG1S	1L H2SO4 clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic	NAL	Non-aqueous liquid
GN	General	AG3C	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic	WP	Wipe

December 16, 2022

Mr. Matt Griles
Arcadis U.S., Inc.
55 Monument Circle
Suite 300B
Indianapolis, IN 46204

RE: Project: RACER Kokomo 30123295.06
Pace Project No.: 50331836

Dear Mr. Griles:

Enclosed are the analytical results for sample(s) received by the laboratory on November 22, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

Revised report. This report replaces the original dated 12/1/22. The report has been revised to update the compound list for 8260-OMD12/16/22

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Olivia Deck
olivia.deck@pacelabs.com
(317)228-3102
Project Manager

Enclosures

cc: Ms. Sarah Fisher, Arcadis U.S., Inc.
Jason Moore, Arcadis U.S., Inc.
Severin Presswood, Arcadis
Felicita Schneider, Arcadis U.S., Inc.
Emma TerBeek, Arcadis U.S., Inc.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268

Illinois Accreditation #: 200074

Indiana Drinking Water Laboratory #: C-49-06

Kansas/TNI Certification #: E-10177

Kentucky UST Agency Interest #: 80226

Kentucky WW Laboratory ID #: 98019

Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065

Oklahoma Laboratory #: 9204

Texas Certification #: T104704355

Wisconsin Laboratory #: 999788130

USDA Soil Permit #: P330-19-00257

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50331836001	MW-0505-S2 (112122)	Water	11/21/22 14:40	11/22/22 10:27
50331836002	MW-0505-S1 (112122)	Water	11/21/22 14:55	11/22/22 10:27
50331836003	MW-0604-S2 (112122)	Water	11/21/22 15:07	11/22/22 10:27
50331836004	MW-0102-S10 (112122)	Water	11/21/22 15:20	11/22/22 10:27
50331836005	MW-0623-S1 (112122)	Water	11/21/22 15:34	11/22/22 10:27
50331836006	MW-0504-S2 (112122)	Water	11/21/22 15:43	11/22/22 10:27
50331836007	TB-01 (112122)-TW	Water	11/21/22 08:00	11/22/22 10:27
50331836008	DUP-02 (112122)	Water	11/21/22 08:00	11/22/22 10:27

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50331836001	MW-0505-S2 (112122)	EPA 5030/8260	SLB	51	PASI-I
50331836002	MW-0505-S1 (112122)	EPA 5030/8260	SLB	51	PASI-I
50331836003	MW-0604-S2 (112122)	EPA 5030/8260	SLB	51	PASI-I
50331836004	MW-0102-S10 (112122)	EPA 5030/8260	SLB	51	PASI-I
50331836005	MW-0623-S1 (112122)	EPA 5030/8260	SLB	51	PASI-I
50331836006	MW-0504-S2 (112122)	EPA 5030/8260	SLB	51	PASI-I
50331836007	TB-01 (112122)-TW	EPA 5030/8260	SLB	51	PASI-I
50331836008	DUP-02 (112122)	EPA 5030/8260	SLB	51	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50331836001	MW-0505-S2 (112122)					
EPA 5030/8260	Acetone	114	ug/L	100	11/29/22 12:59	
50331836002	MW-0505-S1 (112122)					
EPA 5030/8260	Acetone	105	ug/L	100	11/30/22 12:05	
EPA 5030/8260	cis-1,2-Dichloroethene	2.4J	ug/L	5.0	11/28/22 14:57	
50331836003	MW-0604-S2 (112122)					
EPA 5030/8260	Acetone	38.8J	ug/L	100	11/28/22 15:31	
50331836004	MW-0102-S10 (112122)					
EPA 5030/8260	Acetone	80.4J	ug/L	100	11/28/22 16:06	
EPA 5030/8260	1,1-Dichloroethene	1.1J	ug/L	5.0	11/28/22 16:06	
EPA 5030/8260	cis-1,2-Dichloroethene	797	ug/L	50.0	11/29/22 13:34	
EPA 5030/8260	trans-1,2-Dichloroethene	10.4	ug/L	5.0	11/28/22 16:06	
EPA 5030/8260	Trichloroethene	1.7J	ug/L	5.0	11/28/22 16:06	
EPA 5030/8260	Vinyl chloride	0.61J	ug/L	2.0	11/28/22 16:06	
50331836005	MW-0623-S1 (112122)					
EPA 5030/8260	Acetone	56.3J	ug/L	100	11/28/22 16:40	
50331836006	MW-0504-S2 (112122)					
EPA 5030/8260	Acetone	43.7J	ug/L	100	11/28/22 17:14	
EPA 5030/8260	1,1-Dichloroethene	2.1J	ug/L	5.0	11/28/22 17:14	
EPA 5030/8260	cis-1,2-Dichloroethene	1240	ug/L	50.0	11/28/22 17:48	
EPA 5030/8260	trans-1,2-Dichloroethene	46.6	ug/L	5.0	11/28/22 17:14	
EPA 5030/8260	Vinyl chloride	24.7	ug/L	2.0	11/29/22 14:08	
50331836007	TB-01 (112122)-TW					
EPA 5030/8260	Methylene Chloride	2.7J	ug/L	5.0	11/28/22 18:23	
50331836008	DUP-02 (112122)					
EPA 5030/8260	Acetone	40.2J	ug/L	100	11/28/22 18:57	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0505-S2 (112122)		Lab ID: 50331836001	Collected: 11/21/22 14:40	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	114	ug/L	100	1		11/29/22 12:59	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 13:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 13:14	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 13:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 13:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 13:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 13:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 13:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 13:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 13:14	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 13:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 13:14	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 13:14	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 13:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 13:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 13:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 13:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 13:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 13:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 13:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 13:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 13:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/22 13:14	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 13:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 13:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 13:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 13:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 13:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 13:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 13:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 13:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 13:14	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 13:14	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 13:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 13:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 13:14	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 13:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 13:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 13:14	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 13:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 13:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 13:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 13:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 13:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 13:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 13:14	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0505-S2 (112122)		Lab ID: 50331836001		Collected: 11/21/22 14:40		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/28/22 13:14	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 13:14	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/28/22 13:14	1868-53-7		
4-Bromofluorobenzene (S)	104	%.	79-124	1		11/28/22 13:14	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/28/22 13:14	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0505-S1 (112122)		Lab ID: 50331836002	Collected: 11/21/22 14:55	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	105	ug/L	100	1		11/30/22 12:05	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 14:57	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 14:57	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 14:57	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 14:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 14:57	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 14:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 14:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 14:57	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 14:57	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 14:57	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 14:57	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 14:57	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 14:57	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 14:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 14:57	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 14:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 14:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 14:57	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 14:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 14:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 14:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/22 14:57	75-35-4	
cis-1,2-Dichloroethene	2.4J	ug/L	5.0	1		11/28/22 14:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 14:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 14:57	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 14:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 14:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 14:57	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 14:57	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 14:57	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 14:57	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 14:57	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 14:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 14:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 14:57	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 14:57	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 14:57	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 14:57	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 14:57	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 14:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 14:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 14:57	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 14:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 14:57	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 14:57	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0505-S1 (112122)		Lab ID: 50331836002		Collected: 11/21/22 14:55		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/28/22 14:57	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 14:57	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	1		11/28/22 14:57	1868-53-7		
4-Bromofluorobenzene (S)	105	%.	79-124	1		11/28/22 14:57	460-00-4		
Toluene-d8 (S)	101	%.	73-122	1		11/28/22 14:57	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0604-S2 (112122)		Lab ID: 50331836003	Collected: 11/21/22 15:07	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	38.8J	ug/L	100	1		11/28/22 15:31	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 15:31	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 15:31	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 15:31	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 15:31	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 15:31	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 15:31	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 15:31	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 15:31	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 15:31	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 15:31	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 15:31	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 15:31	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 15:31	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 15:31	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 15:31	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 15:31	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 15:31	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 15:31	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 15:31	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 15:31	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 15:31	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/22 15:31	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 15:31	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 15:31	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 15:31	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 15:31	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 15:31	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 15:31	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 15:31	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 15:31	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 15:31	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 15:31	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 15:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 15:31	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 15:31	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 15:31	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 15:31	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 15:31	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 15:31	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 15:31	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 15:31	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 15:31	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 15:31	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 15:31	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 15:31	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0604-S2 (112122)		Lab ID: 50331836003		Collected: 11/21/22 15:07		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/28/22 15:31	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 15:31	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	98	%.	82-128	1		11/28/22 15:31	1868-53-7		
4-Bromofluorobenzene (S)	104	%.	79-124	1		11/28/22 15:31	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/28/22 15:31	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0102-S10 (112122)		Lab ID: 50331836004	Collected: 11/21/22 15:20	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	80.4J	ug/L	100	1		11/28/22 16:06	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 16:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 16:06	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 16:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 16:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 16:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 16:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 16:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 16:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 16:06	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 16:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 16:06	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 16:06	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 16:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 16:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 16:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 16:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 16:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 16:06	107-06-2	
1,1-Dichloroethene	1.1J	ug/L	5.0	1		11/28/22 16:06	75-35-4	
cis-1,2-Dichloroethene	797	ug/L	50.0	10		11/29/22 13:34	156-59-2	
trans-1,2-Dichloroethene	10.4	ug/L	5.0	1		11/28/22 16:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 16:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 16:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 16:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 16:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 16:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 16:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 16:06	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 16:06	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 16:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 16:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 16:06	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 16:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 16:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 16:06	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 16:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 16:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 16:06	79-00-5	
Trichloroethene	1.7J	ug/L	5.0	1		11/28/22 16:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 16:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 16:06	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0102-S10 (112122)		Lab ID: 50331836004		Collected: 11/21/22 15:20		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	0.61J	ug/L	2.0	1		11/28/22 16:06	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 16:06	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	1		11/28/22 16:06	1868-53-7		
4-Bromofluorobenzene (S)	102	%.	79-124	1		11/28/22 16:06	460-00-4		
Toluene-d8 (S)	101	%.	73-122	1		11/28/22 16:06	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0623-S1 (112122)		Lab ID: 50331836005	Collected: 11/21/22 15:34	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	56.3J	ug/L	100	1		11/28/22 16:40	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 16:40	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 16:40	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 16:40	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 16:40	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 16:40	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 16:40	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 16:40	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 16:40	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 16:40	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 16:40	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 16:40	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 16:40	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 16:40	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 16:40	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 16:40	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:40	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:40	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:40	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 16:40	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 16:40	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 16:40	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/22 16:40	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 16:40	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 16:40	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 16:40	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 16:40	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 16:40	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 16:40	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 16:40	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 16:40	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 16:40	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 16:40	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 16:40	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 16:40	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 16:40	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 16:40	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 16:40	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 16:40	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 16:40	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:40	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 16:40	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 16:40	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 16:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 16:40	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 16:40	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0623-S1 (112122)		Lab ID: 50331836005		Collected: 11/21/22 15:34		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/28/22 16:40	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 16:40	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	1		11/28/22 16:40	1868-53-7		
4-Bromofluorobenzene (S)	103	%.	79-124	1		11/28/22 16:40	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/28/22 16:40	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0504-S2 (112122)		Lab ID: 50331836006	Collected: 11/21/22 15:43	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	43.7J	ug/L	100	1		11/28/22 17:14	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 17:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 17:14	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 17:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 17:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 17:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 17:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 17:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 17:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 17:14	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 17:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 17:14	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 17:14	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 17:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 17:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 17:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 17:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 17:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 17:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 17:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 17:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 17:14	107-06-2	
1,1-Dichloroethene	2.1J	ug/L	5.0	1		11/28/22 17:14	75-35-4	
cis-1,2-Dichloroethene	1240	ug/L	50.0	10		11/28/22 17:48	156-59-2	
trans-1,2-Dichloroethene	46.6	ug/L	5.0	1		11/28/22 17:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 17:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 17:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 17:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 17:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 17:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 17:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 17:14	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 17:14	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 17:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 17:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 17:14	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 17:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 17:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 17:14	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 17:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 17:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 17:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 17:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 17:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 17:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 17:14	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0504-S2 (112122)		Lab ID: 50331836006		Collected: 11/21/22 15:43		Received: 11/22/22 10:27		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		24.7	ug/L	2.0	1		11/29/22 14:08	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/28/22 17:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		11/28/22 17:14	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	79-124	1		11/28/22 17:14	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/28/22 17:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: TB-01 (112122)-TW		Lab ID: 50331836007	Collected: 11/21/22 08:00	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260						
		Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		11/28/22 18:23	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 18:23	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 18:23	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 18:23	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 18:23	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 18:23	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 18:23	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 18:23	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 18:23	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 18:23	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 18:23	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 18:23	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 18:23	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 18:23	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 18:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 18:23	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:23	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 18:23	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 18:23	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 18:23	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/22 18:23	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 18:23	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 18:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 18:23	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 18:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 18:23	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 18:23	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 18:23	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 18:23	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 18:23	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 18:23	108-87-2	
Methylene Chloride	2.7J	ug/L	5.0	1		11/28/22 18:23	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 18:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 18:23	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 18:23	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 18:23	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 18:23	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 18:23	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:23	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 18:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 18:23	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 18:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 18:23	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 18:23	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: TB-01 (112122)-TW		Lab ID: 50331836007		Collected: 11/21/22 08:00		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/28/22 18:23	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 18:23	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	97	%.	82-128	1		11/28/22 18:23	1868-53-7		
4-Bromofluorobenzene (S)	100	%.	79-124	1		11/28/22 18:23	460-00-4		
Toluene-d8 (S)	101	%.	73-122	1		11/28/22 18:23	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: DUP-02 (112122)		Lab ID: 50331836008	Collected: 11/21/22 08:00	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	40.2J	ug/L	100	1		11/28/22 18:57	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 18:57	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 18:57	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 18:57	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 18:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 18:57	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 18:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 18:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 18:57	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 18:57	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 18:57	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 18:57	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 18:57	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 18:57	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 18:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 18:57	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:57	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 18:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 18:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 18:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/22 18:57	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 18:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 18:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 18:57	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 18:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 18:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 18:57	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 18:57	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 18:57	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 18:57	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 18:57	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 18:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 18:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 18:57	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 18:57	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 18:57	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 18:57	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 18:57	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 18:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 18:57	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 18:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 18:57	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 18:57	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: DUP-02 (112122)		Lab ID: 50331836008		Collected: 11/21/22 08:00		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/28/22 18:57	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 18:57	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	1		11/28/22 18:57	1868-53-7		
4-Bromofluorobenzene (S)	104	%.	79-124	1		11/28/22 18:57	460-00-4		
Toluene-d8 (S)	101	%.	73-122	1		11/28/22 18:57	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295.06
Pace Project No.: 50331836

QC Batch:	708341	Analysis Method:	EPA 5030/8260
QC Batch Method:	EPA 5030/8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50331836001, 50331836002, 50331836003, 50331836004, 50331836005, 50331836006, 50331836007, 50331836008

METHOD BLANK: 3255891 Matrix: Water
Associated Lab Samples: 50331836001, 50331836002, 50331836003, 50331836004, 50331836005, 50331836006, 50331836007, 50331836008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	11/28/22 10:23	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	11/28/22 10:23	
1,1,2-Trichloroethane	ug/L	ND	5.0	11/28/22 10:23	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	11/28/22 10:23	
1,1-Dichloroethane	ug/L	ND	5.0	11/28/22 10:23	
1,1-Dichloroethene	ug/L	ND	5.0	11/28/22 10:23	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	11/28/22 10:23	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	11/28/22 10:23	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	11/28/22 10:23	
1,2-Dichlorobenzene	ug/L	ND	5.0	11/28/22 10:23	
1,2-Dichloroethane	ug/L	ND	5.0	11/28/22 10:23	
1,2-Dichloropropane	ug/L	ND	5.0	11/28/22 10:23	
1,3-Dichlorobenzene	ug/L	ND	5.0	11/28/22 10:23	
1,4-Dichlorobenzene	ug/L	ND	5.0	11/28/22 10:23	
2-Butanone (MEK)	ug/L	ND	25.0	11/28/22 10:23	
2-Hexanone	ug/L	ND	25.0	11/28/22 10:23	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	11/28/22 10:23	
Acetone	ug/L	ND	100	11/28/22 10:23	
Benzene	ug/L	ND	5.0	11/28/22 10:23	
Bromodichloromethane	ug/L	ND	5.0	11/28/22 10:23	
Bromoform	ug/L	ND	5.0	11/28/22 10:23	
Bromomethane	ug/L	ND	5.0	11/28/22 10:23	
Carbon disulfide	ug/L	ND	10.0	11/28/22 10:23	
Carbon tetrachloride	ug/L	ND	5.0	11/28/22 10:23	
Chlorobenzene	ug/L	ND	5.0	11/28/22 10:23	
Chloroethane	ug/L	ND	5.0	11/28/22 10:23	
Chloroform	ug/L	ND	5.0	11/28/22 10:23	
Chloromethane	ug/L	ND	5.0	11/28/22 10:23	
cis-1,2-Dichloroethene	ug/L	ND	5.0	11/28/22 10:23	
cis-1,3-Dichloropropene	ug/L	ND	5.0	11/28/22 10:23	
Cyclohexane	ug/L	ND	100	11/28/22 10:23	
Dibromochloromethane	ug/L	ND	5.0	11/28/22 10:23	
Dichlorodifluoromethane	ug/L	ND	5.0	11/28/22 10:23	
Ethylbenzene	ug/L	ND	5.0	11/28/22 10:23	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	11/28/22 10:23	
Methyl acetate	ug/L	ND	50.0	11/28/22 10:23	
Methyl-tert-butyl ether	ug/L	ND	4.0	11/28/22 10:23	
Methylcyclohexane	ug/L	ND	50.0	11/28/22 10:23	
Methylene Chloride	ug/L	ND	5.0	11/28/22 10:23	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

METHOD BLANK: 3255891

Matrix: Water

Associated Lab Samples: 50331836001, 50331836002, 50331836003, 50331836004, 50331836005, 50331836006, 50331836007, 50331836008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Styrene	ug/L	ND	5.0	11/28/22 10:23	
Tetrachloroethene	ug/L	ND	5.0	11/28/22 10:23	
Toluene	ug/L	ND	5.0	11/28/22 10:23	
trans-1,2-Dichloroethene	ug/L	ND	5.0	11/28/22 10:23	
trans-1,3-Dichloropropene	ug/L	ND	5.0	11/28/22 10:23	
Trichloroethene	ug/L	ND	5.0	11/28/22 10:23	
Trichlorofluoromethane	ug/L	ND	5.0	11/28/22 10:23	
Vinyl chloride	ug/L	ND	2.0	11/28/22 10:23	
Xylene (Total)	ug/L	ND	10.0	11/28/22 10:23	
4-Bromofluorobenzene (S)	%	101	79-124	11/28/22 10:23	
Dibromofluoromethane (S)	%	100	82-128	11/28/22 10:23	
Toluene-d8 (S)	%	99	73-122	11/28/22 10:23	

LABORATORY CONTROL SAMPLE: 3255892

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	51.0	102	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	55.1	110	72-123	
1,1-Dichloroethene	ug/L	50	48.5	97	63-138	
1,2-Dibromoethane (EDB)	ug/L	50	56.8	114	75-123	
1,2-Dichloroethane	ug/L	50	53.0	106	68-126	
1,2-Dichloropropane	ug/L	50	54.6	109	73-127	
Benzene	ug/L	50	54.7	109	76-121	
Chlorobenzene	ug/L	50	52.3	105	74-119	
Chloroform	ug/L	50	52.5	105	68-123	
cis-1,2-Dichloroethene	ug/L	50	53.9	108	73-122	
Ethylbenzene	ug/L	50	53.5	107	74-122	
Isopropylbenzene (Cumene)	ug/L	50	51.5	103	75-124	
Methyl-tert-butyl ether	ug/L	50	59.0	118	71-125	
Tetrachloroethene	ug/L	50	50.8	102	74-129	
Toluene	ug/L	50	50.8	102	70-118	
trans-1,2-Dichloroethene	ug/L	50	51.0	102	69-124	
Trichloroethene	ug/L	50	52.8	106	73-125	
Vinyl chloride	ug/L	50	31.3	63	46-134	
Xylene (Total)	ug/L	150	154	102	71-123	
4-Bromofluorobenzene (S)	%			101	79-124	
Dibromofluoromethane (S)	%			101	82-128	
Toluene-d8 (S)	%			100	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			3255893	3255894								
		50331836001	MS Spike	MSD Spike	MS	MSD	MS	MSD	% Rec		Max	
Parameter	Units	Result	Conc.	Conc.	Result	Result	% Rec	% Rec	Limits	RPD	RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	50.1	51.3	100	103	60-143	3	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	58.9	58.5	118	117	64-135	1	20	
1,1-Dichloroethene	ug/L	ND	50	50	48.4	49.9	97	100	55-158	3	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	55.4	56.2	111	112	68-136	1	20	
1,2-Dichloroethane	ug/L	ND	50	50	50.6	52.3	101	105	61-144	3	20	
1,2-Dichloropropane	ug/L	ND	50	50	52.5	55.9	105	112	67-141	6	20	
Benzene	ug/L	ND	50	50	53.5	55.1	107	110	68-139	3	20	
Chlorobenzene	ug/L	ND	50	50	52.1	52.5	104	105	57-137	1	20	
Chloroform	ug/L	ND	50	50	50.8	52.3	102	105	61-138	3	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	52.4	54.9	105	110	58-142	5	20	
Ethylbenzene	ug/L	ND	50	50	53.3	54.6	107	109	54-141	2	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	51.4	52.9	103	106	48-145	3	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	60.4	61.5	121	123	62-143	2	20	
Tetrachloroethene	ug/L	ND	50	50	50.6	51.9	101	104	50-149	3	20	
Toluene	ug/L	ND	50	50	50.8	51.8	102	104	59-134	2	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	49.2	51.8	98	104	57-141	5	20	
Trichloroethene	ug/L	ND	50	50	51.9	53.9	104	108	55-147	4	20	
Vinyl chloride	ug/L	ND	50	50	29.0	30.8	58	62	36-154	6	20	
Xylene (Total)	ug/L	ND	150	150	151	156	101	104	50-143	3	20	
4-Bromofluorobenzene (S)	%						101	100	79-124			
Dibromofluoromethane (S)	%						101	102	82-128			
Toluene-d8 (S)	%						99	100	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50331836001	MW-0505-S2 (112122)	EPA 5030/8260	708341		
50331836002	MW-0505-S1 (112122)	EPA 5030/8260	708341		
50331836003	MW-0604-S2 (112122)	EPA 5030/8260	708341		
50331836004	MW-0102-S10 (112122)	EPA 5030/8260	708341		
50331836005	MW-0623-S1 (112122)	EPA 5030/8260	708341		
50331836006	MW-0504-S2 (112122)	EPA 5030/8260	708341		
50331836007	TB-01 (112122)-TW	EPA 5030/8260	708341		
50331836008	DUP-02 (112122)	EPA 5030/8260	708341		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents:

DA 11/22/22 1941

1. Courier: ☐ FED EX ☐ UPS ☒ CLIENT ☐ PACE ☐ USPS ☐ OTHER

2. Custody Seal on Cooler/Box Present: ☐ Yes ☒ No

(If yes)Seals Intact: ☐ Yes ☐ No (leave blank if no seals were present)

3. Thermometer: 1 2 3 4 5 6 A B C D E F

4. Cooler Temperature(s): 0.4/0.4

RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

5. Packing Material: ☒ Bubble Wrap ☒ Bubble Bags

☐ None ☐ Other

6. Ice Type: ☒ Wet ☐ Blue ☐ None

7. If temp. is over 6°C or under 0°C, was the PM notified?: ☐ Yes ☐ No

Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		☒	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			
Short Hold Time Analysis (48 hours or less)? Analysis:		☒	Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form			☒
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:			Present	Absent	N/A
Rush TAT Requested (4 days or less):		☒	Residual Chlorine Check (SVOC 625 Pest/PCB 608)			☒
Custody Signatures Present?	☒		Residual Chlorine Check (Total/Amenable/Free Cyanide)			☒
Containers Intact?:	☒		Headspace Wisconsin Sulfide?			☒
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	☒		Headspace in VOA Vials (>6mm): See Container Count form for details	Present	Absent	No VOA Vials Sent
Extra labels on Terracore Vials? (soils only)			Trip Blank Present?	☒		
			Trip Blank Custody Seals?:	☒		

COMMENTS:

Sample Container Count

** Place a RED dot on containers

that are out of conformance **

COC Line Item	WGUFU	MeOH (only)		VIALS	VOA VIAL HS (>6mm)	VG9U	DG9U	VG9T	AMBER GLASS	AG0U	AG1H	AG1U	AG2U	AG3S	AG3SF	AG3C	PLASTIC	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	OTHER	CG3H	Syringe Kit		Matrix	Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		SBS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass
DG9S	40mL H2SO4 amber vial	BG3H	250mL HCl Clear Glass
DG9T	40mL Na Thio amber vial	BG3U	250mL Unpres Clear Glass
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass
BG1H	1L HCl clear glass	AG3SF	250mL H2SO4 amb glass -field filtered
BG1S	1L H2SO4 clear glass	AG3U	250mL unpres amber glass
GN	General	AG3C	250mL NaOH amber glass

Plastic

BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
T	Tedlar Bag (air sample)
U	Summa Can (air sample)
WT	Water
SL	Solid Solid
OL:	Oil
NAL	Non-aqueous liquid
WP	Wipe

RACER TRUST
Former GM Delco Plant 5

DATA REVIEW

Kokomo, Indiana

Volatile Organic Compound (VOC) Analyses

SDGs: 50329214, 50329215, 50329216, and 50331836

Analyses Performed By:
Pace Analytical Services, Inc.
Indianapolis, Indiana

Validation Report: 47477R
Review Level: Tier II
Project: 30123295

DATA REVIEW REPORT

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) 50329214, 50329215, 50329216, and 50331836 for samples collected in association with the RACER Trust site in Kokomo, Indiana. The review was conducted as an ARCADIS Tier II evaluation and included review of data package completeness. Only analytical data as reported by the laboratory were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain-of-custody (COC) records. Analyses were performed on the following samples.

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	TPH	Metal	Misc.
50329214	MW-0517-S1(102522)	50329214001	Water	10/25/2022		X				
	MW-0604-S1(102522)	50329214002	Water	10/25/2022		X				
	MW-2211-S1(102522)	50329214003	Water	10/25/2022		X				
	MW-2201-S1(102522)	50329214004	Water	10/25/2022		X				
	MW-2202-S1(102522)	50329214005	Water	10/25/2022		X				
	MW-2207-S1(102522)	50329214006	Water	10/25/2022		X				
	MW-0619-S1(102522)	50329214007	Water	10/25/2022		X				
	MW-0621-S1(102522)	50329214008	Water	10/25/2022		X				
	TRIP BLANK	50329214009	Water	10/25/2022		X				
	DUP-01(102522)	50329214010	Water	10/25/2022	MW-2207-S1(102522)	X				
50329215	MW-2203-S1(102422)	50329215001	Water	10/24/2022		X				
	MW-2204-S1(102422)	50329215002	Water	10/24/2022		X				
	MW-2205-S1(102422)	50329215003	Water	10/24/2022		X				
	MW-2206-S1(102422)	50329215004	Water	10/24/2022		X				
	MW-2208-S1(102422)	50329215005	Water	10/24/2022		X				
	MW-2210-S1(102422)	50329215006	Water	10/24/2022		X				
	MW-2212-S1(102422)	50329215007	Water	10/24/2022		X				
	MW-2213-S1(102422)	50329215008	Water	10/24/2022		X				
	MW-0614-S2(102422)	50329215009	Water	10/24/2022		X				
	MW-0603-S1(102422)	50329215010	Water	10/24/2022		X				
	MW-0509-S1(102422)	50329215011	Water	10/24/2022		X				
	MW-0507-S1(102422)	50329215012	Water	10/24/2022		X				

DATA REVIEW REPORT

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	TPH	Metal	Misc.
50329215	MW-0506-S2 (102422)	50329215013	Water	10/24/2022		X				
	MW-0506-S1 (102422)	50329215014	Water	10/24/2022		X				
	MW-0504-S1 (102422)	50329215015	Water	10/24/2022		X				
	MW-0503-S1 (102422)	50329215016	Water	10/24/2022		X				
	MW-0501-S2 (102422)	50329215017	Water	10/24/2022		X				
	MW-0103-S1U (102422)	50329215018	Water	10/24/2022		X				
	EB-01 (102422)	50329215019	Water	10/24/2022		X				
	EB-03 (102422)	50329215020	Water	10/24/2022		X				
	Dup-01 (102422)	50329215021	Water	10/24/2022	MW-0504-S1 (102422)	X				
50329216	TRIP BLANK	50329216001	Water	10/24/2022		X				
	MW-0618-S1 (102422)	50329216002	Water	10/24/2022		X				
	MW-0613-S1 (102422)	50329216003	Water	10/24/2022		X				
	MW-0607-S1 (102422)	50329216004	Water	10/24/2022		X				
	MW-0607-S2 (102422)	50329216005	Water	10/24/2022		X				
	MW-0609-S1 (102422)	50329216006	Water	10/24/2022		X				
	MW-0609-S2 (102422)	50329216007	Water	10/24/2022		X				
	EB-02 (102422)-RJW	50329216008	Water	10/24/2022		X				
	MW-0610-S1 (102422)	50329216009	Water	10/24/2022		X				
	MW-0704-S1 (102422)	50329216010	Water	10/24/2022		X				
	MW-0606-S1 (102422)	50329216011	Water	10/24/2022		X				
	MW-0606-S2 (102422)	50329216012	Water	10/24/2022		X				
	MW-0612-S1 (102422)	50329216013	Water	10/24/2022		X				
	MW-0612-S2 (102422)	50329216014	Water	10/24/2022		X				
	MW-0705-S1 (102422)	50329216015	Water	10/24/2022		X				
	MW-0608-S1 (102422)	50329216016	Water	10/24/2022		X				
	MW-0608-S2 (102422)	50329216017	Water	10/24/2022		X				
	MW-0602-S1 (102422)	50329216018	Water	10/24/2022		X				
	MW-0611-S1-R (102422)	50329216019	Water	10/24/2022		X				
	MW-0516-S1 (102422)	50329216020	Water	10/24/2022		X				

DATA REVIEW REPORT

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	TPH	Metal	Misc.
50329216	MW-0516-S2 (102422)	50329216021	Water	10/24/2022		X				
	DUP-05 (102422)-RJW	50329216022	Water	10/24/2022	MW-0612-S1 (102422)	X				
	DUP-03 (102422)-RJW	50329216023	Water	10/24/2022	MW-0606-S1 (102422)	X				
	DUP-04 (102422)-RJW	50329216024	Water	10/24/2022	MW-0606-S2 (102422)	X				
	MW-0503-S2 (102422)	50329216025	Water	10/24/2022		X				
	MW-0617-S1 (102422)	50329216026	Water	10/24/2022		X				
	MW-0617-S2 (102422)	50329216027	Water	10/24/2022		X				
	MW-0505-S2 (112122)	50331836001	Water	11/21/2022		X				
	MW-0505-S1 (112122)	50331836002	Water	11/21/2022		X				
	MW-0604-S2 (112122)	50331836003	Water	11/21/2022		X				
	MW-0102-S1U (112122)	50331836004	Water	11/21/2022		X				
	MW-0623-S1 (112122)	50331836005	Water	11/21/2022		X				
	MW-0504-S2 (112122)	50331836006	Water	11/21/2022		X				
	TB-01 (112122)-TW	50331836007	Water	11/21/2022		X				
	DUP-02 (112122)	50331836008	Water	11/21/2022	MW-0604-S2 (112122)	X				

Note:

- As specified on the COCs, samples MW-0503-S1 (102422), MW-0501-S2 (102422), and MW-0505-S2 (112122) were used in the matrix spike/matrix spike duplicate (MS/MSD) analyses.

DATA REVIEW REPORT

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of quality assurance (QA) or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

DATA REVIEW REPORT

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260. Data were reviewed in accordance with *USEPA Contract Laboratory Program National Functional Guidelines (NFGs) for Organic Data Review* (October 1999).

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA NFGs:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected as unusable. The compound may or may not be present in the sample.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data, but any value potentially contains error.

DATA REVIEW REPORT

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260	Water	14 days from collection to analysis (preserved)	Cool to < 6 °C; pH < 2 with HCl
		7 days from collection to analysis (unpreserved)	Cool to < 6 °C

All samples were analyzed within the specified holding times.

2. Blank Contamination

Quality assurance (QA) blanks (i.e. laboratory method blanks and field blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Field blanks also measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

The common laboratory contaminants acetone and methylene chloride were detected in the associated blanks. Sample results that were less than the associated BAL were qualified as listed in the following table.

SDG	Sample	Analyte	Sample Result	Qualification
50329214	MW-2202-S1(102522) MW-2207-S1(102522)	Acetone	Detected sample results < reporting limit (RL) and < BAL	"UB" at the RL
50329215	MW-2203-S1 (102422)			
	MW-2204-S1 (102422)			
	MW-2205-S1 (102422)			
	MW-2208-S1 (102422)			
	MW-2210-S1 (102422)			
	MW-2212-S1 (102422)			
	MW-2213-S1 (102422)			
	MW-0614-S2 (102422)			
	MW-0603-S1 (102422)			
	MW-0509-S1 (102422)			
	MW-0507-S1 (102422)			
	MW-0506-S2 (102422)			
	MW-0506-S1 (102422)			
	MW-0504-S1 (102422)			
	MW-0503-S1 (102422)			
	MW-0501-S2 (102422)			
	MW-0103-S1U (102422)			
	Dup-01 (102422)			
50329216	MW-0607-S1 (102422)			
	MW-0607-S2 (102422)			
	MW-0609-S1 (102422)			
	MW-0609-S2 (102422)			

DATA REVIEW REPORT

SDG	Sample	Analyte	Sample Result	Qualification
50329216	MW-0610-S1 (102422) MW-0612-S2 (102422) MW-0608-S1 (102422) MW-0608-S2 (102422) MW-0516-S1 (102422) MW-0516-S2 (102422) DUP-05 (102422)-RJW MW-0503-S2 (102422) MW-0617-S1 (102422) MW-0617-S2 (102422)	Acetone	Detected sample results < reporting limit (RL) and < BAL	"UB" at the RL
50329215	MW-0603-S1 (102422)	Acetone	Detected sample results > RL and < BAL	"UB" at detected sample concentration

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All samples exhibited surrogate recoveries within the control limits.

4 Matrix Spike / Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on samples where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

Samples MW-0619-S1(102522), MW-0503-S1 (102422), MW-0501-S2 (102422), MW-0610-S1 (102422), and MW-0505-S2 (112122) were used in the MS/MSD analyses. Samples associated with the MS/MSD exhibiting recoveries outside of the control limits are presented in the following table.

SDG	Sample	Compound	MS Recovery	MSD Recovery
50329216	MW-0610-S1 (102422)	Chloroethane	> UL	> UL
	MW-0617-S2 (102422)	Methylcyclohexane	< LL but > 10%	Acceptable

The criteria used to evaluate the MS/MSD recoveries are presented in the following table. In the case of MS/MSD deviations, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J

DATA REVIEW REPORT

Control Limit	Sample Result	Qualification
< 10%	Non-detect	R
	Detect	J
Parent sample concentration > 4x the MS/MSD spiking solution concentration.	Detect	No Action
	Non-detect	

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the accuracy of the analytical method independent of matrix interferences. The spiked compounds used in the LCS analysis must exhibit recoveries within the laboratory-established acceptance limits.

The LCS analyses exhibited acceptable results.

6. Field Duplicate Sample Analysis

The field duplicate sample analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 100% for air matrices is applied to the RPD between the parent sample and the field duplicate. In the case where the parent and duplicate sample concentrations are less than or equal to five times the RL, a control limit of three times the RL is applied to the difference between the results.

Detected results for the field duplicate samples are summarized in the following tables.

Sample and Field Duplicate Sample: MW-2207-S1(102522) and DUP-01(102522)

Compound	Sample Result	Duplicate Result	RPD	Difference	RL	Evaluation
cis-1,2-Dichloroethene	676	655	N/A	21	500	Acceptable
Trichloroethene	14600	14700	0.7 %	N/A	500	Acceptable

Sample and Field Duplicate Sample: MW-0504-S1 (102422) and Dup-01 (102422)

Compound	Sample Result	Duplicate Result	RPD	Difference	RL	Evaluation
1,1-Dichloroethane	6.7	6.9	N/A	0.2	5.0	Acceptable
1,1-Dichloroethene	3.4 J	3.6 J	N/A	0.2	5.0	Acceptable
Benzene	0.61 J	0.59 J	N/A	0.02	5.0	Acceptable
cis-1,2-Dichloroethene	709	738	4.0 %	N/A	125	Acceptable
trans-1,2-Dichloroethene	103	103	0.0 %	N/A	5.0	Acceptable
Trichloroethene	1930	1960	1.5 %	N/A	125	Acceptable
Vinyl chloride	13.1	13.3	1.5 %	N/A	2.0	Acceptable

Sample and Field Duplicate Sample: MW-0606-S1 (102422) and DUP-03 (102422)-RJW

Compound	Sample Result	Duplicate Result	RPD	Difference	RL	Evaluation
1,1-Dichloroethene	3.3 J	3.6 J	N/A	0.3	5.0	Acceptable
cis-1,2-Dichloroethene	1210	1220	0.8 %	N/A	50	Acceptable
Toluene	0.30 J	0.31 J	N/A	0.01	5.0	Acceptable

DATA REVIEW REPORT

Sample and Field Duplicate Sample: MW-0606-S1 (102422) and DUP-03 (102422)-RJW

Compound	Sample Result	Duplicate Result	RPD	Difference	RL	Evaluation
trans-1,2-Dichloroethene	138	140	1.4 %	N/A	5.0	Acceptable
Trichloroethene	2770	2820	1.8 %	N/A	50	Acceptable
Vinyl chloride	1.6 J	1.7 J	N/A	0.1	2.0	Acceptable

Sample and Field Duplicate Sample: MW-0606-S2 (102422) and DUP-04 (102422)-RJW

Compound	Sample Result	Duplicate Result	RPD	Difference	RL	Evaluation
1,1-Dichloroethene	0.71 J	0.74 J	N/A	0.03	5.0	Acceptable
cis-1,2-Dichloroethene	396	396	0.0 %	N/A	50	Acceptable
trans-1,2-Dichloroethene	70.4	71.0	0.8 %	N/A	5.0	Acceptable
Trichloroethene	322	318	1.3 %	N/A	50	Acceptable
Vinyl chloride	1.3 J	1.2 J	N/A	0.1	2.0	Acceptable

Sample and Field Duplicate Sample: MW-0612-S1 (102422) and DUP-05 (102422)-RJW

Compound	Sample Result	Duplicate Result	RPD	Difference	RL	Evaluation
1,1-Dichloroethene	25.0 U	0.69 J	N/A	0.69	25	Acceptable
1,2,4-Trichlorobenzene	2.0 J	5.0 U	N/A	2.0	25	Acceptable
cis-1,2-Dichloroethene	435	441	1.4 %	N/A	50	Acceptable
trans-1,2-Dichloroethene	50.4	48.9	N/A	1.5	25	Acceptable
Trichloroethene	3230	3200	0.9 %	N/A	500	Acceptable
Vinyl chloride	31.9	30.3	N/A	1.6	10	Acceptable

Sample and Field Duplicate Sample: MW-0604-S2 (112122) and DUP-02 (112122)

Compound	Sample Result	Duplicate Result	RPD	Difference	RL	Evaluation
1-Methylnaphthalene	10.0 U	0.96 J	N/A	N/A	10	Acceptable
Acetone	38.8 J	40.2 J	N/A	1.4	100	Acceptable

Notes: N/A = Not applicable
J = Estimated (result is < RL)
U = Not detected

The field duplicate samples exhibited acceptable results.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW REPORT

DATA VALIDATION CHECKLIST FOR VOCS

VOCs: SW-846 8260	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
Gas Chromatography/Mass Spectrometry (GC/MS)					
Holding Times		X		X	
Reporting Limits (Units)		X		X	
Blanks					
A. Method Blanks		X	X		
B. Equipment and/or Field Blanks		X	X		
C. Trip Blanks		X	X		
Surrogates Accuracy (%R)		X		X	
Matrix Spike (MS) %R		X	X		
Matrix Spike Duplicate (MSD) %R		X	X		
MS/MSD Precision (RPD)		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate (LCSD) %R	X				X
LCS/LCSD RPD	X				X
Laboratory Duplicate Sample RPD	X				X
Field Duplicate Sample RPD		X		X	
Dilution Factor		X		X	
Other (Calibration)		X		X	
Other (Headspace)		X		X	

Notes:

%R = Percent recovery

RPD = Relative percent difference

DATA REVIEW REPORT

Validation Performed By: Dennis Dyke

Signature: 

Date: December 19, 2022

CHAIN OF CUSTODY AND VALIDATED SAMPLE ANALYSIS DATA SHEETS



WO#: 50329214



50329214

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

I acknowledge and acceptance of the Pace Terms and Conditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>.

Section

Required Client Information:

Required Project Information:

Section C

Invoice Information:

Page : 1 Of 1

Company: Arcadis U.S., Inc.	Report To: Cameron Stewart	Attention:	Regulatory Agency
Address: 150 West Market Street	Copy To: ~~XXXXXXXXXX~~	Company Name:	
Suite 728, Indianapolis, IN 46204	<i>Riley White / Terrence Wilson</i>	Address:	
Email: william.stephens@arcadis.com	Purchase Order #:	Pace Quote:	
Phone: (317)217-0336 Fax:	Project Name: RACER Kokomo	Pace Project Manager: olivia.deck@pacelabs.com,	
Requested Due Date: <i>Standard</i>	Project #: 30123295	Pace Profile #: 3454	State / Location IN

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 /, -,) Sample IDs must be unique	MATRIX Drinking Water DW Water WT Waste Water WW Product P Soil/Solid SL Oil OL Wipe WP Air AR Other OT Tissue TS	CODE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Analyses Test Y/N	Requested Analysis Filtered (Y/N)												Residual Chlorine (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other		VOC 8260																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
						DATE	TIME	DATE	TIME																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1	MW-0517-S1 (102522)	WT	G					10/25	1135	3					X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	Riley White / Arcadis	10/25/22	1500	mm	10/25/22	1500	24	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed:

TEMP in C

Received on
Ice (Y/N)Custody
Sealed (Y/N)Cooling
Cool (Y/N)

Page 37 of 39

Samples
Intact (Y/N)

39

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0517-S1(102522)		Lab ID: 50329214001	Collected: 10/25/22 11:35	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	500	5		11/02/22 08:06	67-64-1	
Benzene	ND	ug/L	25.0	5		11/02/22 08:06	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		11/02/22 08:06	75-27-4	
Bromoform	ND	ug/L	25.0	5		11/02/22 08:06	75-25-2	
Bromomethane	ND	ug/L	25.0	5		11/02/22 08:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		11/02/22 08:06	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		11/02/22 08:06	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		11/02/22 08:06	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		11/02/22 08:06	108-90-7	
Chloroethane	ND	ug/L	25.0	5		11/02/22 08:06	75-00-3	
Chloroform	ND	ug/L	25.0	5		11/02/22 08:06	67-66-3	
Chloromethane	ND	ug/L	25.0	5		11/02/22 08:06	74-87-3	
Cyclohexane	ND	ug/L	500	5		11/02/22 08:06	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		11/02/22 08:06	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		11/02/22 08:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		11/02/22 08:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 08:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 08:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 08:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		11/02/22 08:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		11/02/22 08:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		11/02/22 08:06	107-06-2	
1,1-Dichloroethene	2.13	ug/L	25.0	5		11/02/22 08:06	75-35-4	
cis-1,2-Dichloroethene	786	ug/L	25.0	5		11/02/22 08:06	156-59-2	
trans-1,2-Dichloroethene	99.2	ug/L	25.0	5		11/02/22 08:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		11/02/22 08:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 08:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 08:06	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		11/02/22 08:06	100-41-4	
2-Hexanone	ND	ug/L	125	5		11/02/22 08:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		11/02/22 08:06	98-82-8	
Methyl acetate	ND	ug/L	250	5		11/02/22 08:06	79-20-9	
Methylcyclohexane	ND	ug/L	250	5		11/02/22 08:06	108-87-2	
Methylene Chloride	ND	ug/L	25.0	5		11/02/22 08:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		11/02/22 08:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		11/02/22 08:06	1634-04-4	
Styrene	ND	ug/L	25.0	5		11/02/22 08:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		11/02/22 08:06	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		11/02/22 08:06	127-18-4	
Toluene	ND	ug/L	25.0	5		11/02/22 08:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		11/02/22 08:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		11/02/22 08:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		11/02/22 08:06	79-00-5	
Trichloroethene	3240	ug/L	250	50		11/02/22 08:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		11/02/22 08:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		11/02/22 08:06	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0517-S1(102522)		Lab ID: 50329214001		Collected: 10/25/22 11:35		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	1.9J	ug/L	10.0	5		11/02/22 08:06	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		11/02/22 08:06	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	5		11/02/22 08:06	1868-53-7	D4	
4-Bromofluorobenzene (S)	102	%.	79-124	5		11/02/22 08:06	460-00-4		
Toluene-d8 (S)	99	%.	73-122	5		11/02/22 08:06	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0604-S1(102522)		Lab ID: 50329214002		Collected: 10/25/22 12:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	500	5			11/02/22 09:06	67-64-1	
Benzene	ND	ug/L	25.0	5			11/02/22 09:06	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			11/02/22 09:06	75-27-4	
Bromoform	ND	ug/L	25.0	5			11/02/22 09:06	75-25-2	
Bromomethane	ND	ug/L	25.0	5			11/02/22 09:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			11/02/22 09:06	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			11/02/22 09:06	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			11/02/22 09:06	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			11/02/22 09:06	108-90-7	
Chloroethane	ND	ug/L	25.0	5			11/02/22 09:06	75-00-3	
Chloroform	ND	ug/L	25.0	5			11/02/22 09:06	67-66-3	
Chloromethane	ND	ug/L	25.0	5			11/02/22 09:06	74-87-3	
Cyclohexane	ND	ug/L	500	5			11/02/22 09:06	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			11/02/22 09:06	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			11/02/22 09:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			11/02/22 09:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			11/02/22 09:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			11/02/22 09:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			11/02/22 09:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			11/02/22 09:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			11/02/22 09:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			11/02/22 09:06	107-06-2	
1,1-Dichloroethene	3.13	ug/L	25.0	5			11/02/22 09:06	75-35-4	
cis-1,2-Dichloroethene	901	ug/L	25.0	5			11/02/22 09:06	156-59-2	
trans-1,2-Dichloroethene	83.6	ug/L	25.0	5			11/02/22 09:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			11/02/22 09:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			11/02/22 09:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			11/02/22 09:06	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			11/02/22 09:06	100-41-4	
2-Hexanone	ND	ug/L	125	5			11/02/22 09:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			11/02/22 09:06	98-82-8	
Methyl acetate	ND	ug/L	250	5			11/02/22 09:06	79-20-9	
Methylcyclohexane	ND	ug/L	250	5			11/02/22 09:06	108-87-2	
Methylene Chloride	ND	ug/L	25.0	5			11/02/22 09:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			11/02/22 09:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			11/02/22 09:06	1634-04-4	
Styrene	ND	ug/L	25.0	5			11/02/22 09:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			11/02/22 09:06	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			11/02/22 09:06	127-18-4	
Toluene	ND	ug/L	25.0	5			11/02/22 09:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			11/02/22 09:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			11/02/22 09:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			11/02/22 09:06	79-00-5	
Trichloroethene	2290	ug/L	125	25			11/02/22 07:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			11/02/22 09:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			11/02/22 09:06	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0604-S1(102522)		Lab ID: 50329214002		Collected: 10/25/22 12:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	34.7	ug/L	10.0	5		11/02/22 09:06	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		11/02/22 09:06	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	5		11/02/22 09:06	1868-53-7	D4	
4-Bromofluorobenzene (S)	103	%.	79-124	5		11/02/22 09:06	460-00-4		
Toluene-d8 (S)	100	%.	73-122	5		11/02/22 09:06	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2211-S1(102522)		Lab ID: 50329214003		Collected: 10/25/22 10:50		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	500	5			11/02/22 08:21	67-64-1	
Benzene	ND	ug/L	25.0	5			11/02/22 08:21	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			11/02/22 08:21	75-27-4	
Bromoform	ND	ug/L	25.0	5			11/02/22 08:21	75-25-2	
Bromomethane	ND	ug/L	25.0	5			11/02/22 08:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			11/02/22 08:21	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			11/02/22 08:21	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			11/02/22 08:21	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			11/02/22 08:21	108-90-7	
Chloroethane	ND	ug/L	25.0	5			11/02/22 08:21	75-00-3	
Chloroform	ND	ug/L	25.0	5			11/02/22 08:21	67-66-3	
Chloromethane	ND	ug/L	25.0	5			11/02/22 08:21	74-87-3	
Cyclohexane	ND	ug/L	500	5			11/02/22 08:21	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			11/02/22 08:21	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			11/02/22 08:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			11/02/22 08:21	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			11/02/22 08:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			11/02/22 08:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			11/02/22 08:21	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			11/02/22 08:21	75-71-8	
1,1-Dichloroethane	5.6J	ug/L	25.0	5			11/02/22 08:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			11/02/22 08:21	107-06-2	
1,1-Dichloroethene	2.6J	ug/L	25.0	5			11/02/22 08:21	75-35-4	
cis-1,2-Dichloroethene	801	ug/L	25.0	5			11/02/22 08:21	156-59-2	
trans-1,2-Dichloroethene	49.3	ug/L	25.0	5			11/02/22 08:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			11/02/22 08:21	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			11/02/22 08:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			11/02/22 08:21	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			11/02/22 08:21	100-41-4	
2-Hexanone	ND	ug/L	125	5			11/02/22 08:21	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			11/02/22 08:21	98-82-8	
Methyl acetate	ND	ug/L	250	5			11/02/22 08:21	79-20-9	
Methylcyclohexane	ND	ug/L	250	5			11/02/22 08:21	108-87-2	
Methylene Chloride	ND	ug/L	25.0	5			11/02/22 08:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			11/02/22 08:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			11/02/22 08:21	1634-04-4	
Styrene	ND	ug/L	25.0	5			11/02/22 08:21	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			11/02/22 08:21	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			11/02/22 08:21	127-18-4	
Toluene	ND	ug/L	25.0	5			11/02/22 08:21	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			11/02/22 08:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			11/02/22 08:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			11/02/22 08:21	79-00-5	
Trichloroethene	582	ug/L	25.0	5			11/02/22 08:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			11/02/22 08:21	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			11/02/22 08:21	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2211-S1(102522)		Lab ID: 50329214003		Collected: 10/25/22 10:50		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	3.2J	ug/L	10.0	5		11/02/22 08:21	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		11/02/22 08:21	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	5		11/02/22 08:21	1868-53-7	D4	
4-Bromofluorobenzene (S)	102	%.	79-124	5		11/02/22 08:21	460-00-4		
Toluene-d8 (S)	100	%.	73-122	5		11/02/22 08:21	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2201-S1(102522)		Lab ID: 50329214004		Collected: 10/25/22 12:15		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	1000	10		11/02/22 08:51	67-64-1		
Benzene	ND	ug/L	50.0	10		11/02/22 08:51	71-43-2		
Bromodichloromethane	ND	ug/L	50.0	10		11/02/22 08:51	75-27-4		
Bromoform	ND	ug/L	50.0	10		11/02/22 08:51	75-25-2		
Bromomethane	ND	ug/L	50.0	10		11/02/22 08:51	74-83-9		
2-Butanone (MEK)	ND	ug/L	250	10		11/02/22 08:51	78-93-3		
Carbon disulfide	ND	ug/L	100	10		11/02/22 08:51	75-15-0		
Carbon tetrachloride	ND	ug/L	50.0	10		11/02/22 08:51	56-23-5		
Chlorobenzene	ND	ug/L	50.0	10		11/02/22 08:51	108-90-7		
Chloroethane	ND	ug/L	50.0	10		11/02/22 08:51	75-00-3		
Chloroform	ND	ug/L	50.0	10		11/02/22 08:51	67-66-3		
Chloromethane	ND	ug/L	50.0	10		11/02/22 08:51	74-87-3		
Cyclohexane	ND	ug/L	1000	10		11/02/22 08:51	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	100	10		11/02/22 08:51	96-12-8		
Dibromochloromethane	ND	ug/L	50.0	10		11/02/22 08:51	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	10		11/02/22 08:51	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	50.0	10		11/02/22 08:51	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	50.0	10		11/02/22 08:51	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	50.0	10		11/02/22 08:51	106-46-7		
Dichlorodifluoromethane	ND	ug/L	50.0	10		11/02/22 08:51	75-71-8		
1,1-Dichloroethane	ND	ug/L	50.0	10		11/02/22 08:51	75-34-3		
1,2-Dichloroethane	ND	ug/L	50.0	10		11/02/22 08:51	107-06-2		
1,1-Dichloroethene	6.3J	ug/L	50.0	10		11/02/22 08:51	75-35-4		
cis-1,2-Dichloroethene	2300	ug/L	50.0	10		11/02/22 08:51	156-59-2		
trans-1,2-Dichloroethene	28.2J	ug/L	50.0	10		11/02/22 08:51	156-60-5		
1,2-Dichloropropane	ND	ug/L	50.0	10		11/02/22 08:51	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	50.0	10		11/02/22 08:51	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	50.0	10		11/02/22 08:51	10061-02-6		
Ethylbenzene	ND	ug/L	50.0	10		11/02/22 08:51	100-41-4		
2-Hexanone	ND	ug/L	250	10		11/02/22 08:51	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	50.0	10		11/02/22 08:51	98-82-8		
Methyl acetate	ND	ug/L	500	10		11/02/22 08:51	79-20-9		
Methylcyclohexane	ND	ug/L	500	10		11/02/22 08:51	108-87-2		
Methylene Chloride	ND	ug/L	50.0	10		11/02/22 08:51	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	10		11/02/22 08:51	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	40.0	10		11/02/22 08:51	1634-04-4		
Styrene	ND	ug/L	50.0	10		11/02/22 08:51	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	10		11/02/22 08:51	79-34-5		
Tetrachloroethene	ND	ug/L	50.0	10		11/02/22 08:51	127-18-4		
Toluene	ND	ug/L	50.0	10		11/02/22 08:51	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	50.0	10		11/02/22 08:51	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	50.0	10		11/02/22 08:51	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	50.0	10		11/02/22 08:51	79-00-5		
Trichloroethene	1490	ug/L	50.0	10		11/02/22 08:51	79-01-6		
Trichlorofluoromethane	ND	ug/L	50.0	10		11/02/22 08:51	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	50.0	10		11/02/22 08:51	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2201-S1(102522)		Lab ID: 50329214004		Collected: 10/25/22 12:15		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	236	ug/L	20.0	10		11/02/22 08:51	75-01-4		
Xylene (Total)	ND	ug/L	100	10		11/02/22 08:51	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	10		11/02/22 08:51	1868-53-7	D4	
4-Bromofluorobenzene (S)	103	%.	79-124	10		11/02/22 08:51	460-00-4		
Toluene-d8 (S)	99	%.	73-122	10		11/02/22 08:51	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2202-S1(102522)		Lab ID: 50329214005	Collected: 10/25/22 11:10	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~22.43~~	ug/L	500	5		11/02/22 09:22	67-64-1	~~B~~ UB
Benzene	ND	ug/L	25.0	5		11/02/22 09:22	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		11/02/22 09:22	75-27-4	
Bromoform	ND	ug/L	25.0	5		11/02/22 09:22	75-25-2	
Bromomethane	ND	ug/L	25.0	5		11/02/22 09:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		11/02/22 09:22	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		11/02/22 09:22	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		11/02/22 09:22	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		11/02/22 09:22	108-90-7	
Chloroethane	ND	ug/L	25.0	5		11/02/22 09:22	75-00-3	
Chloroform	ND	ug/L	25.0	5		11/02/22 09:22	67-66-3	
Chloromethane	ND	ug/L	25.0	5		11/02/22 09:22	74-87-3	
Cyclohexane	ND	ug/L	500	5		11/02/22 09:22	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		11/02/22 09:22	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		11/02/22 09:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		11/02/22 09:22	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 09:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 09:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 09:22	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		11/02/22 09:22	75-71-8	
1,1-Dichloroethane	5.3J	ug/L	25.0	5		11/02/22 09:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		11/02/22 09:22	107-06-2	
1,1-Dichloroethene	3.3J	ug/L	25.0	5		11/02/22 09:22	75-35-4	
cis-1,2-Dichloroethene	828	ug/L	25.0	5		11/02/22 09:22	156-59-2	
trans-1,2-Dichloroethene	60.5	ug/L	25.0	5		11/02/22 09:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		11/02/22 09:22	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 09:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 09:22	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		11/02/22 09:22	100-41-4	
2-Hexanone	ND	ug/L	125	5		11/02/22 09:22	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		11/02/22 09:22	98-82-8	
Methyl acetate	ND	ug/L	250	5		11/02/22 09:22	79-20-9	
Methylcyclohexane	ND	ug/L	250	5		11/02/22 09:22	108-87-2	
Methylene Chloride	ND	ug/L	25.0	5		11/02/22 09:22	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		11/02/22 09:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		11/02/22 09:22	1634-04-4	
Styrene	ND	ug/L	25.0	5		11/02/22 09:22	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		11/02/22 09:22	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		11/02/22 09:22	127-18-4	
Toluene	ND	ug/L	25.0	5		11/02/22 09:22	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		11/02/22 09:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		11/02/22 09:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		11/02/22 09:22	79-00-5	
Trichloroethene	1850	ug/L	125	25		11/03/22 16:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		11/02/22 09:22	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		11/02/22 09:22	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2202-S1(102522)		Lab ID: 50329214005		Collected: 10/25/22 11:10		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		11.1	ug/L	10.0	5		11/02/22 09:22	75-01-4	
Xylene (Total)		ND	ug/L	50.0	5		11/02/22 09:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	5		11/02/22 09:22	1868-53-7	D4
4-Bromofluorobenzene (S)		102	%.	79-124	5		11/02/22 09:22	460-00-4	
Toluene-d8 (S)		100	%.	73-122	5		11/02/22 09:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2207-S1(102522)		Lab ID: 50329214006		Collected: 10/25/22 12:02		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND ~~4123~~	ug/L	10000	100		11/02/22 09:52	67-64-1	~~B~~ UB	
Benzene	ND	ug/L	500	100		11/02/22 09:52	71-43-2		
Bromodichloromethane	ND	ug/L	500	100		11/02/22 09:52	75-27-4		
Bromoform	ND	ug/L	500	100		11/02/22 09:52	75-25-2		
Bromomethane	ND	ug/L	500	100		11/02/22 09:52	74-83-9		
2-Butanone (MEK)	ND	ug/L	2500	100		11/02/22 09:52	78-93-3		
Carbon disulfide	ND	ug/L	1000	100		11/02/22 09:52	75-15-0		
Carbon tetrachloride	ND	ug/L	500	100		11/02/22 09:52	56-23-5		
Chlorobenzene	ND	ug/L	500	100		11/02/22 09:52	108-90-7		
Chloroethane	ND	ug/L	500	100		11/02/22 09:52	75-00-3		
Chloroform	ND	ug/L	500	100		11/02/22 09:52	67-66-3		
Chloromethane	ND	ug/L	500	100		11/02/22 09:52	74-87-3		
Cyclohexane	ND	ug/L	10000	100		11/02/22 09:52	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	1000	100		11/02/22 09:52	96-12-8		
Dibromochloromethane	ND	ug/L	500	100		11/02/22 09:52	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	500	100		11/02/22 09:52	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	500	100		11/02/22 09:52	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	500	100		11/02/22 09:52	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	500	100		11/02/22 09:52	106-46-7		
Dichlorodifluoromethane	ND	ug/L	500	100		11/02/22 09:52	75-71-8		
1,1-Dichloroethane	ND	ug/L	500	100		11/02/22 09:52	75-34-3		
1,2-Dichloroethane	ND	ug/L	500	100		11/02/22 09:52	107-06-2		
1,1-Dichloroethene	ND	ug/L	500	100		11/02/22 09:52	75-35-4		
cis-1,2-Dichloroethene	676	ug/L	500	100		11/02/22 09:52	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	500	100		11/02/22 09:52	156-60-5		
1,2-Dichloropropane	ND	ug/L	500	100		11/02/22 09:52	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	500	100		11/02/22 09:52	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	500	100		11/02/22 09:52	10061-02-6		
Ethylbenzene	ND	ug/L	500	100		11/02/22 09:52	100-41-4		
2-Hexanone	ND	ug/L	2500	100		11/02/22 09:52	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	500	100		11/02/22 09:52	98-82-8		
Methyl acetate	ND	ug/L	5000	100		11/02/22 09:52	79-20-9		
Methylcyclohexane	ND	ug/L	5000	100		11/02/22 09:52	108-87-2		
Methylene Chloride	ND	ug/L	500	100		11/02/22 09:52	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	2500	100		11/02/22 09:52	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	400	100		11/02/22 09:52	1634-04-4		
Styrene	ND	ug/L	500	100		11/02/22 09:52	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	500	100		11/02/22 09:52	79-34-5		
Tetrachloroethene	ND	ug/L	500	100		11/02/22 09:52	127-18-4		
Toluene	ND	ug/L	500	100		11/02/22 09:52	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	500	100		11/02/22 09:52	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	500	100		11/02/22 09:52	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	500	100		11/02/22 09:52	79-00-5		
Trichloroethene	14600	ug/L	500	100		11/02/22 09:52	79-01-6		
Trichlorofluoromethane	ND	ug/L	500	100		11/02/22 09:52	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	500	100		11/02/22 09:52	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-2207-S1(102522)		Lab ID: 50329214006		Collected: 10/25/22 12:02		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	200	100		11/02/22 09:52	75-01-4		
Xylene (Total)	ND	ug/L	1000	100		11/02/22 09:52	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	100		11/02/22 09:52	1868-53-7	D4	
4-Bromofluorobenzene (S)	102	%.	79-124	100		11/02/22 09:52	460-00-4		
Toluene-d8 (S)	100	%.	73-122	100		11/02/22 09:52	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0619-S1(102522)		Lab ID: 50329214007		Collected: 10/25/22 11:37		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1		11/02/22 00:29	67-64-1		
Benzene	ND	ug/L	5.0	1		11/02/22 00:29	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		11/02/22 00:29	75-27-4		
Bromoform	ND	ug/L	5.0	1		11/02/22 00:29	75-25-2		
Bromomethane	ND	ug/L	5.0	1		11/02/22 00:29	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		11/02/22 00:29	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		11/02/22 00:29	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		11/02/22 00:29	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		11/02/22 00:29	108-90-7		
Chloroethane	ND	ug/L	5.0	1		11/02/22 00:29	75-00-3		
Chloroform	ND	ug/L	5.0	1		11/02/22 00:29	67-66-3		
Chloromethane	ND	ug/L	5.0	1		11/02/22 00:29	74-87-3		
Cyclohexane	ND	ug/L	100	1		11/02/22 00:29	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/02/22 00:29	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		11/02/22 00:29	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/02/22 00:29	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/02/22 00:29	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/02/22 00:29	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/02/22 00:29	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/02/22 00:29	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		11/02/22 00:29	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		11/02/22 00:29	107-06-2		
1,1-Dichloroethene	1.5J	ug/L	5.0	1		11/02/22 00:29	75-35-4		
cis-1,2-Dichloroethene	268	ug/L	5.0	1		11/02/22 00:29	156-59-2		
trans-1,2-Dichloroethene	33.7	ug/L	5.0	1		11/02/22 00:29	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		11/02/22 00:29	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/02/22 00:29	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/02/22 00:29	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		11/02/22 00:29	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		11/02/22 00:29	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/02/22 00:29	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		11/02/22 00:29	79-20-9		
Methylcyclohexane	ND	ug/L	50.0	1		11/02/22 00:29	108-87-2		
Methylene Chloride	ND	ug/L	5.0	1		11/02/22 00:29	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/02/22 00:29	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/02/22 00:29	1634-04-4		
Styrene	ND	ug/L	5.0	1		11/02/22 00:29	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/02/22 00:29	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		11/02/22 00:29	127-18-4		
Toluene	ND	ug/L	5.0	1		11/02/22 00:29	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/02/22 00:29	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/02/22 00:29	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/02/22 00:29	79-00-5		
Trichloroethene	2330	ug/L	100	20		11/03/22 17:25	79-01-6	M1	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/02/22 00:29	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/02/22 00:29	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0619-S1(102522)		Lab ID: 50329214007		Collected: 10/25/22 11:37		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	2.0J	ug/L	2.0	1		11/02/22 00:29	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/02/22 00:29	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	1		11/02/22 00:29	1868-53-7		
4-Bromofluorobenzene (S)	103	%.	79-124	1		11/02/22 00:29	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/02/22 00:29	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0621-S1(102522)		Lab ID: 50329214008		Collected: 10/25/22 12:30		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	500	5		11/02/22 02:31	67-64-1		
Benzene	ND	ug/L	25.0	5		11/02/22 02:31	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		11/02/22 02:31	75-27-4		
Bromoform	ND	ug/L	25.0	5		11/02/22 02:31	75-25-2		
Bromomethane	ND	ug/L	25.0	5		11/02/22 02:31	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		11/02/22 02:31	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		11/02/22 02:31	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		11/02/22 02:31	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		11/02/22 02:31	108-90-7		
Chloroethane	ND	ug/L	25.0	5		11/02/22 02:31	75-00-3		
Chloroform	ND	ug/L	25.0	5		11/02/22 02:31	67-66-3		
Chloromethane	ND	ug/L	25.0	5		11/02/22 02:31	74-87-3		
Cyclohexane	ND	ug/L	500	5		11/02/22 02:31	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		11/02/22 02:31	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		11/02/22 02:31	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		11/02/22 02:31	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 02:31	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 02:31	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		11/02/22 02:31	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		11/02/22 02:31	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		11/02/22 02:31	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		11/02/22 02:31	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		11/02/22 02:31	75-35-4		
cis-1,2-Dichloroethene	330	ug/L	25.0	5		11/02/22 02:31	156-59-2		
trans-1,2-Dichloroethene	27.4	ug/L	25.0	5		11/02/22 02:31	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		11/02/22 02:31	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 02:31	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		11/02/22 02:31	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		11/02/22 02:31	100-41-4		
2-Hexanone	ND	ug/L	125	5		11/02/22 02:31	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		11/02/22 02:31	98-82-8		
Methyl acetate	ND	ug/L	250	5		11/02/22 02:31	79-20-9		
Methylcyclohexane	ND	ug/L	250	5		11/02/22 02:31	108-87-2		
Methylene Chloride	ND	ug/L	25.0	5		11/02/22 02:31	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		11/02/22 02:31	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		11/02/22 02:31	1634-04-4		
Styrene	ND	ug/L	25.0	5		11/02/22 02:31	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		11/02/22 02:31	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		11/02/22 02:31	127-18-4		
Toluene	ND	ug/L	25.0	5		11/02/22 02:31	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		11/02/22 02:31	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		11/02/22 02:31	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		11/02/22 02:31	79-00-5		
Trichloroethene	2130	ug/L	125	25		11/03/22 17:56	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		11/02/22 02:31	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		11/02/22 02:31	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: MW-0621-S1(102522)		Lab ID: 50329214008		Collected: 10/25/22 12:30		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	10.0	5		11/02/22 02:31	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		11/02/22 02:31	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	5		11/02/22 02:31	1868-53-7	D4	
4-Bromofluorobenzene (S)	102	%.	79-124	5		11/02/22 02:31	460-00-4		
Toluene-d8 (S)	99	%.	73-122	5		11/02/22 02:31	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: TRIP BLANK		Lab ID: 50329214009		Collected: 10/25/22 08:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1		11/02/22 03:01	67-64-1		
Benzene	ND	ug/L	5.0	1		11/02/22 03:01	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		11/02/22 03:01	75-27-4		
Bromoform	ND	ug/L	5.0	1		11/02/22 03:01	75-25-2		
Bromomethane	ND	ug/L	5.0	1		11/02/22 03:01	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		11/02/22 03:01	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		11/02/22 03:01	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		11/02/22 03:01	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		11/02/22 03:01	108-90-7		
Chloroethane	ND	ug/L	5.0	1		11/02/22 03:01	75-00-3		
Chloroform	ND	ug/L	5.0	1		11/02/22 03:01	67-66-3		
Chloromethane	ND	ug/L	5.0	1		11/02/22 03:01	74-87-3		
Cyclohexane	ND	ug/L	100	1		11/02/22 03:01	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/02/22 03:01	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		11/02/22 03:01	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/02/22 03:01	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/02/22 03:01	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/02/22 03:01	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/02/22 03:01	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/02/22 03:01	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		11/02/22 03:01	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		11/02/22 03:01	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		11/02/22 03:01	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/02/22 03:01	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/02/22 03:01	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		11/02/22 03:01	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/02/22 03:01	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/02/22 03:01	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		11/02/22 03:01	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		11/02/22 03:01	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/02/22 03:01	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		11/02/22 03:01	79-20-9		
Methylcyclohexane	ND	ug/L	50.0	1		11/02/22 03:01	108-87-2		
Methylene Chloride	1.3J	ug/L	5.0	1		11/02/22 03:01	75-09-2		B
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/02/22 03:01	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/02/22 03:01	1634-04-4		
Styrene	ND	ug/L	5.0	1		11/02/22 03:01	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/02/22 03:01	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		11/02/22 03:01	127-18-4		
Toluene	ND	ug/L	5.0	1		11/02/22 03:01	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/02/22 03:01	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/02/22 03:01	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/02/22 03:01	79-00-5		
Trichloroethene	0.47J	ug/L	5.0	1		11/02/22 03:01	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		11/02/22 03:01	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/02/22 03:01	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: TRIP BLANK		Lab ID: 50329214009		Collected: 10/25/22 08:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/02/22 03:01	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/02/22 03:01	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	82-128	1		11/02/22 03:01	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	79-124	1		11/02/22 03:01	460-00-4	
Toluene-d8 (S)		100	%.	73-122	1		11/02/22 03:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: DUP-01(102522)		Lab ID: 50329214010		Collected: 10/25/22 08:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	10000	100		11/02/22 03:31	67-64-1		
Benzene	ND	ug/L	500	100		11/02/22 03:31	71-43-2		
Bromodichloromethane	ND	ug/L	500	100		11/02/22 03:31	75-27-4		
Bromoform	ND	ug/L	500	100		11/02/22 03:31	75-25-2		
Bromomethane	ND	ug/L	500	100		11/02/22 03:31	74-83-9		
2-Butanone (MEK)	ND	ug/L	2500	100		11/02/22 03:31	78-93-3		
Carbon disulfide	ND	ug/L	1000	100		11/02/22 03:31	75-15-0		
Carbon tetrachloride	ND	ug/L	500	100		11/02/22 03:31	56-23-5		
Chlorobenzene	ND	ug/L	500	100		11/02/22 03:31	108-90-7		
Chloroethane	ND	ug/L	500	100		11/02/22 03:31	75-00-3		
Chloroform	ND	ug/L	500	100		11/02/22 03:31	67-66-3		
Chloromethane	ND	ug/L	500	100		11/02/22 03:31	74-87-3		
Cyclohexane	ND	ug/L	10000	100		11/02/22 03:31	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	1000	100		11/02/22 03:31	96-12-8		
Dibromochloromethane	ND	ug/L	500	100		11/02/22 03:31	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	500	100		11/02/22 03:31	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	500	100		11/02/22 03:31	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	500	100		11/02/22 03:31	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	500	100		11/02/22 03:31	106-46-7		
Dichlorodifluoromethane	ND	ug/L	500	100		11/02/22 03:31	75-71-8		
1,1-Dichloroethane	ND	ug/L	500	100		11/02/22 03:31	75-34-3		
1,2-Dichloroethane	ND	ug/L	500	100		11/02/22 03:31	107-06-2		
1,1-Dichloroethene	ND	ug/L	500	100		11/02/22 03:31	75-35-4		
cis-1,2-Dichloroethene	655	ug/L	500	100		11/02/22 03:31	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	500	100		11/02/22 03:31	156-60-5		
1,2-Dichloropropane	ND	ug/L	500	100		11/02/22 03:31	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	500	100		11/02/22 03:31	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	500	100		11/02/22 03:31	10061-02-6		
Ethylbenzene	ND	ug/L	500	100		11/02/22 03:31	100-41-4		
2-Hexanone	ND	ug/L	2500	100		11/02/22 03:31	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	500	100		11/02/22 03:31	98-82-8		
Methyl acetate	ND	ug/L	5000	100		11/02/22 03:31	79-20-9		
Methylcyclohexane	ND	ug/L	5000	100		11/02/22 03:31	108-87-2		
Methylene Chloride	ND	ug/L	500	100		11/02/22 03:31	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	2500	100		11/02/22 03:31	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	400	100		11/02/22 03:31	1634-04-4		
Styrene	ND	ug/L	500	100		11/02/22 03:31	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	500	100		11/02/22 03:31	79-34-5		
Tetrachloroethene	ND	ug/L	500	100		11/02/22 03:31	127-18-4		
Toluene	ND	ug/L	500	100		11/02/22 03:31	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	500	100		11/02/22 03:31	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	500	100		11/02/22 03:31	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	500	100		11/02/22 03:31	79-00-5		
Trichloroethene	14700	ug/L	500	100		11/02/22 03:31	79-01-6		
Trichlorofluoromethane	ND	ug/L	500	100		11/02/22 03:31	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	500	100		11/02/22 03:31	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329214

Sample: DUP-01(102522)		Lab ID: 50329214010		Collected: 10/25/22 08:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	200	100		11/02/22 03:31	75-01-4		
Xylene (Total)	ND	ug/L	1000	100		11/02/22 03:31	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	100		11/02/22 03:31	1868-53-7	D4	
4-Bromofluorobenzene (S)	102	%.	79-124	100		11/02/22 03:31	460-00-4		
Toluene-d8 (S)	99	%.	73-122	100		11/02/22 03:31	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Required Client Information:

Company:	Arcadis U.S., Inc.	
Address:	150 West Market Street	
	Suite 728, Indianapolis, IN 46204	
Email:	william.stephens@arcadis.com	
Phone:	(317)217-0336	Fax:
Requested Due Date:		

Required Project Information:

Report To:	Cameron Stewart
Copy To:	William Stephens
Purchase Order #:	
Project Name:	RACER Kokomo
Project #:	

Invoice information:

Attention:	
Company Name:	
Address:	
Pace Quote:	
Pace Project Manager:	olivia.deck@pacelabs.com,
Pace Profile #:	3454

Page : 1 Of 2

Regulatory Agency

State / Location

IN

[illegible]

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER: _____

DATE Signed: 10/05/29

TEMP in C

Received on

(Y/N)	Custody

Sealed
Collar

Page (N)

Samples

607



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>.

Section A

Required Client Information:

Company: Arcadis U.S., Inc.
Address: 150 West Market Street
Suite 728, Indianapolis, IN 46204
Email: william.stephens@arcadis.com
Phone: (317)217-0336 Fax:
Requested Due Date:

Section B

Required Project Information:

Report To: Cameron Stewart
Copy To: William Stephens
Purchase Order #:
Project Name: RACER Kokomo
Project #:

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Quote:
Pace Project Manager: olivia.deck@pacelabs.com
Pace Profile #: 3454

Page: 2 Of 2

Regulatory Agency

State / Location

IN

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample IDs must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Y/N Analyses Test	VOC 8260	Residual Chlorine (Y/N)												
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other															
						DATE	TIME	DATE	TIME																									
1	MW-0506-S2C102422				G			10/24	1307		3					X																	013	
2	MW-0506-S1C102422								1244		3					X																		014
3	MW-0504-S1C102422								1229		3					X																		015
4	MW-0503-S1C102422								1526		9					X																		MS/MSD 016
5	MW-0501-S2C102422								1345		9					X																		MS/MSD 017
6	MW-0163-S10C102422								1000		3					X																		018
7																																		
8																																		
9																																		
10	EB-01 C102422				G			10/24	1254		3																							019
11	EB-03 C102422							10/24	1445		3																							020
12	DUP-01 C102422							10/24	-		3					X																		021

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	Terence Wilson / Arcadis	10/25/22	1400	Shirley W. Webb / Arcadis	10/25/22	1400				
	Shirley W. Webb / Arcadis	10/25/22	1500		10/25/22	1500	1-2	Y	N	Y

SAMPLER NAME AND SIGNATURE		TEMP in C	Received on Ice (Y/N)	Custody Sealed (Y/N)	Cooler (Y/N)	Bags (Y/N)	Samples Intact (Y/N)
PRINT Name of SAMPLER: Terence Wilson							
SIGNATURE of SAMPLER: Terence Wilson	DATE Signed: 10/25/22						

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2203-S1 (102422)		Lab ID: 50329215001	Collected: 10/24/22 10:28	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~16.73~~	ug/L	100	1		11/01/22 02:01	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 02:01	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 02:01	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 02:01	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 02:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 02:01	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 02:01	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 02:01	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 02:01	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 02:01	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 02:01	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 02:01	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 02:01	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 02:01	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 02:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 02:01	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:01	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 02:01	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:01	75-35-4	
cis-1,2-Dichloroethene	29.4	ug/L	5.0	1		11/01/22 02:01	156-59-2	
trans-1,2-Dichloroethene	1.2J	ug/L	5.0	1		11/01/22 02:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 02:01	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:01	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 02:01	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 02:01	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 02:01	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 02:01	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 02:01	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 02:01	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 02:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 02:01	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 02:01	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 02:01	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 02:01	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 02:01	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:01	79-00-5	
Trichloroethene	2.3J	ug/L	5.0	1		11/01/22 02:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 02:01	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 02:01	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2203-S1 (102422)		Lab ID: 50329215001		Collected: 10/24/22 10:28		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 02:01	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 02:01	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/01/22 02:01	1868-53-7		
4-Bromofluorobenzene (S)	103	%.	79-124	1		11/01/22 02:01	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/01/22 02:01	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2204-S1 (102422)		Lab ID: 50329215002		Collected: 10/24/22 10:45		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	~~83.31~~	ug/L	1000	10		11/01/22 02:31	67-64-1	UB
Benzene		ND	ug/L	50.0	10		11/01/22 02:31	71-43-2	
Bromodichloromethane		ND	ug/L	50.0	10		11/01/22 02:31	75-27-4	
Bromoform		ND	ug/L	50.0	10		11/01/22 02:31	75-25-2	
Bromomethane		ND	ug/L	50.0	10		11/01/22 02:31	74-83-9	
2-Butanone (MEK)		ND	ug/L	250	10		11/01/22 02:31	78-93-3	
Carbon disulfide		ND	ug/L	100	10		11/01/22 02:31	75-15-0	
Carbon tetrachloride		ND	ug/L	50.0	10		11/01/22 02:31	56-23-5	
Chlorobenzene		ND	ug/L	50.0	10		11/01/22 02:31	108-90-7	
Chloroethane		ND	ug/L	50.0	10		11/01/22 02:31	75-00-3	
Chloroform		ND	ug/L	50.0	10		11/01/22 02:31	67-66-3	
Chloromethane		ND	ug/L	50.0	10		11/01/22 02:31	74-87-3	
Cyclohexane		ND	ug/L	1000	10		11/01/22 02:31	110-82-7	
1,2-Dibromo-3-chloropropane		ND	ug/L	100	10		11/01/22 02:31	96-12-8	
Dibromochloromethane		ND	ug/L	50.0	10		11/01/22 02:31	124-48-1	
1,2-Dibromoethane (EDB)		ND	ug/L	50.0	10		11/01/22 02:31	106-93-4	
1,2-Dichlorobenzene		ND	ug/L	50.0	10		11/01/22 02:31	95-50-1	
1,3-Dichlorobenzene		ND	ug/L	50.0	10		11/01/22 02:31	541-73-1	
1,4-Dichlorobenzene		ND	ug/L	50.0	10		11/01/22 02:31	106-46-7	
Dichlorodifluoromethane		ND	ug/L	50.0	10		11/01/22 02:31	75-71-8	
1,1-Dichloroethane		ND	ug/L	50.0	10		11/01/22 02:31	75-34-3	
1,2-Dichloroethane		ND	ug/L	50.0	10		11/01/22 02:31	107-06-2	
1,1-Dichloroethene		6.23	ug/L	50.0	10		11/01/22 02:31	75-35-4	
cis-1,2-Dichloroethene		889	ug/L	50.0	10		11/01/22 02:31	156-59-2	
trans-1,2-Dichloroethene		60.8	ug/L	50.0	10		11/01/22 02:31	156-60-5	
1,2-Dichloropropane		ND	ug/L	50.0	10		11/01/22 02:31	78-87-5	
cis-1,3-Dichloropropene		ND	ug/L	50.0	10		11/01/22 02:31	10061-01-5	
trans-1,3-Dichloropropene		ND	ug/L	50.0	10		11/01/22 02:31	10061-02-6	
Ethylbenzene		ND	ug/L	50.0	10		11/01/22 02:31	100-41-4	
2-Hexanone		ND	ug/L	250	10		11/01/22 02:31	591-78-6	
Isopropylbenzene (Cumene)		ND	ug/L	50.0	10		11/01/22 02:31	98-82-8	
Methyl acetate		24.63	ug/L	500	10		11/01/22 02:31	79-20-9	
Methylcyclohexane		ND	ug/L	500	10		11/01/22 02:31	108-87-2	
Methylene Chloride		ND	ug/L	50.0	10		11/01/22 02:31	75-09-2	
4-Methyl-2-pentanone (MIBK)		ND	ug/L	250	10		11/01/22 02:31	108-10-1	
Methyl-tert-butyl ether		ND	ug/L	40.0	10		11/01/22 02:31	1634-04-4	
Styrene		ND	ug/L	50.0	10		11/01/22 02:31	100-42-5	
1,1,2,2-Tetrachloroethane		ND	ug/L	50.0	10		11/01/22 02:31	79-34-5	
Tetrachloroethene		ND	ug/L	50.0	10		11/01/22 02:31	127-18-4	
Toluene		ND	ug/L	50.0	10		11/01/22 02:31	108-88-3	
1,2,4-Trichlorobenzene		ND	ug/L	50.0	10		11/01/22 02:31	120-82-1	
1,1,1-Trichloroethane		ND	ug/L	50.0	10		11/01/22 02:31	71-55-6	
1,1,2-Trichloroethane		ND	ug/L	50.0	10		11/01/22 02:31	79-00-5	
Trichloroethene		3960	ug/L	500	100		11/01/22 20:10	79-01-6	
Trichlorofluoromethane		ND	ug/L	50.0	10		11/01/22 02:31	75-69-4	
1,1,2-Trichlorotrifluoroethane		ND	ug/L	50.0	10		11/01/22 02:31	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2204-S1 (102422)		Lab ID: 50329215002		Collected: 10/24/22 10:45		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	13.2J	ug/L	20.0	10		11/01/22 02:31	75-01-4		
Xylene (Total)	ND	ug/L	100	10		11/01/22 02:31	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	10		11/01/22 02:31	1868-53-7	D4	
4-Bromofluorobenzene (S)	103	%.	79-124	10		11/01/22 02:31	460-00-4		
Toluene-d8 (S)	99	%.	73-122	10		11/01/22 02:31	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2205-S1 (102422)		Lab ID: 50329215003	Collected: 10/24/22 11:00	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~65.53~~	ug/L	1000	10		11/01/22 03:02	67-64-1	UB
Benzene	ND	ug/L	50.0	10		11/01/22 03:02	71-43-2	
Bromodichloromethane	ND	ug/L	50.0	10		11/01/22 03:02	75-27-4	
Bromoform	ND	ug/L	50.0	10		11/01/22 03:02	75-25-2	
Bromomethane	ND	ug/L	50.0	10		11/01/22 03:02	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	10		11/01/22 03:02	78-93-3	
Carbon disulfide	ND	ug/L	100	10		11/01/22 03:02	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	10		11/01/22 03:02	56-23-5	
Chlorobenzene	ND	ug/L	50.0	10		11/01/22 03:02	108-90-7	
Chloroethane	ND	ug/L	50.0	10		11/01/22 03:02	75-00-3	
Chloroform	ND	ug/L	50.0	10		11/01/22 03:02	67-66-3	
Chloromethane	ND	ug/L	50.0	10		11/01/22 03:02	74-87-3	
Cyclohexane	ND	ug/L	1000	10		11/01/22 03:02	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	100	10		11/01/22 03:02	96-12-8	
Dibromochloromethane	ND	ug/L	50.0	10		11/01/22 03:02	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	10		11/01/22 03:02	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 03:02	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 03:02	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 03:02	106-46-7	
Dichlorodifluoromethane	ND	ug/L	50.0	10		11/01/22 03:02	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	10		11/01/22 03:02	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	10		11/01/22 03:02	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	10		11/01/22 03:02	75-35-4	
cis-1,2-Dichloroethene	564	ug/L	50.0	10		11/01/22 03:02	156-59-2	
trans-1,2-Dichloroethene	52.8	ug/L	50.0	10		11/01/22 03:02	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	10		11/01/22 03:02	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	50.0	10		11/01/22 03:02	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	10		11/01/22 03:02	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	10		11/01/22 03:02	100-41-4	
2-Hexanone	ND	ug/L	250	10		11/01/22 03:02	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	10		11/01/22 03:02	98-82-8	
Methyl acetate	21.83	ug/L	500	10		11/01/22 03:02	79-20-9	
Methylcyclohexane	ND	ug/L	500	10		11/01/22 03:02	108-87-2	
Methylene Chloride	ND	ug/L	50.0	10		11/01/22 03:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	10		11/01/22 03:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	10		11/01/22 03:02	1634-04-4	
Styrene	ND	ug/L	50.0	10		11/01/22 03:02	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	10		11/01/22 03:02	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	10		11/01/22 03:02	127-18-4	
Toluene	ND	ug/L	50.0	10		11/01/22 03:02	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	10		11/01/22 03:02	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	10		11/01/22 03:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	10		11/01/22 03:02	79-00-5	
Trichloroethene	6380	ug/L	500	100		11/01/22 20:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	10		11/01/22 03:02	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	50.0	10		11/01/22 03:02	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2205-S1 (102422)		Lab ID: 50329215003		Collected: 10/24/22 11:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	20.0	10		11/01/22 03:02	75-01-4		
Xylene (Total)	ND	ug/L	100	10		11/01/22 03:02	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	10		11/01/22 03:02	1868-53-7	D4	
4-Bromofluorobenzene (S)	103	%.	79-124	10		11/01/22 03:02	460-00-4		
Toluene-d8 (S)	99	%.	73-122	10		11/01/22 03:02	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2206-S1 (102422)		Lab ID: 50329215004		Collected: 10/24/22 11:11		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	20000	200			11/01/22 03:32	67-64-1	
Benzene	ND	ug/L	1000	200			11/01/22 03:32	71-43-2	
Bromodichloromethane	ND	ug/L	1000	200			11/01/22 03:32	75-27-4	
Bromoform	ND	ug/L	1000	200			11/01/22 03:32	75-25-2	
Bromomethane	ND	ug/L	1000	200			11/01/22 03:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	5000	200			11/01/22 03:32	78-93-3	
Carbon disulfide	ND	ug/L	2000	200			11/01/22 03:32	75-15-0	
Carbon tetrachloride	ND	ug/L	1000	200			11/01/22 03:32	56-23-5	
Chlorobenzene	ND	ug/L	1000	200			11/01/22 03:32	108-90-7	
Chloroethane	ND	ug/L	1000	200			11/01/22 03:32	75-00-3	
Chloroform	ND	ug/L	1000	200			11/01/22 03:32	67-66-3	
Chloromethane	ND	ug/L	1000	200			11/01/22 03:32	74-87-3	
Cyclohexane	ND	ug/L	20000	200			11/01/22 03:32	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	2000	200			11/01/22 03:32	96-12-8	
Dibromochloromethane	ND	ug/L	1000	200			11/01/22 03:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1000	200			11/01/22 03:32	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1000	200			11/01/22 03:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1000	200			11/01/22 03:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1000	200			11/01/22 03:32	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1000	200			11/01/22 03:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	1000	200			11/01/22 03:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	1000	200			11/01/22 03:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	1000	200			11/01/22 03:32	75-35-4	
cis-1,2-Dichloroethene	644J	ug/L	1000	200			11/01/22 03:32	156-59-2	
trans-1,2-Dichloroethene	108J	ug/L	1000	200			11/01/22 03:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	1000	200			11/01/22 03:32	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1000	200			11/01/22 03:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1000	200			11/01/22 03:32	10061-02-6	
Ethylbenzene	ND	ug/L	1000	200			11/01/22 03:32	100-41-4	
2-Hexanone	ND	ug/L	5000	200			11/01/22 03:32	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1000	200			11/01/22 03:32	98-82-8	
Methyl acetate	ND	ug/L	10000	200			11/01/22 03:32	79-20-9	
Methylcyclohexane	ND	ug/L	10000	200			11/01/22 03:32	108-87-2	
Methylene Chloride	ND	ug/L	1000	200			11/01/22 03:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5000	200			11/01/22 03:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	800	200			11/01/22 03:32	1634-04-4	
Styrene	ND	ug/L	1000	200			11/01/22 03:32	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	1000	200			11/01/22 03:32	79-34-5	
Tetrachloroethene	ND	ug/L	1000	200			11/01/22 03:32	127-18-4	
Toluene	ND	ug/L	1000	200			11/01/22 03:32	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	1000	200			11/01/22 03:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1000	200			11/01/22 03:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1000	200			11/01/22 03:32	79-00-5	
Trichloroethene	19800	ug/L	1000	200			11/01/22 03:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	1000	200			11/01/22 03:32	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	1000	200			11/01/22 03:32	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2206-S1 (102422)		Lab ID: 50329215004		Collected: 10/24/22 11:11		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	400	200		11/01/22 03:32	75-01-4		
Xylene (Total)	ND	ug/L	2000	200		11/01/22 03:32	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	200		11/01/22 03:32	1868-53-7	D4	
4-Bromofluorobenzene (S)	102	%.	79-124	200		11/01/22 03:32	460-00-4		
Toluene-d8 (S)	99	%.	73-122	200		11/01/22 03:32	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2208-S1 (102422)		Lab ID: 50329215005		Collected: 10/24/22 11:35		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	~~394J~~	ug/L	10000	100		11/01/22 04:03	67-64-1	UB
Benzene		ND	ug/L	500	100		11/01/22 04:03	71-43-2	
Bromodichloromethane		ND	ug/L	500	100		11/01/22 04:03	75-27-4	
Bromoform		ND	ug/L	500	100		11/01/22 04:03	75-25-2	
Bromomethane		ND	ug/L	500	100		11/01/22 04:03	74-83-9	
2-Butanone (MEK)		ND	ug/L	2500	100		11/01/22 04:03	78-93-3	
Carbon disulfide		ND	ug/L	1000	100		11/01/22 04:03	75-15-0	
Carbon tetrachloride		ND	ug/L	500	100		11/01/22 04:03	56-23-5	
Chlorobenzene		ND	ug/L	500	100		11/01/22 04:03	108-90-7	
Chloroethane		ND	ug/L	500	100		11/01/22 04:03	75-00-3	
Chloroform		ND	ug/L	500	100		11/01/22 04:03	67-66-3	
Chloromethane		ND	ug/L	500	100		11/01/22 04:03	74-87-3	
Cyclohexane		ND	ug/L	10000	100		11/01/22 04:03	110-82-7	
1,2-Dibromo-3-chloropropane		ND	ug/L	1000	100		11/01/22 04:03	96-12-8	
Dibromochloromethane		ND	ug/L	500	100		11/01/22 04:03	124-48-1	
1,2-Dibromoethane (EDB)		ND	ug/L	500	100		11/01/22 04:03	106-93-4	
1,2-Dichlorobenzene		ND	ug/L	500	100		11/01/22 04:03	95-50-1	
1,3-Dichlorobenzene		ND	ug/L	500	100		11/01/22 04:03	541-73-1	
1,4-Dichlorobenzene		ND	ug/L	500	100		11/01/22 04:03	106-46-7	
Dichlorodifluoromethane		ND	ug/L	500	100		11/01/22 04:03	75-71-8	
1,1-Dichloroethane		ND	ug/L	500	100		11/01/22 04:03	75-34-3	
1,2-Dichloroethane		ND	ug/L	500	100		11/01/22 04:03	107-06-2	
1,1-Dichloroethene		ND	ug/L	500	100		11/01/22 04:03	75-35-4	
cis-1,2-Dichloroethene		4060	ug/L	500	100		11/01/22 04:03	156-59-2	
trans-1,2-Dichloroethene		51.5J	ug/L	500	100		11/01/22 04:03	156-60-5	
1,2-Dichloropropane		ND	ug/L	500	100		11/01/22 04:03	78-87-5	
cis-1,3-Dichloropropene		ND	ug/L	500	100		11/01/22 04:03	10061-01-5	
trans-1,3-Dichloropropene		ND	ug/L	500	100		11/01/22 04:03	10061-02-6	
Ethylbenzene		ND	ug/L	500	100		11/01/22 04:03	100-41-4	
2-Hexanone		ND	ug/L	2500	100		11/01/22 04:03	591-78-6	
Isopropylbenzene (Cumene)		ND	ug/L	500	100		11/01/22 04:03	98-82-8	
Methyl acetate		363J	ug/L	5000	100		11/01/22 04:03	79-20-9	
Methylcyclohexane		ND	ug/L	5000	100		11/01/22 04:03	108-87-2	
Methylene Chloride		ND	ug/L	500	100		11/01/22 04:03	75-09-2	
4-Methyl-2-pentanone (MIBK)		ND	ug/L	2500	100		11/01/22 04:03	108-10-1	
Methyl-tert-butyl ether		ND	ug/L	400	100		11/01/22 04:03	1634-04-4	
Styrene		ND	ug/L	500	100		11/01/22 04:03	100-42-5	
1,1,2,2-Tetrachloroethane		ND	ug/L	500	100		11/01/22 04:03	79-34-5	
Tetrachloroethene		ND	ug/L	500	100		11/01/22 04:03	127-18-4	
Toluene		ND	ug/L	500	100		11/01/22 04:03	108-88-3	
1,2,4-Trichlorobenzene		ND	ug/L	500	100		11/01/22 04:03	120-82-1	
1,1,1-Trichloroethane		ND	ug/L	500	100		11/01/22 04:03	71-55-6	
1,1,2-Trichloroethane		ND	ug/L	500	100		11/01/22 04:03	79-00-5	
Trichloroethene		5780	ug/L	500	100		11/01/22 04:03	79-01-6	
Trichlorofluoromethane		ND	ug/L	500	100		11/01/22 04:03	75-69-4	
1,1,2-Trichlorotrifluoroethane		ND	ug/L	500	100		11/01/22 04:03	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2208-S1 (102422)		Lab ID: 50329215005		Collected: 10/24/22 11:35		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	200	100		11/01/22 04:03	75-01-4		
Xylene (Total)	ND	ug/L	1000	100		11/01/22 04:03	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	100		11/01/22 04:03	1868-53-7	D4	
4-Bromofluorobenzene (S)	103	%.	79-124	100		11/01/22 04:03	460-00-4		
Toluene-d8 (S)	100	%.	73-122	100		11/01/22 04:03	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2210-S1 (102422)		Lab ID: 50329215006	Collected: 10/24/22 11:49	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	~~ND 57.31~~	ug/L	500	5		11/01/22 04:33	67-64-1	UB
Benzene	ND	ug/L	25.0	5		11/01/22 04:33	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		11/01/22 04:33	75-27-4	
Bromoform	ND	ug/L	25.0	5		11/01/22 04:33	75-25-2	
Bromomethane	ND	ug/L	25.0	5		11/01/22 04:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		11/01/22 04:33	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		11/01/22 04:33	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		11/01/22 04:33	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		11/01/22 04:33	108-90-7	
Chloroethane	ND	ug/L	25.0	5		11/01/22 04:33	75-00-3	
Chloroform	ND	ug/L	25.0	5		11/01/22 04:33	67-66-3	
Chloromethane	ND	ug/L	25.0	5		11/01/22 04:33	74-87-3	
Cyclohexane	ND	ug/L	500	5		11/01/22 04:33	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		11/01/22 04:33	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		11/01/22 04:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		11/01/22 04:33	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		11/01/22 04:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		11/01/22 04:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		11/01/22 04:33	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		11/01/22 04:33	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		11/01/22 04:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		11/01/22 04:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5		11/01/22 04:33	75-35-4	
cis-1,2-Dichloroethene	517	ug/L	25.0	5		11/01/22 04:33	156-59-2	
trans-1,2-Dichloroethene	29.8	ug/L	25.0	5		11/01/22 04:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		11/01/22 04:33	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		11/01/22 04:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		11/01/22 04:33	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		11/01/22 04:33	100-41-4	
2-Hexanone	ND	ug/L	125	5		11/01/22 04:33	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		11/01/22 04:33	98-82-8	
Methyl acetate	ND	ug/L	250	5		11/01/22 04:33	79-20-9	
Methylcyclohexane	ND	ug/L	250	5		11/01/22 04:33	108-87-2	
Methylene Chloride	ND	ug/L	25.0	5		11/01/22 04:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		11/01/22 04:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		11/01/22 04:33	1634-04-4	
Styrene	ND	ug/L	25.0	5		11/01/22 04:33	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		11/01/22 04:33	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		11/01/22 04:33	127-18-4	
Toluene	ND	ug/L	25.0	5		11/01/22 04:33	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		11/01/22 04:33	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		11/01/22 04:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		11/01/22 04:33	79-00-5	
Trichloroethene	1100	ug/L	25.0	5		11/01/22 04:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		11/01/22 04:33	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		11/01/22 04:33	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2210-S1 (102422)		Lab ID: 50329215006		Collected: 10/24/22 11:49		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	38.0	ug/L	10.0	5		11/01/22 04:33	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		11/01/22 04:33	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	5		11/01/22 04:33	1868-53-7	D4	
4-Bromofluorobenzene (S)	103	%.	79-124	5		11/01/22 04:33	460-00-4		
Toluene-d8 (S)	99	%.	73-122	5		11/01/22 04:33	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2212-S1 (102422)		Lab ID: 50329215007	Collected: 10/24/22 12:15	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~88.43~~	ug/L	1000	10		11/01/22 05:04	67-64-1	UB
Benzene	ND	ug/L	50.0	10		11/01/22 05:04	71-43-2	
Bromodichloromethane	ND	ug/L	50.0	10		11/01/22 05:04	75-27-4	
Bromoform	ND	ug/L	50.0	10		11/01/22 05:04	75-25-2	
Bromomethane	ND	ug/L	50.0	10		11/01/22 05:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	10		11/01/22 05:04	78-93-3	
Carbon disulfide	ND	ug/L	100	10		11/01/22 05:04	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	10		11/01/22 05:04	56-23-5	
Chlorobenzene	ND	ug/L	50.0	10		11/01/22 05:04	108-90-7	
Chloroethane	ND	ug/L	50.0	10		11/01/22 05:04	75-00-3	
Chloroform	ND	ug/L	50.0	10		11/01/22 05:04	67-66-3	
Chloromethane	ND	ug/L	50.0	10		11/01/22 05:04	74-87-3	
Cyclohexane	ND	ug/L	1000	10		11/01/22 05:04	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	100	10		11/01/22 05:04	96-12-8	
Dibromochloromethane	ND	ug/L	50.0	10		11/01/22 05:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	10		11/01/22 05:04	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 05:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 05:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	10		11/01/22 05:04	106-46-7	
Dichlorodifluoromethane	ND	ug/L	50.0	10		11/01/22 05:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	10		11/01/22 05:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	10		11/01/22 05:04	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	10		11/01/22 05:04	75-35-4	
cis-1,2-Dichloroethene	676	ug/L	50.0	10		11/01/22 05:04	156-59-2	
trans-1,2-Dichloroethene	72.9	ug/L	50.0	10		11/01/22 05:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	10		11/01/22 05:04	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	50.0	10		11/01/22 05:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	10		11/01/22 05:04	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	10		11/01/22 05:04	100-41-4	
2-Hexanone	ND	ug/L	250	10		11/01/22 05:04	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	10		11/01/22 05:04	98-82-8	
Methyl acetate	73.7J	ug/L	500	10		11/01/22 05:04	79-20-9	
Methylcyclohexane	ND	ug/L	500	10		11/01/22 05:04	108-87-2	
Methylene Chloride	ND	ug/L	50.0	10		11/01/22 05:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	10		11/01/22 05:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	10		11/01/22 05:04	1634-04-4	
Styrene	ND	ug/L	50.0	10		11/01/22 05:04	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	10		11/01/22 05:04	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	10		11/01/22 05:04	127-18-4	
Toluene	ND	ug/L	50.0	10		11/01/22 05:04	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	10		11/01/22 05:04	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	10		11/01/22 05:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	10		11/01/22 05:04	79-00-5	
Trichloroethene	2270	ug/L	50.0	10		11/01/22 05:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	10		11/01/22 05:04	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	50.0	10		11/01/22 05:04	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2212-S1 (102422)		Lab ID: 50329215007		Collected: 10/24/22 12:15		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	5.1J	ug/L	20.0	10		11/01/22 05:04	75-01-4		
Xylene (Total)	ND	ug/L	100	10		11/01/22 05:04	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	10		11/01/22 05:04	1868-53-7	D4	
4-Bromofluorobenzene (S)	104	%.	79-124	10		11/01/22 05:04	460-00-4		
Toluene-d8 (S)	100	%.	73-122	10		11/01/22 05:04	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2213-S1 (102422)		Lab ID: 50329215008		Collected: 10/24/22 10:15		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	~~59.63~~	ug/L	500	5		11/01/22 05:34	67-64-1	UB
Benzene		ND	ug/L	25.0	5		11/01/22 05:34	71-43-2	
Bromodichloromethane		ND	ug/L	25.0	5		11/01/22 05:34	75-27-4	
Bromoform		ND	ug/L	25.0	5		11/01/22 05:34	75-25-2	
Bromomethane		ND	ug/L	25.0	5		11/01/22 05:34	74-83-9	
2-Butanone (MEK)		ND	ug/L	125	5		11/01/22 05:34	78-93-3	
Carbon disulfide		ND	ug/L	50.0	5		11/01/22 05:34	75-15-0	
Carbon tetrachloride		ND	ug/L	25.0	5		11/01/22 05:34	56-23-5	
Chlorobenzene		ND	ug/L	25.0	5		11/01/22 05:34	108-90-7	
Chloroethane		ND	ug/L	25.0	5		11/01/22 05:34	75-00-3	
Chloroform		ND	ug/L	25.0	5		11/01/22 05:34	67-66-3	
Chloromethane		ND	ug/L	25.0	5		11/01/22 05:34	74-87-3	
Cyclohexane		3.83	ug/L	500	5		11/01/22 05:34	110-82-7	
1,2-Dibromo-3-chloropropane		ND	ug/L	50.0	5		11/01/22 05:34	96-12-8	
Dibromochloromethane		ND	ug/L	25.0	5		11/01/22 05:34	124-48-1	
1,2-Dibromoethane (EDB)		ND	ug/L	25.0	5		11/01/22 05:34	106-93-4	
1,2-Dichlorobenzene		ND	ug/L	25.0	5		11/01/22 05:34	95-50-1	
1,3-Dichlorobenzene		ND	ug/L	25.0	5		11/01/22 05:34	541-73-1	
1,4-Dichlorobenzene		ND	ug/L	25.0	5		11/01/22 05:34	106-46-7	
Dichlorodifluoromethane		ND	ug/L	25.0	5		11/01/22 05:34	75-71-8	
1,1-Dichloroethane		ND	ug/L	25.0	5		11/01/22 05:34	75-34-3	
1,2-Dichloroethane		ND	ug/L	25.0	5		11/01/22 05:34	107-06-2	
1,1-Dichloroethene		4.23	ug/L	25.0	5		11/01/22 05:34	75-35-4	
cis-1,2-Dichloroethene		2190	ug/L	250	50		11/01/22 21:56	156-59-2	
trans-1,2-Dichloroethene		32.2	ug/L	25.0	5		11/01/22 05:34	156-60-5	
1,2-Dichloropropane		ND	ug/L	25.0	5		11/01/22 05:34	78-87-5	
cis-1,3-Dichloropropene		ND	ug/L	25.0	5		11/01/22 05:34	10061-01-5	
trans-1,3-Dichloropropene		ND	ug/L	25.0	5		11/01/22 05:34	10061-02-6	
Ethylbenzene		ND	ug/L	25.0	5		11/01/22 05:34	100-41-4	
2-Hexanone		ND	ug/L	125	5		11/01/22 05:34	591-78-6	
Isopropylbenzene (Cumene)		ND	ug/L	25.0	5		11/01/22 05:34	98-82-8	
Methyl acetate		21.63	ug/L	250	5		11/01/22 05:34	79-20-9	
Methylcyclohexane		ND	ug/L	250	5		11/01/22 05:34	108-87-2	
Methylene Chloride		ND	ug/L	25.0	5		11/01/22 05:34	75-09-2	
4-Methyl-2-pentanone (MIBK)		ND	ug/L	125	5		11/01/22 05:34	108-10-1	
Methyl-tert-butyl ether		ND	ug/L	20.0	5		11/01/22 05:34	1634-04-4	
Styrene		ND	ug/L	25.0	5		11/01/22 05:34	100-42-5	
1,1,2,2-Tetrachloroethane		ND	ug/L	25.0	5		11/01/22 05:34	79-34-5	
Tetrachloroethene		ND	ug/L	25.0	5		11/01/22 05:34	127-18-4	
Toluene		ND	ug/L	25.0	5		11/01/22 05:34	108-88-3	
1,2,4-Trichlorobenzene		ND	ug/L	25.0	5		11/01/22 05:34	120-82-1	
1,1,1-Trichloroethane		ND	ug/L	25.0	5		11/01/22 05:34	71-55-6	
1,1,2-Trichloroethane		ND	ug/L	25.0	5		11/01/22 05:34	79-00-5	
Trichloroethene		22.23	ug/L	25.0	5		11/01/22 05:34	79-01-6	
Trichlorofluoromethane		ND	ug/L	25.0	5		11/01/22 05:34	75-69-4	
1,1,2-Trichlorotrifluoroethane		ND	ug/L	25.0	5		11/01/22 05:34	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-2213-S1 (102422)		Lab ID: 50329215008		Collected: 10/24/22 10:15		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	107	ug/L	10.0	5		11/01/22 05:34	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		11/01/22 05:34	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	5		11/01/22 05:34	1868-53-7	D4	
4-Bromofluorobenzene (S)	102	%.	79-124	5		11/01/22 05:34	460-00-4		
Toluene-d8 (S)	99	%.	73-122	5		11/01/22 05:34	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0614-S2 (102422)		Lab ID: 50329215009	Collected: 10/24/22 14:40	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~84.23~~	ug/L	100	1		11/01/22 06:05	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 06:05	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 06:05	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 06:05	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 06:05	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 06:05	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 06:05	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 06:05	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 06:05	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 06:05	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 06:05	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 06:05	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 06:05	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 06:05	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 06:05	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 06:05	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:05	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:05	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 06:05	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 06:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 06:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 06:05	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 06:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 06:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 06:05	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 06:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 06:05	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 06:05	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 06:05	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 06:05	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 06:05	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 06:05	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 06:05	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 06:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 06:05	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 06:05	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 06:05	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 06:05	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 06:05	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:05	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 06:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 06:05	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 06:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 06:05	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 06:05	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0614-S2 (102422)		Lab ID: 50329215009		Collected: 10/24/22 14:40		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 06:05	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 06:05	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	1		11/01/22 06:05	1868-53-7		
4-Bromofluorobenzene (S)	103	%.	79-124	1		11/01/22 06:05	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/01/22 06:05	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0603-S1 (102422)		Lab ID: 50329215010		Collected: 10/24/22 15:09		Received: 10/25/22 15:00		Matrix: Water				
Parameters		Results		Units		Report Limit		DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260										
		Pace Analytical Services - Indianapolis										
Acetone	ND	~~116~~	ug/L	116	100	1				11/01/22 06:35	67-64-1	UB
Benzene		ND	ug/L		5.0	1				11/01/22 06:35	71-43-2	
Bromodichloromethane		ND	ug/L		5.0	1				11/01/22 06:35	75-27-4	
Bromoform		ND	ug/L		5.0	1				11/01/22 06:35	75-25-2	
Bromomethane		ND	ug/L		5.0	1				11/01/22 06:35	74-83-9	
2-Butanone (MEK)		ND	ug/L		25.0	1				11/01/22 06:35	78-93-3	
Carbon disulfide		ND	ug/L		10.0	1				11/01/22 06:35	75-15-0	
Carbon tetrachloride		ND	ug/L		5.0	1				11/01/22 06:35	56-23-5	
Chlorobenzene		ND	ug/L		5.0	1				11/01/22 06:35	108-90-7	
Chloroethane		ND	ug/L		5.0	1				11/01/22 06:35	75-00-3	
Chloroform		ND	ug/L		5.0	1				11/01/22 06:35	67-66-3	
Chloromethane		ND	ug/L		5.0	1				11/01/22 06:35	74-87-3	
Cyclohexane		ND	ug/L		100	1				11/01/22 06:35	110-82-7	
1,2-Dibromo-3-chloropropane		ND	ug/L		10.0	1				11/01/22 06:35	96-12-8	
Dibromochloromethane		ND	ug/L		5.0	1				11/01/22 06:35	124-48-1	
1,2-Dibromoethane (EDB)		ND	ug/L		5.0	1				11/01/22 06:35	106-93-4	
1,2-Dichlorobenzene		ND	ug/L		5.0	1				11/01/22 06:35	95-50-1	
1,3-Dichlorobenzene		ND	ug/L		5.0	1				11/01/22 06:35	541-73-1	
1,4-Dichlorobenzene		ND	ug/L		5.0	1				11/01/22 06:35	106-46-7	
Dichlorodifluoromethane		ND	ug/L		5.0	1				11/01/22 06:35	75-71-8	
1,1-Dichloroethane		ND	ug/L		5.0	1				11/01/22 06:35	75-34-3	
1,2-Dichloroethane		ND	ug/L		5.0	1				11/01/22 06:35	107-06-2	
1,1-Dichloroethene		ND	ug/L		5.0	1				11/01/22 06:35	75-35-4	
cis-1,2-Dichloroethene		ND	ug/L		5.0	1				11/01/22 06:35	156-59-2	
trans-1,2-Dichloroethene		ND	ug/L		5.0	1				11/01/22 06:35	156-60-5	
1,2-Dichloropropane		ND	ug/L		5.0	1				11/01/22 06:35	78-87-5	
cis-1,3-Dichloropropene		ND	ug/L		5.0	1				11/01/22 06:35	10061-01-5	
trans-1,3-Dichloropropene		ND	ug/L		5.0	1				11/01/22 06:35	10061-02-6	
Ethylbenzene		ND	ug/L		5.0	1				11/01/22 06:35	100-41-4	
2-Hexanone		ND	ug/L		25.0	1				11/01/22 06:35	591-78-6	
Isopropylbenzene (Cumene)		ND	ug/L		5.0	1				11/01/22 06:35	98-82-8	
Methyl acetate		ND	ug/L		50.0	1				11/01/22 06:35	79-20-9	
Methylcyclohexane		ND	ug/L		50.0	1				11/01/22 06:35	108-87-2	
Methylene Chloride		ND	ug/L		5.0	1				11/01/22 06:35	75-09-2	
4-Methyl-2-pentanone (MIBK)		ND	ug/L		25.0	1				11/01/22 06:35	108-10-1	
Methyl-tert-butyl ether		ND	ug/L		4.0	1				11/01/22 06:35	1634-04-4	
Styrene		ND	ug/L		5.0	1				11/01/22 06:35	100-42-5	
1,1,2,2-Tetrachloroethane		ND	ug/L		5.0	1				11/01/22 06:35	79-34-5	
Tetrachloroethene		ND	ug/L		5.0	1				11/01/22 06:35	127-18-4	
Toluene		ND	ug/L		5.0	1				11/01/22 06:35	108-88-3	
1,2,4-Trichlorobenzene		ND	ug/L		5.0	1				11/01/22 06:35	120-82-1	
1,1,1-Trichloroethane		ND	ug/L		5.0	1				11/01/22 06:35	71-55-6	
1,1,2-Trichloroethane		ND	ug/L		5.0	1				11/01/22 06:35	79-00-5	
Trichloroethene		ND	ug/L		5.0	1				11/01/22 06:35	79-01-6	
Trichlorofluoromethane		ND	ug/L		5.0	1				11/01/22 06:35	75-69-4	
1,1,2-Trichlorotrifluoroethane		ND	ug/L		5.0	1				11/01/22 06:35	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0603-S1 (102422)		Lab ID: 50329215010		Collected: 10/24/22 15:09		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 06:35	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 06:35	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	82-128	1		11/01/22 06:35	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	79-124	1		11/01/22 06:35	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 06:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0509-S1 (102422)		Lab ID: 50329215011	Collected: 10/24/22 13:29	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~99.63~~	ug/L	100	1		11/01/22 07:06	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 07:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 07:06	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 07:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 07:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 07:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 07:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 07:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 07:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 07:06	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 07:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 07:06	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 07:06	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 07:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 07:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 07:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 07:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 07:06	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 07:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 07:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 07:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 07:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 07:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 07:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 07:06	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 07:06	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 07:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 07:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 07:06	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 07:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 07:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 07:06	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 07:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:06	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 07:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 07:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 07:06	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0509-S1 (102422)		Lab ID: 50329215011		Collected: 10/24/22 13:29		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 07:06	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 07:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	1		11/01/22 07:06	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	79-124	1		11/01/22 07:06	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 07:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0507-S1 (102422)		Lab ID: 50329215012	Collected: 10/24/22 15:45	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~58.13~~	ug/L	100	1		11/01/22 07:36	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 07:36	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 07:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 07:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 07:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 07:36	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 07:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 07:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 07:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 07:36	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 07:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 07:36	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 07:36	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 07:36	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 07:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 07:36	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:36	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 07:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 07:36	75-35-4	
cis-1,2-Dichloroethene	0.823	ug/L	5.0	1		11/01/22 07:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 07:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 07:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 07:36	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 07:36	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 07:36	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 07:36	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 07:36	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 07:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 07:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 07:36	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 07:36	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 07:36	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 07:36	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 07:36	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:36	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 07:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 07:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 07:36	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0507-S1 (102422)		Lab ID: 50329215012		Collected: 10/24/22 15:45		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 07:36	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 07:36	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	1		11/01/22 07:36	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	79-124	1		11/01/22 07:36	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 07:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0506-S2 (102422)		Lab ID: 50329215013	Collected: 10/24/22 13:07	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~55.93~~	ug/L	100	1		10/31/22 23:43	67-64-1	UB
Benzene	ND	ug/L	5.0	1		10/31/22 23:43	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 23:43	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 23:43	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 23:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 23:43	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 23:43	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 23:43	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 23:43	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 23:43	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 23:43	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 23:43	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 23:43	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 23:43	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 23:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 23:43	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:43	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 23:43	75-71-8	
1,1-Dichloroethane	0.83J	ug/L	5.0	1		10/31/22 23:43	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 23:43	107-06-2	
1,1-Dichloroethene	1.5J	ug/L	5.0	1		10/31/22 23:43	75-35-4	
cis-1,2-Dichloroethene	660	ug/L	50.0	10		11/01/22 21:11	156-59-2	
trans-1,2-Dichloroethene	61.1	ug/L	5.0	1		10/31/22 23:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 23:43	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 23:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 23:43	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 23:43	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 23:43	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 23:43	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 23:43	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 23:43	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 23:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 23:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 23:43	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 23:43	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 23:43	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 23:43	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 23:43	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:43	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 23:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 23:43	79-00-5	
Trichloroethene	324	ug/L	50.0	10		11/01/22 21:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 23:43	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 23:43	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0506-S2 (102422)		Lab ID: 50329215013		Collected: 10/24/22 13:07		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	1.5J	ug/L	2.0	1		10/31/22 23:43	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		10/31/22 23:43	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	102	%.	82-128	1		10/31/22 23:43	1868-53-7		
4-Bromofluorobenzene (S)	103	%.	79-124	1		10/31/22 23:43	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		10/31/22 23:43	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0506-S1 (102422)		Lab ID: 50329215014	Collected: 10/24/22 12:44	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~17.43~~	ug/L	100	1		11/01/22 00:14	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 00:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 00:14	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 00:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 00:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 00:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 00:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 00:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 00:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 00:14	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 00:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 00:14	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 00:14	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 00:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 00:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 00:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 00:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 00:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 00:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 00:14	75-35-4	
cis-1,2-Dichloroethene	2.4J	ug/L	5.0	1		11/01/22 00:14	156-59-2	
trans-1,2-Dichloroethene	1.2J	ug/L	5.0	1		11/01/22 00:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 00:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 00:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 00:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 00:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 00:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 00:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 00:14	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 00:14	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 00:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 00:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 00:14	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 00:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 00:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 00:14	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 00:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 00:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 00:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 00:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 00:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 00:14	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0506-S1 (102422)		Lab ID: 50329215014		Collected: 10/24/22 12:44		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 00:14	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 00:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		11/01/22 00:14	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	79-124	1		11/01/22 00:14	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 00:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0504-S1 (102422)		Lab ID: 50329215015	Collected: 10/24/22 12:29	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~25.33~~	ug/L	100	1		11/01/22 00:44	67-64-1	UB
Benzene	0.61J	ug/L	5.0	1		11/01/22 00:44	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 00:44	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 00:44	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 00:44	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 00:44	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 00:44	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 00:44	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 00:44	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 00:44	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 00:44	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 00:44	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 00:44	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 00:44	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 00:44	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 00:44	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:44	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:44	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:44	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 00:44	75-71-8	
1,1-Dichloroethane	6.7	ug/L	5.0	1		11/01/22 00:44	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 00:44	107-06-2	
1,1-Dichloroethene	3.4J	ug/L	5.0	1		11/01/22 00:44	75-35-4	
cis-1,2-Dichloroethene	709	ug/L	125	25		11/01/22 01:15	156-59-2	
trans-1,2-Dichloroethene	103	ug/L	5.0	1		11/01/22 00:44	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 00:44	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 00:44	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 00:44	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 00:44	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 00:44	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 00:44	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 00:44	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 00:44	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 00:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 00:44	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 00:44	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 00:44	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 00:44	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 00:44	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 00:44	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 00:44	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 00:44	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 00:44	79-00-5	
Trichloroethene	1930	ug/L	125	25		11/01/22 01:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 00:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 00:44	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0504-S1 (102422)		Lab ID: 50329215015		Collected: 10/24/22 12:29		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		13.1	ug/L	2.0	1		11/01/22 00:44	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 00:44	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	1		11/01/22 00:44	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	79-124	1		11/01/22 00:44	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 00:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0503-S1 (102422)		Lab ID: 50329215016		Collected: 10/24/22 15:26		Received: 10/25/22 15:00		Matrix: Water									
Parameters		Results		Units		Report Limit		DF		Prepared		Analyzed		CAS No.		Qual	
8260/5030 MSV		Analytical Method: EPA 8260															
		Pace Analytical Services - Indianapolis															
Acetone		ND	~~99.23~~	ug/L		100		1				11/01/22 08:06		67-64-1		UB	
Benzene		ND		ug/L		5.0		1				11/01/22 08:06		71-43-2			
Bromodichloromethane		ND		ug/L		5.0		1				11/01/22 08:06		75-27-4			
Bromoform		ND		ug/L		5.0		1				11/01/22 08:06		75-25-2			
Bromomethane		ND		ug/L		5.0		1				11/01/22 08:06		74-83-9			
2-Butanone (MEK)		ND		ug/L		25.0		1				11/01/22 08:06		78-93-3			
Carbon disulfide		ND		ug/L		10.0		1				11/01/22 08:06		75-15-0			
Carbon tetrachloride		ND		ug/L		5.0		1				11/01/22 08:06		56-23-5			
Chlorobenzene		ND		ug/L		5.0		1				11/01/22 08:06		108-90-7			
Chloroethane		ND		ug/L		5.0		1				11/01/22 08:06		75-00-3			
Chloroform		ND		ug/L		5.0		1				11/01/22 08:06		67-66-3			
Chloromethane		ND		ug/L		5.0		1				11/01/22 08:06		74-87-3			
Cyclohexane		ND		ug/L		100		1				11/01/22 08:06		110-82-7			
1,2-Dibromo-3-chloropropane		ND		ug/L		10.0		1				11/01/22 08:06		96-12-8			
Dibromochloromethane		ND		ug/L		5.0		1				11/01/22 08:06		124-48-1			
1,2-Dibromoethane (EDB)		ND		ug/L		5.0		1				11/01/22 08:06		106-93-4			
1,2-Dichlorobenzene		ND		ug/L		5.0		1				11/01/22 08:06		95-50-1			
1,3-Dichlorobenzene		ND		ug/L		5.0		1				11/01/22 08:06		541-73-1			
1,4-Dichlorobenzene		ND		ug/L		5.0		1				11/01/22 08:06		106-46-7			
Dichlorodifluoromethane		ND		ug/L		5.0		1				11/01/22 08:06		75-71-8			
1,1-Dichloroethane		ND		ug/L		5.0		1				11/01/22 08:06		75-34-3			
1,2-Dichloroethane		ND		ug/L		5.0		1				11/01/22 08:06		107-06-2			
1,1-Dichloroethene		ND		ug/L		5.0		1				11/01/22 08:06		75-35-4			
cis-1,2-Dichloroethene		ND		ug/L		5.0		1				11/01/22 08:06		156-59-2			
trans-1,2-Dichloroethene		ND		ug/L		5.0		1				11/01/22 08:06		156-60-5			
1,2-Dichloropropane		ND		ug/L		5.0		1				11/01/22 08:06		78-87-5			
cis-1,3-Dichloropropene		ND		ug/L		5.0		1				11/01/22 08:06		10061-01-5			
trans-1,3-Dichloropropene		ND		ug/L		5.0		1				11/01/22 08:06		10061-02-6			
Ethylbenzene		ND		ug/L		5.0		1				11/01/22 08:06		100-41-4			
2-Hexanone		ND		ug/L		25.0		1				11/01/22 08:06		591-78-6			
Isopropylbenzene (Cumene)		ND		ug/L		5.0		1				11/01/22 08:06		98-82-8			
Methyl acetate		ND		ug/L		50.0		1				11/01/22 08:06		79-20-9			
Methylcyclohexane		ND		ug/L		50.0		1				11/01/22 08:06		108-87-2			
Methylene Chloride		ND		ug/L		5.0		1				11/01/22 08:06		75-09-2			
4-Methyl-2-pentanone (MIBK)		ND		ug/L		25.0		1				11/01/22 08:06		108-10-1			
Methyl-tert-butyl ether		ND		ug/L		4.0		1				11/01/22 08:06		1634-04-4			
Styrene		ND		ug/L		5.0		1				11/01/22 08:06		100-42-5			
1,1,2,2-Tetrachloroethane		ND		ug/L		5.0		1				11/01/22 08:06		79-34-5			
Tetrachloroethene		ND		ug/L		5.0		1				11/01/22 08:06		127-18-4			
Toluene		ND		ug/L		5.0		1				11/01/22 08:06		108-88-3			
1,2,4-Trichlorobenzene		ND		ug/L		5.0		1				11/01/22 08:06		120-82-1			
1,1,1-Trichloroethane		ND		ug/L		5.0		1				11/01/22 08:06		71-55-6			
1,1,2-Trichloroethane		ND		ug/L		5.0		1				11/01/22 08:06		79-00-5			
Trichloroethene		ND		ug/L		5.0		1				11/01/22 08:06		79-01-6			
Trichlorofluoromethane		ND		ug/L		5.0		1				11/01/22 08:06		75-69-4			
1,1,2-Trichlorotrifluoroethane		ND		ug/L		5.0		1				11/01/22 08:06		76-13-1			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0503-S1 (102422)		Lab ID: 50329215016		Collected: 10/24/22 15:26		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 08:06	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 08:06	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	1		11/01/22 08:06	1868-53-7		
4-Bromofluorobenzene (S)	103	%.	79-124	1		11/01/22 08:06	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/01/22 08:06	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0501-S2 (102422)		Lab ID: 50329215017	Collected: 10/24/22 13:45	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~30.53~~	ug/L	100	1		11/01/22 01:45	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 01:45	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 01:45	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 01:45	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 01:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 01:45	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 01:45	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 01:45	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 01:45	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 01:45	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 01:45	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 01:45	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 01:45	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 01:45	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 01:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 01:45	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 01:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 01:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 01:45	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 01:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 01:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 01:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 01:45	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 01:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 01:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 01:45	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 01:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 01:45	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 01:45	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 01:45	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 01:45	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 01:45	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 01:45	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 01:45	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 01:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 01:45	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 01:45	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 01:45	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 01:45	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 01:45	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 01:45	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 01:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 01:45	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 01:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 01:45	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 01:45	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: MW-0501-S2 (102422)		Lab ID: 50329215017		Collected: 10/24/22 13:45		Received: 10/25/22 15:00		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 01:45	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 01:45	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	1		11/01/22 01:45	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	79-124	1		11/01/22 01:45	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 01:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: ~~MW-0103-S10 (102422)~~ MW-0103-S1U (102422)		Lab ID: 50329215018	Collected: 10/24/22 10:00	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~21.23~~	ug/L	100	1		11/01/22 03:17	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 03:17	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 03:17	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 03:17	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 03:17	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 03:17	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 03:17	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 03:17	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 03:17	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 03:17	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 03:17	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 03:17	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 03:17	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 03:17	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 03:17	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 03:17	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:17	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:17	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:17	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 03:17	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 03:17	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 03:17	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 03:17	75-35-4	
cis-1,2-Dichloroethene	2.03	ug/L	5.0	1		11/01/22 03:17	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 03:17	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 03:17	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 03:17	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 03:17	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 03:17	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 03:17	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 03:17	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 03:17	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 03:17	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 03:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 03:17	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 03:17	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 03:17	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 03:17	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 03:17	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 03:17	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:17	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 03:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 03:17	79-00-5	
Trichloroethene	0.983	ug/L	5.0	1		11/01/22 03:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 03:17	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 03:17	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: ~~MW-0103-S10 (102422)~~ MW-0103-S1U (102422) Parameters		Lab ID: 50329215018		Collected: 10/24/22 10:00		Received: 10/25/22 15:00		Matrix: Water	
	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 03:17	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 03:17	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/01/22 03:17	1868-53-7		
4-Bromofluorobenzene (S)	103	%.	79-124	1		11/01/22 03:17	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/01/22 03:17	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: EB-01 (102422)		Lab ID: 50329215019		Collected: 10/24/22 12:54		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	12.0J	ug/L	100	1		11/01/22 03:47	67-64-1		
Benzene	ND	ug/L	5.0	1		11/01/22 03:47	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 03:47	75-27-4		
Bromoform	ND	ug/L	5.0	1		11/01/22 03:47	75-25-2		
Bromomethane	ND	ug/L	5.0	1		11/01/22 03:47	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 03:47	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 03:47	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 03:47	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 03:47	108-90-7		
Chloroethane	ND	ug/L	5.0	1		11/01/22 03:47	75-00-3		
Chloroform	ND	ug/L	5.0	1		11/01/22 03:47	67-66-3		
Chloromethane	ND	ug/L	5.0	1		11/01/22 03:47	74-87-3		
Cyclohexane	ND	ug/L	100	1		11/01/22 03:47	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 03:47	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 03:47	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 03:47	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:47	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:47	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:47	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 03:47	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 03:47	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 03:47	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 03:47	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 03:47	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 03:47	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 03:47	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 03:47	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 03:47	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 03:47	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		11/01/22 03:47	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 03:47	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		11/01/22 03:47	79-20-9		
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 03:47	108-87-2		
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 03:47	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 03:47	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 03:47	1634-04-4		
Styrene	ND	ug/L	5.0	1		11/01/22 03:47	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 03:47	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 03:47	127-18-4		
Toluene	ND	ug/L	5.0	1		11/01/22 03:47	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 03:47	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 03:47	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 03:47	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		11/01/22 03:47	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 03:47	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 03:47	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: EB-01 (102422)		Lab ID: 50329215019		Collected: 10/24/22 12:54		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 03:47	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 03:47	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/01/22 03:47	1868-53-7		
4-Bromofluorobenzene (S)	102	%.	79-124	1		11/01/22 03:47	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/01/22 03:47	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: EB-03 (102422)		Lab ID: 50329215020	Collected: 10/24/22 14:45	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	12.6J	ug/L	100	1		11/01/22 04:18	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 04:18	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 04:18	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 04:18	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 04:18	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 04:18	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 04:18	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 04:18	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 04:18	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 04:18	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 04:18	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 04:18	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 04:18	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 04:18	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 04:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 04:18	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:18	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 04:18	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 04:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 04:18	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:18	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:18	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 04:18	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:18	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 04:18	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 04:18	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 04:18	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 04:18	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 04:18	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 04:18	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 04:18	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 04:18	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 04:18	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 04:18	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 04:18	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 04:18	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:18	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:18	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:18	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 04:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 04:18	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 04:18	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: EB-03 (102422)		Lab ID: 50329215020		Collected: 10/24/22 14:45		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 04:18	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 04:18	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/01/22 04:18	1868-53-7		
4-Bromofluorobenzene (S)	102	%.	79-124	1		11/01/22 04:18	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/01/22 04:18	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: Dup-01 (102422)		Lab ID: 50329215021	Collected: 10/24/22 08:00	Received: 10/25/22 15:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~24.33~~	ug/L	100	1		11/01/22 04:48	67-64-1	UB
Benzene	0.59J	ug/L	5.0	1		11/01/22 04:48	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 04:48	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 04:48	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 04:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 04:48	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 04:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 04:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 04:48	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 04:48	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 04:48	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 04:48	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 04:48	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 04:48	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 04:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 04:48	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:48	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 04:48	75-71-8	
1,1-Dichloroethane	6.9	ug/L	5.0	1		11/01/22 04:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 04:48	107-06-2	
1,1-Dichloroethene	3.6J	ug/L	5.0	1		11/01/22 04:48	75-35-4	
cis-1,2-Dichloroethene	738	ug/L	125	25		11/01/22 21:41	156-59-2	
trans-1,2-Dichloroethene	103	ug/L	5.0	1		11/01/22 04:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 04:48	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 04:48	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 04:48	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 04:48	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 04:48	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 04:48	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 04:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 04:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 04:48	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 04:48	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 04:48	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 04:48	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 04:48	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:48	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:48	79-00-5	
Trichloroethene	1960	ug/L	125	25		11/01/22 21:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 04:48	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 04:48	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329215

Sample: Dup-01 (102422)		Lab ID: 50329215021		Collected: 10/24/22 08:00		Received: 10/25/22 15:00		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	13.3	ug/L	2.0	1		11/01/22 04:48	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 04:48	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	82-128	1		11/01/22 04:48	1868-53-7		
4-Bromofluorobenzene (S)	104	%.	79-124	1		11/01/22 04:48	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/01/22 04:48	2037-26-5		


REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Submitting a sample via this chain of custody

WO#: 50329216



50329216

Analytical Request Document

MENT. All relevant fields must be completed accurately.

ditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>.

Page : 1 Of 3

Section A

Required Client Information:

Company: Arcadis U.S., Inc.
Address: 150 West Market Street
Suite 728, Indianapolis, IN 46204
Email: william.stephens@arcadis.com
Phone: (317)217-0336 Fax:
Requested Due Date: Standard

Section B

Required Project Information:

Report To: Cameron Stewart
Copy To: William Stephens Riley White
Attention:
Company Name:
Address:
Purchase Order #:
Pace Quote:
Pace Project Manager: olivia.deck@pacelabs.com
Pace Profile #: 3454
Project Name: RACER Kokomo
Project #: 30123295

Regulatory Agency

State / Location

IN

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample IDs must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Y/N	Requested Analysis Filtered (Y/N)												Residual Chlorine (Y/N)		
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other		Analyses Test	VOC 8260													
						DATE	TIME	DATE	TIME																										
1	TRIP BLANK				WT G						3				X						X												001		
2	MW-0618-S1 (102422)										3				X						X												002		
3	MW-0613-S1 (102422)										3				X						X												003		
4	MW-0607-S1 (102422)										3				X						X												004		
5	MW-0607-S2 (102422)										3				X						X												005		
6	MW-0609-S1 (102422)										3				X						X												006		
7	MW-0609-S2 (102422)										3				X						X												007		
8	EB-02 (102422)-RJW										3				X						X												008		
9	MW-0610-S1 (102422)										3				X						X												009		
10	MW-0704-S1 (102422)										3				X						X												010		
11	MW-0606-S1 (102422)										3				X						X												011		
12	MW-0606-S2 (102422)										3				X						X												012		

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	Riley White / Arcadis	10/25	1510	[Signature]	10/25	1510	1.2	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed:

10/25/22

TEMP in C

Received on

Ice

(Y/N)

Custody

Sealed

Cooler

(Y/N)

samples

contact

(Y/N)



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>.

Section A

Required Client Information:

Company: Arcadis U.S., Inc.
Address: 150 West Market Street
Suite 728, Indianapolis, IN 46204
Email: william.stephens@arcadis.com
Phone: (317)217-0336 Fax:
Requested Due Date: Standard

Section B

Required Project Information:

Report To: Cameron Stewart
Copy To: William Stephens
Purchase Order #:
Project Name: RACER Kokomo
Project #:

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Quote:
Pace Project Manager: olivia.deck@pacelabs.com
Pace Profile #: 3454

Page: 2 Of 3

Regulatory Agency

State / Location

IN

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 /, -) Sample IDs must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives										Analyses Test Y/N	VOC 8260	Residual Chlorine (Y/N)							
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other												
						DATE	TIME	DATE	TIME																						
1	MW-0612-S1 (102422)				G			10/24	1300	3				X																	013
2	MW-0612-S2 (102422)								1315																						014
3	MW-0705-S1 (102422)								1330																						015
4	MW-0608-S1 (102422)								1345																						016
5	MW-0608-S2 (102422)								1400																						017
6	MW-0602-S1 (102422)								1410																						018
7	MW-0611-S1-R (102422)								1430																						019
8	MW-0516-S1 (102422)								1440																						020
9	MW-0516-S2 (102422)								1500																						021
10	DUP-05 (102422) - RJW																														022
11	DUP-03 (102422) - RJW																														023
12	DUP-04 (102422) - RJW																														024

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS			
		Cameron Stewart / Arcadis		10/25	1510	[Signature]		10/25	1510	1.2	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed:

TEMP in C

Received on

Ice

(Y/N)

Custody

Sealed

Cooler

(Y/N)

Samples

Intact

(Y/N)



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>.

Section A

Required Client Information:

Company: Arcadis U.S., Inc.
Address: 150 West Market Street
Suite 728, Indianapolis, IN 46204
Email: william.stephens@arcadis.com
Phone: (317)217-0336 Fax:
Requested Due Date: 10/25/22

Section B

Required Project Information:

Report To: Cameron Stewart
Copy To: William Stephens
Purchase Order #:
Project Name: RACER Kokomo
Project #:

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Quote:
Pace Project Manager: olivia.deck@pacelabs.com,
Pace Profile #: 3454

Page: 3 Of 3

Regulatory Agency

State / Location

IN

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample IDs must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives										Y/N	Analyses Test	VOC 8260																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS		
	Billy White / Arcadis	10/25	1510		10/25	1510	1-2	Y	N Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed: 10/25/22

TEMP in C

Received on

Ice (Y/N)

Custody

Sealed

Cooler

(Y/N)

Samples

Intact

(Y/N)

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: TRIP BLANK		Lab ID: 50329216001	Collected: 10/24/22 08:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		10/31/22 12:33	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 12:33	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 12:33	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 12:33	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 12:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 12:33	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 12:33	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 12:33	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 12:33	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 12:33	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 12:33	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 12:33	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 12:33	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 12:33	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 12:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 12:33	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:33	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 12:33	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 12:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 12:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 12:33	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 12:33	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 12:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 12:33	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 12:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 12:33	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 12:33	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 12:33	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 12:33	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 12:33	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 12:33	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 12:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 12:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 12:33	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 12:33	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 12:33	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 12:33	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 12:33	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:33	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 12:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 12:33	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 12:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 12:33	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 12:33	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: TRIP BLANK		Lab ID: 50329216001		Collected: 10/24/22 08:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		10/31/22 12:33	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 12:33	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	82-128	1		10/31/22 12:33	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	79-124	1		10/31/22 12:33	460-00-4	
Toluene-d8 (S)		102	%.	73-122	1		10/31/22 12:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0618-S1 (102422)		Lab ID: 50329216002	Collected: 10/24/22 10:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		10/31/22 12:56	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 12:56	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 12:56	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 12:56	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 12:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 12:56	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 12:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 12:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 12:56	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 12:56	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 12:56	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 12:56	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 12:56	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 12:56	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 12:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 12:56	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:56	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 12:56	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 12:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 12:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 12:56	75-35-4	
cis-1,2-Dichloroethene	0.59J	ug/L	5.0	1		10/31/22 12:56	156-59-2	
trans-1,2-Dichloroethene	0.42J	ug/L	5.0	1		10/31/22 12:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 12:56	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 12:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 12:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 12:56	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 12:56	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 12:56	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 12:56	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 12:56	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 12:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 12:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 12:56	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 12:56	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 12:56	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 12:56	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 12:56	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 12:56	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 12:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 12:56	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 12:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 12:56	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 12:56	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0618-S1 (102422)		Lab ID: 50329216002		Collected: 10/24/22 10:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		10/31/22 12:56	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		10/31/22 12:56	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128	1		10/31/22 12:56	1868-53-7		
4-Bromofluorobenzene (S)	102	%.	79-124	1		10/31/22 12:56	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		10/31/22 12:56	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0613-S1 (102422)		Lab ID: 50329216003	Collected: 10/24/22 10:20	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		10/31/22 13:19	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 13:19	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 13:19	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 13:19	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 13:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 13:19	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 13:19	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 13:19	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 13:19	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 13:19	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 13:19	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 13:19	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 13:19	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 13:19	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 13:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 13:19	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 13:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 13:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 13:19	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 13:19	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 13:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 13:19	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 13:19	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 13:19	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 13:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 13:19	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 13:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 13:19	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 13:19	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 13:19	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 13:19	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 13:19	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 13:19	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 13:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 13:19	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 13:19	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 13:19	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 13:19	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 13:19	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 13:19	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 13:19	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 13:19	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 13:19	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 13:19	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 13:19	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 13:19	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0613-S1 (102422)		Lab ID: 50329216003		Collected: 10/24/22 10:20		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		10/31/22 13:19	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 13:19	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	82-128	1		10/31/22 13:19	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	79-124	1		10/31/22 13:19	460-00-4	
Toluene-d8 (S)		100	%.	73-122	1		10/31/22 13:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0607-S1 (102422)		Lab ID: 50329216004	Collected: 10/24/22 10:40	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~44.73~~	ug/L	100	1		10/31/22 13:42	67-64-1	UB
Benzene	ND	ug/L	5.0	1		10/31/22 13:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 13:42	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 13:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 13:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 13:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 13:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 13:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 13:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 13:42	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 13:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 13:42	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 13:42	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 13:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 13:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 13:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 13:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 13:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 13:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 13:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 13:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 13:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 13:42	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 13:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 13:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 13:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 13:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 13:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 13:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 13:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 13:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 13:42	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 13:42	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 13:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 13:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 13:42	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 13:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 13:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 13:42	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 13:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 13:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 13:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 13:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 13:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 13:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 13:42	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0607-S1 (102422)		Lab ID: 50329216004		Collected: 10/24/22 10:40		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		10/31/22 13:42	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 13:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		10/31/22 13:42	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	79-124	1		10/31/22 13:42	460-00-4	
Toluene-d8 (S)		98	%.	73-122	1		10/31/22 13:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0607-S2 (102422)		Lab ID: 50329216005	Collected: 10/24/22 10:50	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~32.61~~	ug/L	100	1		10/31/22 14:04	67-64-1	UB
Benzene	ND	ug/L	5.0	1		10/31/22 14:04	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 14:04	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 14:04	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 14:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 14:04	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 14:04	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 14:04	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 14:04	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 14:04	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 14:04	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 14:04	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 14:04	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 14:04	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 14:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 14:04	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:04	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 14:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 14:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 14:04	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 14:04	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 14:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 14:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 14:04	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 14:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 14:04	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 14:04	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 14:04	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 14:04	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 14:04	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 14:04	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 14:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 14:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 14:04	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 14:04	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 14:04	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 14:04	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 14:04	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:04	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 14:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 14:04	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 14:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 14:04	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 14:04	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0607-S2 (102422)		Lab ID: 50329216005		Collected: 10/24/22 10:50		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		0.41J	ug/L	2.0	1		10/31/22 14:04	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 14:04	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	82-128	1		10/31/22 14:04	1868-53-7	
4-Bromofluorobenzene (S)		103	%.	79-124	1		10/31/22 14:04	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		10/31/22 14:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0609-S1 (102422)		Lab ID: 50329216006	Collected: 10/24/22 11:15	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~37.23~~	ug/L	100	1		10/31/22 14:27	67-64-1	UB
Benzene	ND	ug/L	5.0	1		10/31/22 14:27	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 14:27	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 14:27	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 14:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 14:27	78-93-3	
Carbon disulfide	1.13	ug/L	10.0	1		10/31/22 14:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 14:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 14:27	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 14:27	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 14:27	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 14:27	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 14:27	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 14:27	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 14:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 14:27	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:27	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 14:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 14:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 14:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 14:27	75-35-4	
cis-1,2-Dichloroethene	1.73	ug/L	5.0	1		10/31/22 14:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 14:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 14:27	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 14:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 14:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 14:27	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 14:27	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 14:27	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 14:27	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 14:27	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 14:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 14:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 14:27	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 14:27	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 14:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 14:27	127-18-4	
Toluene	0.323	ug/L	5.0	1		10/31/22 14:27	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 14:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 14:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 14:27	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 14:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 14:27	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 14:27	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0609-S1 (102422)		Lab ID: 50329216006		Collected: 10/24/22 11:15		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	1.3J	ug/L	2.0	1		10/31/22 14:27	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		10/31/22 14:27	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	102	%.	82-128	1		10/31/22 14:27	1868-53-7		
4-Bromofluorobenzene (S)	99	%.	79-124	1		10/31/22 14:27	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		10/31/22 14:27	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0609-S2 (102422)		Lab ID: 50329216007		Collected: 10/24/22 11:30		Received: 10/25/22 15:10		Matrix: Water									
Parameters		Results		Units		Report Limit		DF		Prepared		Analyzed		CAS No.		Qual	
8260/5030 MSV		Analytical Method: EPA 8260															
		Pace Analytical Services - Indianapolis															
Acetone		ND	~~70.51~~	ug/L		100		1				10/31/22 14:50		67-64-1		UB	
Benzene		ND		ug/L		5.0		1				10/31/22 14:50		71-43-2			
Bromodichloromethane		ND		ug/L		5.0		1				10/31/22 14:50		75-27-4			
Bromoform		ND		ug/L		5.0		1				10/31/22 14:50		75-25-2			
Bromomethane		ND		ug/L		5.0		1				10/31/22 14:50		74-83-9			
2-Butanone (MEK)		ND		ug/L		25.0		1				10/31/22 14:50		78-93-3			
Carbon disulfide		ND		ug/L		10.0		1				10/31/22 14:50		75-15-0			
Carbon tetrachloride		ND		ug/L		5.0		1				10/31/22 14:50		56-23-5			
Chlorobenzene		ND		ug/L		5.0		1				10/31/22 14:50		108-90-7			
Chloroethane		ND		ug/L		5.0		1				10/31/22 14:50		75-00-3			
Chloroform		ND		ug/L		5.0		1				10/31/22 14:50		67-66-3			
Chloromethane		ND		ug/L		5.0		1				10/31/22 14:50		74-87-3			
Cyclohexane		ND		ug/L		100		1				10/31/22 14:50		110-82-7			
1,2-Dibromo-3-chloropropane		ND		ug/L		10.0		1				10/31/22 14:50		96-12-8			
Dibromochloromethane		ND		ug/L		5.0		1				10/31/22 14:50		124-48-1			
1,2-Dibromoethane (EDB)		ND		ug/L		5.0		1				10/31/22 14:50		106-93-4			
1,2-Dichlorobenzene		ND		ug/L		5.0		1				10/31/22 14:50		95-50-1			
1,3-Dichlorobenzene		ND		ug/L		5.0		1				10/31/22 14:50		541-73-1			
1,4-Dichlorobenzene		ND		ug/L		5.0		1				10/31/22 14:50		106-46-7			
Dichlorodifluoromethane		ND		ug/L		5.0		1				10/31/22 14:50		75-71-8			
1,1-Dichloroethane		ND		ug/L		5.0		1				10/31/22 14:50		75-34-3			
1,2-Dichloroethane		ND		ug/L		5.0		1				10/31/22 14:50		107-06-2			
1,1-Dichloroethene		ND		ug/L		5.0		1				10/31/22 14:50		75-35-4			
cis-1,2-Dichloroethene		16.8		ug/L		5.0		1				10/31/22 14:50		156-59-2			
trans-1,2-Dichloroethene		1.7J		ug/L		5.0		1				10/31/22 14:50		156-60-5			
1,2-Dichloropropane		ND		ug/L		5.0		1				10/31/22 14:50		78-87-5			
cis-1,3-Dichloropropene		ND		ug/L		5.0		1				10/31/22 14:50		10061-01-5			
trans-1,3-Dichloropropene		ND		ug/L		5.0		1				10/31/22 14:50		10061-02-6			
Ethylbenzene		ND		ug/L		5.0		1				10/31/22 14:50		100-41-4			
2-Hexanone		ND		ug/L		25.0		1				10/31/22 14:50		591-78-6			
Isopropylbenzene (Cumene)		ND		ug/L		5.0		1				10/31/22 14:50		98-82-8			
Methyl acetate		ND		ug/L		50.0		1				10/31/22 14:50		79-20-9			
Methylcyclohexane		ND		ug/L		50.0		1				10/31/22 14:50		108-87-2			
Methylene Chloride		ND		ug/L		5.0		1				10/31/22 14:50		75-09-2			
4-Methyl-2-pentanone (MIBK)		ND		ug/L		25.0		1				10/31/22 14:50		108-10-1			
Methyl-tert-butyl ether		ND		ug/L		4.0		1				10/31/22 14:50		1634-04-4			
Styrene		ND		ug/L		5.0		1				10/31/22 14:50		100-42-5			
1,1,2,2-Tetrachloroethane		ND		ug/L		5.0		1				10/31/22 14:50		79-34-5			
Tetrachloroethene		ND		ug/L		5.0		1				10/31/22 14:50		127-18-4			
Toluene		ND		ug/L		5.0		1				10/31/22 14:50		108-88-3			
1,2,4-Trichlorobenzene		ND		ug/L		5.0		1				10/31/22 14:50		120-82-1			
1,1,1-Trichloroethane		ND		ug/L		5.0		1				10/31/22 14:50		71-55-6			
1,1,2-Trichloroethane		ND		ug/L		5.0		1				10/31/22 14:50		79-00-5			
Trichloroethene		ND		ug/L		5.0		1				10/31/22 14:50		79-01-6			
Trichlorofluoromethane		ND		ug/L		5.0		1				10/31/22 14:50		75-69-4			
1,1,2-Trichlorotrifluoroethane		ND		ug/L		5.0		1				10/31/22 14:50		76-13-1			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0609-S2 (102422)		Lab ID: 50329216007		Collected: 10/24/22 11:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		0.43J	ug/L	2.0	1		10/31/22 14:50	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 14:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		10/31/22 14:50	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	79-124	1		10/31/22 14:50	460-00-4	
Toluene-d8 (S)		97	%.	73-122	1		10/31/22 14:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: EB-02 (102422)-RJW		Lab ID: 50329216008		Collected: 10/24/22 10:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			10/31/22 15:13	67-64-1	
Benzene	ND	ug/L	5.0	1			10/31/22 15:13	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			10/31/22 15:13	75-27-4	
Bromoform	ND	ug/L	5.0	1			10/31/22 15:13	75-25-2	
Bromomethane	ND	ug/L	5.0	1			10/31/22 15:13	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			10/31/22 15:13	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			10/31/22 15:13	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			10/31/22 15:13	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			10/31/22 15:13	108-90-7	
Chloroethane	ND	ug/L	5.0	1			10/31/22 15:13	75-00-3	
Chloroform	ND	ug/L	5.0	1			10/31/22 15:13	67-66-3	
Chloromethane	ND	ug/L	5.0	1			10/31/22 15:13	74-87-3	
Cyclohexane	ND	ug/L	100	1			10/31/22 15:13	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			10/31/22 15:13	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			10/31/22 15:13	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			10/31/22 15:13	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			10/31/22 15:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			10/31/22 15:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			10/31/22 15:13	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			10/31/22 15:13	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			10/31/22 15:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			10/31/22 15:13	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			10/31/22 15:13	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			10/31/22 15:13	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			10/31/22 15:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			10/31/22 15:13	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			10/31/22 15:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			10/31/22 15:13	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			10/31/22 15:13	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			10/31/22 15:13	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			10/31/22 15:13	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			10/31/22 15:13	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1			10/31/22 15:13	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1			10/31/22 15:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			10/31/22 15:13	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			10/31/22 15:13	1634-04-4	
Styrene	ND	ug/L	5.0	1			10/31/22 15:13	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			10/31/22 15:13	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			10/31/22 15:13	127-18-4	
Toluene	ND	ug/L	5.0	1			10/31/22 15:13	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			10/31/22 15:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			10/31/22 15:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			10/31/22 15:13	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			10/31/22 15:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			10/31/22 15:13	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			10/31/22 15:13	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: EB-02 (102422)-RJW		Lab ID: 50329216008		Collected: 10/24/22 10:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		10/31/22 15:13	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		10/31/22 15:13	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	106	%.	82-128	1		10/31/22 15:13	1868-53-7		
4-Bromofluorobenzene (S)	101	%.	79-124	1		10/31/22 15:13	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		10/31/22 15:13	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0610-S1 (102422)		Lab ID: 50329216009	Collected: 10/24/22 11:50	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~39.43~~	ug/L	100	1		10/31/22 15:36	67-64-1	UB
Benzene	ND	ug/L	5.0	1		10/31/22 15:36	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 15:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 15:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 15:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 15:36	78-93-3	
Carbon disulfide	1.3J	ug/L	10.0	1		10/31/22 15:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 15:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 15:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 15:36	75-00-3	M1
Chloroform	ND	ug/L	5.0	1		10/31/22 15:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 15:36	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 15:36	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 15:36	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 15:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 15:36	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 15:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 15:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 15:36	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 15:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 15:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 15:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/31/22 15:36	75-35-4	
cis-1,2-Dichloroethene	1.2J	ug/L	5.0	1		10/31/22 15:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/31/22 15:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 15:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 15:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 15:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 15:36	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 15:36	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 15:36	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 15:36	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 15:36	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 15:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 15:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 15:36	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 15:36	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 15:36	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 15:36	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 15:36	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 15:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 15:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 15:36	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/31/22 15:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 15:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 15:36	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0610-S1 (102422)		Lab ID: 50329216009		Collected: 10/24/22 11:50		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		10/31/22 15:36	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		10/31/22 15:36	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		10/31/22 15:36	1868-53-7		
4-Bromofluorobenzene (S)	100	%.	79-124	1		10/31/22 15:36	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		10/31/22 15:36	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0704-S1 (102422)		Lab ID: 50329216010	Collected: 10/24/22 12:15	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		11/01/22 06:46	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 06:46	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 06:46	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 06:46	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 06:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 06:46	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 06:46	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 06:46	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 06:46	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 06:46	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 06:46	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 06:46	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 06:46	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 06:46	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 06:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 06:46	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:46	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 06:46	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 06:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 06:46	107-06-2	
1,1-Dichloroethene	2.8J	ug/L	5.0	1		11/01/22 06:46	75-35-4	
cis-1,2-Dichloroethene	1040	ug/L	50.0	10		10/31/22 22:49	156-59-2	
trans-1,2-Dichloroethene	88.1	ug/L	5.0	1		11/01/22 06:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 06:46	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 06:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 06:46	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 06:46	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 06:46	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 06:46	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 06:46	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 06:46	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 06:46	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 06:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 06:46	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 06:46	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 06:46	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 06:46	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 06:46	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 06:46	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 06:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 06:46	79-00-5	
Trichloroethene	2040	ug/L	50.0	10		10/31/22 22:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 06:46	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 06:46	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0704-S1 (102422)		Lab ID: 50329216010		Collected: 10/24/22 12:15		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	2.5	ug/L	2.0	1		11/01/22 06:46	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 06:46	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/01/22 06:46	1868-53-7		
4-Bromofluorobenzene (S)	100	%.	79-124	1		11/01/22 06:46	460-00-4		
Toluene-d8 (S)	101	%.	73-122	1		11/01/22 06:46	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0606-S1 (102422)		Lab ID: 50329216011	Collected: 10/24/22 12:30	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		11/01/22 07:09	67-64-1	
Benzene	ND	ug/L	5.0	1		11/01/22 07:09	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 07:09	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 07:09	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 07:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 07:09	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 07:09	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 07:09	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 07:09	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 07:09	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 07:09	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 07:09	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 07:09	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 07:09	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 07:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 07:09	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:09	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 07:09	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 07:09	107-06-2	
1,1-Dichloroethene	3.3J	ug/L	5.0	1		11/01/22 07:09	75-35-4	
cis-1,2-Dichloroethene	1210	ug/L	50.0	10		10/31/22 23:12	156-59-2	
trans-1,2-Dichloroethene	138	ug/L	5.0	1		11/01/22 07:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 07:09	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 07:09	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 07:09	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 07:09	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 07:09	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 07:09	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 07:09	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 07:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 07:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 07:09	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 07:09	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 07:09	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 07:09	127-18-4	
Toluene	0.30J	ug/L	5.0	1		11/01/22 07:09	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 07:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 07:09	79-00-5	
Trichloroethene	2770	ug/L	50.0	10		10/31/22 23:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 07:09	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 07:09	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0606-S1 (102422)		Lab ID: 50329216011		Collected: 10/24/22 12:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		1.6J	ug/L	2.0	1		11/01/22 07:09	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 07:09	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	82-128	1		11/01/22 07:09	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	79-124	1		11/01/22 07:09	460-00-4	
Toluene-d8 (S)		102	%.	73-122	1		11/01/22 07:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0606-S2 (102422)		Lab ID: 50329216012	Collected: 10/24/22 12:45	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		10/31/22 23:34	67-64-1	
Benzene	ND	ug/L	5.0	1		10/31/22 23:34	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		10/31/22 23:34	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/31/22 23:34	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/31/22 23:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/31/22 23:34	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		10/31/22 23:34	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/31/22 23:34	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/31/22 23:34	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/31/22 23:34	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/31/22 23:34	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/31/22 23:34	74-87-3	
Cyclohexane	ND	ug/L	100	1		10/31/22 23:34	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		10/31/22 23:34	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		10/31/22 23:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/31/22 23:34	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:34	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/31/22 23:34	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/31/22 23:34	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/31/22 23:34	107-06-2	
1,1-Dichloroethene	0.713	ug/L	5.0	1		10/31/22 23:34	75-35-4	
cis-1,2-Dichloroethene	396	ug/L	50.0	10		11/01/22 12:17	156-59-2	
trans-1,2-Dichloroethene	70.4	ug/L	5.0	1		10/31/22 23:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/31/22 23:34	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 23:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/31/22 23:34	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/31/22 23:34	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		10/31/22 23:34	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/31/22 23:34	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		10/31/22 23:34	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		10/31/22 23:34	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		10/31/22 23:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/31/22 23:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/31/22 23:34	1634-04-4	
Styrene	ND	ug/L	5.0	1		10/31/22 23:34	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/31/22 23:34	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/31/22 23:34	127-18-4	
Toluene	ND	ug/L	5.0	1		10/31/22 23:34	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/31/22 23:34	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/31/22 23:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/31/22 23:34	79-00-5	
Trichloroethene	322	ug/L	50.0	10		11/01/22 12:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/31/22 23:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		10/31/22 23:34	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0606-S2 (102422)		Lab ID: 50329216012		Collected: 10/24/22 12:45		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		1.3J	ug/L	2.0	1		10/31/22 23:34	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		10/31/22 23:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		10/31/22 23:34	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	79-124	1		10/31/22 23:34	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		10/31/22 23:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0612-S1 (102422)		Lab ID: 50329216013	Collected: 10/24/22 13:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	500	5		11/01/22 06:23	67-64-1	
Benzene	ND	ug/L	25.0	5		11/01/22 06:23	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		11/01/22 06:23	75-27-4	
Bromoform	ND	ug/L	25.0	5		11/01/22 06:23	75-25-2	
Bromomethane	ND	ug/L	25.0	5		11/01/22 06:23	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		11/01/22 06:23	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		11/01/22 06:23	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		11/01/22 06:23	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		11/01/22 06:23	108-90-7	
Chloroethane	ND	ug/L	25.0	5		11/01/22 06:23	75-00-3	
Chloroform	ND	ug/L	25.0	5		11/01/22 06:23	67-66-3	
Chloromethane	ND	ug/L	25.0	5		11/01/22 06:23	74-87-3	
Cyclohexane	ND	ug/L	500	5		11/01/22 06:23	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		11/01/22 06:23	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		11/01/22 06:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		11/01/22 06:23	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		11/01/22 06:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		11/01/22 06:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		11/01/22 06:23	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		11/01/22 06:23	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		11/01/22 06:23	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		11/01/22 06:23	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5		11/01/22 06:23	75-35-4	
cis-1,2-Dichloroethene	435	ug/L	25.0	5		11/01/22 06:23	156-59-2	
trans-1,2-Dichloroethene	50.4	ug/L	25.0	5		11/01/22 06:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		11/01/22 06:23	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		11/01/22 06:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		11/01/22 06:23	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		11/01/22 06:23	100-41-4	
2-Hexanone	ND	ug/L	125	5		11/01/22 06:23	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		11/01/22 06:23	98-82-8	
Methyl acetate	ND	ug/L	250	5		11/01/22 06:23	79-20-9	
Methylcyclohexane	ND	ug/L	250	5		11/01/22 06:23	108-87-2	
Methylene Chloride	ND	ug/L	25.0	5		11/01/22 06:23	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		11/01/22 06:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		11/01/22 06:23	1634-04-4	
Styrene	ND	ug/L	25.0	5		11/01/22 06:23	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		11/01/22 06:23	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		11/01/22 06:23	127-18-4	
Toluene	ND	ug/L	25.0	5		11/01/22 06:23	108-88-3	
1,2,4-Trichlorobenzene	2.0J	ug/L	25.0	5		11/01/22 06:23	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		11/01/22 06:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		11/01/22 06:23	79-00-5	
Trichloroethene	3230	ug/L	250	50		10/31/22 23:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		11/01/22 06:23	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		11/01/22 06:23	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0612-S1 (102422)		Lab ID: 50329216013		Collected: 10/24/22 13:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	31.9	ug/L	10.0	5		11/01/22 06:23	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		11/01/22 06:23	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128	5		11/01/22 06:23	1868-53-7	D4	
4-Bromofluorobenzene (S)	98	%.	79-124	5		11/01/22 06:23	460-00-4		
Toluene-d8 (S)	100	%.	73-122	5		11/01/22 06:23	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0612-S2 (102422)		Lab ID: 50329216014	Collected: 10/24/22 13:15	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~32.73~~	ug/L	100	1		11/01/22 13:25	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 13:25	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 13:25	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 13:25	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 13:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 13:25	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 13:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 13:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 13:25	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 13:25	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 13:25	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 13:25	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 13:25	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 13:25	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 13:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 13:25	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 13:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 13:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 13:25	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 13:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 13:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 13:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 13:25	75-35-4	
cis-1,2-Dichloroethene	154	ug/L	5.0	1		11/01/22 13:25	156-59-2	
trans-1,2-Dichloroethene	7.8	ug/L	5.0	1		11/01/22 13:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 13:25	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 13:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 13:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 13:25	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 13:25	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 13:25	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 13:25	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 13:25	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 13:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 13:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 13:25	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 13:25	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 13:25	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 13:25	127-18-4	
Toluene	0.32J	ug/L	5.0	1		11/01/22 13:25	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 13:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 13:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 13:25	79-00-5	
Trichloroethene	11.4	ug/L	5.0	1		11/01/22 13:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 13:25	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 13:25	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0612-S2 (102422)		Lab ID: 50329216014		Collected: 10/24/22 13:15		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		1.0J	ug/L	2.0	1		11/01/22 13:25	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 13:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	82-128	1		11/01/22 13:25	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	79-124	1		11/01/22 13:25	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 13:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0705-S1 (102422)		Lab ID: 50329216015		Collected: 10/24/22 13:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			11/01/22 00:43	67-64-1	
Benzene	ND	ug/L	5.0	1			11/01/22 00:43	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			11/01/22 00:43	75-27-4	
Bromoform	ND	ug/L	5.0	1			11/01/22 00:43	75-25-2	
Bromomethane	ND	ug/L	5.0	1			11/01/22 00:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			11/01/22 00:43	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			11/01/22 00:43	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			11/01/22 00:43	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			11/01/22 00:43	108-90-7	
Chloroethane	ND	ug/L	5.0	1			11/01/22 00:43	75-00-3	
Chloroform	ND	ug/L	5.0	1			11/01/22 00:43	67-66-3	
Chloromethane	ND	ug/L	5.0	1			11/01/22 00:43	74-87-3	
Cyclohexane	ND	ug/L	100	1			11/01/22 00:43	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			11/01/22 00:43	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			11/01/22 00:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			11/01/22 00:43	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 00:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 00:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 00:43	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			11/01/22 00:43	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			11/01/22 00:43	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			11/01/22 00:43	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			11/01/22 00:43	75-35-4	
cis-1,2-Dichloroethene	73.9	ug/L	5.0	1			11/01/22 00:43	156-59-2	
trans-1,2-Dichloroethene	7.3	ug/L	5.0	1			11/01/22 00:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			11/01/22 00:43	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			11/01/22 00:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			11/01/22 00:43	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			11/01/22 00:43	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			11/01/22 00:43	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			11/01/22 00:43	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			11/01/22 00:43	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1			11/01/22 00:43	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1			11/01/22 00:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			11/01/22 00:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			11/01/22 00:43	1634-04-4	
Styrene	ND	ug/L	5.0	1			11/01/22 00:43	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			11/01/22 00:43	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			11/01/22 00:43	127-18-4	
Toluene	ND	ug/L	5.0	1			11/01/22 00:43	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			11/01/22 00:43	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			11/01/22 00:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			11/01/22 00:43	79-00-5	
Trichloroethene	61.0	ug/L	5.0	1			11/01/22 00:43	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			11/01/22 00:43	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			11/01/22 00:43	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0705-S1 (102422)		Lab ID: 50329216015		Collected: 10/24/22 13:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		4.6	ug/L	2.0	1		11/01/22 00:43	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 00:43	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	82-128	1		11/01/22 00:43	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	79-124	1		11/01/22 00:43	460-00-4	
Toluene-d8 (S)		100	%.	73-122	1		11/01/22 00:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0608-S1 (102422)		Lab ID: 50329216016		Collected: 10/24/22 13:45		Received: 10/25/22 15:10		Matrix: Water									
Parameters		Results		Units		Report Limit		DF		Prepared		Analyzed		CAS No.		Qual	
8260/5030 MSV		Analytical Method: EPA 8260															
		Pace Analytical Services - Indianapolis															
Acetone		ND	~~55.83~~	ug/L	100	1						11/01/22 07:54	67-64-1			UB	
Benzene			ND	ug/L	5.0	1						11/01/22 07:54	71-43-2				
Bromodichloromethane			ND	ug/L	5.0	1						11/01/22 07:54	75-27-4				
Bromoform			ND	ug/L	5.0	1						11/01/22 07:54	75-25-2				
Bromomethane			ND	ug/L	5.0	1						11/01/22 07:54	74-83-9				
2-Butanone (MEK)			ND	ug/L	25.0	1						11/01/22 07:54	78-93-3				
Carbon disulfide			ND	ug/L	10.0	1						11/01/22 07:54	75-15-0				
Carbon tetrachloride			ND	ug/L	5.0	1						11/01/22 07:54	56-23-5				
Chlorobenzene			ND	ug/L	5.0	1						11/01/22 07:54	108-90-7				
Chloroethane			ND	ug/L	5.0	1						11/01/22 07:54	75-00-3				
Chloroform			ND	ug/L	5.0	1						11/01/22 07:54	67-66-3				
Chloromethane			ND	ug/L	5.0	1						11/01/22 07:54	74-87-3				
Cyclohexane			ND	ug/L	100	1						11/01/22 07:54	110-82-7				
1,2-Dibromo-3-chloropropane			ND	ug/L	10.0	1						11/01/22 07:54	96-12-8				
Dibromochloromethane			ND	ug/L	5.0	1						11/01/22 07:54	124-48-1				
1,2-Dibromoethane (EDB)			ND	ug/L	5.0	1						11/01/22 07:54	106-93-4				
1,2-Dichlorobenzene			ND	ug/L	5.0	1						11/01/22 07:54	95-50-1				
1,3-Dichlorobenzene			ND	ug/L	5.0	1						11/01/22 07:54	541-73-1				
1,4-Dichlorobenzene			ND	ug/L	5.0	1						11/01/22 07:54	106-46-7				
Dichlorodifluoromethane			ND	ug/L	5.0	1						11/01/22 07:54	75-71-8				
1,1-Dichloroethane			ND	ug/L	5.0	1						11/01/22 07:54	75-34-3				
1,2-Dichloroethane			ND	ug/L	5.0	1						11/01/22 07:54	107-06-2				
1,1-Dichloroethene			1.43	ug/L	5.0	1						11/01/22 07:54	75-35-4				
cis-1,2-Dichloroethene			409	ug/L	50.0	10						11/01/22 01:05	156-59-2				
trans-1,2-Dichloroethene			53.3	ug/L	5.0	1						11/01/22 07:54	156-60-5				
1,2-Dichloropropane			ND	ug/L	5.0	1						11/01/22 07:54	78-87-5				
cis-1,3-Dichloropropene			ND	ug/L	5.0	1						11/01/22 07:54	10061-01-5				
trans-1,3-Dichloropropene			ND	ug/L	5.0	1						11/01/22 07:54	10061-02-6				
Ethylbenzene			ND	ug/L	5.0	1						11/01/22 07:54	100-41-4				
2-Hexanone			ND	ug/L	25.0	1						11/01/22 07:54	591-78-6				
Isopropylbenzene (Cumene)			ND	ug/L	5.0	1						11/01/22 07:54	98-82-8				
Methyl acetate			ND	ug/L	50.0	1						11/01/22 07:54	79-20-9				
Methylcyclohexane			ND	ug/L	50.0	1						11/01/22 07:54	108-87-2				
Methylene Chloride			ND	ug/L	5.0	1						11/01/22 07:54	75-09-2				
4-Methyl-2-pentanone (MIBK)			ND	ug/L	25.0	1						11/01/22 07:54	108-10-1				
Methyl-tert-butyl ether			ND	ug/L	4.0	1						11/01/22 07:54	1634-04-4				
Styrene			ND	ug/L	5.0	1						11/01/22 07:54	100-42-5				
1,1,2,2-Tetrachloroethane			ND	ug/L	5.0	1						11/01/22 07:54	79-34-5				
Tetrachloroethene			ND	ug/L	5.0	1						11/01/22 07:54	127-18-4				
Toluene			ND	ug/L	5.0	1						11/01/22 07:54	108-88-3				
1,2,4-Trichlorobenzene			ND	ug/L	5.0	1						11/01/22 07:54	120-82-1				
1,1,1-Trichloroethane			ND	ug/L	5.0	1						11/01/22 07:54	71-55-6				
1,1,2-Trichloroethane			ND	ug/L	5.0	1						11/01/22 07:54	79-00-5				
Trichloroethene			0.613	ug/L	5.0	1						11/01/22 07:54	79-01-6				
Trichlorofluoromethane			ND	ug/L	5.0	1						11/01/22 07:54	75-69-4				
1,1,2-Trichlorotrifluoroethane			ND	ug/L	5.0	1						11/01/22 07:54	76-13-1				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0608-S1 (102422)		Lab ID: 50329216016		Collected: 10/24/22 13:45		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		4.7	ug/L	2.0	1		11/01/22 07:54	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 07:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		11/01/22 07:54	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	79-124	1		11/01/22 07:54	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 07:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0608-S2 (102422)		Lab ID: 50329216017	Collected: 10/24/22 14:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~38.01~~	ug/L	100	1		11/01/22 08:17	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 08:17	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 08:17	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 08:17	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 08:17	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 08:17	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 08:17	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 08:17	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 08:17	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 08:17	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 08:17	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 08:17	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 08:17	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 08:17	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 08:17	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 08:17	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:17	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:17	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:17	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 08:17	75-71-8	
1,1-Dichloroethane	0.96J	ug/L	5.0	1		11/01/22 08:17	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 08:17	107-06-2	
1,1-Dichloroethene	0.74J	ug/L	5.0	1		11/01/22 08:17	75-35-4	
cis-1,2-Dichloroethene	283	ug/L	50.0	10		11/01/22 01:28	156-59-2	
trans-1,2-Dichloroethene	32.9	ug/L	5.0	1		11/01/22 08:17	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 08:17	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 08:17	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 08:17	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 08:17	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 08:17	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 08:17	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 08:17	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 08:17	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 08:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 08:17	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 08:17	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 08:17	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 08:17	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 08:17	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 08:17	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:17	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 08:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 08:17	79-00-5	
Trichloroethene	0.89J	ug/L	5.0	1		11/01/22 08:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 08:17	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 08:17	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0608-S2 (102422)		Lab ID: 50329216017		Collected: 10/24/22 14:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		1.6J	ug/L	2.0	1		11/01/22 08:17	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 08:17	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	82-128	1		11/01/22 08:17	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	79-124	1		11/01/22 08:17	460-00-4	
Toluene-d8 (S)		96	%.	73-122	1		11/01/22 08:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0602-S1 (102422)		Lab ID: 50329216018		Collected: 10/24/22 14:10		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			11/01/22 01:51	67-64-1	
Benzene	ND	ug/L	5.0	1			11/01/22 01:51	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			11/01/22 01:51	75-27-4	
Bromoform	ND	ug/L	5.0	1			11/01/22 01:51	75-25-2	
Bromomethane	ND	ug/L	5.0	1			11/01/22 01:51	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			11/01/22 01:51	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			11/01/22 01:51	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			11/01/22 01:51	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			11/01/22 01:51	108-90-7	
Chloroethane	ND	ug/L	5.0	1			11/01/22 01:51	75-00-3	
Chloroform	ND	ug/L	5.0	1			11/01/22 01:51	67-66-3	
Chloromethane	ND	ug/L	5.0	1			11/01/22 01:51	74-87-3	
Cyclohexane	ND	ug/L	100	1			11/01/22 01:51	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			11/01/22 01:51	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			11/01/22 01:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			11/01/22 01:51	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 01:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 01:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 01:51	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			11/01/22 01:51	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			11/01/22 01:51	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			11/01/22 01:51	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			11/01/22 01:51	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			11/01/22 01:51	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			11/01/22 01:51	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			11/01/22 01:51	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			11/01/22 01:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			11/01/22 01:51	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			11/01/22 01:51	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			11/01/22 01:51	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			11/01/22 01:51	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			11/01/22 01:51	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1			11/01/22 01:51	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1			11/01/22 01:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			11/01/22 01:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			11/01/22 01:51	1634-04-4	
Styrene	ND	ug/L	5.0	1			11/01/22 01:51	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			11/01/22 01:51	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			11/01/22 01:51	127-18-4	
Toluene	ND	ug/L	5.0	1			11/01/22 01:51	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			11/01/22 01:51	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			11/01/22 01:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			11/01/22 01:51	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			11/01/22 01:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			11/01/22 01:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			11/01/22 01:51	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0602-S1 (102422)		Lab ID: 50329216018		Collected: 10/24/22 14:10		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 01:51	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 01:51	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	82-128	1		11/01/22 01:51	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	79-124	1		11/01/22 01:51	460-00-4	
Toluene-d8 (S)		98	%.	73-122	1		11/01/22 01:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0611-S1-R (102422)		Lab ID: 50329216019	Collected: 10/24/22 14:30	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		11/01/22 02:13	67-64-1	
Benzene	1.0J	ug/L	5.0	1		11/01/22 02:13	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 02:13	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 02:13	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 02:13	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 02:13	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 02:13	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 02:13	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 02:13	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 02:13	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 02:13	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 02:13	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 02:13	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 02:13	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 02:13	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 02:13	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:13	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 02:13	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:13	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:13	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:13	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 02:13	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:13	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 02:13	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 02:13	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 02:13	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 02:13	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 02:13	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 02:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 02:13	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 02:13	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 02:13	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 02:13	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 02:13	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 02:13	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:13	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 02:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 02:13	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 02:13	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0611-S1-R (102422)		Lab ID: 50329216019		Collected: 10/24/22 14:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/01/22 02:13	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 02:13	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/01/22 02:13	1868-53-7		
4-Bromofluorobenzene (S)	101	%.	79-124	1		11/01/22 02:13	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/01/22 02:13	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0516-S1 (102422)		Lab ID: 50329216020	Collected: 10/24/22 14:40	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~10.03~~	ug/L	100	1		11/01/22 02:36	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 02:36	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 02:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 02:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 02:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 02:36	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 02:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 02:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 02:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 02:36	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 02:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 02:36	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 02:36	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 02:36	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 02:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 02:36	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:36	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 02:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 02:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 02:36	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 02:36	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 02:36	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 02:36	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 02:36	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 02:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 02:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 02:36	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 02:36	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 02:36	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 02:36	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 02:36	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:36	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 02:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 02:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 02:36	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0516-S1 (102422)		Lab ID: 50329216020		Collected: 10/24/22 14:40		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 02:36	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 02:36	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	82-128	1		11/01/22 02:36	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	79-124	1		11/01/22 02:36	460-00-4	
Toluene-d8 (S)		97	%.	73-122	1		11/01/22 02:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0516-S2 (102422)		Lab ID: 50329216021	Collected: 10/24/22 15:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~45.63~~	ug/L	100	1		11/01/22 02:59	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 02:59	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 02:59	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 02:59	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 02:59	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 02:59	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 02:59	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 02:59	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 02:59	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 02:59	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 02:59	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 02:59	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 02:59	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 02:59	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 02:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 02:59	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:59	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:59	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:59	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 02:59	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 02:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:59	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 02:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 02:59	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 02:59	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 02:59	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 02:59	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 02:59	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 02:59	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 02:59	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 02:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 02:59	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 02:59	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 02:59	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 02:59	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 02:59	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 02:59	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 02:59	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 02:59	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 02:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 02:59	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 02:59	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0516-S2 (102422)		Lab ID: 50329216021		Collected: 10/24/22 15:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 02:59	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 02:59	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	82-128	1		11/01/22 02:59	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-124	1		11/01/22 02:59	460-00-4	
Toluene-d8 (S)		98	%.	73-122	1		11/01/22 02:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: DUP-05 (102422)-RJW		Lab ID: 50329216022	Collected: 10/24/22 08:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~21.83~~	ug/L	100	1		11/01/22 08:40	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 08:40	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 08:40	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 08:40	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 08:40	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 08:40	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 08:40	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 08:40	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 08:40	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 08:40	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 08:40	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 08:40	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 08:40	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 08:40	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 08:40	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 08:40	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:40	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:40	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:40	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 08:40	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 08:40	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 08:40	107-06-2	
1,1-Dichloroethene	0.69J	ug/L	5.0	1		11/01/22 08:40	75-35-4	
cis-1,2-Dichloroethene	441	ug/L	50.0	10		11/01/22 03:22	156-59-2	
trans-1,2-Dichloroethene	48.9	ug/L	5.0	1		11/01/22 08:40	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 08:40	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 08:40	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 08:40	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 08:40	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 08:40	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 08:40	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 08:40	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 08:40	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 08:40	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 08:40	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 08:40	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 08:40	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 08:40	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 08:40	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 08:40	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 08:40	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 08:40	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 08:40	79-00-5	
Trichloroethene	3200	ug/L	500	100		11/01/22 12:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 08:40	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 08:40	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: DUP-05 (102422)-RJW		Lab ID: 50329216022		Collected: 10/24/22 08:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		30.3	ug/L	2.0	1		11/01/22 08:40	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 08:40	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	82-128	1		11/01/22 08:40	1868-53-7	
4-Bromofluorobenzene (S)		101	%.	79-124	1		11/01/22 08:40	460-00-4	
Toluene-d8 (S)		100	%.	73-122	1		11/01/22 08:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: DUP-03 (102422)-RJW		Lab ID: 50329216023		Collected: 10/24/22 08:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1		11/01/22 09:03	67-64-1		
Benzene	ND	ug/L	5.0	1		11/01/22 09:03	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 09:03	75-27-4		
Bromoform	ND	ug/L	5.0	1		11/01/22 09:03	75-25-2		
Bromomethane	ND	ug/L	5.0	1		11/01/22 09:03	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 09:03	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 09:03	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 09:03	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 09:03	108-90-7		
Chloroethane	ND	ug/L	5.0	1		11/01/22 09:03	75-00-3		
Chloroform	ND	ug/L	5.0	1		11/01/22 09:03	67-66-3		
Chloromethane	ND	ug/L	5.0	1		11/01/22 09:03	74-87-3		
Cyclohexane	ND	ug/L	100	1		11/01/22 09:03	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 09:03	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 09:03	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 09:03	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 09:03	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 09:03	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 09:03	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 09:03	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 09:03	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 09:03	107-06-2		
1,1-Dichloroethene	3.6J	ug/L	5.0	1		11/01/22 09:03	75-35-4		
cis-1,2-Dichloroethene	1220	ug/L	50.0	10		11/01/22 03:45	156-59-2		
trans-1,2-Dichloroethene	140	ug/L	5.0	1		11/01/22 09:03	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 09:03	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 09:03	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 09:03	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 09:03	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		11/01/22 09:03	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 09:03	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		11/01/22 09:03	79-20-9		
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 09:03	108-87-2		
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 09:03	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 09:03	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 09:03	1634-04-4		
Styrene	ND	ug/L	5.0	1		11/01/22 09:03	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 09:03	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 09:03	127-18-4		
Toluene	0.31J	ug/L	5.0	1		11/01/22 09:03	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 09:03	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 09:03	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 09:03	79-00-5		
Trichloroethene	2820	ug/L	50.0	10		11/01/22 03:45	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 09:03	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 09:03	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: DUP-03 (102422)-RJW		Lab ID: 50329216023		Collected: 10/24/22 08:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	1.7J	ug/L	2.0	1		11/01/22 09:03	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 09:03	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	1		11/01/22 09:03	1868-53-7		
4-Bromofluorobenzene (S)	101	%.	79-124	1		11/01/22 09:03	460-00-4		
Toluene-d8 (S)	102	%.	73-122	1		11/01/22 09:03	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: DUP-04 (102422)-RJW		Lab ID: 50329216024		Collected: 10/24/22 08:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			11/01/22 04:07	67-64-1	
Benzene	ND	ug/L	5.0	1			11/01/22 04:07	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			11/01/22 04:07	75-27-4	
Bromoform	ND	ug/L	5.0	1			11/01/22 04:07	75-25-2	
Bromomethane	ND	ug/L	5.0	1			11/01/22 04:07	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			11/01/22 04:07	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			11/01/22 04:07	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			11/01/22 04:07	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			11/01/22 04:07	108-90-7	
Chloroethane	ND	ug/L	5.0	1			11/01/22 04:07	75-00-3	
Chloroform	ND	ug/L	5.0	1			11/01/22 04:07	67-66-3	
Chloromethane	ND	ug/L	5.0	1			11/01/22 04:07	74-87-3	
Cyclohexane	ND	ug/L	100	1			11/01/22 04:07	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			11/01/22 04:07	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			11/01/22 04:07	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			11/01/22 04:07	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 04:07	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 04:07	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			11/01/22 04:07	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			11/01/22 04:07	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			11/01/22 04:07	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			11/01/22 04:07	107-06-2	
1,1-Dichloroethene	0.743	ug/L	5.0	1			11/01/22 04:07	75-35-4	
cis-1,2-Dichloroethene	396	ug/L	50.0	10			11/01/22 13:03	156-59-2	
trans-1,2-Dichloroethene	71.0	ug/L	5.0	1			11/01/22 04:07	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			11/01/22 04:07	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			11/01/22 04:07	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			11/01/22 04:07	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			11/01/22 04:07	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			11/01/22 04:07	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			11/01/22 04:07	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			11/01/22 04:07	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1			11/01/22 04:07	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1			11/01/22 04:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			11/01/22 04:07	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			11/01/22 04:07	1634-04-4	
Styrene	ND	ug/L	5.0	1			11/01/22 04:07	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			11/01/22 04:07	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			11/01/22 04:07	127-18-4	
Toluene	ND	ug/L	5.0	1			11/01/22 04:07	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			11/01/22 04:07	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			11/01/22 04:07	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			11/01/22 04:07	79-00-5	
Trichloroethene	318	ug/L	50.0	10			11/01/22 13:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			11/01/22 04:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			11/01/22 04:07	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: DUP-04 (102422)-RJW		Lab ID: 50329216024		Collected: 10/24/22 08:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	1.2J	ug/L	2.0	1		11/01/22 04:07	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/01/22 04:07	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128	1		11/01/22 04:07	1868-53-7		
4-Bromofluorobenzene (S)	100	%.	79-124	1		11/01/22 04:07	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/01/22 04:07	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0503-S2 (102422)		Lab ID: 50329216025	Collected: 10/24/22 15:30	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~59.83~~	ug/L	100	1		11/01/22 04:30	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 04:30	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 04:30	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 04:30	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 04:30	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 04:30	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 04:30	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 04:30	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 04:30	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 04:30	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 04:30	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 04:30	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 04:30	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 04:30	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 04:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 04:30	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:30	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 04:30	75-71-8	
1,1-Dichloroethane	7.2	ug/L	5.0	1		11/01/22 04:30	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 04:30	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:30	75-35-4	
cis-1,2-Dichloroethene	52.6	ug/L	5.0	1		11/01/22 04:30	156-59-2	
trans-1,2-Dichloroethene	2.2J	ug/L	5.0	1		11/01/22 04:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 04:30	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:30	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 04:30	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 04:30	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 04:30	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 04:30	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 04:30	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 04:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 04:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 04:30	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 04:30	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 04:30	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 04:30	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 04:30	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:30	79-00-5	
Trichloroethene	0.43J	ug/L	5.0	1		11/01/22 04:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 04:30	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 04:30	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0503-S2 (102422)		Lab ID: 50329216025		Collected: 10/24/22 15:30		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 04:30	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 04:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	82-128	1		11/01/22 04:30	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	79-124	1		11/01/22 04:30	460-00-4	
Toluene-d8 (S)		98	%.	73-122	1		11/01/22 04:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0617-S1 (102422)		Lab ID: 50329216026	Collected: 10/24/22 15:45	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~44.23~~	ug/L	100	1		11/01/22 04:53	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 04:53	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 04:53	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 04:53	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 04:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 04:53	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 04:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 04:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 04:53	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 04:53	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 04:53	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 04:53	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 04:53	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 04:53	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 04:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 04:53	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:53	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 04:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 04:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 04:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:53	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 04:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 04:53	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 04:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 04:53	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 04:53	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 04:53	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 04:53	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 04:53	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 04:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 04:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 04:53	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 04:53	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 04:53	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 04:53	127-18-4	
Toluene	ND	ug/L	5.0	1		11/01/22 04:53	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 04:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 04:53	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 04:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 04:53	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 04:53	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0617-S1 (102422)		Lab ID: 50329216026		Collected: 10/24/22 15:45		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		11/01/22 04:53	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 04:53	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	82-128	1		11/01/22 04:53	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	79-124	1		11/01/22 04:53	460-00-4	
Toluene-d8 (S)		98	%.	73-122	1		11/01/22 04:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0617-S2 (102422)		Lab ID: 50329216027	Collected: 10/24/22 16:00	Received: 10/25/22 15:10	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND ~~26.43~~	ug/L	100	1		11/01/22 05:15	67-64-1	UB
Benzene	ND	ug/L	5.0	1		11/01/22 05:15	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/01/22 05:15	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/01/22 05:15	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/01/22 05:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/01/22 05:15	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/01/22 05:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/01/22 05:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/01/22 05:15	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/01/22 05:15	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/01/22 05:15	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/01/22 05:15	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/01/22 05:15	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/01/22 05:15	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/01/22 05:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/01/22 05:15	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 05:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 05:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/01/22 05:15	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/01/22 05:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/01/22 05:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/01/22 05:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/01/22 05:15	75-35-4	
cis-1,2-Dichloroethene	7.7	ug/L	5.0	1		11/01/22 05:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/01/22 05:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/01/22 05:15	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 05:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/01/22 05:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/01/22 05:15	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/01/22 05:15	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/01/22 05:15	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/01/22 05:15	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/01/22 05:15	108-87-2	M1 UJ
Methylene Chloride	ND	ug/L	5.0	1		11/01/22 05:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/01/22 05:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/01/22 05:15	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/01/22 05:15	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/01/22 05:15	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/01/22 05:15	127-18-4	
Toluene	0.34J	ug/L	5.0	1		11/01/22 05:15	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/01/22 05:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/01/22 05:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/01/22 05:15	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/01/22 05:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/01/22 05:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/01/22 05:15	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295

Pace Project No.: 50329216

Sample: MW-0617-S2 (102422)		Lab ID: 50329216027		Collected: 10/24/22 16:00		Received: 10/25/22 15:10		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		9.2	ug/L	2.0	1		11/01/22 05:15	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		11/01/22 05:15	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	82-128	1		11/01/22 05:15	1868-53-7	
4-Bromofluorobenzene (S)		102	%.	79-124	1		11/01/22 05:15	460-00-4	
Toluene-d8 (S)		99	%.	73-122	1		11/01/22 05:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Section B

Required Project Information



50331836

Relevant fields must be completed accurately.

Page : 1 Of 1

Company: Arcadis	Report To: Sarah Fisher		
Address: 150 W. Market Street	Copy To:		
Suite 728, Indianapolis, IN 46204		Address:	Regulatory Agency
Email: Sarah.Fisher@arcadis.com	Purchase Order #:	Pace Quote:	
Phone: (317)236-2820 Fax:	Project Name: RACER Kokomo	Pace Project Manager: olivia.deck@pacelabs.com,	State / Location
Requested Due Date: Standard	Project #: 3023295.06	Pace Profile #: 3454	IN

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample IDs must be unique	MATRIX Drinking Water DW Water WT Waste Water WW Product P Soli/Solid SL Oil OL Wipe WP Air AR Other OT Tissue TS	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Y/N	Requested Analysis Filtered (Y/N)												Residual Chlorine (Y/N)		
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other		Analyses Test	VOC 8260													
						DATE	TIME	DATE	TIME																										
1	MW-0505-S2 C112122)			W	G			11/2/22	1445	9				X					X												MS/MSD				
2	MW-0505-S1 C112122)								1455	3				X					X												002				
3	MW-0604-S2 C112122)								1507	3				X					X												003				
4	MW-0102-S11 C112122)								1526	3				X					X												004				
5	MW-0623-S1 C112122)								1534	3				X					X												005				
6	MW-0504-S2 C112122)								1543	3				X					X												006				
7																																			
8																																			
9																																			
10																																			
11	TB-01 C112122)-TW			W	G			11/2/22	-	2				X					X												007				
12	DUP-02 C112122)			W	G			11/2/22	-	3				X					X												008				
ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION				DATE		TIME		ACCEPTED BY / AFFILIATION				DATE		TIME		SAMPLE CONDITIONS																	
		Teresa Wilson/Aracelis				11/2/22		1027						11/22/22		1027		0.4 Y N Y																	

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed: 11/21/22

TEMP in C

Received on

ce
IV/M)

Custody (N/A)

Customary
Healed

Cable

Sample

22
next

(Note)

30

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0505-S2 (112122)		Lab ID: 50331836001	Collected: 11/21/22 14:40	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	114	ug/L	100	1		11/29/22 12:59	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 13:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 13:14	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 13:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 13:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 13:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 13:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 13:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 13:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 13:14	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 13:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 13:14	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 13:14	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 13:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 13:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 13:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 13:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 13:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 13:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 13:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 13:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 13:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/22 13:14	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 13:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 13:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 13:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 13:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 13:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 13:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 13:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 13:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 13:14	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 13:14	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 13:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 13:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 13:14	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 13:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 13:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 13:14	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 13:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 13:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 13:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 13:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 13:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 13:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 13:14	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0505-S2 (112122)		Lab ID: 50331836001		Collected: 11/21/22 14:40		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/28/22 13:14	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 13:14	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/28/22 13:14	1868-53-7		
4-Bromofluorobenzene (S)	104	%.	79-124	1		11/28/22 13:14	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/28/22 13:14	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0505-S1 (112122)		Lab ID: 50331836002	Collected: 11/21/22 14:55	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	105	ug/L	100	1		11/30/22 12:05	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 14:57	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 14:57	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 14:57	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 14:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 14:57	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 14:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 14:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 14:57	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 14:57	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 14:57	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 14:57	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 14:57	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 14:57	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 14:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 14:57	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 14:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 14:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 14:57	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 14:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 14:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 14:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/22 14:57	75-35-4	
cis-1,2-Dichloroethene	2.4J	ug/L	5.0	1		11/28/22 14:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 14:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 14:57	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 14:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 14:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 14:57	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 14:57	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 14:57	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 14:57	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 14:57	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 14:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 14:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 14:57	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 14:57	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 14:57	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 14:57	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 14:57	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 14:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 14:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 14:57	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 14:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 14:57	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 14:57	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0505-S1 (112122)		Lab ID: 50331836002		Collected: 11/21/22 14:55		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/28/22 14:57	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 14:57	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	1		11/28/22 14:57	1868-53-7		
4-Bromofluorobenzene (S)	105	%.	79-124	1		11/28/22 14:57	460-00-4		
Toluene-d8 (S)	101	%.	73-122	1		11/28/22 14:57	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0604-S2 (112122)		Lab ID: 50331836003	Collected: 11/21/22 15:07	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	38.8J	ug/L	100	1		11/28/22 15:31	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 15:31	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 15:31	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 15:31	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 15:31	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 15:31	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 15:31	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 15:31	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 15:31	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 15:31	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 15:31	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 15:31	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 15:31	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 15:31	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 15:31	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 15:31	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 15:31	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 15:31	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 15:31	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 15:31	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 15:31	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 15:31	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/22 15:31	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 15:31	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 15:31	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 15:31	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 15:31	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 15:31	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 15:31	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 15:31	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 15:31	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 15:31	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 15:31	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 15:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 15:31	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 15:31	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 15:31	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 15:31	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 15:31	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 15:31	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 15:31	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 15:31	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 15:31	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 15:31	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 15:31	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 15:31	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0604-S2 (112122)		Lab ID: 50331836003		Collected: 11/21/22 15:07		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/28/22 15:31	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 15:31	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	98	%.	82-128	1		11/28/22 15:31	1868-53-7		
4-Bromofluorobenzene (S)	104	%.	79-124	1		11/28/22 15:31	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/28/22 15:31	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: ~~MW-0102-S10 (112122)~~ MW-0102-S1U (112122) Parameters		Lab ID: 50331836004	Collected: 11/21/22 15:20	Received: 11/22/22 10:27	Matrix: Water			
	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	80.4J	ug/L	100	1		11/28/22 16:06	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 16:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 16:06	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 16:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 16:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 16:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 16:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 16:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 16:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 16:06	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 16:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 16:06	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 16:06	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 16:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 16:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 16:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 16:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 16:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 16:06	107-06-2	
1,1-Dichloroethene	1.1J	ug/L	5.0	1		11/28/22 16:06	75-35-4	
cis-1,2-Dichloroethene	797	ug/L	50.0	10		11/29/22 13:34	156-59-2	
trans-1,2-Dichloroethene	10.4	ug/L	5.0	1		11/28/22 16:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 16:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 16:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 16:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 16:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 16:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 16:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 16:06	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 16:06	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 16:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 16:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 16:06	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 16:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 16:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 16:06	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 16:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 16:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 16:06	79-00-5	
Trichloroethene	1.7J	ug/L	5.0	1		11/28/22 16:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 16:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 16:06	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: ~~MW-0102-S10 (112122)~~ MW-0102-S1U (112122)	Lab ID: 50331836004		Collected: 11/21/22 15:20		Received: 11/22/22 10:27		Matrix: Water		
	Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
Vinyl chloride	0.61J	ug/L	2.0	1		11/28/22 16:06	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 16:06	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	1		11/28/22 16:06	1868-53-7		
4-Bromofluorobenzene (S)	102	%.	79-124	1		11/28/22 16:06	460-00-4		
Toluene-d8 (S)	101	%.	73-122	1		11/28/22 16:06	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0623-S1 (112122)		Lab ID: 50331836005	Collected: 11/21/22 15:34	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	56.3J	ug/L	100	1		11/28/22 16:40	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 16:40	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 16:40	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 16:40	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 16:40	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 16:40	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 16:40	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 16:40	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 16:40	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 16:40	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 16:40	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 16:40	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 16:40	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 16:40	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 16:40	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 16:40	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:40	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:40	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:40	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 16:40	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 16:40	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 16:40	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/22 16:40	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 16:40	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 16:40	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 16:40	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 16:40	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 16:40	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 16:40	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 16:40	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 16:40	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 16:40	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 16:40	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 16:40	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 16:40	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 16:40	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 16:40	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 16:40	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 16:40	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 16:40	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 16:40	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 16:40	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 16:40	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 16:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 16:40	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 16:40	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0623-S1 (112122)		Lab ID: 50331836005		Collected: 11/21/22 15:34		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/28/22 16:40	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 16:40	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	1		11/28/22 16:40	1868-53-7		
4-Bromofluorobenzene (S)	103	%.	79-124	1		11/28/22 16:40	460-00-4		
Toluene-d8 (S)	100	%.	73-122	1		11/28/22 16:40	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0504-S2 (112122)		Lab ID: 50331836006	Collected: 11/21/22 15:43	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	43.7J	ug/L	100	1		11/28/22 17:14	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 17:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 17:14	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 17:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 17:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 17:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 17:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 17:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 17:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 17:14	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 17:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 17:14	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 17:14	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 17:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 17:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 17:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 17:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 17:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 17:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 17:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 17:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 17:14	107-06-2	
1,1-Dichloroethene	2.1J	ug/L	5.0	1		11/28/22 17:14	75-35-4	
cis-1,2-Dichloroethene	1240	ug/L	50.0	10		11/28/22 17:48	156-59-2	
trans-1,2-Dichloroethene	46.6	ug/L	5.0	1		11/28/22 17:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 17:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 17:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 17:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 17:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 17:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 17:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 17:14	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 17:14	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 17:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 17:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 17:14	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 17:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 17:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 17:14	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 17:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 17:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 17:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 17:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 17:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 17:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 17:14	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: MW-0504-S2 (112122)		Lab ID: 50331836006		Collected: 11/21/22 15:43		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	24.7	ug/L	2.0	1		11/29/22 14:08	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 17:14	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128	1		11/28/22 17:14	1868-53-7		
4-Bromofluorobenzene (S)	103	%.	79-124	1		11/28/22 17:14	460-00-4		
Toluene-d8 (S)	99	%.	73-122	1		11/28/22 17:14	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: TB-01 (112122)-TW		Lab ID: 50331836007	Collected: 11/21/22 08:00	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		11/28/22 18:23	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 18:23	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 18:23	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 18:23	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 18:23	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 18:23	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 18:23	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 18:23	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 18:23	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 18:23	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 18:23	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 18:23	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 18:23	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 18:23	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 18:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 18:23	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:23	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 18:23	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 18:23	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 18:23	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/22 18:23	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 18:23	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 18:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 18:23	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 18:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 18:23	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 18:23	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 18:23	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 18:23	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 18:23	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 18:23	108-87-2	
Methylene Chloride	2.7J	ug/L	5.0	1		11/28/22 18:23	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 18:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 18:23	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 18:23	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 18:23	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 18:23	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 18:23	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:23	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 18:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 18:23	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 18:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 18:23	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 18:23	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: TB-01 (112122)-TW		Lab ID: 50331836007		Collected: 11/21/22 08:00		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/28/22 18:23	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 18:23	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	97	%.	82-128	1		11/28/22 18:23	1868-53-7		
4-Bromofluorobenzene (S)	100	%.	79-124	1		11/28/22 18:23	460-00-4		
Toluene-d8 (S)	101	%.	73-122	1		11/28/22 18:23	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: DUP-02 (112122)		Lab ID: 50331836008	Collected: 11/21/22 08:00	Received: 11/22/22 10:27	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis						
Acetone	40.2J	ug/L	100	1		11/28/22 18:57	67-64-1	
Benzene	ND	ug/L	5.0	1		11/28/22 18:57	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/22 18:57	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/22 18:57	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/22 18:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/22 18:57	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		11/28/22 18:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/22 18:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/22 18:57	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/22 18:57	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/22 18:57	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/22 18:57	74-87-3	
Cyclohexane	ND	ug/L	100	1		11/28/22 18:57	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		11/28/22 18:57	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/22 18:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/22 18:57	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:57	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/22 18:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/22 18:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/22 18:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/22 18:57	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 18:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/22 18:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/22 18:57	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 18:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/22 18:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/22 18:57	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		11/28/22 18:57	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/22 18:57	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		11/28/22 18:57	79-20-9	
Methylcyclohexane	ND	ug/L	50.0	1		11/28/22 18:57	108-87-2	
Methylene Chloride	ND	ug/L	5.0	1		11/28/22 18:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/22 18:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/22 18:57	1634-04-4	
Styrene	ND	ug/L	5.0	1		11/28/22 18:57	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/22 18:57	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/22 18:57	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/22 18:57	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/22 18:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/22 18:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/22 18:57	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/22 18:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/22 18:57	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		11/28/22 18:57	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: RACER Kokomo 30123295.06

Pace Project No.: 50331836

Sample: DUP-02 (112122)		Lab ID: 50331836008		Collected: 11/21/22 08:00		Received: 11/22/22 10:27		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		11/28/22 18:57	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/28/22 18:57	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128	1		11/28/22 18:57	1868-53-7		
4-Bromofluorobenzene (S)	104	%.	79-124	1		11/28/22 18:57	460-00-4		
Toluene-d8 (S)	101	%.	73-122	1		11/28/22 18:57	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Arcadis U.S., Inc.
150 W. Market Street, Suite 728
Indianapolis
Indiana 46204
Phone: 317 231 6500
Fax: 317 231 6514
www.arcadis.com