

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Edison

777 New Durham Road

Edison, NJ 08817

Tel: (732)549-3900

TestAmerica Job ID: 460-32130-1

Client Project/Site: Former GM

For:

Conestoga-Rovers & Associates, Inc.

2055 Niagara Falls Blvd., Suite 3

Niagara Falls, New York 14304

Attn: Ms. Sue Scrocchi



Authorized for release by:

11/15/2011 11:13:50 AM

Jannel Franklin

Project Manager I

jannel.franklin@testamericainc.com

Designee for

Brian Tortorete

Project Manager II

brian.tortorete@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	6
Lab Chronicle	9
Certification Summary	11
Method Summary	12
Sample Summary	13
Chain of Custody	14
Receipt Checklists	16



Definitions/Glossary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: Former GM

TestAmerica Job ID: 460-32130-1

Qualifiers

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: Former GM

TestAmerica Job ID: 460-32130-1

Job ID: 460-32130-1

Laboratory: TestAmerica Edison

Narrative

CASE NARRATIVE

Client: Conestoga-Rovers & Associates, Inc.

Project: Former GM

Report Number: 460-32130-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/05/2011; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt were 2.5 and 2.9C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

TOTAL METALS

Sample 460-32130-9 was analyzed for total metals in accordance with EPA SW-846 Method 6010B. The samples were prepared on 10/14/2011 and analyzed on 10/15/2011 and 10/16/2011.

Copper and Magnesium failed the recovery criteria low for the MS of sample 460-32275-6 in batch . Aluminum, Iron, Nickel and Calcium failed the recovery criteria high. The presence of the '4' qualifier in the report indicates analytes where the concentration in the unspiked sample exceeded four times the spiking amount.

Cadmium exceeded the rpd limit for the duplicate of sample 460-32275-6. Refer to the QC report for details.

Samples 460-32130-9(4X) and 460-32130-9(50X) required dilution prior to analysis. The reporting limits have been adjusted accordingly.

As a standard practice all soil samples and related QC samples (i.e., MB, LCS, Dup, MS, SD) are diluted 2X-4X prior to analysis. Further dilutions may be required dependent upon analyte levels in the samples. Refer to the analytical results forms for dilutions.

All other quality control parameters were within the acceptance limits.

TOTAL MERCURY

Sample 460-32130-9 was analyzed for total mercury in accordance with EPA SW-846 Method 7471A. The samples were prepared and analyzed on 10/12/2011.

No difficulties were encountered during the mercury analysis.

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: Former GM

TestAmerica Job ID: 460-32130-1

Job ID: 460-32130-1 (Continued)

Laboratory: TestAmerica Edison (Continued)

All quality control parameters were within the acceptance limits.

PERCENT SOLIDS

Samples 460-32130-1 through 460-32130-12 were analyzed for percent solids in accordance with ASTM D2974-87 Modified. The samples were analyzed on 10/10/2011 and 10/11/2011.

Percent Moisture exceeded the rpd limit for the duplicate of sample 460-32130-4. Refer to the QC report for details.

No other difficulties were encountered during the % solids analyses.

All other quality control parameters were within the acceptance limits.

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: Former GM

TestAmerica Job ID: 460-32130-1

Client Sample ID: SO-17338-100311-MM-114

Date Collected: 10/03/11 11:20

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-1

Matrix: Solid

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	8.8		1.0	1.0	%			10/10/11 21:19	1
Percent Solids	91.2		1.0	1.0	%			10/10/11 21:19	1

Client Sample ID: SO-17338-100311-MM-115

Date Collected: 10/03/11 11:35

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-2

Matrix: Solid

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	13.8		1.0	1.0	%			10/10/11 21:19	1
Percent Solids	86.2		1.0	1.0	%			10/10/11 21:19	1

Client Sample ID: SO-17338-100311-MM-116

Date Collected: 10/03/11 12:04

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-3

Matrix: Solid

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	11.8		1.0	1.0	%			10/10/11 21:19	1
Percent Solids	88.2		1.0	1.0	%			10/10/11 21:19	1

Client Sample ID: SO-17338-100311-MM-117

Date Collected: 10/03/11 12:10

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-4

Matrix: Solid

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	11.2		1.0	1.0	%			10/10/11 21:19	1
Percent Solids	88.8		1.0	1.0	%			10/10/11 21:19	1

Client Sample ID: SO-17338-100311-MM-118

Date Collected: 10/03/11 12:25

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-5

Matrix: Solid

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	18.4		1.0	1.0	%			10/10/11 21:19	1
Percent Solids	81.6		1.0	1.0	%			10/10/11 21:19	1

Client Sample ID: SO-17338-100311-MM-119

Date Collected: 10/03/11 12:32

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-6

Matrix: Solid

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	13.7		1.0	1.0	%			10/10/11 21:19	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: Former GM

TestAmerica Job ID: 460-32130-1

Client Sample ID: SO-17338-100311-MM-119

Lab Sample ID: 460-32130-6

Date Collected: 10/03/11 12:32

Matrix: Solid

Date Received: 10/05/11 18:40

General Chemistry (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	86.3		1.0	1.0	%			10/10/11 21:19	1

Client Sample ID: SO-17338-100311-MM-120

Lab Sample ID: 460-32130-7

Date Collected: 10/03/11 12:50

Matrix: Solid

Date Received: 10/05/11 18:40

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	13.2		1.0	1.0	%			10/10/11 21:19	1
Percent Solids	86.8		1.0	1.0	%			10/10/11 21:19	1

Client Sample ID: SO-17338-100311-MM-121

Lab Sample ID: 460-32130-8

Date Collected: 10/03/11 13:05

Matrix: Solid

Date Received: 10/05/11 18:40

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	11.5		1.0	1.0	%			10/10/11 21:19	1
Percent Solids	88.5		1.0	1.0	%			10/10/11 21:19	1

Client Sample ID: SO-17338-100311-MM-122

Lab Sample ID: 460-32130-9

Date Collected: 10/03/11 13:20

Matrix: Solid

Date Received: 10/05/11 18:40

Percent Solids: 80.5

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	8000		47.3	17.3	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Antimony	195		2.4	1.0	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Arsenic	48.1		1.2	0.82	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Barium	7080		591	17.9	mg/Kg	☼	10/14/11 07:24	10/16/11 15:58	50
Beryllium	0.66		0.47	0.21	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Cadmium	63.8		1.2	0.18	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Calcium	30100		1180	31.1	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Chromium	84.1		2.4	1.4	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Cobalt	8.9 J		11.8	1.5	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Copper	203		5.9	0.96	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Iron	44900		35.5	12.6	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Lead	10600		14.8	7.4	mg/Kg	☼	10/14/11 07:24	10/16/11 15:58	50
Magnesium	14000		1180	12.5	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Manganese	450		3.5	1.3	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Nickel	76.2		9.5	0.63	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Potassium	765 J		1180	53.4	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Selenium	10.4		2.4	1.1	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Silver	1.7 J		2.4	0.18	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Sodium	167 J		1180	72.6	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Thallium	2.4 U		2.4	1.1	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Vanadium	25.9		11.8	0.61	mg/Kg	☼	10/14/11 07:24	10/15/11 05:15	4
Zinc	7720		88.7	14.5	mg/Kg	☼	10/14/11 07:24	10/16/11 15:58	50

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: Former GM

TestAmerica Job ID: 460-32130-1

Client Sample ID: SO-17338-100311-MM-122

Lab Sample ID: 460-32130-9

Date Collected: 10/03/11 13:20

Matrix: Solid

Date Received: 10/05/11 18:40

Percent Solids: 80.5

Method: 7471A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.27		0.040	0.026	mg/Kg	☆	10/12/11 18:00	10/12/11 21:12	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	19.5		1.0	1.0	%			10/11/11 00:49	1
Percent Solids	80.5		1.0	1.0	%			10/11/11 00:49	1

Client Sample ID: SO-17338-100311-MM-123

Lab Sample ID: 460-32130-10

Date Collected: 10/03/11 13:35

Matrix: Solid

Date Received: 10/05/11 18:40

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	14.7		1.0	1.0	%			10/10/11 21:19	1
Percent Solids	85.3		1.0	1.0	%			10/10/11 21:19	1

Client Sample ID: SO-17338-100311-MM-124

Lab Sample ID: 460-32130-11

Date Collected: 10/03/11 13:50

Matrix: Solid

Date Received: 10/05/11 18:40

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	10.3		1.0	1.0	%			10/10/11 21:19	1
Percent Solids	89.7		1.0	1.0	%			10/10/11 21:19	1

Client Sample ID: SO-17338-100311-MM-125

Lab Sample ID: 460-32130-12

Date Collected: 10/03/11 14:00

Matrix: Solid

Date Received: 10/05/11 18:40

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	18.1		1.0	1.0	%			10/10/11 21:19	1
Percent Solids	81.9		1.0	1.0	%			10/10/11 21:19	1

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: Former GM

TestAmerica Job ID: 460-32130-1

Client Sample ID: SO-17338-100311-MM-114

Date Collected: 10/03/11 11:20

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	88990	10/10/11 21:19	AGS	TAL EDI

Client Sample ID: SO-17338-100311-MM-115

Date Collected: 10/03/11 11:35

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	88990	10/10/11 21:19	AGS	TAL EDI

Client Sample ID: SO-17338-100311-MM-116

Date Collected: 10/03/11 12:04

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	88990	10/10/11 21:19	AGS	TAL EDI

Client Sample ID: SO-17338-100311-MM-117

Date Collected: 10/03/11 12:10

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	88990	10/10/11 21:19	AGS	TAL EDI

Client Sample ID: SO-17338-100311-MM-118

Date Collected: 10/03/11 12:25

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-5

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	88990	10/10/11 21:19	AGS	TAL EDI

Client Sample ID: SO-17338-100311-MM-119

Date Collected: 10/03/11 12:32

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	88990	10/10/11 21:19	AGS	TAL EDI

Client Sample ID: SO-17338-100311-MM-120

Date Collected: 10/03/11 12:50

Date Received: 10/05/11 18:40

Lab Sample ID: 460-32130-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	88990	10/10/11 21:19	AGS	TAL EDI

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: Former GM

TestAmerica Job ID: 460-32130-1

Client Sample ID: SO-17338-100311-MM-121

Lab Sample ID: 460-32130-8

Date Collected: 10/03/11 13:05

Matrix: Solid

Date Received: 10/05/11 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	88990	10/10/11 21:19	AGS	TAL EDI

Client Sample ID: SO-17338-100311-MM-122

Lab Sample ID: 460-32130-9

Date Collected: 10/03/11 13:20

Matrix: Solid

Date Received: 10/05/11 18:40

Percent Solids: 80.5

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7471A			89271	10/12/11 18:00	TS	TAL EDI
Total/NA	Analysis	7471A		1	89287	10/12/11 21:12	TS	TAL EDI
Total/NA	Prep	3050B			89479	10/14/11 07:24	MC	TAL EDI
Total/NA	Analysis	6010B		4	89642	10/15/11 05:15	VD	TAL EDI
Total/NA	Analysis	6010B		50	89684	10/16/11 15:58	VD	TAL EDI
Total/NA	Analysis	Moisture		1	88990	10/11/11 00:49	AGS	TAL EDI

Client Sample ID: SO-17338-100311-MM-123

Lab Sample ID: 460-32130-10

Date Collected: 10/03/11 13:35

Matrix: Solid

Date Received: 10/05/11 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	88990	10/10/11 21:19	AGS	TAL EDI

Client Sample ID: SO-17338-100311-MM-124

Lab Sample ID: 460-32130-11

Date Collected: 10/03/11 13:50

Matrix: Solid

Date Received: 10/05/11 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	88990	10/10/11 21:19	AGS	TAL EDI

Client Sample ID: SO-17338-100311-MM-125

Lab Sample ID: 460-32130-12

Date Collected: 10/03/11 14:00

Matrix: Solid

Date Received: 10/05/11 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1	88990	10/10/11 21:19	AGS	TAL EDI

Laboratory References:

TAL EDI = TestAmerica Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Certification Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: Former GM

TestAmerica Job ID: 460-32130-1

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Edison	Connecticut	State Program	1	PH-0200
TestAmerica Edison	Delaware	Delaware DNREC	3	N/A
TestAmerica Edison	New Jersey	NELAC	2	12028
TestAmerica Edison	New York	NELAC	2	11452
TestAmerica Edison	Pennsylvania	NELAC	3	68-00522
TestAmerica Edison	Rhode Island	State Program	1	LAO00132
TestAmerica Edison	USDA	USDA		NJCA-003-08

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

Method Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: Former GM

TestAmerica Job ID: 460-32130-1

Method	Method Description	Protocol	Laboratory
6010B	Metals (ICP)	SW846	TAL EDI
7471A	Mercury (CVAA)	SW846	TAL EDI
Moisture	Percent Moisture	EPA	TAL EDI

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = TestAmerica Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: Former GM

TestAmerica Job ID: 460-32130-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
460-32130-1	SO-17338-100311-MM-114	Solid	10/03/11 11:20	10/05/11 18:40
460-32130-2	SO-17338-100311-MM-115	Solid	10/03/11 11:35	10/05/11 18:40
460-32130-3	SO-17338-100311-MM-116	Solid	10/03/11 12:04	10/05/11 18:40
460-32130-4	SO-17338-100311-MM-117	Solid	10/03/11 12:10	10/05/11 18:40
460-32130-5	SO-17338-100311-MM-118	Solid	10/03/11 12:25	10/05/11 18:40
460-32130-6	SO-17338-100311-MM-119	Solid	10/03/11 12:32	10/05/11 18:40
460-32130-7	SO-17338-100311-MM-120	Solid	10/03/11 12:50	10/05/11 18:40
460-32130-8	SO-17338-100311-MM-121	Solid	10/03/11 13:05	10/05/11 18:40
460-32130-9	SO-17338-100311-MM-122	Solid	10/03/11 13:20	10/05/11 18:40
460-32130-10	SO-17338-100311-MM-123	Solid	10/03/11 13:35	10/05/11 18:40
460-32130-11	SO-17338-100311-MM-124	Solid	10/03/11 13:50	10/05/11 18:40
460-32130-12	SO-17338-100311-MM-125	Solid	10/03/11 14:00	10/05/11 18:40

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

CHAIN OF CUSTODY / ANALYSIS REQUEST

Page ____ of ____

Name (for report and invoice) CHRIS BARTON		Samplers Name (Printed) M. MYLET, C. GRYBERK		Site/Project Identification FORWARDER GM	
Company CHRYSLER - ROVERS + ASSOCIATES		P.O. # 17338		State (Location of site): NJ ☐ NY ☐ Other: DE	
Address		Analysis Turnaround Time Standard ☐ Push Charges Authorized For: 2 Week ☐ 1 Week ☐ Other ☐		Regulatory Program: DNRRC	
City DUFFALO	State NY	LAB USE ONLY Project No: 32130		Job No: 32130	
Phone 716-856-2142	Fax	Sample Identification		Sample Numbers	
		Date	Time	Matrix	No. of Cont.
Sample Identification		Date	Time	Matrix	No. of Cont.
SO-17338-100311 - MM-114		10/3/11	1120	SO	3
SO-17338-100311 - MM-115		10/3/11	1135	SO	3
SO-17338-100311 - MM-116		10/3/11	1204	SO	3
SO-17338-100311 - MM-117		10/3/11	1210	SO	3
SO-17338-100311 - MM-118		10/3/11	1225	SO	3
SO-17338-100311 - MM-119		10/3/11	1232	SO	3
SO-17338-100311 - MM-120		10/3/11	1250	SO	3
SO-17338-100311 - MM-121		10/3/11	1305	SO	3
SO-17338-100311 - MM-122		10/3/11	1320	SO	3
SO-17338-100311 - MM-123		10/3/11	1335	SO	3
Preservation Used: 1 = ICE, 2 = HCl, 3 = H ₂ SO ₄ , 4 = HNO ₃ , 5 = NaOH		Soil:		Water:	
6 = Other		7 = Other			

Special Instructions

Relinquished by Mark Mylet	Company CPA	Date / Time 10/03/1520	Received by Paula Kelly	Company DNRRC-SEES
Relinquished by Paul Kelly	Company DNRRC-SEES	Date / Time 10/3/11 815	Received by Paul Kelly	Company DNRRC-SEES
Relinquished by Paul Kelly	Company TestAmerica	Date / Time 10-5-11 1700	Received by Paul Kelly	Company TestAmerica
Relinquished by Paul Kelly	Company TestAmerica	Date / Time 10/3/11 1840	Received by Paul Kelly	Company TestAmerica

Laboratory Certifications: New Jersey (12028), New York (11452), Pennsylvania (68-522), Connecticut (PH-0200), Rhode Island (132).
Massachusetts (M-NJ312), North Carolina (No. 578)

777 New Durham Road
Edison, New Jersey 08817
Phone: (732) 549-3900 Fax: (732) 549-3679

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

CHAIN OF CUSTODY / ANALYSIS REQUEST

Page ____ of ____

777 New Durham Road
Edison, New Jersey 08817
Phone: (732) 549-3900 Fax: (732) 549-3679

Name (for report and invoice) CEA'S DIRECT		Samplers Name (Printed) M. W. LEE, C. G. GREGG		Site/Project Identification FAIRVIEW	
Company QUESTOGA-ROVERS & ASSOCIATES		P.O. # 17338		State (Location of site): NJ: ☐ NY: ☐ Other: DE	
Address		Analysis Turnaround Time Standard ☐ Rush Charges Authorized For: 2 Week ☐ 1 Week ☐ Other ☐		Regulatory Program: DMC	
City BOEHM	State NY	LAB USE ONLY Job No: 32130		Project No:	
Phone 716-856-2143	Fax	Sample Numbers			
Sample Identification	Date	Time	Matrix	No. of Cont.	
SO-17338-100311-MM-1241	10/3/11	1350	SO	3	11
SO-17338-100311-MM-125	10/3/11	1400	SO	3	12
Preservation Used: 1 = ICE, 2 = HCl, 3 = H ₂ SO ₄ , 4 = HNO ₃ , 5 = NaOH 6 = Other _____, 7 = Other _____					
ANALYSIS REQUESTED (ENTER X BELOW TO INDICATE REQUEST) ☒ VO ☒ BN + 25 ☒ TOC/PCB ☒ TAL METALS ☒ PESTICIDES					

Special Instructions HOLD ALL SAMPLES

Water Metals Filtered (Yes/No)?

Relinquished by W. M. M. O'S	Company CRA	Date / Time 10/03/11 1600	Received by W. M. M. O'S	Company DMC
Relinquished by DMC	Company DMC	Date / Time 10-5-11 1315	Received by DMC	Company DMC
Relinquished by DMC	Company DMC	Date / Time 10-5-11 1700	Received by DMC	Company DMC
Relinquished by DMC	Company DMC	Date / Time 10/5/11 1840	Received by DMC	Company DMC

Laboratory Certifications: New Jersey (12028), New York (11452), Pennsylvania (68-522), Connecticut (PH-0200), Rhode Island (132).

Massachusetts (M-NJ312), North Carolina (No. 578)

2.5c
2.9c
2.50

Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 460-32130-1

Login Number: 32130

List Source: TestAmerica Edison

List Number: 1

Creator: Villadarez, Gerson Timothy S

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.5/2.9 ° C IR #50
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	