

TESTAMERICA LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: A0A220553 **Conestoga-Rovers & Associates, Inc.** PAGE 1
SUB SLAB INVEST. SSOW# R001018 Date Reported: 1/27/10
Project Number: 02.2.04.01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	-----------------	-------	-------------------

Client Sample ID: SS-01 0-0.5

Sample #: 001 Date Sampled: 01/19/10 08:36 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	3900000	ug/kg	SW846 8082	
Aroclor 1221	ND	3900000	ug/kg	SW846 8082	
Aroclor 1232	ND	3900000	ug/kg	SW846 8082	
Aroclor 1242	ND	3900000	ug/kg	SW846 8082	
Aroclor 1248	41000000	3900000	ug/kg	SW846 8082	
Aroclor 1254	ND	3900000	ug/kg	SW846 8082	
Aroclor 1260	ND	3900000	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	83.9	10.0	%	MCAWW 160.3 MOD	

Client Sample ID: SS-01 11.5-12

Sample #: 002 Date Sampled: 01/19/10 09:33 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	19000	ug/kg	SW846 8082	
Aroclor 1221	ND	19000	ug/kg	SW846 8082	
Aroclor 1232	ND	19000	ug/kg	SW846 8082	
Aroclor 1242	ND	19000	ug/kg	SW846 8082	
Aroclor 1248	160000	19000	ug/kg	SW846 8082	
Aroclor 1254	ND	19000	ug/kg	SW846 8082	
Aroclor 1260	ND	19000	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	88.6	10.0	%	MCAWW 160.3 MOD	

(Continued on next page)

TESTAMERICA LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: A0A220553 Conestoga-Rovers & Associates, Inc. PAGE 2
SUB SLAB INVEST. SSOW# R001018 Date Reported: 1/27/10
Project Number: 02.2.04.01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	-----------------	-------	-------------------

Client Sample ID: SS-01 18-18.5

Sample #: 003 Date Sampled: 01/19/10 10:40 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	3800000	ug/kg	SW846 8082	
Aroclor 1221	ND	3800000	ug/kg	SW846 8082	
Aroclor 1232	ND	3800000	ug/kg	SW846 8082	
Aroclor 1242	ND	3800000	ug/kg	SW846 8082	
Aroclor 1248	23000000	3800000	ug/kg	SW846 8082	
Aroclor 1254	ND	3800000	ug/kg	SW846 8082	
Aroclor 1260	ND	3800000	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	87.4	10.0	%	MCAWW 160.3 MOD	

Client Sample ID: SS-01 19.5-20

Sample #: 004 Date Sampled: 01/19/10 10:40 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	18000	ug/kg	SW846 8082	
Aroclor 1221	ND	18000	ug/kg	SW846 8082	
Aroclor 1232	ND	18000	ug/kg	SW846 8082	
Aroclor 1242	ND	18000	ug/kg	SW846 8082	
Aroclor 1248	310000	18000	ug/kg	SW846 8082	
Aroclor 1254	ND	18000	ug/kg	SW846 8082	
Aroclor 1260	14000 J	18000	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	92.6	10.0	%	MCAWW 160.3 MOD	

(Continued on next page)

TESTAMERICA LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: A0A220553 **Conestoga-Rovers & Associates, Inc.** PAGE 3
SUB SLAB INVEST. SSOW# R001018 Date Reported: 1/27/10
Project Number: 02.2.04.01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	-----------------	-------	-------------------

Client Sample ID: SS-02 0-0.5

Sample #: 005 Date Sampled: 01/19/10 14:05 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	710	ug/kg	SW846 8082	
Aroclor 1221	ND	710	ug/kg	SW846 8082	
Aroclor 1232	ND	710	ug/kg	SW846 8082	
Aroclor 1242	ND	710	ug/kg	SW846 8082	
Aroclor 1248	8100	710	ug/kg	SW846 8082	
Aroclor 1254	ND	710	ug/kg	SW846 8082	
Aroclor 1260	ND	710	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	92.9	10.0	%	MCAWW 160.3 MOD	

Client Sample ID: SS-02 3.5-4

Sample #: 006 Date Sampled: 01/19/10 14:09 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	180	ug/kg	SW846 8082	
Aroclor 1221	ND	180	ug/kg	SW846 8082	
Aroclor 1232	ND	180	ug/kg	SW846 8082	
Aroclor 1242	ND	180	ug/kg	SW846 8082	
Aroclor 1248	340	180	ug/kg	SW846 8082	
Aroclor 1254	ND	180	ug/kg	SW846 8082	
Aroclor 1260	ND	180	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	91.4	10.0	%	MCAWW 160.3 MOD	

(Continued on next page)

TESTAMERICA LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: A0A220553 Conestoga-Rovers & Associates, Inc. PAGE 4
SUB SLAB INVEST. SSOW# R001018 Date Reported: 1/27/10
Project Number: 02.2.04.01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	-----------------	-------	-------------------

Client Sample ID: SS-02 11.5-12

Sample #: 007 Date Sampled: 01/19/10 15:10 Date Received: 01/22/10 Matrix: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	36	ug/kg	SW846 8082	
Aroclor 1221	ND	36	ug/kg	SW846 8082	
Aroclor 1232	ND	36	ug/kg	SW846 8082	
Aroclor 1242	ND	36	ug/kg	SW846 8082	
Aroclor 1248	23 J	36	ug/kg	SW846 8082	
Aroclor 1254	ND	36	ug/kg	SW846 8082	
Aroclor 1260	ND	36	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Inorganic Analysis					Reviewed
Total Residue as Percent Solids	92.2	10.0	%	MCAWW 160.3 MOD	

Client Sample ID: SS-02 18-18.5

Sample #: 008 Date Sampled: 01/19/10 16:20 Date Received: 01/22/10 Matrix: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	36	ug/kg	SW846 8082	
Aroclor 1221	ND	36	ug/kg	SW846 8082	
Aroclor 1232	ND	36	ug/kg	SW846 8082	
Aroclor 1242	ND	36	ug/kg	SW846 8082	
Aroclor 1248	85	36	ug/kg	SW846 8082	
Aroclor 1254	ND	36	ug/kg	SW846 8082	
Aroclor 1260	ND	36	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Inorganic Analysis					Reviewed
Total Residue as Percent Solids	92.8	10.0	%	MCAWW 160.3 MOD	

(Continued on next page)

TESTAMERICA LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: A0A220553 Conestoga-Rovers & Associates, Inc. PAGE 5
SUB SLAB INVEST. SSOW# R001018 Date Reported: 1/27/10
Project Number: 02.2.04.01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	-----------------	-------	-------------------

Client Sample ID: SS-25 0-0.5

Sample #: 009 Date Sampled: 01/20/10 07:50 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	350	ug/kg	SW846 8082	
Aroclor 1221	ND	350	ug/kg	SW846 8082	
Aroclor 1232	ND	350	ug/kg	SW846 8082	
Aroclor 1242	ND	350	ug/kg	SW846 8082	
Aroclor 1248	3400	350	ug/kg	SW846 8082	
Aroclor 1254	ND	350	ug/kg	SW846 8082	
Aroclor 1260	400	350	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	95.5	10.0	%	MCAWW 160.3 MOD	

Client Sample ID: SS-25 5.5-6

Sample #: 010 Date Sampled: 01/20/10 08:03 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	38	ug/kg	SW846 8082	
Aroclor 1221	ND	38	ug/kg	SW846 8082	
Aroclor 1232	ND	38	ug/kg	SW846 8082	
Aroclor 1242	ND	38	ug/kg	SW846 8082	
Aroclor 1248	51	38	ug/kg	SW846 8082	
Aroclor 1254	ND	38	ug/kg	SW846 8082	
Aroclor 1260	ND	38	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	86.1	10.0	%	MCAWW 160.3 MOD	

(Continued on next page)

TESTAMERICA LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: A0A220553 Conestoga-Rovers & Associates, Inc. PAGE 6
SUB SLAB INVEST. SSOW# R001018 Date Reported: 1/27/10
Project Number: 02.2.04.01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	-----------------	-------	-------------------

Client Sample ID: SS-25 6.5-7

Sample #: 011 Date Sampled: 01/20/10 08:12 Date Received: 01/22/10 Matrix: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	42	ug/kg	SW846 8082	
Aroclor 1221	ND	42	ug/kg	SW846 8082	
Aroclor 1232	ND	42	ug/kg	SW846 8082	
Aroclor 1242	ND	42	ug/kg	SW846 8082	
Aroclor 1248	170	42	ug/kg	SW846 8082	
Aroclor 1254	ND	42	ug/kg	SW846 8082	
Aroclor 1260	ND	42	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	79.0	10.0	%	MCAWW 160.3 MOD	

Client Sample ID: SS-26 0-0.5

Sample #: 012 Date Sampled: 01/20/10 11:02 Date Received: 01/22/10 Matrix: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	35	ug/kg	SW846 8082	
Aroclor 1221	ND	35	ug/kg	SW846 8082	
Aroclor 1232	ND	35	ug/kg	SW846 8082	
Aroclor 1242	ND	35	ug/kg	SW846 8082	
Aroclor 1248	34 J	35	ug/kg	SW846 8082	
Aroclor 1254	ND	35	ug/kg	SW846 8082	
Aroclor 1260	ND	35	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	95.0	10.0	%	MCAWW 160.3 MOD	

(Continued on next page)

TESTAMERICA LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: A0A220553 **Conestoga-Rovers & Associates, Inc.** PAGE 7
SUB SLAB INVEST. SSOW# R001018 Date Reported: 1/27/10
Project Number: 02.2.04.01

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>ANALYTICAL METHOD</u>
------------------	---------------	------------------------	--------------	--------------------------

Client Sample ID: SS-26 4-4.5

Sample #: 013 Date Sampled: 01/20/10 11:09 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	43	ug/kg	SW846 8082	
Aroclor 1221	ND	43	ug/kg	SW846 8082	
Aroclor 1232	ND	43	ug/kg	SW846 8082	
Aroclor 1242	ND	43	ug/kg	SW846 8082	
Aroclor 1248	110	43	ug/kg	SW846 8082	
Aroclor 1254	ND	43	ug/kg	SW846 8082	
Aroclor 1260	ND	43	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	76.2	10.0	%	MCAWW 160.3 MOD	

Client Sample ID: SS-26 5-5.5

Sample #: 014 Date Sampled: 01/20/10 11:09 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	45	ug/kg	SW846 8082	
Aroclor 1221	ND	45	ug/kg	SW846 8082	
Aroclor 1232	ND	45	ug/kg	SW846 8082	
Aroclor 1242	ND	45	ug/kg	SW846 8082	
Aroclor 1248	ND	45	ug/kg	SW846 8082	
Aroclor 1254	ND	45	ug/kg	SW846 8082	
Aroclor 1260	ND	45	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	73.0	10.0	%	MCAWW 160.3 MOD	

(Continued on next page)

TESTAMERICA LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: A0A220553 Conestoga-Rovers & Associates, Inc. PAGE 8
SUB SLAB INVEST. SSOW# R001018 Date Reported: 1/27/10
Project Number: 02.2.04.01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	-----------------	-------	-------------------

Client Sample ID: SS-08 0-0.5

Sample #: 015 Date Sampled: 01/20/10 13:00 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	35	ug/kg	SW846 8082	
Aroclor 1221	ND	35	ug/kg	SW846 8082	
Aroclor 1232	ND	35	ug/kg	SW846 8082	
Aroclor 1242	ND	35	ug/kg	SW846 8082	
Aroclor 1248	220	35	ug/kg	SW846 8082	
Aroclor 1254	ND	35	ug/kg	SW846 8082	
Aroclor 1260	22 J	35	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	95.0	10.0	%	MCAWW 160.3 MOD	

Client Sample ID: SS-08 17-17.5

Sample #: 016 Date Sampled: 01/20/10 13:57 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	37	ug/kg	SW846 8082	
Aroclor 1221	ND	37	ug/kg	SW846 8082	
Aroclor 1232	ND	37	ug/kg	SW846 8082	
Aroclor 1242	ND	37	ug/kg	SW846 8082	
Aroclor 1248	610	37	ug/kg	SW846 8082	
Aroclor 1254	ND	37	ug/kg	SW846 8082	
Aroclor 1260	36 J	37	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	89.1	10.0	%	MCAWW 160.3 MOD	

(Continued on next page)

TESTAMERICA LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: A0A220553 Conestoga-Rovers & Associates, Inc. PAGE 9
SUB SLAB INVEST. SSOW# R001018 Date Reported: 1/27/10
Project Number: 02.2.04.01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	-----------------	-------	-------------------

Client Sample ID: SS-08 18-18.5

Sample #: 017 Date Sampled: 01/20/10 14:10 Date Received: 01/22/10 Matrix: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	35	ug/kg	SW846 8082	
Aroclor 1221	ND	35	ug/kg	SW846 8082	
Aroclor 1232	ND	35	ug/kg	SW846 8082	
Aroclor 1242	ND	35	ug/kg	SW846 8082	
Aroclor 1248	75	35	ug/kg	SW846 8082	
Aroclor 1254	ND	35	ug/kg	SW846 8082	
Aroclor 1260	ND	35	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	93.3	10.0	%	MCAWW 160.3 MOD	

Client Sample ID: SS-27 0-0.5

Sample #: 018 Date Sampled: 01/20/10 16:22 Date Received: 01/22/10 Matrix: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	46	ug/kg	SW846 8082	
Aroclor 1221	ND	46	ug/kg	SW846 8082	
Aroclor 1232	ND	46	ug/kg	SW846 8082	
Aroclor 1242	ND	46	ug/kg	SW846 8082	
Aroclor 1248	29 J	46	ug/kg	SW846 8082	
Aroclor 1254	ND	46	ug/kg	SW846 8082	
Aroclor 1260	ND	46	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	72.4	10.0	%	MCAWW 160.3 MOD	

(Continued on next page)

TESTAMERICA LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: A0A220553 Conestoga-Rovers & Associates, Inc. PAGE 10
SUB SLAB INVEST. SSOW# R001018 Date Reported: 1/27/10
Project Number: 02.2.04.01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	-----------------	-------	-------------------

Client Sample ID: SS-27 3.5-4

Sample #: 019 Date Sampled: 01/20/10 16:25 Date Received: 01/22/10 Matrix: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	3500	ug/kg	SW846 8082	
Aroclor 1221	ND	3500	ug/kg	SW846 8082	
Aroclor 1232	ND	3500	ug/kg	SW846 8082	
Aroclor 1242	ND	3500	ug/kg	SW846 8082	
Aroclor 1248	26000	3500	ug/kg	SW846 8082	
Aroclor 1254	ND	3500	ug/kg	SW846 8082	
Aroclor 1260	2000 J	3500	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

J Estimated result. Result is less than RL.

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Inorganic Analysis					Reviewed
Total Residue as Percent Solids	94.8	10.0	%	MCAWW 160.3 MOD	

Client Sample ID: SS-27 5-5.5

Sample #: 020 Date Sampled: 01/20/10 16:29 Date Received: 01/22/10 Matrix: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	36	ug/kg	SW846 8082	
Aroclor 1221	ND	36	ug/kg	SW846 8082	
Aroclor 1232	ND	36	ug/kg	SW846 8082	
Aroclor 1242	ND	36	ug/kg	SW846 8082	
Aroclor 1248	ND	36	ug/kg	SW846 8082	
Aroclor 1254	ND	36	ug/kg	SW846 8082	
Aroclor 1260	ND	36	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Inorganic Analysis					Reviewed
Total Residue as Percent Solids	91.3	10.0	%	MCAWW 160.3 MOD	

(Continued on next page)

TESTAMERICA LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: A0A220553 Conestoga-Rovers & Associates, Inc. PAGE 11
SUB SLAB INVEST. SSOW# R001018 Date Reported: 1/27/10
Project Number: 02.2.04.01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	-----------------	-------	-------------------

Client Sample ID: DUP1

Sample #: 021 Date Sampled: 01/20/10 16:29 Date Received: 01/22/10 Matrix: SOLID

PCBs by SW-846 8082					Reviewed
Aroclor 1016	ND	37	ug/kg	SW846 8082	
Aroclor 1221	ND	37	ug/kg	SW846 8082	
Aroclor 1232	ND	37	ug/kg	SW846 8082	
Aroclor 1242	ND	37	ug/kg	SW846 8082	
Aroclor 1248	84	37	ug/kg	SW846 8082	
Aroclor 1254	ND	37	ug/kg	SW846 8082	
Aroclor 1260	ND	37	ug/kg	SW846 8082	

Results and reporting limits have been adjusted for dry weight.

Inorganic Analysis					Reviewed
Total Residue as Percent Solids	89.0	10.0	%	MCAWW 160.3 MOD	

Client Sample ID: RINSE BLANK 1-20

Sample #: 022 Date Sampled: 01/20/10 11:05 Date Received: 01/22/10 Matrix: WATER

PCBs by SW-846 8082 In Review
IN PROGRESS