



Roy F. Weston, Inc.
Suite 400
3 Hawthorn Parkway
Vernon Hills, Illinois 60061-1450
847-918-4000 • Fax 847-918-4055

27 October 1998

Mr. James Innes
Michigan Department of Environmental Quality
Shiawassee District Headquarters
10650 Bennett Drive
Morrice, MI 48857-9792

Work Order No. 01138-079-003

Re: Monitoring Well Decommissioning
Linden Road Landfill Site
Flint Township, Michigan

Dear Mr. Innes:


This letter is submitted to you on behalf of General Motors (GM) presenting additional information regarding decommissioning of selected existing monitoring wells at the Linden Road Landfill Site.

As indicated in the "Revised Work Plan for the reinstallation of new shallow monitoring wells inside the new site boundary" dated 9 June 1998, GM plans to decommission all four shallow monitoring wells (MW-04S, MW-8S, MW-09S and MW-02S) and deep monitoring well MW-02D located in the proposed frontage area. In addition, the deep monitoring wells MW-01D and MW-03D located on the western portion of the site will also be decommissioned. The attached Figure 1 shows the approximate locations of the existing monitoring wells as well as the proposed new monitoring wells.

The well decommissioning activities will be performed as follows:

Decommissioning of all the shallow monitoring wells (MW-04S, MW-8S, MW-09S, MW-02S) and deep monitoring well (MW-02D) (see Figure 1) located in the frontage area will be conducted by overdrilling the entire casing length with a truck-mounted drill rig equipped with hollow-stem augers (HSA). The borehole will be grouted with bentonite slurry using the tremmie method as the entire casing is being gradually removed. The borehole at each location will be sealed to the ground surface.

The two deep monitoring wells MW-01D and MW-03D (Figure 1) will be decommissioned by removing the well casing to at least 2 feet below grade and sealing the wells using bentonite grout from bottom up to where the well casing is removed. The sealing will be performed using the tremmie method.





Mr. James Innes
MDEQ

-2-

27 October 1998

A report summarizing the decommissioning activities will be submitted to MDEQ within one month of completion of such activities. Decommissioning activities will be initiated as soon as approval is received from MDEQ.

If you have any questions or require additional information, please call me at (847) 918-4018.

Very truly yours,

ROY F. WESTON, INC.



A handwritten signature in blue ink, appearing to read "S. Babusukumar".

S. Babusukumar, P.G.
Project Manager

SB/sr

cc: R. Metcalf, GM

BUTZENR-06/08/98-14:52-J:\CAD93\600\61091



LEGEND

MW-04S		EXISTING SHALLOW MONITORING WELL LOCATION
MW-02D		EXISTING DEEP MONITORING WELL LOCATION
PZ-02		EXISTING PIEZOMETER LOCATION
MW-10S		PROPOSED ADDITIONAL MONITORING WELL LOCATION

FIGURE -1