

RACER Trust

SEMI-ANNUAL PROGRESS AND DATA REPORT

First Half 2017

Former GM Delco Plant 5
Kokomo, Indiana

July 14, 2017



SEMI-ANNUAL PROGRESS AND DATA REPORT

First Half 2017

Former GM Delco Plant 5
Kokomo, Indiana



Sarah Jonker
Staff Environmental Scientist

Prepared for:
Robert Hare
Cleanup Manager
RACER Trust
500 Woodward Avenue
Suite 2650
Detroit, MI 48226



Matthew Griles, LPG
Project Geologist

Prepared by:
Arcadis
150 West Market Street
Suite 728
Indianapolis, IN 46204



Sarah Fisher
Senior Scientist

Our Ref.:
IN000884.2017.00007
Date:
July 14, 2017

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

CONTENTS

Introduction	2
1 Groundwater Gauging	2
2 Semi-Annual Groundwater Sampling Event	3
3 Summary and Conclusions	4
4 References	4

TABLES

Table 1. Monitoring Well Groundwater Elevation Data

Table 2. Groundwater Analytical Data Summary Screened Against Drinking Water Criteria

Table 3. Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria

FIGURES

Figure 1. Potentiometric Surface –S1 Unit (March 3, 2017)

Figure 2. Potentiometric Surface –S2 Unit (March 3, 2017)

Figure 3. Groundwater Volatile Organic Compound Analytical Results Screened with MCLs

Figure 4. TCE Groundwater Concentration Contours –S1 Unit (March 24, 2017)

Figure 5. Off-site Groundwater Volatile Organic Compound Analytical Results Screened with Groundwater Vapor Intrusion Criteria

APPENDIX

A First Half 2017 Progress Report

B Groundwater Analytical Reports and Data Validation Reports (Provided on CD)

INTRODUCTION

Arcadis U.S. Inc. (Arcadis) has prepared this Semi-Annual Progress and Data Report on behalf of the Revitalizing Auto Communities Environmental Response (RACER) Trust. This report summarizes the first half 2017 activities related to groundwater gauging and groundwater sampling at the Former GM Delco Plant 5 in Kokomo, Indiana (the Site).

1 PROGRESS REPORT

In accordance with Section VII, Paragraph 26.b of the Administrative Order on Consent (United States Environmental Protection Agency [USEPA] Docket No. RCRA-05-2011-0017), the First Half 2017 Progress Report is included as Appendix A and provides a summary of work performed to date, data collected, problems encountered, project schedule, and percent project completed. On December 22, 2016, the USEPA approved a reduction in the reporting frequency for the progress reports from quarterly to semi-annually.

2 GROUNDWATER GAUGING

Arcadis gauges the depth to groundwater on a semi-annual basis in monitoring wells located in the upper two sand and gravel units (S1 Unit and S2 Unit) at the Site. Due to inconsistencies in the resulting potentiometric surface maps during the gauging event on September 6, 2016, the groundwater wells in the S1 Unit (46 monitoring wells) and S2 Unit (16 monitoring wells) were re-surveyed by John H. Stephens R.L.S., Inc. on March 3 through 7, 2017. The survey was completed using a different vertical datum; therefore, the top-of-casing elevations were on average 0.61 deeper than the historical elevations. However, seven monitoring wells were over 1 foot different from the elevation, with one monitoring well at 3.73 feet lower than previously recorded elevations. The updated survey information was used to produce groundwater elevation contour figures for this reporting period, as discussed below.

On March 3, 2017, Arcadis measured the depth to groundwater at 62 monitoring wells located in the upper two sand and gravel units (S1 Unit and S2 Unit) at the Site. The groundwater gauging data presented in Table 1 were used to calculate groundwater elevations at each of the monitoring wells. The groundwater elevation contours in the S1 Unit are provided as Figure 1. The groundwater elevation contours in the S2 Unit are provided as Figure 2.

Potentiometric Data for S1 and S2 Units – March 2017		
Sand and Gravel Unit	Potentiometric Surface Elevation (ft amsl)	General Gradient Direction
S1	809.39 to 815.95	East-Southeast
S2 (shallow gradient)	813.73 to 814.20	East

ft amsl = feet above mean sea level

Groundwater in both the S1 Unit and S2 Unit are confined by overlying clay till units. Groundwater flow directions within the S1 Unit and S2 Unit are consistent with previously observed groundwater contours

and with those used in groundwater modeling previously performed by Arcadis. Arcadis will continue to evaluate the groundwater potentiometric surfaces and monitor flow directions for both the S1 Unit and S2 Unit through future gauging events.

3 SEMI-ANNUAL GROUNDWATER SAMPLING

On March 3, 2017, Arcadis deployed PDBs in 34 monitoring wells on and off site. Prior to deploying the PDBs, the depth to groundwater and a total depth of the monitoring wells were measured. Each PDB is connected to dedicated line within the monitoring well to ensure placement in the center of the screen in the water column. The PDBs were allowed to equilibrate inside each monitoring well for a 3-week period. On March 24, 2017, the PDBs were removed from the monitoring wells, and groundwater samples were collected through a dedicated straw directly into laboratory-supplied containers. All containers were immediately sealed, labeled, placed in an ice-packed cooler, and transported to Pace Analytical Services, located in Indianapolis, Indiana. The groundwater samples were analyzed for VOCs in accordance with the USEPA SW-846, Method 8260.

VOC analytical results for groundwater samples collected during the reporting period are presented in Table 2. Only analytes that have been detected at concentrations higher than the laboratory reporting limits during one or more monitoring events are presented in Table 2 and include:

- 1,1,1-trichloroethane (1,1,1-TCA)
- 1,1-dichloroethane (1,1-DCA)
- 1,1-dichloroethene (1,1-DCE)
- Acetone
- Benzene
- Chloroform
- cis-1,2-dichloroethene (cis-1,2-DCE)
- Cyclohexane
- Methylene chloride
- Tetrachloroethene (PCE)
- Toluene
- trans-1,2-dichloroethene (trans-1,2-DCE)
- Trichloroethene (TCE)
- Vinyl chloride

The analytical results were compared to Drinking Water Screening Criteria (Maximum Contaminant Levels [MCLs] or the Indiana Department of Environmental Management [IDEM] Remediation Closure Guide [RCG] Tap Water Criteria, where MCLs are not established). The analytical results are presented on Figure 3. Only analytes that have been detected at concentrations higher than the laboratory reporting limits during one or more monitoring events are presented in the databoxes on Figure 3.

Based on the groundwater data collected during the first half 2017, 1,1-DCA; cis-1,2-DCE; TCE; and vinyl chloride were detected at concentrations higher than their respective Drinking Water Screening Criteria in one or more groundwater samples. One or more of these compounds were detected at concentrations higher than their respective Drinking Water Screening Criteria in 15 monitoring wells, five (MW-0606-S1, MW-0608-S1, MW-0609-S1, MW-0612-S1, MW-0704-S1) of which are off-site. Since TCE is the primary constituent of concern at the site, Figure 4 presents groundwater isoconcentration contours for TCE in the S1 Unit. The laboratory analytical reports, along with the validation summaries, are provided in Appendix B.

Off-site groundwater analytical results were compared to site-specific Groundwater Vapor Intrusion Screening Criteria, as presented in Table 3 and shown on Figure 5. These criteria have been established for two conditions off site:

- Off-site Residential
- Off-site Commercial/Industrial

The screening criteria were calculated following an approach described in the IDEM 2013 Remediation Closure Guide (RCG) and detailed in the Risk Assessment Addendum to CMP Amendment (Arcadis 2014). TCE concentrations observed at monitoring wells MW-0606-S1 (2,820 µg/L) and MW-0612-S1 (3,960 µg/L) exceeded the site-specific Groundwater Vapor Intrusion Screening Criteria for Off-site Residential (1,540 µg/L) and the site-specific Off-site Commercial/Industrial (2,150 µg/L). TCE concentrations in groundwater exceeded the site-specific Groundwater Vapor Intrusion Screening Criteria for Off-site Residential at monitoring well MW-0704-S1 with a reported concentration of 2,000 µg/L. No other constituents exceeded the Groundwater Vapor Intrusion Screening Criteria.

4 SUMMARY AND CONCLUSIONS

During the first half 2017 groundwater sampling event, concentrations of site-specific constituents of concern were higher than the Drinking Water Screening Criteria in 15 of the 34 groundwater monitoring wells sampled with five of those monitoring wells located off-site. The TCE concentration detected in groundwater from monitoring wells MW-0606-S1 and MW-0612-S1 exceeded both the site-specific Groundwater Vapor Intrusion Screening Criteria for Off-site Residential and Off-site Commercial/Industrial. The TCE concentration detected in groundwater from monitoring well MW-0704-S1 exceeded the site-specific Groundwater Vapor Intrusion Screening Criteria for Off-site Residential.

A semi-annual groundwater sampling event will be conducted during the second half of 2017 to continue to support evaluation of potential corrective measures and potential risks associated with the groundwater. RACER Trust will prepare a Corrective Measures Study which will evaluate potential corrective measures and determine a path to closure.

5 REFERENCES

Arcadis. 2014. Risk Assessment Addendum to CMP Amendment. Former GM Delco Plant 5, Kokomo, Indiana. June.

TABLES



Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0101-P1	11/15/2004	8.13	9.85	826.36	818.23
MW-0101-P1	10/25/2005	9.51	9.98	826.36	816.85
MW-0101-P1	3/24/2006	Abandoned Well			
MW-0101-S1U	11/15/2004	11.15	17.50	826.36	815.21
MW-0101-S1U	10/25/2005	12.02	17.51	826.36	814.34
MW-0101-S1U	3/24/2006	10.52	17.23	826.36	815.84
MW-0101-S1U	3/31/2006	9.75	17.23	826.36	816.61
MW-0101-S1U	4/28/2006	10.42	NM	826.36	815.94
MW-0101-S1U	12/5/2006	9.13	17.51	826.36	817.23
MW-0101-S1U	3/8/2007	10.21	17.51	826.36	816.15
MW-0101-S1U	1/16/2008	10.69	17.61	826.36	815.67
MW-0101-S1U	11/11/2008	14.31	17.46	826.36	812.05
MW-0101-S1U	2/17/2009	12.66	NM	826.36	813.70
MW-0101-S1U	6/12/2009	11.18	NM	826.36	815.18
MW-0101-S1U	3/29/2012	11.23	17.70	826.36	815.13
MW-0101-S1U	10/9/2012	13.76	17.50	826.36	812.60
MW-0101-S1U	3/12/2013	11.73	17.50	826.36	814.63
MW-0101-S1U	9/24/2013	12.70	17.76	826.36	813.66
MW-0101-S1U	4/22/2014	11.46	17.66	826.36	814.90
MW-0101-S1U	9/3/2014	13.09	17.64	826.36	813.27
MW-0101-S1U	3/10/2015	12.03	16.64	826.36	814.33
MW-0101-S1U	9/8/2015	12.10	17.45	826.36	814.26
MW-0101-S1U	3/10/2016	11.68	17.77	826.36	814.68
MW-0101-S1U	9/7/2016	12.47	17.64	826.36	813.89
MW-0101-S1U	11/16/2016	12.63	NM	826.36	813.73
MW-0101-S1U	3/3/2017	1.22	17.37	825.47	814.52
MW-0102-S1U	11/15/2004	11.10	26.00	826.36	815.26
MW-0102-S1U	9/20/2005	12.28	26.14	826.36	814.08
MW-0102-S1U	10/20/2005	12.12	26.28	826.36	814.24
MW-0102-S1U	10/25/2005	12.03	26.28	826.36	814.33
MW-0102-S1U	3/22/2006	10.50	25.90	826.36	815.86
MW-0102-S1U	3/31/2006	9.73	25.90	826.36	816.63
MW-0102-S1U	4/28/2006	10.47	NM	826.36	815.89
MW-0102-S1U	12/5/2006	9.33	NM	826.36	817.03
MW-0102-S1U	3/8/2007	10.32	26.28	826.36	816.04

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0102-S1U	1/16/2008	11.00	26.40	826.36	815.36
MW-0102-S1U	11/11/2008	14.33	26.26	826.36	812.03
MW-0102-S1U	2/17/2009	12.51	NM	826.36	813.85
MW-0102-S1U	6/12/2009	11.18	NM	826.36	815.18
MW-0102-S1U	3/29/2012	11.25	26.43	826.36	815.11
MW-0102-S1U	10/9/2012	13.76	26.25	826.36	812.60
MW-0102-S1U	3/12/2013	11.91	26.15	826.36	814.45
MW-0102-S1U	9/24/2013	12.74	26.41	826.36	813.62
MW-0102-S1U	4/22/2014	11.45	26.37	826.36	814.91
MW-0102-S1U	9/3/2014	13.06	26.40	826.36	813.30
MW-0102-S1U	3/10/2015	12.02	26.38	826.36	814.34
MW-0102-S1U	9/8/2015	12.15	26.21	826.36	814.21
MW-0102-S1U	3/10/2016	11.63	27.46	826.36	814.73
MW-0102-S1U	9/7/2016	12.39	26.41	826.36	813.97
MW-0102-S1U	11/16/2016	12.66	NM	826.36	813.70
MW-0102-S1U	3/3/2017	11.17	26.12	825.63	814.46
MW-0103-S1U	10/25/2005	13.47	NM	828.15	814.68
MW-0103-S1U	11/15/2005	12.60	20.00	828.15	815.55
MW-0103-S1U	3/22/2006	12.03	19.76	828.15	816.12
MW-0103-S1U	3/31/2006	11.26	19.76	828.15	816.89
MW-0103-S1U	4/28/2006	11.91	NM	828.15	816.24
MW-0103-S1U	12/5/2006	10.70	19.77	828.15	817.45
MW-0103-S1U	3/8/2007	11.71	19.76	828.15	816.44
MW-0103-S1U	1/16/2008	12.46	19.89	828.15	815.69
MW-0103-S1U	11/11/2008	15.87	19.81	828.15	812.28
MW-0103-S1U	2/17/2009	14.06	NM	828.15	814.09
MW-0103-S1U	6/12/2009	12.63	NM	828.15	815.52
MW-0103-S1U	10/9/2012	15.30	19.66	828.15	812.85
MW-0103-S1U	3/12/2013	13.47	19.66	828.15	814.68
MW-0103-S1U	9/24/2013	14.29	19.75	828.15	813.86
MW-0103-S1U	4/22/2014	12.94	19.74	828.15	815.21
MW-0103-S1U	9/3/2014	14.59	19.62	828.15	813.56
MW-0103-S1U	3/10/2015	13.55	19.65	828.15	814.60
MW-0103-S1U	9/8/2015	13.57	19.64	828.15	814.58
MW-0103-S1U	3/10/2016	13.08	19.73	828.15	815.07
MW-0103-S1U	9/7/2016	13.90	19.72	828.15	814.25
MW-0103-S1U	11/16/2016	14.19	NM	828.15	813.96
MW-0103-S1U	3/3/2017	12.71	19.75	827.57	814.86
MW-0501-P1	9/20/2005	12.09	18.85	828.62	816.53

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0501-P1	10/18/2005	13.22	18.95	828.62	815.40
MW-0501-P1	10/25/2005	12.97	18.95	828.62	815.65
MW-0501-P1	3/22/2006	12.67	18.95	828.62	815.95
MW-0501-P1	3/31/2006	11.84	18.95	828.62	816.78
MW-0501-P1	4/28/2006	11.29	NM	828.62	817.33
MW-0501-P1	12/5/2006	10.46	18.69	828.62	818.16
MW-0501-P1	3/8/2007	10.79	18.71	828.62	817.83
MW-0501-P1	1/16/2008	11.82	18.80	828.62	816.80
MW-0501-P1	11/11/2008	14.48	18.71	828.62	814.14
MW-0501-P1	2/17/2009	11.93	NM	828.62	816.69
MW-0501-S1	3/22/2006	12.18	34.39	828.65	816.47
MW-0501-S1	3/31/2006	11.41	34.39	828.65	817.24
MW-0501-S1	4/28/2006	12.07	NM	828.65	816.58
MW-0501-S1	12/5/2006	10.84	33.95	828.65	817.81
MW-0501-S1	3/8/2007	11.90	33.74	828.65	816.75
MW-0501-S1	1/16/2008	12.67	33.95	828.65	815.98
MW-0501-S1	11/11/2008	16.10	33.60	828.65	812.55
MW-0501-S1	2/17/2009	14.44	NM	828.65	814.21
MW-0501-S1	6/12/2009	12.77	NM	828.65	815.88
MW-0501-S1	4/13/2010	12.52	33.33	828.65	816.13
MW-0501-S1	9/5/2010	15.30	33.00	828.65	813.35
MW-0501-S1	4/20/2011	12.12	32.98	828.65	816.53
MW-0501-S1	9/27/2011	13.26	33.14	828.65	815.39
MW-0501-S1	3/29/2012	12.89	33.11	828.65	815.76
MW-0501-S1	10/9/2012	15.59	32.95	828.65	813.06
MW-0501-S1	3/12/2013	13.73	32.95	828.65	814.92
MW-0501-S1	9/24/2013	14.48	33.00	828.65	814.17
MW-0501-S1	4/22/2014	13.08	32.99	828.65	815.57
MW-0501-S1	9/3/2014	14.82	32.94	828.65	813.83
MW-0501-S1	3/10/2015	13.78	32.86	828.65	814.87
MW-0501-S1	9/8/2015	13.92	32.60	828.65	814.73
MW-0501-S1	3/10/2016	13.34	32.84	828.65	815.31
MW-0501-S1	9/7/2016	14.11	32.85	828.65	814.54
MW-0501-S1	11/16/2016	14.45	NM	828.65	814.20
MW-0501-S1	3/3/2017	12.89	32.51	827.92	815.03
MW-0501-S2	10/18/2005	14.87	76.30	828.75	813.88
MW-0501-S2	10/25/2005	15.02	76.30	828.75	813.73
MW-0501-S2	3/21/2006	12.83	76.30	828.75	815.92
MW-0501-S2	3/31/2006	11.98	76.30	828.75	816.77
MW-0501-S2	4/28/2006	12.00	NM	828.75	816.75
MW-0501-S2	12/5/2006	9.83	76.13	828.75	818.92
MW-0501-S2	3/8/2007	11.79	76.09	828.75	816.96
MW-0501-S2	1/16/2008	14.80	76.20	828.75	813.95
MW-0501-S2	11/11/2008	21.21	76.12	828.75	807.54

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0501-S2	2/17/2009	17.60	NM	828.75	811.15
MW-0501-S2	6/12/2009	15.49	NM	828.75	813.26
MW-0501-S2	4/13/2010	14.37	76.12	828.75	814.38
MW-0501-S2	9/5/2010	19.74	76.11	828.75	809.01
MW-0501-S2	4/20/2011	15.01	76.00	828.75	813.74
MW-0501-S2	9/27/2011	17.44	75.24	828.75	811.31
MW-0501-S2	3/29/2012	14.62	76.21	828.75	814.13
MW-0501-S2	10/9/2012	20.48	76.15	828.75	808.27
MW-0501-S2	3/12/2013	15.08	76.15	828.75	813.67
MW-0501-S2	9/24/2013	17.93	76.20	828.75	810.82
MW-0501-S2	4/22/2014	15.80	77.48	828.75	812.95
MW-0501-S2	9/3/2014	19.70	77.62	828.75	809.05
MW-0501-S2	3/10/2015	17.08	NM	828.75	811.67
MW-0501-S2	9/8/2015	15.21	74.02	828.75	813.54
MW-0501-S2	3/10/2016	15.33	76.24	828.75	813.42
MW-0501-S2	9/7/2016	18.36	76.25	828.75	810.39
MW-0501-S2	11/16/2016	16.55	NM	828.75	812.20
MW-0501-S2	3/3/2017	13.88	76.05	828.08	814.20
MW-0501-S3	10/20/2005	15.00	94.98	828.78	813.78
MW-0501-S3	10/25/2005	15.04	94.98	828.78	813.74
MW-0501-S3	3/21/2006	12.81	94.98	828.78	815.97
MW-0501-S3	3/31/2006	12.06	94.98	828.78	816.72
MW-0501-S3	4/28/2006	12.02	NM	828.78	816.76
MW-0501-S3	12/5/2006	10.48	94.75	828.78	818.30
MW-0501-S3	3/8/2007	11.86	94.64	828.78	816.92
MW-0501-S3	1/16/2008	14.86	94.80	828.78	813.92
MW-0501-S3	11/11/2008	21.27	94.85	828.78	807.51
MW-0501-S3	2/17/2009	17.68	NM	828.78	811.10
MW-0501-S3	6/12/2009	15.58	NM	828.78	813.20
MW-0501-S3	4/13/2010	14.42	94.73	828.78	814.36
MW-0501-S3	9/5/2010	19.82	96.05	828.78	808.96
MW-0501-S3	4/20/2011	15.11	94.60	828.78	813.67
MW-0501-S3	9/27/2011	17.44	94.90	828.78	811.34
MW-0501-S3	10/9/2012	14.20	31.91	828.78	814.58
MW-0501-S3	8/24/2015	Abandoned Well			
MW-0502-S1	9/20/2005	12.20	32.59	826.34	814.14
MW-0502-S1	10/19/2005	11.91	32.78	826.34	814.43
MW-0502-S1	10/25/2005	11.91	32.78	826.34	814.43
MW-0502-S1	3/24/2006	10.41	32.54	826.34	815.93
MW-0502-S1	3/31/2006	9.64	32.54	826.34	816.70
MW-0502-S1	4/28/2006	10.32	NM	826.34	816.02
MW-0502-S1	12/5/2006	9.25	NM	826.34	817.09
MW-0502-S1	3/8/2007	10.12	32.50	826.34	816.22
MW-0502-S1	1/16/2008	10.95	32.62	826.34	815.39

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0502-S1	11/11/2008	14.22	32.40	826.34	812.12
MW-0502-S1	2/17/2009	12.54	NM	826.34	813.80
MW-0502-S1	6/12/2009	11.04	NM	826.34	815.30
MW-0502-S1	4/13/2010	10.78	32.55	826.34	815.56
MW-0502-S1	9/5/2010	13.46	32.60	826.34	812.88
MW-0502-S1	4/20/2011	10.29	32.45	826.34	816.05
MW-0502-S1	9/27/2011	11.44	32.65	826.34	814.90
MW-0502-S1	3/29/2012	11.08	32.61	826.34	815.26
MW-0502-S1	10/9/2012	13.65	32.51	826.34	812.69
MW-0502-S1	3/12/2013	11.73	32.51	826.34	814.61
MW-0502-S1	9/24/2013	12.62	32.63	826.34	813.72
MW-0502-S1	4/22/2014	11.35	32.62	826.34	814.99
MW-0502-S1	9/3/2014	12.96	32.66	826.34	813.38
MW-0502-S1	3/10/2015	11.90	32.63	826.34	814.44
MW-0502-S1	9/8/2015	12.02	32.39	826.34	814.32
MW-0502-S1	3/10/2016	11.51	32.62	826.34	814.83
MW-0502-S1	9/7/2016	12.26	32.55	826.34	814.08
MW-0502-S1	11/16/2016	12.51	NM	826.34	813.83
MW-0502-S1	3/3/2017	11.08	31.95	825.72	814.64
MW-0503-S1	10/18/2005	12.51	32.57	826.82	814.31
MW-0503-S1	10/25/2005	12.51	32.57	826.82	814.31
MW-0503-S1	3/24/2006	11.09	32.27	826.82	815.73
MW-0503-S1	3/31/2006	10.32	32.27	826.82	816.50
MW-0503-S1	4/28/2006	11.00	NM	826.82	815.82
MW-0503-S1	12/5/2006	9.84	NM	826.82	816.98
MW-0503-S1	3/8/2007	10.80	32.32	826.82	816.02
MW-0503-S1	1/16/2008	11.57	32.42	826.82	815.25
MW-0503-S1	11/11/2008	14.75	32.20	826.82	812.07
MW-0503-S1	2/17/2009	12.96	NM	826.82	813.86
MW-0503-S1	6/12/2009	11.68	NM	826.82	815.14
MW-0503-S1	4/13/2010	11.46	32.16	826.82	815.36
MW-0503-S1	9/5/2010	14.04	32.00	826.82	812.78
MW-0503-S1	4/20/2011	10.87	31.98	826.82	815.95
MW-0503-S1	9/27/2011	11.99	32.35	826.82	814.83
MW-0503-S1	3/29/2012	11.77	32.40	826.82	815.05
MW-0503-S1	10/9/2012	14.20	31.91	826.82	812.62
MW-0503-S1	3/12/2013	12.35	31.91	826.82	814.47
MW-0503-S1	9/24/2013	13.20	32.30	826.82	813.62
MW-0503-S1	4/22/2014	11.95	31.87	826.82	814.87
MW-0503-S1	9/3/2014	13.51	31.96	826.82	813.31
MW-0503-S1	3/10/2015	12.49	31.56	826.82	814.33
MW-0503-S1	9/8/2015	12.62	31.20	826.82	814.2
MW-0503-S1	3/10/2016	12.11	31.32	826.82	814.71
MW-0503-S1	9/7/2016	12.80	13.34	826.82	814.02
MW-0503-S1	11/16/2016	13.13	NM	826.82	813.69

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0503-S1	3/3/2017	11.73	30.90	826.25	814.52

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0503-S2	10/18/2005	13.28	68.33	826.81	813.53
MW-0503-S2	10/25/2005	13.27	68.33	826.81	813.54
MW-0503-S2	3/24/2006	10.38	68.05	826.81	816.43
MW-0503-S2	3/31/2006	9.53	68.05	826.81	817.28
MW-0503-S2	4/28/2006	10.51	NM	826.81	816.30
MW-0503-S2	12/5/2006	9.06	NM	826.81	817.75
MW-0503-S2	3/8/2007	10.28	68.13	826.81	816.53
MW-0503-S2	1/16/2008	12.92	68.30	826.81	813.89
MW-0503-S2	11/11/2008	18.80	68.19	826.81	808.01
MW-0503-S2	2/17/2009	15.41	NM	826.81	811.40
MW-0503-S2	6/12/2009	13.57	NM	826.81	813.24
MW-0503-S2	3/10/2016	13.46	NM	826.81	813.35
MW-0503-S2	9/7/2016	14.76	67.89	826.81	812.05
MW-0503-S2	11/16/2016	14.69	NM	826.81	812.12
MW-0503-S2	3/3/2017	12.30	68.37	826.25	813.95
MW-0504-I2	10/18/2005	19.66	39.87	826.51	806.85
MW-0504-I2	10/25/2005	13.03	39.87	826.51	813.48
MW-0504-I2	3/27/2006	11.53	39.61	826.51	814.98
MW-0504-I2	3/31/2006	10.71	39.61	826.51	815.80
MW-0504-I2	4/28/2006	11.19	NM	826.51	815.32
MW-0504-I2	12/5/2006	10.08	NM	826.51	816.43
MW-0504-I2	3/8/2007	11.60	39.65	826.51	814.91
MW-0504-I2	1/16/2008	11.67	39.80	826.51	814.84
MW-0504-I2	11/11/2008	14.84	39.71	826.51	811.67
MW-0504-I2	2/17/2009	12.99	NM	826.51	813.52
MW-0504-S1	9/20/2005	12.51	29.73	826.15	813.64
MW-0504-S1	10/18/2005	12.25	29.19	826.15	813.90
MW-0504-S1	10/25/2005	12.23	29.19	826.15	813.92
MW-0504-S1	3/27/2006	11.10	28.69	826.15	815.05
MW-0504-S1	3/31/2006	10.33	28.69	826.15	815.82
MW-0504-S1	4/28/2006	10.88	NM	826.15	815.27
MW-0504-S1	12/5/2006	10.78	NM	826.15	815.37
MW-0504-S1	3/8/2007	10.68	30.82	826.15	815.47
MW-0504-S1	1/16/2008	11.25	30.90	826.15	814.90
MW-0504-S1	11/11/2008	14.40	30.76	826.15	811.75
MW-0504-S1	2/17/2009	12.58	NM	826.15	813.57
MW-0504-S1	6/12/2009	11.51	NM	826.15	814.64
MW-0504-S1	10/9/2012	13.84	30.71	826.15	812.31
MW-0504-S1	3/12/2013	12.02	30.71	826.15	814.13
MW-0504-S1	9/24/2013	12.90	30.98	826.15	813.25
MW-0504-S1	4/22/2014	11.81	30.91	826.15	814.34
MW-0504-S1	9/3/2014	13.21	31.71	826.15	812.94
MW-0504-S1	3/10/2015	12.22	30.55	826.15	813.93
MW-0504-S1	9/8/2015	12.38	30.15	826.15	813.77

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0504-S1	3/10/2016	11.84	30.76	826.15	814.31
MW-0504-S1	9/7/2016	12.58	30.50	826.15	813.57
MW-0504-S1	11/16/2016	12.80	NM	826.15	813.35
MW-0504-S1	3/3/2017	11.49	29.93	825.55	814.06
MW-0504-S2	3/27/2006	10.23	60.45	826.41	816.18
MW-0504-S2	3/31/2006	9.38	60.45	826.41	817.03
MW-0504-S2	4/28/2006	10.11	NM	826.41	816.30
MW-0504-S2	12/5/2006	8.70	NM	826.41	817.71
MW-0504-S2	3/8/2007	10.00	60.52	826.41	816.41
MW-0504-S2	1/16/2008	12.50	60.63	826.41	813.91
MW-0504-S2	11/11/2008	18.46	60.55	826.41	807.95
MW-0504-S2	2/17/2009	14.97	NM	826.41	811.44
MW-0504-S2	6/12/2009	13.14	NM	826.41	813.27
MW-0504-S2	3/10/2016	13.06	NM	826.41	813.35
MW-0504-S2	9/7/2016	15.76	60.43	826.41	810.65
MW-0504-S2	11/16/2016	14.31	NM	826.41	812.10
MW-0504-S2	3/3/2017	11.89	60.48	825.77	813.88
MW-0505-B1	12/5/2006	8.69	NM	826.5	817.81
MW-0505-B1	3/8/2007	8.98	83.90	826.5	817.52
MW-0505-B1	1/16/2008	11.56	83.95	826.5	814.94
MW-0505-B1	11/11/2008	17.51	83.90	826.5	808.99
MW-0505-B1	2/17/2009	14.06	NM	826.5	812.44
MW-0505-B1	6/12/2009	12.18	NM	826.5	814.32
MW-0505-B1	4/13/2010	11.21	83.97	826.5	815.29
MW-0505-B1	9/5/2010	16.22	84.00	826.5	810.28
MW-0505-B1	4/20/2011	11.65	83.82	826.5	814.85
MW-0505-B1	9/27/2011	14.56	84.08	826.5	811.94
MW-0505-B1	9/3/2015	Abandoned Well			
MW-0505-S1	9/20/2005	11.42	39.00	825.44	814.02
MW-0505-S1	10/19/2005	11.19	40.28	825.44	814.25
MW-0505-S1	10/25/2005	11.16	40.28	825.44	814.28
MW-0505-S1	3/23/2006	9.70	40.00	825.44	815.74
MW-0505-S1	3/31/2006	8.93	40.00	825.44	816.51
MW-0505-S1	4/28/2006	9.69	NM	825.44	815.75
MW-0505-S1	12/5/2006	8.52	NM	825.44	816.92
MW-0505-S1	3/8/2007	9.48	40.71	825.44	815.96
MW-0505-S1	1/16/2008	10.15	40.80	825.44	815.29
MW-0505-S1	11/11/2008	13.46	40.65	825.44	811.98
MW-0505-S1	2/17/2009	11.63	NM	825.44	813.81
MW-0505-S1	6/12/2009	10.34	NM	825.44	815.10
MW-0505-S1	10/9/2012	12.47	40.67	825.44	812.97
MW-0505-S1	3/12/2013	11.02	40.67	825.44	814.42
MW-0505-S1	9/24/2013	11.85	40.84	825.44	813.59
MW-0505-S1	4/22/2014	10.64	40.41	825.44	814.80

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0505-S1	9/3/2014	12.20	40.80	825.44	813.24
MW-0505-S1	3/10/2015	11.17	40.75	825.44	814.27
MW-0505-S1	9/8/2015	11.30	40.52	825.44	814.14
MW-0505-S1	3/10/2016	10.77	40.75	825.44	814.67
MW-0505-S1	9/7/2016	11.53	40.71	825.44	813.91
MW-0505-S1	11/16/2016	11.78	NM	825.44	813.66
MW-0505-S1	3/3/2017	10.37	40.42	824.79	814.42
MW-0505-S2	10/19/2005	12.37	67.63	825.06	812.69
MW-0505-S2	10/25/2005	11.42	67.63	825.06	813.64
MW-0505-S2	3/23/2006	9.59	67.32	825.06	815.47
MW-0505-S2	3/31/2006	8.74	67.32	825.06	816.32
MW-0505-S2	4/28/2006	9.65	NM	825.06	815.41
MW-0505-S2	12/5/2006	7.27	NM	825.06	817.79
MW-0505-S2	3/8/2007	8.55	67.45	825.06	816.51
MW-0505-S2	1/16/2008	11.10	67.50	825.06	813.96
MW-0505-S2	11/11/2008	17.04	67.45	825.06	808.02
MW-0505-S2	2/17/2009	13.63	NM	825.06	811.43
MW-0505-S2	6/12/2009	11.76	NM	825.06	813.30
MW-0505-S2	4/13/2010	11.74	67.38	825.06	813.32
MW-0505-S2	9/5/2010	15.76	67.50	825.06	809.30
MW-0505-S2	4/20/2011	11.23	67.35	825.06	813.83
MW-0505-S2	9/27/2011	13.51	67.60	825.06	811.55
MW-0505-S2	3/29/2012	11.03	67.55	825.06	814.03
MW-0505-S2	10/9/2012	16.46	67.46	825.06	808.60
MW-0505-S2	3/12/2013	11.58	67.46	825.06	813.48
MW-0505-S2	9/24/2013	14.10	67.52	825.06	810.96
MW-0505-S2	4/22/2014	11.99	67.59	825.06	813.07
MW-0505-S2	9/3/2014	15.65	68.81	825.06	809.41
MW-0505-S2	3/10/2015	13.18	NM	825.06	811.88
MW-0505-S2	9/8/2015	13.60	67.43	825.06	811.46
MW-0505-S2	3/10/2016	11.63	NM	825.06	813.43
MW-0505-S2	9/7/2016	14.17	67.56	825.06	810.89
MW-0505-S2	11/16/2016	12.87	NM	825.06	812.19
MW-0505-S2	3/3/2017	10.46	67.39	824.41	813.95
MW-0506-I2	10/19/2005	24.10	47.56	827.18	803.08
MW-0506-I2	10/25/2005	22.82	47.56	827.18	804.36
MW-0506-I2	3/27/2006	17.97	47.27	827.18	809.21
MW-0506-I2	3/31/2006	17.15	47.27	827.18	810.03
MW-0506-I2	4/28/2006	20.02	NM	827.18	807.16
MW-0506-I2	12/5/2006	19.82	NM	827.18	807.36
MW-0506-I2	3/8/2007	15.48	47.35	827.18	811.70
MW-0506-I2	1/16/2008	14.57	47.50	827.18	812.61
MW-0506-I2	11/11/2008	15.71	47.38	827.18	811.47
MW-0506-I2	2/17/2009	16.63	NM	827.18	810.55

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0506-S1	10/19/2005	13.11	34.84	826.88	813.77
MW-0506-S1	10/25/2005	13.11	34.84	826.88	813.77
MW-0506-S1	3/27/2006	11.96	34.55	826.88	814.92
MW-0506-S1	3/31/2006	11.19	34.55	826.88	815.69
MW-0506-S1	4/28/2006	11.76	NM	826.88	815.12
MW-0506-S1	12/5/2006	10.72	NM	826.88	816.16
MW-0506-S1	3/8/2007	11.54	34.62	826.88	815.34
MW-0506-S1	1/16/2008	12.21	34.35	826.88	814.67
MW-0506-S1	11/11/2008	15.21	34.65	826.88	811.67
MW-0506-S1	2/17/2009	13.40	NM	826.88	813.48
MW-0506-S1	6/12/2009	12.38	NM	826.88	814.50
MW-0506-S1	10/9/2012	14.65	34.69	826.88	812.23
MW-0506-S1	3/12/2013	12.85	34.69	826.88	814.03
MW-0506-S1	9/24/2013	13.74	34.78	826.88	813.14
MW-0506-S1	4/22/2014	12.67	34.71	826.88	814.21
MW-0506-S1	9/3/2014	14.02	34.75	826.88	812.86
MW-0506-S1	3/10/2015	13.06	34.76	826.88	813.82
MW-0506-S1	9/8/2015	13.24	34.50	826.88	813.64
MW-0506-S1	3/10/2016	12.68	34.86	826.88	814.2
MW-0506-S1	9/7/2016	13.36	34.80	826.88	813.52
MW-0506-S1	11/16/2016	13.64	NM	826.88	813.24
MW-0506-S1	3/3/2017	12.36	34.55	826.27	813.91
MW-0506-S2	10/19/2005	13.58	72.52	827.1	813.52
MW-0506-S2	10/25/2005	13.58	72.52	827.1	813.52
MW-0506-S2	3/27/2006	11.95	72.24	827.1	815.15
MW-0506-S2	3/31/2006	11.10	72.24	827.1	816.00
MW-0506-S2	4/28/2006	10.84	NM	827.1	816.26
MW-0506-S2	12/5/2006	9.43	NM	827.1	817.67
MW-0506-S2	3/8/2007	11.72	72.26	827.1	815.38
MW-0506-S2	1/16/2008	13.20	72.40	827.1	813.90
MW-0506-S2	11/11/2008	19.11	72.35	827.1	807.99
MW-0506-S2	2/17/2009	15.69	NM	827.1	811.41
MW-0506-S2	6/12/2009	13.87	NM	827.1	813.23
MW-0506-S2	3/29/2012	13.13	72.41	827.1	813.97
MW-0506-S2	10/9/2012	18.51	72.38	827.1	808.59
MW-0506-S2	3/12/2013	13.66	72.38	827.1	813.44
MW-0506-S2	9/24/2013	16.20	72.44	827.1	810.90
MW-0506-S2	4/22/2014	14.13	72.56	827.1	812.97
MW-0506-S2	9/3/2014	17.70	73.52	827.1	809.40
MW-0506-S2	3/10/2015	15.27	NM	827.1	811.83
MW-0506-S2	9/8/2015	13.74	72.14	827.1	813.36
MW-0506-S2	3/10/2016	13.67	NM	827.1	813.43
MW-0506-S2	9/7/2016	16.08	72.45	827.1	811.02
MW-0506-S2	11/16/2016	13.53	NM	827.1	813.57
MW-0506-S2	3/3/2017	12.63	72.30	826.51	813.88

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0507-S1	10/19/2005	13.15	33.49	827.19	814.04
MW-0507-S1	10/25/2005	13.12	33.49	827.19	814.07
MW-0507-S1	3/27/2006	11.86	33.18	827.19	815.33
MW-0507-S1	3/31/2006	11.09	33.18	827.19	816.10
MW-0507-S1	4/28/2006	11.69	NM	827.19	815.50
MW-0507-S1	12/5/2006	10.58	NM	827.19	816.61
MW-0507-S1	3/8/2007	11.48	33.19	827.19	815.71
MW-0507-S1	1/16/2008	12.18	33.35	827.19	815.01
MW-0507-S1	11/11/2008	15.27	33.15	827.19	811.92
MW-0507-S1	2/17/2009	13.50	NM	827.19	813.69
MW-0507-S1	6/12/2009	12.33	NM	827.19	814.86
MW-0507-S1	4/13/2010	12.13	33.27	827.19	815.06
MW-0507-S1	9/5/2010	14.61	33.20	827.19	812.58
MW-0507-S1	4/20/2011	11.54	33.16	827.19	815.65
MW-0507-S1	9/27/2011	12.60	33.35	827.19	814.59
MW-0507-S1	3/29/2012	12.41	33.32	827.19	814.78
MW-0507-S1	10/9/2012	14.74	33.11	827.19	812.45
MW-0507-S1	3/12/2013	12.92	33.11	827.19	814.27
MW-0507-S1	9/24/2013	13.78	33.32	827.19	813.41
MW-0507-S1	4/22/2014	12.63	33.37	827.19	814.56
MW-0507-S1	9/3/2014	14.08	33.29	827.19	813.11
MW-0507-S1	3/10/2015	13.08	32.88	827.19	814.11
MW-0507-S1	9/8/2015	13.23	32.40	827.19	813.96
MW-0507-S1	3/10/2016	12.71	32.39	827.19	814.48
MW-0507-S1	9/7/2016	13.36	33.08	827.19	813.83
MW-0507-S1	11/16/2016	13.69	NM	827.19	813.50
MW-0507-S1	3/3/2017	12.37	31.89	826.48	814.11
MW-0509-I2	10/19/2005	12.58	55.96	826.32	813.74
MW-0509-I2	10/25/2005	12.66	55.96	826.32	813.66
MW-0509-I2	3/23/2006	9.87	55.65	826.32	816.45
MW-0509-I2	3/31/2006	9.05	55.65	826.32	817.27
MW-0509-I2	4/28/2006	9.81	NM	826.32	816.51
MW-0509-I2	12/5/2006	8.36	55.74	826.32	817.96
MW-0509-I2	3/8/2007	9.68	55.67	826.32	816.64
MW-0509-I2	1/16/2008	12.37	55.79	826.32	813.95
MW-0509-I2	11/11/2008	18.42	55.60	826.32	807.90
MW-0509-I2	2/17/2009	14.94	NM	826.32	811.38
MW-0509-S1	9/20/2005	12.18	38.00	826.33	814.15
MW-0509-S1	10/25/2005	11.92	38.11	826.33	814.41
MW-0509-S1	3/23/2006	10.43	37.82	826.33	815.90
MW-0509-S1	3/31/2006	9.66	37.82	826.33	816.67
MW-0509-S1	4/28/2006	10.35	NM	826.33	815.98
MW-0509-S1	12/5/2006	9.20	37.90	826.33	817.13
MW-0509-S1	3/8/2007	10.20	37.89	826.33	816.13

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0509-S1	1/16/2008	10.89	38.00	826.33	815.44
MW-0509-S1	11/11/2008	14.24	37.92	826.33	812.09
MW-0509-S1	2/17/2009	12.38	NM	826.33	813.95
MW-0509-S1	6/12/2009	11.04	NM	826.33	815.29
MW-0509-S1	4/13/2010	10.82	37.91	826.33	815.51
MW-0509-S1	9/5/2010	13.45	37.90	826.33	812.88
MW-0509-S1	4/20/2011	10.29	37.85	826.33	816.04
MW-0509-S1	9/27/2011	11.43	38.08	826.33	814.90
MW-0509-S1	3/29/2012	11.13	38.00	826.33	815.20
MW-0509-S1	10/9/2012	13.65	37.98	826.33	812.68
MW-0509-S1	3/12/2013	13.45	37.98	826.33	812.88
MW-0509-S1	9/24/2013	12.62	38.03	826.33	813.71
MW-0509-S1	4/22/2014	11.35	38.06	826.33	814.98
MW-0509-S1	9/3/2014	12.98	38.02	826.33	813.35
MW-0509-S1	3/10/2015	11.89	38.03	826.33	814.44
MW-0509-S1	9/8/2015	12.03	37.88	826.33	814.30
MW-0509-S1	3/10/2016	11.51	38.01	826.33	814.82
MW-0509-S1	9/7/2016	12.27	38.05	826.33	814.06
MW-0509-S1	11/16/2016	12.55	NM	826.33	813.78
MW-0509-S1	3/3/2017	11.08	38.04	825.72	814.64
MW-0516-S1	10/19/2005	13.42	32.88	827.98	814.56
MW-0516-S1	10/25/2005	13.42	32.88	827.98	814.56
MW-0516-S1	3/23/2006	11.88	32.61	827.98	816.10
MW-0516-S1	3/31/2006	11.13	32.61	827.98	816.85
MW-0516-S1	4/28/2006	11.78	NM	827.98	816.20
MW-0516-S1	12/5/2006	10.11	NM	827.98	817.87
MW-0516-S1	3/8/2007	11.59	32.66	827.98	816.39
MW-0516-S1	1/16/2008	12.35	32.40	827.98	815.63
MW-0516-S1	11/11/2008	15.74	32.60	827.98	812.24
MW-0516-S1	2/17/2009	14.00	NM	827.98	813.98
MW-0516-S1	6/12/2009	12.52	NM	827.98	815.46
MW-0516-S1	4/13/2010	12.24	32.70	827.98	815.74
MW-0516-S1	9/5/2010	14.96	32.65	827.98	813.02
MW-0516-S1	4/20/2011	11.31	32.60	827.98	816.67
MW-0516-S1	9/27/2011	12.92	32.84	827.98	815.06
MW-0516-S1	3/29/2012	12.59	32.80	827.98	815.39
MW-0516-S1	10/9/2012	15.16	32.60	827.98	812.82
MW-0516-S1	3/12/2013	13.33	32.60	827.98	814.65
MW-0516-S1	9/24/2013	14.08	32.79	827.98	813.90
MW-0516-S1	4/22/2014	12.74	32.80	827.98	815.24
MW-0516-S1	9/3/2014	14.46	32.84	827.98	813.52
MW-0516-S1	3/10/2015	13.40	32.80	827.98	814.58
MW-0516-S1	9/8/2015	13.55	32.78	827.98	814.43
MW-0516-S1	3/10/2016	12.94	32.78	827.98	815.04
MW-0516-S1	9/7/2016	13.71	32.71	828.98	815.27

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0516-S1	11/16/2016	13.98	NM	828.98	815.00
MW-0516-S1	3/3/2017	12.58	32.80	827.37	814.79
MW-0516-S2	10/20/2005	14.37	68.38	827.97	813.60
MW-0516-S2	10/25/2005	14.38	68.38	827.97	813.59
MW-0516-S2	3/23/2006	11.46	68.05	827.97	816.51
MW-0516-S2	3/31/2006	10.61	68.05	827.97	817.36
MW-0516-S2	4/28/2006	11.55	NM	827.97	816.42
MW-0516-S2	12/5/2006	10.55	NM	827.97	817.42
MW-0516-S2	3/8/2007	11.40	68.11	827.97	816.57
MW-0516-S2	1/16/2008	14.11	68.26	827.97	813.86
MW-0516-S2	11/11/2008	19.99	68.05	827.97	807.98
MW-0516-S2	2/17/2009	16.58	NM	827.97	811.39
MW-0516-S2	6/12/2009	14.71	NM	827.97	813.26
MW-0516-S2	4/13/2010	13.72	68.18	827.97	814.25
MW-0516-S2	4/20/2011	14.02	68.10	827.97	813.95
MW-0516-S2	3/12/2013	14.38	68.10	827.97	813.59
MW-0516-S2	9/24/2013	17.03	68.26	827.97	810.94
MW-0516-S2	4/22/2014	14.92	69.09	827.97	813.05
MW-0516-S2	9/3/2014	18.61	69.48	827.97	809.36
MW-0516-S2	3/10/2015	16.16	NM	827.97	811.81
MW-0516-S2	9/8/2015	14.52	69.38	827.97	813.45
MW-0516-S2	3/10/2016	14.58	68.79	827.97	813.39
MW-0516-S2	9/7/2016	17.16	68.32	828.97	811.81
MW-0516-S2	11/16/2016	15.78	NM	828.97	813.19
MW-0516-S2	3/3/2017	13.31	68.35	827.34	814.03
MW-0517-I2	10/18/2005	13.02	40.13	826.56	813.54
MW-0517-I2	10/25/2005	12.45	40.13	826.56	814.11
MW-0517-I2	3/22/2006	10.25	39.89	826.56	816.31
MW-0517-I2	3/31/2006	9.45	39.89	826.56	817.11
MW-0517-I2	4/28/2006	10.73	NM	826.56	815.83
MW-0517-I2	12/5/2006	10.10	NM	826.56	816.46
MW-0517-I2	3/8/2007	10.61	39.90	826.56	815.95
MW-0517-I2	1/16/2008	12.55	40.05	826.56	814.01
MW-0517-I2	11/11/2008	15.14	39.96	826.56	811.42
MW-0517-I2	2/17/2009	13.32	NM	826.56	813.24
MW-0517-S1	9/20/2005	12.44	30.72	826.47	814.03
MW-0517-S1	10/18/2005	12.17	30.85	826.47	814.30
MW-0517-S1	10/25/2005	12.17	30.85	826.47	814.30
MW-0517-S1	3/22/2006	10.70	30.63	826.47	815.77
MW-0517-S1	3/31/2006	9.91	30.63	826.47	816.56
MW-0517-S1	4/28/2006	10.64	NM	826.47	815.83
MW-0517-S1	12/5/2006	9.48	NM	826.47	816.99
MW-0517-S1	3/8/2007	10.42	30.51	826.47	816.05
MW-0517-S1	1/16/2008	11.23	30.70	826.47	815.24

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0517-S1	11/11/2008	14.47	30.60	826.47	812.00
MW-0517-S1	2/17/2009	12.65	NM	826.47	813.82
MW-0517-S1	6/12/2009	11.34	NM	826.47	815.13
MW-0517-S1	10/9/2012	13.88	30.62	826.47	812.59
MW-0517-S1	3/12/2013	11.98	30.62	826.47	814.49
MW-0517-S1	9/24/2013	12.87	30.75	826.47	813.60
MW-0517-S1	4/22/2014	11.65	30.76	826.47	814.82
MW-0517-S1	9/3/2014	13.20	30.32	826.47	813.27
MW-0517-S1	3/10/2015	12.17	30.07	826.47	814.30
MW-0517-S1	9/8/2015	12.27	29.78	826.47	814.20
MW-0517-S1	3/10/2016	11.77	29.86	826.47	814.70
MW-0517-S1	9/7/2016	12.51	29.76	827.47	814.96
MW-0517-S1	11/16/2016	12.76	NM	827.47	814.71
MW-0517-S1	3/3/2017	11.36	29.31	825.82	814.46
MW-0602-B1	3/24/2006	9.12	86.17	825.36	816.24
MW-0602-B1	3/31/2006	8.32	86.17	825.36	817.04
MW-0602-B1	4/28/2006	9.16	NM	825.36	816.20
MW-0602-B1	12/5/2006	7.78	NM	825.36	817.58
MW-0602-B1	3/8/2007	9.03	86.21	825.36	816.33
MW-0602-B1	1/16/2008	11.55	86.25	825.36	813.81
MW-0602-B1	11/11/2008	17.37	86.27	825.36	807.99
MW-0602-B1	2/17/2009	13.94	NM	825.36	811.42
MW-0602-B1	6/12/2009	12.16	NM	825.36	813.20
MW-0602-B1	4/13/2010	11.04	86.31	825.36	814.32
MW-0602-B1	9/5/2010	16.11	86.90	825.36	809.25
MW-0602-B1	4/20/2011	11.61	86.19	825.36	813.75
MW-0602-B1	9/27/2011	13.80	86.45	825.36	811.56
MW-0602-B1	9/4/2015	Abandoned Well			
MW-0602-S1	3/24/2006	11.70	28.31	825.3	813.60
MW-0602-S1	3/31/2006	10.93	28.31	825.3	814.37
MW-0602-S1	4/28/2006	10.90	NM	825.3	814.40
MW-0602-S1	12/5/2006	9.94	NM	825.3	815.36
MW-0602-S1	3/8/2007	10.68	27.20	825.3	814.62
MW-0602-S1	1/16/2008	11.10	27.41	825.3	814.20
MW-0602-S1	11/11/2008	13.93	27.11	825.3	811.37
MW-0602-S1	2/17/2009	12.20	NM	825.3	813.10
MW-0602-S1	6/12/2009	11.71	NM	825.3	813.59
MW-0602-S1	4/13/2010	11.36	27.31	825.3	813.94
MW-0602-S1	9/5/2010	12.79	27.24	825.3	812.51
MW-0602-S1	4/20/2011	11.01	27.07	825.3	814.29
MW-0602-S1	9/27/2011	11.65	27.39	825.3	813.65
MW-0602-S1	3/29/2012	11.30	27.20	825.3	814.00
MW-0602-S1	10/9/2012	12.64	27.00	825.3	812.66
MW-0602-S1	3/12/2013	11.62	27.00	825.3	813.68
MW-0602-S1	9/24/2013	12.64	27.20	825.3	812.66

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0602-S1	4/22/2014	11.52	24.09	825.3	813.78
MW-0602-S1	9/3/2014	12.79	27.06	825.3	812.51
MW-0602-S1	3/10/2015	12.04	26.96	825.3	813.26
MW-0602-S1	9/8/2015	NM	NM	825.3	NM
MW-0602-S1	3/10/2016	12.01	27.03	825.3	813.29
MW-0602-S1	9/7/2016	12.02	26.90	826.3	814.28
MW-0602-S1	11/16/2016	13.22	NM	826.3	813.08
MW-0602-S1	3/3/2017	11.37	26.63	824.68	813.31
MW-0603-B1	3/24/2006	9.70	83.40	826.2	816.50
MW-0603-B1	3/31/2006	8.92	83.40	826.2	817.28
MW-0603-B1	4/28/2006	9.76	NM	826.2	816.44
MW-0603-B1	12/5/2006	8.35	NM	826.2	817.85
MW-0603-B1	3/8/2007	9.64	83.32	826.2	816.56
MW-0603-B1	1/16/2008	12.13	83.48	826.2	814.07
MW-0603-B1	11/11/2008	18.04	83.24	826.2	808.16
MW-0603-B1	2/17/2009	14.69	NM	826.2	811.51
MW-0603-B1	6/12/2009	12.86	NM	826.2	813.34
MW-0603-B1	4/13/2010	11.82	83.38	826.2	814.38
MW-0603-B1	9/5/2010	16.78	83.35	826.2	809.42
MW-0603-B1	4/20/2011	12.27	83.22	826.2	813.93
MW-0603-B1	9/27/2011	14.47	83.55	826.2	811.73
MW-0603-B1	3/10/2016	12.70	83.37	826.2	813.50
MW-0603-S1	3/24/2006	10.79	24.38	826.09	815.30
MW-0603-S1	3/31/2006	10.02	24.38	826.09	816.07
MW-0603-S1	4/28/2006	10.71	NM	826.09	815.38
MW-0603-S1	12/5/2006	9.59	NM	826.09	816.50
MW-0603-S1	3/8/2007	10.46	24.12	826.09	815.63
MW-0603-S1	1/16/2008	11.06	24.33	826.09	815.03
MW-0603-S1	11/11/2008	14.15	24.15	826.09	811.94
MW-0603-S1	2/17/2009	12.35	NM	826.09	813.74
MW-0603-S1	6/12/2009	11.25	NM	826.09	814.84
MW-0603-S1	4/13/2010	11.06	24.31	826.09	815.03
MW-0603-S1	9/5/2010	13.46	24.20	826.09	812.63
MW-0603-S1	4/20/2011	10.44	24.10	826.09	815.65
MW-0603-S1	9/27/2011	11.53	24.22	826.09	814.56
MW-0603-S1	3/29/2012	11.33	24.15	826.09	814.76
MW-0603-S1	10/9/2012	13.55	24.00	826.09	812.54
MW-0603-S1	3/12/2013	11.85	24.00	826.09	814.24
MW-0603-S1	9/24/2013	12.65	24.18	826.09	813.44
MW-0603-S1	4/22/2014	11.52	24.09	826.09	814.57
MW-0603-S1	9/3/2014	12.91	24.78	826.09	813.18
MW-0603-S1	3/10/2015	11.96	24.05	826.09	814.13
MW-0603-S1	9/8/2015	12.14	24.07	826.09	813.95
MW-0603-S1	3/10/2016	11.64	24.04	826.09	814.45

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0603-S1	9/7/2016	12.27	24.10	827.09	814.82
MW-0603-S1	11/16/2016	12.76	NM	827.09	814.33
MW-0603-S1	3/3/2017	11.29	24.13	825.36	814.07
MW-0603-S2	3/24/2006	10.82	69.25	826.10	815.28
MW-0603-S2	3/31/2006	9.97	69.25	826.10	816.13
MW-0603-S2	4/28/2006	9.89	NM	826.10	816.21
MW-0603-S2	12/5/2006	8.46	NM	826.10	817.64
MW-0603-S2	3/8/2007	9.78	69.27	826.10	816.32
MW-0603-S2	1/16/2008	12.35	69.41	826.10	813.75
MW-0603-S2	11/11/2008	18.17	69.21	826.10	807.93
MW-0603-S2	2/17/2009	14.83	NM	826.10	811.27
MW-0603-S2	6/12/2009	12.98	NM	826.10	813.12
MW-0603-S2	4/13/2010	11.96	69.35	826.10	814.14
MW-0603-S2	9/5/2010	16.72	69.25	826.10	809.38
MW-0603-S2	4/20/2011	12.19	69.04	826.10	813.91
MW-0603-S2	9/27/2011	14.39	69.35	826.10	811.71
MW-0603-S2	3/29/2012	12.07	69.28	826.10	814.03
MW-0603-S2	10/9/2012	17.45	69.15	826.10	808.65
MW-0603-S2	3/12/2013	12.45	69.15	826.10	813.65
MW-0603-S2	9/24/2013	15.09	69.29	826.10	811.01
MW-0603-S2	4/22/2014	13.02	70.65	826.10	813.08
MW-0603-S2	9/3/2014	16.67	83.45	826.10	809.43
MW-0603-S2	3/10/2015	11.96	84.05	826.10	814.14
MW-0603-S2	9/8/2015	12.83	84.50	826.10	813.27
MW-0603-S2	9/3/2015	Abandoned Well			
MW-0604-S1	3/22/2006	10.65	29.41	826.28	815.63
MW-0604-S1	3/31/2006	9.87	29.41	826.28	816.41
MW-0604-S1	4/28/2006	10.59	NM	826.28	815.69
MW-0604-S1	12/5/2006	9.45	NM	826.28	816.83
MW-0604-S1	3/8/2007	10.37	28.81	826.28	815.91
MW-0604-S1	1/16/2008	11.15	28.95	826.28	815.13
MW-0604-S1	11/11/2008	14.27	28.73	826.28	812.01
MW-0604-S1	2/17/2009	12.51	NM	826.28	813.77
MW-0604-S1	6/12/2009	11.26	NM	826.28	815.02
MW-0604-S1	10/9/2012	13.73	28.78	826.28	812.55
MW-0604-S1	3/12/2013	11.87	28.78	826.28	814.41
MW-0604-S1	9/24/2013	12.74	28.91	826.28	813.54
MW-0604-S1	4/22/2014	11.59	28.98	826.28	814.69
MW-0604-S1	9/3/2014	13.09	28.41	826.28	813.19
MW-0604-S1	3/10/2015	12.06	28.58	826.28	814.22
MW-0604-S1	9/8/2015	12.13	27.94	826.28	814.15
MW-0604-S1	3/10/2016	11.66	28.18	826.28	814.62
MW-0604-S1	9/7/2016	12.40	28.24	826.28	813.88

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0604-S1	11/16/2016	12.64	NM	826.28	813.64
MW-0604-S1	3/3/2017	11.29	27.70	825.62	814.33
MW-0604-S2	3/22/2006	10.02	61.06	826.44	816.42
MW-0604-S2	3/31/2006	9.27	61.06	826.44	817.17
MW-0604-S2	4/28/2006	10.13	NM	826.44	816.31
MW-0604-S2	12/5/2006	8.70	NM	826.44	817.74
MW-0604-S2	3/8/2007	9.93	61.12	826.44	816.51
MW-0604-S2	1/16/2008	12.51	61.21	826.44	813.93
MW-0604-S2	11/11/2008	18.45	61.05	826.44	807.99
MW-0604-S2	2/17/2009	15.02	NM	826.44	811.42
MW-0604-S2	6/12/2009	13.17	NM	826.44	813.27
MW-0604-S2	4/13/2010	12.17	61.10	826.44	814.27
MW-0604-S2	9/5/2010	17.17	61.55	826.44	809.27
MW-0604-S2	4/20/2011	12.63	61.00	826.44	813.81
MW-0604-S2	9/27/2011	14.89	61.32	826.44	811.55
MW-0604-S2	3/29/2012	12.41	61.23	826.44	814.03
MW-0604-S2	10/9/2012	17.88	61.14	826.44	808.56
MW-0604-S2	3/12/2013	13.01	61.14	826.44	813.43
MW-0604-S2	9/24/2013	15.49	61.22	826.44	810.95
MW-0604-S2	4/22/2014	13.49	61.26	826.44	812.95
MW-0604-S2	9/3/2014	17.02	61.20	826.44	809.42
MW-0604-S2	3/10/2015	14.59	NM	826.44	811.85
MW-0604-S2	9/8/2015	12.97	61.11	826.44	813.47
MW-0604-S2	3/10/2016	12.98	NM	826.44	813.46
MW-0604-S2	9/7/2016	15.49	61.24	826.44	810.95
MW-0604-S2	11/16/2016	14.30	NM	826.44	812.14
MW-0604-S2	3/3/2017	11.91	61.05	825.86	813.95
MW-0605-B1	3/22/2006	10.79	89.55	827.44	816.65
MW-0605-B1	3/31/2006	9.99	89.55	827.44	817.45
MW-0605-B1	4/28/2006	10.95	NM	827.44	816.49
MW-0605-B1	12/5/2006	9.49	NM	827.44	817.95
MW-0605-B1	3/8/2007	10.77	89.53	827.44	816.67
MW-0605-B1	1/16/2008	13.45	89.65	827.44	813.99
MW-0605-B1	11/11/2008	19.44	89.60	827.44	808.00
MW-0605-B1	2/17/2009	16.04	NM	827.44	811.40
MW-0605-B1	6/12/2009	14.11	NM	827.44	813.33
MW-0605-B1	4/13/2010	13.10	89.85	827.44	814.34
MW-0605-B1	9/5/2010	18.20	89.60	827.44	809.24
MW-0605-B1	4/20/2011	13.61	89.50	827.44	813.83
MW-0605-B1	9/27/2011	15.86	89.75	827.44	811.58
MW-0605-B1	8/24/2015	Abandoned Well			
MW-0605-S1	3/22/2006	11.23	29.83	827.38	816.15
MW-0605-S1	3/31/2006	10.46	29.83	827.38	816.92
MW-0605-S1	4/28/2006	11.19	NM	827.38	816.19

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0605-S1	12/5/2006	9.97	NM	827.38	817.41
MW-0605-S1	3/8/2007	10.98	29.64	827.38	816.40
MW-0605-S1	1/16/2008	11.79	29.71	827.38	815.59
MW-0605-S1	11/11/2008	15.14	29.65	827.38	812.24
MW-0605-S1	2/17/2009	13.42	NM	827.38	813.96
MW-0605-S1	6/12/2009	11.91	NM	827.38	815.47
MW-0605-S1	4/13/2010	11.64	29.65	827.38	815.74
MW-0605-S1	9/5/2010	14.37	29.64	827.38	813.01
MW-0605-S1	4/20/2011	11.20	29.50	827.38	816.18
MW-0605-S1	9/27/2011	12.35	29.82	827.38	815.03
MW-0605-S1	3/29/2012	11.90	29.75	827.38	815.48
MW-0605-S1	10/9/2012	14.59	29.50	827.38	812.79
MW-0605-S1	3/12/2013	12.70	29.50	827.38	814.68
MW-0605-S1	9/24/2013	13.55	29.74	827.38	813.83
MW-0605-S1	4/22/2014	12.23	29.71	827.38	815.15
MW-0605-S1	9/3/2014	13.90	30.62	827.38	813.48
MW-0605-S1	3/10/2015	12.83	29.07	827.38	814.55
MW-0605-S1	9/8/2015	12.93	29.00	827.38	814.45
MW-0605-S1	3/10/2016	12.41	29.15	827.38	814.97
MW-0605-S1	9/7/2016	13.18	29.17	827.38	814.2
MW-0605-S1	11/16/2016	13.49	NM	827.38	813.89
MW-0605-S1	3/3/2017	11.99	28.75	826.78	814.79
MW-0605-S2	3/22/2006	10.87	61.15	827.38	816.51
MW-0605-S2	3/31/2006	10.02	61.15	827.38	817.36
MW-0605-S2	4/28/2006	10.91	NM	827.38	816.47
MW-0605-S2	12/5/2006	9.44	NM	827.38	817.94
MW-0605-S2	3/8/2007	10.72	61.13	827.38	816.66
MW-0605-S2	1/16/2008	13.36	61.26	827.38	814.02
MW-0605-S2	11/11/2008	19.36	61.12	827.38	808.02
MW-0605-S2	2/17/2009	15.97	NM	827.38	811.41
MW-0605-S2	6/12/2009	14.06	NM	827.38	813.32
MW-0605-S2	4/13/2010	13.05	61.18	827.38	814.33
MW-0605-S2	9/5/2010	18.12	61.20	827.38	809.26
MW-0605-S2	4/20/2011	13.55	61.11	827.38	813.83
MW-0605-S2	9/27/2011	15.82	61.35	827.38	811.56
MW-0605-S2	3/29/2012	13.25	61.28	827.38	814.13
MW-0605-S2	10/9/2012	18.86	61.21	827.38	808.52
MW-0605-S2	3/12/2013	14.06	61.21	827.38	813.32
MW-0605-S2	9/24/2013	16.42	61.25	827.38	810.96
MW-0605-S2	4/22/2014	14.38	62.10	827.38	813.00
MW-0605-S2	9/3/2014	18.09	62.32	827.38	809.29
MW-0605-S2	3/10/2015	NM	NM	827.38	NM
MW-0605-S2	9/8/2015	14.02	61.18	827.38	813.36
MW-0605-S2	3/10/2016	13.91	NM	827.38	813.47
MW-0605-S2	9/7/2016	16.51	61.33	827.38	810.87

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0605-S2	11/16/2016	15.18	NM	827.38	812.2
MW-0605-S2	3/3/2017	12.72	61.09	826.76	814.04
MW-0606-S1	3/23/2006	8.80	31.65	824.10	815.30
MW-0606-S1	3/31/2006	8.03	31.65	824.10	816.07
MW-0606-S1	4/28/2006	8.71	NM	824.10	815.39
MW-0606-S1	12/5/2006	7.67	NM	824.10	816.43
MW-0606-S1	3/8/2007	8.54	31.52	824.10	815.56
MW-0606-S1	11/11/2008	12.36	31.40	824.10	811.74
MW-0606-S1	2/17/2009	10.43	NM	824.10	813.67
MW-0606-S1	6/12/2009	8.38	NM	824.10	815.72
MW-0606-S1	4/13/2010	9.20	31.42	824.10	814.90
MW-0606-S1	10/9/2012	11.72	31.26	824.10	812.38
MW-0606-S1	3/12/2013	9.89	31.26	824.10	814.21
MW-0606-S1	9/24/2013	10.51	31.34	824.10	813.59
MW-0606-S1	4/22/2014	9.71	31.27	824.10	814.39
MW-0606-S1	9/3/2014	11.11	31.25	824.10	812.99
MW-0606-S1	3/10/2015	10.08	30.91	824.10	814.02
MW-0606-S1	9/8/2015	10.27	29.81	824.10	813.83
MW-0606-S1	3/10/2016	9.69	30.82	824.10	814.41
MW-0606-S1	9/7/2016	10.47	30.73	824.10	813.63
MW-0606-S1	11/16/2016	11.04	NM	824.10	813.06
MW-0606-S1	3/3/2017	9.39	30.71	823.45	814.06
MW-0606-S2	3/23/2006	7.68	58.83	823.97	816.29
MW-0606-S2	3/31/2006	6.93	58.83	823.97	817.04
MW-0606-S2	4/28/2006	8.72	NM	823.97	815.25
MW-0606-S2	12/5/2006	6.35	NM	823.97	817.62
MW-0606-S2	3/8/2007	7.61	58.67	823.97	816.36
MW-0606-S2	11/11/2008	15.92	58.70	823.97	808.05
MW-0606-S2	2/17/2009	12.51	NM	823.97	811.46
MW-0606-S2	6/12/2009	10.68	NM	823.97	813.29
MW-0606-S2	9/5/2010	14.62	59.00	823.97	809.35
MW-0606-S2	4/20/2011	10.15	58.63	823.97	813.82
MW-0606-S2	9/27/2011	12.38	58.90	823.97	811.59
MW-0606-S2	3/29/2012	10.00	58.80	823.97	813.97
MW-0606-S2	10/9/2012	15.34	58.69	823.97	808.63
MW-0606-S2	3/12/2013	10.47	58.69	823.97	813.50
MW-0606-S2	9/24/2013	13.00	58.85	823.97	810.97
MW-0606-S2	4/22/2014	11.06	58.84	823.97	812.91
MW-0606-S2	9/3/2014	14.46	58.82	823.97	809.51
MW-0606-S2	3/10/2015	12.10	NM	823.97	811.87
MW-0606-S2	9/8/2015	10.65	59.35	823.97	813.32
MW-0606-S2	3/10/2016	10.53	58.83	823.97	813.44
MW-0606-S2	9/7/2016	NM	NM	823.97	Covered

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0606-S2	11/16/2016	10.01	NM	823.97	Covered
MW-0606-S2	3/3/2017	9.48	58.84	823.39	813.91
MW-0607-B1	1/16/2008	8.40	77.51	822.768	814.37
MW-0607-B1	11/11/2008	13.99	77.42	822.768	808.78
MW-0607-B1	2/17/2009	10.63	NM	822.768	812.14
MW-0607-B1	6/12/2009	8.95	NM	822.768	813.82
MW-0607-B1	4/13/2010	8.02	77.46	822.768	814.75
MW-0607-B1	9/5/2010	12.50	78.00	822.768	810.27
MW-0607-B1	4/20/2011	8.41	77.44	822.768	814.36
MW-0607-B1	9/27/2011	10.60	77.62	822.768	812.17
MW-0607-B1	9/3/2015	Abandoned Well			
MW-0607-S1	3/24/2006	8.55	26.85	822.65	814.10
MW-0607-S1	3/31/2006	7.78	26.85	822.65	814.87
MW-0607-S1	4/28/2006	8.52	NM	822.65	814.13
MW-0607-S1	12/5/2006	7.68	NM	822.65	814.97
MW-0607-S1	3/8/2007	8.33	26.55	822.65	814.32
MW-0607-S1	1/16/2008	8.88	26.68	822.65	813.77
MW-0607-S1	11/11/2008	11.61	26.50	822.65	811.04
MW-0607-S1	2/17/2009	9.72	NM	822.65	812.93
MW-0607-S1	6/12/2009	9.12	NM	822.65	813.53
MW-0607-S1	4/13/2010	9.00	26.50	822.65	813.65
MW-0607-S1	9/5/2010	10.98	26.50	822.65	811.67
MW-0607-S1	4/20/2011	8.49	26.42	822.65	814.16
MW-0607-S1	9/27/2011	9.31	26.40	822.65	813.34
MW-0607-S1	3/29/2012	9.26	26.27	822.65	813.39
MW-0607-S1	10/9/2012	11.05	26.00	822.65	811.60
MW-0607-S1	3/12/2013	9.40	26.00	822.65	813.25
MW-0607-S1	9/24/2013	10.30	26.25	822.65	812.35
MW-0607-S1	4/22/2014	9.53	26.16	822.65	813.12
MW-0607-S1	9/3/2014	10.53	26.23	822.65	812.12
MW-0607-S1	3/10/2015	9.69	26.27	822.65	812.96
MW-0607-S1	9/8/2015	9.82	26.17	822.65	812.83
MW-0607-S1	3/10/2016	9.29	29.14	822.65	813.36
MW-0607-S1	9/7/2016	9.96	26.13	822.65	812.69
MW-0607-S1	11/16/2016	10.98	NM	822.65	811.67
MW-0607-S1	3/3/2017	90.80	26.12	821.93	812.85
MW-0607-S2	3/8/2007	7.00	50.51	823.06	816.06
MW-0607-S2	1/16/2008	9.27	50.65	823.06	813.79
MW-0607-S2	11/11/2008	14.91	50.57	823.06	808.15
MW-0607-S2	2/17/2009	11.53	NM	823.06	811.53
MW-0607-S2	6/12/2009	9.83	NM	823.06	813.23
MW-0607-S2	4/13/2010	8.78	50.58	823.06	814.28
MW-0607-S2	9/5/2010	13.63	57.05	823.06	809.43
MW-0607-S2	4/20/2011	9.15	50.47	823.06	813.91

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0607-S2	9/27/2011	11.47	50.72	823.06	811.59
MW-0607-S2	3/29/2012	9.21	50.68	823.06	813.85
MW-0607-S2	10/9/2012	14.27	50.66	823.06	808.79
MW-0607-S2	3/12/2013	9.56	50.66	823.06	813.50
MW-0607-S2	9/24/2013	12.10	50.74	823.06	810.96
MW-0607-S2	4/22/2014	10.16	50.68	823.06	812.90
MW-0607-S2	9/3/2014	13.42	50.66	823.06	809.64
MW-0607-S2	3/10/2015	11.22	NM	823.06	811.84
MW-0607-S2	9/8/2015	9.91	46.85	823.06	813.15
MW-0607-S2	3/10/2016	9.77	50.69	823.06	813.29
MW-0607-S2	9/7/2016	12.05	50.89	823.06	811.01
MW-0607-S2	11/16/2016	11.03	NM	823.06	812.03
MW-0607-S2	3/3/2017	8.78	50.73	822.35	813.57
MW-0608-B1	3/23/2006	9.84	91.07	825.97	816.13
MW-0608-B1	3/31/2006	9.05	91.07	825.97	816.92
MW-0608-B1	4/28/2006	9.79	NM	825.97	816.18
MW-0608-B1	12/5/2006	8.51	NM	825.97	817.46
MW-0608-B1	3/8/2007	9.72	89.59	825.97	816.25
MW-0608-B1	1/16/2008	12.18	89.67	825.97	813.79
MW-0608-B1	11/11/2008	17.90	89.65	825.97	808.07
MW-0608-B1	2/17/2009	14.49	NM	825.97	811.48
MW-0608-B1	6/12/2009	12.72	NM	825.97	813.25
MW-0608-B1	4/13/2010	11.69	83.99	825.97	814.28
MW-0608-B1	9/5/2010	16.58	90.08	825.97	809.39
MW-0608-B1	4/20/2011	12.25	89.52	825.97	813.72
MW-0608-B1	9/27/2011	14.36	89.75	825.97	811.61
MW-0608-B1	9/3/2015	Abandoned Well			
MW-0608-S1	3/23/2006	11.74	30.81	825.97	814.23
MW-0608-S1	3/31/2006	10.97	30.81	825.97	815.00
MW-0608-S1	4/28/2006	11.66	NM	825.97	814.31
MW-0608-S1	12/5/2006	10.73	NM	825.97	815.24
MW-0608-S1	3/8/2007	11.43	30.38	825.97	814.54
MW-0608-S1	1/16/2008	11.94	30.45	825.97	814.03
MW-0608-S1	11/11/2008	14.67	30.20	825.97	811.30
MW-0608-S1	2/17/2009	12.93	NM	825.97	813.04
MW-0608-S1	6/12/2009	12.27	NM	825.97	813.70
MW-0608-S1	4/13/2010	12.13	30.11	825.97	813.84
MW-0608-S1	9/5/2010	14.08	29.96	825.97	811.89
MW-0608-S1	4/20/2011	11.50	29.90	825.97	814.47
MW-0608-S1	9/27/2011	12.38	30.00	825.97	813.59
MW-0608-S1	3/29/2012	12.19	30.02	825.97	813.78
MW-0608-S1	10/9/2012	14.10	29.60	825.97	811.87
MW-0608-S1	3/12/2013	12.42	29.60	825.97	813.55
MW-0608-S1	9/24/2013	13.35	29.40	825.97	812.62

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0608-S1	4/22/2014	12.47	29.26	825.97	813.50
MW-0608-S1	9/3/2014	13.58	28.94	825.97	812.39
MW-0608-S1	3/10/2015	12.70	28.73	825.97	813.27
MW-0608-S1	9/8/2015	12.93	28.58	825.97	813.04
MW-0608-S1	3/10/2016	12.38	28.62	825.97	813.59
MW-0608-S1	9/7/2016	13.04	28.37	825.97	812.93
MW-0608-S1	11/16/2016	13.17	NM	825.97	812.80
MW-0608-S1	3/3/2017	12.14	28.29	825.26	813.12
MW-0608-S2	3/23/2006	9.71	67.75	825.97	816.26
MW-0608-S2	3/31/2006	8.86	67.75	825.97	817.11
MW-0608-S2	4/28/2006	9.76	NM	825.97	816.21
MW-0608-S2	12/5/2006	8.43	NM	825.97	817.54
MW-0608-S2	3/8/2007	9.70	67.76	825.97	816.27
MW-0608-S2	1/16/2008	12.10	68.91	825.97	813.87
MW-0608-S2	11/11/2008	17.84	67.80	825.97	808.13
MW-0608-S2	2/17/2009	14.45	NM	825.97	811.52
MW-0608-S2	6/12/2009	12.68	NM	825.97	813.29
MW-0608-S2	4/13/2010	11.59	67.85	825.97	814.38
MW-0608-S2	9/5/2010	16.55	68.25	825.97	809.42
MW-0608-S2	4/20/2011	12.12	67.70	825.97	813.85
MW-0608-S2	9/27/2011	14.31	67.99	825.97	811.66
MW-0608-S2	3/29/2012	11.90	67.90	825.97	814.07
MW-0608-S2	10/9/2012	17.22	67.75	825.97	808.75
MW-0608-S2	3/21/2013	12.43	67.75	825.97	813.54
MW-0608-S2	9/24/2013	14.96	67.04	825.97	811.01
MW-0608-S2	4/22/2014	13.02	68.94	825.97	812.95
MW-0608-S2	9/3/2014	16.41	67.81	825.97	809.56
MW-0608-S2	3/10/2015	14.10	NM	825.97	811.87
MW-0608-S2	9/8/2015	12.80	68.73	825.97	813.17
MW-0608-S2	3/10/2016	12.48	67.96	825.97	813.49
MW-0608-S2	9/7/2016	15.17	67.91	825.97	810.8
MW-0608-S2	11/16/2016	13.82	NM	825.97	812.15
MW-0608-S2	3/3/2017	11.52	68.01	825.19	813.67
MW-0609-S1	3/23/2006	9.49	28.45	822.75	813.26
MW-0609-S1	3/31/2006	9.17	28.45	822.75	813.58
MW-0609-S1	4/28/2006	9.47	NM	822.75	813.28
MW-0609-S1	12/5/2006	8.62	NM	822.75	814.13
MW-0609-S1	3/9/2007	9.15	27.05	822.75	813.60
MW-0609-S1	1/16/2008	9.45	27.40	822.75	813.30
MW-0609-S1	11/11/2008	11.81	27.05	822.75	810.94
MW-0609-S1	2/17/2009	10.22	NM	822.75	812.53
MW-0609-S1	6/12/2009	9.73	NM	822.75	813.02
MW-0609-S1	4/13/2010	9.84	26.99	822.75	812.91
MW-0609-S1	9/5/2010	11.35	27.05	822.75	811.40

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0609-S1	4/20/2011	9.13	27.00	822.75	813.62
MW-0609-S1	9/27/2011	9.85	27.04	822.75	812.90
MW-0609-S1	3/29/2012	9.76	27.11	822.75	812.99
MW-0609-S1	10/9/2012	11.31	26.80	822.75	811.44
MW-0609-S1	3/12/2013	18.78	26.80	822.75	803.97
MW-0609-S1	9/24/2013	10.64	27.00	822.75	812.11
MW-0609-S1	4/22/2014	10.00	26.93	822.75	812.75
MW-0609-S1	9/3/2014	10.84	26.83	822.75	811.91
MW-0609-S1	9/8/2015	10.32	26.87	822.75	812.43
MW-0609-S1	3/10/2016	9.86	26.77	822.75	812.89
MW-0609-S1	9/7/2016	10.43	26.68	822.75	812.32
MW-0609-S1	11/16/2016	10.83	NM	822.75	811.92
MW-0609-S1	3/3/2017	9.67	26.65	822.00	812.33
MW-0609-S2	12/5/2006	5.68	NM	823.09	817.41
MW-0609-S2	3/8/2007	6.93	61.32	823.09	816.16
MW-0609-S2	1/16/2008	9.24	61.44	823.09	813.85
MW-0609-S2	11/11/2008	14.97	61.30	823.09	808.12
MW-0609-S2	2/17/2009	11.60	NM	823.09	811.49
MW-0609-S2	6/12/2009	9.86	NM	823.09	813.23
MW-0609-S2	4/13/2010	8.77	62.43	823.09	814.32
MW-0609-S2	9/5/2010	13.69	61.45	823.09	809.40
MW-0609-S2	4/20/2011	9.22	61.30	823.09	813.87
MW-0609-S2	9/27/2011	11.52	61.59	823.09	811.57
MW-0609-S2	3/29/2012	9.15	61.52	823.09	813.94
MW-0609-S2	10/9/2012	14.36	26.80	823.09	808.73
MW-0609-S2	3/12/2013	9.62	26.80	823.09	813.47
MW-0609-S2	9/24/2013	12.15	61.54	823.09	810.94
MW-0609-S2	4/22/2014	10.21	61.49	823.09	812.88
MW-0609-S2	9/3/2014	13.53	61.51	823.09	809.56
MW-0609-S2	3/10/2015	11.23	NM	823.09	811.86
MW-0609-S2	9/8/2015	10.10	62.50	823.09	812.99
MW-0609-S2	3/10/2016	9.65	61.53	823.09	813.44
MW-0609-S2	9/7/2016	12.37	61.43	823.09	810.72
MW-0609-S2	11/16/2016	10.96	NM	823.09	812.13
MW-0609-S2	3/3/2017	8.73	61.53	822.46	813.73
MW-0610-S1	12/5/2006	8.87	NM	822.55	813.68
MW-0610-S1	3/8/2007	9.42	31.55	822.55	813.13
MW-0610-S1	1/16/2008	9.97	31.59	822.55	812.58
MW-0610-S1	11/11/2008	11.85	31.46	822.55	810.70
MW-0610-S1	2/17/2009	10.39	NM	822.55	812.16
MW-0610-S1	6/12/2009	10.07	NM	822.55	812.48
MW-0610-S1	4/13/2010	10.28	31.49	822.55	812.27
MW-0610-S1	9/5/2010	11.55	31.65	822.55	811.00
MW-0610-S1	4/20/2011	9.55	31.42	822.55	813.00

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0610-S1	9/27/2011	11.18	31.68	822.55	811.37
MW-0610-S1	3/29/2012	10.13	31.64	822.55	812.42
MW-0610-S1	10/9/2012	11.39	31.44	822.55	811.16
MW-0610-S1	3/12/2013	10.16	31.44	822.55	812.39
MW-0610-S1	9/24/2013	10.85	31.63	822.55	811.70
MW-0610-S1	4/22/2014	9.45	31.65	822.55	813.10
MW-0610-S1	9/3/2014	11.06	31.59	822.55	811.49
MW-0610-S1	3/10/2015	10.41	31.64	822.55	812.14
MW-0610-S1	9/8/2015	10.59	31.67	822.55	811.96
MW-0610-S1	3/10/2016	10.11	31.65	822.55	812.44
MW-0610-S1	9/7/2016	10.78	31.66	822.55	811.77
MW-0610-S1	11/16/2016	11.07	NM	822.55	811.48
MW-0610-S1	3/3/2017	9.89	31.67	821.78	811.89
MW-0611-S1	12/5/2006	4.97	NM	821.77	816.80
MW-0611-S1	3/8/2007	7.45	17.60	821.77	814.32
MW-0611-S1	1/16/2008	8.06	17.70	821.77	813.71
MW-0611-S1	2/17/2009	11.15	NM	821.77	810.62
MW-0611-S1	6/12/2009	10.00	NM	821.77	811.77
MW-0611-S1	4/13/2010	8.85	17.60	821.77	812.92
MW-0611-S1	9/5/2010	12.67	17.65	821.77	809.10
MW-0611-S1	10/9/2012	NM	NM	821.77	Could not Locate
MW-0611-S1	11/16/2016	10.72	NM	821.77	816.80
MW-0611-S1	3/3/2017	8.65	17.76	818.04	809.39
MW-0612-S1	12/5/2006	9.13	NM	823.85	814.72
MW-0612-S1	3/8/2007	8.90	27.12	823.85	814.95
MW-0612-S1	1/16/2008	9.50	27.25	823.85	814.35
MW-0612-S1	11/11/2008	12.44	27.15	823.85	811.41
MW-0612-S1	2/17/2009	10.59	NM	823.85	813.26
MW-0612-S1	6/12/2009	9.71	NM	823.85	814.14
MW-0612-S1	3/29/2012	9.79	27.30	823.85	814.06
MW-0612-S1	10/9/2012	11.84	27.10	823.85	812.01
MW-0612-S1	3/12/2013	10.10	27.10	823.85	813.75
MW-0612-S1	9/24/2013	10.49	27.32	823.85	813.36
MW-0612-S1	4/22/2014	10.03	27.30	823.85	813.82
MW-0612-S1	9/3/2014	11.29	27.31	823.85	812.56
MW-0612-S1	3/10/2015	10.30	27.30	823.85	813.55
MW-0612-S1	9/8/2015	10.52	27.33	823.85	813.33
MW-0612-S1	3/10/2016	9.95	27.33	823.85	813.9
MW-0612-S1	9/7/2016	10.66	27.33	823.85	813.19
MW-0612-S1	11/16/2016	10.98	NM	823.85	812.87
MW-0612-S1	3/3/2017	9.70	27.34	823.14	813.44
MW-0612-S2	12/5/2006	6.34	NM	823.84	817.50
MW-0612-S2	3/8/2007	7.59	54.94	823.84	816.25
MW-0612-S2	1/16/2008	10.00	55.10	823.84	813.84

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0612-S2	11/11/2008	15.74	55.00	823.84	808.10
MW-0612-S2	2/17/2009	12.34	NM	823.84	811.50
MW-0612-S2	6/12/2009	10.57	NM	823.84	813.27
MW-0612-S2	3/29/2012	9.78	55.14	823.84	814.06
MW-0612-S2	10/9/2012	15.14	54.90	823.84	808.70
MW-0612-S2	3/12/2013	10.35	54.90	823.84	813.49
MW-0612-S2	9/24/2013	12.57	55.15	823.84	811.27
MW-0612-S2	4/22/2014	10.91	55.11	823.84	812.93
MW-0612-S2	9/3/2014	14.28	55.07	823.84	809.56
MW-0612-S2	3/10/2015	11.96	NM	823.84	811.88
MW-0612-S2	9/8/2015	10.60	54.65	823.84	813.24
MW-0612-S2	3/10/2016	10.38	55.98	823.84	813.46
MW-0612-S2	9/7/2016	12.87	55.14	823.84	810.97
MW-0612-S2	11/16/2016	11.71	NM	823.84	812.13
MW-0612-S2	3/3/2017	9.43	55.18	823.14	813.71
MW-0613-S1	12/5/2006	5.87	NM	822.03	816.16
MW-0613-S1	3/8/2007	6.72	25.36	822.03	815.31
MW-0613-S1	1/16/2008	7.40	25.50	822.03	814.63
MW-0613-S1	11/11/2008	10.57	25.39	822.03	811.46
MW-0613-S1	2/17/2009	8.53	NM	822.03	813.50
MW-0613-S1	6/12/2009	7.61	NM	822.03	814.42
MW-0613-S1	4/13/2010	7.40	25.40	822.03	814.63
MW-0613-S1	9/5/2010	9.85	25.40	822.03	812.18
MW-0613-S1	4/20/2011	6.79	25.58	822.03	815.24
MW-0613-S1	9/27/2011	7.84	25.58	822.03	814.19
MW-0613-S1	3/29/2012	7.53	25.34	822.03	814.50
MW-0613-S1	10/9/2012	9.96	25.37	822.03	812.07
MW-0613-S1	3/12/2013	8.01	25.37	822.03	814.02
MW-0613-S1	9/24/2013	9.03	25.55	822.03	813.00
MW-0613-S1	4/22/2014	7.97	25.55	822.03	814.06
MW-0613-S1	9/3/2014	9.34	25.55	822.03	812.69
MW-0613-S1	3/10/2015	8.32	24.81	822.03	813.71
MW-0613-S1	9/8/2015	8.49	25.61	822.03	813.54
MW-0613-S1	3/10/2016	7.86	25.78	822.03	814.17
MW-0613-S1	9/7/2016	8.67	25.58	822.03	813.36
MW-0613-S1	11/16/2016	8.76	NM	822.03	813.27
MW-0613-S1	11/16/2016	7.61	25.60	821.47	813.86
MW-0614-B1	12/5/2006	9.13	NM	826.94	817.81
MW-0614-B1	3/8/2007	10.41	89.69	826.94	816.53
MW-0614-B1	1/16/2008	13.06	89.75	826.94	813.88
MW-0614-B1	11/11/2008	18.92	89.62	826.94	808.02
MW-0614-B1	2/17/2009	15.55	NM	826.94	811.39
MW-0614-B1	6/12/2009	13.69	NM	826.94	813.25
MW-0614-B1	4/13/2010	12.68	89.75	826.94	814.26

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0614-B1	9/5/2010	17.66	90.20	826.94	809.28
MW-0614-B1	4/20/2011	13.10	89.60	826.94	813.84
MW-0614-B1	9/27/2011	15.31	89.90	826.94	811.63
MW-0614-B1	9/3/2015	Abandoned Well			
MW-0614-S2	12/5/2006	9.05	NM	826.81	817.76
MW-0614-S2	3/8/2007	10.33	57.68	826.81	816.48
MW-0614-S2	1/16/2008	13.00	57.80	826.81	813.81
MW-0614-S2	11/11/2008	18.81	57.55	826.81	808.00
MW-0614-S2	2/17/2009	15.45	NM	826.81	811.36
MW-0614-S2	6/12/2009	13.58	NM	826.81	813.23
MW-0614-S2	4/13/2010	12.58	57.80	826.81	814.23
MW-0614-S2	9/5/2010	17.57	58.05	826.81	809.24
MW-0614-S2	4/20/2011	12.97	57.65	826.81	813.84
MW-0614-S2	9/27/2011	15.21	57.90	826.81	811.60
MW-0614-S2	3/29/2012	12.84	57.85	826.81	813.97
MW-0614-S2	10/9/2012	18.27	57.70	826.81	808.54
MW-0614-S2	3/12/2013	13.25	57.70	826.81	813.56
MW-0614-S2	9/24/2013	15.91	57.91	826.81	810.90
MW-0614-S2	4/22/2014	13.78	57.87	826.81	813.03
MW-0614-S2	9/3/2014	16.43	57.85	826.81	810.38
MW-0614-S2	3/10/2015	15.13	NM	826.81	811.68
MW-0614-S2	9/8/2015	13.36	57.95	826.81	813.45
MW-0614-S2	3/10/2016	13.41	57.88	826.81	813.4
MW-0614-S2	9/7/2016	15.91	57.49	826.81	810.9
MW-0614-S2	11/16/2016	14.86	NM	826.81	811.95
MW-0614-S2	3/3/2017	12.22	57.93	826.22	814.00
MW-0615-B1	12/5/2006	12.12	NM	824.74	812.62
MW-0615-B1	3/8/2007	13.37	78.28	824.74	811.37
MW-0615-B1	1/16/2008	13.84	78.45	824.74	810.90
MW-0615-B1	11/11/2008	18.16	78.19	824.74	806.58
MW-0615-B1	2/17/2009	14.75	NM	824.74	809.99
MW-0615-B1	6/12/2009	14.12	NM	824.74	810.62
MW-0615-B1	4/13/2010	13.53	78.36	824.74	811.21
MW-0615-B1	9/5/2010	17.05	78.35	824.74	807.69
MW-0615-B1	4/20/2011	14.05	78.26	824.74	810.69
MW-0615-B1	9/27/2011	15.19	78.45	824.74	809.55
MW-0615-B1	8/25/2015	Abandoned Well			
MW-0616-B1	12/5/2006	4.58	110.55	822.3	817.72
MW-0616-B1	3/8/2007	5.88	110.55	822.3	816.42
MW-0616-B1	1/16/2008	8.60	110.55	822.3	813.70
MW-0616-B1	11/11/2008	14.52	110.51	822.3	807.78
MW-0616-B1	2/17/2009	11.02	NM	822.3	811.28
MW-0616-B1	6/12/2009	9.18	NM	822.3	813.12
MW-0616-B1	4/13/2010	8.23	NM	822.3	814.07

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0616-B1	9/5/2010	13.10	NM	822.3	809.20
MW-0616-B1	4/20/2011	8.51	--	822.3	813.79
MW-0616-B1	9/27/2011	10.76	110.80	822.3	811.54
MW-0616-B1	9/2/2015	Abandoned Well			
MW-0616-S1	12/5/2006	6.58	NM	822.06	815.48
MW-0616-S1	3/8/2007	7.11	24.36	822.06	814.95
MW-0616-S1	1/16/2008	7.47	24.50	822.06	814.59
MW-0616-S1	11/11/2008	9.84	24.25	822.06	812.22
MW-0616-S1	2/17/2009	8.31	NM	822.06	813.75
MW-0616-S1	6/12/2009	7.53	NM	822.06	814.53
MW-0616-S1	4/13/2010	7.49	24.30	822.06	814.57
MW-0616-S1	9/5/2010	9.28	24.25	822.06	812.78
MW-0616-S1	4/20/2011	6.39	24.22	822.06	815.67
MW-0616-S1	9/27/2011	7.53	24.40	822.06	814.53
MW-0616-S1	3/29/2012	7.68	24.53	822.06	814.38
MW-0616-S1	10/9/2012	9.32	24.19	822.06	812.74
MW-0616-S1	3/12/2013	8.09	24.19	822.06	813.97
MW-0616-S1	9/24/2013	8.59	24.24	822.06	813.47
MW-0616-S1	4/22/2014	7.83	24.24	822.06	814.23
MW-0616-S1	9/3/2014	8.70	24.21	822.06	813.36
MW-0616-S1	3/10/2015	7.97	22.50	822.06	814.09
MW-0616-S1	9/8/2015	8.29	24.21	822.06	813.77
MW-0616-S1	3/10/2016	7.79	24.17	822.06	814.27
MW-0616-S1	9/7/2016	14.49	24.19	822.06	807.57
MW-0616-S1	11/16/2016	8.87	NM	822.06	813.19
MW-0616-S1	3/3/2017	7.73	24.02	821.29	813.56
MW-0617-B1	3/8/2007	10.02	NM	826.63	816.61
MW-0617-B1	1/16/2008	12.58	NM	826.63	814.05
MW-0617-B1	11/11/2008	18.49	NM	826.63	808.14
MW-0617-B1	2/17/2009	15.08	NM	826.63	811.55
MW-0617-B1	6/12/2009	13.25	NM	826.63	813.38
MW-0617-B1	9/3/2015	Abandoned Well			
MW-0617-S1	3/8/2007	11.18	29.36	826.47	815.29
MW-0617-S1	1/16/2008	11.90	29.50	826.47	814.57
MW-0617-S1	11/11/2008	14.87	29.40	826.47	811.60
MW-0617-S1	2/17/2009	13.07	NM	826.47	813.40
MW-0617-S1	6/12/2009	12.03	NM	826.47	814.44
MW-0617-S1	10/9/2012	14.27	29.41	826.47	812.20
MW-0617-S1	3/12/2013	12.64	29.41	826.47	813.83
MW-0617-S1	9/24/2013	13.38	29.50	826.47	813.09
MW-0617-S1	4/22/2014	12.32	29.47	826.47	814.15
MW-0617-S1	9/3/2014	13.63	29.51	826.47	812.84
MW-0617-S1	3/10/2015	12.72	29.49	826.47	813.75
MW-0617-S1	9/8/2015	12.89	29.30	826.47	813.58

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0617-S1	3/10/2016	12.37	29.58	826.47	814.1
MW-0617-S1	9/7/2016	13.05	29.57	826.47	813.42
MW-0617-S1	11/16/2016	13.32	NM	826.47	813.15
MW-0617-S1	3/3/2017	12.04	28.25	826.10	814.06
MW-0617-S2	3/8/2007	10.21	63.37	826.66	816.45
MW-0617-S2	1/16/2008	12.80	63.15	826.66	813.86
MW-0617-S2	11/11/2008	18.68	63.20	826.66	807.98
MW-0617-S2	2/17/2009	15.33	NM	826.66	811.33
MW-0617-S2	6/12/2009	13.44	NM	826.66	813.22
MW-0617-S2	6/12/2009	13.44	NM	826.66	813.22
MW-0617-S2	3/10/2016	13.02	NM	826.66	813.64
MW-0617-S2	9/7/2016	15.01	63.22	826.66	811.65
MW-0617-S2	11/16/2016	14.57	63.45	826.66	812.09
MW-0617-S2	3/3/2017	12.22	62.98	826.02	813.80
MW-0618-S1	12/5/2006	8.13	NM	824.84	816.71
MW-0618-S1	3/8/2007	9.08	27.00	824.84	815.76
MW-0618-S1	1/16/2008	9.72	27.12	824.84	815.12
MW-0618-S1	11/11/2008	13.07	27.05	824.84	811.77
MW-0618-S1	2/17/2009	11.09	NM	824.84	813.75
MW-0618-S1	6/12/2009	9.94	NM	824.84	814.90
MW-0618-S1	4/13/2010	9.73	27.31	824.84	815.11
MW-0618-S1	9/5/2010	12.32	27.05	824.84	812.52
MW-0618-S1	4/20/2011	9.13	26.99	824.84	815.71
MW-0618-S1	9/27/2011	10.28	27.20	824.84	814.56
MW-0618-S1	3/29/2012	10.06	27.19	824.84	814.78
MW-0618-S1	10/9/2012	12.43	26.99	824.84	812.41
MW-0618-S1	3/12/2013	10.51	26.99	824.84	814.33
MW-0618-S1	9/24/2013	11.48	27.18	824.84	813.36
MW-0618-S1	4/22/2014	10.28	27.17	824.84	814.56
MW-0618-S1	9/3/2014	11.78	27.18	824.84	813.06
MW-0618-S1	3/10/2015	10.68	NM	824.84	814.16
MW-0618-S1	9/8/2015	10.93	27.19	824.84	813.91
MW-0618-S1	3/10/2016	10.25	27.18	824.84	814.59
MW-0618-S1	9/7/2016	11.09	27.17	824.84	813.75
MW-0618-S1	11/16/2016	16.59	NM	824.84	808.25
MW-0618-S1	3/3/2017	10.01	27.21	824.22	814.21
MW-0619-S1	12/5/2006	10.13	NM	827.46	817.33
MW-0619-S1	3/8/2007	11.12	26.07	827.46	816.34
MW-0619-S1	1/16/2008	11.88	26.20	827.46	815.58
MW-0619-S1	11/11/2008	15.29	26.10	827.46	812.17
MW-0619-S1	2/17/2009	13.51	NM	827.46	813.95
MW-0619-S1	6/12/2009	12.03	NM	827.46	815.43
MW-0619-S1	10/9/2012	14.69	26.07	827.46	812.77
MW-0619-S1	3/12/2013	12.85	26.07	827.46	814.61

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0619-S1	9/24/2013	13.65	26.25	827.46	813.81
MW-0619-S1	4/22/2014	12.34	26.24	827.46	815.12
MW-0619-S1	9/3/2014	14.02	26.26	827.46	813.44
MW-0619-S1	3/10/2015	12.93	26.24	827.46	814.53
MW-0619-S1	9/8/2015	13.05	26.26	827.46	814.41
MW-0619-S1	3/10/2016	12.55	26.33	827.46	814.91
MW-0619-S1	9/7/2016	13.33	26.21	827.46	814.13
MW-0619-S1	11/16/2016	13.61	NM	827.46	813.85
MW-0619-S1	3/3/2017	12.07	26.02	826.12	814.05
MW-0620-S1	12/5/2006	9.94	NM	827.39	817.45
MW-0620-S1	3/8/2007	10.97	18.36	827.39	816.42
MW-0620-S1	1/16/2008	11.78	18.46	827.39	815.61
MW-0620-S1	11/11/2008	15.15	18.45	827.39	812.24
MW-0620-S1	2/17/2009	13.41	NM	827.39	813.98
MW-0620-S1	6/12/2009	11.89	NM	827.39	815.50
MW-0620-S1	4/13/2010	11.60	18.39	827.39	815.79
MW-0620-S1	9/5/2010	13.85	18.40	827.39	813.54
MW-0620-S1	4/20/2011	11.07	18.34	827.39	816.32
MW-0620-S1	9/27/2011	12.19	18.55	827.39	815.20
MW-0620-S1	3/29/2012	11.95	18.50	827.39	815.44
MW-0620-S1	10/9/2012	14.60	19.38	827.39	812.79
MW-0620-S1	3/12/2013	12.82	19.38	827.39	814.57
MW-0620-S1	9/24/2013	13.55	18.54	827.39	813.84
MW-0620-S1	4/22/2014	12.19	18.52	827.39	815.20
MW-0620-S1	9/3/2014	13.15	18.52	827.39	814.24
MW-0620-S1	3/10/2015	13.17	18.53	827.39	814.22
MW-0620-S1	9/8/2015	12.97	18.32	827.39	814.42
MW-0620-S1	3/10/2016	12.31	18.62	827.39	815.08
MW-0620-S1	9/7/2016	13.23	18.55	827.39	814.16
MW-0620-S1	11/16/2016	13.49	NM	827.39	813.9
MW-0620-S1	3/3/2017	11.88	18.30	826.86	814.98
MW-0621-S1	12/5/2006	9.53	NM	826.72	817.19
MW-0621-S1	3/8/2007	10.49	24.55	826.72	816.23
MW-0621-S1	1/16/2008	11.19	24.66	826.72	815.53
MW-0621-S1	11/11/2008	14.62	24.58	826.72	812.10
MW-0621-S1	2/17/2009	12.84	NM	826.72	813.88
MW-0621-S1	6/12/2009	11.39	NM	826.72	815.33
MW-0621-S1	4/13/2010	11.15	24.63	826.72	815.57
MW-0621-S1	9/5/2010	13.86	24.62	826.72	812.86
MW-0621-S1	4/20/2011	10.68	24.54	826.72	816.04
MW-0621-S1	9/27/2011	11.81	24.78	826.72	814.91
MW-0621-S1	3/29/2012	11.47	24.71	826.72	815.25
MW-0621-S1	10/9/2012	14.05	24.61	826.72	812.67
MW-0621-S1	3/12/2013	12.19	24.61	826.72	814.53

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0621-S1	9/24/2013	13.00	24.73	826.72	813.72
MW-0621-S1	4/22/2014	11.71	24.72	826.72	815.01
MW-0621-S1	9/3/2014	13.31	24.74	826.72	813.41
MW-0621-S1	3/10/2015	12.28	24.73	826.72	814.44
MW-0621-S1	9/8/2015	12.38	24.53	826.72	814.34
MW-0621-S1	3/10/2016	11.90	24.85	826.72	814.82
MW-0621-S1	9/7/2016	12.76	24.76	826.72	813.96
MW-0621-S1	11/16/2016	12.92	NM	826.72	813.80
MW-0621-S1	3/3/2017	11.47	24.57	826.14	814.67
MW-0622-S1	12/5/2006	11.03	NM	828.57	817.54
MW-0622-S1	3/8/2007	12.07	23.78	828.57	816.50
MW-0622-S1	1/16/2008	12.90	23.85	828.57	815.67
MW-0622-S1	11/11/2008	16.27	23.82	828.57	812.30
MW-0622-S1	2/17/2009	14.59	NM	828.57	813.98
MW-0622-S1	6/12/2009	12.98	NM	828.57	815.59
MW-0622-S1	10/9/2012	15.71	23.75	828.57	812.86
MW-0622-S1	3/12/2013	13.89	23.75	828.57	814.68
MW-0622-S1	9/24/2013	14.66	23.92	828.57	813.91
MW-0622-S1	4/22/2014	13.24	23.94	828.57	815.33
MW-0622-S1	9/3/2014	15.02	23.89	828.57	813.55
MW-0622-S1	3/10/2015	13.95	23.98	828.57	814.62
MW-0622-S1	9/8/2015	14.02	23.96	828.57	814.55
MW-0622-S1	3/10/2016	13.55	24.02	828.57	815.02
MW-0622-S1	9/7/2016	14.28	23.91	828.57	814.29
MW-0622-S1	11/16/2016	14.60	NM	828.57	813.97
MW-0622-S1	3/3/2017	13.09	23.68	828.10	815.01
MW-0622-S2	12/5/2006	10.54	NM	828.66	818.12
MW-0622-S2	3/8/2007	11.81	65.94	828.66	816.85
MW-0622-S2	1/16/2008	14.01	66.05	828.66	814.65
MW-0622-S2	11/11/2008	20.76	65.95	828.66	807.90
MW-0622-S2	2/17/2009	17.31	NM	828.66	811.35
MW-0622-S2	6/12/2009	15.32	NM	828.66	813.34
MW-0622-S2	4/13/2010	14.28	66.00	828.66	814.38
MW-0622-S2	9/5/2010	19.50	66.05	828.66	809.16
MW-0622-S2	4/20/2011	14.82	65.89	828.66	813.84
MW-0622-S2	9/27/2011	17.13	66.15	828.66	811.53
MW-0622-S2	3/29/2012	14.40	66.09	828.66	814.26
MW-0622-S2	10/9/2012	20.24	65.95	828.66	808.42
MW-0622-S2	3/12/2013	15.10	65.95	828.66	813.56
MW-0622-S2	9/24/2013	17.70	66.10	828.66	810.96
MW-0622-S2	4/22/2014	15.61	67.07	828.66	813.05
MW-0622-S2	9/3/2014	19.32	66.98	828.66	809.34
MW-0622-S2	3/10/2015	16.82	NM	828.66	811.84
MW-0622-S2	9/8/2015	15.13	66.50	828.66	813.53

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0622-S2	3/10/2016	15.21	NM	828.66	813.45
MW-0622-S2	9/7/2016	17.95	66.12	828.66	810.71
MW-0622-S2	11/16/2016	16.40	NM	828.66	812.26
MW-0622-S2	3/3/2017	13.89	65.92	827.98	814.09
MW-0623-S1	3/8/2007	12.37	25.04	829.09	816.72
MW-0623-S1	1/16/2008	13.17	25.17	829.09	815.92
MW-0623-S1	11/11/2008	16.58	25.18	829.09	812.51
MW-0623-S1	2/17/2009	14.96	NM	829.09	814.13
MW-0623-S1	6/12/2009	13.37	NM	829.09	815.72
MW-0623-S1	4/13/2010	13.00	25.10	829.09	816.09
MW-0623-S1	9/5/2010	15.79	25.10	829.09	813.30
MW-0623-S1	4/20/2011	12.62	25.00	829.09	816.47
MW-0623-S1	9/27/2011	13.80	25.26	829.09	815.29
MW-0623-S1	3/29/2012	13.32	25.20	829.09	815.77
MW-0623-S1	10/9/2012	16.04	25.05	829.09	813.05
MW-0623-S1	3/12/2013	14.23	25.05	829.09	814.86
MW-0623-S1	9/24/2013	14.94	25.22	829.09	814.15
MW-0623-S1	4/22/2014	13.53	25.21	829.09	815.56
MW-0623-S1	9/3/2014	15.31	25.23	829.09	813.78
MW-0623-S1	3/10/2015	14.27	25.25	829.09	814.82
MW-0623-S1	9/8/2015	14.83	23.43	829.09	814.26
MW-0623-S1	3/10/2016	14.86	25.34	829.09	814.23
MW-0623-S1	9/7/2016	14.58	25.26	829.09	814.51
MW-0623-S1	11/16/2016	14.93	NM	829.09	814.16
MW-0623-S1	3/3/2017	13.37	25.00	828.47	815.10
MW-0702-B1	1/16/2008	10.65	72.70	825.03	814.38
MW-0702-B1	11/11/2008	16.57	72.46	825.03	808.46
MW-0702-B1	2/17/2009	13.19	NM	825.03	811.84
MW-0702-B1	6/12/2009	11.30	NM	825.03	813.73
MW-0702-B1	4/13/2010	10.29	72.60	825.03	814.74
MW-0702-B1	9/5/2010	15.27	72.60	825.03	809.76
MW-0702-B1	4/20/2011	10.72	72.47	825.03	814.31
MW-0702-B1	9/27/2011	12.89	72.73	825.03	812.14
MW-0702-B1	9/3/2015	Abandoned Well			
MW-0703-B1	1/16/2008	13.30	111.32	823.61	810.31
MW-0703-B1	11/11/2008	17.01	111.32	823.61	806.60
MW-0703-B1	2/17/2009	13.66	NM	823.61	809.95
MW-0703-B1	6/12/2009	13.21	NM	823.61	810.40
MW-0703-B1	4/13/2010	12.45	NM	823.61	811.16
MW-0703-B1	9/5/2010	16.10	NM	823.61	807.51
MW-0703-B1	4/20/2011	12.73	NM	823.61	810.88
MW-0703-B1	9/27/2011	14.12	111.75	823.61	809.49
MW-0703-B1	9/3/2015	Abandoned Well			

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0704-S1	1/16/2008	9.84	29.31	825.38	815.54
MW-0704-S1	11/11/2008	13.15	29.20	825.38	812.22
MW-0704-S1	2/17/2009	11.27	NM	825.38	814.11
MW-0704-S1	6/12/2009	10.04	NM	825.38	815.34
MW-0704-S1	4/13/2010	9.83	29.23	825.38	815.55
MW-0704-S1	9/5/2010	12.38	29.20	825.38	813.00
MW-0704-S1	4/20/2011	9.26	29.17	825.38	816.12
MW-0704-S1	9/27/2011	10.39	29.39	825.38	814.99
MW-0704-S1	3/29/2012	10.14	29.35	825.38	815.24
MW-0704-S1	10/9/2012	12.52	29.16	825.38	812.86
MW-0704-S1	3/12/2013	10.67	29.16	825.38	814.71
MW-0704-S1	9/24/2013	11.55	29.36	825.38	813.83
MW-0704-S1	4/22/2014	10.38	29.36	825.38	815.00
MW-0704-S1	9/3/2014	11.86	29.33	825.38	813.51
MW-0704-S1	3/10/2015	10.80	29.28	825.38	814.58
MW-0704-S1	9/8/2015	11.01	29.39	825.38	814.37
MW-0704-S1	3/10/2016	10.41	29.38	825.38	814.97
MW-0704-S1	9/7/2016	11.20	29.37	825.38	814.18
MW-0704-S1	11/16/2016	11.66	NM	825.38	813.72
MW-0704-S1	3/3/2017	10.09	29.38	824.44	814.35
MW-0705-S1	1/16/2008	11.20	25.78	826.16	814.96
MW-0705-S1	11/11/2008	13.71	25.68	826.16	812.45
MW-0705-S1	2/17/2009	11.86	NM	826.16	814.30
MW-0705-S1	6/12/2009	10.79	NM	826.16	815.37
MW-0705-S1	10/9/2012	13.10	25.65	826.16	813.06
MW-0705-S1	3/12/2013	11.31	25.65	826.16	814.85
MW-0705-S1	9/24/2013	12.20	25.85	826.16	813.96
MW-0705-S1	4/22/2014	11.09	25.82	826.16	815.07
MW-0705-S1	9/3/2014	12.50	25.82	826.16	813.66
MW-0705-S1	3/10/2015	11.91	25.80	826.16	814.25
MW-0705-S1	9/8/2015	11.67	25.87	826.16	814.49
MW-0705-S1	3/10/2016	11.08	25.85	826.16	815.08
MW-0705-S1	9/7/2016	11.83	25.83	826.16	814.33
MW-0705-S1	11/16/2016	12.09	NM	826.16	814.07
MW-0705-S1	3/3/2017	10.86	25.88	824.79	813.93
MW-1501-S1	3/10/2016	11.67	19.04	828.32	816.65
MW-1501-S1	9/7/2016	12.41	18.93	828.32	815.91
MW-1501-S1	11/16/2016	13.33	NM	828.32	814.99
MW-1501-S1	3/3/2017	11.50	18.70	827.45	815.95
MW-1502-S1	3/10/2016	12.79	28.07	828.45	815.66
MW-1502-S1	9/7/2016	13.53	27.97	828.45	814.92
MW-1502-S1	11/16/2016	13.88	NM	828.45	814.57
MW-1502-S1	3/3/2017	12.35	27.72	827.27	814.92
MW-1503-S1	3/10/2016	12.98	28.68	828.24	815.26

Table 1
Monitoring Well Groundwater Elevation Data
Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-1503-S1	9/7/2016	13.73	28.48	828.24	814.51
MW-1503-S1	11/16/2016	14.08	NM	828.24	814.16
MW-1503-S1	3/3/2017	12.53	28.28	827.45	814.92
MW-1504-S1	3/10/2016	12.98	27.62	828.24	815.26
MW-1504-S1	9/7/2016	13.73	27.43	828.24	814.51
MW-1504-S1	11/16/2016	14.08	NM	828.24	814.16
MW-1504-S1	3/3/2017	12.53	27.38	827.53	815.00
MW-1505-S1	3/10/2016	13.02	32.17	828.19	815.17
MW-1505-S1	9/7/2016	13.78	27.57	828.19	814.41
MW-1505-S1	11/16/2016	14.12	NM	828.19	814.07
MW-1505-S1	3/3/2017	12.58	31.85	827.53	814.95
MW-1506-S1	3/10/2016	13.32	34.17	827.89	814.57
MW-1506-S1	9/7/2016	14.07	34.27	827.89	813.82
MW-1506-S1	11/16/2016	14.40	NM	827.89	813.49
MW-1506-S1	3/3/2017	12.88	34.03	827.82	814.94
MW-1507-S1	3/10/2016	13.42	33.67	827.77	814.35
MW-1507-S1	9/7/2016	14.17	33.57	827.77	813.60
MW-1507-S1	11/16/2016	14.51	NM	827.77	813.26
MW-1507-S1	3/3/2017	12.97	33.33	827.94	814.97
MW-1508-S1	3/10/2016	14.46	35.21	826.69	812.23
MW-1508-S1	9/7/2016	14.68	34.58	826.69	812.01
MW-1508-S1	11/16/2016	15.04	NM	826.69	811.65
MW-1508-S1	3/3/2017	13.48	34.30	828.48	815.00
DR-1301-S1	3/3/2017	12.15	24.62	827.04	814.89
IW-1301-S1	3/3/2017	12.03	23.62	826.97	814.94
PM-1301	3/10/2016	12.42	24.23	828.92	816.50
PM-1301	9/7/2016	13.23	24.23	828.92	815.69
PM-1301	11/16/2016	14.10	NM	828.92	814.82
PM-1301	3/3/2017	11.98	23.94	826.8	814.82

Notes:

* : Monitoring wells re-surveyed March 3-7, 2017 by John H. Stephens R.L.S, Inc.

AMSL: Above mean sea level

NM: Reading not collected

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane*	1,1-Dichloroethene	Acetone*	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane*	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0101-S1U	6/22/2001	MW-1M-06/22/2001-N-LB	Low-Flow	< 50 U	< 50 U	< 50 U	--	--	< 200 U	800	--	< 100 U	< 50 U	--	< 50 U	3,100	67
MW-0101-S1U	11/15/2004	FD-1 (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	13	< 50.0 U	< 5.0 U	< 5.0 U	1,600	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	69	13,000	140
MW-0101-S1U	11/15/2004	MW-1M (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	14	< 50.0 U	< 5.0 U	< 5.0 U	1,300	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	73	11,000	150
MW-0101-S1U	3/24/2006	MW-0101-S1U (032406)	Low-Flow	< 5.0 U	14	7.0	< 50.0 U	2.4 J	< 5.0 U	1,200	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	68	9,400	67
MW-0101-S1U	11/10/2006	FD-1 (111006)-BDS	Low-Flow	< 5.0 U	12	9.3	< 50.0 U	2.3 J	< 5.0 U	1,100	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	72	7,500	100
MW-0101-S1U	11/10/2006	MW-0101-S1U (111006)	Low-Flow	< 5.0 U	12	9.4	< 50.0 U	2.3 J	< 5.0 U	1,100	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	73	7,700	100
MW-0101-S1U	4/19/2012	FD-1 (041912)-TP	PDB	< 5.0 U	< 5.0 U	20.3	< 100 U	< 5.0 U	< 5.0 U	748 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	57.7	13,500 D	69.0
MW-0101-S1U	4/19/2012	FD-2 (041912)-BC	Low-Flow	< 5.0 U	< 5.0 U	8.1	< 100 U	< 5.0 U	< 5.0 U	712 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	63.4	4,550 D	83.0
MW-0101-S1U	4/19/2012	MW-0101-S1U (041912)-LF	Low-Flow	< 5.0 U	< 5.0 U	8.5	< 100 U	< 5.0 U	< 5.0 U	673 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	62.0	5,390 D	77.1
MW-0101-S1U	4/19/2012	MW-0101-S1U (041912)-PDB	PDB	< 5.0 U	< 5.0 U	20.4	< 100 U	< 5.0 U	< 5.0 U	688 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	56.6	13,500 D	66.3
MW-0101-S1U	10/31/2012	MW-0101-S1U(103112)LF	Low-Flow	< 5.0 U	3.4 J	6.2	< 100 U	1.9 J	< 5.0 U	819 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	70.8	3,430 D	88.7
MW-0101-S1U	10/31/2012	MW-0101-S1U(103112)PDB	PDB	< 5.0 U	2.8 J	11.4	< 100 U	2.1 J	< 5.0 U	847 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	67.5	8,500 D	86.7
MW-0101-S1U	4/2/2013	MW-0101-S1U (040213)PDB	PDB	< 5.0 U	4.9 J	15.8 J	< 100 U	1.4 J	< 5.0 U	1,180 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	70.6 J	10,600 EJ	52.4
MW-0101-S1U	10/16/2013	MW-0101-S1U(101613)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	2,990 D	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	66.1	6,920 D	55.8
MW-0101-S1U	5/13/2014	MW-0101-S1U(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	1,240	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	49.0 J	11,200 D	50.0
MW-0101-S1U	9/25/2014	MW-0101-S1U(092514)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,030	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	53.6	18,100 DJ	31.9
MW-0101-S1U	3/31/2015	MW-0101-S1U(033115)-PDB	PDB	< 25.0 U	4.2 J	8.0 J	< 500 U	< 25.0 UB	< 25.0 U	1,060	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	56.1	17,900 D	32.8
MW-0101-S1U	9/30/2015	MW-0101-S1U(093015)PDB	PDB	< 5.0 U	2.7 J	19.8	< 100 UB	2.9 J	< 5.0 U	3,160 D	< 100 U	< 5.0 U	< 5.0 U	0.44 J	114	5,200 D	75.6
MW-0101-S1U	3/9/2016	MW-0101-S1U(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,020	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	62.0	6,560 D	59.3
MW-0101-S1U	9/27/2016	MW-0101-S1U(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 UJ	< 50.0 U	< 50.0 U	2,330	< 1,000 U	< 110 UB	< 50.0 U	< 50.0 U	69.5	18,500 D	33.2
MW-0101-S1U	3/24/2017	MW-0101-S1U(032417)PDB	PDB	< 500 U	< 500 U	< 500 U	< 10,000 U	< 500 U	< 500 U	3,020	< 10,000 U	< 500 U	< 500 U	< 500 U	< 500 U	16,800	< 200 U
MW-0102-S1U	6/22/2001	MW-2 DUP-06/22/2001-N-LB	Low-Flow	< 50 U	< 50 U	< 50 U	--	--	< 200 U	360	--	< 100 U	< 50 U	--	< 50 U	410	< 20 U
MW-0102-S1U	6/22/2001	MW-2-06/22/2001-N-LB	Low-Flow	< 50 U	< 50 U	< 50 U	--	--	< 200 U	340	--	< 100 U	< 50 U	--	< 50 U	370	< 20 U
MW-0102-S1U	11/15/2004	MW-2 (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	770	< 5.0 U	< 9.5 U	< 5.0 U	< 5.0 U	74	4,600	37
MW-0102-S1U	10/20/2005	MW-2-U (102005)	Low-Flow	< 5.0 U	< 5.0 U	5.1	< 50.0 U	< 5.0 U	< 5.0 U	770	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	68	3,800	21
MW-0102-S1U	3/22/2006	MW-0102-S1U (032206)	Low-Flow	< 5.0 U	< 5.0 U	4.5 J	< 50.0 U	< 5.0 U	< 5.0 U	1,000	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	88	4,800	21
MW-0102-S1U	4/19/2012	MW-0102-S1U (041912)-LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	563 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	85.9	2,380 D	21.2
MW-0102-S1U	4/19/2012	MW-0102-S1U (041912)-PDB	PDB	< 5.0 U	< 5.0 U	5.9	< 100 U	< 5.0 U	< 5.0 U	948 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	108	3,970 D	35.1
MW-0102-S1U	10/31/2012	MW-0102-S1U(103112)PDB	PDB	< 5.0 U	< 5.0 U	3.9 J	< 100 U	< 5.0 U	< 5.0 U	916 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	114	3,770 D	35.3
MW-0102-S1U	4/2/2013	MW-0102-S1U (040213)PDB	PDB	< 5.0 U	< 5.0 U	3.1 J	< 100 U	< 5.0 U	< 5.0 U	847 EJ	< 100 U	3.9 J	< 5.0 U	< 5.0 U	103	3,370 EJ	21.5
MW-0102-S1U	10/16/2013	MW-0102-S1U(101613)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	988	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	105	3,870 D	6.5 J
MW-0102-S1U	5/13/2014	MW-0102-S1U (051314)	PDB	< 5.0 U	< 5.0 U	4.9 J	< 100 U	< 5.0 U	< 5.0 U	826 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	103	2,910 D	21.8
MW-0102-S1U	9/25/2014	MW-0102-S1U(092514)PDB	PDB	< 5.0 U	< 5.0 U	3.1 J	< 100 U	< 5.0 U	< 5.0 U	907 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	75.2	2,950 D	17.4
MW-0102-S1U	3/31/2015	MW-0102-S1U(033115)-PDB	PDB	< 25.0 U	< 25.0 U	2.8 J	< 500 U	< 25.0 U	< 25.0 U	867	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	82.8	2,470 D	12.9
MW-0102-S1U	9/30/2015	MW-0102-S1U(093015)PDB	PDB	< 5.0 U	4.4 J	6.5	< 100 UB	< 5.0 U	< 5.0 U	1,280 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	125	4,440 D	28.6
MW-0102-S1U	3/9/2016	MW-0102-S1U(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U								

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane*	1,1-Dichloroethene	Acetone*	Benzene	Chloroform (Trichloromethane)	cis-1,2- Dichloroethene	Cyclohexane*	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2- Dichloroethene	Trichloroethene	Vinyl chloride
MW-0501-S2	10/28/2010	MW-0501-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S2	5/13/2011	MW-0501-S2(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.67 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0501-S2	10/18/2011	MW-0501-S2(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S3U	10/20/2005	MW-0501-3L (102005)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	5.9	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S3U	3/21/2006	MW-0501-S3U (032106)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	73	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0501-S3U	6/24/2009	MW-0501-S3U (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0502-S1	10/19/2005	MW-0502-1L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	9.9	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	3/24/2006	MW-0502-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	15	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	4.8 J	< 2.0 U
MW-0502-S1	11/10/2006	MW-0502-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	18	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.7	< 2.0 U
MW-0502-S1	10/31/2012	MW-0502-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.2 J	< 2.0 U
MW-0502-S1	10/16/2013	MW-0502-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	5/13/2014	MW-0502-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	9/25/2014	MW-0502-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	3/31/2015	MW-0502-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1.1 J	0.36 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.0 J	< 2.0 U
MW-0502-S1	9/30/2015	MW-0502-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	1.2 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	3/30/2016	MW-0502-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	9/27/2016	MW-0502-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.3 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0502-S1	3/24/2017	MW-0502-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/14/2008	MW-0503-B1A (140-150)(111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	10.8 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/17/2008	MW-0503-B1A (132-142)(111708)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/18/2008	MW-0503-B1A (102-112)(111808)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	20.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/18/2008	MW-0503-B1A (112-122)(111808)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/18/2008	MW-0503-B1A (122-132)(111808)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	6.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/18/2008	MW-0503-B1A (92-102)(111808)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	29.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-B1a	11/19/2008	MW-0503-B1A (85-95)(111908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	30.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	10/18/2005	MW-0503-1L (101805)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/24/2006	MW-0503-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	6/25/2009	MW-0503-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0503-S1	10/31/2012	MW-0503-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	4/2/2013	MW-0503-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	2.8 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	10/16/2013	MW-0503-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	5/13/2014	MW-0503-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	66.9 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	9/25/2014	MW-0503-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	118	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0503-S1	3/31/2015	MW-0503-S1(033115)-PDB	PDB	< 5.0 U	&												

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane*	1,1-Dichloroethene	Acetone*	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane*	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0505-S1	9/27/2016	MW-0505-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	5.1	< 100 U	< 7.7 UB	< 5.0 U	< 5.0 U	< 5.0 U	7.6	< 2.0 U
MW-0505-S1	3/24/2017	MW-0505-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S2	10/19/2005	MW-0505-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S2	3/23/2006	MW-0505-S2 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0505-S2	6/24/2009	MW-0505-S2 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0506-I2	10/19/2005	MW-0506-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	11	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-I2	3/27/2006	MW-0506-I2 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	3.6 J	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	4.3 J	< 2.0 U
MW-0506-S1	10/19/2005	MW-0506-1L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	1/3/2006	MW-0506-1L (01/03/06)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/27/2006	FD-1 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	1.6 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/27/2006	MW-0506-S1 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	6/24/2009	MW-0506-S1 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	13.9	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	7.2	< 2 U
MW-0506-S1	10/31/2012	FD-1(103112)PDB-JG	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	4.6 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	10/31/2012	FD-3(103112)LF-WK	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	646 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	72.8	453 D	< 2.0 U
MW-0506-S1	10/31/2012	MW-0506-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	5.4	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	4/2/2013	MW-0506-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	13.3 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	36.3 J	< 2.0 U
MW-0506-S1	10/16/2013	MW-0506-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	3.4 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	5/13/2014	MW-0506-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	56.7 UB	< 5.0 U	< 5.0 U	3.2 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	9/25/2014	MW-0506-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.7 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/31/2015	MW-0506-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.5 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.37 J	< 2.0 U
MW-0506-S1	9/30/2015	MW-0506-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	1.2 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/30/2016	MW-0506-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	9/27/2016	MW-0506-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 7.1 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S1	3/24/2017	MW-0506-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0506-S2	10/19/2005	MW-0506-3L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	470	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	44	630	< 2.0 U
MW-0506-S2	1/3/2006	MW-0506-2L (01/03/06)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	540	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	48	650	< 2.0 U
MW-0506-S2	3/27/2006	MW-0506-S2 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	620	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	50	670	< 2.0 U
MW-0506-S2	6/24/2009	MW-0506-S2 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	634	< 100 U	< 5 U	< 5 U	< 5 U	80.5	445	3.1
MW-0506-S2	4/19/2012	MW-0506-S2 (041912)-LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	565 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	68.5	585 D	< 2.0 U
MW-0506-S2	4/19/2012	MW-0506-S2 (041912)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	520 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	67.1	583 D	< 2.0 U
MW-0506-S2	10/31/2012	MW-0506-S2(103112)LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	635 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	69.7	433 D	< 2.0 U
MW-0506-S2	10/31/2012	MW-0506-S2(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	636 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	34.7	233	< 2.0 U
MW-0507-S1	10/19/2005	MW-0507-1L (101905)	Low-Flow	9.0	39	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	83	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	16	< 2.0 U
MW-0507-S1	3/27/2006	MW-0507-S1 (032706)	Low-Flow	21	190	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	310	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	6.0	52	< 2.0 U
MW-0507-S1	10/31/2012	MW-0507-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0.								

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane*	1,1-Dichloroethene	Acetone*	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane*	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0516-S1	3/31/2015	MW-0516-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.56 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.26 J	< 2.0 U
MW-0516-S1	9/30/2015	MW-0516-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	FD-1(033016)-LM	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	MW-0516-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2016	MW-0516-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/24/2017	MW-0516-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	10/20/2005	MW-0516-3L (102005)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	3/23/2006	MW-0516-S2 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	6/25/2009	MW-0516-S2 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0517-I2	10/18/2005	MW-0517-2L (101805)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	7.4	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0517-I2	3/22/2006	MW-0517-I2 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0517-S1	10/18/2005	MW-0517-1L (101805)	Low-Flow	< 5.0 UJ	8.4 J	< 5.0 UJ	< 50.0 UJ	< 5.0 UJ	< 5.0 UJ	370 J	< 5.0 UJ	< 5.0 UJ	< 5.0 UJ	< 5.0 UJ	42 J	690 J	15 J
MW-0517-S1	3/22/2006	MW-0517-S1 (032206)	Low-Flow	< 5.0 U	10	2.7 J	< 50.0 U	1.7 J	< 5.0 U	900	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	65	1,800	30
MW-0517-S1	10/31/2012	MW-0517-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	37.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	18.8	103	< 2.0 U
MW-0517-S1	4/2/2013	FD-1 (040213) JG	PDB	< 5.0 U	6.1	2.8 J	< 100 U	1.7 J	< 5.0 U	593 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	77.4	6,440 D	1.6 J
MW-0517-S1	4/2/2013	MW-0517-S1 (040213) PDB	PDB	< 5.0 U	6.1	3.0 J	< 100 U	1.8 J	< 5.0 U	572 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	80.4	6,270 EJ	1.9 J
MW-0517-S1	10/16/2013	FD-1(101613)-WK	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	322 D	< 5.0 U	322 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	68.7	2,570 D	3.1
MW-0517-S1	10/16/2013	MW-0517-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	270 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	65.1	2,010 D	3.0
MW-0517-S1	5/13/2014	FD-1(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	505	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	58.6	4,240 D	< 20.0 U
MW-0517-S1	5/13/2014	MW-0517-S1(051314)	PDB	< 5.0 U	4.3 J	< 5.0 U	< 100 UB	1.1 J	< 5.0 U	582 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	84.5	2,830 D	2.7
MW-0517-S1	9/25/2014	MW-0517-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	303 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	62.3	2,200 D	2.4
MW-0517-S1	3/31/2015	FD-1(033115)-AO-PDB	PDB	< 25.0 U	2.0 J	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	478	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	67.7	2,550 D	3.9 J
MW-0517-S1	3/31/2015	MW-0517-S1(033115)-PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 UB	< 25.0 U	512	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	70.9	2,940 D	4.7 J
MW-0517-S1	9/30/2015	FD-1(093015)-CK	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	80.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	44.5	312 D	< 2.0 U
MW-0517-S1	9/30/2015	MW-0517-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	78.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	44.8	346 D	< 2.0 U
MW-0517-S1	3/9/2016	FD-01(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	601	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	72.0	3,720 D	< 10.0 U
MW-0517-S1	3/9/2016	MW-0517-S1(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	600	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	74.3	3,570 D	< 10.0 U
MW-0517-S1	9/27/2016	FD-1(092716)RW	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	145	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	40.6	809 D	< 2.0 U
MW-0517-S1	9/27/2016	MW-0517-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	145	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	42.0	760 D	< 2.0 U
MW-0517-S1	3/24/2017	FD-1(032417)-LF	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,000	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	94.5	5,220 D	< 10.0 U
MW-0517-S1	3/24/2017	MW-0517-S1(032417)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,030	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	92.2	4,740 D	< 10.0 U
MW-0602-B1	3/24/2006	MW-0602-B1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	300	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	24	< 5.0 U	< 2.0 U
MW-0602-B1	11/7/2006	MW-0602-B1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	300	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	29	< 5.0 U	1.6 J
MW-0602-B1	6/26/2009	MW-0602-B1 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	13.1	83.7	< 100 U	< 5 U	< 5 U	< 5 U	6.9	< 5 U	< 2 U
MW-0602-S1	3/24/2006	MW-0602-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ</				

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane*	1,1-Dichloroethene	Acetone*	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane*	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0604-S1	3/22/2006	MW-0604-S1 (032206)	Low-Flow	< 5.0 U	11	7.9	< 50.0 U	< 5.0 U	< 5.0 U	1,400	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	120	4,900	43
MW-0604-S1	11/8/2006	MW-0604-S1 (110806)	Low-Flow	< 5.0 U	6.5	5.4	< 50.0 U	< 5.0 U	< 5.0 U	600	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	76	2,700	31
MW-0604-S1	10/31/2012	MW-0604(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	7.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	59.5	< 2.0 U
MW-0604-S1	4/2/2013	MW-0604-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	2.8 J	60.2 J	< 5.0 U	< 5.0 U	698 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	76.4 J	2,720 EJ	36.2 J
MW-0604-S1	10/16/2013	MW-0604-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	368 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	43.1	1,100 D	19.4
MW-0604-S1	5/13/2014	MW-0604-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	62.5 UB	< 5.0 U	< 5.0 U	271	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	27.2	747 D	16.2
MW-0604-S1	9/25/2014	FD-1(092514)-AO	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	489 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	39.7	1,480 D	20.3
MW-0604-S1	9/25/2014	MW-0604-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	414 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	51.5	1,410 D	24.8
MW-0604-S1	3/31/2015	MW-0604-S1(033115)-PDB	PDB	< 5.0 U	2.6 J	3.5 J	< 100 U	< 5.0 UB	< 5.0 U	878 D	0.65 J	< 5.0 U	< 5.0 U	< 5.0 U	112	2,690 D	57.6
MW-0604-S1	9/30/2015	MW-0604-S1(093015)PDB	PDB	< 5.0 U	0.98 J	1.5 J	< 100 UB	< 5.0 U	< 5.0 U	353 D	0.37 J	< 5.0 U	< 5.0 U	< 5.0 U	52.7	1,240 D	12.5
MW-0604-S1	3/30/2016	MW-0604-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1,030 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	97.2	3,340 D	37.7
MW-0604-S1	9/27/2016	MW-0604-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	344	< 100 U	< 5.1 UB	< 5.0 U	< 5.0 U	37.8	1,190 D	11.8
MW-0604-S1	3/24/2017	MW-0604-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1,280 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	101	3,250 D	33.8
MW-0604-S2	3/22/2006	MW-0604-S2 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	39	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	20	100	< 2.0 U
MW-0604-S2	11/9/2006	MW-0604-S2 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	60	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	10	27	< 2.0 U
MW-0604-S2	6/24/2009	MW-0604-S2 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	94.6	< 100 U	< 5 U	< 5 U	< 5 U	8.9	< 5 U	< 2 U
MW-0605-B1	3/22/2006	MW-0605-B1 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	11	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0605-B1	11/9/2006	MW-0605-B1 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0605-S1	3/22/2006	MW-0605-S1 (032206)	Low-Flow	< 5.0 U	2.6 J	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	19	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	920	< 2.0 U
MW-0605-S1	11/9/2006	MW-0605-S1 (110906)	Low-Flow	< 5.0 U	3.2 J	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	26	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,400	< 2.0 U
MW-0605-S1	10/31/2012	MW-0605(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	15.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,480 D	< 2.0 U
MW-0605-S1	4/2/2013	MW-0605-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	16.9 J	< 100 U	2.6 J	< 5.0 U	< 5.0 U	< 5.0 U	1,180 EJ	< 2.0 U
MW-0605-S1	10/16/2013	MW-0605-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	17.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,580 D	< 2.0 U
MW-0605-S1	5/13/2014	MW-0605-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	14.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2,630 D	< 2.0 U
MW-0605-S1	12/1/2014	MW-0605-S1(120114)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	99.2 J	< 5.0 U	< 5.0 U	12.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	629 D	< 2.0 U
MW-0605-S1	3/31/2015	MW-0605-S1(033115)-PDB	PDB	< 5.0 U	1.8 J	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	12.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	1.0 J	983 D	< 2.0 U
MW-0605-S1	9/30/2015	MW-0605-S1(093015)PDB	PDB	< 5.0 U	2.8 J	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	16.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	1.4 J	1,210 D	< 2.0 U
MW-0605-S1	3/30/2016	MW-0605-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	14.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	742 D	< 2.0 U
MW-0605-S1	9/27/2016	MW-0605-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 116 UB	< 50.0 U	< 50.0 U	< 50.0 U	1,100	< 20.0 U
MW-0605-S1	3/24/2017	MW-0605-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	12.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,170 D	< 2.0 U
MW-0605-S2	3/22/2006	FD-1 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	50	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	7.4	27	< 2.0 U
MW-0605-S2	3/22/2006	MW-0605-S2 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	49	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	7.1	21	< 2.0 U
MW-0605-S2	11/9/2006	MW-0605-S2 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	100	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	7.8	< 5.0 U	< 2.0 U
MW-0606-S1	3/23/2006	MW-0606-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	230	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	42	970	< 2.0 U
MW-0606-S1	11/6/2006	MW-0606-S1 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	210	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	43	770	1.0 J
MW-0606-S1	10/31/2012	MW-0606-S1(103110															

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane*	1,1-Dichloroethene	Acetone*	Benzene	Chloroform (Trichloromethane)	cis-1,2- Dichloroethene	Cyclohexane*	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2- Dichloroethene	Trichloroethene	Vinyl chloride
MW-0607-S1	9/27/2016	MW-0607-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.2 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/24/2017	MW-0607-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	3/7/2007	MW-0607-S2 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	11/12/2008	MW-0607-S2 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	5/5/2010	MW-0607-S2 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	5.5	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S2	5/6/2010	MW-0607-S2 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S2	10/28/2010	MW-0607-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	5/13/2011	MW-0607-S2(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.80 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.66 J
MW-0607-S2	10/18/2011	MW-0607-S2(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-B1	3/23/2006	MW-0608-B1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	8.4	150	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	87	2.3 J	< 2.0 U
MW-0608-B1	11/7/2006	MW-0608-B1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	180	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	150	< 5.0 U	1.3 J
MW-0608-B1	6/25/2009	MW-0608-B1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	6.0	125	< 100 U	< 5 U	< 5 U	< 5 U	123	< 5 U	< 2 U
MW-0608-B1	6/25/2009	MW-0608-B1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	169	< 100 U	< 5 U	< 5 U	< 5 U	188	6.6	3.2
MW-0608-S1	3/23/2006	MW-0608-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	2.9 J	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	2.0 J	< 2.0 U
MW-0608-S1	11/7/2006	MW-0608-S1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	35	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3.3 J	1.7 J	< 2.0 U
MW-0608-S1	6/26/2009	MW-0608-S1 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	24.5	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	4.9
MW-0608-S1	10/31/2012	MW-0608-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0608-S1	4/2/2013	MW-0608-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	30.9	< 100 U	2.5 J	< 5.0 U	< 5.0 U	< 5.0 U	5.2 J	1.7 J
MW-0608-S1	10/16/2013	MW-0608-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	5/13/2014	MW-0608-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	148	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	11.7	3.5 J	5.4
MW-0608-S1	9/25/2014	MW-0608-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.5 J	< 2.0 U
MW-0608-S1	3/31/2015	MW-0608-S1(033115)-PDB	PDB	< 5.0 U	1.4 J	0.33 J	< 100 UB	< 5.0 U	< 5.0 U	144	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	13.1	< 5.0 U	4.0
MW-0608-S1	9/30/2015	MW-0608-S1(093015)PDB	PDB	< 5.0 U	3.9 J	0.54 J	< 100 UB	< 5.0 U	< 5.0 U	243 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	35.3	< 5.0 U	5.8
MW-0608-S1	3/30/2016	MW-0608-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	97.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.3	< 5.0 U	2.6
MW-0608-S1	9/27/2016	MW-0608-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 7.3 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/24/2017	MW-0608-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	30.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S2	3/23/2006	MW-0608-S2 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	900	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	100	100	< 2.0 U
MW-0608-S2	11/7/2006	MW-0608-S2 (110706)	Low-Flow	< 5.0 U	< 5.0 UJ	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 UJ	630	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	88 J	63	< 2.0 U
MW-0608-S2	6/26/2009	FD-2-PS (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	635	< 100 U	< 5 U	< 5 U	< 5 U	109	12.4	2.5
MW-0608-S2	6/26/2009	MW-0608-S2 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	605	< 100 U	< 5 U	< 5 U	< 5 U	113	12.2	2.6
MW-0609-S1	3/23/2006	MW-0609-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	61	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	9.7	260	< 2.0 U
MW-0609-S1	11/9/2006	MW-0609-S1 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	55	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	9.0	220	< 2.0 U
MW-0609-S1	6/26/2009	FD-1-PS (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	225	< 100 U	< 5 U	< 5 U	< 5 U	25.4	69.4	3.7
MW-0609-S1	6/26/2009	MW-0609-S1 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	226	< 100 U	< 5 U	< 5 U	< 5 U	26.1	69.9	3.6
MW-0609-S1	10/31/2012	MW-0609-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	3.8 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	4/2/2013	MW-0609-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 1										

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane*	1,1-Dichloroethene	Acetone*	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane*	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0612-S1	3/7/2007	MW-0612-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	161	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	38.9	3,950	< 2.0 U
MW-0612-S1	6/25/2009	MW-0612-S1 (062509)	Low-Flow	< 50 U	< 50 U	< 50 U	< 1,000 UJ	< 50 U	< 50 U	207	< 1,000 U	< 50 U	< 50 U	< 50 U	< 50 U	4,370	< 20 U
MW-0612-S1	4/19/2012	MW-0612-S1 (041912)-PDB	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	223	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	44.9	4,750 D	15.1
MW-0612-S1	10/31/2012	FD-2(103112)PDB-WK	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	850 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	141	675 D	< 2.0 U
MW-0612-S1	10/31/2012	MW-0612-S1(103112)LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	185	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	45.8	2,490 D	11.8
MW-0612-S1	10/31/2012	MW-0612-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	275	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	48.5	5,440 D	24.5
MW-0612-S1	4/2/2013	MW-0612-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	191	< 100 U	3.5 J	< 5.0 U	< 5.0 U	41.0	3,720 EJ	9.3
MW-0612-S1	10/16/2013	MW-0612-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	242	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	49.1	3,220 D	12.4
MW-0612-S1	5/13/2014	MW-0612-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	248 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	46.2	3,400 D	13.2
MW-0612-S1	9/25/2014	MW-0612-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	251	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	43.2	3,190 DJ	13.7
MW-0612-S1	3/31/2015	MW-0612-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	0.65 J	< 100 UB	< 5.0 U	< 5.0 U	292	0.32 J	< 5.0 U	< 5.0 U	< 5.0 U	49.6	3,870 D	11.6
MW-0612-S1	9/30/2015	MW-0612-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	0.43 J	< 100 UB	< 5.0 U	< 5.0 U	268 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	62.5	4,420 D	7.6
MW-0612-S1	3/9/2016	MW-0612-S1(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	193	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	47.2	2,380 D	< 10.0 U
MW-0612-S1	9/27/2016	MW-0612-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	249	< 1,000 U	< 112 UB	< 50.0 U	< 50.0 U	< 50.0 U	4,630 D	< 20.0 U
MW-0612-S1	3/24/2017	MW-0612-S1(032417)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	254	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	49.4	3,960 D	< 10.0 U
MW-0612-S2	11/10/2006	MW-0612-S2 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	360	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	130	1,400	< 2.0 U
MW-0612-S2	3/7/2007	MW-0612-S2 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	827	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	160	1,320	< 2.0 U
MW-0612-S2	6/25/2009	MW-0612-S2 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	1,440	< 100 U	< 5 U	< 5 U	< 5 U	199	353	< 2 U
MW-0612-S2	6/25/2009	MW-0612-S2 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	1,360	< 100 U	< 5 U	< 5 U	< 5 U	183	268	< 2 U
MW-0612-S2	4/19/2012	MW-0612-S2 (041912)-LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	663 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	148	747 D	< 2.0 U
MW-0612-S2	4/19/2012	MW-0612-S2 (041912)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	678 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	140	625 D	< 2.0 U
MW-0612-S2	10/31/2012	MW-0612-S2(103112)LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	871 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	150	857 D	< 2.0 U
MW-0612-S2	10/31/2012	MW-0612-S2(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	868 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	127	647 D	< 2.0 U
MW-0613-S1	11/10/2006	MW-0613-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	11/12/2008	MW-0613-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/5/2010	MW-0613-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0613-S1	10/28/2010	MW-0613-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2011	MW-0613-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.65 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0613-S1	10/18/2011	MW-0613-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/31/2012	MW-0613-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.2 UB	< 2.0 U
MW-0613-S1	4/2/2013	MW-0613-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	24.0 J	< 2.0 U
MW-0613-S1	10/16/2013	MW-0613-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2014	MW-0613-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/25/2014	MW-0613-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.9 J	< 2.0 U
MW-0613-S1	3/31/2015	MW-0613-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5				

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane*	1,1-Dichloroethene	Acetone*	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane*	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0617-S1	3/7/2007	MW-0617-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 UJ	48.1	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	11/12/2008	MW-0617-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	18.3	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	12/29/2008	MW-0617-S1 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/31/2012	MW-0617-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/16/2013	MW-0617-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	5/13/2014	MW-0617-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	56.5 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/25/2014	MW-0617-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/31/2015	MW-0617-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 2.0 U
MW-0617-S1	9/30/2015	MW-0617-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/30/2016	MW-0617-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2016	MW-0617-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 6.3 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/24/2017	MW-0617-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S2	3/7/2007	MW-0617-S2 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	518	< 100 U	< 5.0 U	9.0	< 5.0 U	74.5	386	< 2.0 U
MW-0617-S2	11/14/2008	MW-0617-S2 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	342	< 100 U	< 5.0 U	5.8	< 5.0 U	34.4	209	< 2.0 U
MW-0617-S2	12/29/2008	FD-1-MAH (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	668	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	60.2	221	< 2.0 U
MW-0617-S2	12/29/2008	MW-0617-S2 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	586	< 100 U	< 5.0 U	8.4	< 5.0 U	62.4	227	< 2.0 U
MW-0618-S1	11/13/2006	MW-0618-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/12/2008	MW-0618-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/31/2012	MW-0618-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0618-S1	4/2/2013	MW-0618-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.2 J	< 2.0 U
MW-0618-S1	10/16/2013	MW-0618-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	5/13/2014	MW-0618-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/31/2015	MW-0618-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.49 J	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 5.0 U	< 2.0 U
MW-0618-S1	9/30/2015	MW-0618-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	0.91 J	0.36 J	< 5.0 U	< 5.0 U	< 5.0 U	0.74 J	0.28 J	< 2.0 U
MW-0618-S1	3/30/2016	MW-0618-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2016	MW-0618-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 6.1 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/24/2017	MW-0618-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0619-S1	11/20/2006	MW-0619-S1 (112006)	Direct Fill	< 5.0 U	< 5.0 U	1.8 J	< 50.0 U	< 5.0 U	< 5.0 U	390	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	26	1,900	1.8 J
MW-0619-S1	11/14/2008	FD-2-TK (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	347	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	31.8	3,140	5.0
MW-0619-S1	11/14/2008	MW-0619-S1 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	345	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	33.8	3,200	4.9
MW-0619-S1	10/31/2012	MW-0619-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	143	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	6.7	963 D	< 2.0 U
MW-0619-S1	4/2/2013	MW-0619-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	18.4 J	< 100 U	4.0 J	< 5.0 U	< 5.0 U	< 5.0 U	4.7 J	< 2.0 U
MW-0619-S1	10/16/2013	MW-0619-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	165	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	8.4	929 D	< 2.0 U
MW-0619-S1	5/13/2014	MW-0619-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	54.4 UB	< 5.0 U	< 5.0 U	19.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.3 J	< 2.0 U
MW-0619-S1	9/25/2014	MW-0619-S1(092514)PDB	PDB	<													

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane*	1,1-Dichloroethene	Acetone*	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane*	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0622-S1	10/16/2013	MW-0622-S1(101613)	PDB	< 100 U	< 100 U	< 100 U	< 2,000 U	< 100 U	< 100 U	1,700	< 2,000 U	< 100 U	< 100 U	< 100 U	79.9 J	18,800 D	< 40.0 U
MW-0622-S1	5/13/2014	FD-2(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	2,660	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	28.8 J	22,700 D	< 20.0 U
MW-0622-S1	5/13/2014	MW-0622-S1(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	2,650	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	29.8 J	18,400 D	< 20.0 U
MW-0622-S1	9/25/2014	FD-2(092514)-AO	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 UJ	< 25.0 U	1,660 DJ	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	29.0	10,400 DJ	< 10.0 U
MW-0622-S1	9/25/2014	MW-0622-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	7.3	54.0 J	< 5.0 U	< 5.0 U	1,960 DJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	27.1	16,000 D	1.9 J
MW-0622-S1	3/31/2015	MW-0622-S1(033115)-PDB	PDB	< 100 U	< 100 U	< 100 U	< 2,000 U	< 100 U	< 100 U	1,790	< 2,000 U	< 100 U	< 100 U	< 100 U	35.8 J	21,800 D	< 40.0 U
MW-0622-S1	9/30/2015	FD-2(093015)-CK	PDB	< 5.0 U	3.4 J	7.2	< 100 UB	< 5.0 U	< 5.0 U	1,550 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	33.4	11,900 D	1.8 J
MW-0622-S1	9/30/2015	MW-0622-S1(093015)PDB	PDB	< 5.0 U	3.5 J	7.6	< 100 UB	< 5.0 U	< 5.0 U	1,520 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	32.9	14,700 D	1.8 J
MW-0622-S1	3/9/2016	MW-0622-S1(030916)	Low-Flow	< 100 U	< 100 U	< 100 U	< 2,000 U	< 100 U	< 100 U	946	< 2,000 U	< 100 UJ	< 100 U	< 100 U	< 100 U	9,610 D	< 40.0 U
MW-0622-S1	9/27/2016	FD-2(092716)RW	PDB	< 5.0 U	< 5.0 U	6.2	< 100 U	< 5.0 U	< 5.0 U	1,470 D	< 100 U	< 6.0 UB	< 5.0 U	< 5.0 U	22.7	11,500 D	< 2.0 U
MW-0622-S1	9/27/2016	MW-0622-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	1,420	< 1,000 U	< 132 UB	< 50.0 U	< 50.0 U	< 50.0 U	12,100 D	< 20.0 U
MW-0622-S1	3/24/2017	FD-2(032417)-LF	Low-Flow	< 100 U	< 100 U	< 100 U	< 2,000 U	< 100 U	< 100 U	2,270	< 2,000 U	< 100 U	< 100 U	< 100 U	< 100 U	28,800 D	< 40.0 U
MW-0622-S1	3/24/2017	MW-0622-S1(032417)PDB	PDB	< 100 U	< 100 U	< 100 U	< 2,000 U	< 100 U	< 100 U	2,370	< 2,000 U	< 100 U	< 100 U	< 100 U	< 100 U	27,300 D	< 40.0 U
MW-0622-S2	11/21/2006	MW-0622-S2 (112106)	Direct Fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	3.1 J	1.7 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0622-S2	11/13/2008	MW-0622-S2 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0622-S2	5/5/2010	MW-0622-S2 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0622-S2	10/28/2010	MW-0622-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0622-S2	5/13/2011	MW-0622-S2(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.75 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0622-S2	10/18/2011	MW-0622-S2(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0622-S2	4/19/2012	MW-0622-S2 (041912)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0622-S2	10/31/2012	MW-0622-S2(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/7/2007	MW-0623-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	11/12/2008	FD-3-MAH (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 2.0 U
MW-0623-S1	11/12/2008	MW-0623-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	20.3 J	< 2.0 U
MW-0623-S1	12/29/2008	MW-0623-S1 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	5/5/2010	MW-0623-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0623-S1	10/28/2010	MW-0623-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	5/13/2011	MW-0623-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.67 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0623-S1	10/18/2011	MW-0623-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	10/31/2012	MW-0623-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	4/2/2013	MW-0623-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	20.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	228	< 2.0 U
MW-0623-S1	10/16/2013	MW-0623-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3.1 J	< 2.0 U
MW-0623-S1	5/13/2014	MW-0623-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	9/25/2014	MW-0623-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0623-S1	3/31/2																

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane*	1,1-Dichloroethene	Acetone*	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane*	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-1501-S1	9/2/2015	MW-1501-S1(090215)	Low-Flow	< 5.0 U	< 5.0 U	0.87 J	15.9 J	< 5.0 U	0.30 J	85.5	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	34.1	1,540 D	4.9
MW-1502-S1	9/2/2015	MW-1502-S1(090215)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	148	< 100 U	< 5.0 U	< 5.0 U	0.15 J	1.2 J	42.4	45.0
MW-1503-S1	9/2/2015	MW-1503-S1(090215)	Low-Flow	< 5.0 U	< 5.0 U	16.1	< 100 U	< 5.0 U	0.48 J	1,980 D	< 100 U	< 5.0 U	< 5.0 U	0.22 J	25.7	2,820 D	50.5
MW-1504-S1	9/2/2015	MW-1504-S1(090215)	Low-Flow	< 5.0 U	< 5.0 U	4.0 J	< 100 U	< 5.0 U	0.27 J	315 D	< 100 U	< 5.0 U	< 5.0 U	0.34 J	13.2	4,680 D	7.0
MW-1505-S1	9/3/2015	MW-1505-S1(090315)	Low-Flow	< 5.0 U	< 5.0 U	0.80 J	< 100 U	< 5.0 U	0.17 J	132	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	5.8	832 D	1.7 J
MW-1506-S1	9/3/2015	MW-1506-S1(090315)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	1.3 J	10.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	579 D	< 2.0 U
MW-1507-S1	9/3/2015	MW-1507-S1(090315)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	0.58 J	14.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	2.2 J	271 D	< 2.0 U
MW-1508-S1	9/3/2015	DUP-01(090315)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	0.36 J	9.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.33 J	102	< 2.0 U
MW-1508-S1	9/3/2015	MW-1508-S1(090315)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	0.51 J	10	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.35 J	105	< 2.0 U
Maximum Contaminant Level‡				200	24	7.0	14,000	5.0	80	70	13,000	5.0	5.0	1,000	100	5.0	2.0

Notes:

- ‡ The data are screened against United States Environmental Protection Agency (USEPA) Drinking Water Screening Criteria (Maximum Contaminant Levels [MCLs]).
- * No MCL is established for 1,1-dichloroethane, acetone, or cyclohexane; as such, the Indiana Deptmnt of Environmental Management Remediation Closure Guide (RCG) Tap Water Criteria were used for screening purposes

Shaded Concentrations highlighted gray exceed the screening criteria

µg/L: micrograms per liter

D: Concentration is based on a diluted sample analysis

E: The compound was quantitated above the calibration range.

J: The compound was positively identified; however, the associated numerical value is an estimated concentration only

PDB: Passive diffusion bag

U: The compound was analyzed for but not detected. The associated value is the compound quantitation limit

UB: Compound considered non-detect at the listed value due to associated blank contamination

UJ: The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0516-S1	10/19/2005	MW-0516-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/23/2006	MW-0516-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/5/2010	MW-0516-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/6/2010	MW-0516-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	10/28/2010	MW-0516-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2011	MW-0516-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0516-S1	10/18/2011	MW-0516-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/31/2012	MW-0516-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	4/2/2013	MW-0516-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/16/2013	MW-0516-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2014	MW-0516-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/25/2014	MW-0516-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/31/2015	MW-0516-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.26 J	< 2.0 U
MW-0516-S1	9/30/2015	MW-0516-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	FD-1(033016)-LM	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	MW-0516-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2016	MW-0516-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/24/2017	MW-0516-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/24/2006	MW-0602-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	11/7/2006	MW-0602-S1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/31/2012	MW-0602-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/16/2013	MW-0602-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	5/13/2014	MW-0602-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/25/2014	MW-0602-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/30/2016	MW-0602-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2016	MW-0602-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/24/2017	MW-0602-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2006	MW-0603-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	11/8/2006	MW-0603-S1 (110806)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	6/25/2009	MW-0603-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	5/5/2010	MW-0603-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	10/28/2010	MW-0603-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2011	MW-0603-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0603-S1	10/18/2011	MW-0603-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/31/2012	MW-0603-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/16/2013	MW-0603-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2014	MW-0603-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/25/2014	MW-0603-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/31/2015	MW-0603-S1(033115)-AO-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/30/2015	MW-0603-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.27 J	< 2.0 U
MW-0603-S1	3/30/2016	MW-0603-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2016	MW-0603-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2017	MW-0603-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0606-S1	3/23/2006	MW-0606-S1 (032306)	Low-Flow	< 5.0 U	230	< 5.0 UJ	42	970	< 2.0 U
MW-0606-S1	11/6/2006	MW-0606-S1 (110606)	Low-Flow	< 5.0 U	210	< 5.0 U	43	770	1.0 J
MW-0606-S1	10/31/2012	MW-0606-S1(103112)LF	Low-Flow	< 5.0 U	288 D	< 5.0 U	76.5	2,410 D	< 2.0 U
MW-0606-S1	10/31/2012	MW-0606-S1(103112)PDB	PDB	< 5.0 U	281 D	< 5.0 U	78.8	2,380 D	1.2 J

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0606-S1	4/2/2013	MW-0606-S1 (040213) PDB	PDB	< 5.0 U	394 EJ	< 5.0 U	105	4,490 EJ	2.0
MW-0606-S1	10/16/2013	MW-0606-S1(101613)	PDB	< 5.0 U	314 D	< 5.0 U	92.8	2,650 D	1.3 J
MW-0606-S1	5/13/2014	MW-0606-S1(051314)	PDB	< 25.0 U	365	< 25.0 U	75.9	3,280 D	< 10.0 U
MW-0606-S1	9/25/2014	MW-0606-S1(092514)PDB	PDB	< 5.0 U	448 D	< 5.0 U	81.0	2,580 DJ	1.2 J
MW-0606-S1	3/31/2015	MW-0606-S1(033115)-PDB	PDB	< 50.0 U	428	< 50.0 U	94.6	3,030 D	< 20.0 U
MW-0606-S1	9/30/2015	MW-0606-S1(093015)PDB	PDB	0.42 J	285	< 5.0 U	45.6	1,260 D	0.43 J
MW-0606-S1	3/9/2016	MW-0606-S1(030916)	Low-Flow	< 5.0 U	329 D	< 5.0 U	62.6	1,960 D	< 2.0 U
MW-0606-S1	9/27/2016	MW-0606-S1(092716)PDB	PDB	< 50.0 U	633	< 50.0 U	58.0	1,130	< 20.0 U
MW-0606-S1	3/24/2017	MW-0606-S1(032417)PDB	PDB	< 5.0 U	441	< 5.0 U	97.8	2,820 D	< 2.0 U
MW-0607-S1	3/24/2006	MW-0607-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	11/6/2006	MW-0607-S1 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	6/25/2009	MW-0607-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/5/2010	MW-0607-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/6/2010	MW-0607-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	10/28/2010	MW-0607-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2011	MW-0607-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0607-S1	10/18/2011	MW-0607-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/31/2012	MW-0607-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0607-S1	4/2/2013	MW-0607-S1 (040213) PDB	PDB	< 5.0 U	2.9 J	< 5.0 U	< 5.0 U	36.9 J	< 2.0 U
MW-0607-S1	10/16/2013	MW-0607-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2014	MW-0607-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/25/2014	MW-0607-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.0 J	< 2.0 U
MW-0607-S1	3/31/2015	MW-0607-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/30/2015	MW-0607-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/30/2016	MW-0607-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2016	MW-0607-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/24/2017	MW-0607-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/23/2006	MW-0608-S1 (032306)	Low-Flow	< 5.0 U	2.9 J	< 5.0 UJ	< 5.0 U	2.0 J	< 2.0 U
MW-0608-S1	11/7/2006	MW-0608-S1 (110706)	Low-Flow	< 5.0 U	35	< 5.0 U	3.3 J	1.7 J	< 2.0 U
MW-0608-S1	6/26/2009	MW-0608-S1 (062609)	Low-Flow	< 5 U	24.5	< 5 U	< 5 U	< 5 U	4.9
MW-0608-S1	10/31/2012	MW-0608-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0608-S1	4/2/2013	MW-0608-S1 (040213) PDB	PDB	< 5.0 U	30.9	< 5.0 U	< 5.0 U	5.2 J	1.7 J
MW-0608-S1	10/16/2013	MW-0608-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	5/13/2014	MW-0608-S1(051314)	PDB	< 5.0 U	148	< 5.0 U	11.7	3.5 J	5.4
MW-0608-S1	9/25/2014	MW-0608-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.5 J	< 2.0 U
MW-0608-S1	3/31/2015	MW-0608-S1(033115)-PDB	PDB	0.33 J	144	< 5.0 U	13.1	< 5.0 U	4.0
MW-0608-S1	9/30/2015	MW-0608-S1(093015)PDB	PDB	0.54 J	243 D	< 5.0 U	35.3	< 5.0 U	5.8
MW-0608-S1	3/30/2016	MW-0608-S1(033016)PDB	PDB	< 5.0 U	97.8	< 5.0 U	9.3	< 5.0 U	2.6
MW-0608-S1	9/27/2016	MW-0608-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/24/2017	MW-0608-S1(032417)PDB	PDB	< 5.0 U	30.3	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	3/23/2006	MW-0609-S1 (032306)	Low-Flow	< 5.0 U	61	< 5.0 UJ	9.7	260	< 2.0 U
MW-0609-S1	11/9/2006	MW-0609-S1 (110906)	Low-Flow	< 5.0 U	55	< 5.0 U	9.0	220	< 2.0 U
MW-0609-S1	6/26/2009	FD-1-PS (062609)	Low-Flow	< 5 U	225	< 5 U	25.4	69.4	3.7
MW-0609-S1	6/26/2009	MW-0609-S1 (062609)	Low-Flow	< 5 U	226	< 5 U	26.1	69.9	3.6
MW-0609-S1	10/31/2012	MW-0609-S1(103112)PDB	PDB	< 5.0 U	3.8 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	4/2/2013	MW-0609-S1 (040213) PDB	PDB	< 5.0 U	18.9	< 5.0 U	< 5.0 U	8.2 J	< 2.0 U
MW-0609-S1	10/16/2013	MW-0609-S1(101613)	PDB	< 5.0 U	489 D	< 5.0 U	40.1	5.9	7.8
MW-0609-S1	5/13/2014	MW-0609-S1(051314)	PDB	< 5.0 U	198 D	< 5.0 U	16.2	40.1	5.4
MW-0609-S1	9/25/2014	MW-0609-S1(092514)PDB	PDB	< 5.0 U	26.6	< 5.0 U	2.7 J	< 5.0 U	6.2

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0609-S1	9/30/2015	MW-0609-S1(093015)PDB	PDB	< 5.0 U	347 D	< 5.0 U	53.1	248	3.2
MW-0609-S1	3/30/2016	MW-0609-S1(033016)PDB	PDB	< 5.0 U	18.6	< 5.0 U	< 5.0 U	7.9	< 2.0 U
MW-0609-S1	9/27/2016	MW-0609-S1(092716)PDB	PDB	< 5.0 U	496	< 5.0 U	49.7	17.1	18.1
MW-0609-S1	3/24/2017	MW-0609-S1(032417)PDB	PDB	< 5.0 U	7.5	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	11/10/2006	MW-0610-S1 (111006)	Low-Flow	< 5.0 U	40	< 5.0 U	4.2 J	< 5.0 U	1.9 J
MW-0610-S1	11/12/2008	MW-0610-S1 (111208)	Low-Flow	< 5.0 U	19.1	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/5/2010	MW-0610-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0610-S1	10/28/2010	MW-0610-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2011	MW-0610-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0610-S1	10/18/2011	MW-0610-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/31/2012	MW-0610-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/16/2013	MW-0610-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2014	MW-0610-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/25/2014	MW-0610-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.0 J	< 2.0 U
MW-0610-S1	3/31/2015	MW-0610-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/30/2015	MW-0610-S1(093015)PDB	PDB	< 5.0 U	2.1 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/30/2016	MW-0610-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2016	MW-0610-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/24/2017	MW-0610-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0612-S1	11/9/2006	MW-0612-S1 (110906)	Low-Flow	< 5.0 U	130	< 5.0 U	43	3,300	2.4
MW-0612-S1	3/7/2007	FD-1-MG (030707)	Low-Flow	< 5.0 U	132	< 5.0 U	38.6	3,760	3.1
MW-0612-S1	3/7/2007	MW-0612-S1 (030707)	Low-Flow	< 5.0 U	161	< 5.0 U	38.9	3,950	< 2.0 U
MW-0612-S1	6/25/2009	MW-0612-S1 (062509)	Low-Flow	< 50 U	207	< 50 U	< 50 U	4,370	< 20 U
MW-0612-S1	4/19/2012	MW-0612-S1 (041912)-PDB	Low-Flow	< 5.0 U	223	< 5.0 U	44.9	4,750 D	15.1
MW-0612-S1	10/31/2012	FD-2(103112)PDB-WK	PDB	< 5.0 U	850 D	< 5.0 U	141	675 D	< 2.0 U
MW-0612-S1	10/31/2012	MW-0612-S1(103112)LF	Low-Flow	< 5.0 U	185	< 5.0 U	45.8	2,490 D	11.8
MW-0612-S1	10/31/2012	MW-0612-S1(103112)PDB	PDB	< 5.0 U	275	< 5.0 U	48.5	5,440 D	24.5
MW-0612-S1	4/2/2013	MW-0612-S1 (040213) PDB	PDB	< 5.0 U	191	< 5.0 U	41.0	3,720 EJ	9.3
MW-0612-S1	10/16/2013	MW-0612-S1(101613)	PDB	< 5.0 U	242	< 5.0 U	49.1	3,220 D	12.4
MW-0612-S1	5/13/2014	MW-0612-S1(051314)	PDB	< 5.0 U	248 D	< 5.0 U	46.2	3,400 D	13.2
MW-0612-S1	9/25/2014	MW-0612-S1(092514)PDB	PDB	< 5.0 U	251	< 5.0 U	43.2	3,190 DJ	13.7
MW-0612-S1	3/31/2015	MW-0612-S1(033115)-PDB	PDB	0.65 J	292	< 5.0 U	49.6	3,870 D	11.6
MW-0612-S1	9/30/2015	MW-0612-S1(093015)PDB	PDB	0.43 J	268 D	< 5.0 U	62.5	4,420 D	7.6
MW-0612-S1	3/9/2016	MW-0612-S1(030916)	Low-Flow	< 25.0 U	193	< 25.0 U	47.2	2,380 D	< 10.0 U
MW-0612-S1	9/27/2016	MW-0612-S1(092716)PDB	PDB	< 50.0 U	249	< 50.0 U	< 50.0 U	4,630 D	< 20.0 U
MW-0612-S1	3/24/2017	MW-0612-S1(032417)PDB	PDB	< 25.0 U	254	< 25.0 U	49.4	3,960 D	< 10.0 U
MW-0613-S1	11/10/2006	MW-0613-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	11/12/2008	MW-0613-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/5/2010	MW-0613-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0613-S1	10/28/2010	MW-0613-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2011	MW-0613-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0613-S1	10/18/2011	MW-0613-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/31/2012	MW-0613-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.2 UB	< 2.0 U
MW-0613-S1	4/2/2013	MW-0613-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	24.0 J	< 2.0 U
MW-0613-S1	10/16/2013	MW-0613-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2014	MW-0613-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/25/2014	MW-0613-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.9 J	< 2.0 U
MW-0613-S1	3/31/2015	MW-0613-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/30/2015	MW-0613-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0613-S1	3/30/2016	MW-0613-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2016	MW-0613-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/24/2017	MW-0613-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/7/2007	MW-0617-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	48.1	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	11/12/2008	MW-0617-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	18.3	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	12/29/2008	MW-0617-S1 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/31/2012	MW-0617-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/16/2013	MW-0617-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	5/13/2014	MW-0617-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/25/2014	MW-0617-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/31/2015	MW-0617-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 2.0 U
MW-0617-S1	9/30/2015	MW-0617-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/30/2016	MW-0617-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2016	MW-0617-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/24/2017	MW-0617-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/13/2006	MW-0618-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/12/2008	MW-0618-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/31/2012	MW-0618-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0618-S1	4/2/2013	MW-0618-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.2 J	< 2.0 U
MW-0618-S1	10/16/2013	MW-0618-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	5/13/2014	MW-0618-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/31/2015	MW-0618-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 5.0 U	< 2.0 U
MW-0618-S1	9/30/2015	MW-0618-S1(093015)PDB	PDB	< 5.0 U	0.91 J	< 5.0 U	0.74 J	0.28 J	< 2.0 U
MW-0618-S1	3/30/2016	MW-0618-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2016	MW-0618-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/24/2017	MW-0618-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0704-S1	11/13/2008	MW-0704-S1 (111308)	Low-Flow	< 5.0 U	408	< 5.0 U	71.8	1,370	< 2.0 U
MW-0704-S1	6/25/2009	MW-0704-S1 (062509)	Low-Flow	< 5 U	571	< 5 U	103	1,200	5.6
MW-0704-S1	10/31/2012	MW-0704-S1(103112)PDB	PDB	< 5.0 U	635 D	< 5.0 U	81.3	1,640 D	2.9
MW-0704-S1	4/2/2013	MW-0704-S1 (040213) PDB	PDB	< 5.0 U	714 D	< 5.0 U	96.1	2,000 D	2.6
MW-0704-S1	10/16/2013	MW-0704-S1(101613)	PDB	< 5.0 U	628 D	< 5.0 U	99.5	1,830 D	4.5
MW-0704-S1	5/13/2014	MW-0704-S1(051314)	PDB	< 25.0 U	606	< 25.0 U	77.4	2,080 D	< 10.0 U
MW-0704-S1	9/25/2014	MW-0704-S1(092514)PDB	PDB	3.1 J	704 D	< 5.0 U	109	3,240 DJ	5.1
MW-0704-S1	3/31/2015	MW-0704-S1(033115)-PDB	PDB	2.8 J	740	< 25.0 U	101	2,640 D	3.7 J
MW-0704-S1	9/30/2015	MW-0704-S1(093015)PDB	PDB	1.1 J	620 D	< 5.0 U	94.9	1,880 D	4.8
MW-0704-S1	3/9/2016	MW-0704-S1(030916)	Low-Flow	< 25.0 U	660	< 25.0 U	89.5	1,370 D	< 10.0 U
MW-0704-S1	9/27/2016	MW-0704-S1(092716)PDB	PDB	< 50.0 U	668	< 50.0 U	88.9	2,480	< 20.0 U
MW-0704-S1	3/24/2017	MW-0704-S1(032417)PDB	PDB	< 25.0 U	569	< 25.0 U	76.0	2,000 D	< 10.0 U
MW-0705-S1	11/13/2008	MW-0705-S1 (111308)	Low-Flow	< 5.0 U	37.2	< 5.0 U	9.4	187	< 2.0 U
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-LF	Low-Flow	< 5 U	50.0	< 5 U	14.9	178	5.1
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-PDB	PDB	< 5 U	34.0	< 5 U	9.0	86.3	4.8
MW-0705-S1	10/31/2012	MW-0705-S1(103112)PDB	PDB	< 5.0 U	39.8	< 5.0 U	9.4	146	4.2
MW-0705-S1	4/2/2013	MW-0705-S1 (040213) PDB	PDB	< 5.0 U	46.8	< 5.0 U	13.7	177	4.1
MW-0705-S1	10/16/2013	MW-0705-S1(101613)	PDB	< 5.0 U	50.3	< 5.0 U	11.9	185	3.9
MW-0705-S1	5/13/2014	MW-0705-S1(051314)	PDB	< 5.0 U	42.1	< 5.0 U	10.7	131	4.2
MW-0705-S1	9/25/2014	MW-0705-S1(092514)PDB	PDB	< 5.0 U	40.6	< 5.0 U	9.3	115	3.1
MW-0705-S1	3/31/2015	MW-0705-S1(033115)-PDB	PDB	< 5.0 U	47.9	< 5.0 U	12.1	148	3.6
MW-0705-S1	9/30/2015	MW-0705-S1(093015)PDB	PDB	< 5.0 U	59.5	< 5.0 U	18.5	176	3.2

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
Former GM Delco Plant 5
Kokomo, Indiana


Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0705-S1	3/30/2016	MW-0705-S1(033016)PDB	PDB	< 5.0 U	46.5	< 5.0 U	11.6	135	3.4
MW-0705-S1	9/27/2016	MW-0705-S1(092716)PDB	PDB	< 5.0 U	46.7	< 5.0 U	13.0	149	3.2
MW-0705-S1	3/24/2017	MW-0705-S1(032417)PDB	PDB	< 5.0 U	35.3	< 5.0 U	9.4	98.6	< 2.0 U
Residential‡				55,120	41,260	44,270	23,430	1,540	540
Commercial/Industrial‡				77,160	57,760	61,980	32,800	2,150	1,810

Notes:

- µg/L Results are reported in micrograms per liter
- ‡ The data are screened against site-specific Groundwater Vapor Intrusion Screening Criteria for residential and commercial/industrial values
- BOLD** Results exceed the residential standards
- SHADED** Results exceed the commercial/industrial standards
- D: Concentration is based on a diluted sample analysis
- LF: LF - Low Flow Sampling Technique
- PDB: PDB - Passive Diffusion Bag Sampling Technique
- J: J - The compound was positively identified; however, the associated numerical value is an estimated concentration only
- U: U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit
- UB: UB - Compound considered non-detect at the listed value due to associated blank contamination
- UJ: UJ - The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation

FIGURES





LEGEND

MW-0603-S1

MONITORING WELL SCREENED IN S1 UNIT

AREA OF INTEREST (AOI)

PROPERTY BOUNDARY

(814.11)


GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)

(809.39)*

GROUNDWATER ELEVATION NOT USED TO GENERATE CONTOURS

814.0

GROUNDWATER CONTOUR



RACER TRUST
FORMER GM DELCO PLANT 5
KOKOMO, INDIANA
SEMI-ANNUAL DATA REPORT - FIRST HALF 2017

POTENTIOMETRIC SURFACE - S1 UNIT
(MARCH 3, 2017)

ARCADIS


Design & Consultancy
for natural and built assets

FIGURE
1



CITY: Syracuse DIV: GROUP: Ew-141 DBA: Schilling LDA: Schilling PIC: (Opt) PM: (Rept) TM: (Opt) LVR: (Opt) ON: OFF=REF
G:\ENVCADSYRACUSE\ACT1\000884\2017\000707\DWG\SADP\00884\202.dwg LAYOUT: 5 SAVED: 6/13/2017 8:29 PM ACADVER: 2015 LMS TECH PAGESETUP: --- PLOTSTYLETABLE: PLT\FULLCTB PLOTTED: 6/13/2017 8:29 PM BY: SCHILLING, ADAM


XREFS: PROJECT NAME: 00743301 00884XLD



- LEGEND
- MW-0603-S1 MONITORING WELL SCREENED IN S1 UNIT
- AREA OF INTEREST (AOI)
- PROPERTY BOUNDARY
- FORMER BUILDING
- TRICHLOROETHYLENE (TCE) CONCENTRATION IN MICROGRAMS PER LITER (µg/L)
- ISOCONCENTRATION CONTOUR IN µg/L
- MW-0502-S1 WAS NOT USED FOR ISOCONCENTRATION CONTOUR GENERATION

NOTES

1. U - THE COMPOUND WAS ANALYZED FOR BUT NOT DETECTED. THE ASSOCIATED VALUE IS THE COMPOUND QUANTITATION LIMIT.
2. D - CONCENTRATION IS BASED ON A DILUTED SAMPLE ANALYSIS.




RACER TRUST
FORMER GM DELCO PLANT 5
KOKOMO, INDIANA
SEMI-ANNUAL DATA REPORT - FIRST HALF 2017

**TCE GROUNDWATER CONCENTRATION
CONTOURS - S1 UNIT
(MARCH 24, 2017)**

Design & Consultancy
for natural and
built assets

FIGURE
4



APPENDIX A

First Half 2017 Progress Report





**Revitalizing Auto Communities
Environmental Response Trust**

Ms. Michelle Kaysen
U.S. Environmental Protection Agency, Region 5
Waste Management Division
77 West Jackson Blvd., DE-9J
Chicago, IL 60604-3590

July 14, 2017

RE: First Half 2017 Progress Report
RCRA Corrective Action
Former GM Delco Plant 5, Kokomo, IN
USEPA ID No. IND000806844

Dear Ms. Kaysen:

In accordance with the Performance-based Administrative Order on Consent (Order) between the U.S. Environmental Protection Agency Region 5 (USEPA) and Revitalizing Auto Communities Environmental Response (RACER) Trust, please find the attached progress report for the first half of 2017. This progress report details activities that have been completed at the RACER Trust owned Former GM Delco Plant 5 in Kokomo, Indiana (Site) from January 1, 2017 through June 30, 2017.

Please let me know if you have any questions about the report.

Sincerely,

Robert W. Hare, P.E., CHMM
Cleanup Manager – (IL, IN, KS, MO, NJ, WI)

Attachment A – First Half 2017 Progress Report

C: Glynda Oakes, IDEM Office of Land Quality (E-mail)
Howard County Health Department (CD)
Carey Stranahan, City of Kokomo (CD)
Kokomo Public Library (Public Information Repository) (CD)
Sarah Fisher, Arcadis U.S. (CD)

500 Woodward Avenue, Suite 2650 • Detroit, MI 48226
313.486.2908 www.RACERTrust.org

ATTACHMENT A
FIRST HALF 2017 PROGRESS REPORT
PERFORMANCE-BASED ADMINISTRATIVE ORDER ON CONSENT
RCRA CORRECTIVE ACTION
FORMER GM DELCO PLANT 5, KOKOMO, IN
JANUARY 1, 2017 TO JUNE 30, 2017

WORK PERFORMED THIS HALF

- Completed site-wide groundwater gauging and deployed passive diffusion bag samplers on March 3, 2017. Groundwater samples were collected from passive diffusion bag samplers on March 24, 2017.
- Prepared a draft *Parking Lot Summary of Investigation* report summarizing data collected on the northern parking lot in anticipation of removing the parcel from the Corrective Action process. Submitted a draft of the report to USEPA on May 16, 2017.
- Began work on a new draft of the *Corrective Measures Proposal* which summarizes available remedies to meet cleanup objectives for the site.
- Finalized and submitted the *Vertical Aquifer Profiling Investigation Memorandum* to USEPA on May 9, 2017.

DATA AVAILABLE DURING THIS HALF

- Analytical results from the March 2017 groundwater sampling event are included in the *Semi-Annual Progress and Data Report, First Half 2017*.

PROBLEMS ENCOUNTERED

- None.

SUMMARY OF PROBLEM RESOLUTION

- NA

POTENTIAL PROBLEMS

- None.

ESTIMATED PERCENT COMPLETE AND INFORMATION SUMMARY FOR SELECTED ACTIVITIES

- Description of Current Conditions 100%
Summarized available information for the Site and identified seven Areas of Interest (AOIs), four of which require additional investigation. No ecological habitat was identified at or in the immediate vicinity of the Site. Due May 15, 2006 and submitted October 10, 2005.
- Public Participation Plan 100%
- Resource Conservation and Recovery Act (RCRA) Facility Investigation (RFI) Work Plan 100%
Submitted December 15, 2005.
- RFI Phase I Implementation 100%
Objective was to characterize the hydrogeology, to evaluate potential off-site groundwater impacts and to characterize AOIs at the Site. Phase I included installation of 38 soil borings and 20 monitoring wells. Ninety-five soil, eight borehole water, and 23 groundwater samples were analyzed. Completed in October 2005.
- RFI Data Report (Phase I data) 100%
Major findings included identifying small, isolated zones with perched groundwater, and two continuous saturated sand units over the investigation area with shallow groundwater flow generally to the southeast. Trichloroethene (TCE) is primary chemical of concern, with source areas identified in AOIs 5 and 7. TCE groundwater impacts extend off-site, but are not present in borehole water samples collected approximately 800 feet from the Site. No potable water wells were identified in immediate vicinity of the Site. Currently, no unacceptable risks to human health have been identified. Submitted January 19, 2006.
- RFI Phase II Implementation 100%
Objective was to further characterize on- and off-site groundwater impacts and AOIs on Site. Phase II included installation of 29 soil borings and 20 monitoring wells. Seventy-five soil, two borehole water, and 20 groundwater samples were analyzed. Completed in March 2006.
- RFI Data Report (updated to include Phase II data) 100%
Major findings included more precise delineation of on- and off-site TCE groundwater impacts. Groundwater flow in the bedrock appears to be generally to the northeast. TCE distribution in bedrock groundwater indicates an upgradient source of TCE to the bedrock groundwater. Source area soil impacts were more precisely delineated at AOIs 5 and 7, and a possible additional source area was identified in the vicinity of the former south manufacturing building. Currently, no unacceptable risks to human health have been identified. Submitted May 26, 2006.
- RFI Phase III Implementation 100%
Objective was to further characterize on- and off-site groundwater impacts and AOIs on site. The initial RFI Phase III field work included installation of six soil borings and 13 monitoring wells. Fourteen soil, four borehole water, and 42 groundwater samples were submitted for analysis. An additional six soil borings and four monitoring wells were installed, and 16 soil samples and four

groundwater samples were collected as part of additional “step-out” activities (Phase IIIb) performed based on review of preliminary RFI Phase III soil and borehole water sample analytical data. Following review of the preliminary data from Phase IIIb, two additional monitoring wells were installed (Phase IIIc) to further characterize and delineate the extent of groundwater containing TCE in the S1 unit in the northwestern portion of the Site (MW-0623-S1), and in the S2 unit east of the Site along Lordeman Street (MW-0607-S2). Access was obtained to the adjacent former Midwest Plating property, where three monitoring wells were installed, and soil and groundwater samples were collected. Started on October 9, 2006 and completed in March 2007.

- RFI Data Report (updated to include Phase III data) 100%

Major findings included more precise delineation of on- and off-site groundwater impacts. Groundwater flow in the bedrock appears to generally be to the south. The source of the cis-1,2-dichloroethene (cis-1,2-DCE) in bedrock groundwater is uncertain. Additional characterization of the groundwater in the bedrock is necessary. There are relatively high concentrations of TCE and tetrachloroethene (PCE) in the soil at the former Midwest Plating property. More precise delineation of source area soil impacts is necessary at AOI 5 and the former south manufacturing building. Currently, no unacceptable risks to human health have been identified. Submitted June 1, 2007.

- RFI Soil Gas Sampling 100%

Objective is to allow for verifying the appropriateness of the groundwater vapor intrusion criteria that have been used to guide the RFI field investigation at the Site. A work plan addendum was submitted to USEPA on July 10, 2007. A conference call was held with USEPA to discuss the work plan, and the work plan was subsequently revised. USEPA’s comments were incorporated, and the work plan addendum was resubmitted to USEPA. Soil gas monitoring ports were installed in the residential area east of the Site on August 7, 2007, and soil gas samples were collected on August 13, 2007. Preliminary soil gas analytical results were submitted to USEPA on August 28, 2007, and a conference call was held to discuss those results on August 30, 2007. Additional soil gas sampling ports were installed on September 4, 2007, and additional soil gas samples were collected on September 17, 2007. The preliminary analytical results from the second sampling event were submitted to USEPA on September 27, 2007. USEPA provided comments on the preliminary data in a letter dated October 2, 2007. The comment letter and results were discussed during an October 16, 2007, conference call. Additional risk evaluation was completed and submitted to USEPA on October 30, 2007, and a conference call to discuss the additional information was held on November 28, 2007. General Motors Company’s (GM’s) response to USEPA’s October 2, 2007 comment letter was submitted to USEPA on December 3, 2007.

- Soil Gas Investigation Data Report 100%

The final soil gas investigation data report was submitted to USEPA on December 21, 2007.

- RFI Phase IV Implementation 100%

Objectives are to further characterize on-site soil impacts in the former south manufacturing building, to characterize the groundwater flow, and to delineate the horizontal and vertical extent of cis-1,2-DCE in the groundwater in the bedrock.

A total of 62 soil borings were advanced from August 29, 2007 to September 5, 2007 within and in the vicinity of the former north and south manufacturing buildings. These were field screened. Soil samples were collected based on field observations, and a total of 31 soil samples were submitted for laboratory analysis. An additional 26 soil borings were advanced from November 19, 2007 to November 20, 2007 to delineate TCE within, and in the vicinity of the north and south manufacturing buildings. A total of 60 soil samples were submitted for laboratory analysis. An additional 14 soil borings were advanced on January 15, 2008, to delineate TCE within, and in the vicinity of the north and south manufacturing buildings. A total of 15 soil samples were submitted for laboratory analysis. Based on review of these data, TCE is adequately delineated.

Installation of the pilot bedrock boring, packer testing, Flexible Liner Underground Technologies (FLUTE) hydraulic profiling, discrete low-flow vertical groundwater sampling, and isolated groundwater sampling was completed between August 20, 2007, and December 8, 2007. A preliminary report of the results from the pilot bedrock boring was submitted to USEPA on November 16, 2007. An updated report was submitted to USEPA on March 21, 2008. Three additional bedrock monitoring wells were installed in the upper transmissive zone from December 4, 2007 to December 15, 2007. Installation of the additional three deeper bedrock boreholes was completed from April 14, 2008, to May 1, 2008. FLUTE hydraulic profiling of the bedrock boreholes was completed from May 13, 2008, to May 15, 2008. The technical memo with the results of the profiling was submitted to USEPA on July 10, 2008. Discrete depth vertical groundwater sampling (packer sampling) of select intervals in the boreholes was completed in the third quarter 2008. An updated technical memo to summarize the data, and provide recommendations for future groundwater sampling was prepared and submitted to USEPA on October 20, 2008. A groundwater sampling event was completed in November 2008 that included collecting depth to water information across the entire monitoring well network, collecting samples from a subset of approximately 30 existing wells, and discrete depth vertical groundwater sampling (packer sampling) of select intervals in the boreholes; all to confirm the characterization of contaminated groundwater on and off site.

- RFI Supplemental Data Report (updated to include Phase IV soil data) 100%

Major findings included a more complete characterization of on-site soil impacts at AOIs 2 and 3 and the former north and south manufacturing buildings. In addition, the Phase IV soil results were evaluated relative to the determination included in the CA725 Report for the Former GM Delco Plant 5 Facility in Kokomo, Indiana, completed by ENVIRON in 2007, that all current human exposures to “contamination” at or from the Facility are under control, based on soil data collected prior to September 1, 2007. The evaluation of the Phase IV soil data indicated that results do not alter the conclusions presented in the CA725 Report or the “YE” determination for the CA725. Submitted June 27, 2008.

- Groundwater Evaluation 100%

A draft groundwater evaluation was prepared to report GM’s evaluation of groundwater quality and flow data collected through February 2009. Submitted to USEPA on April 10, 2009. This evaluation will be included in the RFI Report. A meeting was held with USEPA on May 19, 2009 to discuss the evaluation and proposed additional investigation.

- Additional Groundwater Investigation 100%
Groundwater sampling completed June 17 through 19, 2009.
- Draft RFI Report 100%
(Submitted October 5, 2009)
A meeting was held with USEPA on October 27, 2009, to review the draft report. USEPA provided comments on the human health risk assessment on December 22, 2009. A call was held with USEPA on February 22, 2010, to discuss USEPA's comments on the RFI risk assessment. Based on that call, a revised RFI Report was submitted to USEPA for review on March 18, 2010.
- Final RFI Report 100%
The final RFI Report was submitted to USEPA on May 21, 2010.
- Human Health EI (CA725) Report 100%
(Submitted November 30, 2007)
Minor comments were received from USEPA on December 12, 2007, and revisions submitted on December 20, 2007. USEPA approved the determination on January 3, 2008.
- Groundwater Migration EI (CA750) 100%
(Submitted November 30, 2009)
A draft determination was submitted to USEPA on October 30, 2009, and was reviewed with USEPA via teleconference on November 12, 2009. The final determination was submitted to USEPA on November 30, 2009. USEPA approved the determination on December 22, 2009.
- Draft Corrective Measures Proposal 100%
(Originally due June 30, 2010, Revised due date of August 31, 2010, Submitted on August 30, 2010)
Motors Liquidation Company (MLC), formerly GM, requested an extension to submit the Corrective Measures Proposal (CMP) on June 22, 2010. USEPA agreed to extend the submittal date for the CMP to August 31, 2010. The draft CMP was submitted to USEPA on August 30, 2010. The draft CMP included proposed corrective measures to mitigate potentially significant future exposures that could result from historical site activities. The draft CMP also included documentation of groundwater modeling performed to support the identification of the area(s) where a groundwater use restriction should be pursued as part of final corrective measures. USEPA and MLC met on November 17, 2010, to discuss the draft CMP. Based on that meeting, MLC prepared and submitted additional information to USEPA on December 23, 2010. USEPA provided comments on the draft CMP on January 7, 2011. Based on the comments, additional evaluation was completed, and the results of that evaluation were submitted to USEPA. A conference call with USEPA was held on February 18, 2011, to discuss the comments and the results of the additional evaluation. April 30, 2011 was the established due date for revised CMP that addresses USEPA comments.
- Corrective Measures Proposal 80%

(The Final CMP was submitted to USEPA on December 6, 2011. Based on change in conceptual site model, a new CMP is being prepared in 2017.)

The vertical aquifer profiling and hydraulic profiling investigation conducted in 2016 allowed for the development of a refined conceptual site model for the Site. Subsequently, a new CMP is being prepared to summarize activities and data since the RFI, update the risk evaluation, and evaluate proposed remedial alternatives.

- Semi-Annual Groundwater Monitoring 26%

The first of the semi-annual groundwater monitoring events was completed on October 28, 2010.

- Vapor Intrusion Conceptual Site Model 100%

A revised version of the Conceptual Site Model (CSM) was reviewed with USEPA on December 10, 2013. Out of the review, the USEPA and RACER Trust, formerly MLC, concluded that additional data are needed to finalize the CSM. As such, RACER Trust is developing an approach to further investigate the risk of vapor intrusion associated with Site-related groundwater impacts. RACER Trust also informed USEPA that the Trust will work with USEPA to address public health concerns within the soil gas focus area. Data from a further vapor intrusion investigation and indoor air testing program were shared with USEPA on March 31, 2014. USEPA concurred that the soil gas and indoor air impacts identified to the east of the Site are not related to RACER Trust. USEPA has referred the soil gas and potential vapor intrusion issue to the east of the Site to Superfund for further evaluation. Per a request by the USEPA, ARCADIS will convert the current CSM from a presentation format into a written document format for submittal into the record. The Vapor Intrusion Conceptual Site Model was finalized and submitted to USEPA on October 19, 2015.

- Monitored Natural Attenuation Evaluation 100%

An evaluation of MNA was completed to determine if MNA could be incorporated into the final corrective measures for the Site. The MNA evaluation report was submitted to USEPA on January 19, 2016.

- Calcium Oxide Pilot Study 100%

A Work Plan for the pilot study was drafted and submitted to USEPA (June 30, 2015). An RFP was prepared and submitted to a selection of contractors (August 8, 2015). The evaluation of remedial technologies is currently on hold until additional data is collected to further enhance the conceptual site model. This additional data collection includes the completion of a vertical aquifer and hydraulic profiling transect along the eastern property boundary. RACER Trust and USEPA made the decision to re-evaluate the corrective measures and RACER Trust will prepare a new CMP to capture all data and information generated since the last submitted CMP, as described above.

SUMMARY OF CONTACTS WITH INTERESTED PARTIES

- The following documents were placed in the public information repository:

500 Woodward Avenue, Suite 2650 · Detroit, MI 48226
313.486.2908 www.RACERTrust.org

- *Fourth Quarter 2016 Progress Report*, RCRA Corrective Action, Former GM Delco Plant 5, Kokomo, IN, USEPA ID No. IND000806844, January 12, 2017.

CHANGES IN PERSONNEL

- None.

PROJECTED WORK FOR NEXT REPORTING PERIOD

The following activities are anticipated to be completed in the second half of 2017:

- Finalize and submit the *Corrective Measures Proposal*.
- Complete a site-wide groundwater gauging and sampling event in September 2017.
- Prepare summaries of meetings, data reviews, or conference calls with USEPA, as appropriate.

APPENDIX B

Groundwater Analytical Reports and Data Validation Report
(Provided on CD)



April 07, 2017

Ms. Sarah Jonker
Arcadis
132 E Washington Street
Suite 600
Indianapolis, IN 46204

RE: Project: Racer - Kokomo
Pace Project No.: 50167452

Dear Ms. Jonker:

Enclosed are the analytical results for sample(s) received by the laboratory on March 25, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Revised Report: changed sample IDs so that suffix ended "S1U" or "S1" /040717kj

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kelly Jones
kelly.jones@pacelabs.com
(317)228-3100
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Racer - Kokomo

Pace Project No.: 50167452

Indiana Certification IDs

7726 Moller Road, Indianapolis, IN 46268

Illinois Certification #: 003971

Indiana Certification #: C-49-06

Kansas/NELAP Certification #: E-10177

Kentucky UST Certification #: 80226

Kentucky WW Certification #: 98019

Ohio VAP Certification #: CL-0065

Oklahoma Certification #: 2016-075

Texas Certification #: T104704355-16-10

West Virginia Certification #: 330

Wisconsin Certification #: 999788130

USDA Soil Permit #: P330-16-00257

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Racer - Kokomo

Pace Project No.: 50167452

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50167452001	TB-1(032417)-LF	Water	03/24/17 09:00	03/25/17 09:50
50167452002	MW-0101-S1U(032417)PDB	Water	03/24/17 10:15	03/25/17 09:50
50167452003	MW-0102-S1U(032417)PDB	Water	03/24/17 12:00	03/25/17 09:50
50167452004	MW-0103-S1U(032417)PDB	Water	03/24/17 12:05	03/25/17 09:50
50167452005	MW-0501-S1(032417)PDB	Water	03/24/17 09:15	03/25/17 09:50
50167452006	MW-0502-S1(032417)PDB	Water	03/24/17 10:10	03/25/17 09:50
50167452007	MW-0503-S1(032417)PDB	Water	03/24/17 10:35	03/25/17 09:50
50167452008	MW-0504-S1(032417)PDB	Water	03/24/17 11:15	03/25/17 09:50
50167452009	MW-0505-S1(032417)PDB	Water	03/24/17 11:35	03/25/17 09:50
50167452010	MW-0506-S1(032417)PDB	Water	03/24/17 11:05	03/25/17 09:50
50167452011	EB-1(032417)-LF	Water	03/24/17 11:10	03/25/17 09:50
50167452012	MW-0507-S1(032417)PDB	Water	03/24/17 10:50	03/25/17 09:50
50167452013	MW-0509-S1(032417)PDB	Water	03/24/17 11:45	03/25/17 09:50
50167452014	MW-0516-S1(032417)PDB	Water	03/24/17 14:10	03/25/17 09:50
50167452015	MW-0517-S1(032417)PDB	Water	03/24/17 10:25	03/25/17 09:50
50167452016	FD-1(032417)-LF	Water	03/24/17 08:00	03/25/17 09:50
50167452017	MW-0603-S1(032417)PDB	Water	03/24/17 14:20	03/25/17 09:50
50167452018	MW-0605-S1(032417)PDB	Water	03/24/17 10:05	03/25/17 09:50
50167452019	MW-0606-S1(032417)PDB	Water	03/24/17 13:55	03/25/17 09:50
50167452020	MW-0604-S1(032417)PDB	Water	03/24/17 11:30	03/25/17 09:50
50167452021	MW-0602-S1(032417)PDB	Water	03/24/17 13:10	03/25/17 09:50
50167452022	MW-0607-S1(032417)PDB	Water	03/24/17 12:45	03/25/17 09:50
50167452023	MW-0608-S1(032417)PDB	Water	03/24/17 13:45	03/25/17 09:50
50167452024	MW-0609-S1(032417)PDB	Water	03/24/17 13:25	03/25/17 09:50
50167452025	MW-0610-S1(032417)PDB	Water	03/24/17 13:35	03/25/17 09:50
50167452026	MW-0611-S1(032417)PDB	Water	03/24/17 12:50	03/25/17 09:50
50167452027	MW-0612-S1(032417)PDB	Water	03/24/17 13:20	03/25/17 09:50
50167452028	MW-0613-S1(032417)PDB	Water	03/24/17 12:30	03/25/17 09:50
50167452029	EB-2(032417)-LF	Water	03/24/17 12:35	03/25/17 09:50
50167452030	MW-0617-S1(032417)PDB	Water	03/24/17 10:55	03/25/17 09:50
50167452031	MW-0618-S1(032417)PDB	Water	03/24/17 12:25	03/25/17 09:50
50167452032	MW-0619-S1(032417)PDB	Water	03/24/17 11:50	03/25/17 09:50
50167452033	MW-0620-S1(032417)PDB	Water	03/24/17 09:55	03/25/17 09:50
50167452034	MW-0621-S1(032417)PDB	Water	03/24/17 11:45	03/25/17 09:50
50167452035	MW-0622-S1(032417)PDB	Water	03/24/17 09:45	03/25/17 09:50
50167452036	FD-2(032417)-LF	Water	03/24/17 08:00	03/25/17 09:50
50167452037	MW-0623-S1(032417)PDB	Water	03/24/17 09:35	03/25/17 09:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Racer - Kokomo

Pace Project No.: 50167452

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50167452038	MW-0704-S1(032417)PDB	Water	03/24/17 14:00	03/25/17 09:50
50167452039	MW-0705-S1(032417)PDB	Water	03/24/17 13:15	03/25/17 09:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Racer - Kokomo

Pace Project No.: 50167452

Lab ID	Sample ID	Method	Analysts	Analytes Reported
50167452001	TB-1(032417)-LF	EPA 8260	JLZ	51
50167452002	MW-0101-S1U(032417)PDB	EPA 8260	JLZ	51
50167452003	MW-0102-S1U(032417)PDB	EPA 8260	JLZ	51
50167452004	MW-0103-S1U(032417)PDB	EPA 8260	JLZ	51
50167452005	MW-0501-S1(032417)PDB	EPA 8260	JLZ	51
50167452006	MW-0502-S1(032417)PDB	EPA 8260	JLZ	51
50167452007	MW-0503-S1(032417)PDB	EPA 8260	JLZ	51
50167452008	MW-0504-S1(032417)PDB	EPA 8260	JLZ	51
50167452009	MW-0505-S1(032417)PDB	EPA 8260	JLZ	51
50167452010	MW-0506-S1(032417)PDB	EPA 8260	JLZ	51
50167452011	EB-1(032417)-LF	EPA 8260	JLZ	51
50167452012	MW-0507-S1(032417)PDB	EPA 8260	JLZ	51
50167452013	MW-0509-S1(032417)PDB	EPA 8260	JLZ	51
50167452014	MW-0516-S1(032417)PDB	EPA 8260	JLZ	51
50167452015	MW-0517-S1(032417)PDB	EPA 8260	JLZ	51
50167452016	FD-1(032417)-LF	EPA 8260	JLZ	51
50167452017	MW-0603-S1(032417)PDB	EPA 8260	JLZ	51
50167452018	MW-0605-S1(032417)PDB	EPA 8260	JLZ	51
50167452019	MW-0606-S1(032417)PDB	EPA 8260	JLZ	51
50167452020	MW-0604-S1(032417)PDB	EPA 8260	JLZ	51
50167452021	MW-0602-S1(032417)PDB	EPA 8260	JLZ	51
50167452022	MW-0607-S1(032417)PDB	EPA 8260	JLZ	51
50167452023	MW-0608-S1(032417)PDB	EPA 8260	JLZ	51
50167452024	MW-0609-S1(032417)PDB	EPA 8260	JLZ	51
50167452025	MW-0610-S1(032417)PDB	EPA 8260	JLZ	51
50167452026	MW-0611-S1(032417)PDB	EPA 8260	JLZ	51
50167452027	MW-0612-S1(032417)PDB	EPA 8260	JLZ	51
50167452028	MW-0613-S1(032417)PDB	EPA 8260	JLZ	51
50167452029	EB-2(032417)-LF	EPA 8260	JLZ	51
50167452030	MW-0617-S1(032417)PDB	EPA 8260	JLZ	51
50167452031	MW-0618-S1(032417)PDB	EPA 8260	JLZ	51
50167452032	MW-0619-S1(032417)PDB	EPA 8260	JLZ	51
50167452033	MW-0620-S1(032417)PDB	EPA 8260	JLZ	51
50167452034	MW-0621-S1(032417)PDB	EPA 8260	JLZ	51
50167452035	MW-0622-S1(032417)PDB	EPA 8260	JLZ	51
50167452036	FD-2(032417)-LF	EPA 8260	JLZ	51
50167452037	MW-0623-S1(032417)PDB	EPA 8260	JLZ	51

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Racer - Kokomo

Pace Project No.: 50167452

Lab ID	Sample ID	Method	Analysts	Analytes Reported
50167452038	MW-0704-S1(032417)PDB	EPA 8260	JLZ	51
50167452039	MW-0705-S1(032417)PDB	EPA 8260	JLZ	51

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Racer - Kokomo

Pace Project No.: 50167452

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50167452002	MW-0101-S1U(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	3020	ug/L	500	03/31/17 11:36	
EPA 8260	Trichloroethene	16800	ug/L	500	03/31/17 11:36	
50167452003	MW-0102-S1U(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	1310	ug/L	25.0	03/29/17 21:27	
EPA 8260	trans-1,2-Dichloroethene	120	ug/L	25.0	03/29/17 21:27	
EPA 8260	Trichloroethene	3640	ug/L	250	03/30/17 11:02	
EPA 8260	Vinyl chloride	27.2	ug/L	10.0	03/29/17 21:27	
50167452004	MW-0103-S1U(032417)PDB					
EPA 8260	Trichloroethene	6.2	ug/L	5.0	03/29/17 21:59	
50167452008	MW-0504-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	839	ug/L	25.0	03/29/17 23:35	
EPA 8260	trans-1,2-Dichloroethene	124	ug/L	25.0	03/29/17 23:35	
EPA 8260	Trichloroethene	2640	ug/L	250	03/30/17 11:34	
EPA 8260	Vinyl chloride	19.7	ug/L	10.0	03/29/17 23:35	
50167452012	MW-0507-S1(032417)PDB					
EPA 8260	1,1-Dichloroethane	28.7	ug/L	5.0	03/30/17 01:42	
EPA 8260	cis-1,2-Dichloroethene	81.1	ug/L	5.0	03/30/17 01:42	
EPA 8260	1,1,1-Trichloroethane	13.2	ug/L	5.0	03/30/17 01:42	
50167452015	MW-0517-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	1030	ug/L	25.0	03/30/17 03:18	
EPA 8260	trans-1,2-Dichloroethene	92.2	ug/L	25.0	03/30/17 03:18	
EPA 8260	Trichloroethene	4740	ug/L	250	03/30/17 12:06	
50167452016	FD-1(032417)-LF					
EPA 8260	cis-1,2-Dichloroethene	1000	ug/L	25.0	03/31/17 12:08	
EPA 8260	trans-1,2-Dichloroethene	94.5	ug/L	25.0	03/31/17 12:08	
EPA 8260	Trichloroethene	5220	ug/L	100	03/30/17 03:50	
50167452018	MW-0605-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	12.2	ug/L	5.0	03/30/17 04:54	
EPA 8260	Trichloroethene	1170	ug/L	125	03/30/17 12:38	
50167452019	MW-0606-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	441	ug/L	125	03/30/17 13:10	
EPA 8260	trans-1,2-Dichloroethene	97.8	ug/L	5.0	03/30/17 05:26	
EPA 8260	Trichloroethene	2820	ug/L	125	03/30/17 13:10	
50167452020	MW-0604-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	1280	ug/L	125	03/30/17 13:42	
EPA 8260	trans-1,2-Dichloroethene	101	ug/L	5.0	03/30/17 05:58	
EPA 8260	Trichloroethene	3250	ug/L	125	03/30/17 13:42	
EPA 8260	Vinyl chloride	33.8	ug/L	2.0	03/30/17 05:58	
50167452023	MW-0608-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	30.3	ug/L	5.0	03/30/17 10:14	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Racer - Kokomo

Pace Project No.: 50167452

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50167452024	MW-0609-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	7.5	ug/L	5.0	03/30/17 10:46	
50167452027	MW-0612-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	254	ug/L	25.0	03/30/17 12:22	
EPA 8260	trans-1,2-Dichloroethene	49.4	ug/L	25.0	03/30/17 12:22	
EPA 8260	Trichloroethene	3960	ug/L	250	03/30/17 14:46	
50167452032	MW-0619-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	20.5	ug/L	5.0	03/30/17 15:02	
50167452033	MW-0620-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	6.4	ug/L	5.0	03/30/17 15:34	
EPA 8260	Trichloroethene	3360	ug/L	125	03/31/17 12:40	
50167452034	MW-0621-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	104	ug/L	25.0	03/30/17 16:06	
EPA 8260	trans-1,2-Dichloroethene	33.3	ug/L	25.0	03/30/17 16:06	
EPA 8260	Trichloroethene	1280	ug/L	25.0	03/30/17 16:06	
50167452035	MW-0622-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	2370	ug/L	100	03/30/17 16:38	
EPA 8260	Trichloroethene	27300	ug/L	1000	03/30/17 15:50	
50167452036	FD-2(032417)-LF					
EPA 8260	cis-1,2-Dichloroethene	2270	ug/L	100	03/30/17 04:06	
EPA 8260	Trichloroethene	28800	ug/L	1000	03/31/17 13:12	
50167452038	MW-0704-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	569	ug/L	25.0	03/30/17 05:10	
EPA 8260	trans-1,2-Dichloroethene	76.0	ug/L	25.0	03/30/17 05:10	
EPA 8260	Trichloroethene	2000	ug/L	250	03/30/17 16:22	
50167452039	MW-0705-S1(032417)PDB					
EPA 8260	cis-1,2-Dichloroethene	35.3	ug/L	5.0	03/30/17 05:42	
EPA 8260	trans-1,2-Dichloroethene	9.4	ug/L	5.0	03/30/17 05:42	
EPA 8260	Trichloroethene	98.6	ug/L	5.0	03/30/17 05:42	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: TB-1(032417)-LF		Lab ID: 50167452001	Collected: 03/24/17 09:00	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/29/17 20:24	67-64-1	
Benzene	ND	ug/L	5.0	1		03/29/17 20:24	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/29/17 20:24	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/29/17 20:24	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/29/17 20:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/29/17 20:24	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/29/17 20:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/29/17 20:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/29/17 20:24	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/29/17 20:24	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/29/17 20:24	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/29/17 20:24	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/29/17 20:24	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/29/17 20:24	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/29/17 20:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/29/17 20:24	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 20:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 20:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 20:24	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/29/17 20:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/29/17 20:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/29/17 20:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/29/17 20:24	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 20:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 20:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/29/17 20:24	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 20:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 20:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/29/17 20:24	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/29/17 20:24	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/29/17 20:24	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/29/17 20:24	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/29/17 20:24	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/29/17 20:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/29/17 20:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/29/17 20:24	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/29/17 20:24	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/29/17 20:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/29/17 20:24	127-18-4	
Toluene	ND	ug/L	5.0	1		03/29/17 20:24	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/29/17 20:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/29/17 20:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/29/17 20:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/29/17 20:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/29/17 20:24	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/29/17 20:24	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/29/17 20:24	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: TB-1(032417)-LF		Lab ID: 50167452001		Collected: 03/24/17 09:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)	ND	ug/L	10.0	1		03/29/17 20:24	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	84-118	1		03/29/17 20:24	1868-53-7		
4-Bromofluorobenzene (S)	96	%.	79-116	1		03/29/17 20:24	460-00-4		
Toluene-d8 (S)	99	%.	86-110	1		03/29/17 20:24	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0101-S1U(032417)PDB		Lab ID: 50167452002		Collected: 03/24/17 10:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV	Analytical Method: EPA 8260								
Acetone	ND	ug/L	10000	100		03/31/17 11:36	67-64-1		
Benzene	ND	ug/L	500	100		03/31/17 11:36	71-43-2		
Bromodichloromethane	ND	ug/L	500	100		03/31/17 11:36	75-27-4		
Bromoform	ND	ug/L	500	100		03/31/17 11:36	75-25-2		
Bromomethane	ND	ug/L	500	100		03/31/17 11:36	74-83-9		
2-Butanone (MEK)	ND	ug/L	2500	100		03/31/17 11:36	78-93-3		
Carbon disulfide	ND	ug/L	1000	100		03/31/17 11:36	75-15-0		
Carbon tetrachloride	ND	ug/L	500	100		03/31/17 11:36	56-23-5		
Chlorobenzene	ND	ug/L	500	100		03/31/17 11:36	108-90-7		
Chloroethane	ND	ug/L	500	100		03/31/17 11:36	75-00-3		
Chloroform	ND	ug/L	500	100		03/31/17 11:36	67-66-3		
Chloromethane	ND	ug/L	500	100		03/31/17 11:36	74-87-3		
Cyclohexane	ND	ug/L	10000	100		03/31/17 11:36	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	1000	100		03/31/17 11:36	96-12-8		
Dibromochloromethane	ND	ug/L	500	100		03/31/17 11:36	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	500	100		03/31/17 11:36	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	500	100		03/31/17 11:36	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	500	100		03/31/17 11:36	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	500	100		03/31/17 11:36	106-46-7		
Dichlorodifluoromethane	ND	ug/L	500	100		03/31/17 11:36	75-71-8		
1,1-Dichloroethane	ND	ug/L	500	100		03/31/17 11:36	75-34-3		
1,2-Dichloroethane	ND	ug/L	500	100		03/31/17 11:36	107-06-2		
1,1-Dichloroethene	ND	ug/L	500	100		03/31/17 11:36	75-35-4		
cis-1,2-Dichloroethene	3020	ug/L	500	100		03/31/17 11:36	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	500	100		03/31/17 11:36	156-60-5		
1,2-Dichloropropane	ND	ug/L	500	100		03/31/17 11:36	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	500	100		03/31/17 11:36	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	500	100		03/31/17 11:36	10061-02-6		
Ethylbenzene	ND	ug/L	500	100		03/31/17 11:36	100-41-4		
2-Hexanone	ND	ug/L	2500	100		03/31/17 11:36	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	500	100		03/31/17 11:36	98-82-8		
Methyl acetate	ND	ug/L	5000	100		03/31/17 11:36	79-20-9	N2	
Methylcyclohexane	ND	ug/L	5000	100		03/31/17 11:36	108-87-2	N2	
Methylene Chloride	ND	ug/L	500	100		03/31/17 11:36	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	2500	100		03/31/17 11:36	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	400	100		03/31/17 11:36	1634-04-4		
Styrene	ND	ug/L	500	100		03/31/17 11:36	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	500	100		03/31/17 11:36	79-34-5		
Tetrachloroethene	ND	ug/L	500	100		03/31/17 11:36	127-18-4		
Toluene	ND	ug/L	500	100		03/31/17 11:36	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	500	100		03/31/17 11:36	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	500	100		03/31/17 11:36	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	500	100		03/31/17 11:36	79-00-5		
Trichloroethene	16800	ug/L	500	100		03/31/17 11:36	79-01-6		
Trichlorofluoromethane	ND	ug/L	500	100		03/31/17 11:36	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	500	100		03/31/17 11:36	76-13-1		
Vinyl chloride	ND	ug/L	200	100		03/31/17 11:36	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0101-S1U(032417)PDB		Lab ID: 50167452002		Collected: 03/24/17 10:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	1000	100		03/31/17 11:36	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	100		03/31/17 11:36	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	79-116	100		03/31/17 11:36	460-00-4	
Toluene-d8 (S)		94	%.	86-110	100		03/31/17 11:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0102-S1U(032417)PDB		Lab ID: 50167452003		Collected: 03/24/17 12:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5		03/29/17 21:27	67-64-1		
Benzene	ND	ug/L	25.0	5		03/29/17 21:27	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		03/29/17 21:27	75-27-4		
Bromoform	ND	ug/L	25.0	5		03/29/17 21:27	75-25-2		
Bromomethane	ND	ug/L	25.0	5		03/29/17 21:27	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		03/29/17 21:27	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		03/29/17 21:27	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		03/29/17 21:27	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		03/29/17 21:27	108-90-7		
Chloroethane	ND	ug/L	25.0	5		03/29/17 21:27	75-00-3		
Chloroform	ND	ug/L	25.0	5		03/29/17 21:27	67-66-3		
Chloromethane	ND	ug/L	25.0	5		03/29/17 21:27	74-87-3		
Cyclohexane	ND	ug/L	500	5		03/29/17 21:27	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		03/29/17 21:27	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		03/29/17 21:27	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		03/29/17 21:27	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		03/29/17 21:27	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		03/29/17 21:27	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		03/29/17 21:27	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		03/29/17 21:27	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		03/29/17 21:27	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		03/29/17 21:27	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		03/29/17 21:27	75-35-4		
cis-1,2-Dichloroethene	1310	ug/L	25.0	5		03/29/17 21:27	156-59-2		
trans-1,2-Dichloroethene	120	ug/L	25.0	5		03/29/17 21:27	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		03/29/17 21:27	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		03/29/17 21:27	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		03/29/17 21:27	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		03/29/17 21:27	100-41-4		
2-Hexanone	ND	ug/L	125	5		03/29/17 21:27	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		03/29/17 21:27	98-82-8		
Methyl acetate	ND	ug/L	250	5		03/29/17 21:27	79-20-9	N2	
Methylcyclohexane	ND	ug/L	250	5		03/29/17 21:27	108-87-2	N2	
Methylene Chloride	ND	ug/L	25.0	5		03/29/17 21:27	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		03/29/17 21:27	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		03/29/17 21:27	1634-04-4		
Styrene	ND	ug/L	25.0	5		03/29/17 21:27	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		03/29/17 21:27	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		03/29/17 21:27	127-18-4		
Toluene	ND	ug/L	25.0	5		03/29/17 21:27	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		03/29/17 21:27	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		03/29/17 21:27	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		03/29/17 21:27	79-00-5		
Trichloroethene	3640	ug/L	250	50		03/30/17 11:02	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		03/29/17 21:27	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		03/29/17 21:27	76-13-1		
Vinyl chloride	27.2	ug/L	10.0	5		03/29/17 21:27	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0102-S1U(032417)PDB		Lab ID: 50167452003		Collected: 03/24/17 12:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/29/17 21:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	84-118	5		03/29/17 21:27	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	79-116	5		03/29/17 21:27	460-00-4	
Toluene-d8 (S)		98	%.	86-110	5		03/29/17 21:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0103-S1U(032417)PDB		Lab ID: 50167452004		Collected: 03/24/17 12:05		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV	Analytical Method: EPA 8260								
Acetone	ND	ug/L	100	1		03/29/17 21:59	67-64-1		
Benzene	ND	ug/L	5.0	1		03/29/17 21:59	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		03/29/17 21:59	75-27-4		
Bromoform	ND	ug/L	5.0	1		03/29/17 21:59	75-25-2		
Bromomethane	ND	ug/L	5.0	1		03/29/17 21:59	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		03/29/17 21:59	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		03/29/17 21:59	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		03/29/17 21:59	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		03/29/17 21:59	108-90-7		
Chloroethane	ND	ug/L	5.0	1		03/29/17 21:59	75-00-3		
Chloroform	ND	ug/L	5.0	1		03/29/17 21:59	67-66-3		
Chloromethane	ND	ug/L	5.0	1		03/29/17 21:59	74-87-3		
Cyclohexane	ND	ug/L	100	1		03/29/17 21:59	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/29/17 21:59	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		03/29/17 21:59	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/29/17 21:59	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 21:59	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 21:59	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 21:59	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/29/17 21:59	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		03/29/17 21:59	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		03/29/17 21:59	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		03/29/17 21:59	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 21:59	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 21:59	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		03/29/17 21:59	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 21:59	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 21:59	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		03/29/17 21:59	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		03/29/17 21:59	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/29/17 21:59	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		03/29/17 21:59	79-20-9	N2	
Methylcyclohexane	ND	ug/L	50.0	1		03/29/17 21:59	108-87-2	N2	
Methylene Chloride	ND	ug/L	5.0	1		03/29/17 21:59	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/29/17 21:59	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/29/17 21:59	1634-04-4		
Styrene	ND	ug/L	5.0	1		03/29/17 21:59	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/29/17 21:59	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		03/29/17 21:59	127-18-4		
Toluene	ND	ug/L	5.0	1		03/29/17 21:59	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/29/17 21:59	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/29/17 21:59	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/29/17 21:59	79-00-5		
Trichloroethene	6.2	ug/L	5.0	1		03/29/17 21:59	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		03/29/17 21:59	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/29/17 21:59	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		03/29/17 21:59	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0103-S1U(032417)PDB		Lab ID: 50167452004		Collected: 03/24/17 12:05		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/29/17 21:59	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	84-118	1		03/29/17 21:59	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/29/17 21:59	460-00-4	
Toluene-d8 (S)		98	%.	86-110	1		03/29/17 21:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0501-S1(032417)PDB		Lab ID: 50167452005	Collected: 03/24/17 09:15	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/29/17 22:31	67-64-1	
Benzene	ND	ug/L	5.0	1		03/29/17 22:31	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/29/17 22:31	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/29/17 22:31	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/29/17 22:31	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/29/17 22:31	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/29/17 22:31	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/29/17 22:31	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/29/17 22:31	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/29/17 22:31	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/29/17 22:31	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/29/17 22:31	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/29/17 22:31	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/29/17 22:31	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/29/17 22:31	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/29/17 22:31	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 22:31	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 22:31	541-73-1	M1
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 22:31	106-46-7	M1
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/29/17 22:31	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/29/17 22:31	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/29/17 22:31	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/29/17 22:31	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 22:31	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 22:31	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/29/17 22:31	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 22:31	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 22:31	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/29/17 22:31	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/29/17 22:31	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/29/17 22:31	98-82-8	M1
Methyl acetate	ND	ug/L	50.0	1		03/29/17 22:31	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/29/17 22:31	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/29/17 22:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/29/17 22:31	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/29/17 22:31	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/29/17 22:31	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/29/17 22:31	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/29/17 22:31	127-18-4	
Toluene	ND	ug/L	5.0	1		03/29/17 22:31	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/29/17 22:31	120-82-1	M1
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/29/17 22:31	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/29/17 22:31	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/29/17 22:31	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/29/17 22:31	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/29/17 22:31	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/29/17 22:31	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0501-S1(032417)PDB		Lab ID: 50167452005		Collected: 03/24/17 09:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/29/17 22:31	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/29/17 22:31	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	79-116	1		03/29/17 22:31	460-00-4	
Toluene-d8 (S)		96	%.	86-110	1		03/29/17 22:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0502-S1(032417)PDB		Lab ID: 50167452006		Collected: 03/24/17 10:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/29/17 23:03	67-64-1		
Benzene	ND	ug/L	5.0	1		03/29/17 23:03	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		03/29/17 23:03	75-27-4		
Bromoform	ND	ug/L	5.0	1		03/29/17 23:03	75-25-2		
Bromomethane	ND	ug/L	5.0	1		03/29/17 23:03	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		03/29/17 23:03	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		03/29/17 23:03	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		03/29/17 23:03	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		03/29/17 23:03	108-90-7		
Chloroethane	ND	ug/L	5.0	1		03/29/17 23:03	75-00-3		
Chloroform	ND	ug/L	5.0	1		03/29/17 23:03	67-66-3		
Chloromethane	ND	ug/L	5.0	1		03/29/17 23:03	74-87-3		
Cyclohexane	ND	ug/L	100	1		03/29/17 23:03	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/29/17 23:03	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		03/29/17 23:03	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/29/17 23:03	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 23:03	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 23:03	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 23:03	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/29/17 23:03	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		03/29/17 23:03	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		03/29/17 23:03	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		03/29/17 23:03	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 23:03	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 23:03	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		03/29/17 23:03	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 23:03	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 23:03	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		03/29/17 23:03	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		03/29/17 23:03	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/29/17 23:03	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		03/29/17 23:03	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		03/29/17 23:03	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		03/29/17 23:03	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/29/17 23:03	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/29/17 23:03	1634-04-4		
Styrene	ND	ug/L	5.0	1		03/29/17 23:03	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/29/17 23:03	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		03/29/17 23:03	127-18-4		
Toluene	ND	ug/L	5.0	1		03/29/17 23:03	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/29/17 23:03	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/29/17 23:03	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/29/17 23:03	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		03/29/17 23:03	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		03/29/17 23:03	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/29/17 23:03	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		03/29/17 23:03	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0502-S1(032417)PDB		Lab ID: 50167452006		Collected: 03/24/17 10:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/29/17 23:03	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	84-118	1		03/29/17 23:03	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/29/17 23:03	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/29/17 23:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0503-S1(032417)PDB		Lab ID: 50167452007		Collected: 03/24/17 10:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV	Analytical Method: EPA 8260								
Acetone	ND	ug/L	100	1		03/30/17 08:38	67-64-1		
Benzene	ND	ug/L	5.0	1		03/30/17 08:38	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 08:38	75-27-4		
Bromoform	ND	ug/L	5.0	1		03/30/17 08:38	75-25-2		
Bromomethane	ND	ug/L	5.0	1		03/30/17 08:38	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 08:38	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 08:38	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 08:38	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 08:38	108-90-7		
Chloroethane	ND	ug/L	5.0	1		03/30/17 08:38	75-00-3		
Chloroform	ND	ug/L	5.0	1		03/30/17 08:38	67-66-3		
Chloromethane	ND	ug/L	5.0	1		03/30/17 08:38	74-87-3		
Cyclohexane	ND	ug/L	100	1		03/30/17 08:38	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 08:38	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 08:38	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 08:38	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 08:38	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 08:38	541-73-1	M1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 08:38	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 08:38	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 08:38	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 08:38	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 08:38	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 08:38	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 08:38	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 08:38	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 08:38	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 08:38	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 08:38	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		03/30/17 08:38	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 08:38	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		03/30/17 08:38	79-20-9	N2	
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 08:38	108-87-2	N2	
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 08:38	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 08:38	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 08:38	1634-04-4		
Styrene	ND	ug/L	5.0	1		03/30/17 08:38	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 08:38	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 08:38	127-18-4		
Toluene	ND	ug/L	5.0	1		03/30/17 08:38	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 08:38	120-82-1	M1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 08:38	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 08:38	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		03/30/17 08:38	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 08:38	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 08:38	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 08:38	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0503-S1(032417)PDB		Lab ID: 50167452007		Collected: 03/24/17 10:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 08:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 08:38	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/30/17 08:38	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 08:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0504-S1(032417)PDB		Lab ID: 50167452008		Collected: 03/24/17 11:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			03/29/17 23:35	67-64-1	
Benzene	ND	ug/L	25.0	5			03/29/17 23:35	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			03/29/17 23:35	75-27-4	
Bromoform	ND	ug/L	25.0	5			03/29/17 23:35	75-25-2	
Bromomethane	ND	ug/L	25.0	5			03/29/17 23:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			03/29/17 23:35	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			03/29/17 23:35	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			03/29/17 23:35	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			03/29/17 23:35	108-90-7	
Chloroethane	ND	ug/L	25.0	5			03/29/17 23:35	75-00-3	
Chloroform	ND	ug/L	25.0	5			03/29/17 23:35	67-66-3	
Chloromethane	ND	ug/L	25.0	5			03/29/17 23:35	74-87-3	
Cyclohexane	ND	ug/L	500	5			03/29/17 23:35	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			03/29/17 23:35	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			03/29/17 23:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			03/29/17 23:35	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			03/29/17 23:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			03/29/17 23:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			03/29/17 23:35	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			03/29/17 23:35	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			03/29/17 23:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			03/29/17 23:35	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			03/29/17 23:35	75-35-4	
cis-1,2-Dichloroethene	839	ug/L	25.0	5			03/29/17 23:35	156-59-2	
trans-1,2-Dichloroethene	124	ug/L	25.0	5			03/29/17 23:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			03/29/17 23:35	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			03/29/17 23:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			03/29/17 23:35	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			03/29/17 23:35	100-41-4	
2-Hexanone	ND	ug/L	125	5			03/29/17 23:35	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			03/29/17 23:35	98-82-8	
Methyl acetate	ND	ug/L	250	5			03/29/17 23:35	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5			03/29/17 23:35	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			03/29/17 23:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			03/29/17 23:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			03/29/17 23:35	1634-04-4	
Styrene	ND	ug/L	25.0	5			03/29/17 23:35	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			03/29/17 23:35	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			03/29/17 23:35	127-18-4	
Toluene	ND	ug/L	25.0	5			03/29/17 23:35	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			03/29/17 23:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			03/29/17 23:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			03/29/17 23:35	79-00-5	
Trichloroethene	2640	ug/L	250	50			03/30/17 11:34	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			03/29/17 23:35	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			03/29/17 23:35	76-13-1	
Vinyl chloride	19.7	ug/L	10.0	5			03/29/17 23:35	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0504-S1(032417)PDB		Lab ID: 50167452008		Collected: 03/24/17 11:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/29/17 23:35	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	84-118	5		03/29/17 23:35	1868-53-7	D4
4-Bromofluorobenzene (S)		94	%.	79-116	5		03/29/17 23:35	460-00-4	
Toluene-d8 (S)		96	%.	86-110	5		03/29/17 23:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0505-S1(032417)PDB		Lab ID: 50167452009	Collected: 03/24/17 11:35	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 00:06	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 00:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 00:06	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 00:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 00:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 00:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 00:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 00:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 00:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 00:06	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 00:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 00:06	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 00:06	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 00:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 00:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 00:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 00:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 00:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 00:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 00:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 00:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 00:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 00:06	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 00:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 00:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 00:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 00:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 00:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 00:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 00:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 00:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 00:06	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 00:06	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 00:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 00:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 00:06	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 00:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 00:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 00:06	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 00:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 00:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 00:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 00:06	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 00:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 00:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 00:06	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 00:06	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0505-S1(032417)PDB		Lab ID: 50167452009		Collected: 03/24/17 11:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 00:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		98	%.	84-118	1		03/30/17 00:06	1868-53-7	
4-Bromofluorobenzene (S)		93	%.	79-116	1		03/30/17 00:06	460-00-4	
Toluene-d8 (S)		96	%.	86-110	1		03/30/17 00:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0506-S1(032417)PDB		Lab ID: 50167452010		Collected: 03/24/17 11:05		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 00:38	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 00:38	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 00:38	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 00:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 00:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 00:38	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 00:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 00:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 00:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 00:38	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 00:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 00:38	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 00:38	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 00:38	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 00:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 00:38	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 00:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 00:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 00:38	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 00:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 00:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 00:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 00:38	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 00:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 00:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 00:38	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 00:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 00:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 00:38	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 00:38	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 00:38	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 00:38	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 00:38	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 00:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 00:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 00:38	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 00:38	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 00:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 00:38	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 00:38	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 00:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 00:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 00:38	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 00:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 00:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 00:38	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 00:38	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0506-S1(032417)PDB		Lab ID: 50167452010		Collected: 03/24/17 11:05		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 00:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	84-118	1		03/30/17 00:38	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/30/17 00:38	460-00-4	
Toluene-d8 (S)		96	%.	86-110	1		03/30/17 00:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: EB-1(032417)-LF		Lab ID: 50167452011	Collected: 03/24/17 11:10	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 01:10	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 01:10	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 01:10	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 01:10	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 01:10	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 01:10	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 01:10	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 01:10	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 01:10	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 01:10	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 01:10	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 01:10	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 01:10	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 01:10	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 01:10	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 01:10	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 01:10	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 01:10	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 01:10	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 01:10	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 01:10	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 01:10	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 01:10	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 01:10	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 01:10	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 01:10	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 01:10	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 01:10	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 01:10	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 01:10	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 01:10	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 01:10	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 01:10	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 01:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 01:10	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 01:10	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 01:10	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 01:10	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 01:10	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 01:10	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 01:10	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 01:10	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 01:10	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 01:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 01:10	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 01:10	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 01:10	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: EB-1(032417)-LF		Lab ID: 50167452011		Collected: 03/24/17 11:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 01:10	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		98	%.	84-118	1		03/30/17 01:10	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	79-116	1		03/30/17 01:10	460-00-4	
Toluene-d8 (S)		96	%.	86-110	1		03/30/17 01:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0507-S1(032417)PDB		Lab ID: 50167452012	Collected: 03/24/17 10:50	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 01:42	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 01:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 01:42	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 01:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 01:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 01:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 01:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 01:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 01:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 01:42	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 01:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 01:42	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 01:42	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 01:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 01:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 01:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 01:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 01:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 01:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 01:42	75-71-8	
1,1-Dichloroethane	28.7	ug/L	5.0	1		03/30/17 01:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 01:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 01:42	75-35-4	
cis-1,2-Dichloroethene	81.1	ug/L	5.0	1		03/30/17 01:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 01:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 01:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 01:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 01:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 01:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 01:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 01:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 01:42	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 01:42	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 01:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 01:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 01:42	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 01:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 01:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 01:42	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 01:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 01:42	120-82-1	
1,1,1-Trichloroethane	13.2	ug/L	5.0	1		03/30/17 01:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 01:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 01:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 01:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 01:42	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 01:42	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0507-S1(032417)PDB		Lab ID: 50167452012		Collected: 03/24/17 10:50		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 01:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 01:42	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	79-116	1		03/30/17 01:42	460-00-4	
Toluene-d8 (S)		99	%.	86-110	1		03/30/17 01:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0509-S1(032417)PDB		Lab ID: 50167452013	Collected: 03/24/17 11:45	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 02:14	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 02:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 02:14	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 02:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 02:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 02:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 02:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 02:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 02:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 02:14	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 02:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 02:14	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 02:14	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 02:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 02:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 02:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 02:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 02:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 02:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 02:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 02:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 02:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 02:14	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 02:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 02:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 02:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 02:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 02:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 02:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 02:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 02:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 02:14	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 02:14	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 02:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 02:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 02:14	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 02:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 02:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 02:14	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 02:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 02:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 02:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 02:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 02:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 02:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 02:14	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 02:14	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0509-S1(032417)PDB		Lab ID: 50167452013		Collected: 03/24/17 11:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 02:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 02:14	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	79-116	1		03/30/17 02:14	460-00-4	
Toluene-d8 (S)		97	%.	86-110	1		03/30/17 02:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0516-S1(032417)PDB		Lab ID: 50167452014		Collected: 03/24/17 14:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 02:46	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 02:46	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 02:46	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 02:46	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 02:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 02:46	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 02:46	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 02:46	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 02:46	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 02:46	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 02:46	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 02:46	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 02:46	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 02:46	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 02:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 02:46	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 02:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 02:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 02:46	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 02:46	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 02:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 02:46	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 02:46	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 02:46	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 02:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 02:46	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 02:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 02:46	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 02:46	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 02:46	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 02:46	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 02:46	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 02:46	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 02:46	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 02:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 02:46	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 02:46	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 02:46	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 02:46	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 02:46	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 02:46	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 02:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 02:46	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 02:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 02:46	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 02:46	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 02:46	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0516-S1(032417)PDB		Lab ID: 50167452014		Collected: 03/24/17 14:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 02:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 02:46	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	79-116	1		03/30/17 02:46	460-00-4	
Toluene-d8 (S)		99	%.	86-110	1		03/30/17 02:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0517-S1(032417)PDB		Lab ID: 50167452015		Collected: 03/24/17 10:25		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5		03/30/17 03:18	67-64-1		
Benzene	ND	ug/L	25.0	5		03/30/17 03:18	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		03/30/17 03:18	75-27-4		
Bromoform	ND	ug/L	25.0	5		03/30/17 03:18	75-25-2		
Bromomethane	ND	ug/L	25.0	5		03/30/17 03:18	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		03/30/17 03:18	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		03/30/17 03:18	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		03/30/17 03:18	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		03/30/17 03:18	108-90-7		
Chloroethane	ND	ug/L	25.0	5		03/30/17 03:18	75-00-3		
Chloroform	ND	ug/L	25.0	5		03/30/17 03:18	67-66-3		
Chloromethane	ND	ug/L	25.0	5		03/30/17 03:18	74-87-3		
Cyclohexane	ND	ug/L	500	5		03/30/17 03:18	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		03/30/17 03:18	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		03/30/17 03:18	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		03/30/17 03:18	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 03:18	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 03:18	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 03:18	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		03/30/17 03:18	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		03/30/17 03:18	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		03/30/17 03:18	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		03/30/17 03:18	75-35-4		
cis-1,2-Dichloroethene	1030	ug/L	25.0	5		03/30/17 03:18	156-59-2		
trans-1,2-Dichloroethene	92.2	ug/L	25.0	5		03/30/17 03:18	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		03/30/17 03:18	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		03/30/17 03:18	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		03/30/17 03:18	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		03/30/17 03:18	100-41-4		
2-Hexanone	ND	ug/L	125	5		03/30/17 03:18	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		03/30/17 03:18	98-82-8		
Methyl acetate	ND	ug/L	250	5		03/30/17 03:18	79-20-9		N2
Methylcyclohexane	ND	ug/L	250	5		03/30/17 03:18	108-87-2		N2
Methylene Chloride	ND	ug/L	25.0	5		03/30/17 03:18	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		03/30/17 03:18	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		03/30/17 03:18	1634-04-4		
Styrene	ND	ug/L	25.0	5		03/30/17 03:18	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		03/30/17 03:18	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		03/30/17 03:18	127-18-4		
Toluene	ND	ug/L	25.0	5		03/30/17 03:18	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		03/30/17 03:18	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		03/30/17 03:18	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		03/30/17 03:18	79-00-5		
Trichloroethene	4740	ug/L	250	50		03/30/17 12:06	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		03/30/17 03:18	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		03/30/17 03:18	76-13-1		
Vinyl chloride	ND	ug/L	10.0	5		03/30/17 03:18	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0517-S1(032417)PDB		Lab ID: 50167452015		Collected: 03/24/17 10:25		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/30/17 03:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	84-118	5		03/30/17 03:18	1868-53-7	D4
4-Bromofluorobenzene (S)		95	%.	79-116	5		03/30/17 03:18	460-00-4	
Toluene-d8 (S)		92	%.	86-110	5		03/30/17 03:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: FD-1(032417)-LF		Lab ID: 50167452016		Collected: 03/24/17 08:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV	Analytical Method: EPA 8260								
Acetone	ND	ug/L	500	5		03/31/17 12:08	67-64-1		
Benzene	ND	ug/L	25.0	5		03/31/17 12:08	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		03/31/17 12:08	75-27-4		
Bromoform	ND	ug/L	25.0	5		03/31/17 12:08	75-25-2		
Bromomethane	ND	ug/L	25.0	5		03/31/17 12:08	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		03/31/17 12:08	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		03/31/17 12:08	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		03/31/17 12:08	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		03/31/17 12:08	108-90-7		
Chloroethane	ND	ug/L	25.0	5		03/31/17 12:08	75-00-3		
Chloroform	ND	ug/L	25.0	5		03/31/17 12:08	67-66-3		
Chloromethane	ND	ug/L	25.0	5		03/31/17 12:08	74-87-3		
Cyclohexane	ND	ug/L	500	5		03/31/17 12:08	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		03/31/17 12:08	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		03/31/17 12:08	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		03/31/17 12:08	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		03/31/17 12:08	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		03/31/17 12:08	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		03/31/17 12:08	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		03/31/17 12:08	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		03/31/17 12:08	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		03/31/17 12:08	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		03/31/17 12:08	75-35-4		
cis-1,2-Dichloroethene	1000	ug/L	25.0	5		03/31/17 12:08	156-59-2		
trans-1,2-Dichloroethene	94.5	ug/L	25.0	5		03/31/17 12:08	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		03/31/17 12:08	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		03/31/17 12:08	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		03/31/17 12:08	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		03/31/17 12:08	100-41-4		
2-Hexanone	ND	ug/L	125	5		03/31/17 12:08	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		03/31/17 12:08	98-82-8		
Methyl acetate	ND	ug/L	250	5		03/31/17 12:08	79-20-9	N2	
Methylcyclohexane	ND	ug/L	250	5		03/31/17 12:08	108-87-2	N2	
Methylene Chloride	ND	ug/L	25.0	5		03/31/17 12:08	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		03/31/17 12:08	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		03/31/17 12:08	1634-04-4		
Styrene	ND	ug/L	25.0	5		03/31/17 12:08	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		03/31/17 12:08	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		03/31/17 12:08	127-18-4		
Toluene	ND	ug/L	25.0	5		03/31/17 12:08	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		03/31/17 12:08	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		03/31/17 12:08	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		03/31/17 12:08	79-00-5		
Trichloroethene	5220	ug/L	100	20		03/30/17 03:50	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		03/31/17 12:08	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		03/31/17 12:08	76-13-1		
Vinyl chloride	ND	ug/L	10.0	5		03/31/17 12:08	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: FD-1(032417)-LF		Lab ID: 50167452016		Collected: 03/24/17 08:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/31/17 12:08	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	84-118	5		03/31/17 12:08	1868-53-7	D4
4-Bromofluorobenzene (S)		95	%.	79-116	5		03/31/17 12:08	460-00-4	
Toluene-d8 (S)		91	%.	86-110	5		03/31/17 12:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0603-S1(032417)PDB		Lab ID: 50167452017		Collected: 03/24/17 14:20		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 04:22	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 04:22	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 04:22	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 04:22	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 04:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 04:22	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 04:22	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 04:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 04:22	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 04:22	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 04:22	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 04:22	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 04:22	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 04:22	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 04:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 04:22	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:22	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 04:22	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 04:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 04:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:22	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 04:22	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 04:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 04:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 04:22	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 04:22	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 04:22	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 04:22	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 04:22	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 04:22	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 04:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 04:22	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 04:22	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 04:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 04:22	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 04:22	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 04:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 04:22	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 04:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 04:22	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 04:22	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 04:22	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0603-S1(032417)PDB		Lab ID: 50167452017		Collected: 03/24/17 14:20		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 04:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	84-118	1		03/30/17 04:22	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	79-116	1		03/30/17 04:22	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 04:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0605-S1(032417)PDB		Lab ID: 50167452018		Collected: 03/24/17 10:05		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 04:54	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 04:54	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 04:54	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 04:54	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 04:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 04:54	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 04:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 04:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 04:54	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 04:54	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 04:54	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 04:54	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 04:54	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 04:54	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 04:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 04:54	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:54	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 04:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 04:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 04:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:54	75-35-4	
cis-1,2-Dichloroethene	12.2	ug/L	5.0	1			03/30/17 04:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 04:54	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 04:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 04:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 04:54	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 04:54	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 04:54	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 04:54	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 04:54	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 04:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 04:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 04:54	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 04:54	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 04:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 04:54	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 04:54	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 04:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 04:54	79-00-5	
Trichloroethene	1170	ug/L	125	25			03/30/17 12:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 04:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 04:54	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 04:54	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0605-S1(032417)PDB		Lab ID: 50167452018		Collected: 03/24/17 10:05		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 04:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 04:54	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	79-116	1		03/30/17 04:54	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 04:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0606-S1(032417)PDB		Lab ID: 50167452019		Collected: 03/24/17 13:55		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 05:26	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 05:26	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 05:26	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 05:26	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 05:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 05:26	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 05:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 05:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 05:26	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 05:26	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 05:26	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 05:26	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 05:26	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 05:26	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 05:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 05:26	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:26	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 05:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 05:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 05:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 05:26	75-35-4	
cis-1,2-Dichloroethene	441	ug/L	125	25			03/30/17 13:10	156-59-2	
trans-1,2-Dichloroethene	97.8	ug/L	5.0	1			03/30/17 05:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 05:26	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 05:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 05:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 05:26	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 05:26	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 05:26	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 05:26	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 05:26	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 05:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 05:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 05:26	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 05:26	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 05:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 05:26	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 05:26	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 05:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 05:26	79-00-5	
Trichloroethene	2820	ug/L	125	25			03/30/17 13:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 05:26	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 05:26	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 05:26	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0606-S1(032417)PDB		Lab ID: 50167452019		Collected: 03/24/17 13:55		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 05:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 05:26	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	79-116	1		03/30/17 05:26	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 05:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0604-S1(032417)PDB		Lab ID: 50167452020		Collected: 03/24/17 11:30		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 05:58	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 05:58	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 05:58	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 05:58	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 05:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 05:58	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 05:58	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 05:58	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 05:58	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 05:58	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 05:58	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 05:58	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 05:58	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 05:58	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 05:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 05:58	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:58	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 05:58	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 05:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 05:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 05:58	75-35-4	
cis-1,2-Dichloroethene	1280	ug/L	125	25			03/30/17 13:42	156-59-2	
trans-1,2-Dichloroethene	101	ug/L	5.0	1			03/30/17 05:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 05:58	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 05:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 05:58	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 05:58	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 05:58	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 05:58	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 05:58	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 05:58	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 05:58	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 05:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 05:58	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 05:58	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 05:58	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 05:58	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 05:58	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 05:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 05:58	79-00-5	
Trichloroethene	3250	ug/L	125	25			03/30/17 13:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 05:58	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 05:58	76-13-1	
Vinyl chloride	33.8	ug/L	2.0	1			03/30/17 05:58	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0604-S1(032417)PDB		Lab ID: 50167452020		Collected: 03/24/17 11:30		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 05:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	84-118	1		03/30/17 05:58	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	79-116	1		03/30/17 05:58	460-00-4	
Toluene-d8 (S)		97	%.	86-110	1		03/30/17 05:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0602-S1(032417)PDB		Lab ID: 50167452021		Collected: 03/24/17 13:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 09:10	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 09:10	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 09:10	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 09:10	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 09:10	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 09:10	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 09:10	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 09:10	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 09:10	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 09:10	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 09:10	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 09:10	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 09:10	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 09:10	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 09:10	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 09:10	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 09:10	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 09:10	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 09:10	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 09:10	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 09:10	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 09:10	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 09:10	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 09:10	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 09:10	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 09:10	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 09:10	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 09:10	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 09:10	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 09:10	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 09:10	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 09:10	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 09:10	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 09:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 09:10	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 09:10	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 09:10	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 09:10	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 09:10	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 09:10	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 09:10	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 09:10	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 09:10	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 09:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 09:10	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 09:10	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 09:10	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0602-S1(032417)PDB		Lab ID: 50167452021		Collected: 03/24/17 13:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 09:10	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		98	%.	84-118	1		03/30/17 09:10	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/30/17 09:10	460-00-4	
Toluene-d8 (S)		94	%.	86-110	1		03/30/17 09:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0607-S1(032417)PDB		Lab ID: 50167452022		Collected: 03/24/17 12:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 09:42	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 09:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 09:42	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 09:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 09:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 09:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 09:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 09:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 09:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 09:42	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 09:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 09:42	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 09:42	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 09:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 09:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 09:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 09:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 09:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 09:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 09:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 09:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 09:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 09:42	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 09:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 09:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 09:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 09:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 09:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 09:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 09:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 09:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 09:42	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 09:42	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 09:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 09:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 09:42	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 09:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 09:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 09:42	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 09:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 09:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 09:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 09:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 09:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 09:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 09:42	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 09:42	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0607-S1(032417)PDB		Lab ID: 50167452022		Collected: 03/24/17 12:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 09:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		97	%.	84-118	1		03/30/17 09:42	1868-53-7	
4-Bromofluorobenzene (S)		94	%.	79-116	1		03/30/17 09:42	460-00-4	
Toluene-d8 (S)		97	%.	86-110	1		03/30/17 09:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0608-S1(032417)PDB		Lab ID: 50167452023		Collected: 03/24/17 13:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 10:14	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 10:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 10:14	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 10:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 10:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 10:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 10:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 10:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 10:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 10:14	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 10:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 10:14	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 10:14	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 10:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 10:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 10:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 10:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 10:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 10:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 10:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 10:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 10:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 10:14	75-35-4	
cis-1,2-Dichloroethene	30.3	ug/L	5.0	1			03/30/17 10:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 10:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 10:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 10:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 10:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 10:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 10:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 10:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 10:14	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 10:14	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 10:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 10:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 10:14	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 10:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 10:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 10:14	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 10:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 10:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 10:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 10:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 10:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 10:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 10:14	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 10:14	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0608-S1(032417)PDB		Lab ID: 50167452023		Collected: 03/24/17 13:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 10:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 10:14	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/30/17 10:14	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 10:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0609-S1(032417)PDB		Lab ID: 50167452024		Collected: 03/24/17 13:25		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV	Analytical Method: EPA 8260								
Acetone	ND	ug/L	100	1		03/30/17 10:46	67-64-1		
Benzene	ND	ug/L	5.0	1		03/30/17 10:46	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 10:46	75-27-4		
Bromoform	ND	ug/L	5.0	1		03/30/17 10:46	75-25-2		
Bromomethane	ND	ug/L	5.0	1		03/30/17 10:46	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 10:46	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 10:46	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 10:46	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 10:46	108-90-7		
Chloroethane	ND	ug/L	5.0	1		03/30/17 10:46	75-00-3		
Chloroform	ND	ug/L	5.0	1		03/30/17 10:46	67-66-3		
Chloromethane	ND	ug/L	5.0	1		03/30/17 10:46	74-87-3		
Cyclohexane	ND	ug/L	100	1		03/30/17 10:46	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 10:46	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 10:46	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 10:46	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 10:46	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 10:46	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 10:46	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 10:46	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 10:46	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 10:46	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 10:46	75-35-4		
cis-1,2-Dichloroethene	7.5	ug/L	5.0	1		03/30/17 10:46	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 10:46	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 10:46	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 10:46	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 10:46	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 10:46	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		03/30/17 10:46	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 10:46	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		03/30/17 10:46	79-20-9	N2	
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 10:46	108-87-2	N2	
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 10:46	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 10:46	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 10:46	1634-04-4		
Styrene	ND	ug/L	5.0	1		03/30/17 10:46	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 10:46	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 10:46	127-18-4		
Toluene	ND	ug/L	5.0	1		03/30/17 10:46	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 10:46	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 10:46	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 10:46	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		03/30/17 10:46	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 10:46	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 10:46	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 10:46	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0609-S1(032417)PDB		Lab ID: 50167452024		Collected: 03/24/17 13:25		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 10:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	84-118	1		03/30/17 10:46	1868-53-7	
4-Bromofluorobenzene (S)		92	%.	79-116	1		03/30/17 10:46	460-00-4	
Toluene-d8 (S)		94	%.	86-110	1		03/30/17 10:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0610-S1(032417)PDB		Lab ID: 50167452025		Collected: 03/24/17 13:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 11:18	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 11:18	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 11:18	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 11:18	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 11:18	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 11:18	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 11:18	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 11:18	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 11:18	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 11:18	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 11:18	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 11:18	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 11:18	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 11:18	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 11:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 11:18	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:18	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 11:18	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 11:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 11:18	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 11:18	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 11:18	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 11:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 11:18	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 11:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 11:18	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 11:18	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 11:18	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 11:18	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 11:18	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 11:18	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 11:18	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 11:18	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 11:18	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 11:18	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 11:18	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 11:18	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 11:18	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:18	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 11:18	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 11:18	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 11:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 11:18	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 11:18	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 11:18	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0610-S1(032417)PDB		Lab ID: 50167452025		Collected: 03/24/17 13:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 11:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	84-118	1		03/30/17 11:18	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/30/17 11:18	460-00-4	
Toluene-d8 (S)		97	%.	86-110	1		03/30/17 11:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0611-S1(032417)PDB		Lab ID: 50167452026		Collected: 03/24/17 12:50		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 11:50	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 11:50	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 11:50	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 11:50	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 11:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 11:50	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 11:50	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 11:50	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 11:50	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 11:50	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 11:50	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 11:50	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 11:50	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 11:50	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 11:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 11:50	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:50	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 11:50	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 11:50	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 11:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 11:50	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 11:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 11:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 11:50	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 11:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 11:50	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 11:50	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 11:50	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 11:50	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 11:50	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 11:50	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 11:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 11:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 11:50	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 11:50	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 11:50	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 11:50	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 11:50	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 11:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 11:50	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 11:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 11:50	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 11:50	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 11:50	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0611-S1(032417)PDB		Lab ID: 50167452026		Collected: 03/24/17 12:50		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 11:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	84-118	1		03/30/17 11:50	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/30/17 11:50	460-00-4	
Toluene-d8 (S)		100	%.	86-110	1		03/30/17 11:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0612-S1(032417)PDB		Lab ID: 50167452027		Collected: 03/24/17 13:20		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5		03/30/17 12:22	67-64-1		
Benzene	ND	ug/L	25.0	5		03/30/17 12:22	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		03/30/17 12:22	75-27-4		
Bromoform	ND	ug/L	25.0	5		03/30/17 12:22	75-25-2		
Bromomethane	ND	ug/L	25.0	5		03/30/17 12:22	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		03/30/17 12:22	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		03/30/17 12:22	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		03/30/17 12:22	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		03/30/17 12:22	108-90-7		
Chloroethane	ND	ug/L	25.0	5		03/30/17 12:22	75-00-3		
Chloroform	ND	ug/L	25.0	5		03/30/17 12:22	67-66-3		
Chloromethane	ND	ug/L	25.0	5		03/30/17 12:22	74-87-3		
Cyclohexane	ND	ug/L	500	5		03/30/17 12:22	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		03/30/17 12:22	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		03/30/17 12:22	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		03/30/17 12:22	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 12:22	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 12:22	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 12:22	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		03/30/17 12:22	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		03/30/17 12:22	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		03/30/17 12:22	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		03/30/17 12:22	75-35-4		
cis-1,2-Dichloroethene	254	ug/L	25.0	5		03/30/17 12:22	156-59-2		
trans-1,2-Dichloroethene	49.4	ug/L	25.0	5		03/30/17 12:22	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		03/30/17 12:22	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		03/30/17 12:22	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		03/30/17 12:22	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		03/30/17 12:22	100-41-4		
2-Hexanone	ND	ug/L	125	5		03/30/17 12:22	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		03/30/17 12:22	98-82-8		
Methyl acetate	ND	ug/L	250	5		03/30/17 12:22	79-20-9		N2
Methylcyclohexane	ND	ug/L	250	5		03/30/17 12:22	108-87-2		N2
Methylene Chloride	ND	ug/L	25.0	5		03/30/17 12:22	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		03/30/17 12:22	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		03/30/17 12:22	1634-04-4		
Styrene	ND	ug/L	25.0	5		03/30/17 12:22	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		03/30/17 12:22	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		03/30/17 12:22	127-18-4		
Toluene	ND	ug/L	25.0	5		03/30/17 12:22	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		03/30/17 12:22	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		03/30/17 12:22	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		03/30/17 12:22	79-00-5		
Trichloroethene	3960	ug/L	250	50		03/30/17 14:46	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		03/30/17 12:22	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		03/30/17 12:22	76-13-1		
Vinyl chloride	ND	ug/L	10.0	5		03/30/17 12:22	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0612-S1(032417)PDB		Lab ID: 50167452027		Collected: 03/24/17 13:20		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/30/17 12:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		97	%.	84-118	5		03/30/17 12:22	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	79-116	5		03/30/17 12:22	460-00-4	
Toluene-d8 (S)		96	%.	86-110	5		03/30/17 12:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0613-S1(032417)PDB		Lab ID: 50167452028		Collected: 03/24/17 12:30		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/30/17 12:54	67-64-1		
Benzene	ND	ug/L	5.0	1		03/30/17 12:54	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 12:54	75-27-4		
Bromoform	ND	ug/L	5.0	1		03/30/17 12:54	75-25-2		
Bromomethane	ND	ug/L	5.0	1		03/30/17 12:54	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 12:54	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 12:54	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 12:54	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 12:54	108-90-7		
Chloroethane	ND	ug/L	5.0	1		03/30/17 12:54	75-00-3		
Chloroform	ND	ug/L	5.0	1		03/30/17 12:54	67-66-3		
Chloromethane	ND	ug/L	5.0	1		03/30/17 12:54	74-87-3		
Cyclohexane	ND	ug/L	100	1		03/30/17 12:54	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 12:54	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 12:54	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 12:54	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 12:54	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 12:54	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 12:54	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 12:54	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 12:54	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 12:54	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 12:54	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 12:54	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 12:54	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 12:54	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 12:54	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 12:54	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 12:54	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		03/30/17 12:54	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 12:54	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		03/30/17 12:54	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 12:54	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 12:54	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 12:54	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 12:54	1634-04-4		
Styrene	ND	ug/L	5.0	1		03/30/17 12:54	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 12:54	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 12:54	127-18-4		
Toluene	ND	ug/L	5.0	1		03/30/17 12:54	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 12:54	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 12:54	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 12:54	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		03/30/17 12:54	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 12:54	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 12:54	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 12:54	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0613-S1(032417)PDB		Lab ID: 50167452028		Collected: 03/24/17 12:30		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 12:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	84-118	1		03/30/17 12:54	1868-53-7	
4-Bromofluorobenzene (S)		94	%.	79-116	1		03/30/17 12:54	460-00-4	
Toluene-d8 (S)		94	%.	86-110	1		03/30/17 12:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: EB-2(032417)-LF		Lab ID: 50167452029	Collected: 03/24/17 12:35	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 13:26	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 13:26	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 13:26	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 13:26	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 13:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 13:26	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 13:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 13:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 13:26	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 13:26	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 13:26	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 13:26	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 13:26	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 13:26	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 13:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 13:26	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 13:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 13:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 13:26	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 13:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 13:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 13:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 13:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 13:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 13:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 13:26	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 13:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 13:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 13:26	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 13:26	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 13:26	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 13:26	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 13:26	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 13:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 13:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 13:26	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 13:26	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 13:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 13:26	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 13:26	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 13:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 13:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 13:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 13:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 13:26	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 13:26	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 13:26	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: EB-2(032417)-LF		Lab ID: 50167452029		Collected: 03/24/17 12:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)	ND	ug/L	10.0	1		03/30/17 13:26	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	84-118	1		03/30/17 13:26	1868-53-7		
4-Bromofluorobenzene (S)	95	%.	79-116	1		03/30/17 13:26	460-00-4		
Toluene-d8 (S)	95	%.	86-110	1		03/30/17 13:26	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0617-S1(032417)PDB		Lab ID: 50167452030		Collected: 03/24/17 10:55		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 13:58	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 13:58	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 13:58	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 13:58	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 13:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 13:58	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 13:58	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 13:58	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 13:58	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 13:58	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 13:58	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 13:58	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 13:58	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 13:58	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 13:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 13:58	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 13:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 13:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 13:58	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 13:58	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 13:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 13:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 13:58	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 13:58	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 13:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 13:58	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 13:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 13:58	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 13:58	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 13:58	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 13:58	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 13:58	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 13:58	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 13:58	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 13:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 13:58	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 13:58	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 13:58	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 13:58	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 13:58	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 13:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 13:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 13:58	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 13:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 13:58	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 13:58	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 13:58	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0617-S1(032417)PDB		Lab ID: 50167452030		Collected: 03/24/17 10:55		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 13:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 13:58	1868-53-7	
4-Bromofluorobenzene (S)		92	%.	79-116	1		03/30/17 13:58	460-00-4	
Toluene-d8 (S)		94	%.	86-110	1		03/30/17 13:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0618-S1(032417)PDB		Lab ID: 50167452031	Collected: 03/24/17 12:25	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 14:30	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 14:30	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 14:30	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 14:30	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 14:30	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 14:30	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 14:30	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 14:30	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 14:30	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 14:30	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 14:30	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 14:30	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 14:30	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 14:30	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 14:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 14:30	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 14:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 14:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 14:30	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 14:30	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 14:30	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 14:30	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 14:30	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 14:30	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 14:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 14:30	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 14:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 14:30	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 14:30	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 14:30	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 14:30	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 14:30	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 14:30	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 14:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 14:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 14:30	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 14:30	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 14:30	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 14:30	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 14:30	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 14:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 14:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 14:30	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 14:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 14:30	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 14:30	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 14:30	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0618-S1(032417)PDB		Lab ID: 50167452031		Collected: 03/24/17 12:25		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 14:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 14:30	1868-53-7	
4-Bromofluorobenzene (S)		93	%.	79-116	1		03/30/17 14:30	460-00-4	
Toluene-d8 (S)		96	%.	86-110	1		03/30/17 14:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0619-S1(032417)PDB		Lab ID: 50167452032		Collected: 03/24/17 11:50		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 15:02	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 15:02	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 15:02	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 15:02	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 15:02	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 15:02	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 15:02	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 15:02	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 15:02	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 15:02	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 15:02	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 15:02	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 15:02	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 15:02	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 15:02	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 15:02	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:02	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:02	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:02	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 15:02	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 15:02	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 15:02	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 15:02	75-35-4	
cis-1,2-Dichloroethene	20.5	ug/L	5.0	1			03/30/17 15:02	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 15:02	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 15:02	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 15:02	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 15:02	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 15:02	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 15:02	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 15:02	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 15:02	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 15:02	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 15:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 15:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 15:02	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 15:02	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 15:02	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 15:02	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 15:02	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:02	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 15:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 15:02	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 15:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 15:02	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 15:02	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 15:02	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0619-S1(032417)PDB		Lab ID: 50167452032		Collected: 03/24/17 11:50		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 15:02	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		97	%.	84-118	1		03/30/17 15:02	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	79-116	1		03/30/17 15:02	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 15:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0620-S1(032417)PDB		Lab ID: 50167452033		Collected: 03/24/17 09:55		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 15:34	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 15:34	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 15:34	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 15:34	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 15:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 15:34	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 15:34	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 15:34	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 15:34	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 15:34	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 15:34	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 15:34	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 15:34	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 15:34	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 15:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 15:34	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:34	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 15:34	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 15:34	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 15:34	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 15:34	75-35-4	
cis-1,2-Dichloroethene	6.4	ug/L	5.0	1			03/30/17 15:34	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 15:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 15:34	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 15:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 15:34	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 15:34	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 15:34	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 15:34	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 15:34	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 15:34	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 15:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 15:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 15:34	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 15:34	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 15:34	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 15:34	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 15:34	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:34	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 15:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 15:34	79-00-5	
Trichloroethene	3360	ug/L	125	25			03/31/17 12:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 15:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 15:34	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 15:34	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0620-S1(032417)PDB		Lab ID: 50167452033		Collected: 03/24/17 09:55		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 15:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	84-118	1		03/30/17 15:34	1868-53-7	
4-Bromofluorobenzene (S)		93	%.	79-116	1		03/30/17 15:34	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 15:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0621-S1(032417)PDB		Lab ID: 50167452034		Collected: 03/24/17 11:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			03/30/17 16:06	67-64-1	
Benzene	ND	ug/L	25.0	5			03/30/17 16:06	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			03/30/17 16:06	75-27-4	
Bromoform	ND	ug/L	25.0	5			03/30/17 16:06	75-25-2	
Bromomethane	ND	ug/L	25.0	5			03/30/17 16:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			03/30/17 16:06	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			03/30/17 16:06	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			03/30/17 16:06	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			03/30/17 16:06	108-90-7	
Chloroethane	ND	ug/L	25.0	5			03/30/17 16:06	75-00-3	
Chloroform	ND	ug/L	25.0	5			03/30/17 16:06	67-66-3	
Chloromethane	ND	ug/L	25.0	5			03/30/17 16:06	74-87-3	
Cyclohexane	ND	ug/L	500	5			03/30/17 16:06	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			03/30/17 16:06	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			03/30/17 16:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			03/30/17 16:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			03/30/17 16:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			03/30/17 16:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			03/30/17 16:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			03/30/17 16:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			03/30/17 16:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			03/30/17 16:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			03/30/17 16:06	75-35-4	
cis-1,2-Dichloroethene	104	ug/L	25.0	5			03/30/17 16:06	156-59-2	
trans-1,2-Dichloroethene	33.3	ug/L	25.0	5			03/30/17 16:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			03/30/17 16:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			03/30/17 16:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			03/30/17 16:06	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			03/30/17 16:06	100-41-4	
2-Hexanone	ND	ug/L	125	5			03/30/17 16:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			03/30/17 16:06	98-82-8	
Methyl acetate	ND	ug/L	250	5			03/30/17 16:06	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5			03/30/17 16:06	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			03/30/17 16:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			03/30/17 16:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			03/30/17 16:06	1634-04-4	
Styrene	ND	ug/L	25.0	5			03/30/17 16:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			03/30/17 16:06	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			03/30/17 16:06	127-18-4	
Toluene	ND	ug/L	25.0	5			03/30/17 16:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			03/30/17 16:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			03/30/17 16:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			03/30/17 16:06	79-00-5	
Trichloroethene	1280	ug/L	25.0	5			03/30/17 16:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			03/30/17 16:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			03/30/17 16:06	76-13-1	
Vinyl chloride	ND	ug/L	10.0	5			03/30/17 16:06	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0621-S1(032417)PDB		Lab ID: 50167452034		Collected: 03/24/17 11:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/30/17 16:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	84-118	5		03/30/17 16:06	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	79-116	5		03/30/17 16:06	460-00-4	
Toluene-d8 (S)		94	%.	86-110	5		03/30/17 16:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0622-S1(032417)PDB		Lab ID: 50167452035		Collected: 03/24/17 09:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	2000	20			03/30/17 16:38	67-64-1	
Benzene	ND	ug/L	100	20			03/30/17 16:38	71-43-2	
Bromodichloromethane	ND	ug/L	100	20			03/30/17 16:38	75-27-4	
Bromoform	ND	ug/L	100	20			03/30/17 16:38	75-25-2	
Bromomethane	ND	ug/L	100	20			03/30/17 16:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	500	20			03/30/17 16:38	78-93-3	
Carbon disulfide	ND	ug/L	200	20			03/30/17 16:38	75-15-0	
Carbon tetrachloride	ND	ug/L	100	20			03/30/17 16:38	56-23-5	
Chlorobenzene	ND	ug/L	100	20			03/30/17 16:38	108-90-7	
Chloroethane	ND	ug/L	100	20			03/30/17 16:38	75-00-3	
Chloroform	ND	ug/L	100	20			03/30/17 16:38	67-66-3	
Chloromethane	ND	ug/L	100	20			03/30/17 16:38	74-87-3	
Cyclohexane	ND	ug/L	2000	20			03/30/17 16:38	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	200	20			03/30/17 16:38	96-12-8	
Dibromochloromethane	ND	ug/L	100	20			03/30/17 16:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	100	20			03/30/17 16:38	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	100	20			03/30/17 16:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	100	20			03/30/17 16:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	100	20			03/30/17 16:38	106-46-7	
Dichlorodifluoromethane	ND	ug/L	100	20			03/30/17 16:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	100	20			03/30/17 16:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	100	20			03/30/17 16:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	100	20			03/30/17 16:38	75-35-4	
cis-1,2-Dichloroethene	2370	ug/L	100	20			03/30/17 16:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	100	20			03/30/17 16:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	100	20			03/30/17 16:38	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	100	20			03/30/17 16:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	100	20			03/30/17 16:38	10061-02-6	
Ethylbenzene	ND	ug/L	100	20			03/30/17 16:38	100-41-4	
2-Hexanone	ND	ug/L	500	20			03/30/17 16:38	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	100	20			03/30/17 16:38	98-82-8	
Methyl acetate	ND	ug/L	1000	20			03/30/17 16:38	79-20-9	N2
Methylcyclohexane	ND	ug/L	1000	20			03/30/17 16:38	108-87-2	N2
Methylene Chloride	ND	ug/L	100	20			03/30/17 16:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	500	20			03/30/17 16:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	80.0	20			03/30/17 16:38	1634-04-4	
Styrene	ND	ug/L	100	20			03/30/17 16:38	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	100	20			03/30/17 16:38	79-34-5	
Tetrachloroethene	ND	ug/L	100	20			03/30/17 16:38	127-18-4	
Toluene	ND	ug/L	100	20			03/30/17 16:38	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	100	20			03/30/17 16:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	100	20			03/30/17 16:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	100	20			03/30/17 16:38	79-00-5	
Trichloroethene	27300	ug/L	1000	200			03/30/17 15:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	100	20			03/30/17 16:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	100	20			03/30/17 16:38	76-13-1	
Vinyl chloride	ND	ug/L	40.0	20			03/30/17 16:38	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0622-S1(032417)PDB		Lab ID: 50167452035		Collected: 03/24/17 09:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	200	20		03/30/17 16:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	20		03/30/17 16:38	1868-53-7	D4
4-Bromofluorobenzene (S)		94	%.	79-116	20		03/30/17 16:38	460-00-4	
Toluene-d8 (S)		97	%.	86-110	20		03/30/17 16:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: FD-2(032417)-LF		Lab ID: 50167452036	Collected: 03/24/17 08:00	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	2000	20		03/30/17 04:06	67-64-1	
Benzene	ND	ug/L	100	20		03/30/17 04:06	71-43-2	
Bromodichloromethane	ND	ug/L	100	20		03/30/17 04:06	75-27-4	
Bromoform	ND	ug/L	100	20		03/30/17 04:06	75-25-2	
Bromomethane	ND	ug/L	100	20		03/30/17 04:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	500	20		03/30/17 04:06	78-93-3	
Carbon disulfide	ND	ug/L	200	20		03/30/17 04:06	75-15-0	
Carbon tetrachloride	ND	ug/L	100	20		03/30/17 04:06	56-23-5	
Chlorobenzene	ND	ug/L	100	20		03/30/17 04:06	108-90-7	
Chloroethane	ND	ug/L	100	20		03/30/17 04:06	75-00-3	
Chloroform	ND	ug/L	100	20		03/30/17 04:06	67-66-3	
Chloromethane	ND	ug/L	100	20		03/30/17 04:06	74-87-3	
Cyclohexane	ND	ug/L	2000	20		03/30/17 04:06	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	200	20		03/30/17 04:06	96-12-8	
Dibromochloromethane	ND	ug/L	100	20		03/30/17 04:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	100	20		03/30/17 04:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	100	20		03/30/17 04:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	100	20		03/30/17 04:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	100	20		03/30/17 04:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	100	20		03/30/17 04:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	100	20		03/30/17 04:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	100	20		03/30/17 04:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	100	20		03/30/17 04:06	75-35-4	
cis-1,2-Dichloroethene	2270	ug/L	100	20		03/30/17 04:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	100	20		03/30/17 04:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	100	20		03/30/17 04:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	100	20		03/30/17 04:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	100	20		03/30/17 04:06	10061-02-6	
Ethylbenzene	ND	ug/L	100	20		03/30/17 04:06	100-41-4	
2-Hexanone	ND	ug/L	500	20		03/30/17 04:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	100	20		03/30/17 04:06	98-82-8	
Methyl acetate	ND	ug/L	1000	20		03/30/17 04:06	79-20-9	N2
Methylcyclohexane	ND	ug/L	1000	20		03/30/17 04:06	108-87-2	N2
Methylene Chloride	ND	ug/L	100	20		03/30/17 04:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	500	20		03/30/17 04:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	80.0	20		03/30/17 04:06	1634-04-4	
Styrene	ND	ug/L	100	20		03/30/17 04:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	100	20		03/30/17 04:06	79-34-5	
Tetrachloroethene	ND	ug/L	100	20		03/30/17 04:06	127-18-4	
Toluene	ND	ug/L	100	20		03/30/17 04:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	100	20		03/30/17 04:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	100	20		03/30/17 04:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	100	20		03/30/17 04:06	79-00-5	
Trichloroethene	28800	ug/L	1000	200		03/31/17 13:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	100	20		03/30/17 04:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	100	20		03/30/17 04:06	76-13-1	
Vinyl chloride	ND	ug/L	40.0	20		03/30/17 04:06	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: FD-2(032417)-LF		Lab ID: 50167452036		Collected: 03/24/17 08:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	200	20		03/30/17 04:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	84-118	20		03/30/17 04:06	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	79-116	20		03/30/17 04:06	460-00-4	
Toluene-d8 (S)		92	%.	86-110	20		03/30/17 04:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0623-S1(032417)PDB		Lab ID: 50167452037		Collected: 03/24/17 09:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 04:38	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 04:38	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 04:38	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 04:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 04:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 04:38	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 04:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 04:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 04:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 04:38	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 04:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 04:38	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 04:38	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 04:38	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 04:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 04:38	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:38	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 04:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 04:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 04:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:38	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 04:38	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 04:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 04:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 04:38	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 04:38	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 04:38	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 04:38	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 04:38	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 04:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 04:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 04:38	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 04:38	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 04:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 04:38	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 04:38	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 04:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 04:38	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 04:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 04:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 04:38	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 04:38	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0623-S1(032417)PDB		Lab ID: 50167452037		Collected: 03/24/17 09:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 04:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	84-118	1		03/30/17 04:38	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	79-116	1		03/30/17 04:38	460-00-4	
Toluene-d8 (S)		94	%.	86-110	1		03/30/17 04:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0704-S1(032417)PDB		Lab ID: 50167452038		Collected: 03/24/17 14:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5		03/30/17 05:10	67-64-1		
Benzene	ND	ug/L	25.0	5		03/30/17 05:10	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		03/30/17 05:10	75-27-4		
Bromoform	ND	ug/L	25.0	5		03/30/17 05:10	75-25-2		
Bromomethane	ND	ug/L	25.0	5		03/30/17 05:10	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		03/30/17 05:10	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		03/30/17 05:10	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		03/30/17 05:10	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		03/30/17 05:10	108-90-7		
Chloroethane	ND	ug/L	25.0	5		03/30/17 05:10	75-00-3		
Chloroform	ND	ug/L	25.0	5		03/30/17 05:10	67-66-3		
Chloromethane	ND	ug/L	25.0	5		03/30/17 05:10	74-87-3		
Cyclohexane	ND	ug/L	500	5		03/30/17 05:10	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		03/30/17 05:10	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		03/30/17 05:10	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		03/30/17 05:10	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 05:10	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 05:10	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 05:10	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		03/30/17 05:10	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		03/30/17 05:10	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		03/30/17 05:10	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		03/30/17 05:10	75-35-4		
cis-1,2-Dichloroethene	569	ug/L	25.0	5		03/30/17 05:10	156-59-2		
trans-1,2-Dichloroethene	76.0	ug/L	25.0	5		03/30/17 05:10	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		03/30/17 05:10	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		03/30/17 05:10	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		03/30/17 05:10	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		03/30/17 05:10	100-41-4		
2-Hexanone	ND	ug/L	125	5		03/30/17 05:10	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		03/30/17 05:10	98-82-8		
Methyl acetate	ND	ug/L	250	5		03/30/17 05:10	79-20-9		N2
Methylcyclohexane	ND	ug/L	250	5		03/30/17 05:10	108-87-2		N2
Methylene Chloride	ND	ug/L	25.0	5		03/30/17 05:10	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		03/30/17 05:10	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		03/30/17 05:10	1634-04-4		
Styrene	ND	ug/L	25.0	5		03/30/17 05:10	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		03/30/17 05:10	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		03/30/17 05:10	127-18-4		
Toluene	ND	ug/L	25.0	5		03/30/17 05:10	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		03/30/17 05:10	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		03/30/17 05:10	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		03/30/17 05:10	79-00-5		
Trichloroethene	2000	ug/L	250	50		03/30/17 16:22	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		03/30/17 05:10	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		03/30/17 05:10	76-13-1		
Vinyl chloride	ND	ug/L	10.0	5		03/30/17 05:10	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0704-S1(032417)PDB		Lab ID: 50167452038		Collected: 03/24/17 14:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/30/17 05:10	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	5		03/30/17 05:10	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	79-116	5		03/30/17 05:10	460-00-4	
Toluene-d8 (S)		95	%.	86-110	5		03/30/17 05:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0705-S1(032417)PDB		Lab ID: 50167452039		Collected: 03/24/17 13:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 05:42	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 05:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 05:42	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 05:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 05:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 05:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 05:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 05:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 05:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 05:42	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 05:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 05:42	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 05:42	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 05:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 05:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 05:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 05:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 05:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 05:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 05:42	75-35-4	
cis-1,2-Dichloroethene	35.3	ug/L	5.0	1			03/30/17 05:42	156-59-2	
trans-1,2-Dichloroethene	9.4	ug/L	5.0	1			03/30/17 05:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 05:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 05:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 05:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 05:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 05:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 05:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 05:42	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 05:42	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 05:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 05:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 05:42	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 05:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 05:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 05:42	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 05:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 05:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 05:42	79-00-5	
Trichloroethene	98.6	ug/L	5.0	1			03/30/17 05:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 05:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 05:42	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 05:42	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0705-S1(032417)PDB		Lab ID: 50167452039		Collected: 03/24/17 13:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 05:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	84-118	1		03/30/17 05:42	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	79-116	1		03/30/17 05:42	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 05:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

QC Batch: 379942 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50167452036, 50167452037, 50167452038, 50167452039

METHOD BLANK: 1752656 Matrix: Water
Associated Lab Samples: 50167452036, 50167452037, 50167452038, 50167452039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	03/29/17 19:36	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	03/29/17 19:36	
1,1,2-Trichloroethane	ug/L	ND	5.0	03/29/17 19:36	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	03/29/17 19:36	
1,1-Dichloroethane	ug/L	ND	5.0	03/29/17 19:36	
1,1-Dichloroethene	ug/L	ND	5.0	03/29/17 19:36	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	03/29/17 19:36	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	03/29/17 19:36	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	03/29/17 19:36	
1,2-Dichlorobenzene	ug/L	ND	5.0	03/29/17 19:36	
1,2-Dichloroethane	ug/L	ND	5.0	03/29/17 19:36	
1,2-Dichloropropane	ug/L	ND	5.0	03/29/17 19:36	
1,3-Dichlorobenzene	ug/L	ND	5.0	03/29/17 19:36	
1,4-Dichlorobenzene	ug/L	ND	5.0	03/29/17 19:36	
2-Butanone (MEK)	ug/L	ND	25.0	03/29/17 19:36	
2-Hexanone	ug/L	ND	25.0	03/29/17 19:36	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	03/29/17 19:36	
Acetone	ug/L	ND	100	03/29/17 19:36	
Benzene	ug/L	ND	5.0	03/29/17 19:36	
Bromodichloromethane	ug/L	ND	5.0	03/29/17 19:36	
Bromoform	ug/L	ND	5.0	03/29/17 19:36	
Bromomethane	ug/L	ND	5.0	03/29/17 19:36	
Carbon disulfide	ug/L	ND	10.0	03/29/17 19:36	
Carbon tetrachloride	ug/L	ND	5.0	03/29/17 19:36	
Chlorobenzene	ug/L	ND	5.0	03/29/17 19:36	
Chloroethane	ug/L	ND	5.0	03/29/17 19:36	
Chloroform	ug/L	ND	5.0	03/29/17 19:36	
Chloromethane	ug/L	ND	5.0	03/29/17 19:36	
cis-1,2-Dichloroethene	ug/L	ND	5.0	03/29/17 19:36	
cis-1,3-Dichloropropene	ug/L	ND	5.0	03/29/17 19:36	
Cyclohexane	ug/L	ND	100	03/29/17 19:36	N2
Dibromochloromethane	ug/L	ND	5.0	03/29/17 19:36	
Dichlorodifluoromethane	ug/L	ND	5.0	03/29/17 19:36	
Ethylbenzene	ug/L	ND	5.0	03/29/17 19:36	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	03/29/17 19:36	
Methyl acetate	ug/L	ND	50.0	03/29/17 19:36	N2
Methyl-tert-butyl ether	ug/L	ND	4.0	03/29/17 19:36	
Methylcyclohexane	ug/L	ND	50.0	03/29/17 19:36	N2
Methylene Chloride	ug/L	ND	5.0	03/29/17 19:36	
Styrene	ug/L	ND	5.0	03/29/17 19:36	
Tetrachloroethene	ug/L	ND	5.0	03/29/17 19:36	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

METHOD BLANK: 1752656

Matrix: Water

Associated Lab Samples: 50167452036, 50167452037, 50167452038, 50167452039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Toluene	ug/L	ND	5.0	03/29/17 19:36	
trans-1,2-Dichloroethene	ug/L	ND	5.0	03/29/17 19:36	
trans-1,3-Dichloropropene	ug/L	ND	5.0	03/29/17 19:36	
Trichloroethene	ug/L	ND	5.0	03/29/17 19:36	
Trichlorofluoromethane	ug/L	ND	5.0	03/29/17 19:36	
Vinyl chloride	ug/L	ND	2.0	03/29/17 19:36	
Xylene (Total)	ug/L	ND	10.0	03/29/17 19:36	
4-Bromofluorobenzene (S)	%	98	79-116	03/29/17 19:36	
Dibromofluoromethane (S)	%	105	84-118	03/29/17 19:36	
Toluene-d8 (S)	%	96	86-110	03/29/17 19:36	

LABORATORY CONTROL SAMPLE: 1752657

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	44.8	90	72-123	
1,1,2,2-Tetrachloroethane	ug/L	50	41.2	82	72-124	
1,1,2-Trichloroethane	ug/L	50	44.0	88	75-125	
1,1,2-Trichlorotrifluoroethane	ug/L	50	50.0	100	80-111	
1,1-Dichloroethane	ug/L	50	46.1	92	70-120	
1,1-Dichloroethene	ug/L	50	48.9	98	69-127	
1,2,4-Trichlorobenzene	ug/L	50	38.3	77	66-126	
1,2-Dibromo-3-chloropropane	ug/L	50	36.7	73	67-123	
1,2-Dibromoethane (EDB)	ug/L	50	45.0	90	76-125	
1,2-Dichlorobenzene	ug/L	50	43.6	87	77-122	
1,2-Dichloroethane	ug/L	50	44.0	88	70-123	
1,2-Dichloropropane	ug/L	50	45.6	91	77-124	
1,3-Dichlorobenzene	ug/L	50	42.5	85	76-124	
1,4-Dichlorobenzene	ug/L	50	42.3	85	75-117	
2-Butanone (MEK)	ug/L	250	255	102	60-135	
2-Hexanone	ug/L	250	225	90	65-139	
4-Methyl-2-pentanone (MIBK)	ug/L	250	221	88	66-134	
Acetone	ug/L	250	302	121	47-144	
Benzene	ug/L	50	46.9	94	76-122	
Bromodichloromethane	ug/L	50	44.4	89	71-124	
Bromoform	ug/L	50	36.2	72	60-125	
Bromomethane	ug/L	50	52.0	104	23-194	
Carbon disulfide	ug/L	50	44.8	90	63-130	
Carbon tetrachloride	ug/L	50	46.2	92	73-133	
Chlorobenzene	ug/L	50	43.5	87	76-118	
Chloroethane	ug/L	50	61.8	124	50-147	
Chloroform	ug/L	50	44.9	90	70-119	
Chloromethane	ug/L	50	51.7	103	52-136	
cis-1,2-Dichloroethene	ug/L	50	46.5	93	74-120	
cis-1,3-Dichloropropene	ug/L	50	42.2	84	71-134	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

LABORATORY CONTROL SAMPLE: 1752657

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyclohexane	ug/L	50	49J	98	86-122	N2
Dibromochloromethane	ug/L	50	44.8	90	73-127	
Dichlorodifluoromethane	ug/L	50	61.9	124	39-166	
Ethylbenzene	ug/L	50	45.9	92	75-123	
Isopropylbenzene (Cumene)	ug/L	50	47.2	94	84-134	
Methyl acetate	ug/L	50	64.0	128	68-192	N2
Methyl-tert-butyl ether	ug/L	50	46.1	92	65-131	
Methylcyclohexane	ug/L	50	47.7J	95	89-122	N2
Methylene Chloride	ug/L	50	43.3	87	66-130	
Styrene	ug/L	50	45.2	90	78-128	
Tetrachloroethene	ug/L	50	44.4	89	69-119	
Toluene	ug/L	50	42.3	85	74-122	
trans-1,2-Dichloroethene	ug/L	50	47.8	96	72-122	
trans-1,3-Dichloropropene	ug/L	50	43.3	87	66-135	
Trichloroethene	ug/L	50	44.3	89	75-123	
Trichlorofluoromethane	ug/L	50	66.9	134	58-148	
Vinyl chloride	ug/L	50	61.9	124	61-147	
Xylene (Total)	ug/L	150	141	94	75-127	
4-Bromofluorobenzene (S)	%			99	79-116	
Dibromofluoromethane (S)	%			98	84-118	
Toluene-d8 (S)	%			97	86-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1752658 1752659

Parameter	Units	50167596003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	39.5	46.4	79	93	51-140	16	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	40.4	40.4	81	81	49-138	0	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	39.6	46.6	79	93	51-138	16	20	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	50	50	45.8	52.6	92	105	59-124	14	20	
1,1-Dichloroethane	ug/L	ND	50	50	41.7	48.6	83	97	48-137	15	20	
1,1-Dichloroethene	ug/L	ND	50	50	44.2	52.2	88	104	51-144	17	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	20.5	23.3	41	47	27-134	13	20	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	36.6	33.1	73	66	37-127	10	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	41.3	46.0	83	92	52-134	11	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	28.3	31.2	57	62	38-138	9	20	
1,2-Dichloroethane	ug/L	ND	50	50	42.6	46.8	85	94	44-144	9	20	
1,2-Dichloropropane	ug/L	ND	50	50	41.3	47.1	83	94	56-138	13	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	23.9	29.8	48	60	36-139	22	20	R1
1,4-Dichlorobenzene	ug/L	ND	50	50	24.4	29.8	49	60	34-134	20	20	
2-Butanone (MEK)	ug/L	ND	250	250	249	254	99	102	44-142	2	20	
2-Hexanone	ug/L	ND	250	250	223	224	89	90	43-150	1	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	225	229	90	92	46-143	2	20	
Acetone	ug/L	ND	250	250	242	259	97	104	33-150	7	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1752658 1752659											
Parameter	Units	50167596003		MS	MSD	MS		MSD	% Rec	Max	
		Result	Conc.	Spike	Spike	Result	Result	% Rec	% Rec	Limits	RPD
Benzene	ug/L	ND	50	50	50	40.9	48.5	82	97	51-140	17
Bromodichloromethane	ug/L	ND	50	50	50	39.2	45.6	78	91	46-137	15
Bromoform	ug/L	ND	50	50	50	33.4	35.0	67	70	36-127	5
Bromomethane	ug/L	ND	50	50	50	50.3	58.3	101	117	10-188	15
Carbon disulfide	ug/L	ND	50	50	50	39.9	44.9	80	90	35-148	12
Carbon tetrachloride	ug/L	ND	50	50	50	39.5	47.2	79	94	45-151	18
Chlorobenzene	ug/L	ND	50	50	50	31.0	37.9	62	76	45-138	20
Chloroethane	ug/L	ND	50	50	50	62.8	71.7	126	143	33-164	13
Chloroform	ug/L	ND	50	50	50	40.7	47.0	81	94	50-135	14
Chloromethane	ug/L	ND	50	50	50	49.3	57.4	99	115	38-146	15
cis-1,2-Dichloroethene	ug/L	ND	50	50	50	42.5	48.3	85	97	43-144	13
cis-1,3-Dichloropropene	ug/L	ND	50	50	50	36.1	42.2	72	84	42-136	16
Cyclohexane	ug/L	ND	50	50	50	41.2J	49.2J	82	98	67-139	20
Dibromochloromethane	ug/L	ND	50	50	50	39.2	43.4	78	87	45-136	10
Dichlorodifluoromethane	ug/L	ND	50	50	50	59.1	67.5	118	135	29-174	13
Ethylbenzene	ug/L	ND	50	50	50	29.7	37.2	59	74	36-146	23
Isopropylbenzene (Cumene)	ug/L	ND	50	50	50	29.4	37.1	59	74	43-159	23
Methyl acetate	ug/L	ND	50	50	50	60.6	59.8	121	120	33-183	1
Methyl-tert-butyl ether	ug/L	ND	50	50	50	46.4	49.3	93	99	43-146	6
Methylcyclohexane	ug/L	ND	50	50	50	39J	46.5J	78	93	60-140	20
Methylene Chloride	ug/L	ND	50	50	50	41.2	45.3	82	91	48-140	9
Styrene	ug/L	ND	50	50	50	30.8	38.8	62	78	31-148	23
Tetrachloroethene	ug/L	ND	50	50	50	30.7	37.0	61	74	38-139	18
Toluene	ug/L	ND	50	50	50	32.5	39.2	65	78	44-140	19
trans-1,2-Dichloroethene	ug/L	ND	50	50	50	41.1	47.9	82	96	50-139	15
trans-1,3-Dichloropropene	ug/L	ND	50	50	50	36.7	41.7	73	83	37-138	13
Trichloroethene	ug/L	19.4	50	50	50	52.1	61.5	65	84	44-146	17
Trichlorofluoromethane	ug/L	ND	50	50	50	63.9	72.4	128	145	41-164	12
Vinyl chloride	ug/L	ND	50	50	50	59.2	68.1	118	136	43-166	14
Xylene (Total)	ug/L	ND	150	150	150	90.3	114	60	76	35-146	23
4-Bromofluorobenzene (S)	%							105	102	79-116	
Dibromofluoromethane (S)	%							98	99	84-118	
Toluene-d8 (S)	%							97	97	86-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

QC Batch:	379943	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	50167452001, 50167452003, 50167452004, 50167452005, 50167452006, 50167452008, 50167452009, 50167452010, 50167452011, 50167452012, 50167452013, 50167452014, 50167452015, 50167452017, 50167452018, 50167452019, 50167452020		

METHOD BLANK: 1752660

Matrix: Water

Associated Lab Samples: 50167452001, 50167452003, 50167452004, 50167452005, 50167452006, 50167452008, 50167452009, 50167452010, 50167452011, 50167452012, 50167452013, 50167452014, 50167452015, 50167452017, 50167452018, 50167452019, 50167452020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	03/29/17 19:52	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	03/29/17 19:52	
1,1,2-Trichloroethane	ug/L	ND	5.0	03/29/17 19:52	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	03/29/17 19:52	
1,1-Dichloroethane	ug/L	ND	5.0	03/29/17 19:52	
1,1-Dichloroethene	ug/L	ND	5.0	03/29/17 19:52	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	03/29/17 19:52	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	03/29/17 19:52	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	03/29/17 19:52	
1,2-Dichlorobenzene	ug/L	ND	5.0	03/29/17 19:52	
1,2-Dichloroethane	ug/L	ND	5.0	03/29/17 19:52	
1,2-Dichloropropane	ug/L	ND	5.0	03/29/17 19:52	
1,3-Dichlorobenzene	ug/L	ND	5.0	03/29/17 19:52	
1,4-Dichlorobenzene	ug/L	ND	5.0	03/29/17 19:52	
2-Butanone (MEK)	ug/L	ND	25.0	03/29/17 19:52	
2-Hexanone	ug/L	ND	25.0	03/29/17 19:52	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	03/29/17 19:52	
Acetone	ug/L	ND	100	03/29/17 19:52	
Benzene	ug/L	ND	5.0	03/29/17 19:52	
Bromodichloromethane	ug/L	ND	5.0	03/29/17 19:52	
Bromoform	ug/L	ND	5.0	03/29/17 19:52	
Bromomethane	ug/L	ND	5.0	03/29/17 19:52	
Carbon disulfide	ug/L	ND	10.0	03/29/17 19:52	
Carbon tetrachloride	ug/L	ND	5.0	03/29/17 19:52	
Chlorobenzene	ug/L	ND	5.0	03/29/17 19:52	
Chloroethane	ug/L	ND	5.0	03/29/17 19:52	
Chloroform	ug/L	ND	5.0	03/29/17 19:52	
Chloromethane	ug/L	ND	5.0	03/29/17 19:52	
cis-1,2-Dichloroethene	ug/L	ND	5.0	03/29/17 19:52	
cis-1,3-Dichloropropene	ug/L	ND	5.0	03/29/17 19:52	
Cyclohexane	ug/L	ND	100	03/29/17 19:52	N2
Dibromochloromethane	ug/L	ND	5.0	03/29/17 19:52	
Dichlorodifluoromethane	ug/L	ND	5.0	03/29/17 19:52	
Ethylbenzene	ug/L	ND	5.0	03/29/17 19:52	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	03/29/17 19:52	
Methyl acetate	ug/L	ND	50.0	03/29/17 19:52	N2
Methyl-tert-butyl ether	ug/L	ND	4.0	03/29/17 19:52	
Methylcyclohexane	ug/L	ND	50.0	03/29/17 19:52	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

METHOD BLANK: 1752660

Matrix: Water

Associated Lab Samples: 50167452001, 50167452003, 50167452004, 50167452005, 50167452006, 50167452008, 50167452009, 50167452010, 50167452011, 50167452012, 50167452013, 50167452014, 50167452015, 50167452017, 50167452018, 50167452019, 50167452020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Methylene Chloride	ug/L	ND	5.0	03/29/17 19:52	
Styrene	ug/L	ND	5.0	03/29/17 19:52	
Tetrachloroethene	ug/L	ND	5.0	03/29/17 19:52	
Toluene	ug/L	ND	5.0	03/29/17 19:52	
trans-1,2-Dichloroethene	ug/L	ND	5.0	03/29/17 19:52	
trans-1,3-Dichloropropene	ug/L	ND	5.0	03/29/17 19:52	
Trichloroethene	ug/L	ND	5.0	03/29/17 19:52	
Trichlorofluoromethane	ug/L	ND	5.0	03/29/17 19:52	
Vinyl chloride	ug/L	ND	2.0	03/29/17 19:52	
Xylene (Total)	ug/L	ND	10.0	03/29/17 19:52	
4-Bromofluorobenzene (S)	%	94	79-116	03/29/17 19:52	
Dibromofluoromethane (S)	%	102	84-118	03/29/17 19:52	
Toluene-d8 (S)	%	96	86-110	03/29/17 19:52	

LABORATORY CONTROL SAMPLE: 1752661

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	45.3	91	72-123	
1,1,2,2-Tetrachloroethane	ug/L	50	44.0	88	72-124	
1,1,2-Trichloroethane	ug/L	50	49.6	99	75-125	
1,1,2-Trichlorotrifluoroethane	ug/L	50	49.5	99	80-111	
1,1-Dichloroethane	ug/L	50	47.6	95	70-120	
1,1-Dichloroethene	ug/L	50	47.6	95	69-127	
1,2,4-Trichlorobenzene	ug/L	50	40.6	81	66-126	
1,2-Dibromo-3-chloropropane	ug/L	50	40.2	80	67-123	
1,2-Dibromoethane (EDB)	ug/L	50	49.2	98	76-125	
1,2-Dichlorobenzene	ug/L	50	45.6	91	77-122	
1,2-Dichloroethane	ug/L	50	45.9	92	70-123	
1,2-Dichloropropane	ug/L	50	49.4	99	77-124	
1,3-Dichlorobenzene	ug/L	50	45.2	90	76-124	
1,4-Dichlorobenzene	ug/L	50	43.9	88	75-117	
2-Butanone (MEK)	ug/L	250	309	123	60-135	
2-Hexanone	ug/L	250	284	113	65-139	
4-Methyl-2-pentanone (MIBK)	ug/L	250	268	107	66-134	
Acetone	ug/L	250	359	143	47-144	
Benzene	ug/L	50	48.6	97	76-122	
Bromodichloromethane	ug/L	50	45.5	91	71-124	
Bromoform	ug/L	50	39.0	78	60-125	
Bromomethane	ug/L	50	58.6	117	23-194	
Carbon disulfide	ug/L	50	49.4	99	63-130	
Carbon tetrachloride	ug/L	50	49.0	98	73-133	
Chlorobenzene	ug/L	50	48.1	96	76-118	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

LABORATORY CONTROL SAMPLE: 1752661

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloroethane	ug/L	50	59.4	119	50-147	
Chloroform	ug/L	50	47.9	96	70-119	
Chloromethane	ug/L	50	59.0	118	52-136	
cis-1,2-Dichloroethene	ug/L	50	48.0	96	74-120	
cis-1,3-Dichloropropene	ug/L	50	48.6	97	71-134	
Cyclohexane	ug/L	50	49.6J	99	86-122	N2
Dibromochloromethane	ug/L	50	48.1	96	73-127	
Dichlorodifluoromethane	ug/L	50	61.8	124	39-166	
Ethylbenzene	ug/L	50	50.0	100	75-123	
Isopropylbenzene (Cumene)	ug/L	50	50.2	100	84-134	
Methyl acetate	ug/L	50	70.9	142	68-192	N2
Methyl-tert-butyl ether	ug/L	50	49.5	99	65-131	
Methylcyclohexane	ug/L	50	48.8J	98	89-122	N2
Methylene Chloride	ug/L	50	44.4	89	66-130	
Styrene	ug/L	50	48.8	98	78-128	
Tetrachloroethene	ug/L	50	48.6	97	69-119	
Toluene	ug/L	50	46.7	93	74-122	
trans-1,2-Dichloroethene	ug/L	50	49.5	99	72-122	
trans-1,3-Dichloropropene	ug/L	50	48.6	97	66-135	
Trichloroethene	ug/L	50	46.9	94	75-123	
Trichlorofluoromethane	ug/L	50	65.1	130	58-148	
Vinyl chloride	ug/L	50	62.5	125	61-147	
Xylene (Total)	ug/L	150	150	100	75-127	
4-Bromofluorobenzene (S)	%			98	79-116	
Dibromofluoromethane (S)	%			97	84-118	
Toluene-d8 (S)	%			101	86-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1752662 1752663

Parameter	Units	50167452005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	43.3	44.3	87	89	51-140	2	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	40.1	40.7	80	81	49-138	1	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	43.0	42.5	86	85	51-138	1	20	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	50	50	53.2	53.1	106	106	59-124	0	20	
1,1-Dichloroethane	ug/L	ND	50	50	46.6	47.8	93	96	48-137	3	20	
1,1-Dichloroethene	ug/L	ND	50	50	49.9	52.2	100	104	51-144	4	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	12.8	14.3	26	29	27-134	11	20	M1
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	33.3	33.4	67	67	37-127	0	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	42.5	41.5	85	83	52-134	2	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	19.8	21.1	40	42	38-138	6	20	
1,2-Dichloroethane	ug/L	ND	50	50	44.9	45.6	90	91	44-144	2	20	
1,2-Dichloropropane	ug/L	ND	50	50	47.7	48.2	95	96	56-138	1	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	17.1	17.6	34	35	36-139	3	20	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1752662 1752663											
Parameter	Units	50167452005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
1,4-Dichlorobenzene	ug/L	ND	50	50	16.3	17.4	33	35	34-134	6	M1
2-Butanone (MEK)	ug/L	ND	250	250	265	268	106	107	44-142	1	20
2-Hexanone	ug/L	ND	250	250	228	233	91	93	43-150	2	20
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	257	235	103	94	46-143	9	20
Acetone	ug/L	ND	250	250	305	314	104	108	33-150	3	20
Benzene	ug/L	ND	50	50	43.6	44.2	87	88	51-140	1	20
Bromodichloromethane	ug/L	ND	50	50	45.8	44.8	92	90	46-137	2	20
Bromoform	ug/L	ND	50	50	32.9	34.0	66	68	36-127	3	20
Bromomethane	ug/L	ND	50	50	56.9	61.9	114	124	10-188	9	20
Carbon disulfide	ug/L	ND	50	50	42.1	43.0	84	86	35-148	2	20
Carbon tetrachloride	ug/L	ND	50	50	42.0	42.7	84	85	45-151	2	20
Chlorobenzene	ug/L	ND	50	50	28.1	27.3	56	55	45-138	3	20
Chloroethane	ug/L	ND	50	50	72.1	72.9	144	146	33-164	1	20
Chloroform	ug/L	ND	50	50	44.9	44.8	90	90	50-135	0	20
Chloromethane	ug/L	ND	50	50	56.4	58.6	113	117	38-146	4	20
cis-1,2-Dichloroethene	ug/L	ND	50	50	47.0	47.8	94	96	43-144	2	20
cis-1,3-Dichloropropene	ug/L	ND	50	50	39.0	36.9	78	74	42-136	5	20
Cyclohexane	ug/L	ND	50	50	45.5J	45.3J	91	91	67-139		N2
Dibromochloromethane	ug/L	ND	50	50	40.2	40.4	80	81	45-136	1	20
Dichlorodifluoromethane	ug/L	ND	50	50	68.7	71.0	137	142	29-174	3	20
Ethylbenzene	ug/L	ND	50	50	24.4	24.5	49	49	36-146	0	20
Isopropylbenzene (Cumene)	ug/L	ND	50	50	20.7	20.6	41	41	43-159	1	M1
Methyl acetate	ug/L	ND	50	50	51.5	52.3	103	105	33-183	2	N2
Methyl-tert-butyl ether	ug/L	ND	50	50	49.3	50.8	99	102	43-146	3	20
Methylcyclohexane	ug/L	ND	50	50	42.6J	43.6J	85	87	60-140		N2
Methylene Chloride	ug/L	ND	50	50	45.5	46.1	91	92	48-140	1	20
Styrene	ug/L	ND	50	50	25.5	25.0	51	50	31-148	2	20
Tetrachloroethene	ug/L	ND	50	50	26.5	25.6	53	51	38-139	3	20
Toluene	ug/L	ND	50	50	33.4	30.4	67	61	44-140	9	20
trans-1,2-Dichloroethene	ug/L	ND	50	50	44.9	45.4	90	91	50-139	1	20
trans-1,3-Dichloropropene	ug/L	ND	50	50	36.9	36.1	74	72	37-138	2	20
Trichloroethene	ug/L	ND	50	50	36.6	38.9	73	78	44-146	6	20
Trichlorofluoromethane	ug/L	ND	50	50	73.0	73.9	146	148	41-164	1	20
Vinyl chloride	ug/L	ND	50	50	67.5	69.7	135	139	43-166	3	20
Xylene (Total)	ug/L	ND	150	150	73.2	73.1	49	49	35-146	0	20
4-Bromofluorobenzene (S)	%						102	99	79-116		
Dibromofluoromethane (S)	%						99	100	84-118		
Toluene-d8 (S)	%						101	95	86-110		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

QC Batch:	379944	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	50167452007, 50167452021, 50167452022, 50167452023, 50167452024, 50167452025, 50167452026, 50167452027, 50167452028, 50167452029, 50167452030, 50167452031, 50167452032, 50167452033, 50167452034, 50167452035		

METHOD BLANK: 1752664

Matrix: Water

Associated Lab Samples: 50167452007, 50167452021, 50167452022, 50167452023, 50167452024, 50167452025, 50167452026, 50167452027, 50167452028, 50167452029, 50167452030, 50167452031, 50167452032, 50167452033, 50167452034, 50167452035

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	03/30/17 08:06	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	03/30/17 08:06	
1,1,2-Trichloroethane	ug/L	ND	5.0	03/30/17 08:06	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	03/30/17 08:06	
1,1-Dichloroethane	ug/L	ND	5.0	03/30/17 08:06	
1,1-Dichloroethene	ug/L	ND	5.0	03/30/17 08:06	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	03/30/17 08:06	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	03/30/17 08:06	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	03/30/17 08:06	
1,2-Dichlorobenzene	ug/L	ND	5.0	03/30/17 08:06	
1,2-Dichloroethane	ug/L	ND	5.0	03/30/17 08:06	
1,2-Dichloropropane	ug/L	ND	5.0	03/30/17 08:06	
1,3-Dichlorobenzene	ug/L	ND	5.0	03/30/17 08:06	
1,4-Dichlorobenzene	ug/L	ND	5.0	03/30/17 08:06	
2-Butanone (MEK)	ug/L	ND	25.0	03/30/17 08:06	
2-Hexanone	ug/L	ND	25.0	03/30/17 08:06	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	03/30/17 08:06	
Acetone	ug/L	ND	100	03/30/17 08:06	
Benzene	ug/L	ND	5.0	03/30/17 08:06	
Bromodichloromethane	ug/L	ND	5.0	03/30/17 08:06	
Bromoform	ug/L	ND	5.0	03/30/17 08:06	
Bromomethane	ug/L	ND	5.0	03/30/17 08:06	
Carbon disulfide	ug/L	ND	10.0	03/30/17 08:06	
Carbon tetrachloride	ug/L	ND	5.0	03/30/17 08:06	
Chlorobenzene	ug/L	ND	5.0	03/30/17 08:06	
Chloroethane	ug/L	ND	5.0	03/30/17 08:06	
Chloroform	ug/L	ND	5.0	03/30/17 08:06	
Chloromethane	ug/L	ND	5.0	03/30/17 08:06	
cis-1,2-Dichloroethene	ug/L	ND	5.0	03/30/17 08:06	
cis-1,3-Dichloropropene	ug/L	ND	5.0	03/30/17 08:06	
Cyclohexane	ug/L	ND	100	03/30/17 08:06	N2
Dibromochloromethane	ug/L	ND	5.0	03/30/17 08:06	
Dichlorodifluoromethane	ug/L	ND	5.0	03/30/17 08:06	
Ethylbenzene	ug/L	ND	5.0	03/30/17 08:06	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	03/30/17 08:06	
Methyl acetate	ug/L	ND	50.0	03/30/17 08:06	N2
Methyl-tert-butyl ether	ug/L	ND	4.0	03/30/17 08:06	
Methylcyclohexane	ug/L	ND	50.0	03/30/17 08:06	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

METHOD BLANK: 1752664

Matrix: Water

Associated Lab Samples: 50167452007, 50167452021, 50167452022, 50167452023, 50167452024, 50167452025, 50167452026, 50167452027, 50167452028, 50167452029, 50167452030, 50167452031, 50167452032, 50167452033, 50167452034, 50167452035

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Methylene Chloride	ug/L	ND	5.0	03/30/17 08:06	
Styrene	ug/L	ND	5.0	03/30/17 08:06	
Tetrachloroethene	ug/L	ND	5.0	03/30/17 08:06	
Toluene	ug/L	ND	5.0	03/30/17 08:06	
trans-1,2-Dichloroethene	ug/L	ND	5.0	03/30/17 08:06	
trans-1,3-Dichloropropene	ug/L	ND	5.0	03/30/17 08:06	
Trichloroethene	ug/L	ND	5.0	03/30/17 08:06	
Trichlorofluoromethane	ug/L	ND	5.0	03/30/17 08:06	
Vinyl chloride	ug/L	ND	2.0	03/30/17 08:06	
Xylene (Total)	ug/L	ND	10.0	03/30/17 08:06	
4-Bromofluorobenzene (S)	%	95	79-116	03/30/17 08:06	
Dibromofluoromethane (S)	%	102	84-118	03/30/17 08:06	
Toluene-d8 (S)	%	100	86-110	03/30/17 08:06	

LABORATORY CONTROL SAMPLE: 1752665

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	46.2	92	72-123	
1,1,2,2-Tetrachloroethane	ug/L	50	41.1	82	72-124	
1,1,2-Trichloroethane	ug/L	50	45.2	90	75-125	
1,1,2-Trichlorotrifluoroethane	ug/L	50	52.8	106	80-111	
1,1-Dichloroethane	ug/L	50	49.3	99	70-120	
1,1-Dichloroethene	ug/L	50	48.6	97	69-127	
1,2,4-Trichlorobenzene	ug/L	50	34.5	69	66-126	
1,2-Dibromo-3-chloropropane	ug/L	50	40.2	80	67-123	
1,2-Dibromoethane (EDB)	ug/L	50	45.1	90	76-125	
1,2-Dichlorobenzene	ug/L	50	42.9	86	77-122	
1,2-Dichloroethane	ug/L	50	48.9	98	70-123	
1,2-Dichloropropane	ug/L	50	48.6	97	77-124	
1,3-Dichlorobenzene	ug/L	50	41.7	83	76-124	
1,4-Dichlorobenzene	ug/L	50	40.9	82	75-117	
2-Butanone (MEK)	ug/L	250	250	100	60-135	
2-Hexanone	ug/L	250	234	94	65-139	
4-Methyl-2-pentanone (MIBK)	ug/L	250	259	104	66-134	
Acetone	ug/L	250	267	107	47-144	
Benzene	ug/L	50	50.3	101	76-122	
Bromodichloromethane	ug/L	50	45.0	90	71-124	
Bromoform	ug/L	50	36.6	73	60-125	
Bromomethane	ug/L	50	60.6	121	23-194	
Carbon disulfide	ug/L	50	49.6	99	63-130	
Carbon tetrachloride	ug/L	50	47.2	94	73-133	
Chlorobenzene	ug/L	50	44.2	88	76-118	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

LABORATORY CONTROL SAMPLE: 1752665

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloroethane	ug/L	50	62.9	126	50-147	
Chloroform	ug/L	50	47.6	95	70-119	
Chloromethane	ug/L	50	59.1	118	52-136	
cis-1,2-Dichloroethene	ug/L	50	47.5	95	74-120	
cis-1,3-Dichloropropene	ug/L	50	46.4	93	71-134	
Cyclohexane	ug/L	50	51.7J	103	86-122	N2
Dibromochloromethane	ug/L	50	45.7	91	73-127	
Dichlorodifluoromethane	ug/L	50	64.9	130	39-166	
Ethylbenzene	ug/L	50	46.2	92	75-123	
Isopropylbenzene (Cumene)	ug/L	50	47.6	95	84-134	
Methyl acetate	ug/L	50	66.1	132	68-192	N2
Methyl-tert-butyl ether	ug/L	50	48.2	96	65-131	
Methylcyclohexane	ug/L	50	50.2	100	89-122	N2
Methylene Chloride	ug/L	50	45.5	91	66-130	
Styrene	ug/L	50	45.7	91	78-128	
Tetrachloroethene	ug/L	50	46.4	93	69-119	
Toluene	ug/L	50	46.9	94	74-122	
trans-1,2-Dichloroethene	ug/L	50	51.1	102	72-122	
trans-1,3-Dichloropropene	ug/L	50	43.5	87	66-135	
Trichloroethene	ug/L	50	46.7	93	75-123	
Trichlorofluoromethane	ug/L	50	65.7	131	58-148	
Vinyl chloride	ug/L	50	61.4	123	61-147	
Xylene (Total)	ug/L	150	138	92	75-127	
4-Bromofluorobenzene (S)	%			97	79-116	
Dibromofluoromethane (S)	%			100	84-118	
Toluene-d8 (S)	%			106	86-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1752666 1752667

Parameter	Units	50167452007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	42.7	44.2	85	88	51-140	3	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	39.8	38.6	80	77	49-138	3	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	43.3	41.0	87	82	51-138	5	20	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	50	50	52.8	52.5	106	105	59-124	1	20	
1,1-Dichloroethane	ug/L	ND	50	50	46.9	48.3	94	97	48-137	3	20	
1,1-Dichloroethene	ug/L	ND	50	50	49.6	50.0	99	100	51-144	1	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	13.0	13.6	26	27	27-134	4	20	M1
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	36.7	32.0	73	64	37-127	14	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	42.3	41.7	85	83	52-134	1	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	21.4	21.1	43	42	38-138	1	20	
1,2-Dichloroethane	ug/L	ND	50	50	44.3	45.5	89	91	44-144	3	20	
1,2-Dichloropropane	ug/L	ND	50	50	43.8	44.2	88	88	56-138	1	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	16.9	17.0	34	34	36-139	1	20	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1752666 1752667											
Parameter	Units	50167452007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
1,4-Dichlorobenzene	ug/L	ND	50	50	17.2	17.2	34	34	34-134	0	20
2-Butanone (MEK)	ug/L	ND	250	250	279	255	112	102	44-142	9	20
2-Hexanone	ug/L	ND	250	250	248	224	99	90	43-150	10	20
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	247	226	99	90	46-143	9	20
Acetone	ug/L	ND	250	250	304	283	109	100	33-150	7	20
Benzene	ug/L	ND	50	50	42.4	43.9	85	88	51-140	3	20
Bromodichloromethane	ug/L	ND	50	50	42.3	43.1	85	86	46-137	2	20
Bromoform	ug/L	ND	50	50	31.9	32.5	64	65	36-127	2	20
Bromomethane	ug/L	ND	50	50	62.2	60.4	124	121	10-188	3	20
Carbon disulfide	ug/L	ND	50	50	42.2	41.7	84	83	35-148	1	20
Carbon tetrachloride	ug/L	ND	50	50	42.5	42.9	85	86	45-151	1	20
Chlorobenzene	ug/L	ND	50	50	27.8	28.0	56	56	45-138	1	20
Chloroethane	ug/L	ND	50	50	73.5	73.0	147	146	33-164	1	20
Chloroform	ug/L	ND	50	50	44.3	45.0	89	90	50-135	2	20
Chloromethane	ug/L	ND	50	50	58.8	58.1	118	116	38-146	1	20
cis-1,2-Dichloroethene	ug/L	ND	50	50	44.8	45.6	90	91	43-144	2	20
cis-1,3-Dichloropropene	ug/L	ND	50	50	35.0	36.4	70	73	42-136	4	20
Cyclohexane	ug/L	ND	50	50	43.8J	45.7J	88	91	67-139		20 N2
Dibromochloromethane	ug/L	ND	50	50	41.7	39.7	83	79	45-136	5	20
Dichlorodifluoromethane	ug/L	ND	50	50	69.1	69.3	138	139	29-174	0	20
Ethylbenzene	ug/L	ND	50	50	25.3	24.9	51	50	36-146	2	20
Isopropylbenzene (Cumene)	ug/L	ND	50	50	21.4	21.7	43	43	43-159	2	20
Methyl acetate	ug/L	ND	50	50	53.7	51.6	107	103	33-183	4	20 N2
Methyl-tert-butyl ether	ug/L	ND	50	50	50.9	50.2	102	100	43-146	1	20
Methylcyclohexane	ug/L	ND	50	50	39.3J	40.4J	79	81	60-140		20 N2
Methylene Chloride	ug/L	ND	50	50	44.8	46.5	90	93	48-140	4	20
Styrene	ug/L	ND	50	50	26.7	26.0	53	52	31-148	3	20
Tetrachloroethene	ug/L	ND	50	50	25.7	25.6	51	51	38-139	0	20
Toluene	ug/L	ND	50	50	32.5	31.0	65	62	44-140	5	20
trans-1,2-Dichloroethene	ug/L	ND	50	50	44.0	45.0	88	90	50-139	2	20
trans-1,3-Dichloropropene	ug/L	ND	50	50	35.9	35.0	72	70	37-138	3	20
Trichloroethene	ug/L	ND	50	50	35.5	36.9	71	74	44-146	4	20
Trichlorofluoromethane	ug/L	ND	50	50	74.6	74.4	149	149	41-164	0	20
Vinyl chloride	ug/L	ND	50	50	69.4	70.9	139	142	43-166	2	20
Xylene (Total)	ug/L	ND	150	150	74.7	73.5	50	49	35-146	2	20
4-Bromofluorobenzene (S)	%						102	101	79-116		
Dibromofluoromethane (S)	%						101	101	84-118		
Toluene-d8 (S)	%						102	96	86-110		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

QC Batch: 380160

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 50167452002, 50167452016

METHOD BLANK: 1753776

Matrix: Water

Associated Lab Samples: 50167452002, 50167452016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	5.0	03/31/17 07:52	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	03/31/17 07:52	
1,1,2-Trichloroethane	ug/L	ND	5.0	03/31/17 07:52	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	5.0	03/31/17 07:52	
1,1-Dichloroethane	ug/L	ND	5.0	03/31/17 07:52	
1,1-Dichloroethene	ug/L	ND	5.0	03/31/17 07:52	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	03/31/17 07:52	
1,2-Dibromo-3-chloropropane	ug/L	ND	10.0	03/31/17 07:52	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	03/31/17 07:52	
1,2-Dichlorobenzene	ug/L	ND	5.0	03/31/17 07:52	
1,2-Dichloroethane	ug/L	ND	5.0	03/31/17 07:52	
1,2-Dichloropropane	ug/L	ND	5.0	03/31/17 07:52	
1,3-Dichlorobenzene	ug/L	ND	5.0	03/31/17 07:52	
1,4-Dichlorobenzene	ug/L	ND	5.0	03/31/17 07:52	
2-Butanone (MEK)	ug/L	ND	25.0	03/31/17 07:52	
2-Hexanone	ug/L	ND	25.0	03/31/17 07:52	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	03/31/17 07:52	
Acetone	ug/L	ND	100	03/31/17 07:52	
Benzene	ug/L	ND	5.0	03/31/17 07:52	
Bromodichloromethane	ug/L	ND	5.0	03/31/17 07:52	
Bromoform	ug/L	ND	5.0	03/31/17 07:52	
Bromomethane	ug/L	ND	5.0	03/31/17 07:52	
Carbon disulfide	ug/L	ND	10.0	03/31/17 07:52	
Carbon tetrachloride	ug/L	ND	5.0	03/31/17 07:52	
Chlorobenzene	ug/L	ND	5.0	03/31/17 07:52	
Chloroethane	ug/L	ND	5.0	03/31/17 07:52	
Chloroform	ug/L	ND	5.0	03/31/17 07:52	
Chloromethane	ug/L	ND	5.0	03/31/17 07:52	
cis-1,2-Dichloroethene	ug/L	ND	5.0	03/31/17 07:52	
cis-1,3-Dichloropropene	ug/L	ND	5.0	03/31/17 07:52	
Cyclohexane	ug/L	ND	100	03/31/17 07:52	N2
Dibromochloromethane	ug/L	ND	5.0	03/31/17 07:52	
Dichlorodifluoromethane	ug/L	ND	5.0	03/31/17 07:52	
Ethylbenzene	ug/L	ND	5.0	03/31/17 07:52	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	03/31/17 07:52	
Methyl acetate	ug/L	ND	50.0	03/31/17 07:52	N2
Methyl-tert-butyl ether	ug/L	ND	4.0	03/31/17 07:52	
Methylcyclohexane	ug/L	ND	50.0	03/31/17 07:52	N2
Methylene Chloride	ug/L	ND	5.0	03/31/17 07:52	
Styrene	ug/L	ND	5.0	03/31/17 07:52	
Tetrachloroethene	ug/L	ND	5.0	03/31/17 07:52	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

METHOD BLANK: 1753776

Matrix: Water

Associated Lab Samples: 50167452002, 50167452016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Toluene	ug/L	ND	5.0	03/31/17 07:52	
trans-1,2-Dichloroethene	ug/L	ND	5.0	03/31/17 07:52	
trans-1,3-Dichloropropene	ug/L	ND	5.0	03/31/17 07:52	
Trichloroethene	ug/L	ND	5.0	03/31/17 07:52	
Trichlorofluoromethane	ug/L	ND	5.0	03/31/17 07:52	
Vinyl chloride	ug/L	ND	2.0	03/31/17 07:52	
Xylene (Total)	ug/L	ND	10.0	03/31/17 07:52	
4-Bromofluorobenzene (S)	%	99	79-116	03/31/17 07:52	
Dibromofluoromethane (S)	%	106	84-118	03/31/17 07:52	
Toluene-d8 (S)	%	95	86-110	03/31/17 07:52	

LABORATORY CONTROL SAMPLE: 1753777

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	45.0	90	72-123	
1,1,2,2-Tetrachloroethane	ug/L	50	44.4	89	72-124	
1,1,2-Trichloroethane	ug/L	50	42.4	85	75-125	
1,1,2-Trichlorotrifluoroethane	ug/L	50	55.4	111	80-111	
1,1-Dichloroethane	ug/L	50	46.7	93	70-120	
1,1-Dichloroethene	ug/L	50	53.1	106	69-127	
1,2,4-Trichlorobenzene	ug/L	50	32.8	66	66-126	
1,2-Dibromo-3-chloropropane	ug/L	50	35.9	72	67-123	
1,2-Dibromoethane (EDB)	ug/L	50	45.1	90	76-125	
1,2-Dichlorobenzene	ug/L	50	43.7	87	77-122	
1,2-Dichloroethane	ug/L	50	45.0	90	70-123	
1,2-Dichloropropane	ug/L	50	46.9	94	77-124	
1,3-Dichlorobenzene	ug/L	50	41.6	83	76-124	
1,4-Dichlorobenzene	ug/L	50	40.7	81	75-117	
2-Butanone (MEK)	ug/L	250	248	99	60-135	
2-Hexanone	ug/L	250	215	86	65-139	
4-Methyl-2-pentanone (MIBK)	ug/L	250	223	89	66-134	
Acetone	ug/L	250	260	104	47-144	
Benzene	ug/L	50	48.2	96	76-122	
Bromodichloromethane	ug/L	50	45.5	91	71-124	
Bromoform	ug/L	50	39.5	79	60-125	
Bromomethane	ug/L	50	57.8	116	23-194	
Carbon disulfide	ug/L	50	44.4	89	63-130	
Carbon tetrachloride	ug/L	50	46.4	93	73-133	
Chlorobenzene	ug/L	50	44.2	88	76-118	
Chloroethane	ug/L	50	69.3	139	50-147	
Chloroform	ug/L	50	46.3	93	70-119	
Chloromethane	ug/L	50	52.0	104	52-136	
cis-1,2-Dichloroethene	ug/L	50	47.8	96	74-120	
cis-1,3-Dichloropropene	ug/L	50	42.3	85	71-134	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Racer - Kokomo

Pace Project No.: 50167452

LABORATORY CONTROL SAMPLE: 1753777

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyclohexane	ug/L	50	48.6J	97	86-122	N2
Dibromochloromethane	ug/L	50	44.0	88	73-127	
Dichlorodifluoromethane	ug/L	50	62.4	125	39-166	
Ethylbenzene	ug/L	50	46.7	93	75-123	
Isopropylbenzene (Cumene)	ug/L	50	49.2	98	84-134	
Methyl acetate	ug/L	50	66.5	133	68-192	N2
Methyl-tert-butyl ether	ug/L	50	46.6	93	65-131	
Methylcyclohexane	ug/L	50	50.0	100	89-122	N2
Methylene Chloride	ug/L	50	45.7	91	66-130	
Styrene	ug/L	50	49.1	98	78-128	
Tetrachloroethene	ug/L	50	44.3	89	69-119	
Toluene	ug/L	50	42.6	85	74-122	
trans-1,2-Dichloroethene	ug/L	50	48.4	97	72-122	
trans-1,3-Dichloropropene	ug/L	50	39.9	80	66-135	
Trichloroethene	ug/L	50	46.7	93	75-123	
Trichlorofluoromethane	ug/L	50	67.2	134	58-148	
Vinyl chloride	ug/L	50	63.5	127	61-147	
Xylene (Total)	ug/L	150	146	97	75-127	
4-Bromofluorobenzene (S)	%			105	79-116	
Dibromofluoromethane (S)	%			98	84-118	
Toluene-d8 (S)	%			97	86-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Racer - Kokomo

Pace Project No.: 50167452

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D4 Sample was diluted due to the presence of high levels of target analytes.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

N2 The lab does not hold NELAC/TNI accreditation for this parameter.

R1 RPD value was outside control limits.

RS The RPD value in one of the constituent analytes was outside the control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Racer - Kokomo

Pace Project No.: 50167452

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50167452001	TB-1(032417)-LF	EPA 8260	379943		
50167452002	MW-0101-S1U(032417)PDB	EPA 8260	380160		
50167452003	MW-0102-S1U(032417)PDB	EPA 8260	379943		
50167452004	MW-0103-S1U(032417)PDB	EPA 8260	379943		
50167452005	MW-0501-S1(032417)PDB	EPA 8260	379943		
50167452006	MW-0502-S1(032417)PDB	EPA 8260	379943		
50167452007	MW-0503-S1(032417)PDB	EPA 8260	379944		
50167452008	MW-0504-S1(032417)PDB	EPA 8260	379943		
50167452009	MW-0505-S1(032417)PDB	EPA 8260	379943		
50167452010	MW-0506-S1(032417)PDB	EPA 8260	379943		
50167452011	EB-1(032417)-LF	EPA 8260	379943		
50167452012	MW-0507-S1(032417)PDB	EPA 8260	379943		
50167452013	MW-0509-S1(032417)PDB	EPA 8260	379943		
50167452014	MW-0516-S1(032417)PDB	EPA 8260	379943		
50167452015	MW-0517-S1(032417)PDB	EPA 8260	379943		
50167452016	FD-1(032417)-LF	EPA 8260	380160		
50167452017	MW-0603-S1(032417)PDB	EPA 8260	379943		
50167452018	MW-0605-S1(032417)PDB	EPA 8260	379943		
50167452019	MW-0606-S1(032417)PDB	EPA 8260	379943		
50167452020	MW-0604-S1(032417)PDB	EPA 8260	379943		
50167452021	MW-0602-S1(032417)PDB	EPA 8260	379944		
50167452022	MW-0607-S1(032417)PDB	EPA 8260	379944		
50167452023	MW-0608-S1(032417)PDB	EPA 8260	379944		
50167452024	MW-0609-S1(032417)PDB	EPA 8260	379944		
50167452025	MW-0610-S1(032417)PDB	EPA 8260	379944		
50167452026	MW-0611-S1(032417)PDB	EPA 8260	379944		
50167452027	MW-0612-S1(032417)PDB	EPA 8260	379944		
50167452028	MW-0613-S1(032417)PDB	EPA 8260	379944		
50167452029	EB-2(032417)-LF	EPA 8260	379944		
50167452030	MW-0617-S1(032417)PDB	EPA 8260	379944		
50167452031	MW-0618-S1(032417)PDB	EPA 8260	379944		
50167452032	MW-0619-S1(032417)PDB	EPA 8260	379944		
50167452033	MW-0620-S1(032417)PDB	EPA 8260	379944		
50167452034	MW-0621-S1(032417)PDB	EPA 8260	379944		
50167452035	MW-0622-S1(032417)PDB	EPA 8260	379944		
50167452036	FD-2(032417)-LF	EPA 8260	379942		
50167452037	MW-0623-S1(032417)PDB	EPA 8260	379942		
50167452038	MW-0704-S1(032417)PDB	EPA 8260	379942		
50167452039	MW-0705-S1(032417)PDB	EPA 8260	379942		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

16

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



Section A
Required Client Information:

Company: PROSPERIS
 Address: 132 E. WASHINGTON
INDIANAPOLIS IN 46204
 Email To: Sarah.jonker@caradis.com
 Phone: 317.254.1100
 Fax: 317.254.1100
 Requested Due Date/TAT: STANDARD

Section B
Required Project Information:

Report To: SARAH JONKER
 Copy To: MATT GRILES
 Purchase Order No.: 1000884.2017
 Project Name: PACER- KOKO MO
 Project Number: 1000884.2017

Section C
Invoice Information:

Attention: SALES
 Company Name: INDIANAPOLIS
 Address: 132 E. WASHINGTON
 Pace Quote Reference: INDIANAPOLIS IN 46204
 Pace Project Manager: SARAH JONKER
 Pace Profile #: 1000884.2017

Section D
Required Client Information

SAMPLE ID
(A-Z, 0-9 / -)
Sample IDs MUST BE UNIQUE

Matrix Codes
MATRIX / CODE
 DW Drinking Water
 WT Waste Water
 WW Wastewater
 P Product
 SL Soil/Solid
 OL Oil
 WP Wipes
 AR Air
 TS Tissue
 OT Other

ITEM #	MATRIX CODE (see valid codes to left)	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analysis Test ↑	Temp In °C	Received on	Sealed Cooler	Samples Intact
		DATE	TIME									
1	TB-1(032417)-LC			WG	3/24/17	3						
2	MN-0101-S1(032417)PDB			WG	1015	3						
3	MN-0102-S1(032417)PDB			WG	1200	3						
4	MN-0103-S1(032417)PDB			WG	1207	3						
5	MN-0501-S1(032417)PDB			WG	0915	3						
6	MN-0502-S1(032417)PDB			WG	1010	3						
7	MN-0503-S1(032417)PDB			WG	1035	3						
8	MN-0504-S1(032417)PDB			WG	1115	3						
9	MN-0505-S1(032417)PDB			WG	1135	3						
10	MN-0506-S1(032417)PDB			WG	1105	3						
11	EB-1(032417)-LC			WG	1110	3						
12	MN-0507-S1(032417)PDB			WG	1050	3						

Section D
Requested Analysis Filtered (Y/N)

Requested Analysis Filtered (Y/N)

Section E
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section F
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section G
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section H
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section I
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section J
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section K
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section L
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section M
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section N
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section O
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section P
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section Q
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section R
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section S
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section T
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section U
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section V
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section W
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section X
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section Y
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section Z
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AA
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AB
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AC
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AD
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AE
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AF
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AG
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AH
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AI
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AJ
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AK
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AL
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AM
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AN
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AO
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AP
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AQ
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AR
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AS
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AT
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AU
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AV
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AW
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AX
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AY
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section AZ
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BA
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BB
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BC
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BD
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BE
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BF
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BG
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BH
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BI
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BJ
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BK
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BL
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BM
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BN
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BO
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BP
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BQ
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BR
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BS
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BT
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BU
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BV
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BW
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BX
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BY
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section BZ
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CA
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CB
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CC
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CD
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CE
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CF
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CG
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CH
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CI
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CJ
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CK
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CL
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CM
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CN
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CO
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CP
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CQ
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CR
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CS
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CT
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CU
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CV
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CW
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CX
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CY
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section CZ
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section DA
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section DB
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section DD
Relinquished By / Affiliation

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section DE
Sample Conditions

DATE: 3/25/17 TIME: 0950

SIGNATURE: Mundy Hough

Section DF
Relinquished By / Affiliation

DATE: 3/25/1

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company: ARCADIS	Report To: STRAH JONKER	Attention:	Company Name:	Page: 2 of 2	2076389
Address: 132 E. WASHINGTON	Copy To: MATT GRILES	Company Address:	Address:		
Email To: STRAH.JONKER@ARCADIS.COM	Purchase Order No.: INDIANAPOLIS, IN 46204	Pace Quote Reference:	Pace Project Manager:	REGULATORY AGENCY	
Phone: INDIANAPOLIS, IN 46204	Project Name: PACER-KOLOMO	Pace Project Manager:	Pace Profile #:	☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER	
Requested Due Date/TAT: STANDARD	Project Number: IND00884.2017	Site Location	STATE: IN	☐ UST ☐ RCRA ☐ OTHER	

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analysis Test ↑	Y/N	Requested Analysis Filtered (Y/N)											
				COMPOSITE START	COMPOSITE END/GRAB																	
1	MN-0509-S1(032417)PDB	DW	NG			3/24/17 1325	3	Unpreserved	Analysis Test ↑													
2	MN-0516-S1(032417)PDB	WT	NG			3/24/17 1325	3	HCl														
3	MN-0517-S1(032417)PDB	WW	NG			3/24/17 1325	3	HNO ₃														
4	FD-1(032417)-LF	P	NG			3/24/17 1325	3	H ₂ SO ₄														
5	MN-0603-S1(032417)PDB	SL	NG			3/24/17 1325	3	NaOH														
6	MN-0605-S1(032417)PDB	OL	NG			3/24/17 1325	3	Na ₂ S ₂ O ₃														
7	MN-0606-S1(032417)PDB	WP	NG			3/24/17 1325	3	Methanol														
8	MN-0604-S1(032417)PDB	AR	NG			3/24/17 1325	3	Other														
9	MN-0607-S1(032417)PDB	TS	NG			3/24/17 1325	3															
10	MN-0607-S1(032417)PDB	OT	NG			3/24/17 1325	3															
11	MN-0608-S1(032417)PDB		NG			3/24/17 1325	3															
12	MN-0609-S1(032417)PDB		NG			3/24/17 1325	3															

Additional Comments		RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	
3/25/2017/ARCADIS		Windy Hays	3/25/2017	0950	3/25/2017	0950	5.9	Y	N
Temp In °C		Received on	Sealed Cooler	Custody	Sealed Cooler	Received on	Sealed Cooler	Custody	Sealed Cooler
Temp In °C		Received on	Sealed Cooler	Custody	Sealed Cooler	Received on	Sealed Cooler	Custody	Sealed Cooler

ORIGINAL

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A

Required Client Information:

Company: **ARCADIS**
Address: **132 E. WASHINGTON**
INDIANAPOLIS, IN 46204
Email: **sr@jonker.com**
Phone: _____
Fax: _____
Requested Due Date/TAT: **STANDARD**

Section B

Required Project Information:

Report To: **SR@JONKER**
Copy To: **MATT GRILES**
Purchase Order No.: _____
Project Name: **RACER-KOTOMG**
Project Number: **IN000884.2017**

Section C

Invoice Information:

Attention: _____
Company Name: _____
Address: _____
Pace Quote Reference: _____
Pace Project Manager: _____
Pace Profile #: _____

Section D

Regulatory Agency

☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER
☐ UST ☐ RCRA ☐ OTHER _____
Site Location: **IN**
STATE: _____

Page: **3** of **2076390**

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analysis Test ↑	Y/N ↓	Requested Analysis Filtered (Y/N)											
				COMPOSITE START	COMPOSITE END/GRAB																	
1	MW-0611-SI(032417)PDB	DW	NG			3/24/17 1335	3	Unpreserved														
2	MW-0611-SI(032417)PDB	WT	NG			3/24/17 1250	3	H ₂ SO ₄														
3	MW-0612-SI(032417)PDB	WW	NG			3/20/17 1320	3	HCl														
4	MW-0613-SI(032417)PDB	P	NG			3/20/17 1335	3	NaOH														
5	EB-2(032417)-LC	Product	NG			3/20/17 1035	3	HNO ₃														
6	MW-0617-SI(032417)PDB	Soil/Solid	NG			3/20/17 1225	3	Unpreserved														
7	MW-0618-SI(032417)PDB	Oil	NG			3/20/17 1150	3	H ₂ SO ₄														
8	MW-0619-SI(032417)PDB	Wipe	NG			3/20/17 0955	3	HCl														
9	MW-0620-SI(032417)PDB	Air	NG			3/20/17 1145	3	NaOH														
10	MW-0621-SI(032417)PDB	Tissue	NG			3/20/17 0945	3	HNO ₃														
11	MW-0622-SI(032417)PDB	Other	NG				3	Unpreserved														
12	PD-2(032417)-LC		NG				3	Unpreserved														

Additional Comments

3/25/17 **ARCADIS** **3/25/17** **0950** **Windy Harper** **8:25:1095059**

Relinquished By / Affiliation

3/25/17 **ARCADIS** **3/25/17** **0950** **Windy Harper** **8:25:1095059**

Accepted By / Affiliation

3/25/17 **ARCADIS** **3/25/17** **0950** **Windy Harper** **8:25:1095059**

Temp in °C

3/25/17 **ARCADIS** **3/25/17** **0950** **Windy Harper** **8:25:1095059**

Received on

3/25/17 **ARCADIS** **3/25/17** **0950** **Windy Harper** **8:25:1095059**

Sealed Cooler

3/25/17 **ARCADIS** **3/25/17** **0950** **Windy Harper** **8:25:1095059**

Samples Intact

3/25/17 **ARCADIS** **3/25/17** **0950** **Windy Harper** **8:25:1095059**

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information: Company: PARADIS Address: 132 E WASHINGTON Indianapolis, IN 46204 Email: stan-jonker@paradis.com Phone: _____ Fax: _____ Requested Due Date/TAT: STANDARD		Section B Required Project Information: Report To: STAN JONKER Copy To: MATT GRILES Purchase Order No.: _____ Project Name: PACER-KOKOMO Project Number: IN000884-2017		Section C Invoicing Information: Attention: _____ Company Name: _____ Address: _____ Pace Quote Reference: _____ Pace Project Manager: _____ Pace Profile #: _____	
Regulatory Agency: ☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER ☐ UST ☐ RCRA ☐ OTHER _____		Site Location: State: IN		Page: 4 of 2076391	

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	Preservatives							Analysis Test ↑	W/N ↑	Requested Analysis is Filtered (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		Drinking Water WT Waste Water P Product Oil Soil/Solid Wipe Air Tissue Other	DW WT WW P SL OL WP AR TS OT		COMPOSITE START	DATE	TIME	DATE	TIME		Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

Sample Condition Upon Receipt

Face Analytical

Client Name: Arcadis

Project # 50167452

Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other

Thermometer 1 2 3 4 5 6 A B C D E F

Type of Ice: Wet Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature (Initial/Corrected) 5.9/5.9

Ice Visible in Sample Containers: ☐ yes ☒ no

Temp should be above freezing to 6°C

Comments:

Date and Initials of person examining contents: MH 3-25-17

Are samples from West Virginia?

☐ Yes ☒ No

Document any containers out of temp.

Chain of Custody Present:

☒ Yes ☐ No

Chain of Custody Filled Out:

☒ Yes ☐ No

Chain of Custody Relinquished:

☒ Yes ☐ No

Sampler Name & Signature on COC:

☒ Yes ☐ No

Short Hold Time Analysis (<72hr):

☐ Yes ☒ No

Rush Turn Around Time Requested:

☐ Yes ☒ No

Containers Intact:

☒ Yes ☐ No

Sample Labels match COC:

☐ Yes ☒ No

-Includes date/time/ID/Analysis

All containers needing acid/base pres. have been checked?

☐ Yes ☐ No ☒ N/A

exceptions: VOA, coliform, TOC, O&G

All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.

Residual Chlorine Check (SVOC 625 Pest/PCB 608)

11. Present Absent

Residual Chlorine Check (Total/Amenable/Free Cyanide)

12. Present Absent

Headspace in VOA Vials (>6mm):

☐ Yes ☒ No ☐ N/A

Headspace Wisconsin Sulfide

☐ Yes ☐ No

Trip Blank Present:

☒ Yes ☐ No

Trip Blank Custody Seals Present

☒ Yes ☐ No

Project Manager Review

Samples Arrived within Hold Time:

☒ Yes ☐ No

15.

Sufficient Volume:

☒ Yes ☐ No

16.

Correct Containers Used:

☒ Yes ☐ No

17.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: S. Jonker

Date/Time: 4/3/17 email

Comments/ Resolution: add level IV data request

Project Manager Review:

K Jones

Date: 3-27-17

CLIENT:

Arcadis

Bulk Kit
SBS DI

COC PAGE 4 of 2071393
COC ID# 2071393

Project # 56167452

Sample Line

[illegible]

Matrix SI/M/NAL
(Soil/Water/Non-
Aqueous Liquid)

[illegible]

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WG9U	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	SP5T	120mL Colliform Na Thiosulfate
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JG9U	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

CLIENT:

Arcadis

Bulk
DI
SBS

COC PAGE 6 of 2076389
COC ID#

Project # 50167452

Sample Line

H65
H65

AG1U WGFU AG0U R BP2N BP2U BP2S BP3N BP3U BP3S AG3S AG1H BP3C BP1U SP5T AG2U

Matrix S1/W1/NAL
(Soil/Water/Non-
Aqueous Liquid)

$\text{pH} < 2$ $\text{pH} > 9$ $\text{pH} > 12$

DG9H	40mL HCL amber vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WG9U	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	SP5T	120mL Coliform Na Thiosulfate
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

CLIENT:

Arcadis

Bulk
DI
SBS

COC PAGE 3 of 4
COC ID# 2076390

Project # 50167452

Sample Line

AG1U WGFU AG0U R BP2N BP2U BP2S BP3N BP3U BP3S AG3S AG1H BP3C BP1U SP5T AG2U

Matrix S/M/NAL
(Soil/Water/Non-
Aqueous Liquid)

pH < 2 pH > 9 pH > 12

A blank coordinate grid with a vertical axis labeled 'M' and a horizontal axis labeled 'C'. The vertical axis has an arrow pointing upwards and the horizontal axis has an arrow pointing to the right. The grid is 12 units wide and 12 units high, with axes labeled 1 through 12.

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WG9U	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	SP5T	120mL Coliform Na Thiosulfate
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLCC	Ziploc Bag

April 04, 2017

Ms. Sarah Jonker
Arcadis
132 E Washington Street
Suite 600
Indianapolis, IN 46204

RE: Project: 50167452 LVL IV
Pace Project No.: 50167922

Dear Ms. Jonker:

Enclosed are the analytical results for sample(s) received by the laboratory on April 03, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Theresa Sheingold for
Kelly Jones
kelly.jones@pacelabs.com
(317)228-3100
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 50167452 LVL IV

Pace Project No.: 50167922

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50167922001	50167452 Data Package	Water	04/02/17 14:49	04/03/17 14:48

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company: ARCADIS	Report To: STRAH JONKER	Attention:	Company Name:	Page: 2 of 2	2076389
Address: 132 E. WASHINGTON	Copy To: MATT GRILES	Company Address:	Address:		
Phone: INDIANAPOLIS, IN 46204	Purchase Order No.: INDIANAPOLIS, IN 46204	Pace Project Reference:	Pace Quote Reference:	REGULATORY AGENCY	
Email: STRAH.jonker@arcadis.com	Project Name: PACER-KOLOMO	Pace Project Manager:	Pace Profile #:	☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER ☐ UST ☒ RCRA ☐ OTHER	
Requested Due Date/TAT: STANDARD	Project Number: IND00884.2017	Site Location:	STATE: IN		

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analysis Test ↑	Y/N ↑	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)	Pace Project No. / Lab I.D.
				COMPOSITE START	COMPOSITE END/GRAB								
1	MN-0509-SI(032417)PDB	DW	NG			3/24/17 1325	3	Unpreserved	Analysis Test ↑				50167452
2	MN-0516-SI(032417)PDB	WT	NG			3/24/17 1325	3	HCl					013
3	MN-0517-SI(032417)PDB	WW	NG			3/24/17 1325	3	HNO ₃					014
4	FD-1(032417)-LF	P	NG			3/24/17 1325	3	H ₂ SO ₄					015
5	MN-0603-SI(032417)PDB	SL	NG			3/24/17 1325	3	NaOH					016
6	MN-0605-SI(032417)PDB	OL	NG			3/24/17 1325	3	Na ₂ S ₂ O ₃					017
7	MN-0606-SI(032417)PDB	WP	NG			3/24/17 1325	3	Methanol					018
8	MN-0604-SI(032417)PDB	AR	NG			3/24/17 1325	3	Other					019
9	MN-0607-SI(032417)PDB	TS	NG			3/24/17 1325	3	Unpreserved					020
10	MN-0607-SI(032417)PDB	OT	NG			3/24/17 1325	3	HCl					021
11	MN-0608-SI(032417)PDB		NG			3/24/17 1325	3	HNO ₃					022
12	MN-0609-SI(032417)PDB		NG			3/24/17 1325	3	H ₂ SO ₄					023
													024

ADVIS: / ARCADIS	3/25/2017 0950	Windy Hays	3/25/2017 0950	Y	N
ADDITIONAL COMMENTS SAMPLE CONDITIONS					
Relinquished By / Affiliation Date Accepted By / Affiliation Date Temp In °C Received on Custody Sealed Cooler Samples Intact					

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information: Company: ARCADIS Address: 132 E. WASHINGTON INDIANAPOLIS, IN 46204 Email: sr@jonker.com Phone: _____ Fax: _____ Requested Due Date/TAT: STANDARD		Section B Required Project Information: Report To: SRAH JONKER Copy To: MATT GRILES Purchase Order No.: _____ Project Name: PACER-KOKOMO Project Number: IN000884.2017		Section C Invoice Information: Attention: _____ Company Name: _____ Address: _____ Pace Quote Reference: _____ Pace Project Manager: _____ Pace Profile #: _____	
Regulatory Agency: ☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER ☐ UST ☐ RCRA ☐ OTHER _____		Site Location: State: IN		Page: 3 of 2076390	

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analysis Test ↑	Y/N ↓	Requested Analysis Filtered (Y/N)
				COMPOSITE START	COMPOSITE END/GRAB						
1	MW-0611-SI(032417)PDB	DW	NG		3/24/17 1335	3	3	Unpreserved	Analysis Test ↑		
2	MW-0611-SI(032417)PDB	WT	NG		3/24/17 1250	3	3	H ₂ SO ₄	Analysis Test ↑		
3	MW-0612-SI(032417)PDB	WW	NG		3/20/17 1320	3	3	HCl	Analysis Test ↑		
4	MW-0613-SI(032417)PDB	P	NG		3/20/17 1335	3	3	NaOH	Analysis Test ↑		
5	EB-2(032417)-LC	SL	NG		3/20/17 1035	3	3	HNO ₃	Analysis Test ↑		
6	MW-0617-SI(032417)PDB	OL	NG		3/20/17 1225	3	3	H ₂ SO ₄	Analysis Test ↑		
7	MW-0618-SI(032417)PDB	WP	NG		3/20/17 1150	3	3	HCl	Analysis Test ↑		
8	MW-0619-SI(032417)PDB	AR	NG		3/20/17 0955	3	3	NaOH	Analysis Test ↑		
9	MW-0620-SI(032417)PDB	TS	NG		3/20/17 0955	3	3	HNO ₃	Analysis Test ↑		
10	MW-0621-SI(032417)PDB	OT	NG		3/20/17 1145	3	3	H ₂ SO ₄	Analysis Test ↑		
11	MW-0622-SI(032417)PDB		NG		3/20/17 0945	3	3	Unpreserved	Analysis Test ↑		
12	ED-2(032417)-LC		NG			3	3	Unpreserved	Analysis Test ↑		

Relinquished By / Affiliation: ARCADIS Date: 3/25/17 Time: 0950 Accepted By / Affiliation: Windy Harper Date: 3/25/17 Time: 0950		Sample Conditions: Temp in °C: _____ Received on: _____ Sealed Cooler (Y/N): _____ Custody (Y/N): _____ Samples Intact (Y/N): _____	
Additional Comments: 3/25/17 Arcadis 3/25/170950 Windy Harper		Date Signed (MM/DD/YY): 3/24/17	

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information: Company: PARADIS Address: 132 E WASHINGTON Indianapolis, IN 46204 Email: stan-jonker@paradis.com Phone: 317-251-0950 Fax: 317-251-0950 Requested Due Date/TAT: STANDARD		Section B Required Project Information: Report To: STAN JONKER Copy To: MATT GRILES Purchase Order No.: Project Name: PARCER-KOKOMO Project Number: IN000884-2017		Section C Invoicing Information: Attention: Company Name: Address: Pace Quote Reference: Pace Project Manager: Pace Profile #:	
Page: 4 of 2076391		REGULATORY AGENCY ☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER ☐ UST ☐ RCRA ☐ OTHER		Site Location STATE: IN	

ITEM #	Section D Required Client Information		Section E Matrix Codes		Section F Sample ID		Section G Matrix / CODE		Section H Sample Type		Section I Collection		Section J Preservatives		Section K Analysis Test		Section L Requested Analysis Filtered (Y/N)		Section M Residual Chlorine (Y/N)	
	Matrix Codes		Matrix / CODE		Sample ID		Matrix / CODE		Sample Type		Collection		Preservatives		Analysis Test		Requested Analysis Filtered (Y/N)		Residual Chlorine (Y/N)	
1	MW-0623-S1C824-17		PD3		WCG		WCG		G=GRAB C-COMP		DATE TIME		COMPOSITE START		COMPOSITE END/GRAB		DATE TIME		DATE TIME	
2	MW-0704-S1C0324-17		PD8		NBG		PD8		G=GRAB C-COMP		DATE TIME		COMPOSITE START		COMPOSITE END/GRAB		DATE TIME		DATE TIME	
3	MW-0705-S1C0324-17		PD8		NBG		PD8		G=GRAB C-COMP		DATE TIME		COMPOSITE START		COMPOSITE END/GRAB		DATE TIME		DATE TIME	
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

ADDITIONAL COMMENTS 3/25/17 09:50 Windy topper		RELINQUISHED BY / AFFILIATION DATE TIME		ACCEPTED BY / AFFILIATION DATE TIME		SAMPLE CONDITIONS Y N	
Temp In °C		Received on (Y/N)		Sealed Cooler (Y/N)		Samples Intact (Y/N)	
DATE SIGNED (MM/DD/YY): 3/25/17							

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

Sample Condition Upon Receipt

Face Analytical

Client Name: Arcadis

Project # 50167452

Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other

Thermometer 1 2 3 4 5 6 A B C D E F

Type of Ice: Wet Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature (Initial/Corrected) 5.9/5.9

Ice Visible in Sample Containers: ☐ yes ☒ no

Temp should be above freezing to 6°C

Comments:

Date and Initials of person examining contents: MH 3/25/17

Are samples from West Virginia?

☐ Yes ☒ No

Document any containers out of temp.

Chain of Custody Present:

☒ Yes ☐ No

Chain of Custody Filled Out:

☒ Yes ☐ No

Chain of Custody Relinquished:

☒ Yes ☐ No

Sampler Name & Signature on COC:

☒ Yes ☐ No

Short Hold Time Analysis (<72hr):

☐ Yes ☒ No

Rush Turn Around Time Requested:

☐ Yes ☒ No

Containers Intact:

☒ Yes ☐ No

Sample Labels match COC:

☐ Yes ☒ No

-Includes date/time/ID/Analysis

All containers needing acid/base pres. have been checked?

☐ Yes ☐ No ☒ N/A

exceptions: VOA, coliform, TOC, O&G

All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.

Residual Chlorine Check (SVOC 625 Pest/PCB 608)

11. Present Absent

Residual Chlorine Check (Total/Amenable/Free Cyanide)

12. Present Absent

Headspace in VOA Vials (>6mm):

☐ Yes ☒ No ☐ N/A

Headspace Wisconsin Sulfide

☐ Yes ☐ No

Trip Blank Present:

☒ Yes ☐ No

Trip Blank Custody Seals Present

☒ Yes ☐ No

Project Manager Review

Samples Arrived within Hold Time:

☒ Yes ☐ No

15.

Sufficient Volume:

☒ Yes ☐ No

16.

Correct Containers Used:

☒ Yes ☐ No

17.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: S. Jonker

Date/Time: 4/3/17 email

Comments/ Resolution: add level IV data request

Project Manager Review:

K Jones

Date: 3-27-17

CLIENT:

Arcadis

SBS
DI
Bulk
Kit

COC PAGE 1 of 4
COC ID# 2076393

Project # 56167452

Sample Line

H69C

AG1U WGFU AG0U R BP2N BP2U BP2S BP3N BP3U BP3S AG3S AG1H BP3C BP1U SP5T AG2U

pH < 2 pH > 9 pH > 12

Matrix SIM/NAL
(Soil/Water/Non-
Aqueous Liquid)

	WT	trip blank
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WG9U	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	SP5T	120mL Colliform Na Thiosulfate
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JG9U	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

CLIENT:

Arcadis

Bulk
DI
SBS

COC PAGE 6 of 2076389
COC ID#

Project # 50167452

Sample Line

H65
H65

AG1U WGFU AG0U R BP2N BP2U BP2S BP3N BP3U BP3S AG3S AG1H BP3C BP1U SP5T AG2U

Ma (S) Aq $\text{pH} < 2$ $\text{pH} > 9$ $\text{pH} > 12$

DG9H	40mL HCL amber vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WG9U	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	SP5T	120mL Coliform Na Thiosulfate
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

CLIENT:

Arcadis

SBS
DI
Kit

COC PAGE 3 of 4
COC ID# 2076390

Project # 50167452

Sample Line

AG1U WGFU AG0U R BP2N BP2U BP2S BP3N BP3U BP3S AG3S AG1H BP3C BP1U SP5T AG2U

Matrix S1M/NAL
(Soil/Water/Non-
Aqueous Liquid)

pH < 2 pH > 9 pH > 12

A blank sheet of graph paper with a grid. The horizontal axis is labeled 'x' at the right end and the vertical axis is labeled 'y' at the bottom end.

DG9H	40mL HCL amber vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WG9U	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	SP5T	120mL Coliform Na Thiosulfate
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLCC	Ziploc Bag

RACER Trust

Former GM Delco Plant 5

DATA REVIEW

Kokomo, Indiana

Volatile Analyses

SDG #50167452

Analyses Performed By:
Pace Analytical Services, Inc.
Indianapolis, Indiana

Report #27592R

Review Level: Tier III
Project: IN000884.2017.00007



DATA REVIEW REPORT

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) #50167452 for samples collected in association with the RACER Trust site in Kokomo, Indiana. The review was conducted as a Tier III evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis
					VOC
TB-1(032417)-LF	50167452001	Water	03/24/2017		X
MW-0101-S1U(032417)PDB	50167452002	Water	03/24/2017		X
MW-0102-S1U(032417)PDB	50167452003	Water	03/24/2017		X
MW-0103-S1U(032417)PDB	50167452004	Water	03/24/2017		X
MW-0501-S1(032417)PDB	50167452005	Water	03/24/2017		X
MW-0502-S1(032417)PDB	50167452006	Water	03/24/2017		X
MW-0503-S1(032417)PDB	50167452007	Water	03/24/2017		X
MW-0504-S1(032417)PDB	50167452008	Water	03/24/2017		X
MW-0505-S1(032417)PDB	50167452009	Water	03/24/2017		X
MW-0506-S1(032417)PDB	50167452010	Water	03/24/2017		X
EB-1(032417)-LF	50167452011	Water	03/24/2017		X
MW-0507-S1(032417)PDB	50167452012	Water	03/24/2017		X
MW-0509-S1(032417)PDB	50167452013	Water	03/24/2017		X
MW-0516-S1(032417)PDB	50167452014	Water	03/24/2017		X
MW-0517-S1(032417)PDB	50167452015	Water	03/24/2017		X
FD-1(032417)-LF	50167452016	Water	03/24/2017	MW-0517-S1(032417)PDB	X
MW-0603-S1(032417)PDB	50167452017	Water	03/24/2017		X
MW-0605-S1(032417)PDB	50167452018	Water	03/24/2017		X
MW-0606-S1(032417)PDB	50167452019	Water	03/24/2017		X
MW-0604-S1(032417)PDB	50167452020	Water	03/24/2017		X
MW-0602-S1(032417)PDB	50167452021	Water	03/24/2017		X
MW-0607-S1(032417)PDB	50167452022	Water	03/24/2017		X
MW-0608-S1(032417)PDB	50167452023	Water	03/24/2017		X
MW-0609-S1(032417)PDB	50167452024	Water	03/24/2017		X
MW-0610-S1(032417)PDB	50167452025	Water	03/24/2017		X

DATA REVIEW REPORT

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis
					VOC
MW-0611-S1(032417)PDB	50167452026	Water	03/24/2017		X
MW-0612-S1(032417)PDB	50167452027	Water	03/24/2017		X
MW-0613-S1(032417)PDB	50167452028	Water	03/24/2017		X
EB-2(032417)-LF	50167452029	Water	03/24/2017		X
MW-0617-S1(032417)PDB	50167452030	Water	03/24/2017		X
MW-0618-S1(032417)PDB	50167452031	Water	03/24/2017		X
MW-0619-S1(032417)PDB	50167452032	Water	03/24/2017		X
MW-0620-S1(032417)PDB	50167452033	Water	03/24/2017		X
MW-0621-S1(032417)PDB	50167452034	Water	03/24/2017		X
MW-0622-S1(032417)PDB	50167452035	Water	03/24/2017		X
FD-2(032417)-LF	50167452036	Water	03/24/2017	MW-0622-S1(032417)PDB	X
MW-0623-S1(032417)PDB	50167452037	Water	03/24/2017		X
MW-0704-S1(032417)PDB	50167452038	Water	03/24/2017		X
MW-0705-S1(032417)PDB	50167452039	Water	03/24/2017		X

DATA REVIEW REPORT

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

DATA REVIEW REPORT

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260C. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW REPORT

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260C	Water	14 days from collection to analysis (preserved) 7 days from collection to analysis (non-preserved)	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

4. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

4.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

DATA REVIEW REPORT

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

4.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample Locations	Initial/Continuing	Compound	Criteria
FD-2(032417)-LF MW-0623-S1(032417)PDB MW-0704-S1(032417)PDB MW-0705-S1(032417)PDB	CCV %D	Chloroethane	26.2%
		Trichlorofluoromethane	28.3%
TB-1(032417)-LF MW-0102-S1U(032417)PDB MW-0103-S1U(032417)PDB MW-0501-S1(032417)PDB MW-0502-S1(032417)PDB MW-0504-S1(032417)PDB MW-0505-S1(032417)PDB MW-0506-S1(032417)PDB EB-1(032417)-LF MW-0507-S1(032417)PDB MW-0509-S1(032417)PDB MW-0516-S1(032417)PDB MW-0517-S1(032417)PDB FD-1(032417)-LF MW-0603-S1(032417)PDB MW-0605-S1(032417)PDB MW-0606-S1(032417)PDB MW-0604-S1(032417)PDB	CCV %D	Chloroethane	21.7%
		Trichlorofluoromethane	22.5%
MW-0503-S1(032417)PDB MW-0602-S1(032417)PDB MW-0607-S1(032417)PDB MW-0608-S1(032417)PDB MW-0609-S1(032417)PDB MW-0610-S1(032417)PDB MW-0611-S1(032417)PDB MW-0612-S1(032417)PDB MW-0613-S1(032417)PDB EB-2(032417)-LF MW-0617-S1(032417)PDB MW-0618-S1(032417)PDB MW-0619-S1(032417)PDB MW-0620-S1(032417)PDB MW-0621-S1(032417)PDB MW-0622-S1(032417)PDB	CCV %D	2-Butanone (MEK)	22.3%
		Dibromochloromethane	20.2%
		1,2-Dibromoethane (EDB)	25.1%
		2-Hexanone	31.4%
		4-Methyl-2-pentanone (MIBK)	37.0%
		1,1,2-Trichloroethane	22.6%

DATA REVIEW REPORT

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

Initial/Continuing	Criteria	Sample Result	Qualification
Initial and Continuing Calibration	RRF <0.05	Non-detect	R
		Detect	J
	RRF <0.01 ¹	Non-detect	R
		Detect	J
	RRF >0.05 or RRF >0.01 ¹	Non-detect	No Action
		Detect	
Initial Calibration	%RSD > 15% or a correlation coefficient <0.99	Non-detect	UJ
		Detect	J
	%RSD >90%	Non-detect	R
		Detect	J
Continuing Calibration	%D >20% (increase in sensitivity)	Non-detect	No Action
		Detect	J
	%D >20% (decrease in sensitivity)	Non-detect	UJ
		Detect	J
	%D >90% (increase/decrease in sensitivity)	Non-detect	R
		Detect	J

Note:

¹ RRF of 0.01 only applies to compounds which are typically poor responding compounds (i.e., ketones, 1,4-dioxane, etc.)

5. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

6. Internal Standard Performance

Internal standard performance criteria insure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria requires the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

DATA REVIEW REPORT

7. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

Sample locations associated with the MS/MSD exhibiting recoveries outside of the control limits are presented in the following table.

Sample Locations	Compound	MS Recovery	MSD Recovery
MW-0501-S1(032417)PDB	1,2,4-Trichlorobenzene	<LL but >10%	<LL but >10%
	1,3-Dichlorobenzene	<LL but >10%	<LL but >10%
	1,4-Dichlorobenzene	<LL but >10%	<LL but >10%
	Isopropylbenzene (Cumene)	<LL but >10%	<LL but >10%
MW-0503-S1(032417)PDB	1,2,4-Trichlorobenzene	<LL but >10%	<LL but >10%
	1,3-Dichlorobenzene	<LL but >10%	<LL but >10%

Note:

AC Acceptable

The criteria used to evaluate the MS/MSD recoveries are presented in the following table. In the case of an MS/MSD deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J
Parent sample concentration > four times the MS/MSD spiking solution concentration.	Detect	No Action
	Non-detect	

8. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

DATA REVIEW REPORT

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

9. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
MW-0517-S1(032417)PDB / FD-1(032417)-LF	cis-1,2-Dichloroethene	1030	1000	3.0%
	trans-1,2-Dichloroethene	92.2	94.5	2.5%
	Trichloroethene	4740	5220	9.6%
MW-0622-S1(032417)PDB / FD-2(032417)-LF	cis-1,2-Dichloroethene	2370	2270	4.3%
	Trichloroethene	27300	28800	5.3%

Notes:

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

0. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

Sample results associated with compound that exhibited a concentration greater than the linear range of the instrument calibration are summarized in the following table.

Sample ID	Compound	Original Analysis	Diluted Analysis	Reported Analysis
MW-0102-S1U(032417)PDB	Trichloroethene	--	3640 D	3640 D
MW-0504-S1(032417)PDB	Trichloroethene	--	2640 D	2640 D
MW-0517-S1(032417)PDB	Trichloroethene	--	4740 D	4740 D
FD-1(032417)-LF	Trichloroethene	--	5220 D	5220 D
MW-0605-S1(032417)PDB	Trichloroethene	--	1170 D	1170 D
MW-0606-S1(032417)PDB	Trichloroethene	--	2820 D	2820 D
MW-0604-S1(032417)PDB	cis-1,2-Dichloroethene	--	1280 D	1280 D
	Trichloroethene	--	3250 D	3250 D
MW-0612-S1(032417)PDB	Trichloroethene	--	3960 D	3960 D
MW-0620-S1(032417)PDB	Trichloroethene	--	3360 D	3360 D
MW-0622-S1(032417)PDB	Trichloroethene	--	27300 D	27300 D
FD-2(032417)-LF	Trichloroethene	--	28800 D	28800 D

DATA REVIEW REPORT

Sample ID	Compound	Original Analysis	Diluted Analysis	Reported Analysis
MW-0704-S1(032417)PDB	Trichloroethene	--	2000 D	2000 D

“—”= Original result not provided

Note: In the instance where both the original analysis and the diluted analysis sample results exhibited a concentration greater than and/or less than the calibration linear range of the instrument; the sample result exhibiting the greatest concentration will be reported as the final result.

Sample results associated with compounds exhibiting concentrations greater than the linear range are qualified as documented in the table below when reported as the final reported sample result.

Reported Sample Results	Qualification
Diluted sample result within calibration range	D
Diluted sample result less than the calibration range	DJ
Diluted sample result greater than the calibration range	EDJ
Original sample result greater than the calibration range	EJ

11. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW REPORT

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260	Reported		Performance Acceptable		Not Required	
	No	Yes	No	Yes		
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)						
Tier II Validation						
Holding times		X		X		
Reporting limits (units)		X		X		
Blanks						
A. Method blanks		X		X		
B. Equipment blanks		X		X		
C. Trip blanks		X		X		
Laboratory Control Sample (LCS)		X		X		
Laboratory Control Sample Duplicate(LCSD)	X				X	
LCS/LCSD Precision (RPD)	X				X	
Matrix Spike (MS)		X	X			
Matrix Spike Duplicate(MSD)		X	X			
MS/MSD Precision (RPD)		X		X		
Field/Lab Duplicate (RPD)		X		X		
Surrogate Spike Recoveries		X		X		
Dilution Factor		X		X		
Moisture Content					X	
Tier III Validation						
System performance and column resolution		X		X		
Initial calibration %RSDs		X		X		
Continuing calibration RRFs		X		X		
Continuing calibration %Ds		X	X			
Instrument tune and performance check		X		X		
Ion abundance criteria for each instrument used		X		X		
Internal standard		X		X		
Compound identification and quantitation						
A. Reconstructed ion chromatograms		X		X		
B. Quantitation Reports		X		X		

DATA REVIEW REPORT

VOCs: SW-846 8260	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

DATA REVIEW REPORT

VALIDATION PERFORMED BY: Andrew Korycinski

SIGNATURE:



DATE: May 3, 2017

PEER REVIEW: Dennis Capria

DATE: May 8, 2017

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company: ARCADIS	Report To: STRAH JONKER	Attention:	Company Name:	Page: 2 of 2	2076389
Address: 132 E. WASHINGTON	Copy To: MATT GRILES	Company Address:	Address:		
Email To: STRAH.JONKER@ARCADIS.COM	Purchase Order No.: INDIANAPOLIS, IN 46204	Pace Quote Reference:	Pace Project Manager:	REGULATORY AGENCY	☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER ☐ UST ☒ RCRA ☐ OTHER
Phone: INDIANAPOLIS, IN 46204	Project Name: PACER-KOLOMO	Pace Project Manager:	Pace Profile #:	Site Location	
Requested Due Date/TAT: STANDARD	Project Number: IND00884.2017			STATE: IN	

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analysis Test ↑	Y/N	Requested Analysis Filtered (Y/N)											
				COMPOSITE START	COMPOSITE END/GRAB																	
1	MN-0509-S1(032417)PDB	DW	NG			3/24/17 1325	3	Unpreserved	Analysis Test ↑													
2	MN-0516-S1(032417)PDB	WT	NG			3/24/17 1325	3	HCl														
3	MN-0517-S1(032417)PDB	WW	NG			3/24/17 1325	3	HNO ₃														
4	FD-1(032417)-LF	P	NG			3/24/17 1325	3	H ₂ SO ₄														
5	MN-0603-S1(032417)PDB	SL	NG			3/24/17 1325	3	Unpreserved														
6	MN-0605-S1(032417)PDB	OL	NG			3/24/17 1325	3	HCl														
7	MN-0606-S1(032417)PDB	WP	NG			3/24/17 1325	3	HNO ₃														
8	MN-0604-S1(032417)PDB	AR	NG			3/24/17 1325	3	H ₂ SO ₄														
9	MN-0602-S1(032417)PDB	TS	NG			3/24/17 1325	3	Unpreserved														
10	MN-0607-S1(032417)PDB	OT	NG			3/24/17 1325	3	HCl														
11	MN-0608-S1(032417)PDB		NG			3/24/17 1325	3	HNO ₃														
12	MN-0609-S1(032417)PDB		NG			3/24/17 1325	3	H ₂ SO ₄														

Additional Comments		RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	
3/25/2017/ARCADIS		Windy Hays	3/25/2017	0950	Windy Hays	3/25/2017	0950	Y	N
Temp In °C		Sealed Cooler (Y/N)	Received on (Y/N)	Custody (Y/N)	Samples Intact (Y/N)				

ORIGINAL

SAMPLER NAME AND SIGNATURE
PRINT Name of SAMPLER: **LAUREL**
SIGNATURE of SAMPLER: *[Signature]*

DATE Signed (MM/DD/YY): **3/24/17**

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information: Company: ARCADIS Address: 132 E. WASHINGTON INDIANAPOLIS, IN 46204 Email: sr@jonker.com Phone: 317-241-1111 Fax: 317-241-1111 Requested Due Date/TIME: STANDARD		Section B Required Project Information: Report To: SRAH JONKER Copy To: MATT GRILES Purchase Order No.: PACER-KOTOMB Project Name: PACER-KOTOMB Project Number: IN000884.2017		Section C Invoice Information: Attention: ATTN: MATT GRILES Company Name: PACER-KOTOMB Address: 132 E. WASHINGTON INDIANAPOLIS, IN 46204 Pace Quote Reference: PACER-KOTOMB Pace Project Manager: PACER-KOTOMB Pace Profile #: IN000884.2017		Page: 3 of 2076390 REGULATORY AGENCY: ☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER ☐ UST ☐ RCRA ☐ OTHER Site Location: IN STATE: IN	
--	--	---	--	--	--	--	--

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analysis Test	Y/N	Requested Analysis Filtered (Y/N)											
				COMPOSITE START	COMPOSITE END/GRAB																	
1	MW-0611-SI(032417)PDB	DW	NG			3/24/17 1335	3	Unpreserved														
2	MW-0611-SI(032417)PDB	WT	NG			3/24/17 1250	3	H ₂ SO ₄														
3	MW-0612-SI(032417)PDB	WW	NG			3/24/17 1320	3	HCl														
4	MW-0613-SI(032417)PDB	P	NG			3/24/17 1230	3	NaOH														
5	EB-2(032417)-LC	Product	NG			3/24/17 1235	3	HNO ₃														
6	MW-0617-SI(032417)PDB	Soil/Solid	NG			3/24/17 1035	3	H ₂ SO ₄														
7	MW-0618-SI(032417)PDB	Oil	NG			3/24/17 1225	3	Unpreserved														
8	MW-0619-SI(032417)PDB	Wipe	NG			3/24/17 1150	3	HCl														
9	MW-0620-SI(032417)PDB	Air	NG			3/24/17 0955	3	NaOH														
10	MW-0621-SI(032417)PDB	Tissue	NG			3/24/17 1145	3	HNO ₃														
11	MW-0622-SI(032417)PDB	Other	NG			3/24/17 0945	3	Unpreserved														
12	PD-2(032417)-LC		NG				3	Unpreserved														

ADDITIONAL COMMENTS: 3/25/170950 Arcadis 3/25/170950 Windy Harper		RELINQUISHED BY / AFFILIATION: 3/25/170950		ACCEPTED BY / AFFILIATION: 3/25/170950		DATE: 3/24/17		TIME: 11		SAMPLE CONDITIONS: Temp in °C: Y Received on: Y Sealed Cooler: Y Custody: Y Samples Intact: Y	
---	--	--	--	--	--	-------------------------	--	--------------------	--	---	--

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information: Company: PARADIS Address: 132 E WASHINGTON Indianapolis, IN 46204 Email: stan-jonker@paradis.com Phone: _____ Fax: _____ Requested Due Date/TAT: STANDARD		Section B Required Project Information: Report To: STAN JONKER Copy To: MATT GRILES Purchase Order No.: _____ Project Name: PACER-KOKOMO Project Number: IN000884-2017		Section C Invoicing Information: Attention: _____ Company Name: _____ Address: _____ Pace Quote Reference: _____ Pace Project Manager: _____ Pace Profile #: _____	
Regulatory Agency: ☐ NPDES ☒ GROUND WATER ☐ DRINKING WATER ☐ UST ☐ RCRA ☐ OTHER _____		Site Location: State: IN		Page: 4 of 2076391	

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	Preservatives							Analysis Test ↑	W/N ↑	Requested Analysis is Filtered (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		Drinking Water WT Waste Water Product Oil Soil/Solid Wipe Air Tissue Other	DW WT WW P SL OL WP AR TS OT		COMPOSITE START	COMPOSITE END/GRAB	DATE	TIME	DATE	TIME	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

QUALIFIERS

Project: Racer - Kokomo

Pace Project No.: 50167452

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D4 Sample was diluted due to the presence of high levels of target analytes.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

N2 The lab does not hold NELAC/TNI accreditation for this parameter.

R1 RPD value was outside control limits.

RS The RPD value in one of the constituent analytes was outside the control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: TB-1(032417)-LF		Lab ID: 50167452001	Collected: 03/24/17 09:00	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/29/17 20:24	67-64-1	
Benzene	ND	ug/L	5.0	1		03/29/17 20:24	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/29/17 20:24	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/29/17 20:24	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/29/17 20:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/29/17 20:24	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/29/17 20:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/29/17 20:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/29/17 20:24	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/29/17 20:24	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/29/17 20:24	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/29/17 20:24	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/29/17 20:24	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/29/17 20:24	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/29/17 20:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/29/17 20:24	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 20:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 20:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 20:24	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/29/17 20:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/29/17 20:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/29/17 20:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/29/17 20:24	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 20:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 20:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/29/17 20:24	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 20:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 20:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/29/17 20:24	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/29/17 20:24	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/29/17 20:24	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/29/17 20:24	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/29/17 20:24	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/29/17 20:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/29/17 20:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/29/17 20:24	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/29/17 20:24	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/29/17 20:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/29/17 20:24	127-18-4	
Toluene	ND	ug/L	5.0	1		03/29/17 20:24	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/29/17 20:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/29/17 20:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/29/17 20:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/29/17 20:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/29/17 20:24	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/29/17 20:24	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/29/17 20:24	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: TB-1(032417)-LF		Lab ID: 50167452001		Collected: 03/24/17 09:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)	ND	ug/L	10.0	1		03/29/17 20:24	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	84-118	1		03/29/17 20:24	1868-53-7		
4-Bromofluorobenzene (S)	96	%.	79-116	1		03/29/17 20:24	460-00-4		
Toluene-d8 (S)	99	%.	86-110	1		03/29/17 20:24	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0101-S1U(032417)PDB		Lab ID: 50167452002		Collected: 03/24/17 10:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV	Analytical Method: EPA 8260								
Acetone	ND	ug/L	10000	100		03/31/17 11:36	67-64-1		
Benzene	ND	ug/L	500	100		03/31/17 11:36	71-43-2		
Bromodichloromethane	ND	ug/L	500	100		03/31/17 11:36	75-27-4		
Bromoform	ND	ug/L	500	100		03/31/17 11:36	75-25-2		
Bromomethane	ND	ug/L	500	100		03/31/17 11:36	74-83-9		
2-Butanone (MEK)	ND	ug/L	2500	100		03/31/17 11:36	78-93-3		
Carbon disulfide	ND	ug/L	1000	100		03/31/17 11:36	75-15-0		
Carbon tetrachloride	ND	ug/L	500	100		03/31/17 11:36	56-23-5		
Chlorobenzene	ND	ug/L	500	100		03/31/17 11:36	108-90-7		
Chloroethane	ND	ug/L	500	100		03/31/17 11:36	75-00-3		
Chloroform	ND	ug/L	500	100		03/31/17 11:36	67-66-3		
Chloromethane	ND	ug/L	500	100		03/31/17 11:36	74-87-3		
Cyclohexane	ND	ug/L	10000	100		03/31/17 11:36	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	1000	100		03/31/17 11:36	96-12-8		
Dibromochloromethane	ND	ug/L	500	100		03/31/17 11:36	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	500	100		03/31/17 11:36	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	500	100		03/31/17 11:36	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	500	100		03/31/17 11:36	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	500	100		03/31/17 11:36	106-46-7		
Dichlorodifluoromethane	ND	ug/L	500	100		03/31/17 11:36	75-71-8		
1,1-Dichloroethane	ND	ug/L	500	100		03/31/17 11:36	75-34-3		
1,2-Dichloroethane	ND	ug/L	500	100		03/31/17 11:36	107-06-2		
1,1-Dichloroethene	ND	ug/L	500	100		03/31/17 11:36	75-35-4		
cis-1,2-Dichloroethene	3020	ug/L	500	100		03/31/17 11:36	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	500	100		03/31/17 11:36	156-60-5		
1,2-Dichloropropane	ND	ug/L	500	100		03/31/17 11:36	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	500	100		03/31/17 11:36	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	500	100		03/31/17 11:36	10061-02-6		
Ethylbenzene	ND	ug/L	500	100		03/31/17 11:36	100-41-4		
2-Hexanone	ND	ug/L	2500	100		03/31/17 11:36	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	500	100		03/31/17 11:36	98-82-8		
Methyl acetate	ND	ug/L	5000	100		03/31/17 11:36	79-20-9	N2	
Methylcyclohexane	ND	ug/L	5000	100		03/31/17 11:36	108-87-2	N2	
Methylene Chloride	ND	ug/L	500	100		03/31/17 11:36	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	2500	100		03/31/17 11:36	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	400	100		03/31/17 11:36	1634-04-4		
Styrene	ND	ug/L	500	100		03/31/17 11:36	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	500	100		03/31/17 11:36	79-34-5		
Tetrachloroethene	ND	ug/L	500	100		03/31/17 11:36	127-18-4		
Toluene	ND	ug/L	500	100		03/31/17 11:36	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	500	100		03/31/17 11:36	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	500	100		03/31/17 11:36	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	500	100		03/31/17 11:36	79-00-5		
Trichloroethene	16800	ug/L	500	100		03/31/17 11:36	79-01-6		
Trichlorofluoromethane	ND	ug/L	500	100		03/31/17 11:36	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	500	100		03/31/17 11:36	76-13-1		
Vinyl chloride	ND	ug/L	200	100		03/31/17 11:36	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0101-S1U(032417)PDB		Lab ID: 50167452002		Collected: 03/24/17 10:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	1000	100		03/31/17 11:36	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	100		03/31/17 11:36	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	79-116	100		03/31/17 11:36	460-00-4	
Toluene-d8 (S)		94	%.	86-110	100		03/31/17 11:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0102-S1U(032417)PDB		Lab ID: 50167452003		Collected: 03/24/17 12:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5		03/29/17 21:27	67-64-1		
Benzene	ND	ug/L	25.0	5		03/29/17 21:27	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		03/29/17 21:27	75-27-4		
Bromoform	ND	ug/L	25.0	5		03/29/17 21:27	75-25-2		
Bromomethane	ND	ug/L	25.0	5		03/29/17 21:27	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		03/29/17 21:27	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		03/29/17 21:27	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		03/29/17 21:27	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		03/29/17 21:27	108-90-7		
Chloroethane	ND	ug/L	25.0	5		03/29/17 21:27	75-00-3		
Chloroform	ND	ug/L	25.0	5		03/29/17 21:27	67-66-3		
Chloromethane	ND	ug/L	25.0	5		03/29/17 21:27	74-87-3		
Cyclohexane	ND	ug/L	500	5		03/29/17 21:27	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		03/29/17 21:27	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		03/29/17 21:27	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		03/29/17 21:27	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		03/29/17 21:27	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		03/29/17 21:27	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		03/29/17 21:27	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		03/29/17 21:27	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		03/29/17 21:27	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		03/29/17 21:27	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		03/29/17 21:27	75-35-4		
cis-1,2-Dichloroethene	1310	ug/L	25.0	5		03/29/17 21:27	156-59-2		
trans-1,2-Dichloroethene	120	ug/L	25.0	5		03/29/17 21:27	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		03/29/17 21:27	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		03/29/17 21:27	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		03/29/17 21:27	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		03/29/17 21:27	100-41-4		
2-Hexanone	ND	ug/L	125	5		03/29/17 21:27	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		03/29/17 21:27	98-82-8		
Methyl acetate	ND	ug/L	250	5		03/29/17 21:27	79-20-9		N2
Methylcyclohexane	ND	ug/L	250	5		03/29/17 21:27	108-87-2		N2
Methylene Chloride	ND	ug/L	25.0	5		03/29/17 21:27	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		03/29/17 21:27	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		03/29/17 21:27	1634-04-4		
Styrene	ND	ug/L	25.0	5		03/29/17 21:27	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		03/29/17 21:27	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		03/29/17 21:27	127-18-4		
Toluene	ND	ug/L	25.0	5		03/29/17 21:27	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		03/29/17 21:27	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		03/29/17 21:27	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		03/29/17 21:27	79-00-5		
Trichloroethene	3640	D ug/L	250	50		03/30/17 11:02	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		03/29/17 21:27	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		03/29/17 21:27	76-13-1		
Vinyl chloride	27.2	ug/L	10.0	5		03/29/17 21:27	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0102-S1U(032417)PDB		Lab ID: 50167452003		Collected: 03/24/17 12:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/29/17 21:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	84-118	5		03/29/17 21:27	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	79-116	5		03/29/17 21:27	460-00-4	
Toluene-d8 (S)		98	%.	86-110	5		03/29/17 21:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0103-S1U(032417)PDB		Lab ID: 50167452004		Collected: 03/24/17 12:05		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/29/17 21:59	67-64-1	
Benzene	ND	ug/L	5.0	1			03/29/17 21:59	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/29/17 21:59	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/29/17 21:59	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/29/17 21:59	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/29/17 21:59	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/29/17 21:59	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/29/17 21:59	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/29/17 21:59	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/29/17 21:59	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/29/17 21:59	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/29/17 21:59	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/29/17 21:59	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/29/17 21:59	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/29/17 21:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/29/17 21:59	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/29/17 21:59	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/29/17 21:59	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/29/17 21:59	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/29/17 21:59	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/29/17 21:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/29/17 21:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/29/17 21:59	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/29/17 21:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/29/17 21:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/29/17 21:59	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/29/17 21:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/29/17 21:59	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/29/17 21:59	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/29/17 21:59	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/29/17 21:59	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/29/17 21:59	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/29/17 21:59	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/29/17 21:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/29/17 21:59	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/29/17 21:59	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/29/17 21:59	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/29/17 21:59	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/29/17 21:59	127-18-4	
Toluene	ND	ug/L	5.0	1			03/29/17 21:59	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/29/17 21:59	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/29/17 21:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/29/17 21:59	79-00-5	
Trichloroethene	6.2	ug/L	5.0	1			03/29/17 21:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/29/17 21:59	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/29/17 21:59	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/29/17 21:59	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0103-S1U(032417)PDB		Lab ID: 50167452004		Collected: 03/24/17 12:05		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/29/17 21:59	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	84-118	1		03/29/17 21:59	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/29/17 21:59	460-00-4	
Toluene-d8 (S)		98	%.	86-110	1		03/29/17 21:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0501-S1(032417)PDB		Lab ID: 50167452005		Collected: 03/24/17 09:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/29/17 22:31	67-64-1		
Benzene	ND	ug/L	5.0	1		03/29/17 22:31	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		03/29/17 22:31	75-27-4		
Bromoform	ND	ug/L	5.0	1		03/29/17 22:31	75-25-2		
Bromomethane	ND	ug/L	5.0	1		03/29/17 22:31	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		03/29/17 22:31	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		03/29/17 22:31	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		03/29/17 22:31	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		03/29/17 22:31	108-90-7		
Chloroethane	ND	ug/L	5.0	1		03/29/17 22:31	75-00-3		
Chloroform	ND	ug/L	5.0	1		03/29/17 22:31	67-66-3		
Chloromethane	ND	ug/L	5.0	1		03/29/17 22:31	74-87-3		
Cyclohexane	ND	ug/L	100	1		03/29/17 22:31	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/29/17 22:31	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		03/29/17 22:31	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/29/17 22:31	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 22:31	95-50-1		
1,3-Dichlorobenzene	ND	J ug/L	5.0	1		03/29/17 22:31	541-73-1		M1
1,4-Dichlorobenzene	ND	J ug/L	5.0	1		03/29/17 22:31	106-46-7		M1
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/29/17 22:31	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		03/29/17 22:31	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		03/29/17 22:31	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		03/29/17 22:31	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 22:31	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 22:31	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		03/29/17 22:31	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 22:31	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 22:31	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		03/29/17 22:31	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		03/29/17 22:31	591-78-6		
Isopropylbenzene (Cumene)	ND	J ug/L	5.0	1		03/29/17 22:31	98-82-8		M1
Methyl acetate	ND	ug/L	50.0	1		03/29/17 22:31	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		03/29/17 22:31	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		03/29/17 22:31	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/29/17 22:31	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/29/17 22:31	1634-04-4		
Styrene	ND	ug/L	5.0	1		03/29/17 22:31	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/29/17 22:31	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		03/29/17 22:31	127-18-4		
Toluene	ND	ug/L	5.0	1		03/29/17 22:31	108-88-3		
1,2,4-Trichlorobenzene	ND	J ug/L	5.0	1		03/29/17 22:31	120-82-1		M1
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/29/17 22:31	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/29/17 22:31	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		03/29/17 22:31	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		03/29/17 22:31	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/29/17 22:31	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		03/29/17 22:31	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0501-S1(032417)PDB		Lab ID: 50167452005		Collected: 03/24/17 09:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/29/17 22:31	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/29/17 22:31	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	79-116	1		03/29/17 22:31	460-00-4	
Toluene-d8 (S)		96	%.	86-110	1		03/29/17 22:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0502-S1(032417)PDB		Lab ID: 50167452006		Collected: 03/24/17 10:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/29/17 23:03	67-64-1		
Benzene	ND	ug/L	5.0	1		03/29/17 23:03	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		03/29/17 23:03	75-27-4		
Bromoform	ND	ug/L	5.0	1		03/29/17 23:03	75-25-2		
Bromomethane	ND	ug/L	5.0	1		03/29/17 23:03	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		03/29/17 23:03	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		03/29/17 23:03	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		03/29/17 23:03	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		03/29/17 23:03	108-90-7		
Chloroethane	ND	ug/L	5.0	1		03/29/17 23:03	75-00-3		
Chloroform	ND	ug/L	5.0	1		03/29/17 23:03	67-66-3		
Chloromethane	ND	ug/L	5.0	1		03/29/17 23:03	74-87-3		
Cyclohexane	ND	ug/L	100	1		03/29/17 23:03	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/29/17 23:03	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		03/29/17 23:03	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/29/17 23:03	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 23:03	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 23:03	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/29/17 23:03	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/29/17 23:03	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		03/29/17 23:03	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		03/29/17 23:03	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		03/29/17 23:03	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 23:03	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/29/17 23:03	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		03/29/17 23:03	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 23:03	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/29/17 23:03	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		03/29/17 23:03	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		03/29/17 23:03	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/29/17 23:03	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		03/29/17 23:03	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		03/29/17 23:03	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		03/29/17 23:03	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/29/17 23:03	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/29/17 23:03	1634-04-4		
Styrene	ND	ug/L	5.0	1		03/29/17 23:03	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/29/17 23:03	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		03/29/17 23:03	127-18-4		
Toluene	ND	ug/L	5.0	1		03/29/17 23:03	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/29/17 23:03	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/29/17 23:03	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/29/17 23:03	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		03/29/17 23:03	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		03/29/17 23:03	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/29/17 23:03	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		03/29/17 23:03	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0502-S1(032417)PDB		Lab ID: 50167452006		Collected: 03/24/17 10:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/29/17 23:03	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		102	%.	84-118	1		03/29/17 23:03	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/29/17 23:03	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/29/17 23:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0503-S1(032417)PDB		Lab ID: 50167452007		Collected: 03/24/17 10:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV	Analytical Method: EPA 8260								
Acetone	ND	ug/L	100	1		03/30/17 08:38	67-64-1		
Benzene	ND	ug/L	5.0	1		03/30/17 08:38	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 08:38	75-27-4		
Bromoform	ND	ug/L	5.0	1		03/30/17 08:38	75-25-2		
Bromomethane	ND	ug/L	5.0	1		03/30/17 08:38	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 08:38	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 08:38	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 08:38	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 08:38	108-90-7		
Chloroethane	ND	ug/L	5.0	1		03/30/17 08:38	75-00-3		
Chloroform	ND	ug/L	5.0	1		03/30/17 08:38	67-66-3		
Chloromethane	ND	ug/L	5.0	1		03/30/17 08:38	74-87-3		
Cyclohexane	ND	ug/L	100	1		03/30/17 08:38	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 08:38	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 08:38	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 08:38	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 08:38	95-50-1		
1,3-Dichlorobenzene	ND	J ug/L	5.0	1		03/30/17 08:38	541-73-1	M+	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 08:38	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 08:38	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 08:38	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 08:38	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 08:38	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 08:38	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 08:38	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 08:38	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 08:38	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 08:38	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 08:38	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		03/30/17 08:38	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 08:38	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		03/30/17 08:38	79-20-9	N2	
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 08:38	108-87-2	N2	
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 08:38	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 08:38	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 08:38	1634-04-4		
Styrene	ND	ug/L	5.0	1		03/30/17 08:38	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 08:38	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 08:38	127-18-4		
Toluene	ND	ug/L	5.0	1		03/30/17 08:38	108-88-3		
1,2,4-Trichlorobenzene	ND	J ug/L	5.0	1		03/30/17 08:38	120-82-1	M+	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 08:38	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 08:38	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		03/30/17 08:38	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 08:38	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 08:38	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 08:38	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0503-S1(032417)PDB		Lab ID: 50167452007		Collected: 03/24/17 10:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 08:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 08:38	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/30/17 08:38	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 08:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0504-S1(032417)PDB		Lab ID: 50167452008		Collected: 03/24/17 11:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			03/29/17 23:35	67-64-1	
Benzene	ND	ug/L	25.0	5			03/29/17 23:35	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			03/29/17 23:35	75-27-4	
Bromoform	ND	ug/L	25.0	5			03/29/17 23:35	75-25-2	
Bromomethane	ND	ug/L	25.0	5			03/29/17 23:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			03/29/17 23:35	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			03/29/17 23:35	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			03/29/17 23:35	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			03/29/17 23:35	108-90-7	
Chloroethane	ND	ug/L	25.0	5			03/29/17 23:35	75-00-3	
Chloroform	ND	ug/L	25.0	5			03/29/17 23:35	67-66-3	
Chloromethane	ND	ug/L	25.0	5			03/29/17 23:35	74-87-3	
Cyclohexane	ND	ug/L	500	5			03/29/17 23:35	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			03/29/17 23:35	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			03/29/17 23:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			03/29/17 23:35	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			03/29/17 23:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			03/29/17 23:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			03/29/17 23:35	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			03/29/17 23:35	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			03/29/17 23:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			03/29/17 23:35	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			03/29/17 23:35	75-35-4	
cis-1,2-Dichloroethene	839	ug/L	25.0	5			03/29/17 23:35	156-59-2	
trans-1,2-Dichloroethene	124	ug/L	25.0	5			03/29/17 23:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			03/29/17 23:35	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			03/29/17 23:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			03/29/17 23:35	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			03/29/17 23:35	100-41-4	
2-Hexanone	ND	ug/L	125	5			03/29/17 23:35	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			03/29/17 23:35	98-82-8	
Methyl acetate	ND	ug/L	250	5			03/29/17 23:35	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5			03/29/17 23:35	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			03/29/17 23:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			03/29/17 23:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			03/29/17 23:35	1634-04-4	
Styrene	ND	ug/L	25.0	5			03/29/17 23:35	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			03/29/17 23:35	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			03/29/17 23:35	127-18-4	
Toluene	ND	ug/L	25.0	5			03/29/17 23:35	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			03/29/17 23:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			03/29/17 23:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			03/29/17 23:35	79-00-5	
Trichloroethene	2640	D ug/L	250	50			03/30/17 11:34	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			03/29/17 23:35	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			03/29/17 23:35	76-13-1	
Vinyl chloride	19.7	ug/L	10.0	5			03/29/17 23:35	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0504-S1(032417)PDB		Lab ID: 50167452008		Collected: 03/24/17 11:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/29/17 23:35	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	84-118	5		03/29/17 23:35	1868-53-7	D4
4-Bromofluorobenzene (S)		94	%.	79-116	5		03/29/17 23:35	460-00-4	
Toluene-d8 (S)		96	%.	86-110	5		03/29/17 23:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0505-S1(032417)PDB		Lab ID: 50167452009	Collected: 03/24/17 11:35	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 00:06	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 00:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 00:06	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 00:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 00:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 00:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 00:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 00:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 00:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 00:06	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 00:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 00:06	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 00:06	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 00:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 00:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 00:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 00:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 00:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 00:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 00:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 00:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 00:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 00:06	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 00:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 00:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 00:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 00:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 00:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 00:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 00:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 00:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 00:06	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 00:06	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 00:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 00:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 00:06	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 00:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 00:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 00:06	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 00:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 00:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 00:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 00:06	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 00:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 00:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 00:06	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 00:06	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0505-S1(032417)PDB		Lab ID: 50167452009		Collected: 03/24/17 11:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 00:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		98	%.	84-118	1		03/30/17 00:06	1868-53-7	
4-Bromofluorobenzene (S)		93	%.	79-116	1		03/30/17 00:06	460-00-4	
Toluene-d8 (S)		96	%.	86-110	1		03/30/17 00:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0506-S1(032417)PDB		Lab ID: 50167452010		Collected: 03/24/17 11:05		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 00:38	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 00:38	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 00:38	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 00:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 00:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 00:38	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 00:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 00:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 00:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 00:38	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 00:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 00:38	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 00:38	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 00:38	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 00:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 00:38	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 00:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 00:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 00:38	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 00:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 00:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 00:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 00:38	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 00:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 00:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 00:38	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 00:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 00:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 00:38	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 00:38	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 00:38	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 00:38	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 00:38	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 00:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 00:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 00:38	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 00:38	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 00:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 00:38	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 00:38	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 00:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 00:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 00:38	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 00:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 00:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 00:38	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 00:38	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0506-S1(032417)PDB		Lab ID: 50167452010		Collected: 03/24/17 11:05		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 00:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	84-118	1		03/30/17 00:38	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/30/17 00:38	460-00-4	
Toluene-d8 (S)		96	%.	86-110	1		03/30/17 00:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: EB-1(032417)-LF		Lab ID: 50167452011	Collected: 03/24/17 11:10	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 01:10	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 01:10	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 01:10	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 01:10	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 01:10	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 01:10	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 01:10	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 01:10	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 01:10	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 01:10	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 01:10	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 01:10	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 01:10	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 01:10	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 01:10	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 01:10	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 01:10	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 01:10	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 01:10	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 01:10	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 01:10	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 01:10	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 01:10	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 01:10	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 01:10	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 01:10	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 01:10	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 01:10	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 01:10	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 01:10	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 01:10	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 01:10	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 01:10	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 01:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 01:10	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 01:10	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 01:10	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 01:10	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 01:10	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 01:10	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 01:10	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 01:10	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 01:10	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 01:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 01:10	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 01:10	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 01:10	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: EB-1(032417)-LF		Lab ID: 50167452011		Collected: 03/24/17 11:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)	ND	ug/L	10.0	1		03/30/17 01:10	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	98	%.	84-118	1		03/30/17 01:10	1868-53-7		
4-Bromofluorobenzene (S)	98	%.	79-116	1		03/30/17 01:10	460-00-4		
Toluene-d8 (S)	96	%.	86-110	1		03/30/17 01:10	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0507-S1(032417)PDB		Lab ID: 50167452012		Collected: 03/24/17 10:50		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 01:42	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 01:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 01:42	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 01:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 01:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 01:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 01:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 01:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 01:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 01:42	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 01:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 01:42	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 01:42	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 01:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 01:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 01:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 01:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 01:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 01:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 01:42	75-71-8	
1,1-Dichloroethane	28.7	ug/L	5.0	1			03/30/17 01:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 01:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 01:42	75-35-4	
cis-1,2-Dichloroethene	81.1	ug/L	5.0	1			03/30/17 01:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 01:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 01:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 01:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 01:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 01:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 01:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 01:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 01:42	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 01:42	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 01:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 01:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 01:42	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 01:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 01:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 01:42	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 01:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 01:42	120-82-1	
1,1,1-Trichloroethane	13.2	ug/L	5.0	1			03/30/17 01:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 01:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 01:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 01:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 01:42	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 01:42	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0507-S1(032417)PDB		Lab ID: 50167452012		Collected: 03/24/17 10:50		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 01:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 01:42	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	79-116	1		03/30/17 01:42	460-00-4	
Toluene-d8 (S)		99	%.	86-110	1		03/30/17 01:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0509-S1(032417)PDB		Lab ID: 50167452013	Collected: 03/24/17 11:45	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 02:14	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 02:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 02:14	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 02:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 02:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 02:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 02:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 02:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 02:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 02:14	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 02:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 02:14	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 02:14	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 02:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 02:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 02:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 02:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 02:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 02:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 02:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 02:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 02:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 02:14	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 02:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 02:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 02:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 02:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 02:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 02:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 02:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 02:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 02:14	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 02:14	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 02:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 02:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 02:14	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 02:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 02:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 02:14	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 02:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 02:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 02:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 02:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 02:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 02:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 02:14	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 02:14	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0509-S1(032417)PDB		Lab ID: 50167452013		Collected: 03/24/17 11:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 02:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 02:14	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	79-116	1		03/30/17 02:14	460-00-4	
Toluene-d8 (S)		97	%.	86-110	1		03/30/17 02:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0516-S1(032417)PDB		Lab ID: 50167452014		Collected: 03/24/17 14:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 02:46	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 02:46	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 02:46	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 02:46	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 02:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 02:46	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 02:46	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 02:46	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 02:46	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 02:46	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 02:46	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 02:46	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 02:46	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 02:46	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 02:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 02:46	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 02:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 02:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 02:46	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 02:46	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 02:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 02:46	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 02:46	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 02:46	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 02:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 02:46	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 02:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 02:46	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 02:46	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 02:46	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 02:46	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 02:46	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 02:46	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 02:46	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 02:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 02:46	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 02:46	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 02:46	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 02:46	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 02:46	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 02:46	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 02:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 02:46	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 02:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 02:46	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 02:46	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 02:46	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0516-S1(032417)PDB		Lab ID: 50167452014		Collected: 03/24/17 14:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 02:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 02:46	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	79-116	1		03/30/17 02:46	460-00-4	
Toluene-d8 (S)		99	%.	86-110	1		03/30/17 02:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0517-S1(032417)PDB		Lab ID: 50167452015		Collected: 03/24/17 10:25		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5		03/30/17 03:18	67-64-1		
Benzene	ND	ug/L	25.0	5		03/30/17 03:18	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		03/30/17 03:18	75-27-4		
Bromoform	ND	ug/L	25.0	5		03/30/17 03:18	75-25-2		
Bromomethane	ND	ug/L	25.0	5		03/30/17 03:18	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		03/30/17 03:18	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		03/30/17 03:18	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		03/30/17 03:18	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		03/30/17 03:18	108-90-7		
Chloroethane	ND	ug/L	25.0	5		03/30/17 03:18	75-00-3		
Chloroform	ND	ug/L	25.0	5		03/30/17 03:18	67-66-3		
Chloromethane	ND	ug/L	25.0	5		03/30/17 03:18	74-87-3		
Cyclohexane	ND	ug/L	500	5		03/30/17 03:18	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		03/30/17 03:18	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		03/30/17 03:18	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		03/30/17 03:18	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 03:18	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 03:18	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 03:18	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		03/30/17 03:18	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		03/30/17 03:18	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		03/30/17 03:18	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		03/30/17 03:18	75-35-4		
cis-1,2-Dichloroethene	1030	ug/L	25.0	5		03/30/17 03:18	156-59-2		
trans-1,2-Dichloroethene	92.2	ug/L	25.0	5		03/30/17 03:18	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		03/30/17 03:18	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		03/30/17 03:18	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		03/30/17 03:18	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		03/30/17 03:18	100-41-4		
2-Hexanone	ND	ug/L	125	5		03/30/17 03:18	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		03/30/17 03:18	98-82-8		
Methyl acetate	ND	ug/L	250	5		03/30/17 03:18	79-20-9		N2
Methylcyclohexane	ND	ug/L	250	5		03/30/17 03:18	108-87-2		N2
Methylene Chloride	ND	ug/L	25.0	5		03/30/17 03:18	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		03/30/17 03:18	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		03/30/17 03:18	1634-04-4		
Styrene	ND	ug/L	25.0	5		03/30/17 03:18	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		03/30/17 03:18	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		03/30/17 03:18	127-18-4		
Toluene	ND	ug/L	25.0	5		03/30/17 03:18	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		03/30/17 03:18	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		03/30/17 03:18	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		03/30/17 03:18	79-00-5		
Trichloroethene	4740	D ug/L	250	50		03/30/17 12:06	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		03/30/17 03:18	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		03/30/17 03:18	76-13-1		
Vinyl chloride	ND	ug/L	10.0	5		03/30/17 03:18	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0517-S1(032417)PDB		Lab ID: 50167452015		Collected: 03/24/17 10:25		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/30/17 03:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	84-118	5		03/30/17 03:18	1868-53-7	D4
4-Bromofluorobenzene (S)		95	%.	79-116	5		03/30/17 03:18	460-00-4	
Toluene-d8 (S)		92	%.	86-110	5		03/30/17 03:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: FD-1(032417)-LF		Lab ID: 50167452016		Collected: 03/24/17 08:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			03/31/17 12:08	67-64-1	
Benzene	ND	ug/L	25.0	5			03/31/17 12:08	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			03/31/17 12:08	75-27-4	
Bromoform	ND	ug/L	25.0	5			03/31/17 12:08	75-25-2	
Bromomethane	ND	ug/L	25.0	5			03/31/17 12:08	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			03/31/17 12:08	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			03/31/17 12:08	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			03/31/17 12:08	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			03/31/17 12:08	108-90-7	
Chloroethane	ND	ug/L	25.0	5			03/31/17 12:08	75-00-3	
Chloroform	ND	ug/L	25.0	5			03/31/17 12:08	67-66-3	
Chloromethane	ND	ug/L	25.0	5			03/31/17 12:08	74-87-3	
Cyclohexane	ND	ug/L	500	5			03/31/17 12:08	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			03/31/17 12:08	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			03/31/17 12:08	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			03/31/17 12:08	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			03/31/17 12:08	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			03/31/17 12:08	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			03/31/17 12:08	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			03/31/17 12:08	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			03/31/17 12:08	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			03/31/17 12:08	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			03/31/17 12:08	75-35-4	
cis-1,2-Dichloroethene	1000	ug/L	25.0	5			03/31/17 12:08	156-59-2	
trans-1,2-Dichloroethene	94.5	ug/L	25.0	5			03/31/17 12:08	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			03/31/17 12:08	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			03/31/17 12:08	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			03/31/17 12:08	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			03/31/17 12:08	100-41-4	
2-Hexanone	ND	ug/L	125	5			03/31/17 12:08	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			03/31/17 12:08	98-82-8	
Methyl acetate	ND	ug/L	250	5			03/31/17 12:08	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5			03/31/17 12:08	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			03/31/17 12:08	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			03/31/17 12:08	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			03/31/17 12:08	1634-04-4	
Styrene	ND	ug/L	25.0	5			03/31/17 12:08	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			03/31/17 12:08	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			03/31/17 12:08	127-18-4	
Toluene	ND	ug/L	25.0	5			03/31/17 12:08	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			03/31/17 12:08	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			03/31/17 12:08	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			03/31/17 12:08	79-00-5	
Trichloroethene	5220 D	ug/L	100	20			03/30/17 03:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			03/31/17 12:08	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			03/31/17 12:08	76-13-1	
Vinyl chloride	ND	ug/L	10.0	5			03/31/17 12:08	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: FD-1(032417)-LF		Lab ID: 50167452016		Collected: 03/24/17 08:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/31/17 12:08	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	84-118	5		03/31/17 12:08	1868-53-7	D4
4-Bromofluorobenzene (S)		95	%.	79-116	5		03/31/17 12:08	460-00-4	
Toluene-d8 (S)		91	%.	86-110	5		03/31/17 12:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0603-S1(032417)PDB		Lab ID: 50167452017		Collected: 03/24/17 14:20		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 04:22	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 04:22	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 04:22	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 04:22	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 04:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 04:22	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 04:22	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 04:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 04:22	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 04:22	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 04:22	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 04:22	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 04:22	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 04:22	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 04:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 04:22	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:22	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 04:22	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 04:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 04:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:22	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 04:22	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 04:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 04:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 04:22	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 04:22	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 04:22	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 04:22	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 04:22	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 04:22	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 04:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 04:22	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 04:22	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 04:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 04:22	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 04:22	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 04:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 04:22	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 04:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 04:22	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 04:22	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 04:22	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0603-S1(032417)PDB		Lab ID: 50167452017		Collected: 03/24/17 14:20		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 04:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	84-118	1		03/30/17 04:22	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	79-116	1		03/30/17 04:22	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 04:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0605-S1(032417)PDB		Lab ID: 50167452018		Collected: 03/24/17 10:05		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 04:54	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 04:54	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 04:54	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 04:54	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 04:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 04:54	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 04:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 04:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 04:54	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 04:54	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 04:54	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 04:54	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 04:54	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 04:54	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 04:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 04:54	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:54	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 04:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 04:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 04:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:54	75-35-4	
cis-1,2-Dichloroethene	12.2	ug/L	5.0	1			03/30/17 04:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 04:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 04:54	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 04:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 04:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 04:54	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 04:54	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 04:54	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 04:54	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 04:54	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 04:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 04:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 04:54	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 04:54	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 04:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 04:54	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 04:54	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 04:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 04:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 04:54	79-00-5	
Trichloroethene	1170 D	ug/L	125	25			03/30/17 12:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 04:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 04:54	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 04:54	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0605-S1(032417)PDB		Lab ID: 50167452018		Collected: 03/24/17 10:05		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 04:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 04:54	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	79-116	1		03/30/17 04:54	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 04:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0606-S1(032417)PDB		Lab ID: 50167452019		Collected: 03/24/17 13:55		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 05:26	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 05:26	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 05:26	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 05:26	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 05:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 05:26	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 05:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 05:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 05:26	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 05:26	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 05:26	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 05:26	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 05:26	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 05:26	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 05:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 05:26	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:26	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 05:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 05:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 05:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 05:26	75-35-4	
cis-1,2-Dichloroethene	441	ug/L	125	25			03/30/17 13:10	156-59-2	
trans-1,2-Dichloroethene	97.8	ug/L	5.0	1			03/30/17 05:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 05:26	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 05:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 05:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 05:26	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 05:26	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 05:26	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 05:26	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 05:26	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 05:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 05:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 05:26	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 05:26	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 05:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 05:26	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 05:26	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 05:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 05:26	79-00-5	
Trichloroethene	2820 D	ug/L	125	25			03/30/17 13:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 05:26	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 05:26	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 05:26	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0606-S1(032417)PDB		Lab ID: 50167452019		Collected: 03/24/17 13:55		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 05:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 05:26	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	79-116	1		03/30/17 05:26	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 05:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0604-S1(032417)PDB		Lab ID: 50167452020		Collected: 03/24/17 11:30		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 05:58	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 05:58	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 05:58	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 05:58	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 05:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 05:58	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 05:58	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 05:58	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 05:58	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 05:58	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 05:58	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 05:58	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 05:58	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 05:58	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 05:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 05:58	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:58	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 05:58	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 05:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 05:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 05:58	75-35-4	
cis-1,2-Dichloroethene	1280	D ug/L	125	25			03/30/17 13:42	156-59-2	
trans-1,2-Dichloroethene	101	ug/L	5.0	1			03/30/17 05:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 05:58	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 05:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 05:58	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 05:58	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 05:58	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 05:58	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 05:58	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 05:58	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 05:58	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 05:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 05:58	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 05:58	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 05:58	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 05:58	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 05:58	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 05:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 05:58	79-00-5	
Trichloroethene	3250	D ug/L	125	25			03/30/17 13:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 05:58	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 05:58	76-13-1	
Vinyl chloride	33.8	ug/L	2.0	1			03/30/17 05:58	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0604-S1(032417)PDB		Lab ID: 50167452020		Collected: 03/24/17 11:30		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 05:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		101	%.	84-118	1		03/30/17 05:58	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	79-116	1		03/30/17 05:58	460-00-4	
Toluene-d8 (S)		97	%.	86-110	1		03/30/17 05:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0602-S1(032417)PDB		Lab ID: 50167452021		Collected: 03/24/17 13:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 09:10	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 09:10	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 09:10	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 09:10	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 09:10	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 09:10	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 09:10	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 09:10	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 09:10	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 09:10	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 09:10	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 09:10	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 09:10	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 09:10	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 09:10	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 09:10	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 09:10	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 09:10	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 09:10	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 09:10	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 09:10	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 09:10	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 09:10	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 09:10	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 09:10	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 09:10	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 09:10	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 09:10	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 09:10	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 09:10	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 09:10	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 09:10	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 09:10	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 09:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 09:10	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 09:10	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 09:10	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 09:10	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 09:10	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 09:10	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 09:10	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 09:10	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 09:10	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 09:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 09:10	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 09:10	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 09:10	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0602-S1(032417)PDB		Lab ID: 50167452021		Collected: 03/24/17 13:10		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 09:10	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		98	%.	84-118	1		03/30/17 09:10	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/30/17 09:10	460-00-4	
Toluene-d8 (S)		94	%.	86-110	1		03/30/17 09:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0607-S1(032417)PDB		Lab ID: 50167452022	Collected: 03/24/17 12:45	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 09:42	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 09:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 09:42	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 09:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 09:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 09:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 09:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 09:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 09:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 09:42	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 09:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 09:42	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 09:42	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 09:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 09:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 09:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 09:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 09:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 09:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 09:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 09:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 09:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 09:42	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 09:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 09:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 09:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 09:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 09:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 09:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 09:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 09:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 09:42	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 09:42	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 09:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 09:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 09:42	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 09:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 09:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 09:42	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 09:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 09:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 09:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 09:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 09:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 09:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 09:42	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 09:42	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0607-S1(032417)PDB		Lab ID: 50167452022		Collected: 03/24/17 12:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 09:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		97	%.	84-118	1		03/30/17 09:42	1868-53-7	
4-Bromofluorobenzene (S)		94	%.	79-116	1		03/30/17 09:42	460-00-4	
Toluene-d8 (S)		97	%.	86-110	1		03/30/17 09:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0608-S1(032417)PDB		Lab ID: 50167452023	Collected: 03/24/17 13:45	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 10:14	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 10:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 10:14	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 10:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 10:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 10:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 10:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 10:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 10:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 10:14	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 10:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 10:14	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 10:14	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 10:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 10:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 10:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 10:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 10:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 10:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 10:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 10:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 10:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 10:14	75-35-4	
cis-1,2-Dichloroethene	30.3	ug/L	5.0	1		03/30/17 10:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 10:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 10:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 10:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 10:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 10:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 10:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 10:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 10:14	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 10:14	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 10:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 10:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 10:14	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 10:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 10:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 10:14	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 10:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 10:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 10:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 10:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 10:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 10:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 10:14	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 10:14	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0608-S1(032417)PDB		Lab ID: 50167452023		Collected: 03/24/17 13:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 10:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 10:14	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/30/17 10:14	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 10:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0609-S1(032417)PDB		Lab ID: 50167452024		Collected: 03/24/17 13:25		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV	Analytical Method: EPA 8260								
Acetone	ND	ug/L	100	1		03/30/17 10:46	67-64-1		
Benzene	ND	ug/L	5.0	1		03/30/17 10:46	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 10:46	75-27-4		
Bromoform	ND	ug/L	5.0	1		03/30/17 10:46	75-25-2		
Bromomethane	ND	ug/L	5.0	1		03/30/17 10:46	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 10:46	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 10:46	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 10:46	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 10:46	108-90-7		
Chloroethane	ND	ug/L	5.0	1		03/30/17 10:46	75-00-3		
Chloroform	ND	ug/L	5.0	1		03/30/17 10:46	67-66-3		
Chloromethane	ND	ug/L	5.0	1		03/30/17 10:46	74-87-3		
Cyclohexane	ND	ug/L	100	1		03/30/17 10:46	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 10:46	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 10:46	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 10:46	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 10:46	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 10:46	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 10:46	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 10:46	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 10:46	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 10:46	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 10:46	75-35-4		
cis-1,2-Dichloroethene	7.5	ug/L	5.0	1		03/30/17 10:46	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 10:46	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 10:46	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 10:46	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 10:46	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 10:46	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		03/30/17 10:46	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 10:46	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		03/30/17 10:46	79-20-9	N2	
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 10:46	108-87-2	N2	
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 10:46	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 10:46	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 10:46	1634-04-4		
Styrene	ND	ug/L	5.0	1		03/30/17 10:46	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 10:46	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 10:46	127-18-4		
Toluene	ND	ug/L	5.0	1		03/30/17 10:46	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 10:46	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 10:46	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 10:46	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		03/30/17 10:46	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 10:46	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 10:46	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 10:46	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0609-S1(032417)PDB		Lab ID: 50167452024		Collected: 03/24/17 13:25		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 10:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	84-118	1		03/30/17 10:46	1868-53-7	
4-Bromofluorobenzene (S)		92	%.	79-116	1		03/30/17 10:46	460-00-4	
Toluene-d8 (S)		94	%.	86-110	1		03/30/17 10:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0610-S1(032417)PDB		Lab ID: 50167452025		Collected: 03/24/17 13:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 11:18	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 11:18	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 11:18	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 11:18	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 11:18	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 11:18	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 11:18	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 11:18	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 11:18	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 11:18	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 11:18	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 11:18	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 11:18	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 11:18	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 11:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 11:18	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:18	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 11:18	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 11:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 11:18	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 11:18	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 11:18	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 11:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 11:18	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 11:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 11:18	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 11:18	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 11:18	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 11:18	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 11:18	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 11:18	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 11:18	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 11:18	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 11:18	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 11:18	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 11:18	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 11:18	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 11:18	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:18	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 11:18	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 11:18	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 11:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 11:18	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 11:18	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 11:18	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0610-S1(032417)PDB		Lab ID: 50167452025		Collected: 03/24/17 13:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 11:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	84-118	1		03/30/17 11:18	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/30/17 11:18	460-00-4	
Toluene-d8 (S)		97	%.	86-110	1		03/30/17 11:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0611-S1(032417)PDB		Lab ID: 50167452026		Collected: 03/24/17 12:50		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 11:50	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 11:50	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 11:50	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 11:50	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 11:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 11:50	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 11:50	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 11:50	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 11:50	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 11:50	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 11:50	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 11:50	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 11:50	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 11:50	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 11:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 11:50	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:50	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 11:50	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 11:50	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 11:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 11:50	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 11:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 11:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 11:50	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 11:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 11:50	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 11:50	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 11:50	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 11:50	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 11:50	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 11:50	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 11:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 11:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 11:50	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 11:50	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 11:50	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 11:50	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 11:50	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 11:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 11:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 11:50	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 11:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 11:50	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 11:50	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 11:50	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0611-S1(032417)PDB		Lab ID: 50167452026		Collected: 03/24/17 12:50		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 11:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		99	%.	84-118	1		03/30/17 11:50	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	79-116	1		03/30/17 11:50	460-00-4	
Toluene-d8 (S)		100	%.	86-110	1		03/30/17 11:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0612-S1(032417)PDB		Lab ID: 50167452027		Collected: 03/24/17 13:20		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5		03/30/17 12:22	67-64-1		
Benzene	ND	ug/L	25.0	5		03/30/17 12:22	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		03/30/17 12:22	75-27-4		
Bromoform	ND	ug/L	25.0	5		03/30/17 12:22	75-25-2		
Bromomethane	ND	ug/L	25.0	5		03/30/17 12:22	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		03/30/17 12:22	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		03/30/17 12:22	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		03/30/17 12:22	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		03/30/17 12:22	108-90-7		
Chloroethane	ND	ug/L	25.0	5		03/30/17 12:22	75-00-3		
Chloroform	ND	ug/L	25.0	5		03/30/17 12:22	67-66-3		
Chloromethane	ND	ug/L	25.0	5		03/30/17 12:22	74-87-3		
Cyclohexane	ND	ug/L	500	5		03/30/17 12:22	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		03/30/17 12:22	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		03/30/17 12:22	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		03/30/17 12:22	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 12:22	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 12:22	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 12:22	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		03/30/17 12:22	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		03/30/17 12:22	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		03/30/17 12:22	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		03/30/17 12:22	75-35-4		
cis-1,2-Dichloroethene	254	ug/L	25.0	5		03/30/17 12:22	156-59-2		
trans-1,2-Dichloroethene	49.4	ug/L	25.0	5		03/30/17 12:22	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		03/30/17 12:22	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		03/30/17 12:22	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		03/30/17 12:22	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		03/30/17 12:22	100-41-4		
2-Hexanone	ND	ug/L	125	5		03/30/17 12:22	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		03/30/17 12:22	98-82-8		
Methyl acetate	ND	ug/L	250	5		03/30/17 12:22	79-20-9		N2
Methylcyclohexane	ND	ug/L	250	5		03/30/17 12:22	108-87-2		N2
Methylene Chloride	ND	ug/L	25.0	5		03/30/17 12:22	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		03/30/17 12:22	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		03/30/17 12:22	1634-04-4		
Styrene	ND	ug/L	25.0	5		03/30/17 12:22	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		03/30/17 12:22	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		03/30/17 12:22	127-18-4		
Toluene	ND	ug/L	25.0	5		03/30/17 12:22	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		03/30/17 12:22	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		03/30/17 12:22	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		03/30/17 12:22	79-00-5		
Trichloroethene	3960	D ug/L	250	50		03/30/17 14:46	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		03/30/17 12:22	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		03/30/17 12:22	76-13-1		
Vinyl chloride	ND	ug/L	10.0	5		03/30/17 12:22	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0612-S1(032417)PDB		Lab ID: 50167452027		Collected: 03/24/17 13:20		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/30/17 12:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		97	%.	84-118	5		03/30/17 12:22	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	79-116	5		03/30/17 12:22	460-00-4	
Toluene-d8 (S)		96	%.	86-110	5		03/30/17 12:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0613-S1(032417)PDB		Lab ID: 50167452028		Collected: 03/24/17 12:30		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/30/17 12:54	67-64-1		
Benzene	ND	ug/L	5.0	1		03/30/17 12:54	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 12:54	75-27-4		
Bromoform	ND	ug/L	5.0	1		03/30/17 12:54	75-25-2		
Bromomethane	ND	ug/L	5.0	1		03/30/17 12:54	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 12:54	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 12:54	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 12:54	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 12:54	108-90-7		
Chloroethane	ND	ug/L	5.0	1		03/30/17 12:54	75-00-3		
Chloroform	ND	ug/L	5.0	1		03/30/17 12:54	67-66-3		
Chloromethane	ND	ug/L	5.0	1		03/30/17 12:54	74-87-3		
Cyclohexane	ND	ug/L	100	1		03/30/17 12:54	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 12:54	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 12:54	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 12:54	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 12:54	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 12:54	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 12:54	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 12:54	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 12:54	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 12:54	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 12:54	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 12:54	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 12:54	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 12:54	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 12:54	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 12:54	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 12:54	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		03/30/17 12:54	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 12:54	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		03/30/17 12:54	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 12:54	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 12:54	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 12:54	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 12:54	1634-04-4		
Styrene	ND	ug/L	5.0	1		03/30/17 12:54	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 12:54	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 12:54	127-18-4		
Toluene	ND	ug/L	5.0	1		03/30/17 12:54	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 12:54	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 12:54	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 12:54	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		03/30/17 12:54	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 12:54	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 12:54	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 12:54	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0613-S1(032417)PDB		Lab ID: 50167452028		Collected: 03/24/17 12:30		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 12:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	84-118	1		03/30/17 12:54	1868-53-7	
4-Bromofluorobenzene (S)		94	%.	79-116	1		03/30/17 12:54	460-00-4	
Toluene-d8 (S)		94	%.	86-110	1		03/30/17 12:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: EB-2(032417)-LF		Lab ID: 50167452029	Collected: 03/24/17 12:35	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 13:26	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 13:26	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 13:26	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 13:26	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 13:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 13:26	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 13:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 13:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 13:26	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 13:26	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 13:26	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 13:26	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 13:26	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 13:26	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 13:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 13:26	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 13:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 13:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 13:26	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 13:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 13:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 13:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 13:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 13:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 13:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 13:26	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 13:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 13:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 13:26	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 13:26	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 13:26	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 13:26	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 13:26	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 13:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 13:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 13:26	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 13:26	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 13:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 13:26	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 13:26	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 13:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 13:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 13:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 13:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 13:26	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 13:26	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 13:26	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: EB-2(032417)-LF		Lab ID: 50167452029		Collected: 03/24/17 12:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)	ND	ug/L	10.0	1		03/30/17 13:26	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	101	%.	84-118	1		03/30/17 13:26	1868-53-7		
4-Bromofluorobenzene (S)	95	%.	79-116	1		03/30/17 13:26	460-00-4		
Toluene-d8 (S)	95	%.	86-110	1		03/30/17 13:26	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0617-S1(032417)PDB		Lab ID: 50167452030		Collected: 03/24/17 10:55		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 13:58	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 13:58	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 13:58	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 13:58	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 13:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 13:58	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 13:58	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 13:58	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 13:58	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 13:58	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 13:58	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 13:58	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 13:58	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 13:58	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 13:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 13:58	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 13:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 13:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 13:58	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 13:58	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 13:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 13:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 13:58	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 13:58	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 13:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 13:58	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 13:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 13:58	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 13:58	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 13:58	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 13:58	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 13:58	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 13:58	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 13:58	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 13:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 13:58	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 13:58	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 13:58	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 13:58	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 13:58	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 13:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 13:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 13:58	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 13:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 13:58	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 13:58	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 13:58	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0617-S1(032417)PDB		Lab ID: 50167452030		Collected: 03/24/17 10:55		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 13:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 13:58	1868-53-7	
4-Bromofluorobenzene (S)		92	%.	79-116	1		03/30/17 13:58	460-00-4	
Toluene-d8 (S)		94	%.	86-110	1		03/30/17 13:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0618-S1(032417)PDB		Lab ID: 50167452031	Collected: 03/24/17 12:25	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		03/30/17 14:30	67-64-1	
Benzene	ND	ug/L	5.0	1		03/30/17 14:30	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 14:30	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/30/17 14:30	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/30/17 14:30	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 14:30	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 14:30	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 14:30	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 14:30	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/30/17 14:30	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/30/17 14:30	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/30/17 14:30	74-87-3	
Cyclohexane	ND	ug/L	100	1		03/30/17 14:30	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 14:30	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 14:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 14:30	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 14:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 14:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 14:30	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 14:30	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 14:30	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 14:30	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 14:30	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 14:30	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 14:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 14:30	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 14:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 14:30	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 14:30	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		03/30/17 14:30	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 14:30	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		03/30/17 14:30	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 14:30	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 14:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 14:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 14:30	1634-04-4	
Styrene	ND	ug/L	5.0	1		03/30/17 14:30	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 14:30	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 14:30	127-18-4	
Toluene	ND	ug/L	5.0	1		03/30/17 14:30	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 14:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 14:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 14:30	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/30/17 14:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 14:30	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 14:30	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 14:30	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0618-S1(032417)PDB		Lab ID: 50167452031		Collected: 03/24/17 12:25		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 14:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	1		03/30/17 14:30	1868-53-7	
4-Bromofluorobenzene (S)		93	%.	79-116	1		03/30/17 14:30	460-00-4	
Toluene-d8 (S)		96	%.	86-110	1		03/30/17 14:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0619-S1(032417)PDB		Lab ID: 50167452032		Collected: 03/24/17 11:50		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 15:02	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 15:02	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 15:02	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 15:02	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 15:02	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 15:02	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 15:02	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 15:02	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 15:02	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 15:02	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 15:02	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 15:02	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 15:02	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 15:02	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 15:02	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 15:02	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:02	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:02	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:02	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 15:02	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 15:02	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 15:02	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 15:02	75-35-4	
cis-1,2-Dichloroethene	20.5	ug/L	5.0	1			03/30/17 15:02	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 15:02	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 15:02	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 15:02	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 15:02	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 15:02	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 15:02	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 15:02	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 15:02	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 15:02	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 15:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 15:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 15:02	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 15:02	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 15:02	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 15:02	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 15:02	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:02	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 15:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 15:02	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			03/30/17 15:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 15:02	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 15:02	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 15:02	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0619-S1(032417)PDB		Lab ID: 50167452032		Collected: 03/24/17 11:50		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 15:02	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		97	%.	84-118	1		03/30/17 15:02	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	79-116	1		03/30/17 15:02	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 15:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0620-S1(032417)PDB		Lab ID: 50167452033		Collected: 03/24/17 09:55		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 15:34	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 15:34	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 15:34	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 15:34	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 15:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 15:34	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 15:34	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 15:34	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 15:34	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 15:34	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 15:34	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 15:34	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 15:34	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 15:34	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 15:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 15:34	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:34	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 15:34	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 15:34	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 15:34	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 15:34	75-35-4	
cis-1,2-Dichloroethene	6.4	ug/L	5.0	1			03/30/17 15:34	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			03/30/17 15:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 15:34	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 15:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 15:34	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 15:34	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 15:34	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 15:34	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 15:34	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 15:34	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 15:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 15:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 15:34	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 15:34	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 15:34	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 15:34	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 15:34	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 15:34	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 15:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 15:34	79-00-5	
Trichloroethene	3360	D ug/L	125	25			03/31/17 12:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 15:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 15:34	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 15:34	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0620-S1(032417)PDB		Lab ID: 50167452033		Collected: 03/24/17 09:55		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 15:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	84-118	1		03/30/17 15:34	1868-53-7	
4-Bromofluorobenzene (S)		93	%.	79-116	1		03/30/17 15:34	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 15:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0621-S1(032417)PDB		Lab ID: 50167452034		Collected: 03/24/17 11:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5			03/30/17 16:06	67-64-1	
Benzene	ND	ug/L	25.0	5			03/30/17 16:06	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			03/30/17 16:06	75-27-4	
Bromoform	ND	ug/L	25.0	5			03/30/17 16:06	75-25-2	
Bromomethane	ND	ug/L	25.0	5			03/30/17 16:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			03/30/17 16:06	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			03/30/17 16:06	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			03/30/17 16:06	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			03/30/17 16:06	108-90-7	
Chloroethane	ND	ug/L	25.0	5			03/30/17 16:06	75-00-3	
Chloroform	ND	ug/L	25.0	5			03/30/17 16:06	67-66-3	
Chloromethane	ND	ug/L	25.0	5			03/30/17 16:06	74-87-3	
Cyclohexane	ND	ug/L	500	5			03/30/17 16:06	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			03/30/17 16:06	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			03/30/17 16:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			03/30/17 16:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			03/30/17 16:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			03/30/17 16:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			03/30/17 16:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			03/30/17 16:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			03/30/17 16:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			03/30/17 16:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			03/30/17 16:06	75-35-4	
cis-1,2-Dichloroethene	104	ug/L	25.0	5			03/30/17 16:06	156-59-2	
trans-1,2-Dichloroethene	33.3	ug/L	25.0	5			03/30/17 16:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			03/30/17 16:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			03/30/17 16:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			03/30/17 16:06	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			03/30/17 16:06	100-41-4	
2-Hexanone	ND	ug/L	125	5			03/30/17 16:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			03/30/17 16:06	98-82-8	
Methyl acetate	ND	ug/L	250	5			03/30/17 16:06	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5			03/30/17 16:06	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			03/30/17 16:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			03/30/17 16:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			03/30/17 16:06	1634-04-4	
Styrene	ND	ug/L	25.0	5			03/30/17 16:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			03/30/17 16:06	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			03/30/17 16:06	127-18-4	
Toluene	ND	ug/L	25.0	5			03/30/17 16:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			03/30/17 16:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			03/30/17 16:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			03/30/17 16:06	79-00-5	
Trichloroethene	1280	ug/L	25.0	5			03/30/17 16:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			03/30/17 16:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			03/30/17 16:06	76-13-1	
Vinyl chloride	ND	ug/L	10.0	5			03/30/17 16:06	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0621-S1(032417)PDB		Lab ID: 50167452034		Collected: 03/24/17 11:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/30/17 16:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	84-118	5		03/30/17 16:06	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	79-116	5		03/30/17 16:06	460-00-4	
Toluene-d8 (S)		94	%.	86-110	5		03/30/17 16:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0622-S1(032417)PDB		Lab ID: 50167452035		Collected: 03/24/17 09:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	2000	20		03/30/17 16:38	67-64-1		
Benzene	ND	ug/L	100	20		03/30/17 16:38	71-43-2		
Bromodichloromethane	ND	ug/L	100	20		03/30/17 16:38	75-27-4		
Bromoform	ND	ug/L	100	20		03/30/17 16:38	75-25-2		
Bromomethane	ND	ug/L	100	20		03/30/17 16:38	74-83-9		
2-Butanone (MEK)	ND	ug/L	500	20		03/30/17 16:38	78-93-3		
Carbon disulfide	ND	ug/L	200	20		03/30/17 16:38	75-15-0		
Carbon tetrachloride	ND	ug/L	100	20		03/30/17 16:38	56-23-5		
Chlorobenzene	ND	ug/L	100	20		03/30/17 16:38	108-90-7		
Chloroethane	ND	ug/L	100	20		03/30/17 16:38	75-00-3		
Chloroform	ND	ug/L	100	20		03/30/17 16:38	67-66-3		
Chloromethane	ND	ug/L	100	20		03/30/17 16:38	74-87-3		
Cyclohexane	ND	ug/L	2000	20		03/30/17 16:38	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	200	20		03/30/17 16:38	96-12-8		
Dibromochloromethane	ND	ug/L	100	20		03/30/17 16:38	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	100	20		03/30/17 16:38	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	100	20		03/30/17 16:38	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	100	20		03/30/17 16:38	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	100	20		03/30/17 16:38	106-46-7		
Dichlorodifluoromethane	ND	ug/L	100	20		03/30/17 16:38	75-71-8		
1,1-Dichloroethane	ND	ug/L	100	20		03/30/17 16:38	75-34-3		
1,2-Dichloroethane	ND	ug/L	100	20		03/30/17 16:38	107-06-2		
1,1-Dichloroethene	ND	ug/L	100	20		03/30/17 16:38	75-35-4		
cis-1,2-Dichloroethene	2370	ug/L	100	20		03/30/17 16:38	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	100	20		03/30/17 16:38	156-60-5		
1,2-Dichloropropane	ND	ug/L	100	20		03/30/17 16:38	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	100	20		03/30/17 16:38	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	100	20		03/30/17 16:38	10061-02-6		
Ethylbenzene	ND	ug/L	100	20		03/30/17 16:38	100-41-4		
2-Hexanone	ND	ug/L	500	20		03/30/17 16:38	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	100	20		03/30/17 16:38	98-82-8		
Methyl acetate	ND	ug/L	1000	20		03/30/17 16:38	79-20-9		N2
Methylcyclohexane	ND	ug/L	1000	20		03/30/17 16:38	108-87-2		N2
Methylene Chloride	ND	ug/L	100	20		03/30/17 16:38	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	500	20		03/30/17 16:38	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	80.0	20		03/30/17 16:38	1634-04-4		
Styrene	ND	ug/L	100	20		03/30/17 16:38	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	100	20		03/30/17 16:38	79-34-5		
Tetrachloroethene	ND	ug/L	100	20		03/30/17 16:38	127-18-4		
Toluene	ND	ug/L	100	20		03/30/17 16:38	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	100	20		03/30/17 16:38	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	100	20		03/30/17 16:38	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	100	20		03/30/17 16:38	79-00-5		
Trichloroethene	27300	D ug/L	1000	200		03/30/17 15:50	79-01-6		
Trichlorofluoromethane	ND	ug/L	100	20		03/30/17 16:38	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	100	20		03/30/17 16:38	76-13-1		
Vinyl chloride	ND	ug/L	40.0	20		03/30/17 16:38	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0622-S1(032417)PDB		Lab ID: 50167452035		Collected: 03/24/17 09:45		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	200	20		03/30/17 16:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	20		03/30/17 16:38	1868-53-7	D4
4-Bromofluorobenzene (S)		94	%.	79-116	20		03/30/17 16:38	460-00-4	
Toluene-d8 (S)		97	%.	86-110	20		03/30/17 16:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: FD-2(032417)-LF		Lab ID: 50167452036	Collected: 03/24/17 08:00	Received: 03/25/17 09:50	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	2000	20		03/30/17 04:06	67-64-1	
Benzene	ND	ug/L	100	20		03/30/17 04:06	71-43-2	
Bromodichloromethane	ND	ug/L	100	20		03/30/17 04:06	75-27-4	
Bromoform	ND	ug/L	100	20		03/30/17 04:06	75-25-2	
Bromomethane	ND	ug/L	100	20		03/30/17 04:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	500	20		03/30/17 04:06	78-93-3	
Carbon disulfide	ND	ug/L	200	20		03/30/17 04:06	75-15-0	
Carbon tetrachloride	ND	ug/L	100	20		03/30/17 04:06	56-23-5	
Chlorobenzene	ND	ug/L	100	20		03/30/17 04:06	108-90-7	
Chloroethane	ND	ug/L	100	20		03/30/17 04:06	75-00-3	
Chloroform	ND	ug/L	100	20		03/30/17 04:06	67-66-3	
Chloromethane	ND	ug/L	100	20		03/30/17 04:06	74-87-3	
Cyclohexane	ND	ug/L	2000	20		03/30/17 04:06	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	200	20		03/30/17 04:06	96-12-8	
Dibromochloromethane	ND	ug/L	100	20		03/30/17 04:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	100	20		03/30/17 04:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	100	20		03/30/17 04:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	100	20		03/30/17 04:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	100	20		03/30/17 04:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	100	20		03/30/17 04:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	100	20		03/30/17 04:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	100	20		03/30/17 04:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	100	20		03/30/17 04:06	75-35-4	
cis-1,2-Dichloroethene	2270	ug/L	100	20		03/30/17 04:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	100	20		03/30/17 04:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	100	20		03/30/17 04:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	100	20		03/30/17 04:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	100	20		03/30/17 04:06	10061-02-6	
Ethylbenzene	ND	ug/L	100	20		03/30/17 04:06	100-41-4	
2-Hexanone	ND	ug/L	500	20		03/30/17 04:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	100	20		03/30/17 04:06	98-82-8	
Methyl acetate	ND	ug/L	1000	20		03/30/17 04:06	79-20-9	N2
Methylcyclohexane	ND	ug/L	1000	20		03/30/17 04:06	108-87-2	N2
Methylene Chloride	ND	ug/L	100	20		03/30/17 04:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	500	20		03/30/17 04:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	80.0	20		03/30/17 04:06	1634-04-4	
Styrene	ND	ug/L	100	20		03/30/17 04:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	100	20		03/30/17 04:06	79-34-5	
Tetrachloroethene	ND	ug/L	100	20		03/30/17 04:06	127-18-4	
Toluene	ND	ug/L	100	20		03/30/17 04:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	100	20		03/30/17 04:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	100	20		03/30/17 04:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	100	20		03/30/17 04:06	79-00-5	
Trichloroethene	28800 D	ug/L	1000	200		03/31/17 13:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	100	20		03/30/17 04:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	100	20		03/30/17 04:06	76-13-1	
Vinyl chloride	ND	ug/L	40.0	20		03/30/17 04:06	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: FD-2(032417)-LF		Lab ID: 50167452036		Collected: 03/24/17 08:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	200	20		03/30/17 04:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	84-118	20		03/30/17 04:06	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	79-116	20		03/30/17 04:06	460-00-4	
Toluene-d8 (S)		92	%.	86-110	20		03/30/17 04:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0623-S1(032417)PDB		Lab ID: 50167452037		Collected: 03/24/17 09:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/30/17 04:38	67-64-1		
Benzene	ND	ug/L	5.0	1		03/30/17 04:38	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		03/30/17 04:38	75-27-4		
Bromoform	ND	ug/L	5.0	1		03/30/17 04:38	75-25-2		
Bromomethane	ND	ug/L	5.0	1		03/30/17 04:38	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		03/30/17 04:38	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		03/30/17 04:38	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		03/30/17 04:38	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		03/30/17 04:38	108-90-7		
Chloroethane	ND	ug/L	5.0	1		03/30/17 04:38	75-00-3		
Chloroform	ND	ug/L	5.0	1		03/30/17 04:38	67-66-3		
Chloromethane	ND	ug/L	5.0	1		03/30/17 04:38	74-87-3		
Cyclohexane	ND	ug/L	100	1		03/30/17 04:38	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		03/30/17 04:38	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		03/30/17 04:38	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/30/17 04:38	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 04:38	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 04:38	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/30/17 04:38	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/30/17 04:38	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		03/30/17 04:38	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		03/30/17 04:38	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		03/30/17 04:38	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 04:38	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/30/17 04:38	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		03/30/17 04:38	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 04:38	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/30/17 04:38	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		03/30/17 04:38	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		03/30/17 04:38	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/30/17 04:38	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		03/30/17 04:38	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		03/30/17 04:38	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		03/30/17 04:38	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/30/17 04:38	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/30/17 04:38	1634-04-4		
Styrene	ND	ug/L	5.0	1		03/30/17 04:38	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/30/17 04:38	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		03/30/17 04:38	127-18-4		
Toluene	ND	ug/L	5.0	1		03/30/17 04:38	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/30/17 04:38	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/30/17 04:38	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/30/17 04:38	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		03/30/17 04:38	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		03/30/17 04:38	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		03/30/17 04:38	76-13-1		
Vinyl chloride	ND	ug/L	2.0	1		03/30/17 04:38	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0623-S1(032417)PDB		Lab ID: 50167452037		Collected: 03/24/17 09:35		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 04:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	84-118	1		03/30/17 04:38	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	79-116	1		03/30/17 04:38	460-00-4	
Toluene-d8 (S)		94	%.	86-110	1		03/30/17 04:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0704-S1(032417)PDB		Lab ID: 50167452038		Collected: 03/24/17 14:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	500	5		03/30/17 05:10	67-64-1		
Benzene	ND	ug/L	25.0	5		03/30/17 05:10	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		03/30/17 05:10	75-27-4		
Bromoform	ND	ug/L	25.0	5		03/30/17 05:10	75-25-2		
Bromomethane	ND	ug/L	25.0	5		03/30/17 05:10	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		03/30/17 05:10	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		03/30/17 05:10	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		03/30/17 05:10	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		03/30/17 05:10	108-90-7		
Chloroethane	ND	ug/L	25.0	5		03/30/17 05:10	75-00-3		
Chloroform	ND	ug/L	25.0	5		03/30/17 05:10	67-66-3		
Chloromethane	ND	ug/L	25.0	5		03/30/17 05:10	74-87-3		
Cyclohexane	ND	ug/L	500	5		03/30/17 05:10	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		03/30/17 05:10	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		03/30/17 05:10	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		03/30/17 05:10	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 05:10	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 05:10	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		03/30/17 05:10	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		03/30/17 05:10	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		03/30/17 05:10	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		03/30/17 05:10	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		03/30/17 05:10	75-35-4		
cis-1,2-Dichloroethene	569	ug/L	25.0	5		03/30/17 05:10	156-59-2		
trans-1,2-Dichloroethene	76.0	ug/L	25.0	5		03/30/17 05:10	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		03/30/17 05:10	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		03/30/17 05:10	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		03/30/17 05:10	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		03/30/17 05:10	100-41-4		
2-Hexanone	ND	ug/L	125	5		03/30/17 05:10	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		03/30/17 05:10	98-82-8		
Methyl acetate	ND	ug/L	250	5		03/30/17 05:10	79-20-9		N2
Methylcyclohexane	ND	ug/L	250	5		03/30/17 05:10	108-87-2		N2
Methylene Chloride	ND	ug/L	25.0	5		03/30/17 05:10	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		03/30/17 05:10	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		03/30/17 05:10	1634-04-4		
Styrene	ND	ug/L	25.0	5		03/30/17 05:10	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		03/30/17 05:10	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		03/30/17 05:10	127-18-4		
Toluene	ND	ug/L	25.0	5		03/30/17 05:10	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		03/30/17 05:10	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		03/30/17 05:10	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		03/30/17 05:10	79-00-5		
Trichloroethene	2000	D ug/L	250	50		03/30/17 16:22	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		03/30/17 05:10	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		03/30/17 05:10	76-13-1		
Vinyl chloride	ND	ug/L	10.0	5		03/30/17 05:10	75-01-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0704-S1(032417)PDB		Lab ID: 50167452038		Collected: 03/24/17 14:00		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	50.0	5		03/30/17 05:10	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	84-118	5		03/30/17 05:10	1868-53-7	D4
4-Bromofluorobenzene (S)		98	%.	79-116	5		03/30/17 05:10	460-00-4	
Toluene-d8 (S)		95	%.	86-110	5		03/30/17 05:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0705-S1(032417)PDB		Lab ID: 50167452039		Collected: 03/24/17 13:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			03/30/17 05:42	67-64-1	
Benzene	ND	ug/L	5.0	1			03/30/17 05:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			03/30/17 05:42	75-27-4	
Bromoform	ND	ug/L	5.0	1			03/30/17 05:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1			03/30/17 05:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			03/30/17 05:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			03/30/17 05:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			03/30/17 05:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			03/30/17 05:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1			03/30/17 05:42	75-00-3	
Chloroform	ND	ug/L	5.0	1			03/30/17 05:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1			03/30/17 05:42	74-87-3	
Cyclohexane	ND	ug/L	100	1			03/30/17 05:42	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			03/30/17 05:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			03/30/17 05:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			03/30/17 05:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			03/30/17 05:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			03/30/17 05:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			03/30/17 05:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			03/30/17 05:42	75-35-4	
cis-1,2-Dichloroethene	35.3	ug/L	5.0	1			03/30/17 05:42	156-59-2	
trans-1,2-Dichloroethene	9.4	ug/L	5.0	1			03/30/17 05:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			03/30/17 05:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 05:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			03/30/17 05:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			03/30/17 05:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			03/30/17 05:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			03/30/17 05:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			03/30/17 05:42	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			03/30/17 05:42	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			03/30/17 05:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			03/30/17 05:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			03/30/17 05:42	1634-04-4	
Styrene	ND	ug/L	5.0	1			03/30/17 05:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			03/30/17 05:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			03/30/17 05:42	127-18-4	
Toluene	ND	ug/L	5.0	1			03/30/17 05:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			03/30/17 05:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			03/30/17 05:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			03/30/17 05:42	79-00-5	
Trichloroethene	98.6	ug/L	5.0	1			03/30/17 05:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			03/30/17 05:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			03/30/17 05:42	76-13-1	
Vinyl chloride	ND	ug/L	2.0	1			03/30/17 05:42	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer - Kokomo

Pace Project No.: 50167452

Sample: MW-0705-S1(032417)PDB		Lab ID: 50167452039		Collected: 03/24/17 13:15		Received: 03/25/17 09:50		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Xylene (Total)		ND	ug/L	10.0	1		03/30/17 05:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	84-118	1		03/30/17 05:42	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	79-116	1		03/30/17 05:42	460-00-4	
Toluene-d8 (S)		95	%.	86-110	1		03/30/17 05:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Arcadis U.S., Inc.

132 E. Washington Street

Suite 600

Indianapolis, Indiana 46204

Tel 317 231 6500

Fax 317 231 6514

www.arcadis.com

A decorative graphic consisting of three thin orange lines. One line is horizontal, extending from the left edge of the page towards the right. Two other lines are diagonal, starting from the bottom left and extending towards the top right, intersecting the horizontal line.