

*Description of Current  
Conditions for Areas South  
of Leith Street*

*Volume IV of IV*

General Motors Corporation  
NAO-Flint Operations  
Flint, Michigan

May 30, 2000

**BBL**

BLASLAND, BOUCK & LEE, INC.  
engineers & scientists

---

6723 Towpath Road, P.O. Box 66  
Syracuse, New York, 13214-0066  
(315) 446-9120

# ***Table of Contents***

---

## **Volume IV of IV**

### **Appendices**

- L Supplemental Information - Building 40 Basement Tunnel

---

BLASLAND, BOUCK & LEE, INC.  
*engineers & scientists*

***Appendix L -  
Supplemental Information -  
Building 40 Basement Tunnel***

---

## BUILDING 40 - PCB SAMPLING

### ANALYTICAL RESULTS

#### I. INTRODUCTION/PURPOSE

There were two rounds of sampling for the presence of PCB's in Building 40. The first round of sampling on August 30, 1991, concentrated on collecting samples from a flooded sub-basement on the east side of Building 40 and floor areas. The second round of sampling included collecting samples from sumps and elevator pits, as part of the Building area PCB sampling survey in mid-September 1991.

#### II. SAMPLING PROTOCOL

In the flooded area of the sub-basement, due to groundwater infiltration, samples were collected of the top layer that had an oily sheen, of the middle layer that appeared to be clear water, and the bottom layer that had some sludge.

Liquid samples were collected using sterile disposable bailers while scrape samples were collected directly from the floor and elevator pit areas.

The following summarizes the sampling locations and the analytical laboratory results for the six samples collected from the basement area of Building 40 during the first round of sampling and the results obtained from the second round of sampling.

#### III. SAMPLING LOCATIONS

For the first round of sampling, the six sampling locations area are as follows:

- (1) LOCATION: DEPRESSION CORNER 2SE  
(There is an uneven depression in the southeast corner near the door for the loading dock.)
- (2) LOCATION: WATER STAIRS  
The oil/water mix sample was collected at the top of the stairs leading from the sub-basement to the basement of Building 40; therefore, it is more representative of the oil layer floating on the top of the water.

---



- (3) LOCATION: 1 WATER WEST  
This sample was collected from the top of the stairwell leading from the sub-basement to the basement of Building 20.
- (4) LOCATION: WHRBI  
This is water collected from the manhole at the foot of the stairs to the basement from the door on the east wall of Building 40.
- (5) LOCATION: 3 EAST  
This sample is a composite of scrapings collected from the floor near the east wall in the basement of Building 40.
- (6) LOCATION: 4 WEST  
This sample is a composite of scrapings collected from the floor near the west wall in the basement of Building 40.

#### IV. ANALYTICAL LABORATORY RESULTS

##### A. August 1991 Sampling Effort

The laboratory analytical results from the first round of sampling in the flooded east basement stairwell area of Building 40 are compiled in Attachment 1. A summary of the results is as follows:

- (1) LOCATION: DEPRESSION CORNER 2SE
- TYPE OF ANALYSIS: OIL  
There was more oil than water in this sample -- anything other than water is reported in mg/kg units as required by EPA SW-846.
- TOTAL PCB CONCENTRATION: 80 mg/kg
- (2) LOCATION: WATER STAIRS
- TYPE OF ANALYSIS: OIL  
There was an oil/water mix. Because there was more oil than water in this sample, it was analyzed with oil as the matrix.
- TOTAL PCB CONCENTRATION: 25 mg/kg



- 
- (3) LOCATION: 1 WATER WEST
- TYPE OF ANALYSIS: WATER  
This water sample was collected from the water beneath the floating oil layer at the top of the stairs leading from the sub-basement to the basement of Building 40.
- TOTAL PCB CONCENTRATION: 23 ug/l
- (4) LOCATION: WHRBI
- TYPE OF ANALYSIS: WATER  
This water sample was collected from a manhole located at the foot of the stairs to the basement from the door on the east wall of Building 40.
- TOTAL PCB CONCENTRATION: < 2.0 ug/l
- (5) LOCATION: 3 EAST
- TYPE OF ANALYSIS: OIL SLUDGE ANALYSIS  
This sample is a composite of scrapings collected from the floor near the east wall in the basement of Building 40.
- TOTAL PCB CONCENTRATION: 75 mg/kg
- (6) LOCATION: 4 WEST
- TYPE OF ANALYSIS: OIL SLUDGE ANALYSIS  
This sample is a composite of scrapings collected from the floor near the west wall in the basement of Building 40.
- TOTAL PCB CONCENTRATION: 33 mg/kg.

## V. CONCLUSION

From the analytical results of the samples of this first round of sampling, the depression area near the large overhead door on the southeast side of Building 40, the east floor area, and to some extent, the west floor area are of concern. In addition, the water with a floating oil layer in the basement stairwell of Building 40 will also need to be addressed.



---

A workplan, Attachment 2, to remediate the PCB contamination in the basement of Building 40 has been developed. In addition, a Health and Safety Plan, Attachment 3, for implementing the workplan has also been developed.



---

**ATTACHMENT 1**  
**LABORATORY ANALYTICAL RESULTS**  
**BUILDING 40**



**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BUILDING #40  
 SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
 DESCRIPTION: OIL ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:20 AM  
 DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
 DATE COMPLETED: 09/24/91  
 SCHEDULED COMPLETION: 09/23/91  
 ANALYST: JB, KT  
 QUALITY CONTROL REVIEW BY: KVH  
 WORKSHEET NO:

	DEPRESSION CORNER 2SE	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72479		
PCB 1016,1232,1242,1248	<25	varies	mg/kg
PCB 1254,1260	80	varies	mg/kg
TOTAL PCB'S	80	---	mg/kg

**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
PROJECT NO.: 25719  
LOCATION: BUILDING #40  
SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
DESCRIPTION: OIL ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:10 AM  
DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
DATE COMPLETED: 09/24/91  
SCHEDULED COMPLETION: 09/23/91  
ANALYST: JB, KT  
QUALITY CONTROL REVIEW BY: KVVH  
WORKSHEET NO: 3

	WATER STAIRS	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72480		
PCB 1016,1232,1242,1248	<1.0	varies	mg/kg
PCB 1254,1260	25	varies	mg/kg
OTAL PCB'S	25	---	mg/kg

WW ENGINEERING & SCIENCE  
 ENVIRONMENTAL LABORATORY DIVISION

CLIENT: GM-BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BUILDING #40  
 SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
 DESCRIPTION: WATER ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:40 AM  
 DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
 DATE COMPLETED: 09/24/91  
 SCHEDULED COMPLETION: 09/23/91  
 ANALYST: JB, KT  
 QUALITY CONTROL REVIEW BY: KVH  
 WORKSHEET NO: 3

	1 WATER WEST	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72481		
PCB 1016,1232,1242,1248	<11	11	ug/l
PCB 1254,1260	23	1.0	ug/l
TOTAL PCB'S	23	--	ug/l

**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BUILDING #40  
 SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
 DESCRIPTION: WATER ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:30 AM  
 DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
 DATE COMPLETED: 09/24/91  
 SCHEDULED COMPLETION: 09/23/91  
 ANALYST: MK, KT  
 QUALITY CONTROL REVIEW BY: KVH  
 WORKSHEET NO: 3

	WHRBI	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72482		
PCB 1016,1232,1242,1248	<1.0	1.0	ug/l
PCB 1254,1260	<1.0	1.0	ug/l
TOTAL PCB'S	<2.0	---	ug/l

WW ENGINEERING & SCIENCE  
 ENVIRONMENTAL LABORATORY DIVISION

CLIENT: GM-BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BUILDING #40  
 SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
 DESCRIPTION: OIL ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:30 AM  
 DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
 DATE COMPLETED: 09/24/91  
 SCHEDULED COMPLETION: 09/23/91  
 ANALYST: MK, KT  
 QUALITY CONTROL REVIEW BY: KVH  
 WORKSHEET NO: 3

	3 EAST	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72483		
PCB 1016,1232,1242,1248	<50	varies	mg/kg
PCB 1254,1260	75	varies	mg/kg
TOTAL PCB'S	75	---	mg/kg

**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BUILDING #40  
 SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
 DESCRIPTION: OIL ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:50 AM  
 DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
 DATE COMPLETED: 09/24/91  
 SCHEDULED COMPLETION: 09/23/91  
 ANALYST: MK, KT  
 QUALITY CONTROL REVIEW BY: KVH  
 WORKSHEET NO: 3

	4 WEST	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72484		
PCB 1016,1232,1242,1248	<5.0	varies	mg/kg
PCB 1254,1260	33	varies	mg/kg
TOTAL PCB'S	33	---	mg/kg

---

**ATTACHMENT 2**  
**REMEDATION WORKPLAN**  
**BUILDING 40**

**BUILDINGS 40/16 - TUNNEL & BASEMENT**

*Prepared For:*

**GENERAL MOTORS - BOC FLINT OPERATIONS  
902 East Hamilton Avenue  
Flint, Michigan 48550-8503**

*Prepared By:*

**AVENDT ENVIRONMENTAL  
432 North Saginaw Street  
Fourth Floor, Northbank Center  
Flint, Michigan 48502**

**December, 1991**

TABLE OF CONTENTS

HISTORY . . . . . 1

WORK PLAN . . . . . 2

    Discovery . . . . . 2

    Determination of the safety & training requirements . . . . . 2

    Site Safety Plan . . . . . 2

    Preparing the work area . . . . . 3

    Remediation of the basement area . . . . . 3

    Investigation of the tunnel . . . . . 3

    Sampling in and around the tunnel . . . . . 3

    Development of a remediation plan for the tunnel . . . . . 3

    Prepare Phase I - Final Report . . . . . 3

FIGURE 1

APPENDIX A

APPENDIX B

APPENDIX C

HISTORY  
GENERAL MOTORS - BOC FLINT OPERATIONS  
BUILDINGS 40/16 - TUNNEL & BASEMENT

Original construction of buildings 40 and 6 began in the early 1920's. The existing tunnel was part of this original construction. Building 6 has undergone several building modifications and after the extension of the east wall in 1944, it became identified as building 16. Throughout the years, building 40 has been utilized for a variety of operations. These include building transmissions, tire and wheel welding, bumper assembly, storage of maintenance parts and bumper plating.

Currently building 40 first floor is used for wheel and tire assembly, and the upper floors are used for maintenance storage. At one time, the basement and tunnel were functional in the everyday operations of the building. Presently, however, the basement and tunnel are in an unused area of the building and isolated from the work force. Information regarding changes to the tunnel during building renovations is not available. Therefore, the length of the tunnel, its condition and its contents are unknown at this time. The stairway leading to the tunnel is flooded to the level of the basement floor. This water is assumed to be ground water. Though this is a large volume of water, it is believed to be contained since no outlet for the water is shown on the drawings or found in the field.

On 7/23/91, a sump in the basement of building 40 was sampled by GMPT-Flint, Materials Engineering. Results received on 8/07/91 indicated PCB contamination. WW Science & Engineering collected additional samples in the basement and tunnel area of building 40 on 8/30/91. Buick City was notified on 10/17/91 that these results also indicated PCB contamination in these areas. Sampling results are shown in Appendix A.

WORK PLAN  
GENERAL MOTORS - BOC FLINT OPERATIONS  
BUILDINGS 40/16 - TUNNEL & BASEMENT

The general work plan for this area began to develop in early November 1991, and Avendt Environmental (Avendt) was contracted to assist. At this early stage of discovery the only information available were the results from the WW Engineering & Science samples, the original building drawings and an existing plant layout. Phase I was developed to include the following items:

- Discovery
- Determination of safety & training requirements
- Site Safety Plan
- Preparing a work area
- Remediation of the basement area
- Investigation of the tunnel
- Sampling in and around the tunnel
- Development of a remediation plan for the tunnel
- Prepare Phase I - Final Report

**Discovery**

Before any plans or determinations can be made, additional information on the site is required. The tunnel must be located on the existing site layout drawing (Figure 1), additional samples must be taken to recheck PCB concentrations and determine if solvents or metals are present (results are shown in Appendix B); resample if necessary and determine if there are any other access or sampling points for the tunnel other than the stairway in building 40. COMPLETED 12/18/91

**Determination of the safety & training requirements**

Prior to completion of the Site Safety Plan, a summary of the OSHA training requirements and the necessary personal protective equipment will be prepared. This will be based on the nature of the potentially hazardous substances in the basement area, condition of the atmosphere and the materials to be used in the clean-up. These requirements will be used to ascertain availability of an appropriate work crew for subsequent activities.

**Site Safety Plan**

A site safety plan will be developed to include the site history, site entry requirements and control procedures, personal protective equipment, decontamination of equipment and personnel and emergency response. This must be done for

all task levels from collecting samples to remediation of the stairway or basement.

#### Preparing the work area

Prior to beginning work, areas must be secured in preparation of establishing safety zones for removal of personal protective equipment, decontamination and equipment storage. This will also include the placement of auxiliary equipment required to continue work in the basement area (e.g., portable lighting, air monitoring equipment, etc.).

#### Remediation of the basement area

A remediation plan must be developed to remove the oil and sludge from the basement area and verify clean. Remediation of the basement will permit tunnel investigation work to begin.

#### Investigation of the tunnel

A diving team will be used to define the extent of flooding, contents of the tunnel and the scope of contamination. Among the tasks to be performed by the diver are video taping and sampling throughout the length of the tunnel, checking for cracks or breaks in the tunnel walls and setting-up a means for future sampling (eg. securing teflon tubing to specific areas along the length of the tunnel). During this investigation the basement can be used as part of a staging area for equipment and personal protective equipment.

#### Sampling in and around the tunnel

Soil borings will be drilled in the area between the two buildings, both in the soil above the tunnel and on either side of it. If findings indicate additional borings are necessary along the length of the tunnel, borings will be drilled through the manufacturing floor as required. If additional samples are required of the tunnel contents, samples will be pumped through the teflon tubing left by the diver.

#### Development of a remediation plan for the tunnel


Based on the results of the tunnel investigations, various alternatives will be considered for the remediation of the tunnel. Several methods are currently being looked at to treat and dispose of the potentially large volume of water - to date no acceptable method has been found.

#### Prepare Phase I - Final Report

All work done including the findings of investigations to this point in time will be summarized into a Phase I - Final Report.

Phase I of this work plan has been scheduled and is shown in detail in Appendix C.

**FIGURE**



# APPENDIX A

2

1

# GMPT Materials Engineering

Card Date 07/24/91	Prefix V	Lab Number 22931	Project Number N/A	Part Number NPN	Part Name OIL AND WATER, SUMP BLDG. 40
-----------------------	-------------	---------------------	-----------------------	--------------------	---

Specifications  
N/A

Heat Number N/A	Lot Number 7-23	Factory 86	Number of Samples 1	Quantity in Lot N/A
--------------------	--------------------	---------------	------------------------	------------------------

Date Received 07/23/91	Source CLIFF NAUSS
---------------------------	-----------------------

Report To CLIFF NAUSS	Telephone Number 6-7208	Requested by M. NIELSEN
--------------------------	----------------------------	----------------------------

Sample History  
SAMPLE REMOVED FROM SUMP BLDG 40. IS MATERIAL OK TO PUMP TO PROCESS WASTE?  
SAMPLE FROM CLIFF NAUSS.

Work Requested  
CHECK FOR PRESENCE OF PCB.

Area(s)	Initials	Human Time	Machine Time	Date Completed	Sample(s) Out	Meth/Proc
CM Chemistry	PH	4.0	3.0	07 AUG 91	07 AUG 91	YES
M Chemistry	MW	4.0	0.0	07 AUG 91	07 AUG 91	YES

Results/Methods

The sample was treated with fluorosil and analyzed by GC/MS. The sample contains 20-30 PPM Arochlor 1254.

Sample	PCB
Bldg. 40 Sump	20-30 PPM Arochlor 1254

## MEMORANDUM

TO: Robert Metcalf

FROM: Connie Boris *C. Boris*

DATE: October 16, 1991

RE: Status Report on Analytical Results for Building 40 and Hydrogeological Investigation

The following is a status report on the analytical laboratory results for the six samples collected from the basement stairwell on the east side of Building 40 as well as a summary of work to date on the hydrogeological study as of October 7, 1991.

#### I. ANALYTICAL LABORATORY RESULTS - BASEMENT OF BUILDING 40.

The laboratory analytical results for the east basement stairwell of Building 40 are attached. The following is a description of each sample label.

##### SAMPLE NUMBER 72479:

TYPE OF ANALYSIS: OIL  
(There was more oil than water in this sample -- anything other than water is reported in mg/kg units as required by EPA SW-846)

LOCATION: DEPRESSION CORNER 2SE  
(There is an uneven depression in the southeast corner of the basement for Building 40.)

##### SAMPLE NUMBER 72480:

TYPE OF ANALYSIS: OIL  
(This sample is an oil/water mix. Because there was more oil than water in this sample, it was analyzed with oil as the matrix.)

LOCATION: WATER STAIRS  
(The sample was collected from the surficial oil layer at the top of the stairs leading from the subbasement to the basement of Building 40 -- therefore, it is more representative of the oil layer floating on the top of the water).

SAMPLE NUMBER 72481:

TYPE OF ANALYSIS: WATER  
(This sample was also collected from the water beneath the floating oil layer at the top of the stairs leading from the subbasement to the basement of Building 40).

LOCATION: 1 WATER WEST  
(This sample was collected from the top of the stairwell leading from the subbasement to the basement of Building 20).

SAMPLE NUMBER 72482:

TYPE OF ANALYSIS: WATER

LOCATION: WHRBI  
(This is water collected from the manhole at the foot of the stairs to the basement from the door on the east wall of Building 40.)

SAMPLE NUMBER 72483:

TYPE OF ANALYSIS: SLUDGE ANALYSIS

LOCATION: 3 EAST  
(This sample is a composite of scrapings collected from the floor near the east wall in the basement of Building 40).

SAMPLE NUMBER 72484:

TYPE OF ANALYSIS: SLUDGE ANALYSIS

## LOCATION:

4 WEST

(This sample is a composite of scrapings collected from the floor near the west wall in the basement of Building 40).

## II. HYDROGEOLOGICAL SITE INVESTIGATION

As of October 7, 1991, 21 soil borings were completed, using hollow stem auger methods. Of these 21 borings, 11 were converted to groundwater monitoring wells. The project is slightly more than 50% complete. That is, a total of 40 soil borings are anticipated to be installed, according to the workplan. If the current pace continues and no drilling problems are encountered, the drilling effort should be completed during the week ending October 25, 1991. This assumes an average of eight soil borings to be completed per week.

E N V I R O N M E N T A L L A B O R A T O R Y D I V I S I O N

**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BUILDING #40  
 SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
 DESCRIPTION: OIL ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:20 AM  
 DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
 DATE COMPLETED: 09/24/91  
 SCHEDULED COMPLETION: 09/23/91  
 ANALYST: JB, KT  
 QUALITY CONTROL REVIEW BY: KVH  
 WORKSHEET NO:

	DEPRESSION CORNER 2SE	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72479		
PCB 1016,1232,1242,1248	<25	25	mg/kg
PCB 1254,1260	80	25	mg/kg
TOTAL PCB'S	80	...	mg/kg

11

**ENVIRONMENTAL LABORATORY DIVISION**

**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BUILDING #40  
 SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
 DESCRIPTION: OIL ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:10 AM  
 DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
 DATE COMPLETED: 09/24/91  
 SCHEDULED COMPLETION: 09/23/91  
 ANALYST: JB, KT  
 QUALITY CONTROL REVIEW BY: KVH  
 WORKSHEET NO: 3

	WATER STAIRS	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72480		
PCB 1016,1232,1242,1248	<1.0	1.0	mg/kg
PCB 1254,1260	25	1.0	mg/kg
TOTAL PCB'S	25	--	mg/kg

1.1

1.1

E N V I R O N M E N T A L L A B O R A T O R Y D I V I S I O N

**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BUILDING #40  
 SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
 DESCRIPTION: WATER ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:40 AM  
 DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
 DATE COMPLETED: 09/24/91  
 SCHEDULED COMPLETION: 09/23/91  
 ANALYST: JB, KT  
 QUALITY CONTROL REVIEW BY: KVH  
 WORKSHEET NO: 3

	I WATER WEST	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72481		
PCB 1016,1232,1242,1248	<11	11	ug/l
PCB 1254,1260	23	1.0	ug/l
TOTAL PCB'S	23	---	ug/l

PL

**E N V I R O N M E N T A L L A B O R A T O R Y D I V I S I O N**

**WV ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BUILDING #40  
 SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
 DESCRIPTION: WATER ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:30 AM  
 DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
 DATE COMPLETED: 09/24/91  
 SCHEDULED COMPLETION: 09/23/91  
 ANALYST: MK, KT  
 QUALITY CONTROL REVIEW BY: KVH  
 WORKSHEET NO: 3

	WHRBI	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72482		
PCB 1016,1232,1242,1248	<1.0	1.0	ug/l
PCB 1254,1260	<1.0	1.0	ug/l
TOTAL PCB'S	<2.0	---	ug/l

1.1

..

ENVIRONMENTAL LABORATORY DIVISION

WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION

CLIENT: GM-BOC FLINT  
PROJECT NO.: 25719  
LOCATION: BUILDING #40  
SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
DESCRIPTION: SLUDGE ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:30 AM  
DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
DATE COMPLETED: 09/24/91  
SCHEDULED COMPLETION: 09/23/91  
ANALYST: MK, KT  
QUALITY CONTROL REVIEW BY: KVH  
WORKSHEET NO: 3

	3 EAST	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72483		
PCB 1016,1232,1242,1248	<50	50	mg/kg
PCB 1254,1260	75	50	mg/kg
TOTAL PCB'S	75	---	mg/kg

11

E N V I R O N M E N T A L L A B O R A T O R Y D I V I S I O N

**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
PROJECT NO.: 25719  
LOCATION: BUILDING #40  
SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
DESCRIPTION: SLUDGE ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:50 AM  
DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
DATE COMPLETED: 09/24/91  
SCHEDULED COMPLETION: 09/23/91  
ANALYST: MK, KT  
QUALITY CONTROL REVIEW BY: KVH  
WORKSHEET NO: 3

	4 WEST	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72484		
PCB 1016,1232,1242,1248	<5.0	5.0	mg/kg
PCB 1254,1260	33	5.0	mg/kg
TOTAL PCB'S	33	---	mg/kg

11

11

**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: BOC FLINT  
PROJECT NO.: 25719  
LOCATION: BOC FLINT  
SAMPLED BY: BOB THOMAS  
DESCRIPTION: SLUDGE ANALYSIS

DATE SAMPLED: 10/31/91 TIME: 2:00 PM  
DATE RECEIVED: 11/04/91 TIME: 10:30 AM  
DATE COMPLETED: 11/20/91  
SCHEDULED COMPLETION: 11/25/91  
ANALYST: MK  
QUALITY CONTROL REVIEW BY: WH  
WORKSHEET NO:

**NORTH WHITE ARROW  
MANHOLE SLUDGE 4628 DETECTION  
LIMIT**

LAB SAMPLE NO:	4628	DETECTION LIMIT	UNITS
PCB 1016, 1232, 1242, 1248	<40	40	mg/kg
PCB 1254, 1260	1.4	1.0	mg/kg
TOTAL PCB'S	1.4		mg/kg

h.l.

h.l.

WW ENGINEERING & SCIENCE  
 ENVIRONMENTAL LABORATORY DIVISION

CLIENT: BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BOC FLINT  
 SAMPLED BY: BOB THOMAS  
 DESCRIPTION: WATER ANALYSIS (LIQUID)

DATE SAMPLED: 10/31/91 TIME: 2:30 PM  
 DATE RECEIVED: 11/04/91 TIME: 10:30 AM  
 DATE COMPLETED: 11/20/91  
 SCHEDULED COMPLETION: 11/25/91  
 ANALYST: MK  
 QUALITY CONTROL REVIEW BY: WH  
 WORKSHEET NO:

NORTH WHITE ARROW  
 MANHOLE LIQUID 4630 DETECTION  
 LIMIT

LAB SAMPLE NO:	4630	DETECTION LIMIT	UNITS
PCB 1016, 1232, 1242, 1248	<24	24	ug/l
PCB 1254, 1260	<3	3	ug/l
TOTAL PCB'S	<27		ug/l

LL

..

# APPENDIX B



# Fire & Environmental Consulting Laboratories, Inc.

One East Complex 1451 East Lansing Dr., Suite 222 East Lansing, MI 48823 (517) 332-0167 FAX (517) 332-6333  
Indianapolis (317) 879-0913 FAX (317) 879-0914

December 13, 1991

Avendt Environmental  
432 N. Saginaw, 4th Floor  
Flint, MI 48502

Attention: Ms. Amy S. Webster

## Analytical Laboratory Report

**FECL #:** 8395-91-E1

8396-91-E1-3

Samples analyzed by: P. Roettger, J. Blaszczyk, L. DeWitt

Samples collected by: M.W.K

Analyses requested by: A. Webster

Date/time samples submitted: 12-05-91 3:35 pm

PO #: Verbal

**Submitting Company:** Avendt Environmental  
432 N. Saginaw, 4th Floor  
Flint, MI 48502

**Project Description:** B-40 & Storage Pit 91385-02

### Samples Collected:

**FECL #:** 8395-91-E1

Tag: Storage Pit Area #1

Container: Plastic Bottles

Sample type: Liquid

Preservation: None

Sampling date/time: 12/04/91

**FECL #:** 8396-91-E1

Tag: B-40 H<sub>2</sub>O

Container: Plastic/Glass/Vial

Sample type: H<sub>2</sub>O

Preservation: None

Sampling date/time: 12/04/91

**FECL #:** 8396-91-E2

Tag: B-40 Oil

Container: Glass/Vial

Sample type: Oil/H<sub>2</sub>O

Preservation: None

Sampling date/time: 12/04/91

**FECL #:** 8396-91-E3

Tag: B-40 Sludge

Container: Glass

Sample type: Sludge

Preservation: None

Sampling date/time: 12/04/91



Analytical Laboratory Report  
Avendt Environmental  
FECL #: 8395-91-E1 et al  
December 16, 1991  
Page 2 of 4

FECL #: 8395-91-E1  
Tag: Storage Pit Area #1

**Metals**

Arsenic	<0.005 mg/l
Barium	0.47 mg/l
Cadmium	<0.005 mg/l
Chromium	0.012 mg/l
Coper	0.01 mg/l
Lead	<0.01 mg/l
Mercury	<0.005 mg/l
Selenium	<0.005 mg/l
Silver	<0.005 mg/l
Zinc	0.13 mg/l

FECL #:	8396-91-E1	8396-91-E2	8396-91-E3
Tag:	B-40 H <sub>2</sub> O	B-40 Oil	B-40 Sludge

**Metals**

Arsenic	0.96 mg/l	0.62 mg/kg	3.60 mg/kg
Barium	4.08 mg/l	0.89 mg/kg	39.3 mg/kg
Cadmium	0.016 mg/l	<0.01 mg/kg	0.60 mg/kg
Chromium	0.16 mg/l	0.07 mg/kg	6.48 mg/kg
Coper	0.90 mg/l	0.40 mg/kg	42.8 mg/kg
Lead	1.58 mg/l	0.60 mg/kg	57.1 mg/kg
Mercury	<0.005 mg/l	<0.005 mg/kg	0.043 mg/kg
Selenium	<0.05 mg/l	<0.05 mg/kg	0.09 mg/kg
Silver	<0.01 mg/l	<0.01 mg/kg	0.03 mg/kg
Zinc	7.80 mg/l	1.91 mg/kg	100 mg/kg



Analytical Laboratory Report  
Avent Environmental  
FECL #: 8395-91-E1 et al  
December 16, 1991  
Page 3 of 4

FECL #:	8396-91-E1	8396-91-E2	8396-91-E3
Tag:	B-40 H <sub>2</sub> O	B-40 Oil	B-40 Sludge

Method 8010 - Halogenated Volatile Organics

Benzyl chloride	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
bis(2-chloroethoxy) methane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
bis(2-chloroisopropyl) ether	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Bromobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Bromodichloromethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Bromoform	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Bromomethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Carbon tetrachloride	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chloroacetaldehyde	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
2-Chloroethylvinyl ether	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chloroform	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1-Chlorohexane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chloromethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chloromethyl methyl ether	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chlorotoluene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Dibromochloromethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Dibromomethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,2-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,3-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,4-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Dichlorodifluoromethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,1-Dichloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,2-Dichloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,1-Dichloroethene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
t-1,2-Dichloroethene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,2-Dichloropropane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
c-1,3-Dichloropropene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
t-1,3-Dichloropropene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Methylene chloride	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,1,1,2-Tetrachloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,1,2,2-Tetrachloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Tetrachloroethene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,1,1-Trichloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,1,2-Trichloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Trichloroethene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Trichlorofluoromethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Trichloropropane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Vinyl chloride	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg



Analytical Laboratory Report  
Awendt Environmental  
FECL #: 8395-91-E1 et al  
December 13, 1991  
Page 4 of 4

FECL #:	8396-91-E1	8396-91-E2	8396-91-E3
Tag:	B-40 H <sub>2</sub> O	B-40 Oil	B-40 Sludge

**Method 8020 - Aromatics Volatile Organics**

Benzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,2-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,3-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,4-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Ethylbenzene	<0.005 mg/l	<0.1 mg/kg	0.06 mg/kg
Toluene	<0.005 mg/l	<0.1 mg/kg	0.10 mg/kg
p,m-Xylene	<0.005 mg/l	0.1 mg/kg	0.18 mg/kg
o-Xylene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg

**Method 8080 - Organochlorine PCBs**

PCB-1016	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1221	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1232	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1242	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1248	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1254	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1260	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg

*V.F. Murshak/era*


Violetta F. Murshak  
Laboratory Manager

VFM/ajc

# APPENDIX C

TENTATIVE SCHEDULE  
WORK TASKS  
PHASE 1

Building 40/16 - Tunnel and Basement



12/18/91


- ① Locate tunnel
  - ② Determine if the sludge, oil or water found in the tunnel and basement areas contains solvents or metals. This information is necessary to complete the site safety plan, decontamination and ultimate disposal of materials.
  - ③ Prepare site safety plan for the discovery stage.
  - ④ Develop the plan for safety, hygiene and training requirements for all personnel working in or around the tunnel and basement.
  - ⑤ Develop the plan for stairway, staging and decontamination area.
  - ⑥ Develop the remediation plan for the basement area.
  - ⑦ Prepare the stairway, staging and decontamination areas including portable lighting and air monitoring.
  - ⑧ Possible start date for remediation of the basement area.
  - ⑨ Prepare a task list for diver, including taking measurements, sampling, filming requirements, anchoring teflon tubing for future sampling and others tasks as needed.
  - ⑩ Diver to investigate the tunnel location, the contents of the tunnel (equipment and chemical nature) and the extent of the flooding.
  - ⑪ Develop complete sampling plan to determine the extent of contamination both within and outside the tunnel.
  - ⑫ Collect samples in and outside the tunnel area as specified in the sampling plan (Item 11).
  - ⑬ Review sampling results and take additional samples as required.
  - ⑭ Develop the remediation plan for the tunnel and investigate methods of treatment/disposal for contents.
  - ⑮ Summarize all information into a Phase I report for Buildings 40/16 - Basement and Tunnel.
- Time required to remediate the basement area is not shown because this will depend on the complexity of the decontamination plan and availability of a crew. However, remediation of the basement should be completed as soon as possible after the plan is developed. This is not only for safety and hygiene purposes, but will facilitate progress through the remaining clean-up.

- ① Locate tunnel on existing layout drawings in the field and verify access availability in Building 16.
- ② Determine if the sludge, oil or water found in the tunnel and basement areas contains solvents or metals. This information is necessary to complete the site safety plan, decontamination and ultimate disposal of materials.
- ③ Prepare site safety plan for the discovery stage.
- ④ Develop the plan for safety, hygiene and training requirements for all personnel working in or around the tunnel and basement.
- ⑤ Develop the plan for stairway, staging and decontamination area.
- ⑥ Develop the remediation plan for the basement area.
- ⑦ Prepare the stairway, staging and decontamination areas including portable lighting and air monitoring.
- ⑧ Possible start date for remediation of the basement area.
- ⑨ Prepare a task list for diver, including taking measurements, sampling, filming requirements, anchoring teflon tubing for future sampling and others tasks as needed.
- ⑩ Diver to investigate the tunnel location, the contents of the tunnel (equipment and chemical nature) and the extent of the flooding.
- ⑪ Develop complete sampling plan to determine the extent of contamination both within and outside the tunnel.
- ⑫ Collect samples in and outside the tunnel area as specified in the sampling plan (Item 11).
- ⑬ Review sampling results and take additional samples as required.
- ⑭ Develop the remediation plan for the tunnel and investigate methods of treatment/disposal for contents.
- ⑮ Summarize all information into a Phase I report for Buildings 40/16 - Basement and Tunnel.


---

**ATTACHMENT 3**  
**HEALTH AND SAFETY PLAN**  
**BUILDING 40**






- ◆ SAMPLING LOCATION  
Collected 08/30/91 by  
WW Engineering & Science
- ◆ Collected 12/04/91 by Avendt  
Environmental



<b>AVENDT ENVIRONMENTAL</b> ENVIRONMENTAL MANAGEMENT CONSULTANTS	
TITLE: SAMPLING LOCATIONS BUICK MOTOR DIVISION FLINT, MICHIGAN	
DATE: 12/02/91	DRAWN BY: Buick Motor Division (B-3221)
SCALE: 1/4" = 1'	REVISED: L.M.N.
APPROVED BY: P.A.B.	
FIGURE NUMBER: 1	PROJECT NUMBER: 91385-02



October 17, 1991

Subject: Results of Initial PCB Samples Taken In The Basement of Building #40

To: Cliff Nauss, Environmental Coordinator, Buick City  
Gary Field, Safety Engineer, Buick City

I have just received the final results of the PCB testing done in the mezzanine basement and stairwell of Building #40 several weeks ago. This testing shows low levels of PCB contamination in the mezzanine basement areas tested. Based upon a review of the raw data, I have requested additional sampling to verify the working hypothesis that the contamination is spread throughout the mezzanine basement area, and to confirm the water analysis from the flooded stairwell leading to the lower basement. The water sample from the blind sump at the foot of the stairwell going to the mezzanine basement shows non-detect at levels of 1 part per billion (1 ug/l or 1 ppb). All of the tests in this area show the PCB to be of the 1254, 1260 class. A review of the data is as follows:

<u>SAMPLE/LOCATION</u>	<u>DETECTION LIMIT</u>	<u>RESULTS</u>	<u>UNITS *</u>
Mainly oil from a floor depression in the SE corner of the mezzanine basement (oil analysis)	25	80	mg/kg
Surficial oil layer from the flooded stairwell leading to the lower basement (oil analysis)	1.0	25	mg/kg
Water from the flooded stairwell leading to the lower basement (water analysis)	1.0	23	ug/l
Water from the blind sump at the foot of the stairs going to the mezzanine basement (water analysis)	1.0	<1.0	ug/l
Composite of floor scrapings collected along the east wall of the mezzanine basement (sludge analysis)	50	75	mg/kg



**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: BOC FLINT  
PROJECT NO.: 25719  
LOCATION: BOC FLINT  
SAMPLED BY: BOB THOMAS  
DESCRIPTION: SLUDGE ANALYSIS

DATE SAMPLED: 10/31/91 TIME: 2:00 PM  
DATE RECEIVED: 11/04/91 TIME: 10:30 AM  
DATE COMPLETED: 11/20/91  
SCHEDULED COMPLETION: 11/25/91  
ANALYST: MK  
QUALITY CONTROL REVIEW BY: WH  
WORKSHEET NO:

**NORTH WHITE ARROW  
MANHOLE SLUDGE      DETECTION  
4628                              LIMIT**

<b>LAB SAMPLE NO:</b>	<b>4628</b>	<b>DETECTION LIMIT</b>	<b>UNITS</b>
PCB 1016, 1232, 1242, 1248	<40	40	mg/kg
PCB 1254, 1260	1.4	1.0	mg/kg
TOTAL PCB'S	1.4		mg/kg



**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: BOC FLINT  
PROJECT NO.: 25719  
LOCATION: BOC FLINT  
SAMPLED BY: BOB THOMAS  
DESCRIPTION: WATER ANALYSIS (LIQUID)

DATE SAMPLED: 10/31/91 TIME: 2:30 PM  
DATE RECEIVED: 11/04/91 TIME: 10:30 AM  
DATE COMPLETED: 11/20/91  
SCHEDULED COMPLETION: 11/25/91  
ANALYST: MK  
QUALITY CONTROL REVIEW BY: WH  
WORKSHEET NO:

LAB SAMPLE NO:	NORTH WHITE ARROW MANHOLE LIQUID		UNITS
	4630	DETECTION LIMIT	
PCB 1016, 1232, 1242, 1248	<24	24	ug/l
PCB 1254, 1260	<3	3	ug/l
TOTAL PCB'S	<27		ug/l



MEMORANDUM

TO: Robert Metcalf

FROM: Connie Boris *C. Boris*

DATE: October 16, 1991

RE: Status Report on Analytical Results for Building 40 and Hydrogeological Investigation

The following is a status report on the analytical laboratory results for the six samples collected from the basement stairwell on the east side of Building 40 as well as a summary of work to date on the hydrogeological study as of October 7, 1991.

I. ANALYTICAL LABORATORY RESULTS - BASEMENT OF BUILDING 40.

The laboratory analytical results for the east basement stairwell of Building 40 are attached. The following is a description of each sample label.

SAMPLE NUMBER 72479:

TYPE OF ANALYSIS: OIL  
(There was more oil than water in this sample -- anything other than water is reported in mg/kg units as required by EPA SW-846)

LOCATION: DEPRESSION CORNER 2SE  
(There is an uneven depression in the southeast corner of the basement for Building 40.)

SAMPLE NUMBER 72480:

TYPE OF ANALYSIS: OIL  
(This sample is an oil/water mix. Because there was more oil than water in this sample, it was analyzed with oil as the matrix.)



**LOCATION:** WATER STAIRS  
(The sample was collected from the surficial oil layer at the top of the stairs leading from the subbasement to the basement of Building 40 -- therefore, it is more representative of the oil layer floating on the top of the water).

**SAMPLE NUMBER 72481:**

**TYPE OF ANALYSIS:** WATER  
(This sample was also collected from the water beneath the floating oil layer at the top of the stairs leading from the subbasement to the basement of Building 40).

**LOCATION:** 1 WATER WEST  
(This sample was collected from the top of the stairwell leading from the subbasement to the basement of Building 20).

**SAMPLE NUMBER 72482:**

**TYPE OF ANALYSIS:** WATER

**LOCATION:** WHRBI  
(This is water collected from the manhole at the foot of the stairs to the basement from the door on the east wall of Building 40.)

**SAMPLE NUMBER 72483:**

**TYPE OF ANALYSIS:** SLUDGE ANALYSIS

**LOCATION:** 3 EAST  
(This sample is a composite of scrapings collected from the floor near the east wall in the basement of Building 40).

**SAMPLE NUMBER 72484:**

**TYPE OF ANALYSIS:** SLUDGE ANALYSIS



**LOCATION:****4 WEST**

(This sample is a composite of scrapings collected from the floor near the west wall in the basement of Building 40).

**II. HYDROGEOLOGICAL SITE INVESTIGATION**

As of October 7, 1991, 21 soil borings were completed, using hollow stem auger methods. Of these 21 borings, 11 were converted to groundwater monitoring wells. The project is slightly more than 50% complete. That is, a total of 40 soil borings are anticipated to be installed, according to the workplan. If the current pace continues and no drilling problems are encountered, the drilling effort should be completed during the week ending October 25, 1991. This assumes an average of eight soil borings to be completed per week.



**E N V I R O N M E N T A L L A B O R A T O R Y D I V I S I O N****WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
PROJECT NO.: 25719  
LOCATION: BUILDING #40  
SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
DESCRIPTION: OIL ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:20 AM  
DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
DATE COMPLETED: 09/24/91  
SCHEDULED COMPLETION: 09/23/91  
ANALYST: JB, KT  
QUALITY CONTROL REVIEW BY: KVH  
WORKSHEET NO:

	DEPRESSION CORNER 2SE	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72479		
PCB 1016,1232,1242,1248	<25	25	mg/kg
PCB 1254,1260	80	25	mg/kg
TOTAL PCB'S	80	---	mg/kg

## E N V I R O N M E N T A L L A B O R A T O R Y D I V I S I O N

**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
PROJECT NO.: 25719  
LOCATION: BUILDING #40  
SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
DESCRIPTION: OIL ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:10 AM  
DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
DATE COMPLETED: 09/24/91  
SCHEDULED COMPLETION: 09/23/91  
ANALYST: JB, KT  
QUALITY CONTROL REVIEW BY: KVH  
WORKSHEET NO: 3

	WATER STAIRS	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72480		
PCB 1016,1232,1242,1248	<1.0	1.0	mg/kg
PCB 1254,1260	25	1.0	mg/kg
TOTAL PCB'S	25	---	mg/kg

WW Engineering & Science 

5555 GLENWOOD HILLS PARKWAY SE • PO BOX 874 • GRAND RAPIDS, MI 49508-0874 • (616) 942-9600 FX (616) 942-8499  
Colony/Int

**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BUILDING #40  
 SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
 DESCRIPTION: WATER ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:40 AM  
 DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
 DATE COMPLETED: 09/24/91  
 SCHEDULED COMPLETION: 09/23/91  
 ANALYST: JB, KT  
 QUALITY CONTROL REVIEW BY: KVH  
 WORKSHEET NO: 3

	1 WATER WEST	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72481		
PCB 1016,1232,1242,1248	<11	11	ug/l
PCB 1254,1260	23	1.0	ug/l
TOTAL PCB'S	23	---	ug/l

WW ENGINEERING & SCIENCE  
 ENVIRONMENTAL LABORATORY DIVISION

CLIENT: GM-BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BUILDING #40  
 SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
 DESCRIPTION: WATER ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:30 AM  
 DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
 DATE COMPLETED: 09/24/91  
 SCHEDULED COMPLETION: 09/23/91  
 ANALYST: MK, KT  
 QUALITY CONTROL REVIEW BY: KVH  
 WORKSHEET NO: 3

	WHRBI	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72482		
PCB 1016,1232,1242,1248	<1.0	1.0	ug/l
PCB 1254,1260	<1.0	1.0	ug/l
TOTAL PCB'S	<2.0	---	ug/l

**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
 PROJECT NO.: 25719  
 LOCATION: BUILDING #40  
 SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
 DESCRIPTION: SLUDGE ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:30 AM  
 DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
 DATE COMPLETED: 09/24/91  
 SCHEDULED COMPLETION: 09/23/91  
 ANALYST: MK, KT  
 QUALITY CONTROL REVIEW BY: KVH  
 WORKSHEET NO: 3


	3 EAST	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72483		
PCB 1016,1232,1242,1248	<50	50	mg/kg
PCB 1254,1260	75	50	mg/kg
TOTAL PCB'S	75	---	mg/kg


**WW ENGINEERING & SCIENCE  
ENVIRONMENTAL LABORATORY DIVISION**

CLIENT: GM-BOC FLINT  
PROJECT NO.: 25719  
LOCATION: BUILDING #40  
SAMPLED BY: J. WOOSTER/ROBERT THOMAS  
DESCRIPTION: SLUDGE ANALYSIS

DATED SAMPLED: 08/30/91 TIME: 9:50 AM  
DATE RECEIVED: 09/05/91 TIME: 7:00 AM  
DATE COMPLETED: 09/24/91  
SCHEDULED COMPLETION: 09/23/91  
ANALYST: MK, KT  
QUALITY CONTROL REVIEW BY: KVH  
WORKSHEET NO: 3

	4 WEST	DETECTION LIMIT	UNITS
LAB SAMPLE NO:	72484		
PCB 1016,1232,1242,1248	<5.0	5.0	mg/kg
PCB 1254,1260	33	5.0	mg/kg
TOTAL PCB'S	33	---	mg/kg





Analytic & Biological  
Laboratories, Inc.

50 INDOPLEX CIRCLE  
BIRMINGHAM HILLS, MICHIGAN 48335

313-477-0006  
313-477-4014

DEC. 19 1991


The Advent Group, Inc.  
432 N. Saginaw  
Flint, MI 48502

Dear Amy Webster

Thank you for providing Analytic & Biological Laboratories the opportunity to serve your analytical needs. The samples received by this laboratory have been analyzed as requested. The results are compiled in the enclosed report.

If you have any questions regarding the results or if we may be of further assistance to you, please call me at the published telephone number.

Yours very truly,

  
Martine Hurwitz  
Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories

FBM/mjh



DEC. 19 1991  
Page 1

The Advent Group, Inc.  
432 N. Saginaw  
Flint, MI 48502

Attention: Amy Webster

Laboratory Sample Number: 91/12:0848  
Matrix of Sample Logged : Sludge  
Date sample submitted : 911217

Information we received for the sample consisted of the following:

- SLUDGE 12/16/91
- PROJECT NO: 91385-40-02
- PROJECT NAME: BLDG. 40-BOC

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<1.0 ppm
PCB (Arochlor 1221)	<1.0 ppm
PCB (Arochlor 1232)	<1.0 ppm
PCB (Arochlor 1242)	<1.0 ppm
PCB (Arochlor 1248)	<1.0 ppm
PCB (Arochlor 1254)	6.87 ppm
PCB (Arochlor 1260)	<1.0 ppm

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



DEC. 19 1991  
Page 1

The Advent Group, Inc.  
432 N. Saginaw  
Flint, MI 48502

Attention: Amy Webster

Laboratory Sample Number: 91/12/0849  
Matrix of Sample Logged : Oil  
Date sample submitted : 911217

Information we received for the sample consisted of the following:

-OIL 12/16/91  
-PROJECT NO: 91385-40-02  
-PROJECT NAME: BLDG. 40-BOC

The results obtained are as follows:

Description	Result	Units
PCB (Arochlor 1016)	<1.0	ppm
PCB (Arochlor 1221)	<1.0	ppm
PCB (Arochlor 1232)	<1.0	ppm
PCB (Arochlor 1242)	<1.0	ppm
PCB (Arochlor 1248)	<1.0	ppm
PCB (Arochlor 1254)	77.8	ppm
PCB (Arochlor 1260)	<1.0	ppm

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



DEC. 19 1991  
Page 1

The Advent Group, Inc.  
432 N. Saginaw  
Flint, MI 48502

Attention: Amy Webster

Laboratory Sample Number: 91/12:0850  
Matrix of Sample Logged : Water  
Date sample submitted : 911217

Information we received for the sample consisted of the following:

- WATER 12/16/91
- PROJECT NO: 91385-40-02
- PROJECT NAME: BLDG. 40-BOC

The results obtained are as follows:

Description	Result	Units
PCB (Arochlor 1016)	<0.01	ppm
PCB (Arochlor 1221)	<0.01	ppm
PCB (Arochlor 1232)	<0.01	ppm
PCB (Arochlor 1242)	<0.01	ppm
PCB (Arochlor 1248)	<0.01	ppm
PCB (Arochlor 1254)	0.113	ppm
PCB (Arochlor 1260)	<0.01	ppm

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories




PRECISION & ACCURACY  
CONTROL DATA

COMPANY NAME: The Advent Group.  
SAMPLE #: 12:0848 - 12:0850.  
DATE: 12-18-91.

<u>PARAMETERS</u>	<u>SPIKE VALUE</u>	<u>RECOVERED VALUE</u>	<u>RECOVERY</u>
Aroclor 1260	5 ppm	4.91 ppm	98 %

CHANNEL A INJECT 01-00-91 17:30:40  
 .11



PCB 81-00-91-17:30:40 CH= A PS= 1.

FILE 1. METHOD 0. RUN 57 INDEX 57


PEAK#	AREA%	RT	AREA BC
1	0.507	0.11	35601 01
2	0.893	1.41	54160 02
3	0.936	1.75	56766 02
4	0.959	2.16	58152 02
5	1.783	2.5	108180 02
6	2.196	2.66	133179 02
7	3.6	3.35	218342 02 -
8	6.113	3.74	370015 02 -
9	9.374	4.24	568599 02 -
10	6.712	4.72	419297 02 -
11	7.341	5.14	445261 02
12	7.170	5.56	435402 02 -
13	5.454	5.92	330857 02
14	1.446	6.45	87687 02
15	2.203	6.46	133637 02
16	2.69	6.72	163140 02
17	0.921	6.98	55842 02
18	5.197	7.14	315266 02
19	2.588	7.59	153933 02
20	6.52	8.00	395475 02
21	1.795	8.77	108900 02
22	4.757	9.01	288563 02
23	3.25	9.66	197158 02
24	1.714	10.3	103957 02
25	0.471	10.61	28595 02
26	1.74	10.66	105567 02
27	3.307	11.21	205476 02
28	0.375	12.05	22761 02
29	0.577	12.31	35005 02
30	1.761	12.58	106799 02
31	1.230	13.46	75114 02
32	0.976	13.67	59180 02
33	0.218	14.10	13199 02
34	0.863	14.41	52337 02
35	1.118	15.11	67809 02
36	0.23	15.56	13942 02
37	0.519	15.99	31499 02
38	0.171	16.47	10352 03

T.A: 2012455  
 1.67  
 7.10  
 83.5

TOTAL 100. 6065806



CHANNEL A INJECT 81-00-91 17:16:53



PCB

81-00-91 17:16:53

CH= 'A' PS= 1.

FILE 1. METHOD 0. RUN 55 INDEX 55

PEAK#	AREA%	RT	AREA BC
1	1.666	0.12	52255 01
2	1.275	1.39	39984 02
3	1.105	1.62	34669 02
4	1.348	2.00	42292 02
5	4.928	2.44	154577 02
6	4.777	3.32	149901 02
7	7.748	3.72	243028 02
8	10.305	4.21	323268 02
9	8.891	4.7	278895 02
10	8.738	5.13	274098 02
11	14.784	5.54	463760 02
12	3.702	6.39	116112 02
13	7.132	6.96	223736 02
14	2.151	7.52	67485 02
15	6.276	7.62	196879 02
16	1.956	8.31	61368 02
17	1.565	8.79	49023 02
18	1.40	8.85	46426 02
19	1.694	9.22	53129 02
20	3.965	9.52	96131 02
21	0.89	10.23	27925 02
22	0.247	10.29	7755 02
23	1.592	10.35	49935 02
24	0.382	11.11	11989 02
25	0.231	11.22	7248 02
26	0.441	11.45	13027 02
27	0.002	11.93	75 03
28	0.068	12.26	2122 01
29	0.035	12.71	1085 01
30	0.107	13.13	3431 01
31	1.395	14.92	43765 01
32	0.019	15.83	591 01

T.A = 1732950

1.44

x 50

72.0 (100%)

TOTAL 100.

3136854


CHANNEL A INJECT 81-00-91 17:33:43

NO DATA, CHANNEL A

83.5

72.0

77.80 (100%)




PCB 81-08-91 16:28:22 CH= "A" PS= 1.  
 FILE 1. METHOD 0. RUN 53 INDEX 53

PEAK#	AREA	RT	AREA BC
1	1.443	0.11	52845 01
2	1.533	1.48	56143 02
3	0.791	1.6	28970 02
4	4.817	2.46	176481 02
5	0.802	2.92	32311 02
6	2.836	3.33	103885 02
7	4.427	3.74	162166 02
8	6.702	4.23	245508 02
9	5.567	4.71	203937 02
10	5.15	5.14	188653 02
11	9.242	5.57	338371 02
12	4.87	6.31	178309 02
13	2.626	6.78	96188 02
14	1.857	7.05	60016 02
15	0.665	7.1	24349 02
16	0.663	7.17	24287 02
17	2.16	7.24	79114 02
18	2.946	7.47	107933 02
19	7.587	7.98	278001 02
20	0.734	8.51	34233 02
21	0.523	8.59	19159 02
22	1.487	8.65	54461 02
23	2.351	8.85	86127 02
24	1.814	9.16	66446 02
25	0.859	9.4	31473 02
26	0.513	9.48	18789 02
27	3.507	9.57	128564 02
28	3.067	10.12	112373 02
29	2.417	10.78	88540 02
30	2.193	11.03	80342 02
31	2.252	11.64	82485 02
32	1.48	11.9	54200 02
33	1.726	12.19	63233 02
34	1.187	12.88	43547 02
35	1.384	13.4	50696 02
36	0.416	13.61	15246 02
37	0.919	13.86	33679 02
38	1.425	14.12	52202 02
39	1.056	14.72	38670 02
40	1.071	15.03	61956 02
41	0.	16.24	13 05
42	0.022	16.66	811 06
43	0.01	16.9	376 03

T-A = 1242780  
 1.03  
 x 6.67  
 -----  
 6.87 ppm

CHANNEL A INJECT 81-88-91 18:07:14




PCB 81-88-91 18:07:14 CH= 'A' PS= 1.

FILE 1. METHOD 0. RUN 58 INDEX 58

PEAK#	AREA%	RT	AREA	BC
1	0.286	0.11	42388	01
2	1.06	1.56	156939	02
3	0.58	2.19	85940	02
4	0.986	2.48	134070	02
5	1.66	2.67	245694	02
6	2.099	3.36	310777	02
7	3.664	3.75	542373	02
8	5.262	4.25	779068	02
9	4.094	4.77	606048	02
10	5.107	5.2	756072	02
11	4.951	5.62	732981	02
12	1.855	5.97	274662	02
13	1.323	6.12	195091	02
14	0.851	6.19	126022	02
15	0.664	6.23	98360	02
16	0.479	6.31	70874	02
17	4.309	6.63	637969	02
18	3.553	6.91	525980	02
19	2.204	7.13	326272	02
20	2.631	7.36	389447	02
21	3.074	7.67	573480	02
22	5.279	7.79	781545	02
23	1.949	8.25	208585	02
24	8.562	8.27	1267570	02
25	5.31	9.08	786187	02
26	1.316	9.54	194843	02
27	9.116	9.68	1349653	02
28	0.524	10.86	1201998	02
29	0.069	12.64	128589	02
30	1.02	12.76	150937	02
31	3.68	13.11	544010	02
32	1.137	14.51	168335	02
33	1.75	14.8	259044	02
34	0.077	16.58	11339	03

T.A. 341652  
2.83  
\*24 = 0.113 per

6  
10  
22  
19  
4  
5  
9  
0  
14  
15  
16  
19  
20  
21  
24  
25  
26  
29  
30  
31  
FAL




PCB 81-08-71 14:08:31 CH= "A" PS= 1.

FILE 1. METHOD 0. RUN 48 INDEX 48

PEAK#	AREA%	RT	AREA BC
1	0.826	0.12	46417 01
2	0.446	1.43	25037 02
3	0.465	1.8	26136 02
4	0.517	1.97	30740 02
5	1.29	2.4	72493 02
6	1.514	3.3	85065 02
7	2.726	3.67	153126 02
8	2.023	4.19	113661 02
9	9.3	4.63	522434 02
10	12.246	5.00	687917 02
11	10.019	5.49	562492 02
12	9.084	5.80	510296 02
13	11.173	6.25	627670 02
14	11.641	6.74	653940 02
15	4.559	7.15	256083 02
16	10.503	7.45	590033 02
17	1.107	8.42	66683 02
18	2.776	8.43	155960 02
19	2.895	8.95	162642 02
20	1.065	9.72	59838 02
21	0.343	10.22	17283 02
22	0.901	10.57	50618 02
23	0.99	10.94	55604 02
24	0.141	11.08	7899 02
25	0.470	12.23	26845 02
26	0.131	12.82	7384 02
27	0.102	13.14	5753 02
28	0.409	13.6	22975 02
29	0.39	14.07	5042 02
30	0.022	14.33	1256 02
31	0.041	14.64	2300 02
32	0.001	14.89	56 03
33	0.016	15.58	901 01
34	0.053	16.14	2960 01

T.A = 3 132 923

TOTAL 100. 5617567



PCB 81-08-91 13:41:23 CH= 'A' PG= 1.


FILE 1. METHOD 0. RUN 47 INDEX 47


PEAK#	AREA%	RT	AREA	BC
1	1.566	0.14	92607	01
2	0.752	1.68	44403	02
3	0.619	2.05	36653	02
4	0.764	2.51	45179	02
5	0.45	2.75	26602	02
6	1.393	3.3	82480	02
7	1.062	3.68	62843	02
8	1.753	3.67	103754	02
9	2.068	4.19	122847	02
10	9.485	4.64	558284	02-
11	6.722	5.1	397749	02
12	8.824	5.24	226244	02
13	10.253	5.5	606671	02 -
14	8.51	5.89	505290	02 -
15	10.329	6.26	611109	02-
16	10.693	6.76	632700	02-
17	4.710	7.18	279147	02-
18	10.476	7.47	619862	02
19	4.003	8.44	284203	02
20	1.436	9.26	84969	02
21	1.495	9.52	88466	02
22	1.71	9.94	101103	02
23	0.213	10.8	12580	02
24	0.419	11.	24774	02
25	0.551	11.86	32595	02
26	1.109	11.86	65600	02
27	0.181	12.52	10724	02
28	0.065	12.71	3070	02
29	0.202	12.77	11933	02
30	0.483	13.29	28563	02
31	0.881	13.76	52135	02
32	0.199	14.99	11798	02
33	0.319	15.2	10868	02
34	0.258	15.67	15274	02
35	0.165	15.94	9785	02
36	0.082	16.47	4844	02
37	0.012	16.72	709	03

T.A. 3193301

TOTAL 100. 5917027







January 23, 1992

Mr. Paul Barth  
Flint Automotive Division  
Buick-Oldsmobile-Cadillac Group  
General Motors Corporation  
902 East Hamilton Avenue  
Flint, Michigan 48550

RE: Fire and Environmental Consulting Laboratories, Inc.  
(FECL)  
PCB Analysis - Building 40  
Advanced Project No. 92018

Dear Mr. Barth:

Per your request Advanced Environmental, Inc. (Advanced) has reviewed the PCB analytical results provided by FECL for the samples collected in Building 40 by AvenDt Environmental on December 4 and 16, 1991. The results show non-detectable levels of PCBs in each sample submitted. AvenDt requested the December 16, 1991, samples be reanalyzed by FECL to confirm the results. The report issued by FECL on January 8, 1992, for the reruns show PCB levels ranging from 0.04 to 356 ppm.

It is Advanced's opinion that the data provided by FECL is not reliable.

If you have any questions or require any additional information please feel free to contact me at (313) 238-9190.

Sincerely,

ADVANCED ENVIRONMENTAL, INC.

Mark W. Keyes, R.G.  
Project Manager

MWK:j



# Fire & Environmental Consulting Laboratories, Inc.

One East Complex 1451 East Lansing Dr., Suite 222 East Lansing, MI 48823 (517) 332-0167 FAX (517) 332-6333  
7160 Graham Rd., Indianapolis, IN 46250 (317) 577-8087 FAX (317) 594-9408

## FECL FAX Transmission Report

Time 11:37 Date 12-13-91

TO: Amy Webster FAX NUMBER: \_\_\_\_\_

COMPANY: Alend +

NUMBER OF PAGES (Including Cover) 6

### MESSAGE

B-40 t Storage Pit 91385-02 results

FROM: Deanne Amen



# Fire & Environmental Consulting Laboratories, Inc.

One East Complex 1451 East Lansing Dr., Suite 222 East Lansing, MI 48823 (517) 332-0167 FAX (517) 332-6333  
Indianapolis (317) 879-0913 FAX (317) 879-0914

December 13, 1991

Avendt Environmental  
432 N. Saginaw, 4th Floor  
Flint, MI 48502

Attention: Ms. Amy S. Webster

## Analytical Laboratory Report

FECL #: 8395-91-E1

8396-91-E1-3

Samples analyzed by: P. Roettger, J. Blaszczyk, L. DeWitt

Samples collected by: M.W.K

Analyses requested by: A. Webster

Date/time samples submitted: 12-05-91 3:35 pm

PO #: Verbal

Submitting Company: Avendt Environmental  
432 N. Saginaw, 4th Floor  
Flint, MI 48502

Project Description: B-40 & Storage Pit 91385-02

### Samples Collected:

FECL #: 8395-91-E1

Tag: Storage Pit Area #1

Container: Plastic Bottles

Sample type: Liquid

Preservation: None

Sampling date/time: 12/04/91

FECL #: 8396-91-E1

Tag: B-40 H<sub>2</sub>O

Container: Plastic/Glass/Vial

Sample type: H<sub>2</sub>O

Preservation: None

Sampling date/time: 12/04/91

FECL #: 8396-91-E2

Tag: B-40 Oil

Container: Glass/Vial

Sample type: Oil/H<sub>2</sub>O

Preservation: None

Sampling date/time: 12/04/91

FECL #: 8396-91-E3

Tag: B-40 Sludge

Container: Glass

Sample type: Sludge

Preservation: None

Sampling date/time: 12/04/91

Analytical Laboratory Report  
 Avendt Environmental  
 FECL #: 8395-91-E1 et al  
 December 13, 1991  
 Page 2 of 5

FECL #: 8395-91-E1  
 Tag: Storage Pit Area #1

**Metals**

Arsenic	<0.005 mg/l
Barium	0.47 mg/l
Cadmium	<0.005 mg/l
Chromium	0.012 mg/l
Coper	0.01 mg/l
Lead	<0.01 mg/l
Mercury	<0.005 mg/l
Selenium	<0.005 mg/l
Silver	<0.005 mg/l
Zinc	0.13 mg/l

FECL #:	8396-91-E1	8396-91-E2	8396-91-E3
Tag:	B-40 H2O	B-40 Oil	B-40 Sludge

**Metals**

Arsenic	0.96 mg/l	0.62 mg/kg	3.60 mg/kg
Barium	4.08 mg/l	0.89 mg/kg	39.3 mg/kg
Cadmium	0.016 mg/l	<0.01 mg/kg	0.60 mg/kg
Chromium	0.16 mg/l	0.07 mg/kg	6.48 mg/kg
Coper	0.90 mg/l	0.40 mg/kg	42.8 mg/kg
Lead	1.58 mg/l	0.60 mg/kg	57.1 mg/kg
Mercury	<0.005 mg/l	<0.005 mg/kg	0.043 mg/kg
Selenium	<0.05 mg/l	<0.05 mg/kg	0.09 mg/kg
Silver	<0.01 mg/l	<0.01 mg/kg	0.03 mg/kg
Zinc	7.80 mg/l	1.91 mg/kg	100 mg/kg

FECL #:	8396-91-E1	8396-91-E2	8396-91-E3
Tag:	B-40 H <sub>2</sub> O	B-40 Oil	B-40 Sludge

Method 8010 - Halogenated Volatile Organics

Benzyl chloride	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
bis(2-chloroethoxy) methane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
bis(2-chloroisopropyl) ether	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Bromobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Bromodichloromethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Bromoform	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Bromomethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Carbon tetrachloride	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chloroacetaldehyde	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
2-Chloroethylvinyl ether	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chloroform	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1-Chlorohexane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chloromethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chloromethyl methyl ether	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chlorotoluene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Dibromochloromethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Dibromomethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,2-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,3-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,4-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Dichlorodifluoromethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,1-Dichloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,2-Dichloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,1-Dichloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
t-1,2-Dichloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,2-Dichloropropane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
c-1,3-Dichloropropene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
t-1,3-Dichloropropene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Methylene chloride	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,1,1,2-Tetrachloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,1,2,2-Tetrachloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Tetrachloroethene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,1,1-Trichloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,1,2-Trichloroethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Trichloroethene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Trichlorofluoromethane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Trichloropropane	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Vinyl chloride	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg

Analytical Laboratory Report  
Avent Environmental  
FECL #: 8395-91-E1 et al  
December 13, 1991  
Page 4 of 4

FECL #:	8396-91-E1	8396-91-E2	8396-91-E3
Tag:	B-40 H <sub>2</sub> O	B-40 Oil	B-40 Sludge

Method 8020 - Aromatics Volatile Organics

Benzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,2-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,3-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,4-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Ethylbenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Toluene	<0.005 mg/l	<0.1 mg/kg	0.06 mg/kg
p,m-Xylene	<0.005 mg/l	<0.1 mg/kg	0.10 mg/kg
o-Xylene	<0.005 mg/l	0.1 mg/kg	0.18 mg/kg
		<0.1 mg/kg	<0.05 mg/kg

Method 8080 - Organochlorine PCBs

PCB-1018	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1221	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1232	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1242	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1248	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1254	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1260	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg

*V.F. Murshak/ra*

Violetta F. Murshak  
Laboratory Manager

VFM/ajc

Analytical Laboratory Report  
Arendt Environmental  
FECL #: 8395-91-E1 et al  
December 13, 1991  
Page 4 of 5


FECL #:	8396-91-E1	8396-91-E2	8396-91-E3
Tag:	B-40 H <sub>2</sub> O	B-40 Oil	B-40 Sludge

Method 8020 - Aromatics Volatile Organics

Benzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Chlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,2-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,3-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
1,4-Dichlorobenzene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg
Ethylbenzene	<0.005 mg/l	<0.1 mg/kg	0.08 mg/kg
Toluene	<0.005 mg/l	<0.1 mg/kg	0.10 mg/kg
p,m-Xylene	<0.005 mg/l	0.1 mg/kg	0.18 mg/kg
o-Xylene	<0.005 mg/l	<0.1 mg/kg	<0.05 mg/kg

Method 8080 - Organochlorine PCBs

PCB-1016	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1221	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1232	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1242	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1248	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1254	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg
PCB-1260	<0.001 mg/l	<0.01 mg/kg	<0.01 mg/kg



 **ADVANCED  
ENVIRONMENTAL, INC.**

ENVIRONMENTAL MANAGEMENT CONSULTANTS

March 25, 1992

Mr. Paul Barth  
Environmental Engineer  
Flint Automotive Division  
BOC Group  
902 East Hamilton Avenue  
Flint, Michigan 48550

RE: CATCH BASIN INVESTIGATION  
Building 40  
Advanced Project No. 2018DC


Dear Mr. Barth:

Enclosed is a summary of the work performed at the catch basin in the basement of Building 40, and copies of the analytical results of the three (3) samples collected from the catch basin.

If you have any questions or require any additional information please feel free to contact me at 238-9190.

Sincerely,

ADVANCED ENVIRONMENTAL, INC.



Mark W. Keyes, R.G.  
Geologist

MWK:j

Enclosure

**GM - BOC**

**Building 40**

**CATCH BASIN INVESTIGATION**

*Prepared by:*

Advanced Environmental, Inc.  
352 South Saginaw Street, Suite 600  
Flint, Michigan 48502-1917

March, 1992

Advanced Project No. 2018DC

**TABLE OF CONTENTS**

**1.0 INTRODUCTION . . . . . 1**

**2.0 INVESTIGATION . . . . . 2**

**2.1 Review of Site Plans . . . . . 2**

**2.2 Field Investigation . . . . . 2**

**2.3 Sample Collection . . . . . 2**

**2.4 Analytical Results . . . . . 3**

**2.5 Decontamination . . . . . 3**

**3.0 SUMMARY . . . . . 4**

**Figure 1                    North-South Cross Section - Building 40**

**Appendix A                Analytical Results**

## **1.0 INTRODUCTION**

As part of an on-going investigation, Advanced Environmental, Inc. (Advanced), was directed by General Motors (GM) - BOC to determine the construction and sample the contents of the catch basin located in the basement of Building 40. The catch basin is located at the base of the stairs which access the basement of Building 40. The stairwell is located along the east wall of Building 40. The catch basin is approximately two (2) feet in diameter and covered by a round steel plate. Water currently fills the catch basin to the grade of the basement floor.

## **2.0 INVESTIGATION**

### **2.1 Review of Site Plans**

Site drawings for Building 40, provided by GM, dated between 1922 and 1944, do not show the catch basin. The drawings do indicate a possible void space beneath the basement floor at the current location of the catch basin.

### **2.2 Field Investigation**

On March 6, 1992, Advanced personnel met with Cliff Nauss, the Environmental Coordinator of Building 40, who unlocked the access to the basement of Building 40. The cover to the catch basin was removed and a tripod was placed over the opening. A sonar transducer fixed to the bottom of a twelve (12) foot aluminum extension pole was lowered into the catch basin. Horizontal measurements were recorded at depths of three (3), six (6), and nine (9) feet. The measurements indicate a concrete cylinder approximately three (3) feet in diameter. The pole was lowered to the bottom of the catch basin at approximately twelve (12) feet. A trench, approximately one (1) foot wide and two (2) feet deep was noted running through the middle of the base. The rungs of a steel ladder were noted along the west side of the catch basin. Figure 1 illustrates the catch basin.

### **2.3 Sample Collection**

On February 7, 1992, a sample of the water in the catch basin was collected by Advanced personnel. The sample was collected at the surface of the catch basin and placed in a 32-ounce, unpreserved glass container. The sample was labeled and transported on February 11, 1992, with a chain-of-custody form, to National Environmental Testing, Inc. (NET) laboratories, in Auburn Hills, Michigan. The sample was analyzed for PCBs per EPA Method 8080.

On March 6, 1992, Advanced personnel collected two (2) water samples from the catch basin. A stainless steel bomb sampler was lowered into the catch basin to an approximate depth of six (6) feet. The sampler was opened and allowed to fill and then closed and removed. The contents of the sampler were placed into a 32-ounce, unpreserved glass container. The procedure was repeated until the sample container was filled. The sampler was decontaminated and lowered into the catch basin to an

approximate depth of twelve (12) feet and a sample was collected. The contents of the sampler were placed into another 32-ounce, unpreserved glass container. The procedure was repeated until the sample container was filled. The samples were labeled and transported on March 9, 1992, with a chain-of-custody form, to NET laboratories. The sample was analyzed for PCBs per EPA Method 8080.

The sample collected at six (6) feet was clear with a slight percentage of suspended solids, approximately five (5) to ten (10) percent. The sample collected at twelve (12) feet was black and contained approximately fifty (50) to seventy-five (75) percent solids. Both samples had a slightly stagnant odor. No sheen or layering was visible on the surface water in the catch basin.

#### **2.4 Analytical Results**

The samples were analyzed for PCBs in accordance with the EPA Method 8080. The results of all three (3) samples were less than 0.05  $\mu\text{g/L}$  for seven (7) Aroclors tested. The detection level for Method 8080 is 0.05  $\mu\text{g/L}$ . A copy of the analytical results is included in Appendix A.

#### **2.5 Decontamination**

The bomb sampler was decontaminated prior to use at the site. Between sample collection at the different depths, the sampler was dismantled and scrubbed in a bucket of water with approximately four (4) ounces of Alconox detergent. The pieces of the sampler were transferred to a bucket of rinse water, removed and reassembled. The procedure was repeated prior to removing the sampler from the site.


The transducer, cabling, and extension pole were decontaminated following the procedure identified above before removing the equipment from the site.

### 3.0 SUMMARY

On March 6, 1992, Advanced personnel investigated the construction of the catch basin in the basement of Building 40 at the base of the stairwell along the east wall of the building. Sonar measuring equipment was used to verify the wall and bottom of the catch basin. The catch basin measures approximately three (3) feet in diameter, approximately twelve (12) feet deep and has a one (1) foot wide, two (2) foot deep trench running east-west through the base.

Discrete samples of the water within the catch basin were collected on February 7, and March 6, 1992. The samples were collected at the surface, six (6) feet, and twelve (12) feet below the surface. The samples were analyzed for PCBs per EPA Method 8080. The analytical results indicated levels below the method detection level of 0.05  $\mu\text{g/L}$ .

**FIGURE**



<h1>GM - BOC</h1>	
TITLE: GM - BOC CATCH BASIN BUILDING 40 N - S CROSS SECTION	
DATE: 3/23/92	APPROVED BY: M.W.K.
SCALE: NOT TO SCALE	DRAWN BY: C.G.S.
FIGURE NUMBER: 1	PROJECT NUMBER: 2018DC
ADVANCED ENVIRONMENTAL, INC. ENVIRONMENTAL MANAGEMENT CONSULTANTS	

# **APPENDIX A**



NATIONAL ENVIRONMENTAL TESTING, INC.

NET Midwest, Inc.  
 Auburn Hills Division  
 1700 Harmon Road  
 Auburn Hills, MI 48326

Tel: (313) 391-2050  
 Fax: (313) 391-9698

## ANALYTICAL REPORT

Scott Hoffman  
 ADVANCED ENVIRONMENTAL INC  
 352 S Saginaw  
 Suite 600  
 Flint, MI 48502-1917

02/21/1992

Job No.: 92.0641  
 Sample No.: 102293

Project #2018 DC  
 GM-BOC-Bld 40

Sample Description: Manhole at Base of Stairs 02/07

Date Taken: 02/07/1992

Date Received: 02/11/1992

Parameter	Result	Unit	Date Analyzed	Lab Tech.	Methodology
PCB's					
Aroclor-1016	<0.050	ug/L	02/18/1992	mmk	8080 (1)
Aroclor-1221	<0.050	ug/L	02/18/1992	mmk	8080 (1)
Aroclor-1232	<0.050	ug/L	02/18/1992	mmk	8080 (1)
Aroclor-1242	<0.050	ug/L	02/18/1992	mmk	8080 (1)
Aroclor-1248	<0.050	ug/L	02/18/1992	mmk	8080 (1)
Aroclor-1254	<0.050	ug/L	02/18/1992	mmk	8080 (1)
Aroclor-1260	<0.050	ug/L	02/18/1992	mmk	8080 (1)

Bruce E. Brown  
 Project Manager





NATIONAL  
ENVIRONMENTAL  
TESTING, INC.

NET Midwest, Inc.  
Auburn Hills Division  
1700 Harmon Road  
Auburn Hills, MI 48326

Tel: (313) 391-2050  
Fax: (313) 391-9698

#### METHODOLOGY

- (1) EPA SW846, "Test Methods for Evaluating Solid Wastes".
- (2) ASTM, "American Society for Testing Materials".
- (3) EPA 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes".
- (4) "Standard Methods for the Examination of Water and Wastewater", 17th Edition, 1989.
- (5) 40 CFR, Part 136; reprinted in EPA 600/4-82-057, "Methods for Organic Analyses of Municipal and Industrial Wastewaters."
- (6) 40 CFR, Part 763;
- (7) "Standard Methods for the Examination of Water and Wastewater", 16th Edition, 1985.
- (8) Methods of Air Sampling and Analysis, 2nd. Edition.
- (9) DNR, "Michigan Department of Natural Resources Laboratory Manual for Wastewater Treatment Plant Operators".

#### UNITS OF CONVERSION

ppm (part per million) = mg/Kg, mg/L, ug/g, ug/ml

ppb (part per billion) = ug/Kg, ug/L

% = ppm divided by 10,000







**NATIONAL  
ENVIRONMENTAL  
TESTING, INC.**

NET Midwest, Inc.  
Auburn Hills Division  
1700 Harmon Road  
Auburn Hills, MI 48326  
Tel: (313) 391-2050  
Fax: (313) 391-9698

## ANALYTICAL REPORT

Keith Edwards  
ADVANCED ENVIRONMENTAL INC  
352 S Saginaw  
Suite 600  
Flint, MI 48502-1917

03/23/1992  
Job No.: 92.1185  
Sample No.: 103507

Project #2018 DC  
BOC Building 40

Sample Description: C.B. 6.0 03/06  
Date Taken: 03/06/1992

Date Received: 03/09/1992

Parameter	Result	Unit	Date Analyzed	Lab Tech.	Methodology
PCB'S					
Aroclor-1016	<0.05	ug/L	03/19/1992	mmk	8080 (1)
Aroclor-1221	<0.05	ug/L	03/19/1992	mmk	8080 (1)
Aroclor-1232	<0.05	ug/L	03/19/1992	mmk	8080 (1)
Aroclor-1242	<0.05	ug/L	03/19/1992	mmk	8080 (1)
Aroclor-1248	<0.05	ug/L	03/19/1992	mmk	8080 (1)
Aroclor-1254	<0.05	ug/L	03/19/1992	mmk	8080 (1)
Aroclor-1260	<0.05	ug/L	03/19/1992	mmk	8080 (1)

  
Bruce E. Brown  
Project Manager





**NATIONAL  
ENVIRONMENTAL  
TESTING, INC.**

NET Midwest, Inc.  
Auburn Hills Division  
1700 Harmon Road  
Auburn Hills, MI 48326  
Tel: (313) 391-2050  
Fax: (313) 391-9698

## ANALYTICAL REPORT

Keith Edwards  
ADVANCED ENVIRONMENTAL INC  
352 S Saginaw  
Suite 600  
Flint, MI 48502-1917

03/23/1992  
Job No.: 92.1185  
Sample No.: 103508

Project #2018 DC  
BCC Building 40

Sample Description: C.B. 12.0 03/06  
Date Taken: 03/06/1992

Date Received: 03/09/1992

Parameter	Result	Unit	Date Analyzed	Lab Tech.	Methodology
PCB'S					
Aroclor-1016	<0.05	ug/L	03/19/1992	mmk	8080 (1)
Aroclor-1221	<0.05	ug/L	03/19/1992	mmk	8080 (1)
Aroclor-1232	<0.05	ug/L	03/19/1992	mmk	8080 (1)
Aroclor-1242	<0.05	ug/L	03/19/1992	mmk	8080 (1)
Aroclor-1248	<0.05	ug/L	03/19/1992	mmk	8080 (1)
Aroclor-1254	<0.05	ug/L	03/19/1992	mmk	8080 (1)
Aroclor-1260	<0.05	ug/L	03/19/1992	mmk	8080 (1)

  
Bruce E. Brown  
Project Manager







NATIONAL ENVIRONMENTAL TESTING, INC.

NET Midwest, Inc.  
Auburn Hills Division  
1700 Harmon Road  
Auburn Hills, MI 48326

Tel: (313) 391-2050  
Fax: (313) 391-9898

FAX TRANSMISSION NOTICE

Date: 7/27/98

Time: 7:10

To: Keith Edwards

Company: Advanced

Sender: P. Brown

You should receive 4 pages, including this notice.

If you do not receive all pages, please call the sender immediately.

This transmission includes:

- letter
- memo
- analytical report(s): sample # and client description

Our FAX machine is: Group II or Group III compatible

Our FAX number is: (313) 391-0337


Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_


PLEASE CALL (313) 391-2050 IF YOU HAVE ANY DIFFICULTY RECEIVING THIS FACSIMILE.

This material is intended only for the use of the individual or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone.



Thank you.





MAY 5 1992

Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1256  
Matrix of Sample Logged : Water  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-WW-T  
-PROJECT NO: 2018  
-PROJECT B40

The results obtained are as follows:


Description	Result	Units
PCB (Arochlor 1016)	<0.01	ppm
PCB (Arochlor 1221)	<0.01	ppm
PCB (Arochlor 1232)	<0.01	ppm
PCB (Arochlor 1242)	<0.01	ppm
PCB (Arochlor 1248)	<0.01	ppm
PCB (Arochlor 1254)	0.29	ppm
PCB (Arochlor 1260)	<0.01	ppm

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 4 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1257  
Matrix of Sample Logged : Water  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-WW-M  
-PROJECT NO: 2018  
-PROJECT B40

The results obtained are as follows:


Description	Result	Units
PCB (Arochlor 1016)	<0.01	ppm
PCB (Arochlor 1221)	<0.01	ppm
PCB (Arochlor 1232)	<0.01	ppm
PCB (Arochlor 1242)	<0.01	ppm
PCB (Arochlor 1248)	<0.01	ppm
PCB (Arochlor 1254)	<0.01	ppm
PCB (Arochlor 1260)	<0.01	ppm

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 4 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1259  
Matrix of Sample Logged : Water  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- EW-B
- PROJECT NO: 2018
- PROJECT B40

The results obtained are as follows:

Description	Result	Units
PCB (Arochlor 1016)	<0.01	ppm
PCB (Arochlor 1221)	<0.01	ppm
PCB (Arochlor 1232)	<0.01	ppm
PCB (Arochlor 1242)	<0.01	ppm
PCB (Arochlor 1248)	<0.01	ppm
PCB (Arochlor 1254)	<0.01	ppm
PCB (Arochlor 1260)	<0.01	ppm

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories

**ADVANCED ENVIRONMENTAL, INC.**  
**ENVIRONMENTAL MANAGEMENT CONSULTANTS**

352 SOUTH SAGINAW STREET • SIXTH FLOOR • FLINT, MICHIGAN 48502  
 PHONE: (313)238-9190 • FAX: (313)238-9195


LABORATORY:  
 PROJECT #:


A & B

2018

## CHAIN OF CUSTODY RECORD

PROJECT:				CONTAINERS	ANALYSIS REQUIRED	PRESERVATION		
SAMPLERS: (Signature)						ICED	SPECIFY CHEMICAL ADDED AND FINAL pH IF KNOWN	
SAMPLE NUMBER	DATE	TIME	MATRIX		TURN AROUND TIME			
WW-T	4/23/18		water	1	<div style="text-align: center; border: 1px solid black; padding: 5px;">                     PCOs (Anchors)                 </div>			
WW-M	↓		↓	↓				
WW-B								
EW-B	↓		↓	↓				
RELINQUISHED BY: (Signature) ①	DATE	TIME	RECEIVED BY: (Signature)	RELINQUISHED BY: (Signature) ④	DATE	TIME	SHIPPED (via)	
<i>[Signature]</i>	4-28-18	10:55 A	<i>[Signature]</i>	<i>[Signature]</i>	4-28-18	3:30 P		
RELINQUISHED BY: (Signature) ②	DATE	TIME	RECEIVED BY: (Signature)	RECEIVED FOR LABORATORY BY:	DATE	TIME	SHIPPING TKT. #	
RELINQUISHED BY: (Signature) ③	DATE	TIME	RECEIVED BY: (Signature)	REMARKS:				





Analytic & Biological  
Laboratories, Inc.

MAY 5 1992

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Dear Jeff Raleigh

Thank you for providing Analytic & Biological Laboratories the opportunity to serve your analytical needs. The samples received by this laboratory have been analyzed as requested. The results are compiled in the enclosed report.

If you have any questions regarding the results or if we may be of further assistance to you, please call me at the published telephone number.


Yours very truly,

*Janine Reagan*  
Martine Hurwitz  
Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories

FBM/mjh

EXTRICATIONS  
FEDERAL BUREAU OF INVESTIGATION  
FEDERAL LABORATORY PROGRAM  
U.S. DEPARTMENT OF AGRICULTURE  
U.S. ENVIRONMENTAL PROTECTION AGENCY  
U.S. MARINE CORPS  
U.S. NAVY  
U.S. AIR FORCE  
U.S. ARMY  
U.S. COAST AND GEODETIC SURVEY  
U.S. DEPARTMENT OF COMMERCE  
U.S. DEPARTMENT OF DEFENSE  
U.S. DEPARTMENT OF ENERGY  
U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES  
U.S. DEPARTMENT OF JUSTICE  
U.S. DEPARTMENT OF LABOR  
U.S. DEPARTMENT OF TRANSPORTATION  
U.S. ENVIRONMENTAL PROTECTION AGENCY  
U.S. MARINE CORPS  
U.S. NAVY  
U.S. AIR FORCE  
U.S. ARMY  
U.S. COAST AND GEODETIC SURVEY  
U.S. DEPARTMENT OF COMMERCE  
U.S. DEPARTMENT OF DEFENSE  
U.S. DEPARTMENT OF ENERGY  
U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES  
U.S. DEPARTMENT OF JUSTICE  
U.S. DEPARTMENT OF LABOR  
U.S. DEPARTMENT OF TRANSPORTATION



MAY 4 1992

Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1224  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-W1  
-PROJECT NO: 2018DC  
-PROJECT B40

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology


Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories

*Analytic & Biological Laboratories, Inc.*

24350 INDOPLEX CIRCLE FARMINGTON HILLS, MICHIGAN 48335 (313) 477-6666 FAX (313) 477-4614



MAY 4 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1225  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-W2  
-PROJECT NO: 2018DC  
-PROJECT B40

The results obtained are as follows:


Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 4 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1226  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-U3  
-PROJECT NO: 2018DC  
-PROJECT B40

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 4 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1227  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-W4  
-PROJECT NO: 2018DC  
-PROJECT B40

The results obtained are as follows:


Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 4 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1228  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-W5  
-PROJECT NO: 2018DC  
-PROJECT B40

The results obtained are as follows:


Description	Result	Units
PCB (Arochlor 1016)	<50	ug/sample
PCB (Arochlor 1221)	<50	ug/sample
PCB (Arochlor 1232)	<50	ug/sample
PCB (Arochlor 1242)	<50	ug/sample
PCB (Arochlor 1248)	<50	ug/sample
PCB (Arochlor 1254)	112.8	ug/sample
PCB (Arochlor 1260)	<50	ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 4 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1229  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W6
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:


Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 4 1992

Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1230  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- WB
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 4 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1231  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-W9  
-PROJECT NO: 2019DC  
-PROJECT B40

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1232  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-W10  
-PROJECT NO: 2018DC  
-PROJECT B40

The results obtained are as follows:


Description	Result	Units
PCB (Arochlor 1016)	<10	ug/sample
PCB (Arochlor 1221)	<10	ug/sample
PCB (Arochlor 1232)	<10	ug/sample
PCB (Arochlor 1242)	<10	ug/sample
PCB (Arochlor 1248)	<10	ug/sample
PCB (Arochlor 1254)	<10	ug/sample
PCB (Arochlor 1260)	<10	ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1233  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-W11  
-PROJECT NO: 2018DC  
-PROJECT B40

The results obtained are as follows:

Description	Result	Units
PCB (Arochlor 1016)	<10	ug/sample
PCB (Arochlor 1221)	<10	ug/sample
PCB (Arochlor 1232)	<10	ug/sample
PCB (Arochlor 1242)	<10	ug/sample
PCB (Arochlor 1248)	<10	ug/sample
PCB (Arochlor 1254)	<10	ug/sample
PCB (Arochlor 1260)	<10	ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1234  
Matrix of Sample Logged: Wipe Sample  
Date sample submitted: 920428

Information we received for the sample consisted of the following:

- W12
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:


Description	Result	Units
PCB (Arochlor 1016)	<10	ug/sample
PCB (Arochlor 1221)	<10	ug/sample
PCB (Arochlor 1232)	<10	ug/sample
PCB (Arochlor 1242)	<10	ug/sample
PCB (Arochlor 1248)	<10	ug/sample
PCB (Arochlor 1254)	<10	ug/sample
PCB (Arochlor 1260)	<10	ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1235  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W13
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:

Description	Result	Units
PCB (Arochlor 1016)	<10	ug/sample
PCB (Arochlor 1221)	<10	ug/sample
PCB (Arochlor 1232)	<10	ug/sample
PCB (Arochlor 1242)	<10	ug/sample
PCB (Arochlor 1248)	<10	ug/sample
PCB (Arochlor 1254)	<10	ug/sample
PCB (Arochlor 1260)	<10	ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories


**ADVANCED ENVIRONMENTAL, INC.**  
**ENVIRONMENTAL MANAGEMENT CONSULTANTS**  
 352 SOUTH SAGINAW STREET • SIXTH FLOOR • FLINT, MICHIGAN 48502  
 PHONE: (313)238-9190 • FAX: (313)238-9195

LABORATORY:  
*A&B*

PROJECT #:  
*2018DC*

## CHAIN OF CUSTODY RECORD

PROJECT: <i>B40</i>				CONTAINERS	ANALYSIS REQUIRED <i>PICs (Anions)</i>	TURN AROUND TIME	PRESERVATION		
SAMPLERS: (Signature) <i>[Signature]</i>							ICED	SPECIFY CHEMICAL ADDED AND FINAL pH IF KNOWN	
SAMPLE NUMBER	DATE	TIME	MATRIX						
<i>W1</i>	<i>4-28-92</i>		<i>Wipe</i>	<i>1</i>	<i>X</i>		<i>Std</i>	<i>Hexane</i>	
<i>W2</i>					<i>X</i>				
<i>W3</i>					<i>X</i>				
<i>W4</i>					<i>X</i>				
<i>W5</i>					<i>X</i>				
<i>W6</i>					<i>X</i>				
<i>W8</i>					<i>X</i>				
<i>W9</i>					<i>X</i>				
<i>W10</i>					<i>X</i>				
<i>W11</i>					<i>X</i>				
<i>W12</i>					<i>X</i>				
<i>W13</i>					<i>X</i>				
RELINQUISHED BY: (Signature) ① <i>[Signature]</i>		DATE <i>4-28-92</i>	TIME <i>10:55A</i>	RECEIVED BY: (Signature) <i>[Signature]</i>		RELINQUISHED BY: (Signature) ④ <i>[Signature]</i>	DATE <i>4-28-92</i>	TIME <i>3:30p</i>	SHIPPED (via)
RELINQUISHED BY: (Signature) ② <i>[Signature]</i>		DATE	TIME	RECEIVED BY: (Signature)		RECEIVED FOR LABORATORY BY:	DATE	TIME	SHIPPING TKT. #
RELINQUISHED BY: (Signature) ③		DATE	TIME	RECEIVED BY: (Signature)		REMARKS:			



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1236  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W14
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:

Description	Result	Units
PCB (Arochlor 1016)	<10	ug/sample
PCB (Arochlor 1221)	<10	ug/sample
PCB (Arochlor 1232)	<10	ug/sample
PCB (Arochlor 1242)	<10	ug/sample
PCB (Arochlor 1248)	<10	ug/sample
PCB (Arochlor 1254)	<10	ug/sample
PCB (Arochlor 1260)	<10	ug/sample


Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection

"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992

Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1237  
Matrix of Sample Logged: Wipe Sample  
Date sample submitted: 920428

Information we received for the sample consisted of the following:

- W15
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:

Description	Result	Units
PCB (Arochlor 1016)	<10	ug/sample
PCB (Arochlor 1221)	<10	ug/sample
PCB (Arochlor 1232)	<10	ug/sample
PCB (Arochlor 1242)	<10	ug/sample
PCB (Arochlor 1248)	<10	ug/sample
PCB (Arochlor 1254)	<10	ug/sample
PCB (Arochlor 1260)	<10	ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1238  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W16
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1239  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-W17  
-PROJECT NO: 2018DC  
-PROJECT B40

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1240  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W18
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:


Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992

Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1241  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-W23  
-PROJECT NO: 2018DC  
-PROJECT B40

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1242  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W24
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:


Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1243  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W25
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:

Description	Result	Units
PCB (Arochlor 1016)	<50	ug/sample
PCB (Arochlor 1221)	<50	ug/sample
PCB (Arochlor 1232)	<50	ug/sample
PCB (Arochlor 1242)	<50	ug/sample
PCB (Arochlor 1248)	<50	ug/sample
PCB (Arochlor 1254)	56.4	ug/sample
PCB (Arochlor 1260)	<50	ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1244  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W26
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:


Description	Result Units
PCB (Arochlor 1016)	<50 ug/sample
PCB (Arochlor 1221)	<50 ug/sample
PCB (Arochlor 1232)	<50 ug/sample
PCB (Arochlor 1242)	<50 ug/sample
PCB (Arochlor 1248)	<50 ug/sample
PCB (Arochlor 1254)	57.9 ug/sample
PCB (Arochlor 1260)	<50 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1245  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-W27  
-PROJECT NO: 2018DC  
-PROJECT B40

The results obtained are as follows:


Description	Result	Units
PCB (Arochlor 1016)	<150	ug/sample
PCB (Arochlor 1221)	<150	ug/sample
PCB (Arochlor 1232)	<150	ug/sample
PCB (Arochlor 1242)	<150	ug/sample
PCB (Arochlor 1248)	<150	ug/sample
PCB (Arochlor 1254)	811.4	ug/sample
PCB (Arochlor 1260)	<150	ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1246  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W28
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:


Description	Result	Units
PCB (Arochlor 1016)	<10	ug/sample
PCB (Arochlor 1221)	<10	ug/sample
PCB (Arochlor 1232)	<10	ug/sample
PCB (Arochlor 1242)	<10	ug/sample
PCB (Arochlor 1248)	<10	ug/sample
PCB (Arochlor 1254)	<10	ug/sample
PCB (Arochlor 1260)	<10	ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992

Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1247  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W29
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample


Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories





MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1248  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W30
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:


Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992

Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1249  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W31
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1250  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W32
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:


Description	Result	Units
PCB (Arochlor 1016)	<10	ug/sample
PCB (Arochlor 1221)	<10	ug/sample
PCB (Arochlor 1232)	<10	ug/sample
PCB (Arochlor 1242)	<10	ug/sample
PCB (Arochlor 1248)	<10	ug/sample
PCB (Arochlor 1254)	<10	ug/sample
PCB (Arochlor 1260)	<10	ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1251  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W33
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1252  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

- W38
- PROJECT NO: 2018DC
- PROJECT B40

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992

Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1253  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-W39  
-PROJECT NO: 2018DC  
-PROJECT B40

The results obtained are as follows:


Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	35.7 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1254  
Matrix of Sample Logged : Wipe Sample  
Date sample submitted : 920428

Information we received for the sample consisted of the following:

-W40  
-PROJECT NO: 2018DC  
-PROJECT B40


The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample

Source: US EPA SW 846 Methodology  
Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



MAY 5 1992  
Page 1

Advanced Environmental  
352 South Saginaw Street  
Sixth Floor  
Flint, MI 48502

Attention: Jeff Raleigh

Laboratory Sample Number: 92/04:1255  
Matrix of Sample Logged: Wipe Sample  
Date sample submitted: 920428

Information we received for the sample consisted of the following:

-W41  
-PROJECT NO: 2018DC  
-PROJECT B40

The results obtained are as follows:

Description	Result Units
PCB (Arochlor 1016)	<10 ug/sample
PCB (Arochlor 1221)	<10 ug/sample
PCB (Arochlor 1232)	<10 ug/sample
PCB (Arochlor 1242)	<10 ug/sample
PCB (Arochlor 1248)	<10 ug/sample
PCB (Arochlor 1254)	<10 ug/sample
PCB (Arochlor 1260)	<10 ug/sample


Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories







# GMPT Materials Engineering

Lab # <b>27933</b>	Results Requested By <b>31 AUG 92</b>	Results Estimated By <b>10 SEP 92</b>	Page <b>1 of 1</b>
-----------------------	--	--	-----------------------

Card Date <b>26 AUG 92</b>	Prefix <b>V</b>	Project # <b>1</b>	Part # <b>1</b>	Part Name <b>OIL SAMPLES</b>	Customer <b>10</b>
-------------------------------	--------------------	-----------------------	--------------------	---------------------------------	-----------------------

Lot # <b>2</b>	# Samples <b>2</b>	Sample <b>DISPOSE</b>	Source <b>CHIP SYSTEM SUMPS</b>
-------------------	-----------------------	--------------------------	------------------------------------

Report To <b>TOM WYNN</b>	Telephone <b>6-7752</b>	Requested By <b>TOM WYNN</b>
------------------------------	----------------------------	---------------------------------

Specifications  
**WASTE OIL SAMPLES FROM SUMPS IN PLANT 10 EAST BASEMENT**

Sample History  
**SAMPLES:**  
**SS-SOUTH CHIP SYSTEM**  
**NS-NORTH CHIP SYSTEM**

Work Requested  
**ANALYSIS FOR THE PRESENCE OF PCBS**

Area	Initials	Human Time	Machine Time	Date Completed	Methods Used
MS	PVH	2	4	26 AUG 92	


Results  
The samples were mixed with water, acid treated, cleaned over fluorosil, diluted 1:10 with hexane, and analyzed by GC/ECD. The SS sample did not contain a detectable level of PCB, the NS sample was reduced to approximately 1 mL of oil and this oil contained 56 PPM Aroclor 1242.

Sample	PCB as Aroclor 1242	Detection Limit
NS (Residual Oil)	56 mg/L (PPM)	5 mg/L
SS (Residual Oil)	None Detected	5 mg/L

The Quantitative results are based on the average of 4 major components in Aroclor 1242.

| PVH 26 AUG 92 04:40PM |

Lab Number: 27933 Part Number: 1 Part Name: OIL SAMPLES Card Date: 26 AUG 1992



 **ADVANCED  
ENVIRONMENTAL, INC.**

ENVIRONMENTAL MANAGEMENT CONSULTANTS

October 1, 1992

Mr. Paul Barth  
Environmental Engineer  
Flint Automotive Division  
BOC Group  
General Motors Corporation  
902 East Hamilton Avenue  
Flint, Michigan 48550


RE: SAMPLE ANALYTICAL RESULTS  
Building 40  
Advanced Project No. 2018DC

Dear Mr. Barth:

Enclosed is a copy of the sample analytical results of the tunnel water collected below the basement of Building 40. The results have been summarized in the attached Table 1. Analytical & Biological Laboratories, Inc. (A&B), was contacted and asked to confirm the levels of 1,1,-dichloroethane. A&B re-analyzed the sample output and verified the results. Please call me at 238-9190 if you have any questions or require any additional information. at 238-9190.

Sincerely,

ADVANCED ENVIRONMENTAL, INC.



Mark W. Keyes, R.G.  
Project Consultant

MWK:j

Enclosure

TABLE 1

GENERAL MOTORS BOC - B40  
TUNNEL - ANALYTICAL RESULTS

Advanced Project No. 2018DC

SAMPLE ID	ANALYTICAL PARAMETERS					
	Method 8010/8020 Solvent Scan (ppb)		Polynuclear Aromatic Hydrocarbons (ppb)		PCBs (Aroclors) (ppm)	
EW Middle	1,1-Dichloroethane	3.2	All Parameters	< 10	All Parameters	< 0.01
EW Bottom	All Parameters	< 5	Benzo(a)anthracene	208.9	1254	0.05
			Chrysene	271.2	1260	0.01
			Naphthalene	352.8		
			Pyrene	115.0		
WW Middle	1,1-Dichloroethane	3.3	All Parameters	< 10	All Parameters	< 0.01
WW Bottom	All Parameters	< 5	Benzo(a)anthracene	141.8	1254	0.06
					1260	0.01

*Note:*

Method 8010/8020 - Method Detection Level in Water: 1 ppb  
PNAH - Method Detection Level in Water: 10 ppb  
PCBs - Method Detection Level in Water: 0.01 ppm







AUGUST 27, 1992  
Page 2

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-1  
Matrix of Sample Logged : Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-EW-Middle, 8-17-92, Project #2018DC & #GM BOC-B40

The results obtained are as follows:

Description	Result Units
cis-1,3Dichloropropene	<1 ppb
trans-1,3Dichloropropene	<1 ppb
Methylene chloride	<1 ppb
1,1,2,2Tetrachloroethane	<1 ppb
Tetrachloroethene	<1 ppb
1,1,1-Trichloroethane	<1 ppb
1,1,2-Trichloroethane	<1 ppb
Trichloroethene	<1 ppb
Trichlorofluoromethane	<1 ppb
Vinyl chloride	<1 ppb
PURGEABLE AROMATICS:	
Benzene	<1 ppb
Chlorobenzene	<1 ppb
1,2-Dichlorobenzene	<1 ppb
1,3-Dichlorobenzene	<1 ppb
1,4-Dichlorobenzene	<1 ppb
Ethylbenzene	<1 ppb
Toluene	<1 ppb

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992

Page 1

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-1  
Matrix of Sample Logged : Waste Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-EW-Middle, 8-17-92, Project #2018DC & #GM BOC-B40

The results obtained are as follows:

Description	Result Units
-----	
POLYNUCLEAR AROMATICS:	.
Acenaphthene	<10 ppb
Acenaphthylene	<10 ppb
Anthracene	<10 ppb
Benzo (a) anthracene	<10 ppb
Benzo (a) pyrene	<10 ppb
Benzo (b) fluoranthene	<10 ppb
Benzo (ghi) perylene	<10 ppb
Benzo (k) fluoranthene	<10 ppb
Chrysene	<10 ppb
Dibenzo (a,h) anthracene	<10 ppb
Fluoranthene	<10 ppb
Fluorene	<10 ppb
Indeno(1,2,3-cd)pyrene	<10 ppb
Naphthalene	<10 ppb
Phenanthrene	<10 ppb
Pyrene	<10 ppb

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992

Page 1

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-1  
Matrix of Sample Logged : Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-EW-Middle, 8-17-92, Project #2018DC & #GM BOC B40

The results obtained are as follows:

Description	Result Units
PCB (Aroclor 1016)	<0.01 ppm
PCB (Aroclor 1221)	<0.01 ppm
PCB (Aroclor 1232)	<0.01 ppm
PCB (Aroclor 1242)	<0.01 ppm
PCB (Aroclor 1248)	<0.01 ppm
PCB (Aroclor 1254)	<0.01 ppm
PCB (Aroclor 1260)	<0.01 ppm

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection

"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992  
Page 1

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-2  
Matrix of Sample Logged : Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-EW-Bottom, 8-17-92, Project #2018DC & #GM BOC-B40

The results obtained are as follows:

Description	Result Units
-----	
PURGEABLE HALOCARBONS:	.
Bromodichloromethane	<5 ppb
Bromoform	<5 ppb
Bromomethane	<5 ppb
Carbon tetrachloride	<5 ppb
Chlorobenzene	<5 ppb
Chloroethane	<5 ppb
2-Chloroethylvinyl ether	<5 ppb
Chloroform	<5 ppb
Chloromethane	<5 ppb
Dibromochloromethane	<5 ppb
1,2-Dichlorobenzene	<5 ppb
1,3-Dichlorobenzene	<5 ppb
1,4-Dichlorobenzene	<5 ppb
Dichlorodifluoromethane	<5 ppb
1,1-Dichloroethane	<5 ppb
1,2-Dichloroethane	<5 ppb
1,1-Dichloroethene	<5 ppb
trans-1,2-Dichloroethene	<5 ppb
1,2-Dichloropropane	<5 ppb

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992  
Page 2

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-2  
Matrix of Sample Logged : Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-EW-Bottom, 8-17-92, Project #2018DC & #GM BOC-B40

The results obtained are as follows:

Description	Result	Units
cis-1,3Dichloropropene	<5	ppb
trans-1,3Dichloropropene	<5	ppb
Methylene chloride	<5	ppb
1,1,2,2Tetrachloroethane	<5	ppb
Tetrachloroethene	<5	ppb
1,1,1-Trichloroethane	<5	ppb
1,1,2-Trichloroethane	<5	ppb
Trichloroethene	<5	ppb
Trichlorofluoromethane	<5	ppb
Vinyl chloride	<5	ppb
PURGEABLE AROMATICS:		
Benzene	<5	ppb
Chlorobenzene	<5	ppb
1,2-Dichlorobenzene	<5	ppb
1,3-Dichlorobenzene	<5	ppb
1,4-Dichlorobenzene	<5	ppb
Ethylbenzene	<5	ppb
Toluene	<5	ppb

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection

"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992  
Page 1

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-2  
Matrix of Sample Logged : Waste Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-EW-Bottom, 8-17-92, Project #2018DC & #GM BOC-B40

The results obtained are as follows:

Description	Result	Units
-----		
POLYNUCLEAR AROMATICS:		
Acenaphthene	<100	ppb
Acenaphthylene	<100	ppb
Anthracene	<100	ppb
Benzo (a) anthracene	208.9	ppb
Benzo (a) pyrene	<100	ppb
Benzo (b) fluoranthene	<100	ppb
Benzo (ghi) perylene	<100	ppb
Benzo (k) fluoranthene	<100	ppb
Chrysene	271.2	ppb
Dibenzo (a,h) anthracene	<100	ppb
Fluoranthene	<100	ppb
Fluorene	<100	ppb
Indeno(1,2,3-cd)pyrene	<100	ppb
Naphthalene	352.8	ppb
Phenanthrene	<100	ppb
Pyrene	115.0	ppb

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992

Page 1

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-2  
Matrix of Sample Logged : Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-EW-Bottom, 8-17-92, Project #2018DC & #GM BOC B40

The results obtained are as follows:

Description	Result Units
PCB (Aroclor 1016)	<0.01 ppm
PCB (Aroclor 1221)	<0.01 ppm
PCB (Aroclor 1232)	<0.01 ppm
PCB (Aroclor 1242)	<0.01 ppm
PCB (Aroclor 1248)	<0.01 ppm
PCB (Aroclor 1254)	0.05 ppm
PCB (Aroclor 1260)	0.01 ppm

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection

"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992

Page 1

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-3  
Matrix of Sample Logged : Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-WW-Middle, 8-17-92, Project #2018DC & #GM BOC-B40

The results obtained are as follows:


Description	Result	Units
-----		
PURGEABLE HALOCARBONS:		
Bromodichloromethane	<1	ppb
Bromoform	<1	ppb
Bromomethane	<1	ppb
Carbon tetrachloride	<1	ppb
Chlorobenzene	<1	ppb
Chloroethane	<1	ppb
2-Chloroethylvinyl ether	<1	ppb
Chloroform	<1	ppb
Chloromethane	<1	ppb
Dibromochloromethane	<1	ppb
1,2-Dichlorobenzene	<1	ppb
1,3-Dichlorobenzene	<1	ppb
1,4-Dichlorobenzene	<1	ppb
Dichlorodifluoromethane	<1	ppb
1,1-Dichloroethane	3.3	ppb
1,2-Dichloroethane	<1	ppb
1,1-Dichloroethene	<1	ppb
trans-1,2-Dichloroethene	<1	ppb
1,2-Dichloropropane	<1	ppb

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992  
Page 2

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-3  
Matrix of Sample Logged : Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-WW-Middle, 8-17-92, Project #2018DC & #GM BOC-B40

The results obtained are as follows:

Description	Result	Units
cis-1,3Dichloropropene	<1	ppb
trans-1,3Dichloropropene	<1	ppb
Methylene chloride	<1	ppb
1,1,2,2Tetrachloroethane	<1	ppb
Tetrachloroethene	<1	ppb
1,1,1-Trichloroethane	<1	ppb
1,1,2-Trichloroethane	<1	ppb
Trichloroethene	<1	ppb
Trichlorofluoromethane	<1	ppb
Vinyl chloride	<1	ppb
PURGEABLE AROMATICS:		
Benzene	<1	ppb
Chlorobenzene	<1	ppb
1,2-Dichlorobenzene	<1	ppb
1,3-Dichlorobenzene	<1	ppb
1,4-Dichlorobenzene	<1	ppb
Ethylbenzene	<1	ppb
Toluene	<1	ppb

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992  
Page 1

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-3  
Matrix of Sample Logged : Waste Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-WW-Middle, 8-17-92, Project #2018DC & #GM BOC-B40

The results obtained are as follows:

Description	Result Units
-----	
POLYNUCLEAR AROMATICS:	
Acenaphthene	<10 ppb
Acenaphthylene	<10 ppb
Anthracene	<10 ppb
Benzo (a) anthracene	<10 ppb
Benzo (a) pyrene	<10 ppb
Benzo (b) fluoranthene	<10 ppb
Benzo (ghi) perylene	<10 ppb
Benzo (k) fluoranthene	<10 ppb
Chrysene	<10 ppb
Dibenzo (a,h) anthracene	<10 ppb
Fluoranthene	<10 ppb
Fluorene	<10 ppb
Indeno(1,2,3-cd)pyrene	<10 ppb
Naphthalene	<10 ppb
Phenanthrene	<10 ppb
Pyrene	<10 ppb

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection

"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992

Page 1

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keys

Laboratory Sample Number: L1520-3  
Matrix of Sample Logged : Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-WW-Middle, 8-17-92, Project #2018DC & #GM BOC B40

The results obtained are as follows:

Description	Result Units
PCB (Aroclor 1016)	<0.01 ppm
PCB (Aroclor 1221)	<0.01 ppm
PCB (Aroclor 1232)	<0.01 ppm
PCB (Aroclor 1242)	<0.01 ppm
PCB (Aroclor 1248)	<0.01 ppm
PCB (Aroclor 1254)	<0.01 ppm
PCB (Aroclor 1260)	<0.01 ppm

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection

"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992  
Page 1

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-4  
Matrix of Sample Logged : Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-WW-Bottom, 8-17-92, Project #2018DC & #GM BOC-B40

The results obtained are as follows:

Description	Result	Units
-----		
PURGEABLE HALOCARBONS:		
Bromodichloromethane	<5	ppb
Bromoform	<5	ppb
Bromomethane	<5	ppb
Carbon tetrachloride	<5	ppb
Chlorobenzene	<5	ppb
Chloroethane	<5	ppb
2-Chloroethylvinyl ether	<5	ppb
Chloroform	<5	ppb
Chloromethane	<5	ppb
Dibromochloromethane	<5	ppb
1,2-Dichlorobenzene	<5	ppb
1,3-Dichlorobenzene	<5	ppb
1,4-Dichlorobenzene	<5	ppb
Dichlorodifluoromethane	<5	ppb
1,1-Dichloroethane	<5	ppb
1,2-Dichloroethane	<5	ppb
1,1-Dichloroethene	<5	ppb
trans-1,2-Dichloroethene	<5	ppb
1,2-Dichloropropane	<5	ppb

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992

Page 2

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-4  
Matrix of Sample Logged : Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-WW-Bottom, 8-17-92, Project #2018DC & #GM BOC-B40

The results obtained are as follows:

Description	Result Units
cis-1,3Dichloropropene	<5 ppb
trans-1,3Dichloropropene	<5 ppb
Methylene chloride	<5 ppb
1,1,2,2Tetrachloroethane	<5 ppb
Tetrachloroethene	<5 ppb
1,1,1-Trichloroethane	<5 ppb
1,1,2-Trichloroethane	<5 ppb
Trichloroethene	<5 ppb
Trichlorofluoromethane	<5 ppb
Vinyl chloride	<5 ppb
PURGEABLE AROMATICS:	
Benzene	<5 ppb
Chlorobenzene	<5 ppb
1,2-Dichlorobenzene	<5 ppb
1,3-Dichlorobenzene	<5 ppb
1,4-Dichlorobenzene	<5 ppb
Ethylbenzene	<5 ppb
Toluene	<5 ppb

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection

"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992

Page 1

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-4  
Matrix of Sample Logged : Waste Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-WW-Bottom, 8-17-92, Project #2018DC & #GM BOC-B40

The results obtained are as follows:

Description	Result Units
-----	
POLYNUCLEAR AROMATICS:	
Acenaphthene	<100 ppb
Acenaphthylene	<100 ppb
Anthracene	<100 ppb
Benzo (a) anthracene	141.8 ppb
Benzo (a) pyrene	<100 ppb
Benzo (b) fluoranthene	<100 ppb
Benzo (ghi) perylene	<100 ppb
Benzo (k) fluoranthene	<100 ppb
Chrysene	<100 ppb
Dibenzo (a,h) anthracene	<100 ppb
Fluoranthene	<100 ppb
Fluorene	<100 ppb
Indeno(1,2,3-cd)pyrene	<100 ppb
Naphthalene	<100 ppb
Phenanthrene	<100 ppb
Pyrene	<100 ppb

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection

"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories



AUGUST 27, 1992  
Page 1

Advanced Environmental, Inc.  
352 South Saginaw St., 6th Floor  
Flint, MI 48502

Attention: Mark Keyes

Laboratory Sample Number: L1520-4  
Matrix of Sample Logged : Water  
Date sample submitted : 920820

Information we received for the sample consisted of the following:

-WW-Bottom, 8-17-92, Project #2018DC & #GM BOC B40

The results obtained are as follows:

Description	Result Units
PCB (Aroclor 1016)	<0.01 ppm
PCB (Aroclor 1221)	<0.01 ppm
PCB (Aroclor 1232)	<0.01 ppm
PCB (Aroclor 1242)	<0.01 ppm
PCB (Aroclor 1248)	<0.01 ppm
PCB (Aroclor 1254)	0.06 ppm
PCB (Aroclor 1260)	0.01 ppm

Source: US EPA SW 846 Methodology

Note: "<" Denotes less than the Level of Detection  
"N.D." Denotes None Detected

Martine Hurwitz / Janine Reagan  
Project Managers

Francis B. McLaughlin, FAIC  
Director of Laboratories

**ADVANCED ENVIRONMENTAL, INC.**  
**ENVIRONMENTAL MANAGEMENT CONSULTANTS**

352 SOUTH SAGINAW STREET • SIXTH FLOOR • FLINT, MICHIGAN 48502  
 PHONE: (313)238-9190 • FAX: (313)238-9195

PROJECT MANAGER:

MARK W. KEYES

LABORATORY:


A&B

PROJECT #:

2018 DC

## CHAIN OF CUSTODY RECORD

PROJECT:				CONTAINERS	ANALYSIS REQUIRED										PRESERVATION				
SAMPLERS: (Signature)					6010	8020	PNA	PCB								ICED	SPECIFY CHEMICAL ADDED AND FINAL pH IF KNOWN		
SAMPLE NUMBER	DATE	TIME	MATRIX																
GM BOL - B40																			
EW - Middle	8/17/92		H2O	4	X	X	X										5-day	8/26/92	X
EW - Bottom					X	X	X												
WW - Middle					X	X	X												
WW - Bottom					X	X	X												
RELINQUISHED BY: (Signature) ①	DATE	TIME	RECEIVED BY: (Signature)				RELINQUISHED BY: (Signature) ④	DATE	TIME	SHIPPED (via)									
<i>[Signature]</i>	8-15-92	1:39	<i>[Signature]</i>																
RELINQUISHED BY: (Signature) ②	DATE	TIME	RECEIVED BY: (Signature)				RECEIVED FOR LABORATORY BY:	DATE	TIME	SHIPPING TKT. #									
RELINQUISHED BY: (Signature) ③	DATE	TIME	RECEIVED BY: (Signature)				REMARKS:												



# GMPT Materials Engineering

## Laboratory Test Requisition & Report

Lab #	Results Requested By	Results Estimated By	Page
32237	09 JUL 93	09 JUL 93	1 of 1

Card Date	Prefix	Project #	Part #	Part Name	Customer
24 JUN 93	V			SAMPLES	25

Lot #	# Samples	Sample	Source
	2	DISPOSE	TUNNEL BLDG 40

Report To	Telephone	Requested By
P. BARTH	64220	P. BARTH

Specifications  
look for pcb

Sample History  
samples taken on 6/7/93

Work Requested  
look for pcb

Area	Initials	Human Time	Machine Time	Date Completed	Methods Used
MS	MJM	4	2	30 JUN 93	PCB ANALYSIS

Results (NOTE: Results relate only to the item(s) tested. Not to be reproduced, except in full, without written approval.)


#1: 70.9 grams of absorbent material was sonicated in hexane to extract the oil. 25 ml of oil was extracted, acid treated, cleaned in fluorosil, diluted 1:10 in hexane, and analyzed by GC/ECD. The oil contains about 23 micrograms per milliliter of Aroclor 1254. The entire absorbent material contains about 8 micrograms of Aroclor 1254 per gram of sample.

#2: 30.0 grams of silt sludge was sonicated in hexane, cleaned in fluorosil, concentrated to 1 ml, and analyzed by GC/ECD. The sample contains about 0.4 micrograms of Aroclor 1254 per gram of sample.

Sample	PCB (Aroclor 1254)
#1: Oil only	23 µg/ml (23 ppm)
Entire sample	8 µg/g (8 ppm by weight)
#2: Silt sludge	0.4 µg/g (0.4 ppm by weight)

MJM 01 JUL 93 08:21AM

Lab Number: 32237  
Part Number:  
Part Name: SAMPLES  
Card Date: 24 JUN 1993



**STATUS REPORT**  
**BUILDING 40 MONITORING WELLS**  
**902 EAST HAMILTON**  
**FLINT, MICHIGAN**

**Advanced Project Number 3143CE**  
**January 13, 1994**

## TABLE OF CONTENTS

1.0	INTRODUCTION .....	1
2.0	FIELD INVESTIGATION .....	1
2.1	<u>Soil Borings</u> .....	1
2.1.1	Soil Boring Sample Collection .....	1
2.1.2	Soil Boring Analytical Results .....	2
2.1.3	Field Screening .....	2
2.2	<u>Groundwater Investigation</u> .....	2
2.2.2	Monitoring Well Development and Sample Collection .....	3
2.2.3	Analytical Results .....	3
2.2.4	Well Survey and Groundwater Flow Direction .....	3
2.3	<u>Decontamination</u> .....	4
3.0	SUMMARY .....	4
4.0	SIGNATURE BLOCK .....	5

## FIGURES

- Figure 1 Site Layout Map  
Figure 2 Static Water Level Elevations

## TABLES

- Table 1 Soil Boring Analytical Results  
Table 2 Groundwater Analytical Results  
Table 3 Elevations

## EXHIBITS

- Exhibit A Boring Logs  
Exhibit B Laboratory Results

## **1.0 INTRODUCTION**

Advanced Environmental, Inc. (Advanced), was retained by General Motors Corporation - CLCD North (GM CLCD), to install five groundwater monitoring wells adjacent to Building 40, located at 902 East Hamilton, Flint, Michigan. The following Status Report summarizes and documents the groundwater investigation performed by Advanced and the proposed site remediation.

## **2.0 FIELD INVESTIGATION**

On December 16 and 17, 1993, Advanced personnel supervised the drilling of a total of five soil borings adjacent to Building 40 to identify soil types and conditions, and depth to groundwater. The soil borings were converted into groundwater monitoring wells.

### **2.1 Soil Borings**

On December 16 and 17, 1993, Advanced retained Young's Environmental Cleanup, Inc. (Young's) to drill five soil borings (B1 - B5). The soil borings were drilled using a truck-mounted drill rig to depths ranging from 11 to 17 feet below grade. The soil boring locations are illustrated in Figure 1. The borings B1 and B2 were drilled in Division Street on the west side of Building 40; boring B3 was drilled in the railroad tracks east of Building 40; and, borings B4 and B5 were drilled on the east side of Building 40 adjacent to the loading ramp. Variations in the subsurface soils were logged in the field by Advanced personnel. The soil types encountered in the soil borings ranged from brown sand to grey clays. A copy of the soil boring logs is included as Exhibit A.

#### **2.1.1 Soil Boring Sample Collection**

Soil samples from the five soil borings were collected and logged at two and one-half foot intervals using standard split-spoon sampling methods. Two soil samples were collected from each of the soil borings for laboratory analysis. One sample from each soil boring was selected from the soil immediately above the first occurrence of groundwater and the second sample was selected based on elevated field screening readings. The depth of each sample is included in the Sample ID of Table 1. The samples selected were analyzed for polychlorinated biphenyls (PCBs) using EPA Method 8080.

The samples were placed in unpreserved four-ounce glass containers and sealed with Teflon<sup>®</sup>-lined lids, labeled and placed in a cooler at four degrees Celsius (4°C). The samples were transported to Environmental Quality Laboratories, Inc. (EQL), 44075 Phoenix Drive, Sterling Heights, Michigan, using chain-of-custody procedures.

### **2.1.2 Soil Boring Analytical Results**

The analytical results from the soil sampling indicated non-detectable levels of PCBs in the ten soil samples. A summary of the analytical results is included in Table 1 and a copy of the laboratory data is included in Exhibit B.

### **2.1.3 Field Screening**

The soil samples were field screened using an hnu<sup>®</sup> Model PI 101 photoionization detector (PID). The meter has the capability of detecting concentrations of total volatile organic compounds (VOCs) having an ionization potential of 10.2 eV or less. Screening of the samples was performed by placing the tip of the probe into the headspace of the sample container to measure the VOC concentration in the soil gas. Results were recorded in isobutylene units. The field screening measurements are noted in the boring logs included as Exhibit A.

## **2.2 Groundwater Investigation**

The five soil borings were converted into monitoring wells. The depth to groundwater varied in each of the soil borings and is noted on the soil borings logs. Monitoring well locations are illustrated on Figure 1.

### **2.2.1 Monitoring Well Installation**

The monitoring wells were constructed of two-inch diameter, Schedule 40 PVC risers with threaded five foot, 0.01 inch slotted PVC screens. A coarse silica sand was placed in the annular space around the screen to approximately one foot above the top of the screen. A granular bentonite seal, a minimum of one foot thick was placed above the sand pack and hydrated. Bentonite grout was

used to fill the remaining annular space of each well. The riser and protective steel casing were cemented flush at the surface. Advanced personnel maintained logs of the monitoring wells installed which are included in Exhibit B.

### **2.2.2 Monitoring Well Development and Sample Collection**

On December 20, 1993, Advanced developed each of the newly constructed wells (MW1 - MW5) using a pneumatic development pump and a stainless steel bailer until water clarity stabilized. Approximately 20 gallons were removed from each of the wells and placed in 55-gallon drums pending disposal.

On December 22, 1993, approximately 48 hours following well development, Advanced personnel collected water samples from the monitoring wells. A minimum of three well volumes was purged prior to sample collection.

The water samples collected for laboratory analysis were analyzed for PCBs using EPA Method 8080. A field blank was prepared by placing deionized water into an unused bailer. A trip blank was prepared by the laboratory and accompanied the sample containers. The water samples were placed in a one-liter unpreserved amber bottle, labeled and kept at approximately 4°C. The samples were delivered using chain-of-custody procedures to EQL.

### **2.2.3 Analytical Results**

The results of the water sample analysis indicated non-detectable levels of PCBs in each of the samples. A summary of the data is illustrated on Table 2 and a copy of the laboratory analytical results is included in Exhibit B.

### **2.2.4 Well Survey and Groundwater Flow Direction**

On December 22, 1993 Advanced surveyed the wells (MW1 - MW5) to determine the groundwater elevations and groundwater flow direction. Top of casing, top of riser and static water levels within each well were measured. The manhole access to the tunnel beneath Building 40 and an adjacent storm drain catch basin within Division Street were also surveyed. Surveyed elevations were measured to the nearest hundredth of a foot. The survey point of each well was scribed on the casing. The same point was used for static water level

measurements. Surveyed elevations of each well were referenced to a fixed reference point. Water levels within each well were measured with an electric water level indicator to determine the well volume. Figure 2 illustrates the static water level elevations.

### **2.3 Decontamination**

During the subsurface investigation and sample collection, the augers were steam-cleaned before and between each boring. The split-spoon samplers used to collect soil samples were cleaned with Alconox® detergent followed by a double water rinse.


### **3.0 SUMMARY**


On December 16 and 17, 1993, Advanced supervised the drilling of five soil borings at the GM CLCD-Building 40 site to identify soil conditions and install groundwater monitoring wells adjacent to the tunnel beneath Building 40. Each of the soil borings was converted into monitoring wells.

Ten soil samples were collected from the five soil borings and analyzed for PCBs. Analytical results indicated non-detectable levels of PCBs in each of the soil samples. Water samples collected from the monitoring wells were analyzed for PCBs. Analytical results indicated non-detectable levels of PCBs in each of the water samples. Static water levels were measured in each of the five monitoring wells, a storm drain catch basin and the manhole access to the tunnel beneath Building 40. The apparent groundwater flow direction is to the east; however, due to the depth of the basement and tunnel of Building 40, the true flow direction may be different.

**4.0 SIGNATURE BLOCK**

The information contained in this report is based on existing site conditions disclosed or discovered during the current site investigation activities.


Prepared by:   
Mark W. Keyes, R.G., Geologist

Reviewed by:   
Mark C. Matheny, Sr. Project Manager

Date: January 13, 1994

# ***FIGURES***

NORTH



GM - CLCD NORTH

TITLE: SOIL BORING/MONITORING WELL LOCATIONS  
BUILDING #40  
402 E. HAMILTON - FLINT, MICHIGAN

DATE: 1/11/94 APPROVED BY: M.W.K.

SCALE: 1" = 40' *Reduced* PREPARED BY: C.G.S.

FIGURE NUMBER: 1 PROJECT NUMBER: 3143CE  
ADVANCED ENVIRONMENTAL, INC.  
ENVIRONMENTAL MANAGEMENT CONSULTANTS

LEGEND:

- Soil Boring/Monitoring Well Locations
- F.H. Fire Hydrant Location with Guardrails

NORTH

BUILDING #16

DIVISION STREET

BUILDING #40

B-2/MW-2  
90.56

TUNNEL

F.H.

Catch Basin  
82.91

B-1/MW-1  
88.37

Manhole  
88.32

B-4/MW-4  
93.76

RAMP

B-5/MW-5  
91.21

B-3/MW-3  
90.66

GM - CLCD NORTH

TITLE: STATIC WATER LEVEL ELEVATIONS  
BUILDING #40  
402 E. HAMILTON - FLINT, MICHIGAN

DATE: 1/11/94 APPROVED BY: M.W.K.

SCALE: 1" = 40' *Reduced* PREPARED BY: C.G.S.

FIGURE NUMBER: 2 PROJECT NUMBER: 3143CE

ADVANCED ENVIRONMENTAL, INC.  
ENVIRONMENTAL MANAGEMENT CONSULTANTS

LEGEND:

- Soil Boring/Monitoring Well Locations
- F.H. Fire Hydrant Location with Guardrails

**TABLE 1**  
**PCB SOIL SAMPLE ANALYTICAL RESULTS**  
**GM CLCD NORTH**  
**BUILDING 40**

Advanced Project No. 3143CE

Sample ID	Analytical Results PCB
	PCB ( $\mu\text{g}/\text{kg}$ )
B1 (9' - 11')	ND
B1 (14' - 16')	ND
B2 (9' - 11')	ND
B2 (11.5' - 13.5')	ND
B3 (8' - 10')	ND
B3 (11.5' - 13.5')	ND
B4 (6.5' - 8.5')	ND
B4 (9' - 11')	ND
B5 (1' - 2')	ND
B5 (11.5' - 13.5')	ND

*Notes:*

- PCBs Method 8080
- Method detection level 330  $\mu\text{g}/\text{kg}$

**TABLE 2**  
**PCB WATER SAMPLE ANALYTICAL RESULTS**

**GM CLCD NORTH  
BUILDING 40**

**Advanced Project No. 3143CE**

Sample ID	Analytical Results
	PCB ( $\mu\text{g/L}$ )
MW-1	ND
MW-2	ND
MW-3	ND
MW-4	ND
MW-5	ND
Trip Blank	ND
Field Blank	ND

*Notes:*

- PCBs Method 8080
- Method detection level 0.2  $\mu\text{g/L}$  (Aroclor - 1232 0.4  $\mu\text{g/L}$ )

TABLE 3

ELEVATIONS

GM CLCD NORTH  
BUILDING 40

Advanced Project No. 3143CE

Description	Top of Casing (feet)	Top of Well Riser (feet)	Static Water Level (feet)	Bottom of Well (feet)
MW-1	97.48	96.71	88.37	79.71
MW-2	98.17	97.6	90.56	86.11
MW-3	95.47	94.48	90.66	84.48
MW-4	96.45	96.01	93.76	87.71
MW-5	96.56	96.14	91.21	86.24
Tunnel MH	97.34	97.34	88.32	78.89
Storm CB	97.41	97.41	82.91	76.78

***EXHIBIT A***

<b>Advanced Environmental, Inc.</b> 352 South Saginaw Street Suite 600 Flint, Michigan 48502 Tel: (313) 238-9190 Fax: (313) 238-9195	<b>SOIL BORING LOG - B-1/MW-1</b>					
	Date:	12/16/93	Project:	GM CLCD B40	No:	31431E
	Drilling Contractor:	Young's	Location:			
	Prepared By:	JLW	Twp/Sec.:			
	Time Started:	9:10	Total Depth Drilled:	17'		
	Time Completed:		Hole Diameter:	8.25"		
	Length Coring Device:	5'	Dia. Coring Device:	4.5"		

<b>Boring Methods</b>		<b>Ground Water Observations</b>		Drilling Fluid Used:	None
X	Hollow Stem Auger	GW Encountered at		Driller:	Scott Smith
	Hand Auger	Monitor Wells Installed		Helper:	Ken Scholls
	Other	Yes <input checked="" type="checkbox"/> See Monitoring Well Log		Hammer Weight:	140 lbs.
		No		Hammer Drop:	30"

Penetration Blows per 6"	Sample Type	Depth (ft.)	USCS Code	SOIL DESCRIPTION	REMARKS	PID	GC
		1					
		2					
		3					
		4					
3	SS		SW	Sand	Brown, Moist, Fine/Medium		
2	SS	5					
3	SS		CL	Clay	Mixed Fill		
3	SS	6				ND	
3	SS	7					
	SS						
	SS	8					
4	SS						
		9				ND	
2	SS-[X]				Gray/Brown		
2	SS-[X]	10					
3	SS-[X]						
3	SS-[X]	11			Tar like substance mixed in cuttings	5	
3	SS	12					
	SS						
	SS	13			Black, Wet	3	
3	SS						
		14					
1	SS-[X]					ND	
1	SS-[X]	15					
1	SS-[X]						
2	SS-[X]	16					
	SS	17					
			E.O.B.	End of Boring 17'			
		18					
		19					
		20					


SS-Split Spoon                      E.O.B.-End of Boring                      PID-Photoionization Detector (ppm)  
 NR-No Recovery                      HA-Hand Auger Sample                      GC-Gas Chromatograph (ppb)  
 RB-Rock Bit                              [X]-Laboratory/Jar Sample                      FS-Field Screening Container

# ADVANCED ENVIRONMENTAL

352 South Saginaw Street  
 Suite 600  
 Flint, Michigan  
 Tel: (313) 238-9190  
 Fax: (313) 238-9195

Monitoring Well:	MW-1	Project:	GMCLCD-B#40
Date:	12/16/93	Project No.:	3143CE
Drilling Contractor:	Young's	Location:	902 E. Hamilton
Prepared By:	JLW	Twp/Range/Sec.:	Flint, MI
Time Started:		Total Depth Drilled:	17'
Time Completed:		Hole Diameter:	8.25"
Lgth Coring Device:	5'	Dia. Coring Device:	4.5"

<b>Boring Methods</b>	<b>Ground Water Observations</b>	Drilling Fluid Used: None
X Hollow Stem Auger	Depth to Water From TOC:	Driller: Scott
Hand Auger	Depth to Bottom of Well from TOC:	Helper: Ken
Other	Height of Water Column:	Well Material: PVC
	Water Volume:	Well Diameter: 2"
	Purged Volume:	
<b>Remarks</b>		<b>Pipe Specifications</b>



**SOIL BORING LOG – B-2/MW-2**

**Advanced Environmental, Inc.**  
 352 South Saginaw Street  
 Suite 600  
 Flint, Michigan 48502  
 Tel: (313) 238-9190  
 Fax: (313) 238-9195

Date: 12/16/93      Project: GM CLCD B40      No: 3143IE  
 Drilling Contractor: Young's      Location:  
 Prepared By: JLW      Twp/Sec.:  
 Time Started: 1:35      Total Depth Drilled: 16'  
 Time Completed:      Hole Diameter: 8.25"  
 Length Coring Device: 5'      Dia. Coring Device: 4.5"

**Boring Methods**

**Ground Water Observations**

X	Hollow Stem Auger	GW Encountered at	Drilling Fluid Used: None
	Hand Auger	Monitor Wells Installed	Driller: Scott Smith
	Other	Yes <input checked="" type="checkbox"/> See Monitoring Well Log	Helper: Ken Scholls
		No <input type="checkbox"/>	Hammer Weight: 140 lbs.
			Hammer Drop: 30"

Penetration Blows per 6"	Sample Type	Depth (ft.)	USCS Code	SOIL DESCRIPTION	REMARKS	PID	GC
		1					
		2					
		3					
		4					
4	SS		SW	Sand	Brown, Moist, Fine/Medium		
5	SS	5					
6	SS		SC	Sandy Clay		ND	
6	SS	6					
4	SS	7					
5	SS						
6	SS	8					
8	SS		CL	Clay		ND	
		9					
4	SS-[X]		SC	Sandy Clay	Brown/Gray, Wet, Strong Odor		
5	SS-[X]	10					
7	SS-[X]		CL	Clay	Gray	7	
8	SS-[X]	11					
16	SS-[X]	12					
18	SS-[X]						
20	SS-[X]	13					
30+	SS-[X]					20	
		14					
30	SS						
40+	SS	15					
	SS						
	SS	16				ND	
			E.O.B.	End of Boring 16'			
		17					
		18					
		19					
		20					

SS - Split Spoon  
 NR - No Recovery  
 RB - Rock Bit

E.O.B. - End of Boring  
 HA - Hand Auger Sample  
 [X] - Laboratory/Jar Sample


PID - Photoionization Detector (ppm)  
 GC - Gas Chromatograph (ppb)  
 FS - Field Screening Container

# ADVANCED ENVIRONMENTAL

352 South Saginaw Street  
 Suite 600  
 Flint, Michigan  
 Tel: (313) 238-9190  
 Fax: (313) 238-9195

Monitoring Well:	MW-2	Project:	GMCLCD-B#40
Date:	12/16/93	Project No.:	3143CE
Drilling Contractor:	Young's	Location:	902 E. Hamilton
Prepared By:	JLW	Twp/Range/Sec.:	Flint, MI
Time Started:		Total Depth Drilled:	16'
Time Completed:		Hole Diameter:	8.25"
Lgth Coring Device:	5'	Dia. Coring Device:	4.5"

Boring Methods	Ground Water Observations	Drilling Fluid Used:	None
		Driller:	Scott
		Helper:	Ken
X Hollow Stem Auger	Depth to Water From TOC:	Well Material:	PVC
Hand Auger	Depth to Bottom of Well from TOC:	Well Diameter:	2"
Other	Height of Water Column:		
Remarks	Water Volume:	Pipe Specifications	
	Purged Volume:		



**SOIL BORING LOG – B-3/MW-3**

**Advanced Environmental, Inc.**  
 352 South Saginaw Street  
 Suite 600  
 Flint, Michigan 48502  
 Tel: (313) 238-9190  
 Fax: (313) 238-9195

Date: 12/17/93 Project: GM CLCD B40 No: 3143IE  
 Drilling Contractor: Young's Location:  
 Prepared By: JLW Twp/Sec.:  
 Time Started: 7:50 Total Depth Drilled: 13'  
 Time Completed: Hole Diameter: 8.25"  
 Length Coring Device: 5' Dia. Coring Device: 4.5"

Boring Methods		Ground Water Observations	
X	Hollow Stem Auger	GW Encountered at	Drilling Fluid Used: None
	Hand Auger	Monitor Wells Installed	Driller: Scott Smith
	Other	Yes <input checked="" type="checkbox"/> See Monitoring Well Log	Helper: Ken Scholls
		No	Hammer Weight: 140 lbs.
			Hammer Drop: 30"

Penetration Blows per 6"	Sample Type	Depth (ft.)	USCS Code	SOIL DESCRIPTION	REMARKS	PID	GC
		1		Limestone	Railroad Ballast		
3	SS	2	SW	Sand	Brown, Moist, Fine/Medium		
4	SS						
4	SS	3	SC	Sandy Clay		ND	
5	SS						
		4					
4	SS		CL	Clay	Brown/Gray		
5	SS	5					
7	SS						
8	SS	6				ND	
7	SS	7					
9	SS				Gray		
10	SS	8					
12	SS		GP	Sand & Gravel	Brown, Very Moist, Coarse/Medium	ND	
		9					
12	SS		SC	Silty Clay			
18	SS	10					
27	SS		CL	Clay	Moist		
40+	SS	11			Gray	ND	
40+	SS	12					
40+	SS						
40+	SS	13					
			E.O.B.	End of Boring 13'			
		14					
		15					
		16					
		17					
		18					
		19					
		20					

SS-Split Spoon  
 NR-No Recovery  
 RB-Rock Bit

E.O.B.-End of Boring  
 HA-Hand Auger Sample  
 [X]-Laboratory/Jar Sample


PID-Photoionization Detector (ppm)  
 GC-Gas Chromatograph (ppb)  
 FS-Field Screening Container

# ADVANCED ENVIRONMENTAL

352 South Saginaw Street  
 Suite 600  
 Flint, Michigan  
 Tel: (313) 238-9190  
 Fax: (313) 238-9195

Monitoring Well:	MW-3	Project:	GMCLCD-B#40
Date:	12/16/93	Project No.:	3143CE
Drilling Contractor:	Young's	Location:	902 E. Hamilton
Prepared By:	JLW	Twp/Range/Sec.:	Flint, MI
Time Started:		Total Depth Drilled:	13'
Time Completed:		Hole Diameter:	8.25"
Lgth Coring Device:	5'	Dia. Coring Device:	4.5"

Boring Methods	Ground Water Observations	Drilling Fluid Used:	None
		Driller:	Scott
		Helper:	Ken
X Hollow Stem Auger	Depth to Water From TOC:	Well Material:	PVC
Hand Auger	Depth to Bottom of Well from TOC:	Well Diameter:	2"
Other	Height of Water Column:		
	Water Volume:		
	Purged Volume:		
Remarks		Pipe Specifications	



**SOIL BORING LOG -- B-4/MW-4**

**Advanced Environmental, Inc.**  
 352 South Saginaw Street  
 Suite 600  
 Flint, Michigan 48502  
 Tel: (313) 238-9190  
 Fax: (313) 238-9195

Date: 12/17/93 Project: GM CLCD B40 No: 31431E  
 Drilling Contractor: Young's Location:  
 Prepared By: JLW Twp/Sec.:  
 Time Started: Total Depth Drilled: 11'  
 Time Completed: Hole Diameter: 8.25"  
 Length Coring Device: 5' Dia. Coring Device: 4.5"

**Boring Methods**

**Ground Water Observations**

X	Hollow Stem Auger	GW Encountered at	Drilling Fluid Used: None
	Hand Auger	Monitor Wells Installed	Driller: Scott Smith
	Other	Yes <input checked="" type="checkbox"/> See Monitoring Well Log	Helper: Ken Scholls
		No	Hammer Weight: 140 lbs.
			Hammer Drop: 30"

Penetration Blows per 6"	Sample Type	Depth (ft.)	USCS Code	SOIL DESCRIPTION	REMARKS	PID	GC
		1		Concrete			
		2		No Recovery			
		3					
		4					
4	SS		GP	Sand & Gravel	Brown, Wet, Coarse, Strong Odor		
5	SS	5					
7	SS						
3	SS	6					
5	SS-[X]	7			Very little recovery (strong Odor)		
5	SS-[X]						
6	SS-[X]	8					
27	SS-[X]		CL	Clay	Gray, Moist		
		9					
28	SS-[X]						
30	SS-[X]	10					
35	SS-[X]						
40+	SS-[X]	11					
			E.O.B.	End of Boring 11'			
		12					
		13					
		14					
		15					
		16					
		17					
		18					
		19					
		20					

SS-Split Spoon  
 NR-No Recovery  
 RB-Rock Bit

E.O.B.-End of Boring  
 HA-Hand Auger Sample  
 [X]-Laboratory/Jar Sample

PID-Photoionization Detector (ppm)  
 GC-Gas Chromatograph (ppb)  
 FS-Field Screening Container


# ADVANCED ENVIRONMENTAL

352 South Saginaw Street  
 Suite 600  
 Flint, Michigan  
 Tel: (313) 238-9190  
 Fax: (313) 238-9195

Monitoring Well:	MW-4	Project:	GMCLCD-B#40
Date:	12/16/93	Project No.:	3143CE
Drilling Contractor:	Young's	Location:	902 E. Hamilton
Prepared By:	JLW	Twp/Range/Sec.:	Flint, MI
Time Started:		Total Depth Drilled:	11'
Time Completed:		Hole Diameter:	8.25"
Lgth Coring Device:	5'	Dia. Coring Device:	4.5"

Boring Methods	Ground Water Observations	Drilling Fluid Used:	None
		Driller:	Scott
		Helper:	Ken
X Hollow Stem Auger	Depth to Water From TOC:	Well Material:	PVC
Hand Auger	Depth to Bottom of Well from TOC:	Well Diameter:	2"
Other	Height of Water Column:		

Remarks	Water Volume:	Pipe Specifications
	Purged Volume:	



<b>Advanced Environmental, Inc.</b> 352 South Saginaw Street Suite 600 Flint, Michigan 48502 Tel: (313) 238-9190 Fax: (313) 238-9195	<b>SOIL BORING LOG - B-5/MW-5</b>		
	Date: 12/17/93	Project: GM CLCD B40	No: 31431E
	Drilling Contractor: Young's	Location:	
	Prepared By: JLW	Twp/Sec.:	
	Time Started: 12:45	Total Depth Drilled: 13.5'	
	Time Completed:	Hole Diameter: 8.25"	
Length Coring Device: 5'	Dia. Coring Device: 4.5"		

Boring Methods		Ground Water Observations	
X	Hollow Stem Auger	GW Encountered at	Drilling Fluid Used: None
	Hand Auger	Monitor Wells Installed	Driller: Scott Smith
	Other	Yes <u>X</u> See Monitoring Well Log	Helper: Ken Scholls
		No	Hammer Weight: 140 lbs.
			Hammer Drop: 30"

Penetration Blows per 6"	Sample Type	Depth (ft.)	USCS Code	SOIL DESCRIPTION	REMARKS	PID	GC
		1	GP	Gravel	Black, Moist, Coarse		
	SS-[X]						
	SS-[X]	2	SC	Sandy Clay	Brown, Moist		
	SS						
	SS	3					
	SS						
		4					
	SS		CL	Clay	Gray/Green, Odor		
	SS	5					
	SS						
	SS	6					
	SS-[X]	7			Wet		
	SS-[X]						
	SS-[X]	8			Brown/Gray, Moist		
	SS-[X]						
		9					
	SS						
	SS	10					
	SS						
	SS	11					
	SS	12			Gray/Brown, Fractured		
	SS						
	SS	13					
	SS						
		14	E.O.B.	End of Boring 13.5'			
		15					
		16					
		17					
		18					
		19					
		20					

SS-Split Spoon  
 NR-No Recovery  
 RB-Rock Bit

E.O.B.-End of Boring  
 HA-Hand Auger Sample  
 [X]-Laboratory/Jar Sample


PID-Photoionization Detector (ppm)  
 GC-Gas Chromatograph (ppb)  
 FS-Field Screening Container

# ADVANCED ENVIRONMENTAL


352 South Saginaw Street  
 Suite 600  
 Flint, Michigan  
 Tel: (313) 238-9190  
 Fax: (313) 238-9195

Monitoring Well:	MW-5	Project:	GMCLCD-B#40
Date:	12/16/93	Project No.:	3143CE
Drilling Contractor:	Young's	Location:	902 E. Hamilton
Prepared By:	JLW	Twp/Range/Sec.:	Flint, MI
Time Started:		Total Depth Drilled:	13.5'
Time Completed:		Hole Diameter:	8.25"
Lgth Coring Device:	5'	Dia. Coring Device:	4.5"

<b>Boring Methods</b>	<b>Ground Water Observations</b>	Drilling Fluid Used: None
X Hollow Stem Auger	Depth to Water From TOC:	Driller: Scott
Hand Auger	Depth to Bottom of Well from TOC:	Helper: Ken
Other	Height of Water Column:	Well Material: PVC
	Water Volume:	Well Diameter: 2"
<b>Remarks</b>	Purged Volume:	<b>Pipe Specifications</b>



***EXHIBIT B***



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
TROY, MI 48062

RECEIVED: 12/23/93  
REPORTED: 12/27/93

PAGE: 1


**SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13254**  
**PROJECT: PROJ. #3143 CE CLCD-B40**  
**B1 -9-11' SOIL**


**8080 PCB'S (1)**  
ANALYZED BY:


DATE ANALYZED:

ANALYTE	RESULT
Aroclor-1016	< 330.0 PPB
Aroclor-1221	< 330.0 PPB
Aroclor-1232	< 330.0 PPB
Aroclor-1242	< 330.0 PPB
Aroclor-1248	< 330.0 PPB
Aroclor-1254	< 330.0 PPB
Aroclor-1260	< 330.0 PPB

NOTE: "<" Denotes Less Than the Detection Limit of the Test.

  
Thomas S. Megna  
Laboratory Manager

  
Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
SAGINAW, MI 48502

RECEIVED: 12/23/93  
REPORTED: 12/27/93

PAGE: 1

**SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13255**

**PROJECT: PROJ. #3143 CE CLCD-B40  
B1 -14-16' SOIL**

**8080 PCB'S (1)**

**ANALYZED BY:**


**DATE ANALYZED:**

**ANALYTE**

**RESULT**

Aroclor-1016	< 330.0	PPB
Aroclor-1221	< 330.0	PPB
Aroclor-1232	< 330.0	PPB
Aroclor-1242	< 330.0	PPB
Aroclor-1248	< 330.0	PPB
Aroclor-1254	< 330.0	PPB
Aroclor-1260	< 330.0	PPB


NOTE: "<" Denotes Less Than the Detection Limit of the Test.



Thomas S. Megna  
Laboratory Manager



Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
LANSING, MI 48502

RECEIVED: 12/23/93  
REPORTED: 12/27/93

PAGE: 1


**SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13256**  
PROJECT: PROJ. #3143 CE CLCD-B40  
B2 -9-11' SOIL

8080 PCB'S (1)  
ANALYZED BY:


DATE ANALYZED:

<b>ANALYTE</b>	<b>RESULT</b>	
Aroclor-1016	< 330.0	PPB
Aroclor-1221	< 330.0	PPB
Aroclor-1232	< 330.0	PPB
Aroclor-1242	< 330.0	PPB
Aroclor-1248	< 330.0	PPB
Aroclor-1254	< 330.0	PPB
Aroclor-1260	< 330.0	PPB


NOTE: "<" Denotes Less Than the Detection Limit of the Test.



Thomas S. Megna  
Laboratory Manager



Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
LINT, MI 48502

RECEIVED: 12/23/93  
REPORTED: 12/27/93

PAGE: 1

**SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13257**

PROJECT: PROJ. #3143 CE CLCD-B40  
B2 -11.5-13.5' SOIL

8080 PCB'S (1)

ANALYZED BY:

DATE ANALYZED:

ANALYTE	RESULT
Aroclor-1016	< 330.0 PPB
Aroclor-1221	< 330.0 PPB
Aroclor-1232	< 330.0 PPB
Aroclor-1242	< 330.0 PPB
Aroclor-1248	< 330.0 PPB
Aroclor-1254	< 330.0 PPB
Aroclor-1260	< 330.0 PPB


NOTE: "<" Denotes Less Than the Detection Limit of the Test.

*Thomas S. Megna*

Thomas S. Megna  
Laboratory Manager

*Chris Bloom*

Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
LANSING, MI 48502

RECEIVED: 12/23/93  
REPORTED: 12/27/93

PAGE: 1


SAMPLE DESCRIPTION FOR LAB ORDER NUMBER:      **13258**  
PROJECT: PROJ. #3143 CE CLCD-B40  
B3 -8-10'      SOIL


8080 PCB'S (1)  
ANALYZED BY:


DATE ANALYZED:

ANALYTE	RESULT
Aroclor-1016	< 330.0 PPB
Aroclor-1221	< 330.0 PPB
Aroclor-1232	< 330.0 PPB
Aroclor-1242	< 330.0 PPB
Aroclor-1248	< 330.0 PPB
Aroclor-1254	< 330.0 PPB
Aroclor-1260	< 330.0 PPB

NOTE: "<" Denotes Less Than the Detection Limit of the Test.

  
Thomas S. Megna  
Laboratory Manager

  
Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800-368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
TOWNSHIP, MI 48502

RECEIVED: 12/23/93  
REPORTED: 12/27/93

PAGE: 1

**SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13259**  
**PROJECT: PROJ. #3143 CE CLCD-B40**  
**B3 -11.5-13.5' SOIL**


**8080 PCB'S (1)**  
ANALYZED BY:


DATE ANALYZED:

<b>ANALYTE</b>	<b>RESULT</b>	
Aroclor-1016	< 330.0	PPB
Aroclor-1221	< 330.0	PPB
Aroclor-1232	< 330.0	PPB
Aroclor-1242	< 330.0	PPB
Aroclor-1248	< 330.0	PPB
Aroclor-1254	< 330.0	PPB
Aroclor-1260	< 330.0	PPB

NOTE: "<" Denotes Less Than the Detection Limit of the Test.

  
Thomas S. Megna  
Laboratory Manager

  
Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
152 S. SAGINAW ST. 6TH FLOOR  
FLINT, MI 48502

RECEIVED: 12/23/93  
REPORTED: 12/27/93

PAGE: 1

SAMPLE DESCRIPTION FOR LAB ORDER NUMBER:      **13260**  
**PROJECT: PROJ. #3143 CE CLCD-B40**  
**B4 -6.5-8.5' SOIL**

**8080 PCB'S (1)**  
ANALYZED BY:


DATE ANALYZED:

ANALYTE	RESULT
Aroclor-1016	< 330.0 PPB
Aroclor-1221	< 330.0 PPB
Aroclor-1232	< 330.0 PPB
Aroclor-1242	< 330.0 PPB
Aroclor-1248	< 330.0 PPB
Aroclor-1254	< 330.0 PPB
Aroclor-1260	< 330.0 PPB


NOTE: "<" Denotes Less Than the Detection Limit of the Test.



Thomas S. Megna  
Laboratory Manager



Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
TONTON, MI 48502

RECEIVED: 12/23/93  
REPORTED: 12/27/93

PAGE: 1

**SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13261**


PROJECT: PROJ. #3143 CE CLCD-B40  
34 -9-11' SOIL


3080 PCB'S (1)  
ANALYZED BY:


DATE ANALYZED:

ANALYTE	RESULT
Aroclor-1016	< 330.0 PPB
Aroclor-1221	< 330.0 PPB
Aroclor-1232	< 330.0 PPB
Aroclor-1242	< 330.0 PPB
Aroclor-1248	< 330.0 PPB
Aroclor-1254	< 330.0 PPB
Aroclor-1260	< 330.0 PPB

NOTE: "<" Denotes Less Than the Detection Limit of the Test.

  
Thomas S. Megna  
Laboratory Manager

  
Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
152 S. SAGINAW ST. 6TH FLOOR  
LANSING, MI 48502

RECEIVED: 12/23/93  
REPORTED: 12/27/93

PAGE: 1

**SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13262**

PROJECT: PROJ. #3143 CE CLCD-B40  
B5 -1-2' SOIL


8080 PCB'S (1)  
ANALYZED BY:


DATE ANALYZED:

ANALYTE	RESULT
Aroclor-1016	< 330.0 PPB
Aroclor-1221	< 330.0 PPB
Aroclor-1232	< 330.0 PPB
Aroclor-1242	< 330.0 PPB
Aroclor-1248	< 330.0 PPB
Aroclor-1254	< 330.0 PPB
Aroclor-1260	< 330.0 PPB

NOTE: "<" Denotes Less Than the Detection Limit of the Test.

  
Thomas S. Megna  
Laboratory Manager

  
Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800-368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
352 S. SAGINAW ST. 6TH FLOOR  
FLINT, MI 48502

RECEIVED: 12/23/93  
REPORTED: 12/27/93

PAGE: 1


SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13263  
PROJECT: PROJ. #3143 CE CLCD-B40  
B5 -11.5-13.5' SOIL


8080 PCB'S (1)  
ANALYZED BY:

DATE ANALYZED:

ANALYTE	RESULT
Aroclor-1016	< 330.0 PPB
Aroclor-1221	< 330.0 PPB
Aroclor-1232	< 330.0 PPB
Aroclor-1242	< 330.0 PPB
Aroclor-1248	< 330.0 PPB
Aroclor-1254	< 330.0 PPB
Aroclor-1260	< 330.0 PPB

NOTE: "<" Denotes Less Than the Detection Limit of the Test.

  
Thomas S. Migna  
Laboratory Manager

  
Chris Bloom  
Laboratory Supervisor

**ADVANCED ENVIRONMENTAL, INC.**  
**ENVIRONMENTAL MANAGEMENT CONSULTANTS**  
 352 SOUTH SAGINAW STREET • SIXTH FLOOR • FLINT, MICHIGAN 48502  
 PHONE: (313)238-9190 • FAX: (313)238-9195

PROJECT MANAGER:  
 MWK

LABORATORY:  
 EQL

PROJECT #:  
 3143 CE

## CHAIN OF CUSTODY RECORD

PROJECT: LLCD - B40				CONTAINER NO. IN SERIES	ANALYSIS REQUIRED  PCBS (8080)	TURN AROUND TIME	PRESERVATION		
SAMPLERS: (Signature) JEW							ICED	SPECIFY CHEMICAL ADDED AND FINAL pH IF KNOWN	
SAMPLE NUMBER	DATE	TIME	MATRIX						
B1 - (9-11)	12/16		SOIL	1	X			Standard	13254
B1 - (14-16)	12/16				X				55
B2 - (9-11)	12/16				X				56
B2 - (11.5-13.5)	12/14				X				57
B3 - (8-10)	12/17				X				58
B3 (11.5-13.5)					X				59
B4 (6.5-8.5)					X				60
B4 (9-11)					X				61
B5 (1-2)					X				62
B5 (11.5-13.5)					X				13 6.3

RELINQUISHED BY: (Signature) ①	DATE	TIME	RECEIVED BY: (Signature)	RELINQUISHED BY: (Signature) ④	DATE	TIME	SHIPPED (via)
<i>[Signature]</i>	12/23/93	11:00 AM	<i>[Signature]</i>				
RELINQUISHED BY: (Signature) ②	DATE	TIME	RECEIVED BY: (Signature)	RECEIVED FOR LABORATORY BY:	DATE	TIME	SHIPPING TKT. #
RELINQUISHED BY: (Signature) ③	DATE	TIME	RECEIVED BY: (Signature)	REMARKS:			



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
 Sterling Heights, Michigan 48314-1420  
 810-731-1818  
 Outside Michigan Dial 1-800-368-5227  
 Fax Line 810-731-2590  
 Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
 PROJECT NAME AND NUMBER: #3143 CE CLCD-B40

DATE RECEIVED: 12-23-93  
 LAB NO.'S IN BATCH: 13254-13263  
 MATRIX: SOIL


## SPIKE SUMMARY

METHOD 8080	METHOD ANALYTE SPIKED	MATRIX SPIKE	MATRIX SPIKE DUP	% RECOV SURRO	% RECOV	% RPD	SAMPLE RECEV SPIKE	ANALYSIS DATE	TRIP/ METHOD BLANK RESULT	ANALY INITI	REF. CHECK STD REC
		ppm	ppm								
	AROCLOR 1254	1.10	0.92	N/A	101	18	N/A	12-23-93	<RDL	LHK	N/A

COMMENTS/CRITERIA: - METHOD AND TRIP BLANK CONCENTRATIONS MUST BE BELOW REPORTABLE DETECTION LIMITS  
 - REFERENCE CHECK STANDARD IS METHOD DEPENDENT

Chris Bloom, Lab Supervisor C. Bloom

Thomas S Megna, Lab Manager Thomas S Megna



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
TONTON, MI 48502

RECEIVED: 12/23/93  
REPORTED: 01/04/94

PAGE: 1

**SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13264**

PROJECT: PROJ. #3143 IE GM CLCD  
MW -1 WATER

8080 PCB'S (1)  
ANALYZED BY:

DATE ANALYZED:

ANALYTE	RESULT
Aroclor-1016	< 0.2 PPB
Aroclor-1221	< 0.2 PPB
Aroclor-1232	< 0.4 PPB
Aroclor-1242	< 0.2 PPB
Aroclor-1248	< 0.2 PPB
Aroclor-1254	< 0.2 PPB
Aroclor-1260	< 0.2 PPB


NOTE: "<" Denotes Less Than the Detection Limit of the Test.

*Thomas S. Megna*

Thomas S. Megna  
Laboratory Manager

*Chris Bloom*

Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800-368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
LINT, MI 48502

RECEIVED: 12/23/93  
REPORTED: 01/04/94

PAGE: 1

**SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13265**

PROJECT: PROJ. #3143 IE GM CLCD  
MW -2 WATER

9080 PCB'S (1)

ANALYZED BY:

DATE ANALYZED:

ANALYTE	RESULT
Aroclor-1016	< 0.2 PPB
Aroclor-1221	< 0.2 PPB
Aroclor-1232	< 0.4 PPB
Aroclor-1242	< 0.2 PPB
Aroclor-1248	< 0.2 PPB
Aroclor-1254	< 0.2 PPB
Aroclor-1260	< 0.2 PPB


NOTE: "<" Denotes Less Than the Detection Limit of the Test.

*Thomas S. Megna*

Thomas S. Megna  
Laboratory Manager

*C. Bloom*

Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
SAGINAW, MI 48502

RECEIVED: 12/23/93  
REPORTED: 01/04/94

PAGE: 1

**SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13266**


PROJECT: PROJ. #3143 IE GM CLCD  
MW -3 WATER


8080 PCB'S (1)  
ANALYZED BY:


DATE ANALYZED:

<b>ANALYTE</b>	<b>RESULT</b>		
Aroclor-1016	<	0.2	PPB
Aroclor-1221	<	0.2	PPB
Aroclor-1232	<	0.4	PPB
Aroclor-1242	<	0.2	PPB
Aroclor-1248	<	0.2	PPB
Aroclor-1254	<	0.2	PPB
Aroclor-1260	<	0.2	PPB

NOTE: "<" Denotes Less Than the Detection Limit of the Test.

  
Thomas S. Megna  
Laboratory Manager

  
Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
TONTON, MI 48502

RECEIVED: 12/23/93  
REPORTED: 01/04/94

PAGE: 1

SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13267

PROJECT: PROJ. #3143 IE GM CLCD  
MW -4 WATER

8080 PCB'S (1)  
ANALYZED BY:


DATE ANALYZED:


**ANALYTE**


**RESULT**

Aroclor-1016	<	0.2	PPB
Aroclor-1221	<	0.2	PPB
Aroclor-1232	<	0.4	PPB
Aroclor-1242	<	0.2	PPB
Aroclor-1248	<	0.2	PPB
Aroclor-1254	<	0.2	PPB
Aroclor-1260	<	0.2	PPB

NOTE: "<" Denotes Less Than the Detection Limit of the Test.

  
Thomas S. Megna  
Laboratory Manager

  
Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
TOWNSHIP, MI 48502

RECEIVED: 12/23/93  
REPORTED: 01/04/94

PAGE: 1


**SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13268**  
PROJECT: PROJ. #3143 IE GM CLCD  
MW -5 WATER


8080 PCB'S (1)  
ANALYZED BY:

DATE ANALYZED:

<b>ANALYTE</b>	<b>RESULT</b>		
Aroclor-1016	<	0.2	PPB
Aroclor-1221	<	0.2	PPB
Aroclor-1232	<	0.4	PPB
Aroclor-1242	<	0.2	PPB
Aroclor-1248	<	0.2	PPB
Aroclor-1254	<	0.2	PPB
Aroclor-1260	<	0.2	PPB

NOTE: "<" Denotes Less Than the Detection Limit of the Test.

  
Thomas S. Megna  
Laboratory Manager

  
Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
TONTON, MI 48502

RECEIVED: 12/23/93  
REPORTED: 01/04/94

PAGE: 1

SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13269  
PROJECT: PROJ. #3143 IE GM CLCD  
TRIP BLANK WATER


8080 PCB'S (1)  
ANALYZED BY:

DATE ANALYZED:

ANALYTE	RESULT		
Aroclor-1016	<	0.2	PPB
Aroclor-1221	<	0.2	PPB
Aroclor-1232	<	0.4	PPB
Aroclor-1242	<	0.2	PPB
Aroclor-1248	<	0.2	PPB
Aroclor-1254	<	0.2	PPB
Aroclor-1260	<	0.2	PPB

NOTE: "<" Denotes Less Than the Detection Limit of the Test.

*Thomas S. Megna*      *Chris Bloom*  
Thomas S. Megna      Chris Bloom  
Laboratory Manager      Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

ADVANCED ENVIRONMENTAL INC.  
52 S. SAGINAW ST. 6TH FLOOR  
TONTON, MI 48502

RECEIVED: 12/23/93  
REPORTED: 01/04/94

PAGE: 1

SAMPLE DESCRIPTION FOR LAB ORDER NUMBER: 13270  
PROJECT: PROJ. #3143 IE GM CLCD  
FIELD BLANK WATER

8080 PCB'S (1)  
ANALYZED BY:

DATE ANALYZED:

ANALYTE	RESULT		
Aroclor-1016	<	0.2	PPB
Aroclor-1221	<	0.2	PPB
Aroclor-1232	<	0.4	PPB
Aroclor-1242	<	0.2	PPB
Aroclor-1248	<	0.2	PPB
Aroclor-1254	<	0.2	PPB
Aroclor-1260	<	0.2	PPB


NOTE: "<" Denotes Less Than the Detection Limit of the Test.

*Thomas S. Megna*

Thomas S. Megna  
Laboratory Manager

*Chris Bloom*

Chris Bloom  
Laboratory Supervisor



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800-368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: AVANCED ENVIRONMENTAL  
PROJECT NAME AND NUMBER: 3143 IE CM CLCD

DATE RECEIVED: 12-23-93  
LAB NO.'S IN BATCH: 13264-13270  
MATRIX: WATER

## SPIKE SUMMARY

UNITS: ppm

METHOD	ANALYTE SPIKED	MATRIX SPIKE	MATRIX SPIKE DUP	% RECOV SURRO	% RECOV	% RPD	SAMPLE RECEV SPIKE	ANALYSIS DATE	TRIP/METHOD BLANK RESULT	ANALYST INITIAL	REF. CHECK STD REC
		KNOWN	OBSERVED								
8080	AROCLOR 1254	1.0	1.1	N/A	110	N/A	N/A	12-29-93	< RDL	LHK	N/A

COMMENTS/CRITERIA: -METHOD AND TRIP BLANK CONCENTRATIONS MUST BE BELOW REPORTABLE DETECTION LIMITS  
-REFERENCE CHECK STANDARD IS METHOD DEPENDENT

THOMAS S. MEGNA, LABORATORY MANAGER Thomas S. Megna (89)

CHRIS BLOOM, LABORATORY SUPERVISOR C. Bloom

tsc


**ADVANCED ENVIRONMENTAL, INC.**  
 ENVIRONMENTAL MANAGEMENT CONSULTANTS  
 352 SOUTH SAGINAW STREET • SIXTH FLOOR • FLINT, MICHIGAN 48502  
 PHONE: (313)238-9190 • FAX: (313)238-9193

LABORATORY: **EQC**  
 PROJECT #: **3143IE**

## CHAIN OF CUSTODY RECORD

PROJECT: <b>GM CLCD</b>				CONTAINERS	ANALYSIS REQUIRED <b>PCB</b>	TURN AROUND TIME	PRESERVATION	
SAMPLERS: (Signature) <i>[Signature]</i>							ICED	SPECIFY CHEMICAL ADDED AND FINAL pH IF KNOWN
SAMPLE NUMBER	DATE	TIME	MATRIX					
MW1	12/22/93	-	Liquid 3	X		13264	Standard	None
MW2	↓	-	↓	↓		65	↓	↓
MW3	↓	-	↓	↓		66	↓	↓
MW4	↓	-	↓	↓		67	↓	↓
MW5	↓	-	↓	↓		68	↓	↓
T.B.	↓	-	↓	↓		69	↓	↓
Field Blank	↓	-	↓	↓		13270	↓	↓

RELINQUISHED BY: (Signature) ① <i>[Signature]</i>	DATE	TIME	RECEIVED BY: (Signature) <i>[Signature]</i>	RELINQUISHED BY: (Signature) ④	DATE	TIME	SHIPPED (via)
RELINQUISHED BY: (Signature) ②	DATE	TIME	RECEIVED BY: (Signature)	RECEIVED FOR LABORATORY BY:	DATE	TIME	SHIPPING TKT. #
RELINQUISHED BY: (Signature) ③	DATE	TIME	RECEIVED BY: (Signature)	REMARKS:			



 **ADVANCED  
ENVIRONMENTAL, INC.**

ENVIRONMENTAL MANAGEMENT CONSULTANTS

June 22, 1994

Mr. Paul Barth, Environmental Engineer  
General Motors Corporation  
CLCD/North  
902 East Hamilton  
Flint, Michigan 48550-8503

RE: 3rd QUARTERLY MONITORING REPORT  
Building 40  
GM-CLCD/North  
Flint, Michigan  
Advanced Project No. 3143IE

Dear Mr. Barth:

Advanced Environmental, Inc. (Advanced), has completed the 3rd Quarterly Monitoring of the groundwater monitoring well at Building 40. A spreadsheet summarizing the analytical results and laboratory data sheets are included in the report. A review of the previous static water levels identified an error in the calculations. The revised static water levels are presented in the enclosed Table 1.


During the sampling conducted by Advanced on June 3, 1994, the following observations were noted:

- No signs of free product were noted in MW1, and the oil absorbent pad was replaced.

Please call me at 238-9190 if you have any questions or require any additional information.

Sincerely,

ADVANCED ENVIRONMENTAL, INC.



Mark W. Keyes, P.G.  
Project Manager

MWK:j

Enclosure



**3RD QUARTERLY MONITORING REPORT**  
**BUILDING 40 - CLCD NORTH**  
**FLINT, MICHIGAN**

Advanced Environmental, Inc., Project Number 3143IE

June 22, 1994

TABLE 1  
PCB WATER SAMPLE ANALYTICAL RESULTS  
THIRD QUARTERLY MONITORING

GM/CLCD NORTH  
BUILDING 40  
FLINT, MICHIGNA

Advanced Environmental, Inc., Project No. 3143IE

Sample ID	Analytical Results
	PCB ( $\mu\text{g/L}$ )
MW-1	ND
MW-2	ND
MW-3	ND
MW-4	ND
MW-5	ND
Trip Blank	ND
Field Blank	ND

Notes:

- PCBs EPA Method 8080
- Method detection level 0.2  $\mu\text{g/L}$  (Aroclor - 1232 0.4  $\mu\text{g/L}$ )
- Date sampled June 3, 1994

TABLE 2


STATIC WATER LEVEL ELEVATION SUMMARY

THIRD QUARTERLY MONITORING

GM/CLCD NORTH  
BUILDING 40  
FLINT, MICHIGAN

Advanced Environmental, Inc., Project No. 3143IE

Description	1st Quarter December 22, 1993	2nd Quarter March 1, 1994	3rd Quarter June 3, 1994
MW-1	88.37	88.58	88.96
MW-2	90.56	91.16	91.06
MW-3	90.62	90.35	90.84
MW-4	93.72	93.36	93.17
MW-5	91.17	91.05	91.20



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 S. SAGINAW, STE 600  
FLINT, MI 48502

LAB NO. 5730

SAMPLE DESCRIPTION: PROJ. #3143IE GM BLD, 40 WELLS  
MW-1 WATER

DATE REPORTED: 06/14/94  
DATE RECEIVED: 06/06/94  
DATE EXTRACTED: 06/08/94  
DATE ANALYZED: 06/11/94  
ANALYZED BY: LHK


### ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's

CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1221	*LESS THAN 0.20 ppBILLION
	AROCHLOR 1016	LESS THAN 0.20 ppBILLION
	AROCHLOR 1232	LESS THAN 0.40 ppBILLION
	AROCHLOR 1242	LESS THAN 0.20 ppBILLION
	AROCHLOR 1248	LESS THAN 0.20 ppBILLION
	AROCHLOR 1254	LESS THAN 0.20 ppBILLION
	AROCHLOR 1260	LESS THAN 0.20 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR  
laf



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 S. SAGINAW, STE 600  
FLINT, MI 48502

LAB NO. 5731

SAMPLE DESCRIPTION: PROJ. #3143IE GM BLD, 40 WELLS  
MW-2 WATER

DATE REPORTED: 06/14/94  
DATE RECEIVED: 06/06/94  
DATE EXTRACTED: 06/08/94  
DATE ANALYZED: 06/11/94  
ANALYZED BY: LHK


## ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's

CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1221	*LESS THAN 0.20 ppBILLION
	AROCHLOR 1016	LESS THAN 0.20 ppBILLION
	AROCHLOR 1232	LESS THAN 0.40 ppBILLION
	AROCHLOR 1242	LESS THAN 0.20 ppBILLION
	AROCHLOR 1248	LESS THAN 0.20 ppBILLION
	AROCHLOR 1254	LESS THAN 0.20 ppBILLION
	AROCHLOR 1260	LESS THAN 0.20 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR  
laf



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800-368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 S. SAGINAW, STE 600  
FLINT, MI 48502

SAMPLE NO. 5939

SAMPLE DESCRIPTION: PROJ. #3134-IE, GM BLDG. 40 WELLS  
MW -3 WATER

DATE REPORTED: 6-18-94  
DATE RECEIVED: 6-9-94  
DATE EXTRACTED: 6-13-94  
DATE ANALYZED: 6-14-94  
ANALYZED BY: LHK

## ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's


CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1221	*LESS THAN 0.2 ppBILLION
	AROCHLOR 1016	LESS THAN 0.2 ppBILLION
	AROCHLOR 1232	LESS THAN 0.4 ppBILLION
	AROCHLOR 1242	LESS THAN 0.2 ppBILLION
	AROCHLOR 1248	LESS THAN 0.2 ppBILLION
	AROCHLOR 1254	LESS THAN 0.2 ppBILLION
	AROCHLOR 1260	LESS THAN 0.2 ppBILLION
	AROCHLOR 1268	LESS THAN 0.2 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR

sd



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 S. SAGINAW, STE 600  
FLINT, MI 48502

LAB NO. 5732

SAMPLE DESCRIPTION: PROJ. #3143IE GM BLD, 40 WELLS  
MW-4 WATER

DATE REPORTED: 06/14/94  
DATE RECEIVED: 06/06/94  
DATE EXTRACTED: 06/08/94  
DATE ANALYZED: 06/11/94  
ANALYZED BY: LHK


## ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's

CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1221	*LESS THAN 0.20 ppBILLION
	AROCHLOR 1016	LESS THAN 0.20 ppBILLION
	AROCHLOR 1232	LESS THAN 0.40 ppBILLION
	AROCHLOR 1242	LESS THAN 0.20 ppBILLION
	AROCHLOR 1248	LESS THAN 0.20 ppBILLION
	AROCHLOR 1254	LESS THAN 0.20 ppBILLION
	AROCHLOR 1260	LESS THAN 0.20 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR  
laf



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 S. SAGINAW, STE 600  
FLINT, MI 48502

LAB NO. 5733

SAMPLE DESCRIPTION: PROJ. #3143IE GM BLD, 40 WELLS  
MW-5 WATER

DATE REPORTED: 06/14/94  
DATE RECEIVED: 06/06/94  
DATE EXTRACTED: 06/08/94  
DATE ANALYZED: 06/11/94  
ANALYZED BY: LHK


### ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's

CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1221	*LESS THAN 0.20 ppBILLION
	AROCHLOR 1016	LESS THAN 0.20 ppBILLION
	AROCHLOR 1232	LESS THAN 0.40 ppBILLION
	AROCHLOR 1242	LESS THAN 0.20 ppBILLION
	AROCHLOR 1248	LESS THAN 0.20 ppBILLION
	AROCHLOR 1254	LESS THAN 0.20 ppBILLION
	AROCHLOR 1260	LESS THAN 0.20 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR  
laf



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 S. SAGINAW, STE 600  
FLINT, MI 48502

LAB NO. 5734

SAMPLE DESCRIPTION: PROJ. #3143IE GM BLD, 40 WELLS  
TRIP BLANK WATER

DATE REPORTED: 06/14/94  
DATE RECEIVED: 06/06/94  
DATE EXTRACTED: 06/08/94  
DATE ANALYZED: 06/11/94  
ANALYZED BY: LHK

## ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's

CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1221	*LESS THAN 0.20 ppBILLION
	AROCHLOR 1016	LESS THAN 0.20 ppBILLION
	AROCHLOR 1232	LESS THAN 0.40 ppBILLION
	AROCHLOR 1242	LESS THAN 0.20 ppBILLION
	AROCHLOR 1248	LESS THAN 0.20 ppBILLION
	AROCHLOR 1254	LESS THAN 0.20 ppBILLION
	AROCHLOR 1260	LESS THAN 0.20 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR  
laf



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 S. SAGINAW, STE 600  
FLINT, MI 48502

LAB NO. 5735

SAMPLE DESCRIPTION: PROJ. #3143IE GM BLD, 40 WELLS  
EQUIP BLANK WATER

DATE REPORTED: 06/14/94  
DATE RECEIVED: 06/06/94  
DATE EXTRACTED: 06/08/94  
DATE ANALYZED: 06/11/94  
ANALYZED BY: LHK

## ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's

CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1221	*LESS THAN 0.20 ppBILLION
	AROCHLOR 1016	LESS THAN 0.20 ppBILLION
	AROCHLOR 1232	LESS THAN 0.40 ppBILLION
	AROCHLOR 1242	LESS THAN 0.20 ppBILLION
	AROCHLOR 1248	LESS THAN 0.20 ppBILLION
	AROCHLOR 1254	LESS THAN 0.20 ppBILLION
	AROCHLOR 1260	LESS THAN 0.20 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR  
laf



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800-368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

11.x41

CLIENT: ADVANCED ENVIRONMENTAL  
PROJECT NAME & NUMBER: PROJ. #31431E  
GM BLD 40 WELLS

DATE RECEIVED: 6-6-94  
LAB NO.'S IN BATCH: 5730-5735  
MATRIX: WATER

## SPIKE SUMMARY

METHOD	METHOD ANALYTE SPIKED	MATRIX SPIKE KNOWN	MATRIX SPIKE OBSERVED	% RECOV SURRO	% RECOV	% RPD	SAMPLE RECEV. SPIKE	ANALYSIS DATE	TRIP/METHOD BLANK RESULT	ANALY INITI	REF. CHECK STD REC
		ppM	ppM								
8080	AROCLOR 1242	5.00	5.70	N/A	114.0	N/A	5795	6-11-94	<RDL	LHK	N/A

COMMENTS/CRITERIA: - METHOD AND TRIP BLANK CONCENTRATIONS MUST BE BELOW REPORTABLE DETECTION LIMITS  
- REFERENCE CHECK STANDARD IS METHOD DEPENDENT

Allen K. Luebke, Assistant Lab Supervisor: Allen K. Luebke

Chris Bloom, Lab Manager: C. Bloom  
hk



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800-368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
PROJECT NAME & NUMBER: PROJ. #3134-IE

DATE RECEIVED: 6-9-94  
LAB NO.'S IN BATCH: 5939  
MATRIX: WATER

## SPIKE SUMMARY

METHOD	METHOD ANALYTE SPIKED	METHOD SPIKE KNOWN	METHOD SPIKE OBSERVED	% RECOV SURRO	% RECOV	% RPD	SAMPLE RECEV. SPIKE	ANALYSIS DATE	TRIP/METHOD BLANK RESULT	ANALY INITI	REF. CHECK STD REC
		ppM	ppM								
8080	AROCLOR 1254	0.20	0.19	N/A	95.0	N/A	N/A	6-14-94	<RDL	LHK	N/A

COMMENTS/CRITERIA: - METHOD AND TRIP BLANK CONCENTRATIONS MUST BE BELOW REPORTABLE DETECTION LIMITS  
- REFERENCE CHECK STANDARD IS METHOD DEPENDENT

Allen K. Luebke, Assistant Lab Supervisor: Allen Luebke (as)  
Chris Bloom, Lab Manager: Chris Bloom  
hk

**ADVANCED ENVIRONMENTAL, INC.**  
**ENVIRONMENTAL MANAGEMENT CONSULTANTS**  
 352 SOUTH SAGINAW STREET • SIXTH FLOOR • FLINT, MICHIGAN 48502  
 PHONE: (313)236-9190 • FAX: (313)236-9195


LABORATORY:  
**EQL**

PROJECT #:  
**3143IE**

## CHAIN OF CUSTODY RECORD

PROJECT:				CONTAINERS	ANALYSIS REQUIRED	TURN AROUND TIME				PRESERVATION			
SAMPLERS: (Signature)						SAMPLE NUMBER	DATE	TIME	MATRIX	TURN AROUND TIME	ICED	SPECIFY CHEMICAL ADDED AND FINAL pH IF KNOWN	
<b>J.M.C. Wells</b>													
6M Bld. 40 Wells				PCB15 (ROSE)									
					X				STANDARD 5730	X	NONE		
									5731				
									5732				
									5733				
									5734				
									5735				
Trip BLANK													
Equip. BLANK													
<p>*NOTE: Bottom fell off of mw-3 sample / contacted (you &amp; A.L.S.) =&gt; she will call to arrange for another sample p/w if needed; proceed with other analyses.</p>													
RELINQUISHED BY: (Signature) ①				DATE	TIME	RECEIVED BY: (Signature)				RELINQUISHED BY: (Signature) ④	DATE	TIME	SHIPPED (via)
<b>J.M.C. Wells</b>				<b>6/6/94</b>	<b>2:16pm</b>	<b>Steve McLean</b>							
RELINQUISHED BY: (Signature) ②				DATE	TIME	RECEIVED BY: (Signature)				RECEIVED FOR LABORATORY BY:	DATE	TIME	SHIPPING TKT. #
RELINQUISHED BY: (Signature) ③				DATE	TIME	RECEIVED BY: (Signature)				REMARKS:			







**ADVANCED  
ENVIRONMENTAL, INC.**

ENVIRONMENTAL MANAGEMENT CONSULTANTS

September 21, 1994

Mr. Paul Barth, Environmental Engineer  
General Motors Corporation  
CLCD/North  
902 East Hamilton  
Flint, Michigan 48550-8503

RE: 4th QUARTERLY MONITORING REPORT  
Building 40  
GM-CLCD/North  
Flint, Michigan  
Advanced Project No. 3143IE

Dear Mr. Barth:

Advanced Environmental, Inc. (Advanced), has completed the 4th Quarterly Monitoring of the groundwater monitoring well at Building 40. Table 1 summarizes the analytical results and the laboratory data sheets are attached. The revised static water levels are presented in the enclosed Table 2.

During the sampling conducted by Advanced on September 1, 1994, the following observation was noted:

- No signs of free product were noted in MW1, and the oil absorbent pad was replaced.

Please call me at 238-9190 if you have any questions or require any additional information.

Sincerely,

ADVANCED ENVIRONMENTAL, INC.



Mark W. Keyes, P.G.  
Project Manager

MWK:r:j

Enclosure

TABLE 1  
PCB WATER SAMPLE ANALYTICAL RESULTS  
FOURTH QUARTERLY MONITORING

GM/CLCD NORTH  
BUILDING 40  
FLINT, MICHIGAN

Advanced Environmental, Inc., Project No. 3143IE

Sample ID	Analytical Results
	PCB ( $\mu\text{g/L}$ )
MW-1	ND
MW-2	ND
MW-3	ND
MW-4	ND
MW-5	ND
Trip Blank	ND
Field Blank	ND


Notes:

- PCBs EPA Method 8080
- Method detection level 0.2  $\mu\text{g/L}$  (Aroclor - 1232 0.4  $\mu\text{g/L}$ )
- Date sampled September 1, 1994

TABLE 2  
STATIC WATER LEVEL  
FOURTH QUARTERLY MONITORING  
GM/CLCD NORTH  
BUILDING 40  
FLINT, MICHIGAN

Advanced Environmental, Inc., Project No. 3143IE

Sample ID	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter
MW-1	88.37	88.58	88.96	89.24
MW-2	90.56	91.16	91.06	89.90
MW-3	90.62	90.35	90.84	90.74
MW-4	93.72	93.36	93.17	93.11
MW-5	91.17	91.05	91.20	90.06



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 L. SAGINAW SUITE 600  
FLINT, MI 48502

SAMPLE NO. 9430

SAMPLE DESCRIPTION: 3143 IE GM-BLD 40 WELLS  
WATER SAMPLE MW-1

DATE REPORTED: 09-12-94  
DATE RECEIVED: 09-02-94  
DATE EXTRACTED: 09-06-94  
DATE ANALYZED: 09-07-94  
ANALYZED BY: LHK

## ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's

CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1016	*LESS THAN 0.2 ppBILLION
	AROCHLOR 1221	LESS THAN 0.2 ppBILLION
	AROCHLOR 1232	LESS THAN 0.4 ppBILLION
	AROCHLOR 1242	LESS THAN 0.2 ppBILLION
	AROCHLOR 1248	LESS THAN 0.2 ppBILLION
	AROCHLOR 1254	LESS THAN 0.2 ppBILLION
	AROCHLOR 1260	LESS THAN 0.2 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR

sl



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 L. SAGINAW SUITE 600  
FLINT, MI 48502

SAMPLE NO. 9431

SAMPLE DESCRIPTION: 3143 IE GM-BLD 40 WELLS  
WATER SAMPLE MW-2

DATE REPORTED: 09-12-94  
DATE RECEIVED: 09-02-94  
DATE EXTRACTED: 09-06-94  
DATE ANALYZED: 09-07-94  
ANALYZED BY: LHK

### ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's

CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1016	*LESS THAN 0.2 ppBILLION
	AROCHLOR 1221	LESS THAN 0.2 ppBILLION
	AROCHLOR 1232	LESS THAN 0.4 ppBILLION
	AROCHLOR 1242	LESS THAN 0.2 ppBILLION
	AROCHLOR 1248	LESS THAN 0.2 ppBILLION
	AROCHLOR 1254	LESS THAN 0.2 ppBILLION
	AROCHLOR 1260	LESS THAN 0.2 ppBILLION

**\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.**

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 L. SAGINAW SUITE 600  
FLINT, MI 48502

SAMPLE NO. 9432

SAMPLE DESCRIPTION: 3143 IE GM-BLD 40 WELLS  
WATER SAMPLE MW-3

DATE REPORTED: 09-12-94  
DATE RECEIVED: 09-02-94  
DATE EXTRACTED: 09-06-94  
DATE ANALYZED: 09-07-94  
ANALYZED BY: LHK

## ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's

CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1016	*LESS THAN 0.2 ppBILLION
	AROCHLOR 1221	LESS THAN 0.2 ppBILLION
	AROCHLOR 1232	LESS THAN 0.4 ppBILLION
	AROCHLOR 1242	LESS THAN 0.2 ppBILLION
	AROCHLOR 1248	LESS THAN 0.2 ppBILLION
	AROCHLOR 1254	LESS THAN 0.2 ppBILLION
	AROCHLOR 1260	LESS THAN 0.2 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR

sl



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 L. SAGINAW SUITE 600  
FLINT, MI 48502

SAMPLE NO. 9433

SAMPLE DESCRIPTION: 3143 IE GM-BLD 40 WELLS  
WATER SAMPLE MW-4

DATE REPORTED: 09-12-94  
DATE RECEIVED: 09-02-94  
DATE EXTRACTED: 09-06-94  
DATE ANALYZED: 09-07-94  
ANALYZED BY: LHK

## ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's

CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1016	*LESS THAN 0.2 ppBILLION
	AROCHLOR 1221	LESS THAN 0.2 ppBILLION
	AROCHLOR 1232	LESS THAN 0.4 ppBILLION
	AROCHLOR 1242	LESS THAN 0.2 ppBILLION
	AROCHLOR 1248	LESS THAN 0.2 ppBILLION
	AROCHLOR 1254	LESS THAN 0.2 ppBILLION
	AROCHLOR 1260	LESS THAN 0.2 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR

sl



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800-368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 L. SAGINAW SUITE 600  
FLINT, MI 48502

SAMPLE NO. 9434

SAMPLE DESCRIPTION: 3143 IE GM-BLD 40 WELLS  
WATER SAMPLE MW-5

DATE REPORTED: 09-12-94  
DATE RECEIVED: 09-02-94  
DATE EXTRACTED: 09-06-94  
DATE ANALYZED: 09-07-94  
ANALYZED BY: LHK

## ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's

CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1016	*LESS THAN 0.2 ppBILLION
	AROCHLOR 1221	LESS THAN 0.2 ppBILLION
	AROCHLOR 1232	LESS THAN 0.4 ppBILLION
	AROCHLOR 1242	LESS THAN 0.2 ppBILLION
	AROCHLOR 1248	LESS THAN 0.2 ppBILLION
	AROCHLOR 1254	LESS THAN 0.2 ppBILLION
	AROCHLOR 1260	LESS THAN 0.2 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR

sl



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800-368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 L. SAGINAW SUITE 600  
FLINT, MI 48502

SAMPLE NO. 9435

SAMPLE DESCRIPTION: 3143 IE GM-BLD 40 WELLS  
WATER SAMPLE FIELD BLANK

DATE REPORTED: 09-12-94  
DATE RECEIVED: 09-02-94  
DATE EXTRACTED: 09-06-94  
DATE ANALYZED: 09-07-94  
ANALYZED BY: LHK

## ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's


CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1016	*LESS THAN 0.2 ppBILLION
	AROCHLOR 1221	LESS THAN 0.2 ppBILLION
	AROCHLOR 1232	LESS THAN 0.4 ppBILLION
	AROCHLOR 1242	LESS THAN 0.2 ppBILLION
	AROCHLOR 1248	LESS THAN 0.2 ppBILLION
	AROCHLOR 1254	LESS THAN 0.2 ppBILLION
	AROCHLOR 1260	LESS THAN 0.2 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR

sl



# ENVIRONMENTAL QUALITY LABORATORIES, INC.

44075 Phoenix Drive  
Sterling Heights, Michigan 48314-1420  
810-731-1818  
Outside Michigan Dial 1-800- 368-5227  
Fax Line 810-731-2590  
Federal I.D. # 38-2291504

CLIENT: ADVANCED ENVIRONMENTAL  
352 L. SAGINAW SUITE 600  
FLINT, MI 48502

SAMPLE NO. 9436

SAMPLE DESCRIPTION: 3143 IE GM-BLD 40 WELLS  
WATER SAMPLE TRIP BLANK

DATE REPORTED: 09-12-94  
DATE RECEIVED: 09-02-94  
DATE EXTRACTED: 09-06-94  
DATE ANALYZED: 09-07-94  
ANALYZED BY: LHK

## ORGANICS ANALYSIS DATA SHEET METHOD 8080 PCB's

CAS NO.	COMPOUND NAME	CONCENTRATION
	AROCHLOR 1016	*LESS THAN 0.2 ppBILLION
	AROCHLOR 1221	LESS THAN 0.2 ppBILLION
	AROCHLOR 1232	LESS THAN 0.4 ppBILLION
	AROCHLOR 1242	LESS THAN 0.2 ppBILLION
	AROCHLOR 1248	LESS THAN 0.2 ppBILLION
	AROCHLOR 1254	LESS THAN 0.2 ppBILLION
	AROCHLOR 1260	LESS THAN 0.2 ppBILLION

\*NOTE: TERM "LESS THAN" DENOTES THAT ANALYTE RESULT IS BELOW THE REPORTED REGULATORY DERIVED TARGET LIMIT OF DETECTION.

CHRIS BLOOM, LABORATORY MANAGER

ALLEN LUEBKE, ASSISTANT LABORATORY SUPERVISOR

sl

