


NJ DOT Credit Union

Phase I Environmental Site
Assessment of the
Ballfield Parcel of the
Former General Motors Facility
Ewing, New Jersey

October 2001

FM101.00.01

Environmental Resources Management
Princeton Crossroads Corp. Center
250 Phillips Blvd., Suite 280
Ewing, New Jersey 08618



ERM®

TABLE OF CONTENTS

1.0	INTRODUCTION	1
1.1	PURPOSE	1
1.2	SCOPE OF WORK	1
1.3	LIMITATIONS	1
1.3.1	Scope of Activity	1
1.3.2	Use of this Report	2
1.3.3	Conditions and Methodology	3
2.0	SITE DESCRIPTION	4
2.1	LOCATION	4
2.2	SITE HISTORY AND USAGE	4
2.3	SITE AND VICINITY CHARACTERISTICS	5
2.4	DESCRIPTION OF EXTERIOR STRUCTURES, ROADS AND OTHER SITE IMPROVEMENTS	6
2.5	PREVIOUS ENVIRONMENTAL INVESTIGATIONS	6
2.6	GEOLOGY AND HYDROGEOLOGY	7
3.0	RECORDS REVIEW AND INTERVIEWS	8
3.1	STANDARD ENVIRONMENTAL RECORD SOURCES, FEDERAL AND STATE	8
3.1.1	Federal Records and Lists	8
3.1.2	NJ Department of Environmental Protection (NJDEP)	12
3.2	AERIAL PHOTOGRAPH REVIEW	14
3.2.1	April 1940 Photograph	15
3.2.2	September 1951 Photograph	15
3.2.3	May 1957 Photograph	15
3.2.4	March 1962 Photograph	15
3.2.6	July 1977 Photograph	16
3.3	Interviews	16
4.0	INFORMATION FROM SITE RECONNAISSANCE	17

4.1	AIR EMISSIONS	17
4.2	SOLID AND HAZARDOUS WASTE STORAGE AND DISPOSAL	17
4.3	WATER SUPPLY AND WASTEWATER DISCHARGES	17
4.3.1	Drinking and Process Water	17
4.3.2	Water Discharges	17
4.4	CHEMICAL USAGE AND STORAGE	17
4.5	PCB MANAGEMENT	17
4.6	STORAGE TANKS	18
4.7	AREAS OF DEAD, DISTRESSED, OR DYING VEGETATION	18
4.8	CONDITION OF SURFACE SOILS AND SOIL DISTURBANCE	18
4.9	SURFACE WATER, PITS, SUMPS AND FLOOR DRAINS	18
4.10	ASBESTOS-CONTAINING MATERIALS	18
5.0	CONCLUSIONS	19
6.0	QUALIFICATIONS OF THE ENVIRONMENTAL PROFESSIONALS CONDUCTING THIS ASSESSMENT	22

LIST OF FIGURES

- 1 Site Location Map
- 2 Site Sketch

following page 4
6

1.0 INTRODUCTION

1.1 PURPOSE

Environmental Resources Management (ERM) has completed a Phase I Environmental Site Assessment for a portion of the former General Motors (GM) manufacturing facility located in Ewing New Jersey. The subject property comprises a small parcel of land located near the northeastern corner of the GM facility. This area is identified as the Ballfield in GM documents. The subject property is located at 1445 Parkway Avenue, Ewing, New Jersey. Mr. Robert Dixon, of ERM, Ewing, New Jersey conducted the site visit on 15 February 2001. Please note that throughout this document the parcel that is to be purchased by the New Jersey Department of Transportation Credit Union (NJDOT CU) is identified as the subject property.

This assessment was prepared for the NJDOT CU to assist in the identification and evaluation of potential environmental liabilities associated with the historical and ongoing activities on the subject property and adjacent sites.

1.2 SCOPE OF WORK

The assessment was conducted in conformance with the scope and limitations of ASTM Standard E 1527-00 *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*.

Site interviews were conducted with Mr. David Worrell, the Environmental Engineer responsible for the closure of the GM Ewing facility. ERM also contacted the Ewing Police and Fire Departments.

1.3 LIMITATIONS

1.3.1 Scope of Activity

The report is based upon the application of scientific principles and professional judgment to certain facts with resultant subjective interpretations. Professional judgments expressed herein are based on the

facts currently available within the limits of the existing data, scope of work, budget and schedule. To the extent that more definitive conclusions are desired by the client than are warranted by the currently available facts, it is specifically ERM's intent that the conclusions and recommendations stated herein will be intended as guidance and not necessarily a firm course of action except where explicitly stated as such. We make no warranties, express or implied, including, without limitation, warranties as to merchantability or fitness for a particular purpose. In addition, the information provided in this report is not to be construed as legal advice.

While ASTM Standard E-1527 states that the standard practice is intended to permit a user to satisfy one of the requirements to qualify for the innocent landowner defense to liability under the Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) Section 101 (35) (B), ERM does not represent that this Phase I work, in and of itself, constitutes "all appropriate inquiry into the previous ownership and uses of the property."

1.3.2 *Use of this Report*

ERM is not engaged in environmental auditing and reporting for the purpose of advertising, sales promotion, or endorsement of any client's interests, including raising investment capital, recommending investment decisions, or other publicity purposes. Client acknowledges this report has been prepared for the exclusive use of client and agrees that ERM reports or correspondence will not be used or reproduced in full or in part for such purposes, and may not be used or relied upon in any prospectus or offering circular. Client also agrees that none of its advertising, sales promotion, or other publicity matter containing information obtained from this audit and report will mention or imply the name of ERM.

Nothing contained in this report shall be construed as a warranty or affirmation by ERM that the site and property described in the report are suitable collateral for any loan or that acquisition of such property by any lender through foreclosure proceedings or otherwise will not expose the lender to potential environmental liability.

1.3.3 *Conditions and Methodology*

The environmental site assessment was carried out in four phases: 1) interviews, on-site inspection and review of neighboring properties, 2) review of records, 3) evaluation of results, and 4) reporting.

In the first phase, the inspector visited the subject property and conducted a physical inspection of the property. The site inspection included: all site structures, non-hazardous and hazardous waste storage, and land associated with the property. Conditions at the property enabled access to all areas of the property and structure. Information about the property operations and management practices included in the following report were provided by David Worrell, unless otherwise specified. The review of neighboring properties was conducted by completing a drive-by survey of the surrounding properties.

In the second phase, supplemental documents were reviewed. These documents included USGS topographic maps, environmental database reports, and historical aerial photographs.

In the third phase, the information obtained from the interviews and the observations made during the site visit and review of neighboring properties were analyzed in the context of the ASTM Standard E 1527-00 site assessment objectives.

This report represents the fourth phase.

The environmental assessment did not involve collecting or generating any new, original data. All conclusions and judgements were based on data available during the evaluation period.

2.0

SITE DESCRIPTION

2.1

LOCATION

The subject property is located at 1445 Parkway Avenue, Ewing New Jersey. The exact size of the parcel is currently being negotiated by GM and the NJDOT CU, however it is anticipated that the subject property will comprise approximately four acres. The GM facility is located in a commercial area of Ewing. The subject property is undeveloped. There are no structures or utilities currently in place at the site. See Figure 1 for a Site Location Map.

2.2

SITE HISTORY AND USAGE

As indicated previously, the subject property has never been developed. However, the General Motors facility has been operated by several different GM subsidiaries since 1937. The following table provides a site history for the facility and information regarding the use of the property by these operations.

Years of Operation	Company	Operations
1937 - 1942	GM (Ternstedt)	Construction of the facility
1942 - 1945	Eastern Aircraft	Manufacture of Torpedo Bombers
1945 - 1968	GM (Ternstedt)	Manufacture of window regulators, door handles, seat adjustors
1968 - 1970	Fisher Body	Manufacture expanded to include aluminum plating and plastic injection molding

Years of Operation	Company	Operations
1970 - 1976	Fisher Body	Vent window production stopped, replaced by manufacture of PVC plastic body moldings.
1976 - 1984	Fisher Body	Aluminum plating operations stopped, replaced by manufacture of encapsulated glass products
1984 - 1989	Fisher Guide	Powder coating painting, bilaminate roll form and extrusion manufacturing operations
1989 - 1997	Inland Fisher Guide	Powder coating painting, bilaminate roll form and extrusion manufacturing operations

2.3

SITE AND VICINITY CHARACTERISTICS

The GM site is situated near the center of the city of Ewing, New Jersey within a commercial area. Parkway Avenue is located to the north of the subject property. A series of commercial, retail stores is located across Parkway Avenue. Sylvia Avenue is located to the east of the subject parcel. The area beyond Sylvia Avenue is undeveloped and wooded. As noted previously, the actual property limits have not yet been negotiated. However, for the purposes of this report, the southern and western property boundaries are demarcated by a small stream identified as Gold Run Creek. A dam located on the Creek has created a small pond near Parkway Avenue. The area across Gold Run Creek comprises other areas of the former GM facility. Vehicle access to the subject property is currently obtained from the former GM facility. No public utilities are

currently provided to the subject property. See Figure 2 for a Site Sketch depicting pertinent features of the subject property and the surrounding area.

2.4 *DESCRIPTION OF EXTERIOR STRUCTURES, ROADS AND OTHER SITE IMPROVEMENTS*


As noted previously, there are no structures on the subject property. Currently, the subject property consists of a grass field. In conversations with Mr. Worrell, he indicated that the subject property has never been developed. Mr. Worrell indicated that since GM opened the Ewing facility, that the only time the subject property was used was for employee softball games that were conducted on the field during the 1950s and 1960s. The property gently slopes to the southwest towards Gold Run Creek. Gold Run Creek occupies the southern and western property boundary.

2.5 *PREVIOUS ENVIRONMENTAL INVESTIGATIONS*

Documentation provided by GM indicated that there have been no environmental investigations conducted on the subject property. However, there have been two remedial investigations/ actions completed on the former GM facility immediately adjacent to the subject property.

The initial remedial action occurred in November 1996. At that time, GM was conducting a site investigation related to an Industrial Site Recovery Act (ISRA) filing for the former GM facility. During the course of the investigation, interviews were conducted with knowledgeable individuals regarding the environmental history of the former GM facility. During one of these interviews, it was determined that there was a drum disposal site located on the former GM facility. The disposal site was located approximately one hundred feet south of the proposed NJDOT CU parcel. In discussions with Mr. Worrell, he indicated that GM conducted a remedial action at the site in 1997. This consisted of the removal of 98 buried 55-gallon drums of barium chromate based yellow paint pigment and the excavation of visually contaminated soils. Post-excavation samples collected following the remedial action met appropriate New Jersey Department of Environmental Protection (NJDEP) criteria. As part of the remedial action, a ground water monitoring well was installed near the drum disposal site. Representative samples collected from this monitoring well exhibited elevated concentrations of barium.

Figure 2
Site Sketch
Ballfield Area of the Former General Motors Facility
Ewing, New Jersey



The second remedial investigation was conducted in October 2000. During previous investigations, GM determined that the sediments found in the Gold Run Creek and pond exhibited elevated concentrations of semi-volatile organics, polychlorinated biphenyls (PCBs) and metals. When the NJDEP was approached in order to discuss the possibility of a limited conveyance of the subject property, the NJDEP requested that GM conduct a study to evaluate the potential contamination associated with historic flood events having transferred contaminated sediments to the neighboring soils. GM conducted three rounds of soil borings along the eastern side of Gold Run Creek. The initial soil borings were installed approximately 25 feet east of the creek. Soil samples collected from this area had elevated concentrations of metals, semi-volatiles and PCBs. Based upon these results, GM conducted additional soil delineation sampling. The delineation sampling indicated that contaminated soils are limited to an area that is within approximately 50 - 100 feet east of Gold Run Creek and pond. The delineation line is approximately 75 feet west of the subject property. It should also be noted that the NJDEP is currently reviewing GM's limited conveyance request and the site investigation report related to the delineation sampling noted above.

2.6

GEOLOGY AND HYDROGEOLOGY

According to the Geology of the Ground Water Resources of Mercer County prepared by the New Jersey Geological Survey, the portion of Ewing Township that included the subject property is underlain by a formation identified as the Lockatong Argillite.

Based on local surface water patterns and topography, shallow ground water is expected to flow towards Gold Run Creek located to the south and west of the subject property. Information provided in the site investigation and remedial investigations completed by GM indicates that the Gold Run Creek is a gaining stream. This means that ground water on either side of the stream tends to flow towards and then flows with the stream. This factor is important due to the fact that the stream creates a barrier which hinders contaminant flow from one side of the stream to another.

STANDARD ENVIRONMENTAL RECORD SOURCES, FEDERAL AND STATE

Environmental Data Resources, Inc. (EDR) conducted a search of federal and state (New Jersey) on-line databases. The summary report is included as Appendix A. The results of the database search are described below by program. The following summarized information is based on the standard ASTM search distances identified in the Map Findings Summary of the EDR report.

The Facility Index System (FINDS) database is a master database listing of all facilities which are identified in databases maintained by the U.S. Environmental Protection Agency (USEPA). This listing is cross-referenced to all of the databases listed below as well as a number of other databases not typically searched under the ASTM standard. The subject property is not included in the FINDS database.

The GM facility is listed in several of the databases searched by EDR. It should be noted that, the exact boundaries of the subject property are still being negotiated by GM and the NJDOT CU. However, based upon the property boundary information provided by NJDOT CU, the incidents and databases identified in the EDR report do not appear to involve the subject property.

It should also be noted that the majority of the GM plant not included in the subject property and all former GM manufacturing areas are situated in a sidegradient position to the subject property with regard to ground water flow. This position reduces the potential likelihood of environmental impacts from the GM manufacturing operations.

3.1.1

Federal Records and Lists

3.1.1.1

CERCLIS Sites (within one-half mile of site) and NPL Sites (within one mile of the subject property)

USEPA compiles a summary of its activities under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) on the Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) list. The CERCLIS list

provides data on neighboring facilities that may have an impact on the property. The list is also checked to determine if any action related to CERCLA has been taken at the property itself. Facilities on the CERCLIS list may pose a potential or known threat to human health and the environment or are being investigated as suspected hazardous waste sites. Sites on the CERCLIS list which are determined to constitute an immediate threat to human health and the environment are then placed on the National Priorities List (NPL).

No CERCLIS sites were identified in the EDR report.

In February 1995, the USEPA delisted approximately 25,000 CERCLIS sites that had been designated as "No Further Remedial Action Planned" or CERCLIS-NFRAP sites. This designation indicates that the site has been removed from the CERCLIS list and is used to designate sites that were found to be non-contaminated, were remediated promptly or were limited in severity and therefore removed from the CERCLIS list.

A review of the EDR report indicates that the GM facility is listed on the CERCLIS NFRAP list. There is one other CERCLIS-NFRAP site within ¼ mile of the site. This site is identified as the US Naval Air Propulsion Center located on Parkway Avenue. Based on the anticipated direction of ground water flow, the US Naval Air Propulsion Center would be upgradient to the subject property, therefore potential impacts to the subject property are possible. However, Gold Run Creek is situated between the subject property and the US Naval Air Propulsion Center. As noted previously, Gold Run Creek may pose a barrier to contaminant migration due to the fact that it is a gaining stream.

The CONSENT database lists major legal settlements that establish responsibility and standards for cleanup at NPL sites. Additionally, Records of Decision (ROD) documents mandate a permanent remedy at an NPL site containing technical and health information to aid in the cleanup. No sites within a one mile radius of the subject property are included on either the CONSENT or ROD databases.

3.1.1.2 *RCRA Treatment, Storage, or Disposal (TSD) Facilities (within one-half mile of the subject property)*

USEPA maintains a list of sites which generate, transport, store, treat, and/or dispose of hazardous waste. The GM facility is identified as a RCRA Treatment, Storage, or Disposal (TSD) Facility. In addition, the US Naval Air Propulsion Center is listed as a RCRA TSD facility. Based on the anticipated direction of ground water flow, these sites would be

upgradient to the subject property, therefore potential impacts to the subject property are possible. However, Gold Run Creek is situated between the subject property and these TSD facilities. As noted previously, Gold Run Creek may pose a barrier to contaminant migration due to the fact that it is a gaining stream.

3.1.1.3 *RCRA Generators/Violators (within one-quarter mile of the subject property)*

Active hazardous waste treatment, storage or disposal (TSD) facilities are managed under the Resource Conservation and Recovery Act (RCRA). The USEPA and the New Jersey Department of Environmental Protection (NJDEP) maintain several databases under RCRA to monitor permitting, inspection and enforcement activities. The RCRIS database identifies hazardous waste generators, transporters, and TSD facilities.

The GM facility and the US Naval Air Propulsion Center are identified as RCRA Large Quantity Generators. Based on the anticipated direction of ground water flow, this site would be upgradient to the subject property, therefore potential impacts to the subject property are possible. However, Gold Run Creek is situated between the subject property and these sites. As noted previously, Gold Run Creek may pose a barrier to contaminant migration due to the fact that it is a gaining stream.

Two Large Quantity Generators were listed on the orphan summary. Sites identified on the orphan summary are located within the same postal zip code as the subject property, but are unmappable due to incomplete information. By comparing the limited address listed in the EDR report to street maps of the region, neither of these orphan sites is likely to pose any environmental concerns due to the distance between the orphan site and the subject property or the fact that the orphan site is located in the anticipated downgradient of the subject property.

No RCRIS Small Quantity Generators were mapped within a one-quarter mile radius of the subject property.

One RCRIS Small Quantity Generator was listed on the orphan summary. Sites identified on the orphan summary are located within the same postal zip code as the subject property, but are unmappable due to incomplete information. By comparing the limited address listed in the EDR report to street maps of the region, this orphan sites is not likely to pose any environmental concerns due to the fact that the orphan site is located in the anticipated downgradient of the subject property.

The CORRACTS database is a list of hazardous waste handlers that have been identified as requiring corrective action. A review of the EDR report indicates that the GM facility and the US Naval Air Propulsion Center are identified on the CORRACTS database. Based on the anticipated direction of ground water flow, this site would be upgradient to the subject property, therefore potential impacts to the subject property are possible. However, Gold Run Creek is situated between the subject property and the US Naval Air Propulsion Center. As noted previously, Gold Run Creek may pose a barrier to contaminant migration due to the fact that it is a gaining stream.

3.1.1.4 *Emergency Release Notification System (ERNS) (subject property only)*

The USEPA also records and stores information on reported releases of oil and hazardous substances; this information is supplied by USEPA and National Response Center of the United States Coast Guard. The GM facility is identified on the ERNS database.

3.1.1.5 *Toxic Chemical Release Inventory System (TRIS) (subject property only)*

The USEPA maintains a listing of facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313. The subject property is not listed in this database.

3.1.1.6 *Toxic Substances Control Act (TSCA) (subject property only)*

This database compiled by the USEPA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. This compilation does not include the subject property.

3.1.1.7 *Hazardous Materials Information Reporting System (HMIRS) (subject property only)*

The United States Department of Transportation (DOT) maintains this database which contains hazardous spill incidents reported to DOT. No spill incidents associated with the subject property were reported.

3.1.1.8 *Federal Superfund Liens (subject property only)*

The USEPA compiles a listing of filed notices of Superfund Liens. The subject property is not included in this database.

3.1.1.9 *PCB Activity Database System (PADS) (subject property only)*

This database identifies generators, transporters, commercial storage facilities and/or brokers and disposers of PCBs who are required to notify the USEPA of these activities. The GM facility is identified on the PADS database.

3.1.1.10 *Material Licensing Tracking System (MLTS) (subject property only)*

The Nuclear Regulatory Commission (NRC) maintains a database of sites which possess, or use radioactive materials, and which are subject to NRC licensing requirements. The subject property is not included in this database.

3.1.2 *New Jersey Department of Environmental Protection (NJDEP)*

3.1.2.1 *Registered Underground Storage Tank (UST) Facilities (within one-quarter mile of the subject property)*

Two sites with registered USTs were mapped within a one-quarter mile radius of the subject property. The GM facility is identified as a registered UST facility. The Picernos Automotive service station is also identified as a registered UST facility. Based on the anticipated direction of ground water flow, this site would be sidegradient to the subject property, therefore potential impacts to the subject property are unlikely.

Three UST facilities are listed on the orphan summary. Sites identified on the orphan summary are located within the same postal zip code as the subject property, but are unmappable due to incomplete information. By comparing the limited address listed in the EDR report to street maps of the region, these orphan sites are not likely to pose any environmental concerns due to the fact that they are located in the anticipated downgradient of the subject property.

3.1.2.2 *Leaking Underground Storage Tank Facilities (within one-half mile of the subject property)*

According to the EDR database, there are 5 sites with leaking USTs mapped within a one-half mile radius of the subject property. These sites include:

Site Name	Site Address	Location
GM Facility	1445 Parkway Avenue	0 - 1/8 mile West

US Naval Air Propulsion Center	1440 Parkway Avenue	0 - 1/8 mile East-Southeast
Picernos Service Station	1543 Parkway Avenue.	1/8 - 1/4 mile West-Northwest
Amoco Service Station	1252 Parkway Avenue.	1/4 - 1/2 mile East-Southeast
West Trenton Volunteer Fire Company	40 West Upper Ferry Road.	1/4 - 1/2 West

Based on the anticipated direction of ground water flow, the US Naval Air Propulsion Center would be upgradient to the subject property, therefore potential impacts to the subject property are possible. However, Gold Run Creek is situated between the subject property and the US Naval Air Propulsion Center. As noted previously, Gold Run Creek may pose a barrier to contaminant migration due to the fact that it is a gaining stream.

The remaining sites are all located in a sidegradient or downgradient position to the subject property with regards to ground water flow direction. Accordingly, potential impacts to the subject property from these LUST facilities is unlikely.

Fifteen leaking UST sites were listed on the orphan summary. By comparing the limited address listed in the EDR report to street maps of the region, these orphan sites are not likely to pose any environmental concerns due to the distance between the orphan site and the subject property or the fact that the orphan site is located in the anticipated downgradient direction of the subject property.

3.1.2.3 *Solid Waste Facilities /Landfill Sites (SWF/LS) (within one-half mile of subject property)*

According to the EDR database, there are no Solid Waste Facilities within a one-half mile radius of the subject property were listed in this database.

3.1.2.4 *State Hazardous Waste Sites (SHWS) (within one mile of the subject property)*

NJDEP maintains this database which includes a listing of priority sites planned for cleanup using either state funds or potentially responsible parties' funds. Four sites were identified as State Hazardous Waste Sites within a one mile radius of the subject property. The sites include:

Site Name	Site Address	Location
GM Facility	1445 Parkway Avenue	0 - 1/8 mile West
US Naval Air Propulsion Center	1440 Parkway Avenue	0 - 1/8 mile East-Southeast
Mobil Service Station	West Upper Ferry Road and Grand Avenue.	¼ - ½ mile West
Carroll's Service Center	440 Grand Avenue	½ - 1 mile South-southwest
NJDOT Transportation Improvement Project	1035 Parkway Avenue	½ - 1 mile Southeast

Based on the anticipated direction of ground water flow, the US Naval Air Propulsion Center would be upgradient to the subject property, therefore potential impacts to the subject property are possible. However, Gold Run Creek is situated between the subject property and the US Naval Air Propulsion Center. As noted previously, Gold Run Creek may pose a barrier to contaminant migration due to the fact that it is a gaining stream.

The remaining sites are all located in a sidegradient or downgradient position to the subject property with regards to ground water flow direction. Accordingly, potential impacts to the subject property from these State Hazardous Waste Site facilities is unlikely.

One State Hazardous Waste Site was listed on the orphan summary. By comparing the limited address listed in the EDR report to street maps of the region, this orphan sites is not likely to pose any environmental concerns due to the fact that the orphan site is located in the anticipated downgradient direction of the subject property.

3.1.2.4 *NJ Spills Database*

NJDEP maintains this database which includes a listing of sites at which a spill of hazardous wastes or unknown material has occurred. The GM facility is identified on the NJ Spills database. Based on the anticipated direction of ground water flow, this site would be sidegradient to the subject property, therefore potential impacts to the subject property are unlikely.

3.2 *AERIAL PHOTOGRAPH REVIEW*

A review of aerial photographs was completed at the New Jersey Department of Environmental Protection (NJDEP) to identify potential adverse historical uses of the subject property. Following is a summary of

aerial photographs reviewed, dating from 1940 to 1986. Only general land use can be ascertained at the scale at which the aerial photographs were taken.

3.2.1 *April 1940 Photograph*

This was a set of medium-altitude black and white photographs. The subject property is undeveloped and appears to be covered in grass. The pond associated with Gold Run Creek is not present. In addition, the area to the south and west of the subject property appears to have been marshy. The waste water treatment plant and sludge drying lagoons associated with GM operations are not present.

3.2.2 *September 1951 Photograph*

This was a set of medium-altitude black and white photographs. The subject property appeared similar to the description provided for the previous aerial photograph. The pond associated with Gold Run Creek was also present. In addition the marshy areas located to the south of the subject property are not present in this photograph.

3.2.3 *May 1957 Photograph*

This was a set of medium-altitude and white photographs. The subject properties appear similar to the description provided for the previous aerial photograph. The only obvious difference is the presence of the waste water treatment plant on the GM facility.

3.2.4 *March 1962 Photograph*

This was a set of medium altitude black and white photographs. At the time of this aerial photograph, the subject property appeared to be utilized as baseball field. Two areas of disturbed soil, that are likely associated with the pitchers mounds are situated in the northwest and southeast corner of the property. No obvious differences were noted on the surrounding properties.

3.2.5 *March 1974 Photograph*

This was a set of medium altitude color photographs. The subject property appears the same as the present day configuration. The only obvious difference on the surrounding properties is the presence of the sludge drying lagoons on the main GM facility.

3.2.6 *July 1977 Photograph*

This was a set of medium altitude color photographs. The subject property appears the same as the previous aerial photograph obtained in 1971. A slight mound can be seen in the area of the barium chromate drum disposal site located to the south of the subject property.

3.2.7 *June 1986 Photograph*

This was a medium altitude color photograph. The subject property appears similar to its present day configuration. No noticeable differences between this photograph and the previous photograph were noted.

3.2.8 *Summary*

In summary, ERM reviewed aerial photographs covering the period from 1940 to 1986. No areas of environmental concern were noted on the subject property as a result of the aerial photograph review.

3.3 *Interviews*

ERM contacted the Ewing Township Police and Fire Departments. In conversations with representatives of these departments it was determined that there are no records regarding environmental issues associated with the subject property on file.

As part of the Environmental Assessment process, ERM submitted written Freedom of Information Act requests regarding the property to the U.S. Environmental Protection Agency (USEPA) and the New Jersey Department of Environmental Protection (NJDEP). At the time of this report, ERM has reviewed files located in the NJDEP Site Remediation and Central File offices. This information has been included in this report. Files contained in the remaining NJDEP offices and the USEPA offices have not yet been reviewed. An addendum to this report will be submitted upon the receipt of pertinent information.

4.0 *INFORMATION FROM SITE RECONNAISSANCE*

4.1 *AIR EMISSIONS*

There are no air emission sources on the subject property.

4.2 *SOLID AND HAZARDOUS WASTE STORAGE AND DISPOSAL*

No solid or hazardous waste is generated at the subject property.

4.3 *WATER SUPPLY AND WASTEWATER DISCHARGES AND OUTFALLS*

4.3.1 *Drinking and Process Water*

There is currently no public water service provided to the subject property. Fire control water is provided by a public fire hydrant located along Parkway Avenue.

4.3.2 *Water Discharges*

There are no waste water (sanitary or industrial) associated with the subject property. All surface water run-off from the property is expected to drains towards Gold Run Creek.

4.4 *CHEMICAL USAGE AND STORAGE*

There is no known chemical use and storage on the subject property.

4.5 *PCB MANAGEMENT*

There was no electrical equipment, including pole mounted electrical transformers, noted onsite which would typically contain PCB containing dielectric fluid.

4.6 *STORAGE TANKS*

No storage tanks were identified on the subject property during the site inspection.

4.7 *AREAS OF DEAD, DISTRESSED, OR DYING VEGETATION*

No areas of stressed, or dying vegetation were observed on the property.

4.8 *CONDITION OF SURFACE SOILS AND SOIL DISTURBANCE*

No areas of soil disturbance were observed on the subject property.

4.9 *SURFACE WATER, PITS, SUMPS AND FLOOR DRAINS*

No pits, sumps or floor drains were noted on the subject property during the site inspection. Gold Run Creek is located approximately 100 feet south and west of the subject property. Surface run-off from the subject property is expected to drain towards Gold Run Creek.

4.10 *ASBESTOS-CONTAINING MATERIALS*

No potential asbestos containing building materials were noted on the subject property.

CONCLUSIONS

Environmental Resources Management has completed a Phase I Environmental Site Assessment for a portion of the former General Motors (GM) manufacturing facility located in Ewing New Jersey. The subject property comprises a small parcel of land located near the northeastern corner of the GM facility. This area is identified as the ballfield in GM documents. According to GM representatives, the subject property has never been developed and has remained unused except for a short period of time when it was used for employee softball games.

The ESA was completed in conformance with the scope and limitation of ASTM Practice E 1527-00. Any exceptions to, or deletions from, this practice are described in Section 1.0 of this report. The assessment has revealed no evidence of recognized environmental conditions in connection with the property except for the following:

- No recognized environmental conditions were identified on the subject property.
- The properties location adjacent to the manufacturing area of the GM facility poses a potential environmental concern.
- The GM facility is identified within several environmental databases, including the following: NJ Spills; NJ Releases; State Hazardous Waste Sites; RCRIS Large Quantity Hazardous Waste Generators; RCRIS Hazardous Waste Transportation; Storage and Disposal Facilities; CERCLIS - NFRAP; and, Leaking Underground Storage Tanks. It should be noted that none of the databases indicate that the subject property was involved with any of the records. However, the past, heavy industrial use of the GM facility increases the potential for environmental impacts to have occurred at subject property.
- GM has investigated two areas of the former GM facility that are immediately adjacent to the subject property. As part of a Industrial Site Recovery Act submittal completed by GM in November 1996, it was determined that there was a drum disposal site located approximately one hundred feet south of the proposed NJDOT CU parcel. GM conducted a remedial action at the site in 1997 that consisted of the removal of 98 buried 55-gallon drums of

barium chromate based yellow paint pigment and the excavation of visually contaminated soils. Post-excavation samples collected following the remedial action met appropriate New Jersey Department of Environmental Protection (NJDEP) criteria. However, representative samples collected from monitoring well located near the drum disposal site exhibited elevated concentrations of barium.

- Previous investigations conducted by GM have determined that the sediments found in the Gold Run Creek and pond exhibit elevated concentrations of semi-volatile organics, polychlorinated biphenyls (PCBs) and metals. In October 2000, GM conducted a study to evaluate the potential for contaminants having been transferred from the sediments to the neighboring soils as a result of flood events. Soil borings installed adjacent to the pond and stream exhibited elevated concentrations of metals, semi-volatiles and PCBs. Based upon these results, GM conducted additional soil delineation sampling. The delineation sampling indicated that contaminated soils are situated in an area that is within approximately 50 - 100 feet east of Gold Run Creek and pond.
- The properties location downgradient to the US Naval Air Propulsion Center poses a potential environmental concern.
- The US Naval Air Propulsion Center is identified within several environmental databases, including the following: CERCLIS-NFRAP; CORRACTS; RCRIS Large Quantity Hazardous Waste Generators; RCRIS Hazardous Waste Transportation; Storage and Disposal Facilities; State Hazardous Waste Sites; and, Leaking Underground Storage Tanks

In order to assess the potential impacts to the subject property from these adjacent industrial activities, a site investigation that includes the collection of soil and ground water samples is recommended.

The site investigation should focus on the areas of concern noted above. Samples should be collected in three general locations. In order to confirm the results of the delineation sampling program conducted along Gold Run Creek, ERM suggests that three to four soil borings be installed along the proposed subject property's western boundary. Surficial soil samples should be collected from each boring and analyzed for PCBs, metals and semi-volatile organics.

The second area that should be evaluated is the subject property boundary closest to the former drum disposal area. ERM suggests that one to two soil borings be installed at this location and analyzed for metals and volatile organics. The soil samples should be collected at a depth that corresponds to the buried drums former depth. Additionally, representative ground water samples should be collected from one of the borings installed in this location. Ground water samples should be analyzed for metals and volatile organics.

The final study area would be the subject property in general. Since GM has not conducted any sampling on the subject property itself, it is recommended that two to three borings be installed around the subject property. Representative soil samples should be collected from each boring and analyzed for PCBs, metals volatile organics, and semi-volatile organics. Representative ground water samples could also be collected from the borings and analyzed for similar parameters.

6.0

*QUALIFICATIONS OF THE ENVIRONMENTAL PROFESSIONALS
CONDUCTING THIS ASSESSMENT*

Mr. Robert Dixon of ERM conducted this assessment. Professional qualifications are shown in Appendix B.

Appendix A
EDR Radius Map Search
Report

**The EDR-Radius Map
with GeoCheck[®]**

Former GM Site
1445 Parkway Ave
Ewing, NJ 08628

Inquiry Number: 589493.1s

January 30, 2001

***The Source
For Environmental
Risk Management
Data***

3530 Post Road
Southport, Connecticut 06490

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary.....	ES1
Overview Map.....	2
Detail Map.....	3
Map Findings Summary.....	4
Map Findings.....	5
Orphan Summary.....	67
EPA Waste Codes.....	EPA-1
Government Records Searched/Data Currency Tracking.....	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum.....	A-1
Physical Setting Source Summary.....	A-2
Physical Setting Source Map.....	A-7
Physical Setting Source Map Findings.....	A-8
Physical Setting Source Records Searched.....	A-10

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer

Copyright and Trademark Notice

This report contains information obtained from a variety of public and other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.

Entire contents copyright 2001 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and the edr logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc. (EDR). The report meets the government records search requirements of ASTM Standard Practice for Environmental Site Assessments, E 1527-00. Search distances are per ASTM standard or custom distances requested by the user.

TARGET PROPERTY INFORMATION

ADDRESS

1445 PARKWAY AVE
EWING, NJ 08628

COORDINATES

Latitude (North): 40.266880 - 40° 16' 0.8"
Longitude (West): 74.809080 - 74° 48' 32.7"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 516233.7
UTM Y (Meters): 4457186.0
State Plane X (Feet): 1960256.8
State Plane Y (Feet): 522189.8

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: 2440074-C7 PENNINGTON, NJ PA
Source: USGS 7.5 min quad index

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following government records. For more information on this property see page 5 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
INLAND FISCHER GUIDE 1445 PARKWAY AVE TRENTON, NJ	NJ Spills NJ Release	N/A
DELPI HEATING & LIGHTING 1445 PARKWAY AVE EWING, NJ	NJ Spills	N/A
DELPHI 1445 PARKWAY AVE EWING, NJ	NJ Spills	N/A
DELPI HEATING & LIGHTING 1445 PARKWAY AVE EWING, NJ	NJ Release	N/A
INLAND FISHER GUIDE 1445 PARKWAY AVE TRENTON, NJ	NJ Release	N/A
INLAND FISHER GUIDE/GEN.MOTORS 1445 PARKWAY AVE TRENTON, NJ	NJ Release	N/A
GENERAL MOTORS 1445 PARKWAY AVE EWING, NJ	NJ Spills	N/A

EXECUTIVE SUMMARY

FISHER GUIDE GM 1445 PARKWAY AVE TRENTON, NJ	NJ Spills	N/A
GENERAL MOTORS CORP FISHER BODY DIVISION 1445 PARKWAY AVE TRENTON, NJ	SHWS	N/A
GMC FISHER BODY DIVISION 1445 PARKWAY AVE TRENTON, NJ 08618	PADS FINDS RCRIS-LOG RCRIS-TSD CORRACTS CERC-NFRAP	NJD002353951
GM/FISHER BODY PARKWAY AVE EWING, NJ	LUST	N/A
GM-INLAND FISHER GUIDE 1445 PARKWAY AVE TRENTON, NJ	NJ Spills NJ Release	N/A
SUB STATION 14/DIV GEN.MOTORS 1445 PARKWAY AVE TRENTON, NJ	NJ Spills	N/A
GENERAL MOTORS/FISHER GUIDE 1445 PARKWAY AVE EWING, NJ	NJ Spills	N/A
DELPHI INT LIGHT 1445 PARKWAY AVE EWING, NJ	NJ Spills NJ Release	N/A
G M 1445 PARKWAY AVE TRENTON, NJ	NJ Release	N/A
1445 PARKWAY AVE 1445 PARKWAY AVE TRENTON, NJ	ERNS	N/A
1445 PARKWAY AVE 1445 PARKWAY AVE TRENTON, NJ	ERNS	N/A
1445 PARKWAY AVE 1445 PARKWAY AVE TRENTON, NJ	ERNS	N/A
1445 PARKWAY AVE 1445 PARKWAY AVE TRENTON, NJ 08650	ERNS	N/A
1445 PARKWAY AVE 1445 PARKWAY AVE TRENTON, NJ 08650	ERNS	N/A

EXECUTIVE SUMMARY

DELPHI INTERIOR & LIGHTING SYSTEMS 1445 PARKWAY AVE TRENTON, NJ 08650	UST	N/A
INLAND FISHER GUIDE 1445 PARKWAY AVE TRENTON, NJ 08650	NJ Spills	N/A
1445 PARKWAY AVE 1445 PARKWAY AVE TRENTON, NJ 08650	ERNS	N/A
1445 PARKWAY AVE 1445 PARKWAY AVE TRENTON, NJ	ERNS	N/A
1445 PARKWAY AVE 1445 PARKWAY AVE TRENTON, NJ	ERNS	N/A
GENERAL MOTORS 1445 PARKWAY AVE EWING, NJ	NJ Release	N/A
1445 PARKWAY AVE 1445 PARKWAY AVE TRENTON, NJ 08650	ERNS	N/A
TRENTON PLANT, 1445 PARKWAY AVE. TRENTON PLANT, 1445 PARKWAY AVE. TRENTON, NJ	ERNS	N/A
14455 PARKWAY AVE/PO BOX 9019 14455 PARKWAY AVE/PO BOX 9019 TRENTON, NJ 08650	ERNS	N/A
FISHER GUIDE GM PLANT 1445 PARKWAY AVE EWING, NJ	NJ Release	N/A
GENERAL MOTORS 1445 PARKWAY AVE EWING, NJ	NJ Release	N/A
INLAND FISHER GUIDE 1445 PARKWAY AVE TRENTON, NJ	NJ Release	N/A

EXECUTIVE SUMMARY

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the ASTM E 1527-00 search radius around the target property for the following databases:

FEDERAL ASTM STANDARD

NPL..... National Priority List
CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
RCRIS-SQG..... Resource Conservation and Recovery Information System

STATE ASTM STANDARD

SWF/LF..... State Landfill

FEDERAL ASTM SUPPLEMENTAL

CONSENT..... CONSENT
ROD..... ROD
Delisted NPL..... NPL Deletions
HMIRS..... Hazardous Materials Information Reporting System
MLTS..... Material Licensing Tracking System
MINES..... Mines Master Index File
NPL Liens..... NPL Liens
RAATS..... RCRA Administrative Action Tracking System
TRIS..... Toxic Chemical Release Inventory System
TSCA..... Toxic Substances Control Act

STATE OR LOCAL ASTM SUPPLEMENTAL

NJ MAJOR FACILITIES..... List of Major Facilities
NJ PF..... Publicly Funded Cleanups Site Status Report
CHROME..... Known Chromate Chemical Production Waste Sites

EDR PROPRIETARY DATABASES

Coal Gas..... Former Manufactured gas (Coal Gas) Sites.

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

Elevations have been determined from the USGS 1 degree Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. EDR's definition of a site with an elevation equal to the target property includes a tolerance of +/- 10 feet. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property (by more than 10 feet). Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in *bold italics* are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

EXECUTIVE SUMMARY

FEDERAL ASTM STANDARD

CERCLIS-NFRAP: As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund Action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

A review of the CERC-NFRAP list, as provided by EDR, and dated 04/16/2000 has revealed that there is 1 CERC-NFRAP site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
US NAVAL AIR PROPULSION CENTER	PARKWAY AVE	1/8 - 1/4 NNE	39	49

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 04/20/2000 has revealed that there is 1 CORRACTS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
US NAVAL AIR PROPULSION CENTER	PARKWAY AVE	1/8 - 1/4 NNE	39	49

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-TSD list, as provided by EDR, and dated 06/21/2000 has revealed that there is 1 RCRIS-TSD site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
US NAVAL AIR PROPULSION CENTER	PARKWAY AVE	1/8 - 1/4 NNE	39	49

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-LQG list, as provided by EDR, and dated 06/21/2000 has revealed that there is 1 RCRIS-LQG site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
US NAVAL AIR PROPULSION CENTER	PARKWAY AVE	1/8 - 1/4 NNE	39	49

EXECUTIVE SUMMARY

STATE ASTM STANDARD

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Protection & Energy's Site Status Report.

A review of the SHWS list, as provided by EDR, has revealed that there are 4 SHWS sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NAVAL AIR WARFARE CENTER AIRCR	1440 PARKWAY AVE	0 - 1/8 ESE	A38	47
MOBIL SERVICE STATION 15KTC	W UPPER FERRY / GRAND	1/4 - 1/2 W	42	56
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CARROLL'S SERVICE CENTER	440 GRAND AVENUE	1/2 - 1 SSW	45	60
NJ DOT TRANSPORTATION IMPROVME	1035 PARKWAY AVE	1/2 - 1 SE	46	66

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Protection & Energy's Incident Report.

A review of the LUST list, as provided by EDR, and dated 07/25/2000 has revealed that there are 6 LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NAVAL AIR PROPULSION CENTER	1440 PARKWAY AVE	0 - 1/8 ESE	A35	46
NAVAL AIR WARFARE CENTER	1440 PARKWAY AVE	0 - 1/8 ESE	A36	46
NAVAL AIR WARFARE CENTER	1440 PARKWAY AVE	0 - 1/8 ESE	A37	47
PICERNOS SERVICE STATION	1543 PARKWAY AVE	1/8 - 1/4 WNW	B40	52
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
AMOCO SERVICE STATION EWING	1252 PARKWAY AVE	1/4 - 1/2 ESE	43	59
WEST TRENTON VOLUNTEER FIRE CO	40 WEST UPPER FERRY ROA	1/4 - 1/2 W	44	60

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Protection & Energy's UST Data.


A review of the UST list, as provided by EDR, and dated 09/15/1999 has revealed that there is 1 UST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
PICERNO AUTOMOTIVE SERVICE	1543 PARKWAY AVE	1/8 - 1/4 WNW	B41	52

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
ROLLER BEARING CO. OF AMERICA	FINDS,RCRIS-LQG,TRIS RAATS,SHWS,NJ Spills NJ Release
COLLEGE OF NJ	LUST
EXXON SERVICE STATION	LUST
7-11 #27391	LUST
EWING LAWRENCE SEWAGE AUTHORIT	NJ Spills,LUST
RCA/GE FLIGHT OPERATIONS	LUST
SHELL SERVICE STATION	LUST
CHEVRON SERVICE STATION	LUST
SIERRA OFFICE PARK	LUST
MERCER CO PUBLIC WORKS	LUST
RONSON AVIATION	LUST
WEST TRENTON AIRPORT	LUST
MERCER COUNTY AIRPORT;J&J TERMINAL	LUST
MARINE CORPS MERCER COUNTY AIRPORT	LUST
WEST TRENTON - AASF	LUST
MERCER AASF	LUST
INSECT REARING LABORATORY	UST
OIT HUB	UST
AIR HANGAR INC	FINDS,RCRIS-LQG,UST
AIRBORNE EXPRESS	RCRIS-SQG,FINDS




- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites (if requested)
- National Priority List Sites
- Landfill Sites

- Power transmission lines
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone
- Wetlands

TARGET PROPERTY: Former GM Site
 ADDRESS: 1445 Parkway Ave
 CITY/STATE/ZIP: Ewing NJ 08628
 LAT/LONG: 40.2669 / 74.8091

CUSTOMER: ERM Inc.
 CONTACT: Rob Dixon
 INQUIRY #: 589493.1s
 DATE: January 30, 2001 7:26 pm



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites (if requested)
- Sensitive Receptors
- National Priority List Sites
- Landfill Sites

- Power transmission lines
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone
- Wetlands

0 1/16 1/8 1/4 Miles

TARGET PROPERTY: Former GM Site
 ADDRESS: 1445 Parkway Ave
 CITY/STATE/ZIP: Ewing NJ 08628
 LAT/LONG: 40.2669 / 74.8091

CUSTOMER: ERM Inc.
 CONTACT: Rob Dixon
 INQUIRY #: 589493.1s
 DATE: January 30, 2001 7:27 pm

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<u>FEDERAL ASTM STANDARD</u>								
NPL		1.000	0	0	0	0	NR	0
CERCLIS		0.500	0	0	0	NR	NR	0
CERC-NFRAP	X	0.250	0	1	NR	NR	NR	1
CORRACTS	X	1.000	0	1	0	0	NR	1
RCRIS-TSD	X	0.500	0	1	0	NR	NR	1
RCRIS Lg. Quan. Gen.	X	0.250	0	1	NR	NR	NR	1
RCRIS Sm. Quan. Gen.		0.250	0	0	NR	NR	NR	0
ERNS	X	TP	NR	NR	NR	NR	NR	0
<u>STATE ASTM STANDARD</u>								
State Haz. Waste	X	1.000	1	0	1	2	NR	4
State Landfill		0.500	0	0	0	NR	NR	0
LUST	X	0.500	3	1	2	NR	NR	6
UST	X	0.250	0	1	NR	NR	NR	1
<u>FEDERAL ASTM SUPPLEMENTAL</u>								
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
Delisted NPL		1.000	0	0	0	0	NR	0
FINDS	X	TP	NR	NR	NR	NR	NR	0
HMIRS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
NPL Liens		TP	NR	NR	NR	NR	NR	0
PADS	X	TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
<u>STATE OR LOCAL ASTM SUPPLEMENTAL</u>								
NJ Major Facilities		0.500	0	0	0	NR	NR	0
NJ Spills	X	TP	NR	NR	NR	NR	NR	0
NJ Release	X	TP	NR	NR	NR	NR	NR	0
NJ PF		TP	NR	NR	NR	NR	NR	0
CHROME		TP	NR	NR	NR	NR	NR	0
<u>EDR PROPRIETARY DATABASES</u>								
Coal Gas		1.000	0	0	0	0	NR	0
AQUIFLOW - see EDR Physical Setting Source Addendum								

TP = Target Property

NR = Not Requested at this Search Distance

* Sites may be listed in more than one database

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

Coal Gas Site Search: No site was found in a search of Real Property Scan's ENVIROHAZ database.

A24 INLAND FISCHER GUIDE
Target 1445 PARKWAY AVE
Property TRENTON, NJ

NJ Spills S102199011
NJ Release N/A

NJ Release:

Facility ID: 18308
Date Received: 10/29/1993
Location: Facility
Facility Phone: 609-771-6383
Date of Incident: 10/28/1993
Substance(s): HEAVY METALS
Substance Type: Liquid
Unit: Not reported

Case Number: 93-10-29-1159-37
Operator: ROGER
Nature of Incident: Facility
Facility Type: Industrial
Time of Incident: 13:38

Substance Identity: Known

Official:
Notification: Not reported
Name: Not reported
Phone: Not reported
Date: Not reported
Time: Not reported
Description: Not reported
Notify: Not reported
Method: Not reported
Contained: Not reported

A310 Letter: Yes
Hazrds Material: Yes
COMU: 1102
Amnt Released: 10-15 GALS
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Land

TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 002

Contained: Yes
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: Not reported

Caller:

Name: JOE KELLER
Address: 1445 PARKWAY AVE
 EWING TWP, NJ
Telephone: 609-771-6383

Title: INLAND FISCHER GUI

Responsible Party:

Name: Known
Contact: JOE KELLER
Address: 1445 PARKWAY AVE
 EWING TWP, NJ
County: MERCER

Company: INLAND FISCHER GUIDE
Title: ENV ENG

NJ Spill:

Name: Not reported
Telephone: Not reported
Date: Not reported

Telephone: 609-771-6383

Title: Not reported

Time: Not reported

Local Municipality:

Name: EWING TWP
Telephone: 609-882-1313
Date: 10/29/1993

Municipality Title: OPR 9

Time: 12:04

Other:

Name: Not reported
Telephone: Not reported
Date: Not reported

Title: Not reported

Time: 12:04

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

INLAND FISCHER GUIDE (Continued)

S102199011

Incident:
Name: F.STOOP Referred To: DRPSR
Region: ER2 Telephone: Office,Faxed
Date: 10/29/1993 Incident Time: 12:18
ITM: T
Incident Description: Spill
Incident Type: Not reported
Wind Direction/Speed: Not reported
Office Notified: Not reported
Off Notified Phone: Not reported
Date Office Notified: Not reported
Time Office Notified: Not reported
Assistance Requested: No
Date A310 Letter Printed: 10/29/1993
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: 10/29/1993
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: MATERIAL LEAKED FROM A RAILCAR. MATERIAL IS CONTAINED & CLEANED UP.
Comments: Not reported

NJ Spill:

Facility ID: 18308 Case Number: 93-10-29-1159-37
Date Received: 10/29/1993 Operator: ROGER
Location: Facility Nature of Incident: Facility
Facility Phone: 609-771-6383 Facility Type: Industrial
Date of Incident: 10/28/1993 Time of Incident: 13:38
Substance(s): HEAVY METALS
Substance Type: Liquid Substance Identity: Known
A310 Letter: Yes TCPA Chemical: No
Hazrds Material: Yes CAS Number: Not reported
COMU: 1102 Ref. Code: 002
Amnt Released: 10-15 GALS Release VE: Estimate
Release Type: Terminated Contained: Yes
Injuries: No Facility Evacuation: No
Public Exposure: No Public Evacuation: No
Police at Scene: No Firemen at Scene: No
Contamination of: Land Receiving Water: Not reported
Caller:
Name: JOE KELLER Title: INLAND FISCHER GUI
Address: 1445 PARKWAY AVE
EWING TWP, NJ
Phone: 609-771-6383
Responsible Party:
Name: Known Company: INLAND FISCHER GUIDE
Contact: JOE KELLER Title: ENV ENG
Address: 1445 PARKWAY AVE
EWING TWP, NJ
County: MERCER Phone: 609-771-6383
NJ Spill:
Name: Not reported Title: Not reported
Phone: Not reported
Date: Not reported Time: Not reported
Local Municipality:
Name: EWING TWP Title: OPR 9
Phone: 609-882-1313

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

INLAND FISCHER GUIDE (Continued)

S102199011

Date: 10/29/1993 Time: 12:04
Other:
Name: Not reported Title: Not reported
Phone: Not reported
Date: Not reported Time: Not reported
Incident:
Name: F.STOOP Referred To: DRPSR
Region: ER2 Telephone: Office,Faxed
Date: 10/29/1993 Incident Time: 12:18
ITM: T
Incident Description: Spill
Wind Direction/Speed: Not reported
Official Notification Info: Not reported
Official Notify: Not reported
Method: Not reported
Notify Type: Not reported
NJ Spill Type: Not reported
Unit: Not reported
Contained: Not reported
Assistance Requested: No
Date A310 Letter Printed: 10/29/1993
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: 10/29/1993
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: MATERIAL LEAKED FROM A RAILCAR. MATERIAL IS CONTAINED & CLEANED UP.
Comments: Not reported

Facility ID: 18308 Case Number: 93-10-29-1159-37
Date Received: 10/29/1993 Operator: ROGER
Location: Facility Nature of Incident: Facility
Facility Phone: 609-771-6383 Facility Type: Industrial
Date of Incident: 10/28/1993 Time of Incident: 13:38
Substance(s): HEAVY METALS
Substance Type: Liquid
A310 Letter: Yes Substance Identity: Known
Hazrds Material: Yes TCPA Chemical: No
COMU: 1102 CAS Number: Not reported
Amnt Released: 10-15 GALS Ref. Code: 002
Release Type: Terminated Release VE: Estimate
Injuries: No Contained: Yes
Public Exposure: No Facility Evacuation: No
Police at Scene: No Public Evacuation: No
Contamination of: Land Firemen at Scene: No
Receiving Water: Not reported
Caller:
Name: JOE KELLER Title: INLAND FISCHER GUI
Address: 1445 PARKWAY AVE
EWING TWP, NJ
Phone: 609-771-6383
Responsible Party:
Name: Known Company: INLAND FISCHER GUIDE
Contact: JOE KELLER Title: ENV ENG
Address: 1445 PARKWAY AVE
EWING TWP, NJ
County: MERCER Phone: 609-771-6383

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

INLAND FISCHER GUIDE (Continued)

S102199011

NJ Spill:
Name: Not reported Title: Not reported
Phone: Not reported
Date: Not reported Time: Not reported
Local Municipality:
Name: EWING TWP Title: OPR 9
Phone: 609-882-1313
Date: 10/29/1993 Time: 12:04
Other:
Name: Not reported Title: Not reported
Phone: Not reported
Date: Not reported Time: Not reported
Incident:
Name: F.STOOP Referred To: DRPSR
Region: ER2 Telephone: Office,Faxed
Date: 10/29/1993 Incident Time: 12:18
ITM: T
Incident Description: Spill
Wind Direction/Speed: Not reported
Official Notification Info: Not reported
Official Notify: Not reported
Method: Not reported
Notify Type: Not reported
NJ Spill Type: Not reported
Unit: Not reported
Contained: Not reported
Assistance Requested: No
Date A310 Letter Printed: 10/29/1993
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: 10/29/1993
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: MATERIAL LEAKED FROM A RAILCAR. MATERIAL IS CONTAINED & CLEANED UP.
Comments: Not reported

A25 DELPI HEATING & LIGHTING NJ Spills S104419220
Target 1445 PARKWAY AVE N/A
Property EWING, NJ

A26 DELPHI NJ Spills S104419998
Target 1445 PARKWAY AVE N/A
Property EWING, NJ

NJ Spill:
Facility ID: 4646 Case Number: 97-4-15-1059-08
Date Received: 04/15/1997 Operator: ROB
Location: Facility Nature of Incident: Citizen
Facility Phone: Not reported Facility Type: Commercial
Date of Incident: 04/14/1997 Time of Incident: UNK
Substance(s): Not reported
Substance Type: Liquid Substance Identity: Known
A310 Letter: Yes TCPA Chemical: No
Hazrds Material: Yes CAS Number: Not reported
COMU: 1102 Ref. Code: 002
Amnt Released: 100 GALS Release VE: Estimate
Release Type: Terminated Contained: Yes

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DELPHI (Continued)

S104419998

Injuries:	No	Facility Evacuation:	No
Public Exposure:	No	Public Evacuation:	No
Police at Scene:	No	Firemen at Scene:	No
Contamination of:	Land	Receiving Water:	Not reported
Caller:			
Name:	ANONYMOUS	Title:	CITIZEN
Address:	Not reported		
Phone:	Not reported		
Responsible Party:			
Name:	Known	Company:	DELPHI
Contact:	Not reported	Title:	Not reported
Address:	1445 PARKWAY AVE		
	NJ		
County:	Not reported	Phone:	Not reported
NJ Spill:			
Name:	Not reported	Title:	Not reported
Phone:	Not reported		
Date:	Not reported	Time:	Not reported
Local Municipality:			
Name:	EWING TWP	Title:	OPR. #19
Phone:	609-882-1313		
Date:	04/15/1997	Time:	11:02
Other:			
Name:	Not reported	Title:	Not reported
Phone:	Not reported		
Date:	Not reported	Time:	Not reported
Incident:			
Name:	MAC MCCREARY	Referred To:	DRPSR
Region:	ER2	Telephone:	Office
Date:	04/15/1997	Incident Time:	11:00
ITM:	B		

Incident Description:	Spill
Wind Direction/Speed:	Not reported
Official Notification Info:	Not reported
Official Notify:	Not reported
Method:	Not reported
Notify Type:	Not reported
NJ Spill Type:	Not reported
Unit:	Not reported
Contained:	Not reported
Assistance Requested:	Yes
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Update:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date 1:	Not reported
Local Authority Notification Date 2:	Not reported
Local Authority Notification Date 3:	Not reported

Status at Spill: 2/55 GAL DRUMS OVERTURNED YESTERDAY AT FACILITY. CALLER STATED FACILITY HAS COMPLETED CLEANUP BUT NEVER CALLED DEP.

Comments: Not reported

Facility ID:	4646	Case Number:	97-4-15-1059-08
Date Received:	04/15/1997	Operator:	ROB
Location:	Facility	Nature of Incident:	Citizen
Facility Phone:	Not reported	Facility Type:	Commercial
Date of Incident:	04/14/1997	Time of Incident:	UNK

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

DELPHI (Continued)

S104419998

Substance(s):	Not reported	Substance Identity:	Known
Substance Type:	Liquid	TCPA Chemical:	No
A310 Letter:	Yes	CAS Number:	Not reported
Hazrds Material:	Yes	Ref. Code:	002
COMU:	1102	Release VE:	Estimate
Amnt Released:	100 GALS	Contained:	Yes
Release Type:	Terminated	Facility Evacuation:	No
Injuries:	No	Public Evacuation:	No
Public Exposure:	No	Firemen at Scene:	No
Police at Scene:	No	Receiving Water:	Not reported
Contamination of:	Land		
Caller:		Title:	CITIZEN
Name:	ANONYMOUS		
Address:	Not reported		
Phone:	Not reported		
Responsible Party:			
Name:	Known	Company:	DELPHI
Contact:	Not reported	Title:	Not reported
Address:	1445 PARKWAY AVE NJ		
County:	Not reported	Phone:	Not reported
NJ Spill:		Title:	Not reported
Name:	Not reported		
Phone:	Not reported	Time:	Not reported
Date:	Not reported		
Local Municipality:		Title:	OPR. #19
Name:	EWING TWP	Time:	11:02
Phone:	609-882-1313		
Date:	04/15/1997	Title:	Not reported
Other:		Time:	Not reported
Name:	Not reported		
Phone:	Not reported		
Date:	Not reported		
Incident:		Referred To:	DRPSR
Name:	MAC MCCREARY	Telephone:	Office
Region:	ER2	Incident Time:	11:00
Date:	04/15/1997		
ITM:	B		
Incident Description:	Spill		
Wind Direction/Speed:	Not reported		
Official Notofication Info:	Not reported		
Official Notify:	Not reported		
Method:	Not reported		
Notify Type:	Not reported		
NJ Spill Type:	Not reported		
Unit:	Not reported		
Contained:	Not reported		
Assistance Requested:	Yes		
Date A310 Letter Printed:	Not reported		
Date Local Authority Was Notified:	Not reported		
Date Update:	Not reported		
Date Report Faxed to Local Authority:	Not reported		
Local Authority Notification Date 1:	Not reported		
Local Authority Notification Date 2:	Not reported		
Local Authority Notification Date 3:	Not reported		
Status at Spill:	2/55 GAL DRUMS OVERTURNED YESTERDAY AT FACILITY. CALLER STATED FACILITY HAS COMPLETED CLEANUP BUT NEVER CALLED DEP.		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DELPHI (Continued)

S104419998

Comments: Not reported

A23 DELPI HEATING & LIGHTING
Target 1445 PARKWAY AVE
Property EWING, NJ

NJ Release S104353499
N/A

NJ Release:

Facility ID: 5682
Date Received: 04/19/1995
Location: Facility
Facility Phone: 609-771-6289
Date of Incident: 04/19/1995
Substance(s): OIL TRANSFORMER PCB
Substance Type: Liquid
Unit: Not reported

Case Number: 95-4-19-1734-17
Operator: ROB
Nature of Incident: Facility
Facility Type: Industrial
Time of Incident: 17:30

Substance Identity: Known

Official:
Notification: Not reported
Name: Not reported
Phone: Not reported
Date: Not reported
Time: Not reported
Description: Not reported
Notify: Not reported
Method: Not reported
Contained: Not reported

A310 Letter: Yes
Hazrds Material: Yes
COMU: 1102
Amnt Released: < 1.5 LB
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Land

TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 101

Contained: Yes
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: NONE

Caller:

Name: DAVID WORREL
Address: 1445 PARKWAY AVE
EWING, NJ
Telephone: 609-771-6289

Title: DELPI HEATING & LI

Responsible Party:

Name: Known
Contact: DAVID WORREL
Address: 1445 PARKWAY AVE
EWING, NJ
County: MERCER

Company: DELPI HEATING
Title: SUPRV.

Telephone: 609-771-6289

NJ Spill:

Name: Not reported
Telephone: Not reported
Date: Not reported

Title: Not reported
Time: Not reported

Local Municipality:

Name: EWING TWP
Telephone: 609-882-1313
Date: 04/19/1995

Municipality Title: OPR. #99
Time: 17:38

Other:

Name: Not reported
Telephone: Not reported
Date: Not reported

Title: Not reported
Time: 17:38

Incident:

Name: Not reported

Referred To: DRPSR

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

DELPI HEATING & LIGHTING (Continued)

S104353499

Region: BFO-CAS
Date: 04/19/1995
ITM: B
Incident Description: Spill
Incident Type: Not reported
Wind Direction/Speed: Not reported
Office Notified: Not reported
Off Notified Phone: Not reported
Date Office Notified: Not reported
Time Office Notified: Not reported
Assistance Requested: No
Date A310 Letter Printed: Not reported
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: Not reported
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: SPILL DUE TO LEAKING VALVE ON PAD MOUNTED TRANSFORMER. CLEANUP COMPLETED INHOUSE.
Comments: Not reported

Telephone: Faxed, Mailed
Incident Time: Not reported

A20 INLAND FISHER GUIDE
Target 1445 PARKWAY AVE
Property TRENTON, NJ

NJ Release S104693171
N/A

NJ Release:

Facility ID: 2354
Date Received: 02/26/1990
Location: Facility
Facility Phone: 609-771-6289
Date of Incident: 02/26/1990
Substance(s): SMOKE
Substance Type: Gas
Unit: Not reported
Official:
Notification: Not reported
Name: Not reported
Phone: Not reported
Date: Not reported
Time: Not reported
Description: Not reported
Notify: Not reported
Method: Not reported
Contained: Not reported
A310 Letter: No
Hazardous Material: No
COMU: 1102
Amount Released: UNK
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Not reported
Caller:
Name: TOM APPELEGATE
Address: Not reported
Telephone: 609-771-6289
Responsible Party:

Case Number: 90-02-26-0924
Operator: ANTHONY
Nature of Incident: Facility
Facility Type: Commercial
Time of Incident: 08:30

Substance Identity: Known

TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 05

Contained: No
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: Not reported

Title: INLAND FISHER GUID

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

INLAND FISHER GUIDE (Continued)

S104693171

Name:	Known	Company:	INLAND FISHER GUIDE
Contact:	TOM APPEGATE	Title:	SR. ENGINEER
Address:	1445 PARKWAY AVE. EWING TWP., NJ		
County:	MERCER	Telephone:	609-771-6289
NJ Spill:			
Name:	Not reported	Title:	Not reported
Telephone:	Not reported		
Date:	Not reported	Time:	Not reported
Local Municipality:			
Name:	Not reported	Municipality Title:	Not reported
Telephone:	Not reported		
Date:	Not reported	Time:	Not reported
Other:			
Name:	Not reported	Title:	Not reported
Telephone:	Not reported		
Date:	Not reported	Time:	Not reported
Incident:			
Name:	Not reported	Referred To:	DEQ
Region:	Central	Telephone:	Not reported
Date:	02/26/1990	Incident Time:	Not reported
ITM:	Not reported		
Incident Description:	EQUIP STARTUP, SMOKE/DUST		
Incident Type:	Not reported		
Wind Direction/Speed:	0		
Office Notified:	Not reported		
Off Notified Phone:	Not reported		
Date Office Notified:	Not reported		
Time Office Notified:	Not reported		
Assistance Requested:	No		
Date A310 Letter Printed:	Not reported		
Date Local Authority Was Notified:	Not reported		
Date Update:	Not reported		
Date Report Faxed to Local Authority:	Not reported		
Local Authority Notification Date 1:	Not reported		
Local Authority Notification Date 2:	Not reported		
Local Authority Notification Date 3:	Not reported		
Status at Spill:	Not reported		
Comments:	Not reported		

A21 INLAND FISHER GUIDE/GEN.MOTORS
Target 1445 PARKWAY AVE
Property TRENTON, NJ

NJ Release S104718192
N/A

NJ Release:

Facility ID: 14031
Date Received: 09/11/1991
Location: Facility
Facility Phone: 609-771-6289
Date of Incident: 09/10/1991
Substance(s): OIL LIKE SUBSTANCE
Substance Type: Liquid
Unit: Not reported
Official:
Notification: Not reported
Name: Not reported
Phone: Not reported
Date: Not reported
Time: Not reported

Case Number: 91-9-11-1101-03
Operator: CARM
Nature of Incident: Facility
Facility Type: Industrial
Time of Incident: 14:00
Substance Identity: Known

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

INLAND FISHER GUIDE/GEN.MOTORS (Continued)

S104718192

Description:	Not reported	
Notify:	Not reported	
Method:	Not reported	
Contained:	Not reported	
A310 Letter:	Yes	TCPA Chemical: No
Hazrds Material:	Yes	CAS Number: Not reported
COMU:	1102	Ref. Code: 002
Amnt Released:	UNKNOWN	
Release Type:	Terminated	Contained: Yes
Injuries:	No	Facility Evacuation: No
Public Exposure:	No	Public Evacuation: No
Police at Scene:	No	Firemen at Scene: No
Contamination of:	Water	Receiving Water: GOLD RUN CREEK
Caller:		
Name:	DAVE WORRELL	Title: INLAND FISHER GUID
Address:	1445 PARKWAY AVE EWING TWP, NJ	
Telephone:	609-771-6289	
Responsible Party:		
Name:	Known	Company: INLAND FISHER GUIDE
Contact:	DAVE WORRELL	Title: ENVIR.ENG.
Address:	1445 PARKWAY AVE EWING TWP, NJ	
County:	MERCER	Telephone: 609-771-6289
NJ Spill:		
Name:	OEM	Title: Not reported
Telephone:	609-882-2000	
Date:	09/11/1919	Time: Not reported
Local Municipality:		
Name:	EWING TWP	Municipality Title: SGT.SCARBOROUGH
Telephone:	609-882-1313	
Date:	09/11/1919	Time: Not reported
Other:		
Name:	Not reported	Title: Not reported
Telephone:	Not reported	
Date:	Not reported	Time: Not reported
Incident:		
Name:	FURMAN STOOP	Referred To: DEQ
Region:	ER2	Telephone: Not reported
Date:	Not reported	Incident Time: Not reported
ITM:	Not reported	
Incident Description:	Spill	
Incident Type:	Not reported	
Wind Direction/Speed:	Not reported	
Office Notified:	Not reported	
Off Notified Phone:	Not reported	
Date Office Notified:	Not reported	
Time Office Notified:	Not reported	
Assistance Requested:	No	
Date A310 Letter Printed:	Not reported	
Date Local Authority Was Notified:	Not reported	
Date Update:	Not reported	
Date Report Faxed to Local Authority:	Not reported	
Local Authority Notification Date 1:	Not reported	
Local Authority Notification Date 2:	Not reported	
Local Authority Notification Date 3:	Not reported	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

INLAND FISHER GUIDE/GEN.MOTORS (Continued)

S104718192

Status at Spill: SOLUBLE OIL SPILLED FROM A DICAST OPERATION, INTO WATER BODY. BOOM
PLACED FOR CONTAINMENT. SAMPLE TAKEN TO DETERMINE PERCENTAGE OF OIL
DISCHARGED.
Comments: Not reported

A22 GENERAL MOTORS
Target 1445 PARKWAY AVE
Property EWING, NJ

NJ Spills S104418897
N/A

A31 FISHER GUIDE GM
Target 1445 PARKWAY AVE
Property TRENTON, NJ

NJ Spills S104423179
N/A

NJ Spill:

Facility ID: 3797
Date Received: 03/25/1991
Location: Facility
Facility Phone: 609-771-6276
Date of Incident: 03/25/1991
Substance(s): F006 PLATING WASTE WATER
WATER, WASTE

Case Number: 91-3-25-1109-33
Operator: RICH
Nature of Incident: Facility
Facility Type: Industrial
Time of Incident: 06:30

Substance Type: Liquid
A310 Letter: Yes
Hazrds Material: Unknown
COMU: 1102
Amnt Released: 400 GAL
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Land

Substance Identity: Known
TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 002
Release VE: Estimate
Contained: Yes
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: NONE

Caller:
Name: GEORGE HOLLERBACH
Address: 1445 PARKWAY AVE
EWING TWP, NJ
Phone: 609-771-6276

Title: FISHER GUIDE GM

Responsible Party:

Name: Known
Contact: GEORGE HOLLERBACH
Address: 1445 PARKWAY AVE
EWING TWP, NJ
County: MERCER

Company: FISHER GUIDE GM
Title: PLT ENV ENGN

NJ Spill:

Name: OEM
Phone: 609-882-2000
Date: 03/25/1919

Phone: 609-771-6276

Title: Not reported

Time: Not reported

Local Municipality:

Name: EWING TWP
Phone: 609-882-1313
Date: 03/25/1919

Title: PTL BENNETT

Time: Not reported

Other:

Name: Not reported
Phone: Not reported
Date: Not reported

Title: Not reported

Time: Not reported

Incident:

Name: PAT DIGANGI
Region: ER2
Date: Not reported

Referred To: DEQ
Telephone: Not reported
Incident Time: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

FISHER GUIDE GM (Continued)

S104423179

ITM: Not reported
Incident Description: Spill
Wind Direction/Speed: Not reported
Official Notification Info: Not reported
Official Notify: Not reported
Method: Not reported
Notify Type: Not reported
NJ Spill Type: Not reported
Unit: Not reported
Contained: Not reported
Assistance Requested: No
Date A310 Letter Printed: Not reported
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: Not reported
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: WASTE WATER TREATMENT PLT OVERFLOWED DUE TO RAIN-50X120 FT AREA BEING
CLEANED UP AND SOIL BEING REMOVED
Comments: Not reported

A32 GENERAL MOTORS CORP FISHER BODY DIVISION
Target 1445 PARKWAY AVE
Property TRENTON, NJ

SHWS S103030862
N/A

SHWS:

Facility ID: NJD002353951
Case Status: ACTIVE
Contact: BFCM
Facility Status: OPEN
CEA/DER: Not reported

Case ID: NJD002353951
Status Date: 02/26/1996

Facility ID: NJD002353951
Case Status: ACTIVE
Contact: BEECRA
Facility Status: OPEN
CEA/DER: Not reported

Case ID: E97070
Status Date: 03/24/1997

A33 GMC FISHER BODY DIVISION
Target 1445 PARKWAY AVE
Property TRENTON, NJ 08618

PADS 1000229531
FINDS NJD002353951
RCRIS-LQG
RCRIS-TSD
CORRACTS
CERC-NFRAP

CERCLIS-NFRAP Classification Data:

Site Incident Category: Not reported
Ownership Status: Other

Federal Facility: Not a Federal Facility
NPL Status: Not on the NPL

CERCLIS-NFRAP Assessment History:

Assessment: DISCOVERY
Assessment: PRELIMINARY ASSESSMENT
Assessment: SITE INSPECTION

Completed: 19810601
Completed: 19840901
Completed: 19850201

CERCLIS-NFRAP Alias Name(s):

GMC FISHER BODY DIV/TRENTON PLANT
GMC FISHER BODY DIVISION
FISHER-GUIDE DIVISION (GMC)

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

GMC FISHER BODY DIVISION (Continued)

1000229531

CORRACTS Data:

Prioritization: Low
Status: RCRA Facility Assessment Completed, Certification of Remedy Completion (CMI), Stabilization Construction Completed

RCRIS Corrective Action Summary:

Effective Date: 01/01/1997
Legal Authority: Other, specified by Legal Authority Citation

RCRIS:

Owner: Not reported
Contact: D A SKIVEN
(609) 771-6275
Record Date: 08/11/1980
Classification: Large Quantity Generator, TSDF

BIENNIAL REPORTS:

Last Biennial Reporting Year: 1997

<u>Waste</u>	<u>Quantity (Lbs)</u>	<u>Waste</u>	<u>Quantity (Lbs)</u>
D001	6406.19	D002	58674.44
D005	54100.00	D006	3787.31
D007	50500.00	D008	10818.50
D018	118.50	D027	118.50
D035	766.00	D039	4507.45
D040	54168.80	F005	766.00
F006	8800.00		

Used Oil Recyc: No

TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated: Not reported
Area of Violation: TSD-Other Requirements
Date Violation Determined: 06/04/1984
Priority of Violation: Low
Schedule Date to Achieve Compliance: 04/21/1984
Actual Date Achieved Compliance: 07/03/1984

Enforcement Action: Written Informal
Enforcement Action Date: 03/21/1984
Proposed Monetary Penalty: Not reported
Final Monetary Penalty: Not reported

Regulation Violated: Not reported
Area of Violation: TSD-Other Requirements
Date Violation Determined: 06/04/1984
Priority of Violation: Low
Schedule Date to Achieve Compliance: 06/18/1984
Actual Date Achieved Compliance: 03/19/1985

Enforcement Action: Written Informal
Enforcement Action Date: 03/05/1985
Proposed Monetary Penalty: \$ 1,150.00
Final Monetary Penalty: Not reported

Regulation Violated: Not reported
Area of Violation: TSD-Other Requirements
Date Violation Determined: 03/01/1984

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GMC FISHER BODY DIVISION (Continued)

1000229531

Priority of Violation:	Low
Schedule Date to Achieve Compliance:	07/25/1984
Actual Date Achieved Compliance:	07/24/1984
Enforcement Action:	Written Informal
Enforcement Action Date:	07/10/1984
Proposed Monetary Penalty:	Not reported
Final Monetary Penalty:	Not reported
Regulation Violated:	Not reported
Area of Violation:	TSD-Other Requirements
Date Violation Determined:	03/15/1985
Priority of Violation:	Low
Schedule Date to Achieve Compliance:	04/15/1985
Actual Date Achieved Compliance:	04/08/1985
Enforcement Action:	Written Informal
Enforcement Action Date:	03/15/1985
Proposed Monetary Penalty:	Not reported
Final Monetary Penalty:	Not reported
Regulation Violated:	Not reported
Area of Violation:	TSD-Other Requirements
Date Violation Determined:	03/15/1985
Priority of Violation:	Low
Schedule Date to Achieve Compliance:	06/13/1985
Actual Date Achieved Compliance:	06/25/1985
Enforcement Action:	Final Formal 3008(a) Compliance Order
Enforcement Action Date:	05/30/1985
Proposed Monetary Penalty:	\$ 1,500.00
Final Monetary Penalty:	\$ 0.00
Regulation Violated:	Not reported
Area of Violation:	TSD-Other Requirements
Date Violation Determined:	10/28/1985
Priority of Violation:	Low
Schedule Date to Achieve Compliance:	01/28/1986
Actual Date Achieved Compliance:	01/29/1986
Enforcement Action:	Final Formal 3008(a) Compliance Order
Enforcement Action Date:	10/28/1985
Proposed Monetary Penalty:	Not reported
Final Monetary Penalty:	Not reported
Regulation Violated:	Not reported
Area of Violation:	TSD-Other Requirements
Date Violation Determined:	05/23/1986
Priority of Violation:	Low
Schedule Date to Achieve Compliance:	09/30/1986
Actual Date Achieved Compliance:	10/15/1986
Enforcement Action:	Written Informal
Enforcement Action Date:	09/10/1986
Proposed Monetary Penalty:	\$ 2,325.00
Final Monetary Penalty:	\$ 0.00
Regulation Violated:	Not reported
Area of Violation:	TSD-Other Requirements
Date Violation Determined:	03/01/1990
Priority of Violation:	Low
Schedule Date to Achieve Compliance:	03/19/1990

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

GMC FISHER BODY DIVISION (Continued)

1000229531

Actual Date Achieved Compliance: 03/23/1990
Enforcement Action: Written Informal
Enforcement Action Date: 03/02/1990
Proposed Monetary Penalty: Not reported
Final Monetary Penalty: Not reported
Regulation Violated: Not reported
Area of Violation: TSD-Other Requirements
Date Violation Determined: 01/24/1991
Priority of Violation: Low
Schedule Date to Achieve Compliance: 02/14/1991
Actual Date Achieved Compliance: 02/25/1991
Enforcement Action: Written Informal
Enforcement Action Date: 01/30/1991
Proposed Monetary Penalty: Not reported
Final Monetary Penalty: Not reported
Regulation Violated: Not reported
Area of Violation: TSD-Other Requirements
Date Violation Determined: 01/24/1991
Priority of Violation: Low
Schedule Date to Achieve Compliance: 02/14/1991
Actual Date Achieved Compliance: 02/25/1991
Enforcement Action: Written Informal
Enforcement Action Date: 01/30/1991
Proposed Monetary Penalty: Not reported
Final Monetary Penalty: Not reported
Regulation Violated: Not reported
Area of Violation: TSD-Other Requirements
Date Violation Determined: 01/24/1991
Priority of Violation: Low
Schedule Date to Achieve Compliance: 02/14/1991
Actual Date Achieved Compliance: 02/25/1991
Enforcement Action: Written Informal
Enforcement Action Date: 01/30/1991
Proposed Monetary Penalty: Not reported
Final Monetary Penalty: Not reported
Regulation Violated: Not reported
Area of Violation: Generator-Land Ban Requirements
Date Violation Determined: 01/24/1991
Priority of Violation: Low
Schedule Date to Achieve Compliance: 04/15/1991
Actual Date Achieved Compliance: 04/15/1991
Enforcement Action: Written Informal
Enforcement Action Date: 03/16/1991
Proposed Monetary Penalty: Not reported
Final Monetary Penalty: Not reported
Regulation Violated: Not reported
Area of Violation: TSD-Land Ban Requirements
Date Violation Determined: 01/24/1991
Priority of Violation: Low
Schedule Date to Achieve Compliance: 04/15/1991
Actual Date Achieved Compliance: 04/15/1991
Enforcement Action: Written Informal

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

GMC FISHER BODY DIVISION (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000229531

Enforcement Action Date: 03/16/1991
Proposed Monetary Penalty: Not reported
Final Monetary Penalty: Not reported

Regulation Violated: Not reported
Area of Violation: Generator-All Requirements
Date Violation Determined: 11/09/1995
Priority of Violation: Low
Schedule Date to Achieve Compliance: 12/09/1995
Actual Date Achieved Compliance: 11/14/1995

Enforcement Action: Written Informal
Enforcement Action Date: 11/09/1995
Proposed Monetary Penalty: Not reported
Final Monetary Penalty: Not reported

There are 14 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Non-Financial Record Review	Generator-All Requirements	11/14/1995
Non-Financial Record Review	Generator-All Requirements	11/14/1995
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	02/25/1991
	TSD-Other Requirements	02/25/1991
	TSD-Other Requirements	02/25/1991
	Generator-Land Ban Requirements	04/15/1991
	TSD-Land Ban Requirements	04/15/1991
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	03/23/1990
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	10/15/1986
Other Evaluation	TSD-Other Requirements	01/29/1986
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	04/08/1985
	TSD-Other Requirements	06/25/1985
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	07/03/1984
	TSD-Other Requirements	03/19/1985
Non-Financial Record Review	TSD-Other Requirements	07/24/1984

FINDS:

Other Pertinent Environmental Activity Identified at Site:
AIRS Facility System (AIRS/AFS)
National Compliance Database (NCDB)
PCB Handler Activity Data System (PADS)

A30 GM/FISHER BODY
Target PARKWAY AVE
Property EWING, NJ

LUST S104387336
N/A

LUST:

Facility ID: 85-08-30-0900
Facility Status: Not reported
UST ID: Not reported
Lead Program Assigned to Case: MISS
TMS Number: Not reported
Remedial Level: Not reported
Case Manager: Not reported
Web Data Case Manager: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

A27 GM-INLAND FISHER GUIDE
Target 1445 PARKWAY AVE
Property TRENTON, NJ

NJ Spills S102201341
NJ Release N/A

NJ Release:

Facility ID: 1143
Date Received: 01/25/1994
Location: Facility
Facility Phone: 609-771-6289
Date of Incident: 01/25/1994
Substance(s): OIL, OTHER
Substance Type: Liquid
Unit: Not reported

Case Number: 94-1-25-1512-09
Operator: JOYCE
Nature of Incident: Facility
Facility Type: Industrial
Time of Incident: 11:30

Substance Identity: Known

Official:
Notification: Not reported
Name: Not reported
Phone: Not reported
Date: Not reported
Time: Not reported
Description: Not reported
Notify: Not reported
Method: Not reported
Contained: Not reported

A310 Letter: Yes
Hazrds Material: Yes
COMU: 1102
Amnt Released: 200 GAL
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Land,Water

TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 002

Contained: No
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: UNKNOWN

Caller:

Name: DAVE WORRELL
Address: 1445 PARKWAY AVE
EWING TWP, NJ
Telephone: 609-771-6289

Title: GM-INLAND FISHER

Responsible Party:

Name: Known
Contact: DAVE WORRELL
Address: 1445 PARKWAY AVE
EWING TWP, NJ
County: MERCER

Company: GM-INLAND FISHER
Title: ENV.ENGINEER

Telephone: 609-771-6289

NJ Spill:

Name: Not reported
Telephone: Not reported
Date: Not reported

Title: Not reported

Time: Not reported

Local Municipality:

Name: EWING TWP
Telephone: 609-882-1313
Date: 01/25/1994

Municipality Title: OFC. ROACH

Time: 15:15

Other:

Name: Not reported
Telephone: Not reported
Date: Not reported

Title: Not reported

Time: 15:15

Incident:

Name: PAT DIGANGI
Region: ER2
Date: 01/25/1994

Referred To: DRPSR
Telephone: Office, Faxed
Incident Time: 15:13

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

GM-INLAND FISHER GUIDE (Continued)

S102201341

ITM: B
Incident Description: Spill
Incident Type: Not reported
Wind Direction/Speed: Not reported
Office Notified: Not reported
Off Notified Phone: Not reported
Date Office Notified: Not reported
Time Office Notified: Not reported
Assistance Requested: No
Date A310 Letter Printed: Not reported
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: Not reported
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: FORK TRUCK PIERCED A 400 GAL PORTABLE TANK CAUSING SPILL OF APROX 200 GAL ONTO CONCRETE FLOOR. <10 GAL ENTERED STORM DRAIN. CLEANUP IN PROGRESS.

Comments: Not reported

NJ Spill:

Facility ID: 1143
Date Received: 01/25/1994
Location: Facility
Facility Phone: 609-771-6289
Date of Incident: 01/25/1994
Substance(s): OIL, OTHER
Substance Type: Liquid
A310 Letter: Yes
Hazrds Material: Yes
COMU: 1102
Amnt Released: 200 GAL
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Land,Water
Caller:
Name: DAVE WORRELL
Address: 1445 PARKWAY AVE
EWING TWP, NJ
Phone: 609-771-6289

Case Number: 94-1-25-1512-09
Operator: JOYCE
Nature of Incident: Facility
Facility Type: Industrial
Time of Incident: 11:30

Substance Identity: Known
TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 002
Release VE: Estimate
Contained: No
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: UNKNOWN

Title: GM-INLAND FISHER

Responsible Party:

Name: Known
Contact: DAVE WORRELL
Address: 1445 PARKWAY AVE
EWING TWP, NJ
County: MERCER

Company: GM-INLAND FISHER
Title: ENV.ENGINEER

Phone: 609-771-6289

NJ Spill:

Name: Not reported
Phone: Not reported
Date: Not reported

Title: Not reported

Time: Not reported

Local Municipality:

Name: EWING TWP
Phone: 609-882-1313
Date: 01/25/1994

Title: OFC. ROACH

Time: 15:15

Other:

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

GM-INLAND FISHER GUIDE (Continued)

S102201341

Name:	Not reported	Title:	Not reported
Phone:	Not reported		
Date:	Not reported	Time:	Not reported
Incident:			
Name:	PAT DIGANGI	Referred To:	DRPSR
Region:	ER2	Telephone:	Office,Faxed
Date:	01/25/1994	Incident Time:	15:13
ITM:	B		
Incident Description:	Spill		
Wind Direction/Speed:	Not reported		
Official Notification Info:	Not reported		
Official Notify:	Not reported		
Method:	Not reported		
Notify Type:	Not reported		
NJ Spill Type:	Not reported		
Unit:	Not reported		
Contained:	Not reported		
Assistance Requested:	No		
Date A310 Letter Printed:	Not reported		
Date Local Authority Was Notified:	Not reported		
Date Update:	Not reported		
Date Report Faxed to Local Authority:	Not reported		
Local Authority Notification Date 1:	Not reported		
Local Authority Notification Date 2:	Not reported		
Local Authority Notification Date 3:	Not reported		
Status at Spill:	FORK TRUCK PIERCED A 400 GAL PORTABLE TANK CAUSING SPILL OF APROX 200 GAL ONTO CONCRETE FLOOR. <10 GAL ENTERED STORM DRAIN. CLEANUP IN PROGRESS.		
Comments:	Not reported		
Facility ID:	1143	Case Number:	94-1-25-1512-09
Date Received:	01/25/1994	Operator:	JOYCE
Location:	Facility	Nature of Incident:	Facility
Facility Phone:	609-771-6289	Facility Type:	Industrial
Date of Incident:	01/25/1994	Time of Incident:	11:30
Substance(s):	OIL, OTHER		
Substance Type:	Liquid	Substance Identity:	Known
A310 Letter:	Yes	TCPA Chemical:	No
Hazrds Material:	Yes	CAS Number:	Not reported
COMU:	1102	Ref. Code:	002
Amnt Released:	200 GAL	Release VE:	Estimate
Release Type:	Terminated	Contained:	No
Injuries:	No	Facility Evacuation:	No
Public Exposure:	No	Public Evacuation:	No
Police at Scene:	No	Firemen at Scene:	No
Contamination of:	Land,Water	Receiving Water:	UNKNOWN
Caller:			
Name:	DAVE WORRELL	Title:	GM-INLAND FISHER
Address:	1445 PARKWAY AVE EWING TWP, NJ		
Phone:	609-771-6289		
Responsible Party:			
Name:	Known	Company:	GM-INLAND FISHER
Contact:	DAVE WORRELL	Title:	ENV.ENGINEER
Address:	1445 PARKWAY AVE EWING TWP, NJ		
County:	MERCER	Phone:	609-771-6289

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

GM-INLAND FISHER GUIDE (Continued)

S102201341

NJ Spill:
Name: Not reported Title: Not reported
Phone: Not reported
Date: Not reported Time: Not reported
Local Municipality:
Name: EWING TWP Title: OFC. ROACH
Phone: 609-882-1313
Date: 01/25/1994 Time: 15:15
Other:
Name: Not reported Title: Not reported
Phone: Not reported
Date: Not reported Time: Not reported
Incident:
Name: PAT DIGANGI Referred To: DRPSR
Region: ER2 Telephone: Office, Faxed
Date: 01/25/1994 Incident Time: 15:13
ITM: B
Incident Description: Spill
Wind Direction/Speed: Not reported
Official Notification Info: Not reported
Official Notify: Not reported
Method: Not reported
Notify Type: Not reported
NJ Spill Type: Not reported
Unit: Not reported
Contained: Not reported
Assistance Requested: No
Date A310 Letter Printed: Not reported
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: Not reported
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: FORK TRUCK PIERCED A 400 GAL PORTABLE TANK CAUSING SPILL OF APPROX 200 GAL ONTO CONCRETE FLOOR. <10 GAL ENTERED STORM DRAIN. CLEANUP IN PROGRESS.
Comments: Not reported

A28 SUB STATION 14/DIV GEN.MOTORS
Target 1445 PARKWAY AVE
Property TRENTON, NJ

NJ Spills S104438859
N/A

NJ Spill:
Facility ID: 13754 Case Number: 92-8-20-1445-58
Date Received: 08/20/1992 Operator: CARM
Location: Facility Nature of Incident: Facility
Facility Phone: 609-771-6189 Facility Type: Industrial
Date of Incident: 08/20/1992 Time of Incident: 07:00
Substance(s): OIL TRANSFORMER PCB
Substance Type: Liquid Substance Identity: Known
A310 Letter: Yes TCPA Chemical: No
Hazardous Material: Yes CAS Number: Not reported
COMU: 1102 Ref. Code: 101
Amount Released: .11 GAL Release VE: Estimate
Release Type: Terminated Contained: Yes
Injuries: No Facility Evacuation: No
Public Exposure: No Public Evacuation: No
Police at Scene: No Firemen at Scene: No

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

SUB STATION 14/DIV GEN.MOTORS (Continued)

S104438859

Contamination of: Land	Receiving Water: NONE
Caller:	
Name: DAVID WORRELL	Title: INLAND FISHER GUID
Address: 1445 PKWY AVE	
EWING TWP, NJ	
Phone: 609-771-6189	
Responsible Party:	
Name: Known	Company: SUB STATION 14/DIV G
Contact: DAVID WORRELL	Title: ENV.ENG.
Address: 1445 PKWY AVE	
EWING TWP, NJ	
County: MERCER	Phone: 609-771-6189
NJ Spill:	
Name: Not reported	Title: Not reported
Phone: Not reported	
Date: Not reported	Time: Not reported
Local Municipality:	
Name: EWING TWP	Title: PTL.ANGERMILLER
Phone: 609-882-1313	
Date: 08/20/1919	Time: Not reported
Other:	
Name: Not reported	Title: Not reported
Phone: Not reported	
Date: Not reported	Time: Not reported
Incident:	
Name: Not reported	Referred To: DRPSR
Region: BFO-SA	Telephone: Faxed,Mailed
Date: 08/20/1992	Incident Time: Not reported
ITM: Not reported	
Incident Description:	Spill
Wind Direction/Speed:	Not reported
Official Notification Info:	Not reported
Official Notify:	Not reported
Method:	Not reported
Notify Type:	Not reported
NJ Spill Type:	Not reported
Unit:	Not reported
Contained:	Not reported
Assistance Requested:	No
Date A310 Letter Printed:	Not reported
Date Local Authority Was Notified:	Not reported
Date Update:	Not reported
Date Report Faxed to Local Authority:	Not reported
Local Authority Notification Date 1:	Not reported
Local Authority Notification Date 2:	Not reported
Local Authority Notification Date 3:	Not reported
Status at Spill:	PRODUCT SPILLED ONTO CONCRETE SURFACE;CLEANUP COMPLETED.
Comments:	Not reported

A29 GENERAL MOTORS/FISHER GUIDE
Target 1445 PARKWAY AVE
Property EWING, NJ

NJ Spills S104439775
 N/A

NJ Spill:

Facility ID: 15537
Date Received: 09/21/1992
Location: Facility
Facility Phone: Not reported
Date of Incident: 09/21/1992

Case Number: 92-9-21-1319-22
Operator: JIMS
Nature of Incident: Other
Facility Type: Industrial
Time of Incident: ONGO

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

GENERAL MOTORS/FISHER GUIDE (Continued)

S104439775

Substance(s): HEAVY METALS,VOLATILE ORGANICS
SOIL CONTAMINATED

Substance Type: Solid

A310 Letter: Yes

Hazrds Material: Yes

COMU: 1102

Amnt Released: UNKNOWN

Release Type: Continuous

Injuries: No

Public Exposure: No

Police at Scene: No

Contamination of: Land

Caller:

Name: TODD KING

Address: ROBBINSVILLE, NJ

Phone: 609-584-4150

Responsible Party:

Name: Known

Contact: Not reported

Address: 1445 PARKWAY AVE

EWING, NJ

County: MERCER

NJ Spill:

Name: Not reported

Phone: Not reported

Date: Not reported

Local Municipality:

Name: EWING TWP

Phone: 609-882-1313

Date: 09/21/1919

Other:

Name: Not reported

Phone: Not reported

Date: Not reported

Incident:

Name: Not reported

Region: ER2

Date: 09/21/1992

ITM: Not reported

Incident Description:

Wind Direction/Speed:

Official Notification Info:

Official Notify:

Method:

Notify Type:

NJ Spill Type:

Unit:

Contained:

Assistance Requested:

Date A310 Letter Printed:

Date Local Authority Was Notified:

Date Update:

Date Report Faxed to Local Authority:

Local Authority Notification Date 1:

Local Authority Notification Date 2:

Local Authority Notification Date 3:

Status at Spill: SOIL CONTAMINATION AROUND DRUM STORAGE PAD AREA

Substance Identity: Known

TCPA Chemical: No

CAS Number: Not reported

Ref. Code: 002

Release VE: Not reported

Contained: No

Facility Evacuation: No

Public Evacuation: No

Firemen at Scene: No

Receiving Water: Not reported

Title: DRPSR BFO CENTRAL

Company: GENERAL MOTORS/FISHE

Title: Not reported

Phone: Not reported

Title: Not reported

Time: Not reported

Title: OPER 4

Time: Not reported

Title: Not reported

Time: Not reported

Referred To: DRPSR

Telephone: Faxed,Mailed

Incident Time: Not reported

Sloppy Housekeeping

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

No

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

GENERAL MOTORS/FISHER GUIDE (Continued)

S104439775

Comments: Not reported

A19 DELPHI INT LIGHT
Target 1445 PARKWAY AVE
Property EWING, NJ

NJ Spills S101208450
NJ Release N/A

NJ Release:

Facility ID: 17998
Date Received: 11/08/1996
Location: Facility
Facility Phone: 609-771-6289
Date of Incident: 11/08/1996
Substance(s): BARIUM CHROMATE
Substance Type: Liquid
Unit: Not reported

Case Number: 96-11-8-1422-08
Operator: JOEG
Nature of Incident: Facility
Facility Type: Commercial
Time of Incident: 12:00

Substance Identity: Known

Official:
Notification: Not reported
Name: Not reported
Phone: Not reported
Date: Not reported
Time: Not reported
Description: Not reported
Notify: Not reported
Method: Not reported
Contained: Not reported

A310 Letter: Yes
Hazrds Material: Unknown
COMU: 1102
Amnt Released: UNK
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Land

TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 101

Contained: Yes
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: Not reported

Caller:
Name: DAVID WORRELL
Address: 1445 PARKWAY AVE
EWING, NJ
Telephone: 609-771-6289

Title: DELPHI INT LIGHT

Responsible Party:

Name: Known
Contact: DAVID WORRELL
Address: 1445 PARKWAY AVE
EWING, NJ
County: MERCER

Company: DELPHI INT LIGHT
Title: ENV ENG

Telephone: 609-771-6289

NJ Spill:
Name: Not reported
Telephone: Not reported
Date: Not reported

Title: Not reported
Time: Not reported

Local Municipality:

Name: EWING TWP
Telephone: 609-882-1313
Date: 11/08/1996

Municipality Title: OP #15
Time: 14:27

Other:

Name: Not reported
Telephone: Not reported
Date: Not reported

Title: Not reported
Time: 14:27

Incident:

Name: Not reported

Referred To: DRPSR

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DELPHI INT LIGHT (Continued)

S101208450

Region: BFO-CAS Telephone: Not reported
Date: 11/08/1996 Incident Time: Not reported
ITM: B
Incident Description: Soil Contamination
Incident Type: Not reported
Wind Direction/Speed: Not reported
Office Notified: Not reported
Off Notified Phone: Not reported
Date Office Notified: Not reported
Time Office Notified: Not reported
Assistance Requested: No
Date A310 Letter Printed: 11/08/1996
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: 11/08/1996
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: SITE IS UNDER MOA AND DURING INVESTIGATION DRUMS OF MATERIAL ARE FOUND.
CROSS REF 95-2-22-1407-48.
Comments: Not reported

NJ Spill:

Facility ID: 17998
Date Received: 11/08/1996
Location: Facility
Facility Phone: 609-771-6289
Date of Incident: 11/08/1996
Substance(s): BARIUM CHROMATE
Substance Type: Liquid
A310 Letter: Yes
Hazrds Material: Unknown
COMU: 1102
Amnt Released: UNK
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Land

Case Number: 96-11-8-1422-08
Operator: JOEG
Nature of Incident: Facility
Facility Type: Commercial
Time of Incident: 12:00

Substance Identity: Known
TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 101
Release VE: Not reported
Contained: Yes
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: Not reported

Caller:
Name: DAVID WORRELL
Address: 1445 PARKWAY AVE
EWING, NJ
Phone: 609-771-6289

Title: DELPHI INT LIGHT

Responsible Party:
Name: Known
Contact: DAVID WORRELL
Address: 1445 PARKWAY AVE
EWING, NJ
County: MERCER

Company: DELPHI INT LIGHT
Title: ENV ENG

Phone: 609-771-6289

NJ Spill:
Name: Not reported
Phone: Not reported
Date: Not reported

Title: Not reported

Time: Not reported

Local Municipality:
Name: Not reported
Phone: Not reported
Date: Not reported

Title: Not reported

Time: 14:27

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DELPHI INT LIGHT (Continued)

S101208450

Other:
Name: Not reported
Phone: Not reported
Date: Not reported
Title: Not reported
Time: Not reported
Incident:
Name: Not reported
Region: Not reported
Date: Not reported
Referred To: Not reported
Telephone: Not reported
ITM: Not reported
Incident Time: Not reported
Incident Description: Soil Contamination
Wind Direction/Speed: Not reported
Official Notification Info: Not reported
Official Notify: Not reported
Method: Not reported
Notify Type: Not reported
NJ Spill Type: Not reported
Unit: Not reported
Contained: Not reported
Assistance Requested: No
Date A310 Letter Printed: 11/08/1996
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: 11/08/1996
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: SITE IS UNDER MOA AND DURING INVESTIGATION DRUMS OF MATERIAL ARE FOUND.
CROSS REF 95-2-22-1407-48.
Comments: Not reported
Facility ID: 17998
Date Received: 11/08/1996
Location: Facility
Facility Phone: 609-771-6289
Date of Incident: 11/08/1996
Substance(s): BARIUM CHROMATE
Substance Type: Liquid
A310 Letter: Yes
Hazrds Material: Unknown
COMU: 1102
Amnt Released: UNK
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Land
Case Number: 96-11-8-1422-08
Operator: JOEG
Nature of Incident: Facility
Facility Type: Commercial
Time of Incident: 12:00
Substance Identity: Known
TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 101
Release VE: Not reported
Contained: Yes
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: Not reported
Caller:
Name: DAVID WORRELL
Address: 1445 PARKWAY AVE
EWING, NJ
Phone: 609-771-6289
Title: DELPHI INT LIGHT
Responsible Party:
Name: Known
Contact: DAVID WORRELL
Address: 1445 PARKWAY AVE
EWING, NJ
Company: DELPHI INT LIGHT
Title: ENV ENG
County: MERCER
Phone: 609-771-6289

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DELPHI INT LIGHT (Continued)

S101208450

NJ Spill:
Name: Not reported Title: Not reported
Phone: Not reported Time: Not reported
Date: Not reported
Local Municipality:
Name: Not reported Title: Not reported
Phone: Not reported Time: 14:27
Date: Not reported
Other:
Name: Not reported Title: Not reported
Phone: Not reported Time: Not reported
Date: Not reported
Incident:
Name: Not reported Referred To: Not reported
Region: Not reported Telephone: Not reported
Date: Not reported Incident Time: Not reported
ITM: Not reported

Incident Description: Soil Contamination
Wind Direction/Speed: Not reported
Official Notification Info: Not reported
Official Notify: Not reported
Method: Not reported
Notify Type: Not reported
NJ Spill Type: Not reported
Unit: Not reported
Contained: Not reported
Assistance Requested: No
Date A310 Letter Printed: 11/08/1996
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: 11/08/1996
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: SITE IS UNDER MOA AND DURING INVESTIGATION DRUMS OF MATERIAL ARE FOUND.
CROSS REF 95-2-22-1407-48.
Comments: Not reported

A7
Target
Property
G M
1445 PARKWAY AVE
TRENTON, NJ

NJ Release
S104709777
N/A

NJ Release:
Facility ID: 13068 Case Number: 90-09-26-1155
Date Received: 09/26/1990 Operator: ROGER
Location: Facility Nature of Incident: Facility
Facility Phone: 771-6276 Facility Type: Industrial
Date of Incident: 09/26/1990 Time of Incident: 07:30
Substance(s): SULFURIC ACID Substance Identity: Known
Substance Type: Liquid
Unit: Not reported
Official:
Notification: Not reported
Name: Not reported
Phone: Not reported
Date: Not reported
Time: Not reported
Description: Not reported
Notify: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

G M (Continued)

S104709777

Method:	Not reported	TCPA Chemical:	No
Contained:	Not reported	CAS Number:	Not reported
A310 Letter:	Yes	Ref. Code:	002
Hazrds Material:	Yes	Contained:	Yes
COMU:	1102	Facility Evacuation:	No
Amnt Released:	100 GAL	Public Evacuation:	No
Release Type:	Terminated	Firemen at Scene:	No
Injuries:	No	Receiving Water:	Not reported
Public Exposure:	No		
Police at Scene:	No		
Contamination of:	Not reported		
Caller:		Title:	INLAND FISHER GUID
Name:	GEORGE HOLLERBACH		
Address:	Not reported		
Telephone:	609-771-6276		
Responsible Party:		Company:	G M
Name:	Known	Title:	PLT ENV ENG
Contact:	GEORGE HOLLERBACH		
Address:	1445 PARKWAY AVE		
	EWING TWP, NJ	Telephone:	771-6276
County:	MERCER		
NJ Spill:		Title:	Not reported
Name:	OEM		
Telephone:	Not reported	Time:	Not reported
Date:	09/26/1990		
Local Municipality:		Municipality Title:	EWING
Name:	OPER 65		
Telephone:	882-1313	Time:	Not reported
Date:	09/26/1990		
Other:		Title:	Not reported
Name:	Not reported		
Telephone:	Not reported	Time:	Not reported
Date:	Not reported		
Incident:		Referred To:	DEQ
Name:	MANUEL	Telephone:	OFFICE
Region:	ER2	Incident Time:	Not reported
Date:	09/26/1990		
ITM:	Not reported		
Incident Description:	SPILL		
Incident Type:	Not reported		
Wind Direction/Speed:	Not reported		
Office Notified:	Not reported		
Off Notified Phone:	Not reported		
Date Office Notified:	Not reported		
Time Office Notified:	Not reported		
Assistance Requested:	No		
Date A310 Letter Printed:	Not reported		
Date Local Authority Was Notified:	Not reported		
Date Update:	Not reported		
Date Report Faxed to Local Authority:	Not reported		
Local Authority Notification Date 1:	Not reported		
Local Authority Notification Date 2:	Not reported		
Local Authority Notification Date 3:	Not reported		
Status at Spill:	Not reported		
Comments:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

A6
Target
Property

1445 PARKWAY AVE
1445 PARKWAY AVE
TRENTON, NJ

Database(s)

ERNS 91207315
N/A

A9
Target
Property

1445 PARKWAY AVE
1445 PARKWAY AVE
TRENTON, NJ

ERNS 90181311
N/A

A8
Target
Property

1445 PARKWAY AVE
1445 PARKWAY AVE
TRENTON, NJ

ERNS 91230996
N/A

A5
Target
Property

1445 PARKWAY AVE
1445 PARKWAY AVE
TRENTON, NJ 08650

ERNS 94361350
N/A

A2
Target
Property

1445 PARKWAY AVE
1445 PARKWAY AVE
TRENTON, NJ 08650

ERNS 93316973
N/A

A1
Target
Property

DELPHI INTERIOR & LIGHTING SYSTEMS
1445 PARKWAY AVE
TRENTON, NJ 08650

UST U002155836
N/A

UST:

Facility ID: 0113366
Install Date: 1/1/79 0:00:00
Unique Tank ID: 2.00
Operator:
Operator Address:
Owner:
Owner Address:

Facility Status: Inactive
Facility Type: B. COMMERCIAL/INDUSTRIAL
Owner Tank ID: E001

Not reported
Not reported
DELPHI INTERIOR & LIGHTING SYSTEMS
1445 PARKWAY AVE
TRENTON, NJ 08650 - 1019
Tank Capacity: 2000.00 Gallons
Tank Contents: B. UNLEADED GASOLINE
Tank Construction: B. CATHODICALLY PROTECTED STEEL
Tank Structure: A. SINGLE WALL
Pipe Contents: A. BARE STEEL
Pipe Structure: A. SINGLE WALL
Over Fill Products: No
Spill Containment Around Fill Pipe: No
Tank Status: G. REMOVED
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: Not reported
Is Facility in Compliance Rules: 0

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DELPHI INTERIOR & LIGHTING SYSTEMS (Continued)

U002155836

Facility ID: 0113366 Facility Status: Inactive
Install Date: 1/1/69 0:00:00 Facility Type: B. COMMERCIAL/INDUSTRIAL
Unique Tank ID: 1.00 Owner Tank ID: A003
Operator: Not reported
Operator Address: Not reported
Owner: DELPHI INTERIOR & LIGHTING SYSTEMS
Owner Address: 1445 PARKWAY AVE
TRENTON, NJ 08650 - 1019
Tank Capacity: 2500.00 Gallons
Tank Contents: P. OTHER HAZARDOUS SUBSTANCES: PAINT
Tank Construction: A. BARE STEEL
Tank Structure: A. SINGLE WALL A. SINGLE WALL
Pipe Contents: A. BARE STEEL
Pipe Structure: A. SINGLE WALL A. SINGLE WALL
Over Fill Products: No
Spill Containment Around Fill Pipe: No
Tank Status: G. REMOVED
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: Not reported
Is Facility in Compliance Rules: 0

Facility ID: 0113366 Facility Status: Inactive
Install Date: 1/1/81 0:00:00 Facility Type: B. COMMERCIAL/INDUSTRIAL
Unique Tank ID: 4.00 Owner Tank ID: E004
Operator: Not reported
Operator Address: Not reported
Owner: DELPHI INTERIOR & LIGHTING SYSTEMS
Owner Address: 1445 PARKWAY AVE
TRENTON, NJ 08650 - 1019
Tank Capacity: 3300.00 Gallons
Tank Contents: F. WASTE OIL
Tank Construction: H. OTHER: CONCRETE
Tank Structure: A. SINGLE WALL A. SINGLE WALL
Pipe Contents: A. BARE STEEL
Pipe Structure: A. SINGLE WALL A. SINGLE WALL
Over Fill Products: No
Spill Containment Around Fill Pipe: No
Tank Status: F. Abandoned in Place
Date Tank Removed: Not reported
Date Tank Abandoned in Place: 12/18/88 0:00:00
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: Not reported
Is Facility in Compliance Rules: 0

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

DELPHI INTERIOR & LIGHTING SYSTEMS (Continued)

U002155836

Facility ID:	0113366	Facility Status:	Inactive
Install Date:	1/1/44 0:00:00	Facility Type:	B. COMMERCIAL/INDUSTRIAL
Unique Tank ID:	3.00	Owner Tank ID:	E002
Operator:	Not reported		
Operator Address:	Not reported		
Owner:	DELPHI INTERIOR & LIGHTING SYSTEMS		
Owner Address:	1445 PARKWAY AVE TRENTON, NJ 08650 - 1019		
Tank Capacity:	30000.00 Gallons		
Tank Contents:	F. WASTE OIL		
Tank Construction:	H. OTHER: CONCRETE		
Tank Structure:	A. SINGLE WALL A. SINGLE WALL		
Pipe Contents:	H. OTHER: CONCRETE		
Pipe Structure:	A. SINGLE WALL A. SINGLE WALL		
Over Fill Products:	No		
Spill Containment Around Fill Pipe:	No		
Tank Status:	G. Removed		
Date Tank Removed:	Not reported		
Date Tank Abandoned in Place:	Not reported		
Date Tank Taken Out of Service:	Not reported		
Date of Tank Sale or Transfer:	Not reported		
Tank Closure Number:	Not reported		
Tank ISRA Number:	Not reported		
Tank in Wellhead Protection Area:	Not reported		
Is Facility in Compliance Rules:	0		

A4 INLAND FISHER GUIDE
Target 1445 PARKWAY AVE
Property TRENTON, NJ 08650

NJ Spills S101899542
N/A

NJ Spill:

Facility ID:	7843	Case Number:	93-5-12-1324-11
Date Received:	05/12/1993	Operator:	CARM
Location:	Facility	Nature of Incident:	Facility
Facility Phone:	609-771-6289	Facility Type:	Industrial
Date of Incident:	05/12/1993	Time of Incident:	09:00
Substance(s):	WATER, WASTE		
Substance Type:	Liquid	Substance Identity:	Known
A310 Letter:	Yes	TCPA Chemical:	No
Hazrds Material:	Unknown	CAS Number:	Not reported
COMU:	1102	Ref. Code:	002
Amnt Released:	UNKNOWN	Release VE:	Not reported
Release Type:	Continuous	Contained:	No
Injuries:	No	Facility Evacuation:	No
Public Exposure:	No	Public Evacuation:	No
Police at Scene:	No	Firemen at Scene:	No
Contamination of:	Land,Water	Receiving Water:	TRIB TO GOLD RUN
Caller:			
Name:	DAVID WORRELL	Title:	INLAND FISHER GUID
Address:	1445 PKWY AVE EWING TWP, NJ		
Phone:	609-771-6289		
Responsible Party:			
Name:	Known	Company:	INLAND FISHER GUIDE
Contact:	DAVID WORRELL	Title:	FAC.ENG
Address:	1445 PKWY AVE EWING TWP, NJ		
County:	MERCER	Phone:	609-771-6289

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

INLAND FISHER GUIDE (Continued)

S101899542

NJ Spill:

Name: Not reported
Phone: Not reported
Date: Not reported

Title: Not reported

Time: Not reported

Local Municipality:

Name: EWING TWP
Phone: 609-882-1313
Date: 05/12/1993

Title: DISP PRESTON

Time: 13:34

Other:

Name: Not reported
Phone: Not reported
Date: Not reported

Title: Not reported

Time: Not reported

Incident:

Name: ROB SCHRADER
Region: ER2
Date: 05/12/1993
ITM: T

Referred To: DRPSR
Telephone: Office,Faxed
Incident Time: 13:33

Name: Not reported
Region: HQ1
Date: 05/12/1993
ITM: T

Referred To: DFG
Telephone: Not reported
Incident Time: Not reported

Name: Not reported
Region: Not reported
Date: Not reported
ITM: Not reported

Referred To: DFG
Telephone: Not reported
Incident Time: Not reported

Incident Description:

Spill

Wind Direction/Speed: Not reported
Official Notification Info: Not reported
Official Notify: Not reported
Method: Not reported
Notify Type: Not reported
NJ Spill Type: Not reported
Unit: Not reported
Contained: Not reported
Assistance Requested: No
Date A310 Letter Printed: 05/12/1993
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: 05/12/1993
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported

Status at Spill: WASTE WATER DISCHARGING FROM A 500,000 GAL TREATMENT TANK ONTO LAND & INTO TRIB.CONTRACTOR ,CAMBRIDGE CHEM CLEANER 908-867-9363 ON SCENE.

Comments: Not reported

Facility ID: 3309
Date Received: 03/01/1994
Location: Facility
Facility Phone: 609-771-6200
Date of Incident: 03/01/1994
Substance(s): DIESEL FUEL
Substance Type: Liquid
A310 Letter: Yes
Hazrds Material: Yes
COMU: 1102
Amnt Released: 15-20 GALLON

Case Number: 94-3-1-2110-39
Operator: JIMH
Nature of Incident: Facility
Facility Type: Industrial
Time of Incident: 20:30

Substance Identity: Known
TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 101
Release VE: Estimate

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

INLAND FISHER GUIDE (Continued)

S101899542

Release Type:	Terminated	Contained:	Yes
Injuries:	No	Facility Evacuation:	No
Public Exposure:	No	Public Evacuation:	No
Police at Scene:	No	Firemen at Scene:	No
Contamination of:	Land,Water	Receiving Water:	UNK
Caller:		Title:	INLAND FISHER GUID
Name:	MR. KELLER		
Address:	1445 PARKWAY EWING TWP, NJ		
Phone:	609-771-6200		
Responsible Party:		Company:	Not reported
Name:	UnKnown	Title:	Not reported
Contact:	Not reported		
Address:	Not reported	Phone:	Not reported
County:	Not reported		
NJ Spill:		Title:	Not reported
Name:	Not reported		
Phone:	Not reported	Time:	Not reported
Date:	Not reported		
Local Municipality:		Title:	OPER 108
Name:	EWING TWP		
Phone:	609-882-1313	Time:	21:15
Date:	03/01/1994		
Other:		Title:	Not reported
Name:	Not reported		
Phone:	Not reported	Time:	Not reported
Date:	Not reported		
Incident:		Referred To:	DRPSR
Name:	Not reported	Telephone:	Faxed,Mailed
Region:	BFO-CAS	Incident Time:	Not reported
Date:	03/01/1994		
ITM:	B		
Incident Description:	Spill		
Wind Direction/Speed:	Not reported		
Official Notification Info:	Not reported		
Official Notify:	Not reported		
Method:	Not reported		
Notify Type:	Not reported		
NJ Spill Type:	Not reported		
Unit:	Not reported		
Contained:	Not reported		
Assistance Requested:	No		
Date A310 Letter Printed:	Not reported		
Date Local Authority Was Notified:	Not reported		
Date Update:	Not reported		
Date Report Faxed to Local Authority:	Not reported		
Local Authority Notification Date 1:	Not reported		
Local Authority Notification Date 2:	Not reported		
Local Authority Notification Date 3:	Not reported		
Status at Spill:	SPILL FROM TRUCK TO GROUND AND 1-2 GALLON IN STORM DRAIN. COMPANY DOING CLEANUP		
Comments:	Not reported		
Facility ID:	7843	Case Number:	93-5-12-1324-11
Date Received:	05/12/1993	Operator:	CARM
Location:	Facility	Nature of Incident:	Facility
Facility Phone:	609-771-6289	Facility Type:	Industrial

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

INLAND FISHER GUIDE (Continued)

S101899542

Date of Incident: 05/12/1993
Substance(s): WATER, WASTE
Substance Type: Liquid
A310 Letter: Yes
Hazrds Material: Unknown
COMU: 1102
Amnt Released: UNKNOWN
Release Type: Continuous
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Land,Water

Time of Incident: 09:00

Substance Identity: Known
TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 002
Release VE: Not reported
Contained: No
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: TRIB TO GOLD RUN

Caller:
Name: DAVID WORRELL
Address: 1445 PKWY AVE
EWING TWP, NJ
Phone: 609-771-6289

Title: INLAND FISHER GUID

Responsible Party:
Name: Known
Contact: DAVID WORRELL
Address: 1445 PKWY AVE
EWING TWP, NJ
County: MERCER

Company: INLAND FISHER GUIDE
Title: FAC.ENG

NJ Spill:
Name: Not reported
Phone: Not reported
Date: Not reported

Phone: 609-771-6289

Title: Not reported

Time: Not reported

Local Municipality:
Name: EWING TWP
Phone: 609-882-1313
Date: 05/12/1993

Title: DISP PRESTON

Time: 13:34

Other:
Name: Not reported
Phone: Not reported
Date: Not reported

Title: Not reported

Time: Not reported

Incident:
Name: ROB SCHRADER
Region: ER2
Date: 05/12/1993
ITM: T
Name: Not reported
Region: HQ1
Date: 05/12/1993
ITM: T
Name: Not reported
Region: Not reported
Date: Not reported
ITM: Not reported

Referred To: DRPSR
Telephone: Office,Faxed
Incident Time: 13:33

Referred To: DFG
Telephone: Not reported
Incident Time: Not reported

Referred To: DFG
Telephone: Not reported
Incident Time: Not reported

Incident Description: Spill
Wind Direction/Speed: Not reported
Official Notofication Info: Not reported
Official Notify: Not reported
Method: Not reported
Notify Type: Not reported
NJ Spill Type: Not reported
Unit: Not reported
Contained: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

INLAND FISHER GUIDE (Continued)

S101899542

Assistance Requested: No
Date A310 Letter Printed: 05/12/1993
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: 05/12/1993
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: WASTE WATER DISCHARGING FROM A 500,000 GAL TREATMENT TANK ONTO LAND & INTO TRIB.CONTRACTOR ,CAMBRIDGE CHEM CLEANER 908-867-9363 ON SCENE.
Comments: Not reported

Facility ID: 3309
Date Received: 03/01/1994
Location: Facility
Facility Phone: 609-771-6200
Date of Incident: 03/01/1994
Substance(s): DIESEL FUEL
Substance Type: Liquid
A310 Letter: Yes
Hazrds Material: Yes
COMU: 1102
Amnt Released: 15-20 GALLON
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Land,Water
Caller:
Name: MR. KELLER
Address: 1445 PARKWAY
EWING TWP, NJ
Phone: 609-771-6200

Case Number: 94-3-1-2110-39
Operator: JIMH
Nature of Incident: Facility
Facility Type: Industrial
Time of Incident: 20:30

Substance Identity: Known
TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 101
Release VE: Estimate
Contained: Yes
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: UNK

Title: INLAND FISHER GUID

Responsible Party:
Name: UnKnown
Contact: Not reported
Address: Not reported
County: Not reported

Company: Not reported
Title: Not reported

NJ Spill:
Name: Not reported
Phone: Not reported
Date: Not reported

Phone: Not reported

Title: Not reported

Time: Not reported

Local Municipality:
Name: EWING TWP
Phone: 609-882-1313
Date: 03/01/1994

Title: OPER 108

Time: 21:15

Other:
Name: Not reported
Phone: Not reported
Date: Not reported

Title: Not reported

Time: Not reported

Incident:
Name: Not reported
Region: BFO-CAS
Date: 03/01/1994
ITM: B

Referred To: DRPSR
Telephone: Faxed,Mailed
Incident Time: Not reported

Incident Description: Spill
Wind Direction/Speed: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

INLAND FISHER GUIDE (Continued)

S101899542

Official Notification Info: Not reported
Official Notify: Not reported
Method: Not reported
Notify Type: Not reported
NJ Spill Type: Not reported
Unit: Not reported
Contained: Not reported
Assistance Requested: No
Date A310 Letter Printed: Not reported
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: Not reported
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: SPILL FROM TRUCK TO GROUND AND 1-2 GALLON IN STORM DRAIN. COMPANY DOING
CLEANUP
Comments: Not reported

A3 1445 PARKWAY AVE
Target 1445 PARKWAY AVE
Property TRENTON, NJ 08650

ERNS 89133600
N/A

A16 1445 PARKWAY AVE
Target 1445 PARKWAY AVE
Property TRENTON, NJ

ERNS 90173117
N/A

A15 1445 PARKWAY AVE
Target 1445 PARKWAY AVE
Property TRENTON, NJ

ERNS 90161218
N/A

A18 GENERAL MOTORS
Target 1445 PARKWAY AVE
Property EWING, NJ

NJ Release S104378272
N/A

NJ Release:

Facility ID: 19196
Date Received: 10/26/1994
Location: Facility
Facility Phone: 609-771-6383
Date of Incident: 10/26/1994
Substance(s): SODIUM BISULFITE
Substance Type: Liquid
Unit: Not reported
Official:
Notification: Not reported
Name: Not reported
Phone: Not reported
Date: Not reported
Time: Not reported
Description: Not reported
Notify: Not reported
Method: Not reported
Contained: Not reported
A310 Letter: Yes
Hazrds Material: Yes

Case Number: 94-10-26-1338-10
Operator: JIMS
Nature of Incident: Facility
Facility Type: Industrial
Time of Incident: 12:35

Substance Identity: Known

TCPA Chemical: No
CAS Number: 7631905

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

GENERAL MOTORS (Continued)

S104378272

COMU:	1102	Ref. Code:	101
Amnt Released:	75 TO 100 GALS	Contained:	Yes
Release Type:	Terminated	Facility Evacuation:	No
Injuries:	No	Public Evacuation:	No
Public Exposure:	No	Firemen at Scene:	No
Police at Scene:	No	Receiving Water:	Not reported
Contamination of:	Land		
Caller:		Title:	GENERAL MOTORS
Name:	JOESPH KELLER		
Address:	1445 PARKWAY AVE		
	EWING, NJ		
Telephone:	609-771-6383		
Responsible Party:		Company:	GENERAL MOTORS
Name:	Known	Title:	ENV ENGINEER
Contact:	JOESPH KELLER		
Address:	1445 PARKWAY AVE		
	EWING, NJ		
County:	MERCER	Telephone:	609-771-6383
NJ Spill:		Title:	Not reported
Name:	Not reported	Time:	Not reported
Telephone:	Not reported		
Date:	Not reported		
Local Municipality:		Municipality Title:	DISP 5
Name:	EWING TWP	Time:	14:49
Telephone:	609-882-1313		
Date:	10/26/1994	Title:	Not reported
Other:		Time:	14:49
Name:	Not reported		
Telephone:	Not reported		
Date:	Not reported		
Incident:		Referred To:	DRPSR
Name:	Not reported	Telephone:	Faxed,Mailed
Region:	BFO-CAS	Incident Time:	Not reported
Date:	10/26/1994		
ITM:	B		
Incident Description:	Spill		
Incident Type:	Not reported		
Wind Direction/Speed:	Not reported		
Office Notified:	Not reported		
Off Notified Phone:	Not reported		
Date Office Notified:	Not reported		
Time Office Notified:	Not reported		
Assistance Requested:	No		
Date A310 Letter Printed:	Not reported		
Date Local Authority Was Notified:	Not reported		
Date Update:	Not reported		
Date Report Faxed to Local Authority:	Not reported		
Local Authority Notification Date 1:	Not reported		
Local Authority Notification Date 2:	Not reported		
Local Authority Notification Date 3:	Not reported		
Status at Spill:	SPILL OCCURRED IN PROCESS OF LOADING ABOVE GROUND TANK WELD BROKE		
	CLEANUP IS BEING DONE		
Comments:	Not reported		

A17 1445 PARKWAY AVE
Target 1445 PARKWAY AVE
Property TRENTON, NJ 08650

ERNS 94415492
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

A14 TRENTON PLANT, 1445 PARKWAY AVE.
Target TRENTON PLANT, 1445 PARKWAY AVE.
Property TRENTON, NJ

Database(s) EDR ID Number
EPA ID Number

ERNS 89100617
N/A

A11 14455 PARKWAY AVE/PO BOX 9019
Target 14455 PARKWAY AVE/PO BOX 9019
Property TRENTON, NJ 08650

ERNS 92282428
N/A

A10 FISHER GUIDE GM PLANT
Target 1445 PARKWAY AVE
Property EWING, NJ

NJ Release S104701109
N/A

NJ Release:

Facility ID: 2598
Date Received: 03/02/1990
Location: Facility
Facility Phone: N/A
Date of Incident: 03/02/1990
Substance(s): OIL HYDRAULIC
Substance Type: Liquid
Unit: Not reported

Case Number: 90-03-02-1633
Operator: ROB
Nature of Incident: Facility
Facility Type: Industrial
Time of Incident: 16:00

Substance Identity: Known

Official:
Notification: Not reported
Name: Not reported
Phone: Not reported
Date: Not reported
Time: Not reported
Description: Not reported
Notify: Not reported
Method: Not reported
Contained: Not reported

A310 Letter: Yes
Hazrds Material: Yes
COMU: 1102
Amnt Released: TEN GAL
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Not reported

TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 16

Contained: Yes
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: N/A

Caller:

Name: GEORGE HOLLERBACH
Address: Not reported
Telephone: 609-771-6276

Title: FISHER GUIDE GENER

Responsible Party:

Name: Known
Contact: GEORGE HOLLERBACH
Address: 1445 PARKWAY AVE.
EWING, NJ
County: MERCER

Company: FISHER GUIDE GEN.MOT
Title: PLANT ENVIRO

Telephone: 609-771-6276

NJ Spill:

Name: Not reported
Telephone: Not reported
Date: 03/02/1990

Title: OEM

Time: Not reported

Local Municipality:

Name: EWING P.D.
Telephone: 609-882-1313
Date: 03/02/1990

Municipality Title: DISP.97

Time: Not reported

Other:

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

FISHER GUIDE GM PLANT (Continued)

S104701109

Name:	Not reported	Title:	Not reported
Telephone:	Not reported		
Date:	Not reported	Time:	Not reported
Incident:			
Name:	Not reported	Referred To:	DHWM
Region:	Central	Telephone:	Not reported
Date:	03/02/1990	Incident Time:	Not reported
ITM:	Not reported		
Incident Description:	SLOPPY HOUSEKEEPING		
Incident Type:	Not reported		
Wind Direction/Speed:	0		
Office Notified:	Not reported		
Off Notified Phone:	Not reported		
Date Office Notified:	Not reported		
Time Office Notified:	Not reported		
Assistance Requested:	No		
Date A310 Letter Printed:	Not reported		
Date Local Authority Was Notified:	Not reported		
Date Update:	Not reported		
Date Report Faxed to Local Authority:	Not reported		
Local Authority Notification Date 1:	Not reported		
Local Authority Notification Date 2:	Not reported		
Local Authority Notification Date 3:	Not reported		
Status at Spill:	Not reported		
Comments:	Not reported		

A13
Target
Property
GENERAL MOTORS
1445 PARKWAY AVE
EWING, NJ

NJ Release
S104694000
N/A

NJ Release:

Facility ID:	9700
Date Received:	07/23/1990
Location:	Facility
Facility Phone:	Not reported
Date of Incident:	07/23/1990
Substance(s):	WATER WASTE
Substance Type:	Liquid
Unit:	Not reported
Official:	
Notification:	Not reported
Name:	Not reported
Phone:	Not reported
Date:	Not reported
Time:	Not reported
Description:	Not reported
Notify:	Not reported
Method:	Not reported
Contained:	Not reported
A310 Letter:	Yes
Hazrds Material:	Yes
COMU:	1102
Amnt Released:	10000 GAL
Release Type:	Terminated
Injuries:	No
Public Exposure:	No
Police at Scene:	No
Contamination of:	Not reported
Caller:	

Case Number:	90-07-23-1210
Operator:	JIMS
Nature of Incident:	Facility
Facility Type:	Commercial
Time of Incident:	05:30
Substance Identity:	Known

TCPA Chemical:	No
CAS Number:	Not reported
Ref. Code:	002

Contained:	Yes
Facility Evacuation:	No
Public Evacuation:	No
Firemen at Scene:	No
Receiving Water:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

GENERAL MOTORS (Continued)

S104694000

Name:	GEORGE HOLLERBACH	Title:	INLAND FISHER GUID
Address:	Not reported		
Telephone:	609-771-6276		
Responsible Party:			
Name:	Known	Company:	GEN MOTORS FISHER BO
Contact:	Not reported	Title:	Not reported
Address:	Not reported		
County:	Not reported	Telephone:	609-771-6226
NJ Spill:			
Name:	JOANN	Title:	OEM
Telephone:	OFFICE		
Date:	07/23/1990	Time:	Not reported
Local Municipality:			
Name:	DISP 3	Municipality Title:	EWING
Telephone:	882-1313		
Date:	07/23/1990	Time:	Not reported
Other:			
Name:	Not reported	Title:	Not reported
Telephone:	Not reported		
Date:	Not reported	Time:	Not reported
Incident:			
Name:	MANUEL	Referred To:	DEQ
Region:	ER2	Telephone:	OFFICE
Date:	07/23/1990	Incident Time:	Not reported
ITM:	Not reported		
Incident Description:	SPILL		
Incident Type:	Not reported		
Wind Direction/Speed:	Not reported		
Office Notified:	Not reported		
Off Notified Phone:	Not reported		
Date Office Notified:	Not reported		
Time Office Notified:	Not reported		
Assistance Requested:	No		
Date A310 Letter Printed:	Not reported		
Date Local Authority Was Notified:	Not reported		
Date Update:	Not reported		
Date Report Faxed to Local Authority:	Not reported		
Local Authority Notification Date 1:	Not reported		
Local Authority Notification Date 2:	Not reported		
Local Authority Notification Date 3:	Not reported		
Status at Spill:	Not reported		
Comments:	Not reported		

A12 INLAND FISHER GUIDE
Target 1445 PARKWAY AVE
Property TRENTON, NJ

NJ Release S104664254
N/A

NJ Release:
Facility ID: 7843
Date Received: 05/12/1993
Location: Facility
Facility Phone: 609-771-6289
Date of Incident: 05/12/1993
Substance(s): WATER, WASTE
Substance Type: Liquid
Unit: Not reported
Official:
Notification: Not reported
Name: Not reported

Case Number: 93-5-12-1324-11
Operator: CARM
Nature of Incident: Facility
Facility Type: Industrial
Time of Incident: 09:00
Substance Identity: Known

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

INLAND FISHER GUIDE (Continued)

EDR ID Number
EPA ID Number

Database(s)

S104664254

Phone: Not reported
Date: Not reported
Time: Not reported
Description: Not reported
Notify: Not reported
Method: Not reported
Contained: Not reported

A310 Letter: Yes
Hazrds Material: Unknown
COMU: 1102
Amnt Released: UNKNOWN
Release Type: Continuous
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Land,Water

Caller:
Name: DAVID WORRELL
Address: 1445 PKWY AVE
EWING TWP, NJ
Telephone: 609-771-6289

Responsible Party:
Name: Known
Contact: DAVID WORRELL
Address: 1445 PKWY AVE
EWING TWP, NJ
County: MERCER

NJ Spill:
Name: Not reported
Telephone: Not reported
Date: Not reported

Local Municipality:
Name: EWING TWP
Telephone: 609-882-1313
Date: 05/12/1993

Other:
Name: Not reported
Telephone: Not reported
Date: Not reported

Incident:
Name: ROB SCHRADER
Region: ER2
Date: 05/12/1993
ITM: T
Name: Not reported
Region: HQ1
Date: 05/12/1993
ITM: T

Incident Description: Spill
Incident Type: Not reported
Wind Direction/Speed: Not reported
Office Notified: Not reported
Off Notified Phone: Not reported
Date Office Notified: Not reported
Time Office Notified: Not reported
Assistance Requested: No
Date A310 Letter Printed: 05/12/1993

TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 002

Contained: No
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: TRIB TO GOLD RUN

Title: INLAND FISHER GUID

Company: INLAND FISHER GUIDE
Title: FAC.ENG

Telephone: 609-771-6289

Title: Not reported

Time: Not reported

Municipality Title: DISP PRESTON

Time: 13:34

Title: Not reported

Time: 13:34

Referred To: DRPSR
Telephone: Office, Faxed
Incident Time: 13:33

Referred To: DFG
Telephone: Faxed
Incident Time: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

INLAND FISHER GUIDE (Continued)

S104664254

Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: 05/12/1993
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: WASTE WATER DISCHARGING FROM A 500,000 GAL TREATMENT TANK ONTO LAND &
INTO TRIB.CONTRACTOR ,CAMBRIDGE CHEM CLEANER 908-867-9363 ON SCENE.
Comments: Not reported

A34
< 1/8
1
Higher

JOHNS TRUCK STOP/AMOCO
RT1
LAWRENCE, NJ

NJ Release S104358882
N/A

NJ Release:

Facility ID: 13068
Date Received: 08/16/1996
Location: Not reported
Facility Phone: Not reported
Date of Incident: 08/16/1996
Substance(s): DIESEL FUEL
Substance Type: Liquid
Unit: Not reported
Official: -
Notification: Not reported
Name: Not reported
Phone: Not reported
Date: Not reported
Time: Not reported
Description: Not reported
Notify: Not reported
Method: Not reported
Contained: Not reported
A310 Letter: No
Hazrds Material: Yes
COMU: 1107
Amnt Released: 2 GALS
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: Yes
Contamination of: Land
Caller:
Name: DISP 9
Address: Not reported
Telephone: Not reported
Responsible Party:
Name: UnKnown
Contact: Not reported
Address: Not reported
County: Not reported
NJ Spill:
Name: Not reported
Telephone: Not reported
Date: Not reported
Local Municipality:
Name: Not reported

Case Number: 96-8-16-0035-42
Operator: STIVE
Nature of Incident: Municipal
Facility Type: Commercial
Time of Incident: 00:18

Substance Identity: Known

TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 101

Contained: Yes
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: Not reported

Title: Not reported

Company: UNK
Title: Not reported

Telephone: Not reported

Title: Not reported

Time: Not reported

Municipality Title: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

JOHNS TRUCK STOP/AMOCO (Continued)

S104358882

Telephone: Not reported
Date: Not reported
Other:
Name: Not reported
Telephone: Not reported
Date: Not reported
Incident:
Name: Not reported
Region: BFO-CAS
Date: 08/16/1996
ITM: B
Time: Not reported
Title: Not reported
Time: Not reported
Referred To: DRPSR
Telephone: Not reported
Incident Time: Not reported
Incident Description: Spill
Incident Type: Not reported
Wind Direction/Speed: Not reported
Office Notified: Not reported
Off Notified Phone: Not reported
Date Office Notified: Not reported
Time Office Notified: Not reported
Assistance Requested: No
Date A310 Letter Printed: Not reported
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: Not reported
Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: SPILL IS DUE TO AN OVERFLOW OF SADDLE TANK. CLEANUP HAS BEEN COMPLETED BY ATTENDANT.
Comments: Not reported

A35
ESE
< 1/8
47
Higher
NAVAL AIR PROPULSION CENTER
1440 PARKWAY AVE
TRENTON, NJ

LUST S104388211
N/A

LUST:
Facility ID: 89-11-02-1130
Facility Status: Not reported
UST ID: 0060482
Lead Program Assigned to Case: Bureau of Federal Case Management
TMS Number: C93-0121; C93-0865; C93-0863;
Remedial Level: Not reported
Case Manager: Not reported
Web Data Case Manager: Not reported

A36
ESE
< 1/8
47
Higher
NAVAL AIR WARFARE CENTER
1440 PARKWAY AVE
TRENTON, NJ

LUST S104389931
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NAVAL AIR WARFARE CENTER (Continued)

S104389931

LUST:

Facility ID: 92-06-09-1446
Facility Status: Not reported
UST ID: 0060482
Lead Program Assigned to Case: Bureau of Federal Case Management
TMS Number: C93-0865
Remedial Level: Not reported
Case Manager: Not reported
Web Data Case Manager: Not reported

A37
ESE
< 1/8
47
Higher

NAVAL AIR WARFARE CENTER
1440 PARKWAY AVE
TRENTON, NJ

LUST S104390460
N/A

LUST:

Facility ID: 93-03-03-1500
Facility Status: Not reported
UST ID: 0060482
Lead Program Assigned to Case: Bureau of Federal Case Management
TMS Number: C93-0866
Remedial Level: Not reported
Case Manager: Not reported
Web Data Case Manager: Not reported

A38
ESE
< 1/8
128
Higher

NAVAL AIR WARFARE CENTER AIRCRAFT DIV
1440 PARKWAY AVE
TRENTON, NJ 08628

SHWS S101899535
NJ Spills N/A
NJ Release

SHWS:

Facility ID: NJ9170022694
Case Status: ACTIVE
Contact: BFCM
Facility Status: OPEN
CEA/DER: Not reported

Case ID: NJ9170022694
Status Date: 04/01/1992

NJ Release:

Facility ID: 1070
Date Received: 01/22/1993
Location: Facility
Facility Phone: 609-538-6677
Date of Incident: 01/22/1993
Substance(s): OIL TRANSFORMER PCB
Substance Type: Liquid
Unit: Not reported
Official:
Notification: Not reported
Name: Not reported
Phone: Not reported
Date: Not reported
Time: Not reported
Description: Not reported
Notify: Not reported
Method: Not reported
Contained: Not reported

Case Number: 93-1-22-1307-00
Operator: CARM
Nature of Incident: Facility
Facility Type: Industrial
Time of Incident: 11:00

Substance Identity: Known

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

NAVAL AIR WARFARE CENTER AIRCRAFT DIV (Continued)

S101899535

A310 Letter:	Yes	TCPA Chemical:	No
Hazrds Material:	Yes	CAS Number:	Not reported
COMU:	1102	Ref. Code:	101
Amnt Released:	<1-GALLON	Contained:	Yes
Release Type:	Terminated	Facility Evacuation:	No
Injuries:	No	Public Evacuation:	No
Public Exposure:	No	Firemen at Scene:	No
Police at Scene:	No	Receiving Water:	NONE
Contamination of:	Land		
Caller:		Title:	NAVAL AIR WARFARE
Name:	KEN SMITH		
Address:	1440 PKWY AVE EWING TWP, NJ		
Telephone:	609-538-6677		
Responsible Party:		Company:	NAVAL AIR WARFARE
Name:	Known	Title:	ENV ENG
Contact:	KEN SMITH		
Address:	1440 PKWY AVE EWING TWP, NJ		
County:	MERCER	Telephone:	609-538-6677
NJ Spill:		Title:	Not reported
Name:	Not reported		
Telephone:	Not reported	Time:	Not reported
Date:	Not reported		
Local Municipality:		Municipality Title:	PTL 102
Name:	EWING TWP		
Telephone:	609-882-1313	Time:	13:10
Date:	01/22/1993		
Other:		Title:	Not reported
Name:	Not reported		
Telephone:	Not reported	Time:	13:10
Date:	Not reported		
Incident:		Referred To:	DRPSR
Name:	Not reported	Telephone:	Faxed,Mailed
Region:	BFO-SA	Incident Time:	Not reported
Date:	01/22/1993		
ITM:	B		
Incident Description:	Spill		
Incident Type:	Not reported		
Wind Direction/Speed:	Not reported		
Office Notified:	Not reported		
Off Notified Phone:	Not reported		
Date Office Notified:	Not reported		
Time Office Notified:	Not reported		
Assistance Requested:	No		
Date A310 Letter Printed:	Not reported		
Date Local Authority Was Notified:	Not reported		
Date Update:	Not reported		
Date Report Faxed to Local Authority:	Not reported		
Local Authority Notification Date 1:	Not reported		
Local Authority Notification Date 2:	Not reported		
Local Authority Notification Date 3:	Not reported		
Status at Spill:	REPORTED PRODUCT DISCHARGED FROM TRANSFORMER CABLE DUCT;CLEANUP IN PROGRESS.		
Comments:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

39 US NAVAL AIR PROPULSION CENTER
NNE PARKWAY AVE
1/8-1/4 TRENTON, NJ 08628
830
Higher

Database(s)
EDR ID Number
EPA ID Number

FINDS 1000124974
RCRIS-LQG NJ9170022694
TRIS
RCRIS-TSD
CORRACTS
CERC-NFRAP

CERCLIS-NFRAP Classification Data:

Site Incident Category: Not reported
Ownership Status: Federally Owned
Site Description: THE FACILITY ENCOMPASSES 8 SITES WHICH ARE UNDERGOING
CONFIRMATION STUDIES TO DETERMINE IF THEY REQUIRE AN RI/FS.
THE FACILITY ENCOMPASSES 8 SITES WHICH ARE UNDERGOING
CONFIRMATION STUDIES TO DETERMINE IF THEY REQUIRE AN RI/FS.

Federal Facility: Federal Facility
NPL Status: Not on the NPL

CERCLIS-NFRAP Assessment History:

Assessment: DISCOVERY
Assessment: PRELIMINARY ASSESSMENT
Assessment: SITE INSPECTION
Assessment: SITE INSPECTION
Assessment: EXPANDED SITE INSPECTION

Completed: 19810601
Completed: 19880620
Completed: 19880630
Completed: 19920930
Completed: 19960925

CERCLIS-NFRAP Alias Name(s):

NAPC TRENTON

CORRACTS Data:

Prioritization: High
Status: RCRA Facility Assessment Completed

RCRIS:

Owner: US NAVY
(609) 896-5600

Contact: JAMES FLINT
(609) 896-5675

Record Date: 08/18/1980

Classification: Large Quantity Generator, TSDF, Hazardous Waste Transporter

BIENNIAL REPORTS:

Last Biennial Reporting Year: 1997

Waste	Quantity (Lbs)	Waste	Quantity (Lbs)
D001	42751.00	D002	115691.00
D003	26.00	D004	150.00
D005	564.00	D006	1259.00
D007	727.00	D008	510825.00
D009	44333.00	D010	164.00
D011	401.00	D018	1734.00
D027	754.00	D035	1430.00
D039	784.00	D040	241905.00
D043	17660.00	F002	224865.00
F003	5670.00	F005	5670.00
P077	4.00	P098	2.00
P104	1.00	P106	1.00
P119	4.00	P120	4.00
U002	155.00	U014	100.00
U070	100.00	U072	100.00
U144	100.00	U151	1.00
U154	750.00	U170	100.00
U188	213.00	U197	100.00
U201	100.00	U219	213.00
U226	113.00	U228	1285.00

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

US NAVAL AIR PROPULSION CENTER (Continued)

1000124974

Used Oil Recyc: No

TSDF Activities: Not reported

Violation Status: Violations exist

Regulation Violated: Not reported
Area of Violation: Generator-All Requirements
Date Violation Determined: 08/24/1989
Priority of Violation: Low
Schedule Date to Achieve Compliance: 11/05/1989
Actual Date Achieved Compliance: 10/31/1989

Enforcement Action: Written Informal
Enforcement Action Date: 09/29/1989
Proposed Monetary Penalty: Not reported
Final Monetary Penalty: Not reported

Regulation Violated: Not reported
Area of Violation: Generator-All Requirements
Date Violation Determined: 08/24/1989
Priority of Violation: Low
Schedule Date to Achieve Compliance: 11/05/1989
Actual Date Achieved Compliance: 10/31/1989

Enforcement Action: Written Informal
Enforcement Action Date: 09/29/1989
Proposed Monetary Penalty: Not reported
Final Monetary Penalty: Not reported

Regulation Violated: Not reported
Area of Violation: Generator-All Requirements
Date Violation Determined: 05/30/1989
Priority of Violation: Low
Schedule Date to Achieve Compliance: 06/20/1989
Actual Date Achieved Compliance: 07/10/1989

Enforcement Action: Written Informal
Enforcement Action Date: 05/30/1989
Proposed Monetary Penalty: Not reported
Final Monetary Penalty: Not reported

Regulation Violated: Not reported
Area of Violation: Generator-All Requirements
Date Violation Determined: 06/12/1990
Priority of Violation: Low
Schedule Date to Achieve Compliance: 07/12/1990
Actual Date Achieved Compliance: 07/03/1990

Enforcement Action: Written Informal
Enforcement Action Date: 06/12/1990
Proposed Monetary Penalty: Not reported
Final Monetary Penalty: Not reported

Regulation Violated: Not reported
Area of Violation: Generator-All Requirements
Date Violation Determined: 05/03/1993
Priority of Violation: Low
Schedule Date to Achieve Compliance: 05/18/1993
Actual Date Achieved Compliance: 06/28/1993

Enforcement Action: Written Informal
Enforcement Action Date: 05/03/1993

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

US NAVAL AIR PROPULSION CENTER (Continued)

1000124974

Proposed Monetary Penalty:	Not reported
Final Monetary Penalty:	Not reported
Regulation Violated:	Not reported
Area of Violation:	Generator-All Requirements
Date Violation Determined:	05/03/1993
Priority of Violation:	Low
Schedule Date to Achieve Compliance:	05/18/1993
Actual Date Achieved Compliance:	06/28/1993
Enforcement Action:	Written Informal
Enforcement Action Date:	05/03/1993
Proposed Monetary Penalty:	Not reported
Final Monetary Penalty:	Not reported
Regulation Violated:	Not reported
Area of Violation:	Generator-All Requirements
Date Violation Determined:	05/03/1993
Priority of Violation:	Low
Schedule Date to Achieve Compliance:	05/18/1993
Actual Date Achieved Compliance:	06/28/1993
Enforcement Action:	Written Informal
Enforcement Action Date:	05/03/1993
Proposed Monetary Penalty:	Not reported
Final Monetary Penalty:	Not reported
Regulation Violated:	Not reported
Area of Violation:	Generator-All Requirements
Date Violation Determined:	05/03/1993
Priority of Violation:	Low
Schedule Date to Achieve Compliance:	05/18/1993
Actual Date Achieved Compliance:	06/28/1993
Enforcement Action:	Written Informal
Enforcement Action Date:	05/03/1993
Proposed Monetary Penalty:	Not reported
Final Monetary Penalty:	Not reported
Regulation Violated:	Not reported
Area of Violation:	Generator-All Requirements
Date Violation Determined:	06/28/1993
Priority of Violation:	Low
Schedule Date to Achieve Compliance:	07/12/1993
Actual Date Achieved Compliance:	07/07/1993
Enforcement Action:	Written Informal
Enforcement Action Date:	06/28/1993
Proposed Monetary Penalty:	Not reported
Final Monetary Penalty:	Not reported
Regulation Violated:	Not reported
Area of Violation:	Generator-All Requirements
Date Violation Determined:	07/12/1985
Priority of Violation:	Low
Schedule Date to Achieve Compliance:	11/27/1985
Actual Date Achieved Compliance:	11/18/1985
Enforcement Action:	EPA Referral to State
Enforcement Action Date:	08/27/1985
Proposed Monetary Penalty:	Not reported
Final Monetary Penalty:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

US NAVAL AIR PROPULSION CENTER (Continued)

1000124974

Regulation Violated: Not reported
Area of Violation: Generator-All Requirements
Date Violation Determined: 07/12/1985
Priority of Violation: Low
Schedule Date to Achieve Compliance: Not reported
Actual Date Achieved Compliance: Not reported

There are 11 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Non-Financial Record Review	Generator-All Requirements	07/07/1993
Other Evaluation	Generator-All Requirements	06/28/1993
	Generator-All Requirements	06/28/1993
	Generator-All Requirements	06/28/1993
	Generator-All Requirements	06/28/1993
	Generator-All Requirements	07/07/1993
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	06/28/1993
	Generator-All Requirements	06/28/1993
	Generator-All Requirements	06/28/1993
	Generator-All Requirements	06/28/1993
Other Evaluation	Generator-All Requirements	07/03/1990
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	10/31/1989
	Generator-All Requirements	10/31/1989
Other Evaluation	Generator-All Requirements	07/10/1989
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	11/18/1985
	Generator-All Requirements	

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
AIRS Facility System (AIRS/AFS)
Federal Facility Information System (FFIS)

B40
WNW
1/8-1/4
1077
Higher

PICERNOS SERVICE STATION
1543 PARKWAY AVE
EWING, NJ

LUST S104389473
N/A

LUST:

Facility ID: 91-10-15-0928
Facility Status: Case Awaiting Assignment
UST ID: Not reported
Lead Program Assigned to Case: Bureau of Field Operations - Initial Notice Section
TMS Number: Not reported
Remedial Level: Not reported
Case Manager: Not reported
Web Data Case Manager: Not reported

B41
WNW
1/8-1/4
1077
Higher

PICERNO AUTOMOTIVE SERVICE
1543 PARKWAY AVE
WEST TRENTON, NJ 08628

UST U003404776
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

PICERNO AUTOMOTIVE SERVICE (Continued)

U003404776

UST:

Facility ID:	0330518	Facility Status:	Active
Install Date:	4/1/89 0:00:00	Facility Type:	B. Commercial/Industrial
Unique Tank ID:	6.00	Owner Tank ID:	00P5
Operator:	FRANK PICERNO		
Operator Address:	Not reported		
Owner:	FRANK PICERNO		
Owner Address:	16 CEDAR LN TITUSVILLE, NJ 08560		
Tank Capacity:	10000.00 Gallons		
Tank Contents:	D. Light Diesel Fuel (No. 1-D)		
Tank Construction:	B1. Cathodically protected steel - Sacrificial anode		
Tank Structure:	A. Single Wall		
Pipe Contents:	D. Fiberglass-reinforced plastic		
Pipe Structure:	A. Single Wall		
Over Fill Products:	Yes		
Spill Containment Around Fill Pipe:	Yes		
Tank Status:	A. In-use		
Date Tank Removed:	Not reported		
Date Tank Abandoned in Place:	Not reported		
Date Tank Taken Out of Service:	Not reported		
Date of Tank Sale or Transfer:	Not reported		
Tank Closure Number:	Not reported		
Tank ISRA Number:	Not reported		
Tank in Wellhead Protection Area:	No		
Is Facility in Compliance Rules:	1		

Facility ID:	0330518	Facility Status:	Active
Install Date:	4/1/89 0:00:00	Facility Type:	B. Commercial/Industrial
Unique Tank ID:	1.00	Owner Tank ID:	00P4
Operator:	FRANK PICERNO		
Operator Address:	Not reported		
Owner:	FRANK PICERNO		
Owner Address:	16 CEDAR LN TITUSVILLE, NJ 08560		
Tank Capacity:	5000.00 Gallons		
Tank Contents:	B. Unleaded Gasoline		
Tank Construction:	B1. Cathodically protected steel - Sacrificial anode		
Tank Structure:	A. Single Wall		
Pipe Contents:	D. Fiberglass-reinforced plastic		
Pipe Structure:	A. Single Wall		
Over Fill Products:	Yes		
Spill Containment Around Fill Pipe:	Yes		
Tank Status:	A. In-use		
Date Tank Removed:	Not reported		
Date Tank Abandoned in Place:	Not reported		
Date Tank Taken Out of Service:	Not reported		
Date of Tank Sale or Transfer:	Not reported		
Tank Closure Number:	Not reported		
Tank ISRA Number:	Not reported		
Tank in Wellhead Protection Area:	No		
Is Facility in Compliance Rules:	1		

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number
EPA ID Number

PICERNO AUTOMOTIVE SERVICE (Continued)

U003404776

Facility ID: 0330518 Facility Status: Active
Install Date: 4/1/89 0:00:00 Facility Type: B. Commercial/Industrial
Unique Tank ID: 2.00 Owner Tank ID: 00P1
Operator: FRANK PICERNO
Operator Address: Not reported
Owner: FRANK PICERNO
Owner Address: 16 CEDAR LN
TITUSVILLE, NJ 08560
Tank Capacity: 12000.00 Gallons
Tank Contents: B. Unleaded Gasoline
Tank Construction: B1. Cathodically protected steel - Sacrificial anode
Tank Structure: A. Single Wall
Pipe Contents: D. Fiberglass-reinforced plastic
Pipe Structure: A. Single Wall
Over Fill Products: Yes
Spill Containment Around Fill Pipe: Yes
Tank Status: A. In-use
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: No
Is Facility in Compliance Rules: 1

Facility ID: 0330518 Facility Status: Active
Install Date: 4/1/89 0:00:00 Facility Type: B. Commercial/Industrial
Unique Tank ID: 3.00 Owner Tank ID: 0P1A
Operator: FRANK PICERNO
Operator Address: Not reported
Owner: FRANK PICERNO
Owner Address: 16 CEDAR LN
TITUSVILLE, NJ 08560
Tank Capacity: 12000.00 Gallons
Tank Contents: B. Unleaded Gasoline
Tank Construction: B1. Cathodically protected steel - Sacrificial anode
Tank Structure: A. Single Wall
Pipe Contents: D. Fiberglass-reinforced plastic
Pipe Structure: A. Single Wall
Over Fill Products: Yes
Spill Containment Around Fill Pipe: Yes
Tank Status: A. In-use
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: No
Is Facility in Compliance Rules: 1

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
Database(s) EPA ID Number

PICERNO AUTOMOTIVE SERVICE (Continued)

U003404776

Facility ID: 0330518 Facility Status: Active
Install Date: 4/1/89 0:00:00 Facility Type: B. Commercial/Industrial
Unique Tank ID: 4.00 Owner Tank ID: 00P3
Operator: FRANK PICERNO
Operator Address: Not reported
Owner: FRANK PICERNO
Owner Address: 16 CEDAR LN
TITUSVILLE, NJ 08560
Tank Capacity: 12000.00 Gallons
Tank Contents: B. Unleaded Gasoline
Tank Construction: B1. Cathodically protected steel - Sacrificial anode
Tank Structure: A. Single Wall
Pipe Contents: D. Fiberglass-reinforced plastic
Pipe Structure: A. Single Wall
Over Fill Products: Yes
Spill Containment Around Fill Pipe: Yes
Tank Status: A. In-use
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: No
Is Facility in Compliance Rules: 1

Facility ID: 0330518 Facility Status: Active
Install Date: 4/1/89 0:00:00 Facility Type: B. Commercial/Industrial
Unique Tank ID: 5.00 Owner Tank ID: 00P2
Operator: FRANK PICERNO
Operator Address: Not reported
Owner: FRANK PICERNO
Owner Address: 16 CEDAR LN
TITUSVILLE, NJ 08560
Tank Capacity: 12000.00 Gallons
Tank Contents: B. Unleaded Gasoline
Tank Construction: B1. Cathodically protected steel - Sacrificial anode
Tank Structure: A. Single Wall
Pipe Contents: D. Fiberglass-reinforced plastic
Pipe Structure: A. Single Wall
Over Fill Products: Yes
Spill Containment Around Fill Pipe: Yes
Tank Status: A. In-use
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: No
Is Facility in Compliance Rules: 1

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

PICERNO AUTOMOTIVE SERVICE (Continued)

U003404776

Facility ID: 0330518 Facility Status: Active
Install Date: 4/1/89 0:00:00 Facility Type: B. Commercial/Industrial
Unique Tank ID: 7.00 Owner Tank ID: 00P6
Operator: FRANK PICERNO
Operator Address: Not reported
Owner: FRANK PICERNO
Owner Address: 16 CEDAR LN
TITUSVILLE, NJ 08560
Tank Capacity: 10000.00 Gallons
Tank Contents: H. Home Heating Oil (No. 2)
Tank Construction: B1. Cathodically protected steel - Sacrificial anode
Tank Structure: A. Single Wall
Pipe Contents: D. Fiberglass-reinforced plastic
Pipe Structure: A. Single Wall
Over Fill Products: Yes
Spill Containment Around Fill Pipe: Yes
Tank Status: A. In-use
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: No
Is Facility in Compliance Rules: 1

Facility ID: 0330518 Facility Status: Active
Install Date: 4/1/89 0:00:00 Facility Type: B. Commercial/Industrial
Unique Tank ID: 8.00 Owner Tank ID: 00P7
Operator: FRANK PICERNO
Operator Address: Not reported
Owner: FRANK PICERNO
Owner Address: 16 CEDAR LN
TITUSVILLE, NJ 08560
Tank Capacity: 10000.00 Gallons
Tank Contents: H. Home Heating Oil (No. 2)
Tank Construction: B1. Cathodically protected steel - Sacrificial anode
Tank Structure: A. Single Wall
Pipe Contents: D. Fiberglass-reinforced plastic
Pipe Structure: A. Single Wall
Over Fill Products: Yes
Spill Containment Around Fill Pipe: Yes
Tank Status: A. In-use
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: No
Is Facility in Compliance Rules: 1

42
West
1/4-1/2
1671
Higher
MOBIL SERVICE STATION 15KTC
W UPPER FERRY / GRAND AVE
TRENTON, NJ 08638

UST U000355210
SHWS N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

MOBIL SERVICE STATION 15KTC (Continued)

EDR ID Number
EPA ID Number

Database(s)

U000355210

SHWS:

Facility ID: NJD986605723
Case Status: ACTIVE
Contact: BUST
Facility Status: OPEN
CEA/DER: Not reported

Case ID: 0037875
Status Date: 10/05/1989

UST:

Facility ID: 0037875
Install Date: 10/1/83 0:00:00
Unique Tank ID: 2.00

Facility Status: Active
Facility Type: B. Commercial/Industrial
Owner Tank ID: E2

Operator: DON WALKER
Operator Address: Not reported
Owner: MOBIL OIL CORP
Owner Address: PO BOX 142667
AUSTIN, TX 78714 - 2667

Tank Capacity: 8000.00 Gallons
Tank Contents: B. Unleaded Gasoline
Tank Construction: D. Fiberglass-reinforced plastic
Tank Structure: A. Single Wall
Pipe Contents: D. Fiberglass-reinforced plastic
Pipe Structure: A. Single Wall
Over Fill Products: Yes
Spill Containment Around Fill Pipe: Yes
Tank Status: A. In-use
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: Not reported
Is Facility in Compliance Rules: 1

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

MOBIL SERVICE STATION 15KTC (Continued)

U000355210

Facility ID: 0037875 Facility Status: Active
Install Date: 10/1/83 0:00:00 Facility Type: B. Commercial/Industrial
Unique Tank ID: 1.00 Owner Tank ID: E1
Operator: DON WALKER
Operator Address: Not reported
Owner: MOBIL OIL CORP
Owner Address: PO BOX 142667
 AUSTIN, TX 78714 - 2667
Tank Capacity: 10000.00 Gallons
Tank Contents: B. Unleaded Gasoline
Tank Construction: D. Fiberglass-reinforced plastic
Tank Structure: A. Single Wall
Pipe Contents: D. Fiberglass-reinforced plastic
Pipe Structure: A. Single Wall
Over Fill Products: Yes
Spill Containment Around Fill Pipe: Yes
Tank Status: A. In-use
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: Not reported
Is Facility in Compliance Rules: 1

Facility ID: 0037875 Facility Status: Active
Install Date: 10/1/83 0:00:00 Facility Type: B. Commercial/Industrial
Unique Tank ID: 3.00 Owner Tank ID: E3
Operator: DON WALKER
Operator Address: Not reported
Owner: MOBIL OIL CORP
Owner Address: PO BOX 142667
 AUSTIN, TX 78714 - 2667
Tank Capacity: 6000.00 Gallons
Tank Contents: B. Unleaded Gasoline
Tank Construction: D. Fiberglass-reinforced plastic
Tank Structure: A. Single Wall
Pipe Contents: D. Fiberglass-reinforced plastic
Pipe Structure: A. Single Wall
Over Fill Products: Yes
Spill Containment Around Fill Pipe: Yes
Tank Status: A. In-use
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: Not reported
Is Facility in Compliance Rules: 1

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

MOBIL SERVICE STATION 15KTC (Continued)

U000355210

Facility ID: 0037875
Install Date: 1/1/63 0:00:00
Unique Tank ID: 4.00
Operator: DON WALKER
Operator Address: Not reported
Owner: MOBIL OIL CORP
Owner Address: PO BOX 142667
AUSTIN, TX 78714 - 2667
Tank Capacity: 550.00 Gallons
Tank Contents: F. WASTE OIL
Tank Construction: B. CATHODICALLY PROTECTED STEEL
Tank Structure: A. SINGLE WALL
Pipe Contents: A. BARE STEEL
Pipe Structure: A. SINGLE WALL
Over Fill Products: No
Spill Containment Around Fill Pipe: No
Tank Status: G. REMOVED 9/89
Date Tank Removed: 9/1/89 0:00:00
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: Not reported
Is Facility in Compliance Rules: 1

Facility Status: Active
Facility Type: B. Commercial/Industrial
Owner Tank ID: E4

Facility ID: 0037875
Install Date: 1/1/90 0:00:00
Unique Tank ID: 5.00
Operator: DON WALKER
Operator Address: Not reported
Owner: MOBIL OIL CORP
Owner Address: PO BOX 142667
AUSTIN, TX 78714 - 2667
Tank Capacity: 1000.00 Gallons
Tank Contents: F. WASTE OIL
Tank Construction: D. FIBERGLASS-REINFORCED PLASTIC
Tank Structure: A. SINGLE WALL
Pipe Contents: D. FIBERGLASS-REINFORCED PLASTIC
Pipe Structure: A. SINGLE WALL
Over Fill Products: Yes
Spill Containment Around Fill Pipe: No
Tank Status: G. REMOVED 11/15/91 C91-3370
Date Tank Removed: 11/15/91 0:00:00
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: C91-3370
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: Not reported
Is Facility in Compliance Rules: 1

Facility Status: Active
Facility Type: B. Commercial/Industrial
Owner Tank ID: 00E4

43
ESE
1/4-1/2
2208
Lower

AMOCO SERVICE STATION EWING
1252 PARKWAY AVENUE
EWING, NJ

LUST S104588804
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

AMOCO SERVICE STATION EWING (Continued)

EDR ID Number
EPA ID Number

Database(s)

S104588804

LUST:

Facility ID: 92-03-12-1556
Facility Status: Site Issued Letter of No Further Action
UST ID: 0217352
Lead Program Assigned to Case: Bureau of Underground Storage Tanks
TMS Number: C93-5264
Remedial Level: C2
Case Manager: DAVID NICKERSON
Web Data Case Manager: 10/13/95 0:00:00

44
West
1/4-1/2
2400
Lower

WEST TRENTON VOLUNTEER FIRE COMPANY
40 WEST UPPER FERRY ROAD
WEST TRENTON, NJ

LUST S104386330
N/A

LUST:

Facility ID: Not reported
Facility Status: Site Issued Letter of No Further Action
UST ID: 0026688
Lead Program Assigned to Case: Bureau of Field Operations - Initial Notice Section
TMS Number: N98-1683
Remedial Level: Not reported
Case Manager: MARIA BRIMAT
Web Data Case Manager: 6/2/99 0:00:00

45
SSW
1/2-1
3905
Lower

CARROLL'S SERVICE CENTER
440 GRAND AVENUE
WEST TRENTON, NJ 08628

UST U000357694
SHWS N/A
NJ Spills
LUST

SHWS:

Facility ID: NJL600246987
Case Status: ACTIVE
Contact: BUST
Facility Status: OPEN
CEA/DER: Not reported

Case ID: 0070733
Status Date: 06/05/1996

LUST:

Facility ID: 94-12-06-1332
Facility Status: Assigned to a Program
UST ID: 0070733
Lead Program Assigned to Case: Bureau of Underground Storage Tanks
TMS Number: C95-1140;N99-1379
Remedial Level: C2
Case Manager: JAY BASAVANHALLY
Web Data Case Manager: Not reported

NJ Spill:

Facility ID: 21441
Date Received: 12/06/1994
Location: Facility
Facility Phone: 609-883-7711
Date of Incident: 12/06/1994
Substance(s): GASOLINE
Substance Type: Liquid
A310 Letter: Yes
Hazardous Material: Yes

Case Number: 94-12-6-1332-00
Operator: ROGER
Nature of Incident: Facility
Facility Type: Commercial
Time of Incident: 10:00
Substance Identity: Known
TCPA Chemical: No
CAS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CARROLL'S SERVICE CENTER (Continued)

U000357694

COMU:	1102	Ref. Code:	101
Amnt Released:	UNK	Release VE:	Not reported
Release Type:	Terminated	Contained:	Yes
Injuries:	No	Facility Evacuation:	No
Public Exposure:	No	Public Evacuation:	No
Police at Scene:	No	Firemen at Scene:	No
Contamination of:	Land	Receiving Water:	Not reported
Caller:		Title:	SHAKTI CONSULT
Name:	STEVE JONES		
Address:	185 GATZMER AVE		
	JAMESBURG, NJ		
Phone:	908-521-2322		
Responsible Party:		Company:	CARROLL'S SERVICE CT
Name:	Known	Title:	OWNER
Contact:	BRUCE CARROLL		
Address:	440 GRAND AVE		
	WEST TRENTON, NJ		
County:	MERCER	Phone:	609-883-7711
NJ Spill:		Title:	Not reported
Name:	Not reported		
Phone:	Not reported	Time:	Not reported
Date:	Not reported		
Local Municipality:		Title:	OPR 9
Name:	EWING TWP		
Phone:	609-882-1313	Time:	13:32
Date:	12/06/1994		
Other:		Title:	Not reported
Name:	Not reported		
Phone:	Not reported	Time:	Not reported
Date:	Not reported		
Incident:		Referred To:	DRPSR
Name:	Not reported	Telephone:	Faxed, Mailed
Region:	BFO-CAS	Incident Time:	Not reported
Date:	12/06/1994		
ITM:	B		
Incident Description:	Soil Contamination		
Wind Direction/Speed:	Not reported		
Official Notification Info:	Not reported		
Official Notify:	Not reported		
Method:	Not reported		
Notify Type:	Not reported		
NJ Spill Type:	Not reported		
Unit:	Not reported		
Contained:	Not reported		
Assistance Requested:	No		
Date A310 Letter Printed:	Not reported		
Date Local Authority Was Notified:	Not reported		
Date Update:	Not reported		
Date Report Faxed to Local Authority:	Not reported		
Local Authority Notification Date 1:	Not reported		
Local Authority Notification Date 2:	Not reported		
Local Authority Notification Date 3:	Not reported		
Status at Spill:	SOIL CONTAMINATION DISCOVERED WHILE EXCAVATING TO INSPECT PIPING .		
	CLEAN UP IS IN PROGRESS.		
Comments:	Not reported		
Facility ID:	21441	Case Number:	94-12-6-1332-00

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CARROLL'S SERVICE CENTER (Continued)

U000357694

Date Received: 12/06/1994
Location: Facility
Facility Phone: 609-883-7711
Date of Incident: 12/06/1994
Substance(s): GASOLINE
Substance Type: Liquid
A310 Letter: Yes
Hazrds Material: Yes
COMU: 1102
Amnt Released: UNK
Release Type: Terminated
Injuries: No
Public Exposure: No
Police at Scene: No
Contamination of: Land
Caller:
Name: STEVE JONES
Address: 185 GATZMER AVE
JAMESBURG, NJ
Phone: 908-521-2322

Operator: ROGER
Nature of Incident: Facility
Facility Type: Commercial
Time of Incident: 10:00

Substance Identity: Known
TCPA Chemical: No
CAS Number: Not reported
Ref. Code: 101
Release VE: Not reported
Contained: Yes
Facility Evacuation: No
Public Evacuation: No
Firemen at Scene: No
Receiving Water: Not reported

Title: SHAKTI CONSULT

Responsible Party:
Name: Known
Contact: BRUCE CARROLL
Address: 440 GRAND AVE
WEST TRENTON, NJ
County: MERCER

Company: CARROLL'S SERVICE CT
Title: OWNER

Phone: 609-883-7711

NJ Spill:
Name: Not reported
Phone: Not reported
Date: Not reported

Title: Not reported

Time: Not reported

Local Municipality:
Name: EWING TWP
Phone: 609-882-1313
Date: 12/06/1994

Title: OPR 9

Time: 13:32

Other:
Name: Not reported
Phone: Not reported
Date: Not reported

Title: Not reported

Time: Not reported

Incident:
Name: Not reported
Region: BFO-CAS
Date: 12/06/1994
ITM: B

Referred To: DRPSR
Telephone: Faxed,Mailed
Incident Time: Not reported

Incident Description: Soil Contamination
Wind Direction/Speed: Not reported
Official Notification Info: Not reported
Official Notify: Not reported
Method: Not reported
Notify Type: Not reported
NJ Spill Type: Not reported
Unit: Not reported
Contained: Not reported
Assistance Requested: No
Date A310 Letter Printed: Not reported
Date Local Authority Was Notified: Not reported
Date Update: Not reported
Date Report Faxed to Local Authority: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CARROLL'S SERVICE CENTER (Continued)

U000357694

Local Authority Notification Date 1: Not reported
Local Authority Notification Date 2: Not reported
Local Authority Notification Date 3: Not reported
Status at Spill: SOIL CONTAMINATION DISCOVERED WHILE EXCAVATING TO INSPECT PIPING .
CLEAN UP IS IN PROGRESS.

Comments: Not reported

UST:

Facility ID:	0070733	Facility Status:	Active
Install Date:	1/1/73 0:00:00	Facility Type:	B. Commercial/Industrial
Unique Tank ID:	2.00	Owner Tank ID:	0001
Operator:	BRUCE A CARROLL		
Operator Address:	Not reported		
Owner:	BRUCE A. CARROLL		
Owner Address:	C/O CARROLLS SERVICE CENTER 440 GRAND AVENUE WEST TRENTON, NJ 08628		
Tank Capacity:	0.00 Gallons		
Tank Contents:	B. UNLEADED GASOLINE		
Tank Construction:	A. BARE STEEL B. CATHODICALLY PROTECTED STEEL		
Tank Structure:	A. SINGLE WALL		
Pipe Contents:	A. BARE STEEL B. CATHODICALLY PROTECTED STEEL		
Pipe Structure:	A. SINGLE WALL		
Over Fill Products:	Yes		
Spill Containment Around Fill Pipe:	Yes		
Tank Status:	G. Removed		
Date Tank Removed:	Not reported		
Date Tank Abandoned in Place:	Not reported		
Date Tank Taken Out of Service:	Not reported		
Date of Tank Sale or Transfer:	Not reported		
Tank Closure Number:	Not reported		
Tank ISRA Number:	Not reported		
Tank in Wellhead Protection Area:	Not reported		
Is Facility in Compliance Rules:	1		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CARROLL'S SERVICE CENTER (Continued)

U000357694

Facility ID: 0070733 Facility Status: Active
Install Date: 1/1/73 0:00:00 Facility Type: B. Commercial/Industrial
Unique Tank ID: 3.00 Owner Tank ID: 0002
Operator: BRUCE A CARROLL
Operator Address: Not reported
Owner: BRUCE A. CARROLL
Owner Address: C/O CARROLLS SERVICE CENTER
440 GRAND AVENUE
WEST TRENTON, NJ 08628
Tank Capacity: 0.00 Gallons
Tank Contents: A. LEADED GASOLINE
Tank Construction: A. BARE STEEL B. CATHODICALLY PROTECTED STEEL
Tank Structure: A. SINGLE WALL
Pipe Contents: A. BARE STEEL B. CATHODICALLY PROTECTED STEEL
Pipe Structure: A. SINGLE WALL
Over Fill Products: Yes
Spill Containment Around Fill Pipe: Yes
Tank Status: G. Removed
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: Not reported
Is Facility in Compliance Rules: 1

Facility ID: 0070733 Facility Status: Active
Install Date: 1/1/73 0:00:00 Facility Type: B. Commercial/Industrial
Unique Tank ID: 4.00 Owner Tank ID: 0003
Operator: BRUCE A CARROLL
Operator Address: Not reported
Owner: BRUCE A. CARROLL
Owner Address: C/O CARROLLS SERVICE CENTER
440 GRAND AVENUE
WEST TRENTON, NJ 08628
Tank Capacity: 0.00 Gallons
Tank Contents: B. UNLEADED GASOLINE
Tank Construction: A. BARE STEEL B. CATHODICALLY PROTECTED STEEL
Tank Structure: A. SINGLE WALL
Pipe Contents: A. BARE STEEL B. CATHODICALLY PROTECTED STEEL
Pipe Structure: A. SINGLE WALL
Over Fill Products: Yes
Spill Containment Around Fill Pipe: Yes
Tank Status: G. Removed
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: Not reported
Is Facility in Compliance Rules: 1

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

CARROLL'S SERVICE CENTER (Continued)

U000357694

Facility ID: 0070733 Facility Status: Active
Install Date: 3/11/96 0:00:00 Facility Type: B. Commercial/Industrial
Unique Tank ID: 5.00 Owner Tank ID: E5
Operator: BRUCE A CARROLL
Operator Address: Not reported
Owner: BRUCE A. CARROLL
Owner Address: C/O CARROLLS SERVICE CENTER
440 GRAND AVENUE
WEST TRENTON, NJ 08628
Tank Capacity: 8000.00 Gallons
Tank Contents: B. Unleaded Gasoline
Tank Construction: B. Cathodically protected steel
Tank Structure: B. Double Wall
Pipe Contents: H. OTHER: GEOFLEX
Pipe Structure: B. Double Wall
Over Fill Products: Yes
Spill Containment Around Fill Pipe: Yes
Tank Status: A. In-use
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: Not reported
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: Not reported
Is Facility in Compliance Rules: 1

Facility ID: 0070733 Facility Status: Active
Install Date: 1/1/71 0:00:00 Facility Type: B. Commercial/Industrial
Unique Tank ID: 1.00 Owner Tank ID: E4
Operator: BRUCE A CARROLL
Operator Address: Not reported
Owner: BRUCE A. CARROLL
Owner Address: C/O CARROLLS SERVICE CENTER
440 GRAND AVENUE
WEST TRENTON, NJ 08628
Tank Capacity: 550.00 Gallons
Tank Contents: F. WASTE OIL
Tank Construction: A. BARE STEEL B. CATHODICALLY PROTECTED STEEL
Tank Structure: A. SINGLE WALL
Pipe Contents: A. BARE STEEL H. OTHER: GALV
Pipe Structure: A. SINGLE WALL
Over Fill Products: No
Spill Containment Around Fill Pipe: No
Tank Status: B. Empty less than 12 months
Date Tank Removed: Not reported
Date Tank Abandoned in Place: Not reported
Date Tank Taken Out of Service: 12/18/98 0:00:00
Date of Tank Sale or Transfer: Not reported
Tank Closure Number: Not reported
Tank ISRA Number: Not reported
Tank in Wellhead Protection Area: Not reported
Is Facility in Compliance Rules: 1

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

CARROLL'S SERVICE CENTER (Continued)

U000357694

Facility ID:	0070733	Facility Status:	Active
Install Date:	3/11/96 0:00:00	Facility Type:	B. Commercial/Industrial
Unique Tank ID:	6.00	Owner Tank ID:	E6
Operator:	BRUCE A CARROLL		
Operator Address:	Not reported		
Owner:	BRUCE A. CARROLL		
Owner Address:	C/O CARROLLS SERVICE CENTER		
	440 GRAND AVENUE		
	WEST TRENTON, NJ 08628		
Tank Capacity:	8000.00 Gallons		
Tank Contents:	B. Unleaded Gasoline		
Tank Construction:	B. Cathodically protected steel		
Tank Structure:	B. Double Wall		
Pipe Contents:	H. OTHER: GEOFLEX		
Pipe Structure:	B. Double Wall		
Over Fill Products:	Yes		
Spill Containment Around Fill Pipe:	Yes		
Tank Status:	A. In-use		
Date Tank Removed:	Not reported		
Date Tank Abandoned in Place:	Not reported		
Date Tank Taken Out of Service:	Not reported		
Date of Tank Sale or Transfer:	Not reported		
Tank Closure Number:	Not reported		
Tank ISRA Number:	Not reported		
Tank in Wellhead Protection Area:	Not reported		
Is Facility in Compliance Rules:	1		

46
SE
1/2-1
4940
Lower

NJ DOT TRANSPORTATION IMPROVMENT PROJECT
1035 PARKWAY AVE
TRENTON CITY, NJ

SHWS S101872431
N/A

SHWS:

Facility ID: NJL000011205
Case Status: ACTIVE
Contact: BFCM
Facility Status: OPEN
CEA/DER: Not reported

Case ID: NJL000011205
Status Date: 03/08/1995

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
EWING	S104394860	COLLEGE OF NJ	RTE 31 N, PARKING LOT 14		LUST	99-10-02-1025-08
EWING	S104388140	EXXON SERVICE STATION	RTE 31		LUST	00-06-01-1338-06
EWING	S104389513	7-11 #27391	RTE 31 / N OLDEN AVE		LUST	91-11-01-0922
EWING	S104428188	EWING LAWRENCE SEWAGE AUTHORIT	BROAD AVENUE		NJ Spills, LUST	13988
EWING	S104387462	RCA/GE FLIGHT OPERATIONS	MERCER COUNTY AIRPORT, SCOTCH ROAD		LUST	87-02-28-0920
EWING	S104389693	SHELL SERVICE STATION	780 PARKWAY AVE / OLDEN AVE		LUST	92-01-30-1533
EWING	S104388077	CHEVRON SERVICE STATION	801 PARKWAY / LEXINGTON AVE		LUST	89-08-02-1540
EWING	S104394862	SIERRA OFFICE PARK	380 SCOTCH RD BLDG 2	08628	LUST	51451
EWING	S104587739	MERCER CO PUBLIC WORKS	SCOTCH RD		LUST	87-04-02-01C
EWING	S104393735	RONSON AVIATION	SCOTCH RD		LUST	98-08-11-0801-58
EWING	S104393766	WEST TRENTON AIRPORT	SCOTCH RD		LUST	98-08-21-1407-53
EWING	S104391084	MERCER COUNTY AIRPORT;J&J TERMINAL	SCOTCH RD		LUST	94-01-14-1001
EWING	S104391268	MARINE CORPS MERCER COUNTY AIRPORT	SCOTCH RD		LUST	94-04-20-0945
EWING TWP	U003653408	INSECT REARING LABORATORY	STATE POLICE DR	08628	UST	0333218
TRENTON	U003653409	OIT HUB	STATE POLICE DR	08628	UST	0333227
WEST TRENTON	1000116726	AIR HANGAR INC	PARKWAY AVE	08628	FINDS, RCRIS-LQG, UST	0042446
WEST TRENTON	S104385032	WEST TRENTON - AASF	SCOTCH ROAD	08628	LUST	
WEST TRENTON	S104389138	MERCER AASF	SCOTCH RD	08628	LUST	91-04-09-1438
WEST TRENTON	1000280319	ROLLER BEARING CO. OF AMERICA	SULLIVAN WAY	08628	FINDS, RCRIS-LQG, TRIS, RAATS, SHWS, NJ Spills, NJ Release	12604
WEST TRENTON	1000875059	AIRBORNE EXPRESS	824 SYLVIA ST	08628	RCRIS-SQG, FINDS	

EPA Waste Codes Addendum

Code	Description
D001	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
D002	A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
D003	A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
D004	ARSENIC
D005	BARIUM
D006	CADMIUM
D007	CHROMIUM
D008	LEAD
D009	MERCURY
D010	SELENIUM
D011	SILVER
D018	BENZENE
D027	1,4-DICHLOROBENZENE
D035	METHYL ETHYL KETONE
D039	TETRACHLOROETHYLENE
D040	TRICHLOROETHYLENE
D043	VINYL CHLORIDE
F002	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE.

EPA Waste Codes Addendum

Code	Description
	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F003	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F005	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F006	WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
P077	BENZENAMINE, 4-NITRO-
P077	P-NITROANILINE
P098	POTASSIUM CYANIDE
P098	POTASSIUM CYANIDE K(CN)
P104	SILVER CYANIDE
P104	SILVER CYANIDE AG(CN)
P106	SODIUM CYANIDE
P106	SODIUM CYANIDE NA(CN)
P119	AMMONIUM VANADATE
P119	VANADIC ACID, AMMONIUM SALT
P120	VANADIUM OXIDE V2O5

EPA Waste Codes Addendum

Code	Description
P120	VANADIUM PENTOXIDE
U002	ACETONE (I)
U002	2-PROPANONE (I)
U014	AURAMINE
U014	BENZENAMINE, 4,4'-CARBONIMIDOYLBIS(N,N-DIMETHYL-
U070	BENZENE, 1,2-DICHLORO-
U070	O-DICHLOROBENZENE
U072	BENZENE, 1,4-DICHLORO-
U072	P-DICHLOROBENZENE
U144	ACETIC ACID, LEAD(2+) SALT
U144	LEAD ACETATE
U151	MERCURY
U154	METHANOL (I)
U154	METHYL ALCOHOL (I)
U170	P-NITROPHENOL
U170	PHENOL, 4-NITRO-
U188	PHENOL
U197	P-BENZOQUINONE
U197	2,5-CYCLOHEXADIENE-1,4-DIONE
U201	1,3-BENZENEDIOL
U201	RESORCINOL
U219	THIOUREA
U226	ETHANE, 1,1,1-TRICHLORO-
U226	METHYL CHLOROFORM
U228	ETHENE, TRICHLORO-
U228	TRICHLOROETHYLENE

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Elapsed ASTM days: Provides confirmation that this EDR report meets or exceeds the 90-day updating requirement of the ASTM standard.

FEDERAL ASTM STANDARD RECORDS

NPL: National Priority List

Source: EPA

Telephone: N/A

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC).

Date of Government Version: 06/13/00

Date Made Active at EDR: 07/06/00

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 06/27/00

Elapsed ASTM days: 9

Date of Last EDR Contact: 11/06/00

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

Source: EPA

Telephone: 703-413-0223

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 04/16/00

Date Made Active at EDR: 08/16/00

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 06/05/00

Elapsed ASTM days: 11

Date of Last EDR Contact: 12/29/00

CERCLIS-NFRAP: No Further Remedial Action Planned

Source: EPA

Telephone: 703-413-0223

As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

Date of Government Version: 04/16/00

Date Made Active at EDR: 08/16/00

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 06/05/00

Elapsed ASTM days: 72

Date of Last EDR Contact: 12/29/00

CORRACTS: Corrective Action Report

Source: EPA

Telephone: 800-424-9346

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 04/20/00

Date Made Active at EDR: 08/01/00

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 06/12/00

Elapsed ASTM days: 50

Date of Last EDR Contact: 12/11/00

RCRIS: Resource Conservation and Recovery Information System

Source: EPA/NTIS

Telephone: 800-424-9346

Resource Conservation and Recovery Information System. RCRIS includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/21/00
Date Made Active at EDR: 07/31/00
Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 07/10/00
Elapsed ASTM days: 21
Date of Last EDR Contact: 11/09/00

ERNS: Emergency Response Notification System

Source: EPA/NTIS

Telephone: 202-260-2342

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 08/08/00
Date Made Active at EDR: 09/06/00
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 08/11/00
Elapsed ASTM days: 26
Date of Last EDR Contact: 10/31/00

FEDERAL ASTM SUPPLEMENTAL RECORDS

BRS: Biennial Reporting System

Source: EPA/NTIS

Telephone: 800-424-9346

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/97
Database Release Frequency: Biennially

Date of Last EDR Contact: 12/19/00
Date of Next Scheduled EDR Contact: 03/19/01

CONSENT: Superfund (CERCLA) Consent Decrees

Source: EPA Regional Offices

Telephone: Varies

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: N/A
Database Release Frequency: Varies

Date of Last EDR Contact: N/A
Date of Next Scheduled EDR Contact: N/A

ROD: Records Of Decision

Source: NTIS

Telephone: 703-416-0223

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 01/31/99
Database Release Frequency: Annually

Date of Last EDR Contact: 10/12/00
Date of Next Scheduled EDR Contact: 01/08/01

DELISTED NPL: NPL Deletions

Source: EPA

Telephone: N/A

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 06/13/00
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 11/06/00
Date of Next Scheduled EDR Contact: 02/05/01

FINDS: Facility Index System/Facility Identification Initiative Program Summary Report

Source: EPA

Telephone: N/A

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/07/00
Database Release Frequency: Quarterly

Date of Last EDR Contact: 10/10/00
Date of Next Scheduled EDR Contact: 01/08/01

HMIRS: Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation
Telephone: 202-366-4526

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/30/99
Database Release Frequency: Annually

Date of Last EDR Contact: 10/24/00
Date of Next Scheduled EDR Contact: 01/22/01

MLTS: Material Licensing Tracking System

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/23/00
Database Release Frequency: Quarterly

Date of Last EDR Contact: 10/10/00
Date of Next Scheduled EDR Contact: 01/08/01

MINES: Mines Master Index File

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959

Date of Government Version: 08/01/98
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 01/02/01
Date of Next Scheduled EDR Contact: 04/02/01

NPL LIENS: Federal Superfund Liens

Source: EPA
Telephone: 205-564-4267

Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/91
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 11/20/00
Date of Next Scheduled EDR Contact: 02/19/01

PADS: PCB Activity Database System

Source: EPA
Telephone: 202-260-3936

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 01/01/00
Database Release Frequency: Annually

Date of Last EDR Contact: 10/24/00
Date of Next Scheduled EDR Contact: 02/12/01

RAATS: RCRA Administrative Action Tracking System

Source: EPA
Telephone: 202-564-4104

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/95
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 12/11/00
Date of Next Scheduled EDR Contact: 03/12/01

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TRIS: Toxic Chemical Release Inventory System

Source: EPA

Telephone: 202-260-1531

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/97

Database Release Frequency: Annually

Date of Last EDR Contact: 12/27/00

Date of Next Scheduled EDR Contact: 03/26/01

TSCA: Toxic Substances Control Act

Source: EPA

Telephone: 202-260-1444

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/98

Database Release Frequency: Every 4 Years

Date of Last EDR Contact: 12/12/00

Date of Next Scheduled EDR Contact: 03/12/01

STATE OF NEW JERSEY ASTM STANDARD RECORDS

SHWS: Known Contaminated Sites in New Jersey Except Those Associated with Bureau of Underground Storage Sites (BUST)

Source: New Jersey Department of Environmental Protection

Telephone: 609-292-8761

The Known Contaminated Sites in New Jersey includes sites under the purview of the Site Remediation Program which have contamination present at levels greater than the applicable cleanup criteria for soil and/or groundwater standards. The sites appearing in Known Contaminated Sites in New Jersey are classified as either active, where the site is assigned to a specific remedial program area, or pending, where the site is awaiting assignment to a specific remedial program area. Sites where no further action (NFA) designation has been given are not included in this report unless there are other areas of identified contamination which have not been remediated. This report includes sites being remediated under all of the various regulatory programs administered by the Site Remediation Program such as: Federal Superfund Program, Federal Resource Conservation and Recovery Act (RCRA), New Jersey's Industrial Site Recovery Act (ISRA), New Jersey's Underground Storage of Hazardous Substances Act, New Jersey's Spill Compensation and Control Act, New Jersey's Solid Waste Management Act, New Jersey's Water Pollution Control Act.

Date of Government Version: 09/01/97

Date Made Active at EDR: 04/17/98

Database Release Frequency: Varies

Date of Data Arrival at EDR: 03/19/98

Elapsed ASTM days: 29

Date of Last EDR Contact: 12/27/00

SWF/LF: Solid Waste Facility Directory

Source: Department of Environmental Protection

Telephone: 609-984-6741

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 08/17/00

Date Made Active at EDR: 10/30/00

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 09/28/98

Elapsed ASTM days: 32

Date of Last EDR Contact: 12/04/00

LUST: Regulated UST Contamination Sites Listing

Source: New Jersey Department of Environmental Protection

Telephone: 609-292-8761

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/25/00
Date Made Active at EDR: 10/03/00
Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 08/09/00
Elapsed ASTM days: 55
Date of Last EDR Contact: 11/08/00

UST: Underground Storage Tank Data

Source: Department of Environmental Protection
Telephone: 609-633-1455

- Registered Underground Storage Tanks. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 09/15/99
Date Made Active at EDR: 10/18/99
Database Release Frequency: Annually

Date of Data Arrival at EDR: 09/15/99
Elapsed ASTM days: 33
Date of Last EDR Contact: 12/14/00

STATE OF NEW JERSEY ASTM SUPPLEMENTAL RECORDS

NJ MAJOR FACILITIES: List of Major Facilities

Source: Department of Environmental Protection
Telephone: 609-292-1690

- Major facilities means all facilities, located on one or more contiguous or adjacent properties owned or operated by the same person, having total combined storage capacity of 20,000 gallons or more for hazardous substances other than petroleum or petroleum products, or 200,000 gallons or more of hazardous substances of all kinds.

Date of Government Version: 03/01/00
Database Release Frequency: Biennially

Date of Last EDR Contact: 11/20/00
Date of Next Scheduled EDR Contact: 02/19/01

NJ Spills: Spills

Source: Department of Environmental Protection
Telephone: 609-633-0898

- Initial notification information of hazardous material incidents, where there is land contamination, reported to the Department of Environmental Protection's Environmental Action Line. The DEP has not conducted any investigation to determine its validity or accuracy.

Date of Government Version: 06/30/00
Database Release Frequency: Annually

Date of Last EDR Contact: 10/10/00
Date of Next Scheduled EDR Contact: 01/08/01

NJ Release: Hazardous Material Incident Database

Source: Department of Environmental Protection
Telephone: 604-633-0898

- Hazardous material release. Initial notification information reported to the Department of Environmental Protection's Environmental Action Line and the office has not conducted any investigations to determine its validity or accuracy.

Date of Government Version: 06/30/00
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 10/10/00
Date of Next Scheduled EDR Contact: 01/08/01

PF: Publicly Funded Cleanups Site Status Report

Source: Department of Environmental Protection
Telephone: 609-292-9418

- The report focuses on publicly funded cleanups and features progress achieved and underway at all sites that are being addressed by the NJDEP with public funds.

Date of Government Version: 12/31/99
Database Release Frequency: Annually

Date of Last EDR Contact: 11/28/00
Date of Next Scheduled EDR Contact: 02/26/01

CHROME: NJ CHROME

Source: Department of Environmental Protection
Telephone: 609-984-4071
Known chromate chemical production waste sites.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/23/99
Database Release Frequency: Annually

Date of Last EDR Contact: 12/11/00
Date of Next Scheduled EDR Contact: 03/12/01

EDR PROPRIETARY DATABASES

Former Manufactured Gas (Coal Gas) Sites: The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. ©Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative.

Disclaimer Provided by Real Property Scan, Inc.

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable steps have been taken to insure the accuracy of this report, Real Property Scan does not guarantee the accuracy of this report. Any liability on the part of Real Property Scan is strictly limited to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report does not constitute a legal opinion.

HISTORICAL AND OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

Oil/Gas Pipelines/Electrical Transmission Lines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines and electrical transmission lines.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 1999 from the U.S. Fish and Wildlife Service.

New Jersey State Wetlands

Source: New Jersey Department of Environmental Protection

This data was obtained by EDR in 1998 from the New Jersey Department of Environmental Protection.

GEOCHECK®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

FORMER GM SITE
1445 PARKWAY AVE
EWING, NJ 08628

TARGET PROPERTY COORDINATES

Latitude (North):	40.266880 - 40° 16' 0.8"
Longitude (West):	74.809082 - 74° 48' 32.7"
Universal Transverse Mercator:	Zone 18
UTM X (Meters):	516233.7
UTM Y (Meters):	4457186.0
State Plane X (Feet):	1960256.8
State Plane Y (Feet):	522189.8

EDR's GeoCheck Physical Setting Source Addendum has been developed to assist the environmental professional with the collection of physical setting source information in accordance with ASTM 1527-00, Section 7.2.3. Section 7.2.3 requires that a current USGS 7.5 Minute Topographic Map (or equivalent, such as the USGS Digital Elevation Model) be reviewed. It also requires that one or more additional physical setting sources be sought when (1) conditions have been identified in which hazardous substances or petroleum products are likely to migrate to or from the property, and (2) more information than is provided in the current USGS 7.5 Minute Topographic Map (or equivalent) is generally obtained, pursuant to local good commercial or customary practice, to assess the impact of migration of recognized environmental conditions in connection with the property. Such additional physical setting sources generally include information about the topographic, hydrologic, hydrogeologic, and geologic characteristics of a site, and wells in the area.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata. EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).

TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

USGS TOPOGRAPHIC MAP ASSOCIATED WITH THIS SITE

Target Property: 2440074-C7 PENNINGTON, NJ PA
Source: USGS 7.5 min quad index

GENERAL TOPOGRAPHIC GRADIENT AT TARGET PROPERTY

Target Property: General South

Source: General Topographic Gradient has been determined from the USGS 1 Degree Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Target Property County
MERCER, NJ

FEMA Q3 Flood
Data Electronic Coverage
YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property:
Additional Panels in search area:

3452940001B / CBPP
3452940002B / CBPP
3452940003B / CBPP
3452940004B / CBPP

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property
PENNINGTON

NWI Electronic
Coverage
YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Site-Specific Hydrogeological Data*:

Search Radius: 2.0 miles
Status: Not found

AQUIFLOW®

Search Radius: 2,000 Miles.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

GEOLOGIC AGE IDENTIFICATION

ROCK STRATIGRAPHIC UNIT

Geologic Code: Tr
Era: Mesozoic
System: Triassic
Series: Triassic

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

* ©1996 Site-specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Component Name: MATTAPEX

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Moderately well drained. Soils have a layer of low hydraulic conductivity, wet state high in the profile. Depth to water table is 3 to 6 feet.

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: HIGH

Depth to Bedrock Min: > 60 inches

Depth to Bedrock Max: > 60 inches

Soil Layer Information						
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)
	Upper	Lower		AASHTO Group	Unified Soil	
1	0 inches	15 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay. FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 2.00 Min: 0.60
2	15 inches	36 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 2.00 Min: 0.20
3	36 inches	60 inches	fine sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COURSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 6.00 Min: 0.60
4	60 inches	65 inches	sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COURSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 20.00 Min: 6.00

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinate soil types may appear within the general area of target property.

Soil Surface Textures: loam
sandy loam
sandy clay

Surficial Soil Types: loam
sandy loam
sandy clay

Shallow Soil Types: No Other Soil Types

Deeper Soil Types: sandy loam
very gravelly - sandy loam
stratified
very fine sandy loam

ADDITIONAL ENVIRONMENTAL RECORD SOURCES

According to ASTM E 1527-00, Section 7.2.2, "one or more additional state or local sources of environmental records may be checked, in the discretion of the environmental professional, to enhance and supplement federal and state sources... Factors to consider in determining which local or additional state records, if any, should be checked include (1) whether they are reasonably ascertainable, (2) whether they are sufficiently useful, accurate, and complete in light of the objective of the records review (see 7.1.1), and (3) whether they are obtained, pursuant to local, good commercial or customary practice." One of the record sources listed in Section 7.2.2 is water well information. Water well information can be used to assist the environmental professional in assessing sources that may impact groundwater flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
---------------	----------------	-----------------------------

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
<u>1</u>	<u>NJ1114200</u>	<u>1/2 - 1 Mile WSW</u>

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
<u>No Wells Found</u>	<u></u>	<u></u>

PHYSICAL SETTING SOURCE MAP - 589493.1s



- Major Roads
- Contour Lines
- Airports
- Water Wells
- Public Water Supply Wells
- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Cluster of Multiple Icons

- Earthquake epicenter, Richter 5 or greater
- Closest Hydrogeological Data

TARGET PROPERTY: Former GM Site
 ADDRESS: 1445 Parkway Ave
 CITY/STATE/ZIP: Ewing NJ 08628
 LAT/LONG: 40.2669 / 74.8091

CUSTOMER: ERM Inc.
 CONTACT: Rob Dixon
 INQUIRY #: 589493.1s
 DATE: January 30, 2001 7:27 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

1
WSW
1/2 - 1 Mile
Lower

FRDS PWS NJ1114200

PWS ID: NJ1114200 PWS Status: Active
Date Initiated: September / 72 Date Deactivated: Not Reported
PWS Name: MARIE KATZENBACH SCHOOL OF DEA
SULLIVAN WAY
WEST TRENTON, NJ 08610

Addressee / Facility: Not Reported

Facility Latitude: 40 15 50 Facility Longitude: 074 49 08
City Served: Not Reported
Treatment Class: Treated Population: 550

PWS currently has or had major violation(s) or enforcement: No

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Radon Information for Zip Code: 08628

Tier	Comment	> 4 pCi/L	Sites Tested	Municipality, County
1 (High Potential)	(no change)	447 Sites	1417	EWING, MERCER
2 (Moderate Pot.)	(no change)	377 Sites	2327	TRENTON, MERCER

Federal EPA Radon Zone for MERCER County: 1

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

MERCER COUNTY, NJ

Number of sites tested: 1022

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	1.320 pCi/L	88%	10%	2%
Basement	2.880 pCi/L	67%	26%	7%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 1999 from the U.S. Fish and Wildlife Service.

New Jersey State Wetlands

Source: New Jersey Department of Environmental Protection

This data was obtained by EDR in 1998 from the New Jersey Department of Environmental Protection.

HYDROGEOLOGIC INFORMATION

AQUIFLOW[®] Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the national Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

ADDITIONAL ENVIRONMENTAL RECORD SOURCES

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-260-2805

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-260-2805

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: In November 1971 the United States Geological Survey (USGS) implemented a national water resource information tracking system. This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on more than 900,000 wells, springs, and other sources of groundwater.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STATE RECORDS

New Jersey Public-Community Water-Supply Wells

Source: New Jersey Department of Environmental Protection

Telephone: 609-292-5550

New Jersey Monitoring Wells

Source: Department of Environmental Quality

Telephone: 609-984-6587

Ambient Groundwater Quality of the New Jersey Part of the Newark Basin. Natural groundwater quality in the Newark Basin summarize natural groundwater quality in sedimentary bedrock formations of the Newark basin part of the Piedmont physiographic province of New Jersey.

New Jersey Radon Tier Assignment Report

Source: Department of Environmental Protection

The DEP's tier system classifies municipalities as having high, moderate or low potential for indoor radon problems based on the percentage of homes with radon concentrations greater than or equal to 4 picocuries/liter (pCi/l).

RADON

Area Radon Information: The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones: Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.


OTHER

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Appendix B

Professional Qualifications



Robert C. Dixon

Fields of Competence

New Jersey and Pennsylvania Underground Storage Tank Closure project implementation and management
Pennsylvania Act II site investigations and remediation
Superfund project implementation and field operations management
Classification Exception Area (CEA) evaluation and development
Water quality, hydrologic, and hydrogeologic studies
Soils investigations/management
Property transfer and ECRA/ISRA site assessments/audits
Phase I and Due Diligence project management and implementation
Database management
GIS systems

Experience Summary

More than ten years of environmental consulting experience. Participated in a broad range of multidisciplinary environmental projects domestically within New Jersey, New York, North Carolina, Delaware, and Pennsylvania. Experienced Project Manager, and Health and Safety Officer, in the fields of Environmental Assessment, Hazardous Waste/Materials Management and Health and Safety. Areas of expertise include field sampling techniques, environmental assessment, risk assessment, hazardous waste site health and safety, industrial hygiene sampling database management and GIS systems. Responsibilities have included the management, planning, development, design, coordination, implementation, and reporting of environmental programs and studies.

Credentials

B.S., Environmental Health, Indiana University of Pennsylvania, 1987
OSHA certified 29 CFR 1910.120 for Hazardous Waste Site Operations
OSHA certified Hazardous Waste Site Operations Supervisor
New Jersey Underground Storage Tank Subsurface Evaluator
Field Certification Immunoassay Analytical Methods, Enslys, Inc., 1993

Key Projects

Project Manager during the completion of a Phase I, II and III site characterization using Pennsylvania's Land Recycling Act at a former railroad maintenance yard in Pennsylvania; responsible for project scoping, oversight of field technicians, field investigations, sampling design and implementation, and project report preparation.

Developed and maintained a project sample database for a Remedial Investigation conducted at a manufactured gas plant in New Jersey. The database consisted of sample results for over 6,000 soil samples and enabled the quick, efficient and accurate retrieval of sample results for use by the project team.

In conjunction with Oak Ridge National Laboratory, assisted in the development and field deployment of an enhanced data collection and management system which utilized advanced communications and sensor systems, a data fusion center, and Geographical Information Systems (GIS).

Project Manager for a ground water remediation conducted in the New Jersey Pinelands, which involved the injection of HRC compound into the contaminant plume. Responsible for project scoping, oversight of field technicians, field investigations, sampling design and implementation, and project report preparation.

Project Manager for numerous Phase I and II Environmental Site Assessments; responsible for implementing and managing field investigations, reporting and coordination of project tasks, personnel, laboratory resources, and field operations.



Health and Safety Officer/Manager during the completion of a five-month remediation project involving the excavation, solidification and loading of Benzene contaminated sludges from a chemical plant in New Jersey. Responsibilities included occupational and environmental monitoring, HASP compliance, laboratory coordination, and report processing.

Responsible as HSO for health and safety management at a major construction site involving over 100 employees. Site activities included remedial investigations, site stabilization, and remediation of lead contaminated soils.