



October 11, 2012

Mr. Tom Hutchings

City of Flint Water Pollution
Water Pollution Control Facilities
G4652 Beecher Rd.
Flint, MI, 48532

RE: ***Discharge Permit Submittal-July 2012 through September 2012***
Permit No.: 6-08-04-04-GML1

FILE: 15388/48630/Docs

Dear Mr. Hutchings:

In accordance with requirements of the above referenced discharge permit, we are providing you with the following discharge information for the period July 1, 2012 to September 30, 2012 for the Coldwater Road Landfill facility, located at 6220 Horton Avenue, Flint, Michigan.

- Periodic Report on Continued Compliance, certification
- Periodic Report on Continued Compliance (Table 1)
- Daily Discharge Summary Table (Table 2)
- Analytical Reports provided by Merit Laboratories, Inc. for samples from the on-site, above ground collection tank collected on September 12, 2012
- Copy of Chain-of-Custody forms.

The laboratory analytical results indicate concentrations were below the Sewer Use Permit limits for the parameters analyzed for the water discharged to the POTW during the discharge period.

Please call me at 248-477-5701 x16 if you have any questions.

Very truly yours,

O'BRIEN & GERE ENGINEERS, INC.

A handwritten signature in blue ink that reads "Clifford Scott Yantz".

Clifford Yantz
Technical Associate

cc: Mr. Kevin Forbes – Beecher Metropolitan District, Flint, MI
Mr. Grant Trigger – RACER Trust
Mr. David Favero – RACER Trust
Mr. Kevin Schneider – O'Brien & Gere

**City of Flint
Industrial Pretreatment Program**

Periodic Report on Continued Compliance

Company Name: RACER Trust, Coldwater Road
Street Address: 6220 Horton Avenue, Flint, Michigan
Permit Number: 6-08-04-04-GML1
Outfall Number: 001

Reporting Period: July 1, 2012 through September 30, 2012

Average Volume of Daily Discharge (during reporting period): 2,857 gallons per day.
(1 day)

Complete the following:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Name of Authorized Representative: Clifford Yantz

Title of Authorized Representative: Technical Associate, O'Brien & Gere Engineers, Inc.
As agent for the RACER Trust

Signature of Authorized Representative: *Clifford Scott Yantz*

Date Signed by Authorized Representative: 10/11/12

If required to implement a Toxic Organics Management Plan (TOMP), complete the following:

"Based on my inquiry of the person or persons directly responsible for managing compliance with the pretreatment standard for total toxic organics (TTO), I certify that, to the best of my knowledge and belief, no dumping of concentrated toxic organics into the wastewaters has occurred since filing of the last Periodic Report on Continued Compliance. I further certify that, this facility is implementing the toxic organic management plan submitted to the control authority."

Name of Authorized Representative: _____ N/A

Title of Authorized Representative: _____ N/A

Signature of Authorized Representative: _____ N/A

Date Signed by Authorized Representative: _____ N/A

Table 1
Coldwater Road Landfill
City of Flint Sewer User Self-Monitoring Report
Third Quarter - 2012
6-08-04-04-GML1

City of Flint Sewer User Self-Monitoring Report Coldwater Road Facility												
Analytical Parameter	Ammonia-N	QL*	BOD	QL*	HEM	QL*	pH	QL*	TP	QL*	TSS	QL*
Units	mg/L		mg/L		mg/L		SU		mg/L		mg/L	
Sampling Frequency	Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.	
Daily Maximum Limit	37		427		100		N/A		7		305	
Maximum Limit	N/A		N/A		N/A		10.5		N/A		N/A	
Minimum Limit	N/A		N/A		N/A		6.0		N/A		N/A	
Monthly Average Limit	N/A		N/A		N/A		N/A		N/A		N/A	
Test Result	4.46	0.005	6.0	1	0	1	7.21	0.01	0.07	0.01	196	1
Test Method	4500-NH3 D		10360		1664A		4500-H+ B		4500-PE		2540 D	
Test Date	12-Sep-12		12-Sep-12		12-Sep-12		12-Sep-12		12-Sep-12		12-Sep-12	
Sample Date	19-Sep-12		19-Sep-12		17-Sep-12		12-Sep-12		12-Sep-12		17-Sep-12	
Sample Type	wastewater		wastewater		wastewater		wastewater		wastewater		wastewater	
Test Result												
Test Method												
Test Date												
Sample Date												
Sample Type												
Test Result												
Test Method												
Test Date												
Sample Date												
Sample Type												
Test Result												
Test Method												
Test Date												
Sample Date												
Sample Type												
Average Daily Conc.	4.460		6.000		0.000		7.210		0.070		196.000	
Monthly Average Conc.	N/A		N/A		N/A		N/A		N/A		N/A	
No. of Samples	1		1		1		1		1		1	
Number of Limit Exceedances	0		0		0		0		0		0	

Notes: * Quantification Level: The lowest level at which the test result is reported by the analytical laboratory as a quantitative numerical value, below which test results are reported as "less than" (<) that value.

E1 = Limit Exceedance; E2 = Sample Expired

Table 1
Coldwater Road Landfill
City of Flint Sewer User Self-Monitoring Report
Third Quarter - 2012
6-08-04-04-GML1

City of Flint Sewer User Self-Monitoring Report Coldwater Road Facility														
Analytical Parameter	Arsenic	QL*	Chromium	QL*	Copper	QL*	Mercury	QL*	Nickel	QL*	Zinc	QL*	Amenable Cyanide	QL*
Units	mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L	
Sampling Frequency	Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.		Sample one (1) batch of accumulated wastewater prior to discharge, once every three (3) months.	
Daily Maximum Limit	0.048		0.319		3.12		0.000012		0.795		0.445		N/A	
Maximum Limit	N/A		N/A		N/A		N/A		N/A		N/A		0.087	
Minimum Limit	N/A		N/A		N/A		N/A		N/A		N/A		N/A	
Monthly Average Limit	N/A		N/A		N/A		N/A		N/A		N/A		N/A	
Test Result	0.016	0.002	0.050	0.005	1.30	0.004	0.000	0.00020	0.263	0.005	0.074	0.005	0.000	0.005
Test Method	200.8		200.8		200.8		245.1		200.8		200.8		335.4/4500-CN-G	
Test Date	12-Sep-12		12-Sep-12		12-Sep-12		12-Sep-12		12-Sep-12		12-Sep-12		12-Sep-12	
Sample Date	17-Sep-12		17-Sep-12		17-Sep-12		17-Sep-12		17-Sep-12		17-Sep-12		20-Sep-12	
Sample Type	wastewater		wastewater		wastewater		wastewater		wastewater		wastewater		wastewater	
Test Result														
Test Method														
Test Date														
Sample Date														
Sample Type														
Test Result														
Test Method														
Test Date														
Sample Date														
Sample Type														
Test Result														
Test Method														
Test Date														
Sample Date														
Sample Type														
Average Daily Conc.	0.016		0.050		1.300		0.000		0.263		0.074		0.000	
Monthly Average Conc.	N/A		N/A		N/A		N/A		N/A		N/A		N/A	
No. of Samples	1		1		1		1		1		1		1	
Number of Limit Exceedances	0		0		0		0		0		0		0	

Notes: * Quantification Level: The lowest level at which the test result is reported by the analytical laboratory as a quantitative numerical value, below which test results are reported as "less than" (<) that value.

E1 = Limit Exceedance; E2 = Sample Expired

**Table 2
Coldwater Road Landfill
Daily Discharge Summary Table
Third Quarter - 2012
6-08-04-04-GML1**

Date	Beginning Flow Meter Reading	End Flow Meter Reading	Gallons Discharged	Begin Time of Discharge	End Time of Discharge	Average Flow (gal/min)	Temperature at Discharge		pH
							(C)	(F)	
9/21/2012	469,696	472,553	2,857	7:50	10:10	20.4	22.5	72.5	7.25

Total Discharge Volume: 2,857
Average Volume per Discharge: 2,857

NOTES :



Analytical Laboratory Report

Report ID: S53862.01(01)
Generated on 09/20/2012

Report to

Attention: Clifford Yantz
O'Brien & Gere Engineers, Inc.
37000 Grand River Ave.
Suite 260
Farmington, MI 48335

Phone: 248-477-5701 FAX:
Email: YantzCS@obg.com

Report produced by

Merit Laboratories
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Report Summary

Lab Sample ID(s): S53862.01
Project: Coldwater Road Landfill
Collected Date: 09/12/2012
Submitted Date/Time: 09/12/2012 15:30
Sampled by: Kevin Schneider
P.O. #: PO124782

Report Notes

Results relate only to items tested as received by the laboratory.
Methods may be modified for improved performance.
Results reported on a dry weight basis where applicable.
"Not detected" indicates that parameter was not found at a level equal to or greater than the RL.
Samples are held by the lab for 30 days from the sample submittal date unless a written request to hold longer is provided by the client.
Report shall not be reproduced except in full, without the written approval of Merit Laboratories.

Laboratory Certifications:

Michigan DNRE (#9956), DOD/ISO 17025 (#L11-184), WBENC (#2005110032)
Ohio EPA (#CL0002), IN Drinking Water (#C-MI-07), NELAC NY (#11814), NELAC FL (#E871045)
Some analytes reported may not be certified. Full certification lists are available upon request.

Violetta F. Murshak
Laboratory Director



Analytical Laboratory Report

Sample Summary (1 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S53862.01	03-PRCC-12	Wastewater	09/12/2012 10:00



Analytical Laboratory Report

Lab Sample ID: S53862.01
 Sample Tag: 03-PRCC-12
 Collected Date/Time: 09/12/2012 10:00
 Matrix: Wastewater
 COC Reference: 63587

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	125ml Plastic	HNO3	Yes	6.0	IR
1	500ml Plastic	None	Yes	6.0	IR
1	32oz Glass	HCL	Yes	6.0	IR
1	125ml Plastic	NaOH	Yes	6.0	IR
1	250ml Plastic	H2SO4	Yes	6.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Mercury Digestion	Completed			E245.1	09/17/12 11:05	JRH		
Metal Digestion	Completed			3015A	09/17/12 01:00	SLR		

Inorganics

Amenable Cyanide	Not detected	mg/L	0.005	335.4/4500-CN-G	09/20/12 11:33	JDP	57-12-5AM	
Ammonia-N (Undistilled)	4.46	mg/L	0.02	4500-NH3 D	09/19/12 11:53	MJC	7664-41-7	
Field pH	7.21	STD Units	0.01	4500-H+ B	09/12/12 10:00	OBG		
Oil & Grease n-Hexane Extract.	Not detected	mg/L	1	1664A	09/17/12 13:55	CCM		
TBOD5 - Set	Completed	mg/L		10360	09/14/12 10:00	RGS		
TBOD5	6	mg/L	1	10360	09/19/12 10:00	RGS		
Total Phosphorus	0.07	mg/L	0.01	4500-PE	09/12/12 20:25	MJC	7723-14-0	
Total Suspended Solids	196	mg/L	1	2540 D	09/17/12 16:00	RGS		

Metals

Arsenic	0.016	mg/L	0.002	E200.8	09/17/12 15:42	SLS	7440-38-2	
Chromium	0.050	mg/L	0.005	E200.8	09/17/12 15:42	SLS	7440-47-3	
Copper	1.30	mg/L	0.004	E200.8	09/17/12 15:42	SLS	7440-50-8	
Mercury	Not detected	mg/L	0.0002	E245.1	09/17/12 16:04	JRT	7439-97-6	
Nickel	0.263	mg/L	0.005	E200.8	09/17/12 15:42	SLS	7440-02-0	
Zinc	0.074	mg/L	0.005	E200.8	09/17/12 15:42	SLS	7440-66-6	



Quality Control Report

Report ID: QC-S53862.01(01)

Generated on 09/24/2012

Report to

Attention: Clifford Yantz
O'Brien & Gere Engineers, Inc.
37000 Grand River Ave.
Suite 260
Farmington, MI 48335

Phone: 248-477-5701 FAX:

Report Produced by

Merit Laboratories
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Report Summary

Lab Sample ID(s): S53862.01
Project: Coldwater Road Landfill
Submitted Date/Time: 09/12/2012 15:30
Sampled by: Kevin Schneider
P.O. #: PO124782

Report Sections

Cover Page (Page 1)
Analysis Summary (Page 2)
Prep Batch Summary (Page 3)
Batch QC Results (Pages 4-11)

Report Flag Descriptions

*: QC result is outside of indicated control limits
W: Surrogate result not applicable due to sample dilution

Report Notes

Results relate only to items tested as received by the laboratory.
Methods may be modified for improved performance.
Results reported on a dry weight basis where applicable.
"Not detected" indicates that parameter was not found at a level equal to or greater than the RDL.
Report shall not be reproduced except in full, without the written approval of Merit Laboratories.

Laboratory Certifications:

Michigan DNRE (#9956), Ohio EPA (#CL0002), NELAC NY (#11814), NELAC FL (#E871045), WBENC (#2005110032)
Some analytes reported may not be certified. Full certification lists are available upon request.

Violetta F. Murshak
Laboratory Director

QC Report - Analysis Summary

Lab Sample ID: S53862.01

Sample Tag: 03-PRCC-12

Collected Date/Time: 09/12/2012 10:00

Matrix: Wastewater

COC Reference: 63587

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Inorganics						
Amenable Cyanide	335.4/4500-CN-G	09/20/12 11:33	CN120920-W1	CN120920-W1	No	BLK/LCS/MS/MSD/DUP
Ammonia-N (Undistilled)	4500-NH3 D	09/19/12 11:53	AMN120919	AMN120919	No	BLK/LCS/MS/DUP
Oil & Grease n-Hexane Extract.	1664A	09/17/12 13:55	OGHEX120917W01	OGHEX120917W01	No	BLK/LCS
Total Phosphorus	4500-PE	09/12/12 20:25	PHS120912	PHS120912	No	BLK/LCS/MS/DUP
Total Suspended Solids	2540 D	09/17/12 16:00	TSS120917	TSS120917	No	BLK/LCS/DUP
Metals						
Arsenic	E200.8	09/17/12 15:42	MT3-12-0917A	MTD-091712-2	No	LCS/BLK/MS/MSD
Chromium	E200.8	09/17/12 15:42	MT3-12-0917A	MTD-091712-2	No	LCS/BLK/MS/MSD
Copper	E200.8	09/17/12 15:42	MT3-12-0917A	MTD-091712-2	No	LCS/BLK/MS/MSD
Mercury	E245.1	09/17/12 16:04	HG2-12-0917A	HGD-091712-1	No	LCS/BLK/MS/MSD
Nickel	E200.8	09/17/12 15:42	MT3-12-0917A	MTD-091712-2	No	LCS/BLK/MS/MSD
Zinc	E200.8	09/17/12 15:42	MT3-12-0917A	MTD-091712-2	No	LCS/BLK/MS/MSD

QC Report - Prep Batch Summary

Inorganics, Prep Batch ID: AMN120919

Surrogates: No, QC Types: BLK/LCS/MS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S53862.01	Ammonia-N (Undistilled)	4500-NH3 D	09/19/12 11:53	AMN120919

Inorganics, Prep Batch ID: CN120920-W1

Surrogates: No, QC Types: BLK/LCS/MS/MSD/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S53862.01	Amenable Cyanide	335.4/4500-CN-G	09/20/12 11:33	CN120920-W1

Inorganics, Prep Batch ID: OGHEX120917W01

Surrogates: No, QC Types: BLK/LCS

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S53862.01	Oil & Grease n-Hexane Extract.	1664A	09/17/12 13:55	OGHEX120917W01

Inorganics, Prep Batch ID: PHS120912

Surrogates: No, QC Types: BLK/LCS/MS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S53862.01	Total Phosphorus	4500-PE	09/12/12 20:25	PHS120912

Inorganics, Prep Batch ID: TSS120917

Surrogates: No, QC Types: BLK/LCS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S53862.01	Total Suspended Solids	2540 D	09/17/12 16:00	TSS120917

Metals, Prep Batch ID: HGD-091712-1

Surrogates: No, QC Types: LCS/BLK/MS/MSD

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S53862.01	Mercury	E245.1	09/17/12 16:04	HG2-12-0917A

Metals, Prep Batch ID: MTD-091712-2

Surrogates: No, QC Types: LCS/BLK/MS/MSD

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S53862.01	Arsenic	E200.8	09/17/12 15:42	MT3-12-0917A
S53862.01	Chromium	E200.8	09/17/12 15:42	MT3-12-0917A
S53862.01	Copper	E200.8	09/17/12 15:42	MT3-12-0917A
S53862.01	Nickel	E200.8	09/17/12 15:42	MT3-12-0917A
S53862.01	Zinc	E200.8	09/17/12 15:42	MT3-12-0917A

QC Report - Batch QC Results

Inorganics, Prep Batch ID: AMN120919

Surrogates: No, QC Types: BLK/LCS/MS/DUP

Blank (BLK)

Lab Sample ID: AMN120919.LRB1

Run in Batch: AMN120919, Run Date: 09/19/2012 11:31, Prep Date: 09/19/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Ammonia-N (Undistilled)		ND	0.02	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: AMN120919.LCS1

Run in Batch: AMN120919, Run Date: 09/19/2012 12:04, Prep Date: 09/19/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Ammonia-N (Undistilled)		99	90	110

Matrix Spike (MS)

Lab Sample ID: AMN120919.MS1, Parent Sample ID: S53896.01

Run in Batch: AMN120919, Run Date: 09/19/2012 13:53, Prep Date: 09/19/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Ammonia-N (Undistilled)		104	80	120

Matrix Spike (MS)

Lab Sample ID: AMN120919.MS2, Parent Sample ID: S53854.03

Run in Batch: AMN120919, Run Date: 09/19/2012 12:43, Prep Date: 09/19/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Ammonia-N (Undistilled)		104	80	120

Matrix Spike (MS)

Lab Sample ID: AMN120919.MS3, Parent Sample ID: S53876.01

Run in Batch: AMN120919, Run Date: 09/19/2012 14:48, Prep Date: 09/19/2012, Matrix: Solid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Ammonia-N (Undistilled)		102	80	120

Duplicate (DUP)

Lab Sample ID: AMN120919.DP1, Parent Sample ID: S53872.01

Run in Batch: AMN120919, Run Date: 09/19/2012 13:04, Prep Date: 09/19/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	RPD	RPD CL
Ammonia-N (Undistilled)		0.8	20

Duplicate (DUP)

Lab Sample ID: AMN120919.DP2, Parent Sample ID: S53876.01

Run in Batch: AMN120919, Run Date: 09/19/2012 14:45, Prep Date: 09/19/2012, Matrix: Solid, Dilution: 1

Analyte	Flags	RPD	RPD CL
Ammonia-N (Undistilled)		1.4	20

QC Report - Batch QC Results

Inorganics, Prep Batch ID: CN120920-W1

Surrogates: No, QC Types: BLK/LCS/MS/MSD/DUP

Blank (BLK)

Lab Sample ID: CN120920-W1.LRB1

Run in Batch: CN120920-W1, Run Date: 09/20/2012 11:15, Prep Date: 09/20/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Amenable Cyanide		ND	0.005	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: CN120920-W1.LCS1

Run in Batch: CN120920-W1, Run Date: 09/20/2012 11:21, Prep Date: 09/20/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Amenable Cyanide		98	90	110

Matrix Spike (MS)

Lab Sample ID: CN120920-W1.MS1, Parent Sample ID: S53854.02

Run in Batch: CN120920-W1, Run Date: 09/20/2012 11:27, Prep Date: 09/20/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Amenable Cyanide		94	90	110

Matrix Spike Duplicate (MSD)

Lab Sample ID: CN120920-W1.MSD1, Parent Sample ID: CN120920-W1.MS1

Run in Batch: CN120920-W1, Run Date: 09/20/2012 11:29, Prep Date: 09/20/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Amenable Cyanide		96	80	120	2	15

Duplicate (DUP)

Lab Sample ID: CN120920-W1.DP1, Parent Sample ID: S53854.02

Run in Batch: CN120920-W1, Run Date: 09/20/2012 11:25, Prep Date: 09/20/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	RPD	RPD CL
Amenable Cyanide		<1	15

QC Report - Batch QC Results

Inorganics, Prep Batch ID: OGHEX120917W01

Surrogates: No, QC Types: BLK/LCS

Blank (BLK)

Lab Sample ID: OGHEX120917W01.LRB1

Run in Batch: OGHEX120917W01, Run Date: 09/17/2012 13:55, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Oil & Grease n-Hexane Extract.		ND	1	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: OGHEX120917W01.LCS1

Run in Batch: OGHEX120917W01, Run Date: 09/17/2012 13:55, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Oil & Grease n-Hexane Extract.		80	78	114

Laboratory Control Sample (LCS)

Lab Sample ID: OGHEX120917W01.LCS2

Run in Batch: OGHEX120917W01, Run Date: 09/17/2012 13:55, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Oil & Grease n-Hexane Extract.		80	78	114

QC Report - Batch QC Results

Inorganics, Prep Batch ID: PHS120912

Surrogates: No, QC Types: BLK/LCS/MS/DUP

Blank (BLK)

Lab Sample ID: PHS120912.LRB1

Run in Batch: PHS120912, Run Date: 09/12/2012 14:33, Prep Date: 09/12/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Total Phosphorus		ND	0.01	mg/L

Blank (BLK)

Lab Sample ID: PHS120912.LRB2

Run in Batch: PHS120912, Run Date: 09/12/2012 14:39, Prep Date: 09/12/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Total Phosphorus		ND	0.01	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: PHS120912.LCS1

Run in Batch: PHS120912, Run Date: 09/12/2012 14:45, Prep Date: 09/12/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Total Phosphorus		98	90	110

Matrix Spike (MS)

Lab Sample ID: PHS120912.MS1, Parent Sample ID: S53767.01

Run in Batch: PHS120912, Run Date: 09/12/2012 20:31, Prep Date: 09/12/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Total Phosphorus		94	80	120

Duplicate (DUP)

Lab Sample ID: PHS120912.DP1, Parent Sample ID: S53762.01

Run in Batch: PHS120912, Run Date: 09/12/2012 20:28, Prep Date: 09/12/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	RPD	RPD CL
Total Phosphorus		3.6	20

QC Report - Batch QC Results

Inorganics, Prep Batch ID: TSS120917

Surrogates: No, QC Types: BLK/LCS/DUP

Blank (BLK)

Lab Sample ID: TSS120917.LRB1

Run in Batch: TSS120917, Run Date: 09/17/2012 16:00, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Total Suspended Solids		ND	1	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: TSS120917.LCS1

Run in Batch: TSS120917, Run Date: 09/17/2012 16:00, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Total Suspended Solids		102	90	110

Duplicate (DUP)

Lab Sample ID: TSS120917.DP1, Parent Sample ID: S53821.11

Run in Batch: TSS120917, Run Date: 09/17/2012 16:00, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	RPD	RPD CL
Total Suspended Solids		0	15

QC Report - Batch QC Results

Metals, Prep Batch ID: HGD-091712-1

Surrogates: No, QC Types: LCS/BLK/MS/MSD

Laboratory Control Sample (LCS)

Lab Sample ID: HG2-12-0917A.015.LCS

Run in Batch: HG2-12-0917A, Run Date: 09/17/2012 15:50, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Mercury		109	85	115

Blank (BLK)

Lab Sample ID: HG2-12-0917A.016.LRB

Run in Batch: HG2-12-0917A, Run Date: 09/17/2012 15:52, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Mercury		ND	0.03	ug/L

Matrix Spike (MS)

Lab Sample ID: HG2-12-0917A.027.MS, Parent Sample ID: S53828.06

Run in Batch: HG2-12-0917A, Run Date: 09/17/2012 16:14, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Mercury		105	80	120

Matrix Spike Duplicate (MSD)

Lab Sample ID: HG2-12-0917A.028.MSD, Parent Sample ID: HG2-12-0917A.027.MS

Run in Batch: HG2-12-0917A, Run Date: 09/17/2012 16:16, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Mercury		105	80	120	0	20

QC Report - Batch QC Results

Metals, Prep Batch ID: MTD-091712-2

Surrogates: No, QC Types: LCS/BLK/MS/MSD

Laboratory Control Sample (LCS)

Lab Sample ID: MT3-12-0917A.012.LCS

Run in Batch: MT3-12-0917A, Run Date: 09/17/2012 14:11, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Arsenic		100	85	115
Chromium		100	85	115
Copper		100	85	115
Nickel		100	85	115
Zinc		98	85	115

Blank (BLK)

Lab Sample ID: MT3-12-0917A.015.LRB

Run in Batch: MT3-12-0917A, Run Date: 09/17/2012 14:23, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Arsenic		ND	0.0001	mg/L
Chromium		ND	0.001	mg/L
Copper		ND	0.0008	mg/L
Nickel		ND	0.001	mg/L
Zinc		ND	0.001	mg/L

Matrix Spike (MS)

Lab Sample ID: MT3-12-0917A.028.MS, Parent Sample ID: S53854.03

Run in Batch: MT3-12-0917A, Run Date: 09/17/2012 15:17, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL
Arsenic		118	75	125
Chromium		105	75	125
Copper		107	75	125
Nickel		109	75	125
Zinc		111	75	125

Matrix Spike (MS)

Lab Sample ID: MT3-12-0917A.037.MS, Parent Sample ID: S53904.01

Run in Batch: MT3-12-0917A, Run Date: 09/17/2012 15:55, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL
Arsenic		118	75	125
Chromium		106	75	125
Copper		109	75	125
Nickel		112	75	125
Zinc		113	75	125

Matrix Spike Duplicate (MSD)

Lab Sample ID: MT3-12-0917A.029.MSD, Parent Sample ID: MT3-12-0917A.028.MS

Run in Batch: MT3-12-0917A, Run Date: 09/17/2012 15:21, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Arsenic		118	75	125	0	20
Chromium		103	75	125	2	20
Copper		107	75	125	0	20
Nickel		109	75	125	0	20
Zinc		112	75	125	0	20

QC Report - Batch QC Results

Metals, Prep Batch ID: MTD-091712-2 (continued)

Surrogates: No, QC Types: LCS/BLK/MS/MSD

Matrix Spike Duplicate (MSD)

Lab Sample ID: MT3-12-0917A.038.MSD, Parent Sample ID: MT3-12-0917A.037.MS

Run in Batch: MT3-12-0917A, Run Date: 09/17/2012 15:59, Prep Date: 09/17/2012, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Arsenic		116	75	125	1	20
Chromium		107	75	125	1	20
Copper		108	75	125	0	20
Nickel		110	75	125	2	20
Zinc		110	75	125	1	20

