

RACER Trust

SEMI-ANNUAL PROGRESS AND DATA REPORT

First Half 2020

Former GM Delco Plant 5
Kokomo, Indiana

July 14, 2020



SEMI-ANNUAL PROGRESS AND DATA REPORT


First Half 2020

Former GM Delco Plant 5
Kokomo, Indiana



Will Stephens, LPG
Project Geologist

Prepared for:
Robert Hare
Cleanup Manager
RACER Trust
1505 Woodward Avenue
Suite 200
PO Box 43859
Detroit, MI 48226



Matthew Griles, LPG
Senior Project Geologist

Prepared by:
Arcadis
150 West Market Street
Suite 728
Indianapolis, IN 46204



Sarah Fisher
Senior Scientist

Our Ref.:
30012865
Date:
July 14, 2020

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

CONTENTS

1	Introduction	2
2	Progress Report	2
3	Groundwater Gauging	2
4	Semi-Annual Groundwater Monitoring	3
4.1	Groundwater Sampling	3
4.2	Groundwater Results	3
5	Summary and Conclusions	4
6	References	5

TABLES

Table 1. Monitoring Well Groundwater Elevation Data

Table 2. Groundwater Analytical Data Summary Screened Against Drinking Water Criteria

Table 3. Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria

FIGURES

Figure 1. Potentiometric Surface – S1 Unit (March 4, 2020)

Figure 2. Potentiometric Surface – S2 Unit (March 4, 2020)

Figure 3. Groundwater Volatile Organic Compound Analytical Results Screened with MCLs (S1 Unit)

Figure 4. TCE Groundwater Concentration Contours – S1 Unit (March 27, 2020)

Figure 5. Off-Site Groundwater Volatile Organic Compound Analytical Results Screened with Groundwater Vapor Intrusion Criteria

Figure 6. Groundwater Volatile Organic Compound Analytical Results Screened with MCLs (S2 Unit)

APPENDIX

A First Half 2020 Progress Report

B Groundwater Analytical Reports and Data Validation Reports (Provided on CD)

1 INTRODUCTION

Arcadis U.S. Inc. (Arcadis) has prepared this Semi-Annual Progress and Data Report on behalf of the Revitalizing Auto Communities Environmental Response (RACER) Trust. This report summarizes the first half 2020 activities related to groundwater gauging and groundwater sampling activities at the Former GM Delco Plant 5 in Kokomo, Indiana (the site).

2 PROGRESS REPORT

In accordance with Section VII, Paragraph 26.b of the Administrative Order on Consent (United States Environmental Protection Agency [USEPA] Docket No. RCRA-05-2011-0017), the First Half 2020 Progress Report is included as Appendix A and provides a summary of work performed to date, data collected, problems encountered, project schedule, and percent project completed. On December 22, 2016, the USEPA approved a reduction in the reporting frequency for the progress reports from quarterly to semi-annually.

3 GROUNDWATER GAUGING

On March 4, 2020, Arcadis measured the depth to groundwater at 62 monitoring wells located in the upper two sand and gravel units (S1 Unit and S2 Unit) at the site. The groundwater gauging data presented in Table 1 were used to calculate groundwater elevations at each of the monitoring wells. The groundwater elevation contours in the S1 Unit are provided as Figure 1. The groundwater elevation contours in the S2 Unit are provided as Figure 2.

Potentiometric Data for S1 and S2 Units – March 2020		
Sand and Gravel Unit	Potentiometric Surface Elevation (ft amsl)	General Gradient Direction
S1 Unit	810.14 to 815.17	Southeast
S2 Unit	814.84 to 815.60	Southeast

ft amsl = feet above mean sea level

Groundwater in both the S1 Unit and S2 Unit are confined by overlying clay till units. Groundwater flow direction within the S1 Unit is consistent with previously observed groundwater contours and with those used in groundwater modeling previously performed by Arcadis. The groundwater gradient in the S1 Unit is minimal across the site; however, the gradient becomes increasingly steep towards the southeast. Groundwater flow direction within the S2 Unit is to the southeast which has previously been observed within the S2 Unit at the site. The groundwater gradient in the S2 Unit is flat, with only 0.76 feet difference in head observed between the northwestern and southeastern portions of the site. Arcadis will continue to evaluate the groundwater potentiometric surfaces and monitor flow directions for both the S1 Unit and S2 Unit through future gauging events.

4 SEMI-ANNUAL GROUNDWATER MONITORING

4.1 Groundwater Sampling

On March 4, 2020, Arcadis deployed Passive Diffusion Bags (PDBs) in 54 monitoring wells screened in the S1 and S2 Units to evaluate groundwater conditions at the site. Prior to deploying the PDBs, depth to groundwater and total depth of the monitoring wells were measured to verify the PDB placement. Each PDB was connected to a dedicated line in the monitoring well to ensure placement in the center of the screen. The PDBs were allowed to equilibrate inside each monitoring well for a minimum of 3-weeks prior to sampling.

Groundwater samples were collected on March 27, 2020. The PDBs were removed from the monitoring wells and groundwater samples were collected via a dedicated straw directly into laboratory-supplied containers. All containers were immediately sealed, labeled, placed in an ice-packed cooler, and transported to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana. The groundwater samples were analyzed for VOCs in accordance with the USEPA SW-846, Method 8260.

4.2 Groundwater Results

VOC analytical results for groundwater samples collected during the reporting period are presented in Table 2. Analytes that have been detected at concentrations higher than the laboratory reporting limits during one or more monitoring events are presented in Table 2 and include:

- 1,1,1-trichloroethane (1,1,1-TCA)
- 1,1-dichloroethane (1,1-DCA)
- 1,1-dichloroethene (1,1-DCE)
- Acetone
- Benzene
- Chloroform
- cis-1,2-dichloroethene (cis-1,2-DCE)
- Cyclohexane
- Methylene chloride
- Tetrachloroethene (PCE)
- Toluene
- trans-1,2-dichloroethene (trans-1,2-DCE)
- Trichloroethene (TCE)
- Vinyl chloride (VC)

The analytical results were compared to Drinking Water Screening Criteria (Maximum Contaminant Levels [MCLs] or the Indiana Department of Environmental Management [IDEM] Remediation Closure Guide [RCG] Tap Water Criteria, when MCLs are not established). The laboratory analytical reports, along with the validation summaries, are provided in Appendix B.

4.2.1 S1 Unit

Based on the groundwater data collected during the first half 2020; TCE, 1,1-DCE, trans-1,2-DCE, cis-1,2-DCE, and vinyl chloride were detected at concentrations higher than their respective Drinking Water Screening Criteria. Twenty monitoring wells screened in the S1 Unit, four of which are off site (MW-0606-S1, MW-0612-S1, MW-0704-S1, and MW-0705-S1), contained at least one concentration higher than Drinking Water Screening Criteria. As of 2016, the properties in the vicinity of these monitoring wells were connected to municipal water as evidenced by billing records. Additionally, a restriction of on-site potable water wells was proposed in the 2019 Corrective Measures Proposal submitted to USEPA (Arcadis

2019). Analytical results for the S1 Unit monitoring wells are presented on Figure 3. Since TCE is the primary constituent of concern at the site, Figure 4 presents groundwater isoconcentration contours for TCE in the S1 Unit. The TCE concentrations in groundwater are delineated with the existing monitoring well network.

Off-site groundwater analytical results from the S1 Unit were also compared to site-specific Groundwater Vapor Intrusion Screening Criteria, as presented in Table 3 and shown on Figure 5. These criteria have been established for two off site conditions: residential and commercial/industrial. The screening criteria were calculated following an approach described in the IDEM 2012 RCG and detailed in the Risk Assessment Addendum to CMP Amendment (Arcadis 2014). The TCE concentrations observed at monitoring well MW-0606-S1 (2,740 µg/L) and MW-0612-S1 (2,810 µg/L) exceeded the site-specific Groundwater Vapor Intrusion Screening Criteria for site-specific Off-site Residential (1,540 µg/L) and Off-site Commercial/Industrial (2,150 µg/L). The TCE concentrations in these monitoring wells have been relatively stable throughout the monitoring program. No other constituents were detected at concentrations greater than or equal to the Groundwater Vapor Intrusion Screening Criteria. Vapor intrusion evaluation in the off-site neighborhood is being managed by USEPA.

4.2.2 S2 Unit

To aid in the evaluation of CVOC degradation in the S2 Unit, groundwater data was collected at sixteen monitoring wells screened in the S2 Unit on site and off site to the east, south, and west during the first half 2020. There were no concentrations that exceeded their respective Drinking Water Screening Criteria from six of the on-site monitoring wells and the three monitoring wells located to the south or west of the site. One or more of the following constituents were detected at concentrations higher than their respective Drinking Water Screening Criteria at one on-site monitoring well and six of the monitoring wells off-site to the east: As of 2016, the properties in the vicinity of these monitoring wells were connected to municipal water as evidenced by billing records. As the S2 Unit is deeper than the S1 Unit, off-site groundwater analytical results from the S2 Unit were not compared to site-specific Groundwater Vapor Intrusion Screening Criteria. Groundwater analytical results are presented in Table 2 and databoxes for the monitoring wells in the S2 Unit are presented on Figure 6.

5 SUMMARY AND CONCLUSIONS

During the first half 2020 groundwater sampling event, concentrations of site-specific constituents of concern were higher than the Drinking Water Screening Criteria in 27 of the 54 monitoring wells sampled in the S1 Unit and S2 Units. However, no groundwater is currently used for potable purposes at or in the vicinity of the site.

The TCE concentration detected in groundwater from monitoring wells MW-0606-S1 (2,740 µg/L) and MW-0612-S1 (2,810 µg/L) located immediately east of the site, exceeded both the site-specific Groundwater Vapor Intrusion Screening Criteria for Off-site Commercial/Industrial and Residential.

The S1 Unit groundwater isoconcentration contours for TCE remain relatively stable. Groundwater concentrations in the S1 Unit are consistent with past monitoring events with the concentrations in several monitoring wells fluctuating through time:

- MW-0101-S1U—Concentrations for TCE increase by two orders of magnitude from the fall 2019 event; however, it appears that the concentrations at this monitoring well fluctuate but not necessarily in relation with water levels or seasons.
- MW-0517-S1—Concentrations for TCE and cis-1,2-DCE increased by an order of magnitude, which is consistent with previous spring sampling events.
- MW-0604-S1 – Concentrations of TCE, cis-1,2-DCE, trans-1,2-DCE, and vinyl chloride increased by an order of magnitude.
- MW-0612-S1—The TCE, cis-1,2-DCE and VC concentrations increased by an order of magnitude.
- MW-0620-S1—There was a notable increase in TCE concentrations and decrease in cis-1,2-DCE concentration.
- MW-1504-S1—The TCE, cis-1,2-DCE, and VC concentrations decreased significantly from the spring 2019 event.

The groundwater concentrations in the S2 Unit are consistent with past monitoring events, which has also shown fluctuations through time:

- MW-0612-S2—The TCE concentrations decreased with VC and cis-1,2-DCE concentrations increasing by an order of magnitude.

In general, groundwater concentrations are consistent with past observations, TCE concentrations are delineated in the S1 Unit, and there are no significant exposures to groundwater concentrations.

A semi-annual groundwater sampling event for S1 monitoring wells will be conducted during the second half of 2020 to continue to support evaluation of potential corrective measures and potential risks associated with the groundwater.

6 REFERENCES

Arcadis U.S., Inc.. 2014. Risk Assessment Addendum to CMP Amendment. Former GM Delco Plant 5, Kokomo, Indiana. June.

Arcadis U.S., Inc. 2019. RCRA Corrective Action Corrective Measures Proposal, Former GM Delco Plant 5, Kokomo, IN. September 5.

IDEM. 2012. Remediation Closure Guide. Office of Land Quality. March 22 with corrections through July 9.

USEPA. 2011. Administrative Order on Consent (USEPA Docket No. RCRA-05-2011-0017), Remediation and Reuse Branch, Land and Chemicals Division. September 2011.

TABLES



Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0101-S1U	11/15/2004	11.15	17.50	826.36	815.21
MW-0101-S1U	10/25/2005	12.02	17.51	826.36	814.34
MW-0101-S1U	3/24/2006	10.52	17.23	826.36	815.84
MW-0101-S1U	3/31/2006	9.75	17.23	826.36	816.61
MW-0101-S1U	4/28/2006	10.42	NM	826.36	815.94
MW-0101-S1U	12/5/2006	9.13	17.51	826.36	817.23
MW-0101-S1U	3/8/2007	10.21	17.51	826.36	816.15
MW-0101-S1U	1/16/2008	10.69	17.61	826.36	815.67
MW-0101-S1U	11/11/2008	14.31	17.46	826.36	812.05
MW-0101-S1U	2/17/2009	12.66	NM	826.36	813.70
MW-0101-S1U	6/12/2009	11.18	NM	826.36	815.18
MW-0101-S1U	3/29/2012	11.23	17.70	826.36	815.13
MW-0101-S1U	10/9/2012	13.76	17.50	826.36	812.60
MW-0101-S1U	3/12/2013	11.73	17.50	826.36	814.63
MW-0101-S1U	9/24/2013	12.70	17.76	826.36	813.66
MW-0101-S1U	4/22/2014	11.46	17.66	826.36	814.90
MW-0101-S1U	9/3/2014	13.09	17.64	826.36	813.27
MW-0101-S1U	3/10/2015	12.03	16.64	826.36	814.33
MW-0101-S1U	9/8/2015	12.10	17.45	826.36	814.26
MW-0101-S1U	3/10/2016	11.68	17.77	826.36	814.68
MW-0101-S1U	9/7/2016	12.47	17.64	826.36	813.89
MW-0101-S1U	11/16/2016	12.63	NM	826.36	813.73
MW-0101-S1U	3/3/2017	11.22	17.37	825.74	814.52
MW-0101-S1U	9/6/2017	11.69	17.61	825.74	814.05
MW-0101-S1U	3/6/2018	10.19	17.85	825.74	815.55
MW-0101-S1U	9/12/2018	10.14	17.62	825.74	815.60
MW-0101-S1U	3/4/2019	10.81	17.60	825.74	814.93
MW-0101-S1U	9/6/2019	12.35	17.65	825.74	813.39
MW-0101-S1U	3/4/2020	11.02	17.65	825.74	814.72
MW-0102-S1U	11/15/2004	11.10	26.00	826.36	815.26
MW-0102-S1U	9/20/2005	12.28	26.14	826.36	814.08
MW-0102-S1U	10/20/2005	12.12	26.28	826.36	814.24
MW-0102-S1U	10/25/2005	12.03	26.28	826.36	814.33
MW-0102-S1U	3/22/2006	10.50	25.90	826.36	815.86
MW-0102-S1U	3/31/2006	9.73	25.90	826.36	816.63
MW-0102-S1U	4/28/2006	10.47	NM	826.36	815.89
MW-0102-S1U	12/5/2006	9.33	NM	826.36	817.03
MW-0102-S1U	3/8/2007	10.32	26.28	826.36	816.04
MW-0102-S1U	1/16/2008	11.00	26.40	826.36	815.36
MW-0102-S1U	11/11/2008	14.33	26.26	826.36	812.03
MW-0102-S1U	2/17/2009	12.51	NM	826.36	813.85
MW-0102-S1U	6/12/2009	11.18	NM	826.36	815.18
MW-0102-S1U	3/29/2012	11.25	26.43	826.36	815.11
MW-0102-S1U	10/9/2012	13.76	26.25	826.36	812.60
MW-0102-S1U	3/12/2013	11.91	26.15	826.36	814.45
MW-0102-S1U	9/24/2013	12.74	26.41	826.36	813.62

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0102-S1U	4/22/2014	11.45	26.37	826.36	814.91
MW-0102-S1U	9/3/2014	13.06	26.40	826.36	813.30
MW-0102-S1U	3/10/2015	12.02	26.38	826.36	814.34
MW-0102-S1U	9/8/2015	12.15	26.21	826.36	814.21
MW-0102-S1U	3/10/2016	11.63	27.46	826.36	814.73
MW-0102-S1U	9/7/2016	12.39	26.41	826.36	813.97
MW-0102-S1U	11/16/2016	12.66	NM	826.36	813.70
MW-0102-S1U	3/3/2017	11.17	26.12	825.63	814.46
MW-0102-S1U	9/6/2017	11.70	26.38	825.63	813.93
MW-0102-S1U	3/6/2018	10.23	26.43	825.63	813.93
MW-0102-S1U	9/12/2018	10.12	26.34	825.63	815.51
MW-0102-S1U	3/4/2019	10.84	26.39	825.63	814.79
MW-0102-S1U	9/6/2019	12.38	26.35	825.63	813.25
MW-0102-S1U	3/4/2020	11.02	26.32	825.63	814.61
MW-0103-S1U	10/25/2005	13.47	NM	828.15	814.68
MW-0103-S1U	11/15/2005	12.60	20.00	828.15	815.55
MW-0103-S1U	3/22/2006	12.03	19.76	828.15	816.12
MW-0103-S1U	3/31/2006	11.26	19.76	828.15	816.89
MW-0103-S1U	4/28/2006	11.91	NM	828.15	816.24
MW-0103-S1U	12/5/2006	10.70	19.77	828.15	817.45
MW-0103-S1U	3/8/2007	11.71	19.76	828.15	816.44
MW-0103-S1U	1/16/2008	12.46	19.89	828.15	815.69
MW-0103-S1U	11/11/2008	15.87	19.81	828.15	812.28
MW-0103-S1U	2/17/2009	14.06	NM	828.15	814.09
MW-0103-S1U	6/12/2009	12.63	NM	828.15	815.52
MW-0103-S1U	10/9/2012	15.30	19.66	828.15	812.85
MW-0103-S1U	3/12/2013	13.47	19.66	828.15	814.68
MW-0103-S1U	9/24/2013	14.29	19.75	828.15	813.86
MW-0103-S1U	4/22/2014	12.94	19.74	828.15	815.21
MW-0103-S1U	9/3/2014	14.59	19.62	828.15	813.56
MW-0103-S1U	3/10/2015	13.55	19.65	828.15	814.60
MW-0103-S1U	9/8/2015	13.57	19.64	828.15	814.58
MW-0103-S1U	3/10/2016	13.08	19.73	828.15	815.07
MW-0103-S1U	9/7/2016	13.90	19.72	828.15	814.25
MW-0103-S1U	11/16/2016	14.19	NM	828.15	813.96
MW-0103-S1U	3/3/2017	12.71	19.75	827.57	814.86
MW-0103-S1U	9/6/2017	13.18	19.68	827.57	814.39
MW-0103-S1U	3/6/2018	11.62	19.67	827.57	815.95
MW-0103-S1U	9/12/2018	11.58	19.61	827.57	815.99
MW-0103-S1U	3/4/2019	12.29	19.70	827.57	815.28
MW-0103-S1U	9/6/2019	13.82	19.70	827.57	813.75
MW-0103-S1U	3/4/2020	12.52	19.76	827.57	815.05
MW-0501-S1	3/22/2006	12.18	34.39	828.65	816.47
MW-0501-S1	3/31/2006	11.41	34.39	828.65	817.24
MW-0501-S1	4/28/2006	12.07	NM	828.65	816.58
MW-0501-S1	12/5/2006	10.84	33.95	828.65	817.81

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0501-S1	3/8/2007	11.90	33.74	828.65	816.75
MW-0501-S1	1/16/2008	12.67	33.95	828.65	815.98
MW-0501-S1	11/11/2008	16.10	33.60	828.65	812.55
MW-0501-S1	2/17/2009	14.44	NM	828.65	814.21
MW-0501-S1	6/12/2009	12.77	NM	828.65	815.88
MW-0501-S1	4/13/2010	12.52	33.33	828.65	816.13
MW-0501-S1	9/5/2010	15.30	33.00	828.65	813.35
MW-0501-S1	4/20/2011	12.12	32.98	828.65	816.53
MW-0501-S1	9/27/2011	13.26	33.14	828.65	815.39
MW-0501-S1	3/29/2012	12.89	33.11	828.65	815.76
MW-0501-S1	10/9/2012	15.59	32.95	828.65	813.06
MW-0501-S1	3/12/2013	13.73	32.95	828.65	814.92
MW-0501-S1	9/24/2013	14.48	33.00	828.65	814.17
MW-0501-S1	4/22/2014	13.08	32.99	828.65	815.57
MW-0501-S1	9/3/2014	14.82	32.94	828.65	813.83
MW-0501-S1	3/10/2015	13.78	32.86	828.65	814.87
MW-0501-S1	9/8/2015	13.92	32.60	828.65	814.73
MW-0501-S1	3/10/2016	13.34	32.84	828.65	815.31
MW-0501-S1	9/7/2016	14.11	32.85	828.65	814.54
MW-0501-S1	11/16/2016	14.45	NM	828.65	814.20
MW-0501-S1	3/3/2017	12.89	32.51	827.92	815.03
MW-0501-S1	9/6/2017	13.37	32.71	827.92	814.55
MW-0501-S1	3/6/2018	11.81	32.71	827.92	816.11
MW-0501-S1	9/12/2018	11.71	32.62	827.92	816.21
MW-0501-S1	3/4/2019	12.45	32.69	827.92	815.47
MW-0501-S1	9/6/2019	14.02	32.60	827.92	813.90
MW-0501-S1	3/4/2020	12.77	32.60	827.92	815.15
MW-0501-S2	10/18/2005	14.87	76.30	828.75	813.88
MW-0501-S2	10/25/2005	15.02	76.30	828.75	813.73
MW-0501-S2	3/21/2006	12.83	76.30	828.75	815.92
MW-0501-S2	3/31/2006	11.98	76.30	828.75	816.77
MW-0501-S2	4/28/2006	12.00	NM	828.75	816.75
MW-0501-S2	12/5/2006	9.83	76.13	828.75	818.92
MW-0501-S2	3/8/2007	11.79	76.09	828.75	816.96
MW-0501-S2	1/16/2008	14.80	76.20	828.75	813.95
MW-0501-S2	11/11/2008	21.21	76.12	828.75	807.54
MW-0501-S2	2/17/2009	17.60	NM	828.75	811.15
MW-0501-S2	6/12/2009	15.49	NM	828.75	813.26
MW-0501-S2	4/13/2010	14.37	76.12	828.75	814.38
MW-0501-S2	9/5/2010	19.74	76.11	828.75	809.01
MW-0501-S2	4/20/2011	15.01	76.00	828.75	813.74
MW-0501-S2	9/27/2011	17.44	75.24	828.75	811.31
MW-0501-S2	3/29/2012	14.62	76.21	828.75	814.13
MW-0501-S2	10/9/2012	20.48	76.15	828.75	808.27
MW-0501-S2	3/12/2013	15.08	76.15	828.75	813.67

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0501-S2	9/24/2013	17.93	76.20	828.75	810.82
MW-0501-S2	4/22/2014	15.80	77.48	828.75	812.95
MW-0501-S2	9/3/2014	19.70	77.62	828.75	809.05
MW-0501-S2	3/10/2015	17.08	NM	828.75	811.67
MW-0501-S2	9/8/2015	15.21	74.02	828.75	813.54
MW-0501-S2	3/10/2016	15.33	76.24	828.75	813.42
MW-0501-S2	9/7/2016	18.36	76.25	828.75	810.39
MW-0501-S2	11/16/2016	16.55	NM	828.75	812.20
MW-0501-S2	3/3/2017	13.88	76.05	828.08	814.20
MW-0501-S2	9/6/2017	16.21	76.20	828.08	811.87
MW-0501-S2	3/6/2018	12.96	76.23	828.08	815.12
MW-0501-S2	9/12/2018	13.58	76.10	828.08	814.50
MW-0501-S2	3/4/2019	13.85	76.24	828.08	814.23
MW-0501-S2	9/6/2019	18.12	76.12	828.08	809.96
MW-0501-S2	3/4/2020	12.48	76.20	828.08	815.60
MW-0502-S1	9/20/2005	12.20	32.59	826.34	814.14
MW-0502-S1	10/19/2005	11.91	32.78	826.34	814.43
MW-0502-S1	10/25/2005	11.91	32.78	826.34	814.43
MW-0502-S1	3/24/2006	10.41	32.54	826.34	815.93
MW-0502-S1	3/31/2006	9.64	32.54	826.34	816.70
MW-0502-S1	4/28/2006	10.32	NM	826.34	816.02
MW-0502-S1	12/5/2006	9.25	NM	826.34	817.09
MW-0502-S1	3/8/2007	10.12	32.50	826.34	816.22
MW-0502-S1	1/16/2008	10.95	32.62	826.34	815.39
MW-0502-S1	11/11/2008	14.22	32.40	826.34	812.12
MW-0502-S1	2/17/2009	12.54	NM	826.34	813.80
MW-0502-S1	6/12/2009	11.04	NM	826.34	815.30
MW-0502-S1	4/13/2010	10.78	32.55	826.34	815.56
MW-0502-S1	9/5/2010	13.46	32.60	826.34	812.88
MW-0502-S1	4/20/2011	10.29	32.45	826.34	816.05
MW-0502-S1	9/27/2011	11.44	32.65	826.34	814.90
MW-0502-S1	3/29/2012	11.08	32.61	826.34	815.26
MW-0502-S1	10/9/2012	13.65	32.51	826.34	812.69
MW-0502-S1	3/12/2013	11.73	32.51	826.34	814.61
MW-0502-S1	9/24/2013	12.62	32.63	826.34	813.72
MW-0502-S1	4/22/2014	11.35	32.62	826.34	814.99
MW-0502-S1	9/3/2014	12.96	32.66	826.34	813.38
MW-0502-S1	3/10/2015	11.90	32.63	826.34	814.44
MW-0502-S1	9/8/2015	12.02	32.39	826.34	814.32
MW-0502-S1	3/10/2016	11.51	32.62	826.34	814.83
MW-0502-S1	9/7/2016	12.26	32.55	826.34	814.08
MW-0502-S1	11/16/2016	12.51	NM	826.34	813.83
MW-0502-S1	3/3/2017	11.08	31.95	825.72	814.64
MW-0502-S1	9/6/2017	11.58	32.19	825.72	814.14
MW-0502-S1	3/6/2018	10.04	32.22	825.72	815.68
MW-0502-S1	9/12/2018	10.02	32.15	825.72	815.70

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0502-S1	3/4/2019	10.65	32.12	825.72	815.07
MW-0502-S1	9/6/2019	12.02	32.20	825.72	813.70
MW-0502-S1	3/4/2020	10.88	32.23	825.72	814.84
MW-0503-S1	10/18/2005	12.51	32.57	826.82	814.31
MW-0503-S1	10/25/2005	12.51	32.57	826.82	814.31
MW-0503-S1	3/24/2006	11.09	32.27	826.82	815.73
MW-0503-S1	3/31/2006	10.32	32.27	826.82	816.50
MW-0503-S1	4/28/2006	11.00	NM	826.82	815.82
MW-0503-S1	12/5/2006	9.84	NM	826.82	816.98
MW-0503-S1	3/8/2007	10.80	32.32	826.82	816.02
MW-0503-S1	1/16/2008	11.57	32.42	826.82	815.25
MW-0503-S1	11/11/2008	14.75	32.20	826.82	812.07
MW-0503-S1	2/17/2009	12.96	NM	826.82	813.86
MW-0503-S1	6/12/2009	11.68	NM	826.82	815.14
MW-0503-S1	4/13/2010	11.46	32.16	826.82	815.36
MW-0503-S1	9/5/2010	14.04	32.00	826.82	812.78
MW-0503-S1	4/20/2011	10.87	31.98	826.82	815.95
MW-0503-S1	9/27/2011	11.99	32.35	826.82	814.83
MW-0503-S1	3/29/2012	11.77	32.40	826.82	815.05
MW-0503-S1	10/9/2012	14.20	31.91	826.82	812.62
MW-0503-S1	3/12/2013	12.35	31.91	826.82	814.47
MW-0503-S1	9/24/2013	13.20	32.30	826.82	813.62
MW-0503-S1	4/22/2014	11.95	31.87	826.82	814.87
MW-0503-S1	9/3/2014	13.51	31.96	826.82	813.31
MW-0503-S1	3/10/2015	12.49	31.56	826.82	814.33
MW-0503-S1	9/8/2015	12.62	31.20	826.82	814.2
MW-0503-S1	3/10/2016	12.11	31.32	826.82	814.71
MW-0503-S1	9/7/2016	12.80	13.34	826.82	814.02
MW-0503-S1	11/16/2016	13.13	NM	826.82	813.69
MW-0503-S1	3/3/2017	10.73	30.90	826.25	814.52
MW-0503-S1	9/6/2017	12.20	30.94	826.25	814.05
MW-0503-S1	3/6/2018	10.73	30.94	826.25	815.52
MW-0503-S1	9/12/2018	10.66	30.80	826.25	815.59
MW-0503-S1	3/4/2019	11.32	30.78	826.25	814.93
MW-0503-S1	9/6/2019	12.85	30.85	826.25	813.40
MW-0503-S1	3/4/2020	11.48	30.80	826.25	814.77
MW-0503-S2	10/18/2005	13.28	68.33	826.81	813.53
MW-0503-S2	10/25/2005	13.27	68.33	826.81	813.54
MW-0503-S2	3/24/2006	10.38	68.05	826.81	816.43
MW-0503-S2	3/31/2006	9.53	68.05	826.81	817.28
MW-0503-S2	4/28/2006	10.51	NM	826.81	816.30
MW-0503-S2	12/5/2006	9.06	NM	826.81	817.75
MW-0503-S2	3/8/2007	10.28	68.13	826.81	816.53
MW-0503-S2	1/16/2008	12.92	68.30	826.81	813.89
MW-0503-S2	11/11/2008	18.80	68.19	826.81	808.01
MW-0503-S2	2/17/2009	15.41	NM	826.81	811.40

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0503-S2	6/12/2009	13.57	NM	826.81	813.24
MW-0503-S2	3/10/2016	13.46	NM	826.81	813.35
MW-0503-S2	9/7/2016	14.76	67.89	826.81	812.05
MW-0503-S2	11/16/2016	14.69	NM	826.81	812.12
MW-0503-S2	3/3/2017	12.30	68.37	826.25	813.95
MW-0503-S2	9/6/2017	14.29	68.23	826.25	811.96
MW-0503-S2	3/7/2018	11.32	68.76	826.25	814.93
MW-0503-S2	9/12/2018	11.71	68.20	826.25	814.54
MW-0503-S2	3/4/2019	13.21	68.25	826.25	813.04
MW-0503-S2	9/6/2019	16.08	68.30	826.25	810.17
MW-0503-S2	3/4/2020	10.95	68.35	826.25	815.30
MW-0504-S1	9/20/2005	12.51	29.73	826.15	813.64
MW-0504-S1	10/18/2005	12.25	29.19	826.15	813.90
MW-0504-S1	10/25/2005	12.23	29.19	826.15	813.92
MW-0504-S1	3/27/2006	11.10	28.69	826.15	815.05
MW-0504-S1	3/31/2006	10.33	28.69	826.15	815.82
MW-0504-S1	4/28/2006	10.88	NM	826.15	815.27
MW-0504-S1	12/5/2006	10.78	NM	826.15	815.37
MW-0504-S1	3/8/2007	10.68	30.82	826.15	815.47
MW-0504-S1	1/16/2008	11.25	30.90	826.15	814.90
MW-0504-S1	11/11/2008	14.40	30.76	826.15	811.75
MW-0504-S1	2/17/2009	12.58	NM	826.15	813.57
MW-0504-S1	6/12/2009	11.51	NM	826.15	814.64
MW-0504-S1	10/9/2012	13.84	30.71	826.15	812.31
MW-0504-S1	3/12/2013	12.02	30.71	826.15	814.13
MW-0504-S1	9/24/2013	12.90	30.98	826.15	813.25
MW-0504-S1	4/22/2014	11.81	30.91	826.15	814.34
MW-0504-S1	9/3/2014	13.21	31.71	826.15	812.94
MW-0504-S1	3/10/2015	12.22	30.55	826.15	813.93
MW-0504-S1	9/8/2015	12.38	30.15	826.15	813.77
MW-0504-S1	3/10/2016	11.84	30.76	826.15	814.31
MW-0504-S1	9/7/2016	12.58	30.50	826.15	813.57
MW-0504-S1	11/16/2016	12.80	NM	826.15	813.35
MW-0504-S1	3/3/2017	11.49	29.93	825.55	814.06
MW-0504-S1	9/6/2017	11.96	30.40	825.55	813.59
MW-0504-S1	3/6/2018	10.83	30.05	825.55	814.72
MW-0504-S1	9/12/2018	10.58	30.03	825.55	814.97
MW-0504-S1	3/4/2019	11.16	30.13	825.55	814.39
MW-0504-S1	9/6/2019	13.55	30.15	825.55	812.00
MW-0504-S1	3/4/2020	11.21	29.90	825.55	814.34
MW-0504-S2	3/27/2006	10.23	60.45	826.41	816.18
MW-0504-S2	3/31/2006	9.38	60.45	826.41	817.03
MW-0504-S2	4/28/2006	10.11	NM	826.41	816.30
MW-0504-S2	12/5/2006	8.70	NM	826.41	817.71
MW-0504-S2	3/8/2007	10.00	60.52	826.41	816.41
MW-0504-S2	1/16/2008	12.50	60.63	826.41	813.91

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0504-S2	11/11/2008	18.46	60.55	826.41	807.95
MW-0504-S2	2/17/2009	14.97	NM	826.41	811.44
MW-0504-S2	6/12/2009	13.14	NM	826.41	813.27
MW-0504-S2	3/10/2016	13.06	NM	826.41	813.35
MW-0504-S2	9/7/2016	15.76	60.43	826.41	810.65
MW-0504-S2	11/16/2016	14.31	NM	826.41	812.10
MW-0504-S2	3/3/2017	11.89	60.48	825.77	813.88
MW-0504-S2	9/6/2017	12.28	39.85	825.77	813.49
MW-0504-S2	3/6/2018	11.49	39.87	825.77	814.28
MW-0504-S2	9/12/2018	11.35	60.68	825.77	814.42
MW-0504-S2	3/4/2019	11.63	60.65	825.77	814.14
MW-0504-S2	9/6/2019	15.55	60.62	825.77	810.22
MW-0504-S2	3/4/2020	10.60	60.70	825.77	815.17
MW-0505-S1	9/20/2005	11.42	39.00	825.44	814.02
MW-0505-S1	10/19/2005	11.19	40.28	825.44	814.25
MW-0505-S1	10/25/2005	11.16	40.28	825.44	814.28
MW-0505-S1	3/23/2006	9.70	40.00	825.44	815.74
MW-0505-S1	3/31/2006	8.93	40.00	825.44	816.51
MW-0505-S1	4/28/2006	9.69	NM	825.44	815.75
MW-0505-S1	12/5/2006	8.52	NM	825.44	816.92
MW-0505-S1	3/8/2007	9.48	40.71	825.44	815.96
MW-0505-S1	1/16/2008	10.15	40.80	825.44	815.29
MW-0505-S1	11/11/2008	13.46	40.65	825.44	811.98
MW-0505-S1	2/17/2009	11.63	NM	825.44	813.81
MW-0505-S1	6/12/2009	10.34	NM	825.44	815.10
MW-0505-S1	10/9/2012	12.47	40.67	825.44	812.97
MW-0505-S1	3/12/2013	11.02	40.67	825.44	814.42
MW-0505-S1	9/24/2013	11.85	40.84	825.44	813.59
MW-0505-S1	4/22/2014	10.64	40.41	825.44	814.80
MW-0505-S1	9/3/2014	12.20	40.80	825.44	813.24
MW-0505-S1	3/10/2015	11.17	40.75	825.44	814.27
MW-0505-S1	9/8/2015	11.30	40.52	825.44	814.14
MW-0505-S1	3/10/2016	10.77	40.75	825.44	814.67
MW-0505-S1	9/7/2016	11.53	40.71	825.44	813.91
MW-0505-S1	11/16/2016	11.78	NM	825.44	813.66
MW-0505-S1	3/3/2017	10.37	40.42	824.79	814.42
MW-0505-S1	9/6/2017	10.82	40.62	824.79	813.97
MW-0505-S1	3/6/2018	9.41	40.59	824.79	815.38
MW-0505-S1	9/12/2018	9.30	40.60	824.79	815.49
MW-0505-S1	3/4/2019	9.97	40.55	824.79	814.82
MW-0505-S1	9/6/2019	11.52	40.50	824.79	813.27
MW-0505-S1	3/4/2020	10.13	40.55	824.79	814.66
MW-0505-S2	10/19/2005	12.37	67.63	825.06	812.69
MW-0505-S2	10/25/2005	11.42	67.63	825.06	813.64
MW-0505-S2	3/23/2006	9.59	67.32	825.06	815.47
MW-0505-S2	3/31/2006	8.74	67.32	825.06	816.32

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0505-S2	4/28/2006	9.65	NM	825.06	815.41
MW-0505-S2	12/5/2006	7.27	NM	825.06	817.79
MW-0505-S2	3/8/2007	8.55	67.45	825.06	816.51
MW-0505-S2	1/16/2008	11.10	67.50	825.06	813.96
MW-0505-S2	11/11/2008	17.04	67.45	825.06	808.02
MW-0505-S2	2/17/2009	13.63	NM	825.06	811.43
MW-0505-S2	6/12/2009	11.76	NM	825.06	813.30
MW-0505-S2	4/13/2010	11.74	67.38	825.06	813.32
MW-0505-S2	9/5/2010	15.76	67.50	825.06	809.30
MW-0505-S2	4/20/2011	11.23	67.35	825.06	813.83
MW-0505-S2	9/27/2011	13.51	67.60	825.06	811.55
MW-0505-S2	3/29/2012	11.03	67.55	825.06	814.03
MW-0505-S2	10/9/2012	16.46	67.46	825.06	808.60
MW-0505-S2	3/12/2013	11.58	67.46	825.06	813.48
MW-0505-S2	9/24/2013	14.10	67.52	825.06	810.96
MW-0505-S2	4/22/2014	11.99	67.59	825.06	813.07
MW-0505-S2	9/3/2014	15.65	68.81	825.06	809.41
MW-0505-S2	3/10/2015	13.18	NM	825.06	811.88
MW-0505-S2	9/8/2015	13.60	67.43	825.06	811.46
MW-0505-S2	3/10/2016	11.63	NM	825.06	813.43
MW-0505-S2	9/7/2016	14.17	67.56	825.06	810.89
MW-0505-S2	11/16/2016	12.87	NM	825.06	812.19
MW-0505-S2	3/3/2017	10.46	67.39	824.41	813.95
MW-0505-S2	9/6/2017	12.48	67.58	824.41	811.93
MW-0505-S2	3/6/2018	9.49	67.58	824.41	814.92
MW-0505-S2	9/12/2018	9.98	67.52	824.41	814.43
MW-0505-S2	3/4/2019	10.35	67.54	824.41	814.06
MW-0505-S2	9/6/2019	15.20	67.58	824.41	809.21
MW-0505-S2	3/4/2020	9.11	67.40	824.41	815.30
MW-0506-S1	10/19/2005	13.11	34.84	826.88	813.77
MW-0506-S1	10/25/2005	13.11	34.84	826.88	813.77
MW-0506-S1	3/27/2006	11.96	34.55	826.88	814.92
MW-0506-S1	3/31/2006	11.19	34.55	826.88	815.69
MW-0506-S1	4/28/2006	11.76	NM	826.88	815.12
MW-0506-S1	12/5/2006	10.72	NM	826.88	816.16
MW-0506-S1	3/8/2007	11.54	34.62	826.88	815.34
MW-0506-S1	1/16/2008	12.21	34.35	826.88	814.67
MW-0506-S1	11/11/2008	15.21	34.65	826.88	811.67
MW-0506-S1	2/17/2009	13.40	NM	826.88	813.48
MW-0506-S1	6/12/2009	12.38	NM	826.88	814.50
MW-0506-S1	10/9/2012	14.65	34.69	826.88	812.23
MW-0506-S1	3/12/2013	12.85	34.69	826.88	814.03
MW-0506-S1	9/24/2013	13.74	34.78	826.88	813.14
MW-0506-S1	4/22/2014	12.67	34.71	826.88	814.21
MW-0506-S1	9/3/2014	14.02	34.75	826.88	812.86
MW-0506-S1	3/10/2015	13.06	34.76	826.88	813.82

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0506-S1	9/8/2015	13.24	34.50	826.88	813.64
MW-0506-S1	3/10/2016	12.68	34.86	826.88	814.2
MW-0506-S1	9/7/2016	13.36	34.80	826.88	813.52
MW-0506-S1	11/16/2016	13.64	NM	826.88	813.24
MW-0506-S1	3/3/2017	12.36	34.55	826.27	813.91
MW-0506-S1	9/6/2017	12.83	34.75	826.27	813.44
MW-0506-S1	3/6/2018	11.54	34.50	826.27	814.73
MW-0506-S1	9/12/2018	11.42	34.58	826.27	814.85
MW-0506-S1	3/4/2019	12.04	34.62	826.27	814.23
MW-0506-S1	9/6/2019	13.40	34.52	826.27	812.87
MW-0506-S1	3/4/2020	12.05	34.30	826.27	814.22
MW-0506-S2	10/19/2005	13.58	72.52	827.1	813.52
MW-0506-S2	10/25/2005	13.58	72.52	827.1	813.52
MW-0506-S2	3/27/2006	11.95	72.24	827.1	815.15
MW-0506-S2	3/31/2006	11.10	72.24	827.1	816.00
MW-0506-S2	4/28/2006	10.84	NM	827.1	816.26
MW-0506-S2	12/5/2006	9.43	NM	827.1	817.67
MW-0506-S2	3/8/2007	11.72	72.26	827.1	815.38
MW-0506-S2	1/16/2008	13.20	72.40	827.1	813.90
MW-0506-S2	11/11/2008	19.11	72.35	827.1	807.99
MW-0506-S2	2/17/2009	15.69	NM	827.1	811.41
MW-0506-S2	6/12/2009	13.87	NM	827.1	813.23
MW-0506-S2	3/29/2012	13.13	72.41	827.1	813.97
MW-0506-S2	10/9/2012	18.51	72.38	827.1	808.59
MW-0506-S2	3/12/2013	13.66	72.38	827.1	813.44
MW-0506-S2	9/24/2013	16.20	72.44	827.1	810.90
MW-0506-S2	4/22/2014	14.13	72.56	827.1	812.97
MW-0506-S2	9/3/2014	17.70	73.52	827.1	809.40
MW-0506-S2	3/10/2015	15.27	NM	827.1	811.83
MW-0506-S2	9/8/2015	13.74	72.14	827.1	813.36
MW-0506-S2	3/10/2016	13.67	NM	827.1	813.43
MW-0506-S2	9/7/2016	16.08	72.45	827.1	811.02
MW-0506-S2	11/16/2016	13.53	NM	827.1	813.57
MW-0506-S2	3/3/2017	12.63	72.30	826.51	813.88
MW-0506-S2	9/6/2017	14.59	72.62	826.51	811.92
MW-0506-S2	3/6/2018	11.87	72.43	826.51	814.64
MW-0506-S2	9/12/2018	12.05	72.38	826.51	814.46
MW-0506-S2	3/4/2019	12.40	72.35	826.51	814.11
MW-0506-S2	9/6/2019	16.25	72.25	826.51	810.26
MW-0506-S2	3/4/2020	11.30	34.30	826.51	815.21
MW-0507-S1	10/19/2005	13.15	33.49	827.19	814.04
MW-0507-S1	10/25/2005	13.12	33.49	827.19	814.07
MW-0507-S1	3/27/2006	11.86	33.18	827.19	815.33
MW-0507-S1	3/31/2006	11.09	33.18	827.19	816.10
MW-0507-S1	4/28/2006	11.69	NM	827.19	815.50
MW-0507-S1	12/5/2006	10.58	NM	827.19	816.61

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0507-S1	3/8/2007	11.48	33.19	827.19	815.71
MW-0507-S1	1/16/2008	12.18	33.35	827.19	815.01
MW-0507-S1	11/11/2008	15.27	33.15	827.19	811.92
MW-0507-S1	2/17/2009	13.50	NM	827.19	813.69
MW-0507-S1	6/12/2009	12.33	NM	827.19	814.86
MW-0507-S1	4/13/2010	12.13	33.27	827.19	815.06
MW-0507-S1	9/5/2010	14.61	33.20	827.19	812.58
MW-0507-S1	4/20/2011	11.54	33.16	827.19	815.65
MW-0507-S1	9/27/2011	12.60	33.35	827.19	814.59
MW-0507-S1	3/29/2012	12.41	33.32	827.19	814.78
MW-0507-S1	10/9/2012	14.74	33.11	827.19	812.45
MW-0507-S1	3/12/2013	12.92	33.11	827.19	814.27
MW-0507-S1	9/24/2013	13.78	33.32	827.19	813.41
MW-0507-S1	4/22/2014	12.63	33.37	827.19	814.56
MW-0507-S1	9/3/2014	14.08	33.29	827.19	813.11
MW-0507-S1	3/10/2015	13.08	32.88	827.19	814.11
MW-0507-S1	9/8/2015	13.23	32.40	827.19	813.96
MW-0507-S1	3/10/2016	12.71	32.39	827.19	814.48
MW-0507-S1	9/7/2016	13.36	33.08	827.19	813.83
MW-0507-S1	11/16/2016	13.69	NM	827.19	813.50
MW-0507-S1	3/3/2017	12.37	31.89	826.48	814.11
MW-0507-S1	9/6/2017	12.78	32.64	826.48	813.70
MW-0507-S1	3/6/2018	11.48	32.02	826.48	815.00
MW-0507-S1	9/12/2018	11.36	31.85	826.48	815.12
MW-0507-S1	3/4/2019	12.00	31.95	826.48	814.48
MW-0507-S1	9/6/2019	13.42	32.00	826.48	813.06
MW-0507-S1	3/4/2020	12.07	31.70	826.48	814.41
MW-0509-S1	9/20/2005	12.18	38.00	826.33	814.15
MW-0509-S1	10/25/2005	11.92	38.11	826.33	814.41
MW-0509-S1	3/23/2006	10.43	37.82	826.33	815.90
MW-0509-S1	3/31/2006	9.66	37.82	826.33	816.67
MW-0509-S1	4/28/2006	10.35	NM	826.33	815.98
MW-0509-S1	12/5/2006	9.20	37.90	826.33	817.13
MW-0509-S1	3/8/2007	10.20	37.89	826.33	816.13
MW-0509-S1	1/16/2008	10.89	38.00	826.33	815.44
MW-0509-S1	11/11/2008	14.24	37.92	826.33	812.09
MW-0509-S1	2/17/2009	12.38	NM	826.33	813.95
MW-0509-S1	6/12/2009	11.04	NM	826.33	815.29
MW-0509-S1	4/13/2010	10.82	37.91	826.33	815.51
MW-0509-S1	9/5/2010	13.45	37.90	826.33	812.88
MW-0509-S1	4/20/2011	10.29	37.85	826.33	816.04
MW-0509-S1	9/27/2011	11.43	38.08	826.33	814.90
MW-0509-S1	3/29/2012	11.13	38.00	826.33	815.20
MW-0509-S1	10/9/2012	13.65	37.98	826.33	812.68
MW-0509-S1	3/12/2013	13.45	37.98	826.33	812.88
MW-0509-S1	9/24/2013	12.62	38.03	826.33	813.71

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0509-S1	4/22/2014	11.35	38.06	826.33	814.98
MW-0509-S1	9/3/2019	12.98	38.02	826.33	813.35
MW-0509-S1	3/10/2015	11.89	38.03	826.33	814.44
MW-0509-S1	9/8/2015	12.03	37.88	826.33	814.30
MW-0509-S1	3/10/2016	11.51	38.01	826.33	814.82
MW-0509-S1	9/7/2016	12.27	38.05	826.33	814.06
MW-0509-S1	11/16/2016	12.55	NM	826.33	813.78
MW-0509-S1	3/3/2017	11.08	38.04	825.72	814.64
MW-0509-S1	9/6/2017	11.59	38.00	825.72	814.13
MW-0509-S1	3/6/2018	10.10	37.89	825.72	815.62
MW-0509-S1	9/12/2018	10.02	38.01	825.72	815.70
MW-0509-S1	3/4/2019	10.72	38.00	825.72	815.00
MW-0509-S1	9/6/2019	12.25	28.00	825.72	813.47
MW-0509-S1	3/4/2020	10.88	37.90	825.72	814.84
MW-0516-S1	10/19/2005	13.42	32.88	827.98	814.56
MW-0516-S1	10/25/2005	13.42	32.88	827.98	814.56
MW-0516-S1	3/23/2006	11.88	32.61	827.98	816.10
MW-0516-S1	3/31/2006	11.13	32.61	827.98	816.85
MW-0516-S1	4/28/2006	11.78	NM	827.98	816.20
MW-0516-S1	12/5/2006	10.11	NM	827.98	817.87
MW-0516-S1	3/8/2007	11.59	32.66	827.98	816.39
MW-0516-S1	1/16/2008	12.35	32.40	827.98	815.63
MW-0516-S1	11/11/2008	15.74	32.60	827.98	812.24
MW-0516-S1	2/17/2009	14.00	NM	827.98	813.98
MW-0516-S1	6/12/2009	12.52	NM	827.98	815.46
MW-0516-S1	4/13/2010	12.24	32.70	827.98	815.74
MW-0516-S1	9/5/2010	14.96	32.65	827.98	813.02
MW-0516-S1	4/20/2011	11.31	32.60	827.98	816.67
MW-0516-S1	9/27/2011	12.92	32.84	827.98	815.06
MW-0516-S1	3/29/2012	12.59	32.80	827.98	815.39
MW-0516-S1	10/9/2012	15.16	32.60	827.98	812.82
MW-0516-S1	3/12/2013	13.33	32.60	827.98	814.65
MW-0516-S1	9/24/2013	14.08	32.79	827.98	813.90
MW-0516-S1	4/22/2014	12.74	32.80	827.98	815.24
MW-0516-S1	9/3/2014	14.46	32.84	827.98	813.52
MW-0516-S1	3/10/2015	13.40	32.80	827.98	814.58
MW-0516-S1	9/8/2015	13.55	32.78	827.98	814.43
MW-0516-S1	3/10/2016	12.94	32.78	827.98	815.04
MW-0516-S1	9/7/2016	13.71	32.71	828.98	815.27
MW-0516-S1	11/16/2016	13.98	NM	828.98	815.00
MW-0516-S1	3/3/2017	12.58	32.80	827.37	814.79
MW-0516-S1	9/6/2017	13.03	32.74	827.37	814.34
MW-0516-S1	3/6/2018	11.58	32.82	827.37	815.79
MW-0516-S1	9/12/2018	11.41	32.70	827.37	815.96
MW-0516-S1	3/4/2019	12.13	32.70	827.37	815.24
MW-0516-S1	9/6/2019	13.70	33.69	827.37	813.67

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0516-S1	3/4/2020	12.38	32.72	827.37	814.99
MW-0516-S2	10/20/2005	14.37	68.38	827.97	813.60
MW-0516-S2	10/25/2005	14.38	68.38	827.97	813.59
MW-0516-S2	3/23/2006	11.46	68.05	827.97	816.51
MW-0516-S2	3/31/2006	10.61	68.05	827.97	817.36
MW-0516-S2	4/28/2006	11.55	NM	827.97	816.42
MW-0516-S2	12/5/2006	10.55	NM	827.97	817.42
MW-0516-S2	3/8/2007	11.40	68.11	827.97	816.57
MW-0516-S2	1/16/2008	14.11	68.26	827.97	813.86
MW-0516-S2	11/11/2008	19.99	68.05	827.97	807.98
MW-0516-S2	2/17/2009	16.58	NM	827.97	811.39
MW-0516-S2	6/12/2009	14.71	NM	827.97	813.26
MW-0516-S2	4/13/2010	13.72	68.18	827.97	814.25
MW-0516-S2	4/20/2011	14.02	68.10	827.97	813.95
MW-0516-S2	3/12/2013	14.38	68.10	827.97	813.59
MW-0516-S2	9/24/2013	17.03	68.26	827.97	810.94
MW-0516-S2	4/22/2014	14.92	69.09	827.97	813.05
MW-0516-S2	9/3/2014	18.61	69.48	827.97	809.36
MW-0516-S2	3/10/2015	16.16	NM	827.97	811.81
MW-0516-S2	9/8/2015	14.52	69.38	827.97	813.45
MW-0516-S2	3/10/2016	14.58	68.79	827.97	813.39
MW-0516-S2	9/7/2016	17.16	68.32	828.97	811.81
MW-0516-S2	11/16/2016	15.78	NM	828.97	813.19
MW-0516-S2	3/3/2017	13.31	68.35	827.34	814.03
MW-0516-S2	9/6/2017	15.46	68.27	827.34	811.88
MW-0516-S2	3/6/2018	12.51	69.05	827.34	814.83
MW-0516-S2	9/12/2018	12.80	68.24	827.34	814.54
MW-0516-S2	3/4/2019	13.29	58.28	827.34	814.05
MW-0516-S2	9/6/2019	17.30	68.20	827.34	810.04
MW-0516-S2	3/4/2020	12.03	68.32	827.34	815.31
MW-0517-S1	9/20/2005	12.44	30.72	826.47	814.03
MW-0517-S1	10/18/2005	12.17	30.85	826.47	814.30
MW-0517-S1	10/25/2005	12.17	30.85	826.47	814.30
MW-0517-S1	3/22/2006	10.70	30.63	826.47	815.77
MW-0517-S1	3/31/2006	9.91	30.63	826.47	816.56
MW-0517-S1	4/28/2006	10.64	NM	826.47	815.83
MW-0517-S1	12/5/2006	9.48	NM	826.47	816.99
MW-0517-S1	3/8/2007	10.42	30.51	826.47	816.05
MW-0517-S1	1/16/2008	11.23	30.70	826.47	815.24
MW-0517-S1	11/11/2008	14.47	30.60	826.47	812.00
MW-0517-S1	2/17/2009	12.65	NM	826.47	813.82
MW-0517-S1	6/12/2009	11.34	NM	826.47	815.13
MW-0517-S1	10/9/2012	13.88	30.62	826.47	812.59
MW-0517-S1	3/12/2013	11.98	30.62	826.47	814.49
MW-0517-S1	9/24/2013	12.87	30.75	826.47	813.60
MW-0517-S1	4/22/2014	11.65	30.76	826.47	814.82

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0517-S1	9/3/2014	13.20	30.32	826.47	813.27
MW-0517-S1	3/10/2015	12.17	30.07	826.47	814.30
MW-0517-S1	9/8/2015	12.27	29.78	826.47	814.20
MW-0517-S1	3/10/2016	11.77	29.86	826.47	814.70
MW-0517-S1	9/7/2016	12.51	29.76	827.47	814.96
MW-0517-S1	11/16/2016	12.76	NM	827.47	814.71
MW-0517-S1	3/3/2017	11.36	29.31	825.82	814.46
MW-0517-S1	9/6/2017	11.85	29.39	825.82	813.97
MW-0517-S1	3/6/2018	10.38	29.42	825.82	815.44
MW-0517-S1	9/12/2018	10.32	29.32	825.82	815.50
MW-0517-S1	3/4/2019	10.95	29.28	825.82	814.87
MW-0517-S1	9/6/2019	12.48	29.20	825.82	813.34
MW-0517-S1	3/4/2020	11.10	29.10	825.82	814.72
MW-0602-B1	3/24/2006	9.12	86.17	825.36	816.24
MW-0602-S1	3/24/2006	11.70	28.31	825.3	813.60
MW-0602-S1	3/31/2006	10.93	28.31	825.3	814.37
MW-0602-S1	4/28/2006	10.90	NM	825.3	814.40
MW-0602-S1	12/5/2006	9.94	NM	825.3	815.36
MW-0602-S1	3/8/2007	10.68	27.20	825.3	814.62
MW-0602-S1	1/16/2008	11.10	27.41	825.3	814.20
MW-0602-S1	11/11/2008	13.93	27.11	825.3	811.37
MW-0602-S1	2/17/2009	12.20	NM	825.3	813.10
MW-0602-S1	6/12/2009	11.71	NM	825.3	813.59
MW-0602-S1	4/13/2010	11.36	27.31	825.3	813.94
MW-0602-S1	9/5/2010	12.79	27.24	825.3	812.51
MW-0602-S1	4/20/2011	11.01	27.07	825.3	814.29
MW-0602-S1	9/27/2011	11.65	27.39	825.3	813.65
MW-0602-S1	3/29/2012	11.30	27.20	825.3	814.00
MW-0602-S1	10/9/2012	12.64	27.00	825.3	812.66
MW-0602-S1	3/12/2013	11.62	27.00	825.3	813.68
MW-0602-S1	9/24/2013	12.64	27.20	825.3	812.66
MW-0602-S1	4/22/2014	11.52	24.09	825.3	813.78
MW-0602-S1	9/3/2014	12.79	27.06	825.3	812.51
MW-0602-S1	3/10/2015	12.04	26.96	825.3	813.26
MW-0602-S1	9/8/2015	NM	NM	825.3	NM
MW-0602-S1	3/10/2016	12.01	27.03	825.3	813.29
MW-0602-S1	9/7/2016	12.02	26.90	826.3	814.28
MW-0602-S1	11/16/2016	13.22	NM	826.3	813.08
MW-0602-S1	3/3/2017	11.37	26.63	824.68	813.31
MW-0602-S1	9/6/2017	11.89	26.81	824.68	812.79
MW-0602-S1	3/6/2018	10.67	26.92	824.68	814.01
MW-0602-S1	9/12/2018	10.54	26.78	824.68	814.14
MW-0602-S1	3/4/2019	11.18	26.71	824.68	813.50
MW-0602-S1	9/6/2019	12.41	26.65	824.68	812.27
MW-0602-S1	3/4/2020	9.45	26.76	824.68	815.23

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0603-S1	3/24/2006	10.79	24.38	826.09	815.30
MW-0603-S1	3/31/2006	10.02	24.38	826.09	816.07
MW-0603-S1	4/28/2006	10.71	NM	826.09	815.38
MW-0603-S1	12/5/2006	9.59	NM	826.09	816.50
MW-0603-S1	3/8/2007	10.46	24.12	826.09	815.63
MW-0603-S1	1/16/2008	11.06	24.33	826.09	815.03
MW-0603-S1	11/11/2008	14.15	24.15	826.09	811.94
MW-0603-S1	2/17/2009	12.35	NM	826.09	813.74
MW-0603-S1	6/12/2009	11.25	NM	826.09	814.84
MW-0603-S1	4/13/2010	11.06	24.31	826.09	815.03
MW-0603-S1	9/5/2010	13.46	24.20	826.09	812.63
MW-0603-S1	4/20/2011	10.44	24.10	826.09	815.65
MW-0603-S1	9/27/2011	11.53	24.22	826.09	814.56
MW-0603-S1	3/29/2012	11.33	24.15	826.09	814.76
MW-0603-S1	10/9/2012	13.55	24.00	826.09	812.54
MW-0603-S1	3/12/2013	11.85	24.00	826.09	814.24
MW-0603-S1	9/24/2013	12.65	24.18	826.09	813.44
MW-0603-S1	4/22/2014	11.52	24.09	826.09	814.57
MW-0603-S1	9/3/2014	12.91	24.78	826.09	813.18
MW-0603-S1	3/10/2015	11.96	24.05	826.09	814.13
MW-0603-S1	9/8/2015	12.14	24.07	826.09	813.95
MW-0603-S1	3/10/2016	11.64	24.04	826.09	814.45
MW-0603-S1	9/7/2016	12.27	24.10	827.09	814.82
MW-0603-S1	11/16/2016	12.76	NM	827.09	814.33
MW-0603-S1	3/3/2017	11.29	24.13	825.36	814.07
MW-0603-S1	9/6/2017	11.70	23.99	825.36	813.66
MW-0603-S1	3/6/2018	10.40	24.23	825.36	814.96
MW-0603-S1	9/12/2018	10.29	24.04	825.36	815.07
MW-0603-S1	3/4/2019	10.93	24.04	825.36	814.43
MW-0603-S1	9/6/2019	12.35	24.01	825.36	813.01
MW-0603-S1	3/4/2020	11.03	24.00	825.36	814.33
MW-0604-S1	3/22/2006	10.65	29.41	826.28	815.63
MW-0604-S1	3/31/2006	9.87	29.41	826.28	816.41
MW-0604-S1	4/28/2006	10.59	NM	826.28	815.69
MW-0604-S1	12/5/2006	9.45	NM	826.28	816.83
MW-0604-S1	3/8/2007	10.37	28.81	826.28	815.91
MW-0604-S1	1/16/2008	11.15	28.95	826.28	815.13
MW-0604-S1	11/11/2008	14.27	28.73	826.28	812.01
MW-0604-S1	2/17/2009	12.51	NM	826.28	813.77
MW-0604-S1	6/12/2009	11.26	NM	826.28	815.02
MW-0604-S1	10/9/2012	13.73	28.78	826.28	812.55
MW-0604-S1	3/12/2013	11.87	28.78	826.28	814.41
MW-0604-S1	9/24/2013	12.74	28.91	826.28	813.54
MW-0604-S1	4/22/2014	11.59	28.98	826.28	814.69
MW-0604-S1	9/3/2014	13.09	28.41	826.28	813.19
MW-0604-S1	3/10/2015	12.06	28.58	826.28	814.22

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0604-S1	9/8/2015	12.13	27.94	826.28	814.15
MW-0604-S1	3/10/2016	11.66	28.18	826.28	814.62
MW-0604-S1	9/7/2016	12.40	28.24	826.28	813.88
MW-0604-S1	11/16/2016	12.64	NM	826.28	813.64
MW-0604-S1	3/3/2017	11.29	27.70	825.62	814.33
MW-0604-S1	9/6/2017	11.72	27.79	825.62	813.90
MW-0604-S1	3/6/2018	10.31	27.87	825.62	815.31
MW-0604-S1	9/12/2018	10.25	27.83	825.62	815.37
MW-0604-S1	3/4/2019	10.90	27.80	825.62	814.72
MW-0604-S1	9/6/2019	12.38	27.75	825.62	813.24
MW-0604-S1	3/4/2020	11.02	27.80	825.62	814.60
MW-0604-S2	3/22/2006	10.02	61.06	826.44	816.42
MW-0604-S2	3/31/2006	9.27	61.06	826.44	817.17
MW-0604-S2	4/28/2006	10.13	NM	826.44	816.31
MW-0604-S2	12/5/2006	8.70	NM	826.44	817.74
MW-0604-S2	3/8/2007	9.93	61.12	826.44	816.51
MW-0604-S2	1/16/2008	12.51	61.21	826.44	813.93
MW-0604-S2	11/11/2008	18.45	61.05	826.44	807.99
MW-0604-S2	2/17/2009	15.02	NM	826.44	811.42
MW-0604-S2	6/12/2009	13.17	NM	826.44	813.27
MW-0604-S2	4/13/2010	12.17	61.10	826.44	814.27
MW-0604-S2	9/5/2010	17.17	61.55	826.44	809.27
MW-0604-S2	4/20/2011	12.63	61.00	826.44	813.81
MW-0604-S2	9/27/2011	14.89	61.32	826.44	811.55
MW-0604-S2	3/29/2012	12.41	61.23	826.44	814.03
MW-0604-S2	10/9/2012	17.88	61.14	826.44	808.56
MW-0604-S2	3/12/2013	13.01	61.14	826.44	813.43
MW-0604-S2	9/24/2013	15.49	61.22	826.44	810.95
MW-0604-S2	4/22/2014	13.49	61.26	826.44	812.95
MW-0604-S2	9/3/2014	17.02	61.20	826.44	809.42
MW-0604-S2	3/10/2015	14.59	NM	826.44	811.85
MW-0604-S2	9/8/2015	12.97	61.11	826.44	813.47
MW-0604-S2	3/10/2016	12.98	NM	826.44	813.46
MW-0604-S2	9/7/2016	15.49	61.24	826.44	810.95
MW-0604-S2	11/16/2016	14.30	NM	826.44	812.14
MW-0604-S2	3/3/2017	11.91	61.05	825.86	813.95
MW-0604-S2	9/6/2017	13.91	61.09	825.86	811.95
MW-0604-S2	3/6/2018	10.91	61.23	825.86	814.95
MW-0604-S2	9/12/2018	11.37	61.23	825.86	814.49
MW-0604-S2	3/4/2019	11.75	61.20	825.86	814.11
MW-0604-S2	9/6/2019	15.70	61.25	825.86	810.16
MW-0604-S2	3/4/2020	10.57	61.27	825.86	815.29
MW-0605-S1	3/22/2006	11.23	29.83	827.38	816.15
MW-0605-S1	3/31/2006	10.46	29.83	827.38	816.92
MW-0605-S1	4/28/2006	11.19	NM	827.38	816.19
MW-0605-S1	12/5/2006	9.97	NM	827.38	817.41

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0605-S1	3/8/2007	10.98	29.64	827.38	816.40
MW-0605-S1	1/16/2008	11.79	29.71	827.38	815.59
MW-0605-S1	11/11/2008	15.14	29.65	827.38	812.24
MW-0605-S1	2/17/2009	13.42	NM	827.38	813.96
MW-0605-S1	6/12/2009	11.91	NM	827.38	815.47
MW-0605-S1	4/13/2010	11.64	29.65	827.38	815.74
MW-0605-S1	9/5/2010	14.37	29.64	827.38	813.01
MW-0605-S1	4/20/2011	11.20	29.50	827.38	816.18
MW-0605-S1	9/27/2011	12.35	29.82	827.38	815.03
MW-0605-S1	3/29/2012	11.90	29.75	827.38	815.48
MW-0605-S1	10/9/2012	14.59	29.50	827.38	812.79
MW-0605-S1	3/12/2013	12.70	29.50	827.38	814.68
MW-0605-S1	9/24/2013	13.55	29.74	827.38	813.83
MW-0605-S1	4/22/2014	12.23	29.71	827.38	815.15
MW-0605-S1	9/3/2014	13.90	30.62	827.38	813.48
MW-0605-S1	3/10/2015	12.83	29.07	827.38	814.55
MW-0605-S1	9/8/2015	12.93	29.00	827.38	814.45
MW-0605-S1	3/10/2016	12.41	29.15	827.38	814.97
MW-0605-S1	9/7/2016	13.18	29.17	827.38	814.2
MW-0605-S1	11/16/2016	13.49	NM	827.38	813.89
MW-0605-S1	3/3/2017	11.99	28.75	826.78	814.79
MW-0605-S1	9/6/2017	12.45	28.88	826.78	814.33
MW-0605-S1	3/6/2018	10.92	28.90	826.78	815.86
MW-0605-S1	9/12/2018	10.85	28.85	826.78	815.93
MW-0605-S1	3/4/2019	11.53	28.81	826.78	815.25
MW-0605-S1	9/6/2019	13.12	28.90	826.78	813.66
MW-0605-S1	3/4/2020	11.79	28.67	826.78	814.99
MW-0605-S2	3/22/2006	10.87	61.15	827.38	816.51
MW-0605-S2	3/31/2006	10.02	61.15	827.38	817.36
MW-0605-S2	4/28/2006	10.91	NM	827.38	816.47
MW-0605-S2	12/5/2006	9.44	NM	827.38	817.94
MW-0605-S2	3/8/2007	10.72	61.13	827.38	816.66
MW-0605-S2	1/16/2008	13.36	61.26	827.38	814.02
MW-0605-S2	11/11/2008	19.36	61.12	827.38	808.02
MW-0605-S2	2/17/2009	15.97	NM	827.38	811.41
MW-0605-S2	6/12/2009	14.06	NM	827.38	813.32
MW-0605-S2	4/13/2010	13.05	61.18	827.38	814.33
MW-0605-S2	9/5/2010	18.12	61.20	827.38	809.26
MW-0605-S2	4/20/2011	13.55	61.11	827.38	813.83
MW-0605-S2	9/27/2011	15.82	61.35	827.38	811.56
MW-0605-S2	3/29/2012	13.25	61.28	827.38	814.13
MW-0605-S2	10/9/2012	18.86	61.21	827.38	808.52
MW-0605-S2	3/12/2013	14.06	61.21	827.38	813.32
MW-0605-S2	9/24/2013	16.42	61.25	827.38	810.96
MW-0605-S2	4/22/2014	14.38	62.10	827.38	813.00
MW-0605-S2	9/3/2014	18.09	62.32	827.38	809.29

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0605-S2	3/10/2015	NM	NM	827.38	NM
MW-0605-S2	9/8/2015	14.02	61.18	827.38	813.36
MW-0605-S2	3/10/2016	13.91	NM	827.38	813.47
MW-0605-S2	9/7/2016	16.51	61.33	827.38	810.87
MW-0605-S2	11/16/2016	15.18	NM	827.38	812.2
MW-0605-S2	3/3/2017	12.72	61.09	826.76	814.04
MW-0605-S2	9/6/2017	14.86	61.25	826.76	811.90
MW-0605-S2	3/6/2018	11.91	61.31	826.76	814.85
MW-0605-S2	9/12/2018	12.22	61.30	826.76	814.54
MW-0605-S2	3/4/2019	12.63	61.28	826.76	814.13
MW-0605-S2	9/6/2019	16.60	61.32	826.76	810.16
MW-0605-S2	3/4/2020	11.38	61.35	826.76	815.38
MW-0606-S1	3/23/2006	8.80	31.65	824.10	815.30
MW-0606-S1	3/31/2006	8.03	31.65	824.10	816.07
MW-0606-S1	4/28/2006	8.71	NM	824.10	815.39
MW-0606-S1	12/5/2006	7.67	NM	824.10	816.43
MW-0606-S1	3/8/2007	8.54	31.52	824.10	815.56
MW-0606-S1	11/11/2008	12.36	31.40	824.10	811.74
MW-0606-S1	2/17/2009	10.43	NM	824.10	813.67
MW-0606-S1	6/12/2009	8.38	NM	824.10	815.72
MW-0606-S1	4/13/2010	9.20	31.42	824.10	814.90
MW-0606-S1	10/9/2012	11.72	31.26	824.10	812.38
MW-0606-S1	3/12/2013	9.89	31.26	824.10	814.21
MW-0606-S1	9/24/2013	10.51	31.34	824.10	813.59
MW-0606-S1	4/22/2014	9.71	31.27	824.10	814.39
MW-0606-S1	9/3/2014	11.11	31.25	824.10	812.99
MW-0606-S1	3/10/2015	10.08	30.91	824.10	814.02
MW-0606-S1	9/8/2015	10.27	29.81	824.10	813.83
MW-0606-S1	3/10/2016	9.69	30.82	824.10	814.41
MW-0606-S1	9/7/2016	10.47	30.73	824.10	813.63
MW-0606-S1	11/16/2016	11.04	NM	824.10	813.06
MW-0606-S1	3/3/2017	9.39	30.71	823.45	814.06
MW-0606-S1	9/6/2017	9.02	30.61	823.45	814.43
MW-0606-S1	3/9/2018	8.51	30.93	823.45	814.94
MW-0606-S1	9/12/2018	8.42	30.68	823.45	815.03
MW-0606-S1	9/6/2019	10.51	30.60	823.45	812.94
MW-0606-S1	3/4/2020	9.05	30.64	823.45	814.40
MW-0606-S2	3/23/2006	7.68	58.83	823.97	816.29
MW-0606-S2	3/31/2006	6.93	58.83	823.97	817.04
MW-0606-S2	4/28/2006	8.72	NM	823.97	815.25
MW-0606-S2	12/5/2006	6.35	NM	823.97	817.62
MW-0606-S2	3/8/2007	7.61	58.67	823.97	816.36
MW-0606-S2	11/11/2008	15.92	58.70	823.97	808.05
MW-0606-S2	2/17/2009	12.51	NM	823.97	811.46
MW-0606-S2	6/12/2009	10.68	NM	823.97	813.29
MW-0606-S2	9/5/2010	14.62	59.00	823.97	809.35

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0606-S2	4/20/2011	10.15	58.63	823.97	813.82
MW-0606-S2	9/27/2011	12.38	58.90	823.97	811.59
MW-0606-S2	3/29/2012	10.00	58.80	823.97	813.97
MW-0606-S2	10/9/2012	15.34	58.69	823.97	808.63
MW-0606-S2	3/12/2013	10.47	58.69	823.97	813.50
MW-0606-S2	9/24/2013	13.00	58.85	823.97	810.97
MW-0606-S2	4/22/2014	11.06	58.84	823.97	812.91
MW-0606-S2	9/3/2014	14.46	58.82	823.97	809.51
MW-0606-S2	3/10/2015	12.10	NM	823.97	811.87
MW-0606-S2	9/8/2015	10.65	59.35	823.97	813.32
MW-0606-S2	3/10/2016	10.53	58.83	823.97	813.44
MW-0606-S2	9/7/2016	NM	NM	823.97	Covered
MW-0606-S2	11/16/2016	10.01	NM	823.97	Covered
MW-0606-S2	3/3/2017	9.48	58.84	823.39	813.91
MW-0606-S2	9/6/2017	11.38	58.70	823.39	812.01
MW-0606-S2	3/6/2018	8.49	59.25	823.39	814.90
MW-0606-S2	9/12/2018	8.90	58.78	823.39	814.49
MW-0606-S2	9/6/2019	13.10	58.81	823.39	810.29
MW-0606-S2	3/4/2020	8.21	58.75	823.39	815.18
MW-0607-S1	3/24/2006	8.55	26.85	822.65	814.10
MW-0607-S1	3/31/2006	7.78	26.85	822.65	814.87
MW-0607-S1	4/28/2006	8.52	NM	822.65	814.13
MW-0607-S1	12/5/2006	7.68	NM	822.65	814.97
MW-0607-S1	3/8/2007	8.33	26.55	822.65	814.32
MW-0607-S1	1/16/2008	8.88	26.68	822.65	813.77
MW-0607-S1	11/11/2008	11.61	26.50	822.65	811.04
MW-0607-S1	2/17/2009	9.72	NM	822.65	812.93
MW-0607-S1	6/12/2009	9.12	NM	822.65	813.53
MW-0607-S1	4/13/2010	9.00	26.50	822.65	813.65
MW-0607-S1	9/5/2010	10.98	26.50	822.65	811.67
MW-0607-S1	4/20/2011	8.49	26.42	822.65	814.16
MW-0607-S1	9/27/2011	9.31	26.40	822.65	813.34
MW-0607-S1	3/29/2012	9.26	26.27	822.65	813.39
MW-0607-S1	10/9/2012	11.05	26.00	822.65	811.60
MW-0607-S1	3/12/2013	9.40	26.00	822.65	813.25
MW-0607-S1	9/24/2013	10.30	26.25	822.65	812.35
MW-0607-S1	4/22/2014	9.53	26.16	822.65	813.12
MW-0607-S1	9/3/2014	10.53	26.23	822.65	812.12
MW-0607-S1	3/10/2015	9.69	26.27	822.65	812.96
MW-0607-S1	9/8/2015	9.82	26.17	822.65	812.83
MW-0607-S1	3/10/2016	9.29	29.14	822.65	813.36
MW-0607-S1	9/7/2016	9.96	26.13	822.65	812.69
MW-0607-S1	11/16/2016	10.98	NM	822.65	811.67
MW-0607-S1	3/3/2017	90.80	26.12	821.93	812.85
MW-0607-S1	9/6/2017	8.51	26.06	821.93	813.42
MW-0607-S1	3/6/2018	8.54	26.25	821.93	813.39

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0607-S1	9/12/2018	8.42	26.01	821.93	813.51
MW-0607-S1	3/4/2019	8.90	26.03	821.93	813.03
MW-0607-S1	9/6/2019	10.02	26.03	821.93	811.91
MW-0607-S1	3/4/2020	8.69	26.10	821.93	813.24
MW-0607-S2	3/8/2007	7.00	50.51	823.06	816.06
MW-0607-S2	1/16/2008	9.27	50.65	823.06	813.79
MW-0607-S2	11/11/2008	14.91	50.57	823.06	808.15
MW-0607-S2	2/17/2009	11.53	NM	823.06	811.53
MW-0607-S2	6/12/2009	9.83	NM	823.06	813.23
MW-0607-S2	4/13/2010	8.78	50.58	823.06	814.28
MW-0607-S2	9/5/2010	13.63	57.05	823.06	809.43
MW-0607-S2	4/20/2011	9.15	50.47	823.06	813.91
MW-0607-S2	9/27/2011	11.47	50.72	823.06	811.59
MW-0607-S2	3/29/2012	9.21	50.68	823.06	813.85
MW-0607-S2	10/9/2012	14.27	50.66	823.06	808.79
MW-0607-S2	3/12/2013	9.56	50.66	823.06	813.50
MW-0607-S2	9/24/2013	12.10	50.74	823.06	810.96
MW-0607-S2	4/22/2014	10.16	50.68	823.06	812.90
MW-0607-S2	9/3/2014	13.42	50.66	823.06	809.64
MW-0607-S2	3/10/2015	11.22	NM	823.06	811.84
MW-0607-S2	9/8/2015	9.91	46.85	823.06	813.15
MW-0607-S2	3/10/2016	9.77	50.69	823.06	813.29
MW-0607-S2	9/7/2016	12.05	50.89	823.06	811.01
MW-0607-S2	11/16/2016	11.03	NM	823.06	812.03
MW-0607-S2	3/3/2017	8.78	50.73	822.35	813.57
MW-0607-S2	9/6/2017	10.41	50.66	822.35	811.94
MW-0607-S2	3/6/2018	7.69	50.75	822.35	814.66
MW-0607-S2	9/12/2018	8.05	50.65	822.35	814.30
MW-0607-S2	3/4/2019	8.50	50.68	822.35	813.85
MW-0607-S2	9/6/2019	12.14	50.68	822.35	810.21
MW-0607-S2	3/4/2020	7.51	50.76	822.35	814.84
MW-0608-S1	3/23/2006	11.74	30.81	825.97	814.23
MW-0608-S1	3/31/2006	10.97	30.81	825.97	815.00
MW-0608-S1	4/28/2006	11.66	NM	825.97	814.31
MW-0608-S1	12/5/2006	10.73	NM	825.97	815.24
MW-0608-S1	3/8/2007	11.43	30.38	825.97	814.54
MW-0608-S1	1/16/2008	11.94	30.45	825.97	814.03
MW-0608-S1	11/11/2008	14.67	30.20	825.97	811.30
MW-0608-S1	2/17/2009	12.93	NM	825.97	813.04
MW-0608-S1	6/12/2009	12.27	NM	825.97	813.70
MW-0608-S1	4/13/2010	12.13	30.11	825.97	813.84
MW-0608-S1	9/5/2010	14.08	29.96	825.97	811.89
MW-0608-S1	4/20/2011	11.50	29.90	825.97	814.47
MW-0608-S1	9/27/2011	12.38	30.00	825.97	813.59
MW-0608-S1	3/29/2012	12.19	30.02	825.97	813.78
MW-0608-S1	10/9/2012	14.10	29.60	825.97	811.87

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0608-S1	3/12/2013	12.42	29.60	825.97	813.55
MW-0608-S1	9/24/2013	13.35	29.40	825.97	812.62
MW-0608-S1	4/22/2014	12.47	29.26	825.97	813.50
MW-0608-S1	9/3/2014	13.58	28.94	825.97	812.39
MW-0608-S1	3/10/2015	12.70	28.73	825.97	813.27
MW-0608-S1	9/8/2015	12.93	28.58	825.97	813.04
MW-0608-S1	3/10/2016	12.38	28.62	825.97	813.59
MW-0608-S1	9/7/2016	13.04	28.37	825.97	812.93
MW-0608-S1	11/16/2016	13.17	NM	825.97	812.80
MW-0608-S1	3/3/2017	12.14	28.29	825.26	813.12
MW-0608-S1	9/6/2017	12.59	28.23	825.26	812.67
MW-0608-S1	3/6/2018	11.47	28.53	825.26	813.79
MW-0608-S1	9/12/2018	11.34	28.22	825.26	813.92
MW-0608-S1	3/4/2019	11.85	28.19	825.26	813.41
MW-0608-S1	9/6/2019	13.02	28.13	825.26	812.24
MW-0608-S1	3/4/2020	11.76	28.20	825.26	813.50
MW-0608-S2	3/23/2006	9.71	67.75	825.97	816.26
MW-0608-S2	3/31/2006	8.86	67.75	825.97	817.11
MW-0608-S2	4/28/2006	9.76	NM	825.97	816.21
MW-0608-S2	12/5/2006	8.43	NM	825.97	817.54
MW-0608-S2	3/8/2007	9.70	67.76	825.97	816.27
MW-0608-S2	1/16/2008	12.10	68.91	825.97	813.87
MW-0608-S2	11/11/2008	17.84	67.80	825.97	808.13
MW-0608-S2	2/17/2009	14.45	NM	825.97	811.52
MW-0608-S2	6/12/2009	12.68	NM	825.97	813.29
MW-0608-S2	4/13/2010	11.59	67.85	825.97	814.38
MW-0608-S2	9/5/2010	16.55	68.25	825.97	809.42
MW-0608-S2	4/20/2011	12.12	67.70	825.97	813.85
MW-0608-S2	9/27/2011	14.31	67.99	825.97	811.66
MW-0608-S2	3/29/2012	11.90	67.90	825.97	814.07
MW-0608-S2	10/9/2012	17.22	67.75	825.97	808.75
MW-0608-S2	3/21/2013	12.43	67.75	825.97	813.54
MW-0608-S2	9/24/2013	14.96	67.04	825.97	811.01
MW-0608-S2	4/22/2014	13.02	68.94	825.97	812.95
MW-0608-S2	9/3/2014	16.41	67.81	825.97	809.56
MW-0608-S2	3/10/2015	14.10	NM	825.97	811.87
MW-0608-S2	9/8/2015	12.80	68.73	825.97	813.17
MW-0608-S2	3/10/2016	12.48	67.96	825.97	813.49
MW-0608-S2	9/7/2016	15.17	67.91	825.97	810.8
MW-0608-S2	11/16/2016	13.82	NM	825.97	812.15
MW-0608-S2	3/3/2017	11.52	68.01	825.19	813.67
MW-0608-S2	9/6/2017	13.31	67.95	825.19	811.88
MW-0608-S2	3/6/2018	10.63	68.38	825.19	814.56
MW-0608-S2	9/12/2018	10.91	67.90	825.19	814.28
MW-0608-S2	3/4/2019	11.34	67.90	825.19	813.85
MW-0608-S2	9/6/2019	15.10	67.92	825.19	810.09

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0608-S2	3/4/2020	10.26	68.00	825.19	814.93
MW-0609-S1	3/23/2006	9.49	28.45	822.75	813.26
MW-0609-S1	3/31/2006	9.17	28.45	822.75	813.58
MW-0609-S1	4/28/2006	9.47	NM	822.75	813.28
MW-0609-S1	12/5/2006	8.62	NM	822.75	814.13
MW-0609-S1	3/9/2007	9.15	27.05	822.75	813.60
MW-0609-S1	1/16/2008	9.45	27.40	822.75	813.30
MW-0609-S1	11/11/2008	11.81	27.05	822.75	810.94
MW-0609-S1	2/17/2009	10.22	NM	822.75	812.53
MW-0609-S1	6/12/2009	9.73	NM	822.75	813.02
MW-0609-S1	4/13/2010	9.84	26.99	822.75	812.91
MW-0609-S1	9/5/2010	11.35	27.05	822.75	811.40
MW-0609-S1	4/20/2011	9.13	27.00	822.75	813.62
MW-0609-S1	9/27/2011	9.85	27.04	822.75	812.90
MW-0609-S1	3/29/2012	9.76	27.11	822.75	812.99
MW-0609-S1	10/9/2012	11.31	26.80	822.75	811.44
MW-0609-S1	3/12/2013	18.78	26.80	822.75	803.97
MW-0609-S1	9/24/2013	10.64	27.00	822.75	812.11
MW-0609-S1	4/22/2014	10.00	26.93	822.75	812.75
MW-0609-S1	9/3/2014	10.84	26.83	822.75	811.91
MW-0609-S1	9/8/2015	10.32	26.87	822.75	812.43
MW-0609-S1	3/10/2016	9.86	26.77	822.75	812.89
MW-0609-S1	9/7/2016	10.43	26.68	822.75	812.32
MW-0609-S1	11/16/2016	10.83	NM	822.75	811.92
MW-0609-S1	3/3/2017	9.67	26.65	822.00	812.33
MW-0609-S1	9/6/2017	10.15	26.60	822.00	811.85
MW-0609-S1	3/6/2018	NM	NM	822.00	NM
MW-0609-S1	9/12/2018	9.05	25.75	822.00	812.95
MW-0609-S1	3/4/2019	9.50	25.80	822.00	812.50
MW-0609-S1	9/6/2019	10.01	25.82	822.00	811.99
MW-0609-S1	3/4/2020	9.30	25.76	822.00	812.70
MW-0609-S2	12/5/2006	5.68	NM	823.09	817.41
MW-0609-S2	3/8/2007	6.93	61.32	823.09	816.16
MW-0609-S2	1/16/2008	9.24	61.44	823.09	813.85
MW-0609-S2	11/11/2008	14.97	61.30	823.09	808.12
MW-0609-S2	2/17/2009	11.60	NM	823.09	811.49
MW-0609-S2	6/12/2009	9.86	NM	823.09	813.23
MW-0609-S2	4/13/2010	8.77	62.43	823.09	814.32
MW-0609-S2	9/5/2010	13.69	61.45	823.09	809.40
MW-0609-S2	4/20/2011	9.22	61.30	823.09	813.87
MW-0609-S2	9/27/2011	11.52	61.59	823.09	811.57
MW-0609-S2	3/29/2012	9.15	61.52	823.09	813.94
MW-0609-S2	10/9/2012	14.36	26.80	823.09	808.73
MW-0609-S2	3/12/2013	9.62	26.80	823.09	813.47
MW-0609-S2	9/24/2013	12.15	61.54	823.09	810.94
MW-0609-S2	4/22/2014	10.21	61.49	823.09	812.88

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0609-S2	9/3/2014	13.53	61.51	823.09	809.56
MW-0609-S2	3/10/2015	11.23	NM	823.09	811.86
MW-0609-S2	9/8/2015	10.10	62.50	823.09	812.99
MW-0609-S2	3/10/2016	9.65	61.53	823.09	813.44
MW-0609-S2	9/7/2016	12.37	61.43	823.09	810.72
MW-0609-S2	11/16/2016	10.96	NM	823.09	812.13
MW-0609-S2	3/3/2017	8.73	61.53	822.46	813.73
MW-0609-S2	9/6/2017	10.50	61.52	822.46	811.96
MW-0609-S2	3/6/2018	7.72	61.63	822.46	814.74
MW-0609-S2	9/12/2018	6.11	61.45	822.46	816.35
MW-0609-S2	3/4/2019	8.48	61.43	822.46	813.98
MW-0609-S2	9/6/2019	12.24	61.50	822.46	810.22
MW-0609-S2	3/4/2020	7.45	61.54	822.46	815.01
MW-0610-S1	12/5/2006	8.87	NM	822.55	813.68
MW-0610-S1	3/8/2007	9.42	31.55	822.55	813.13
MW-0610-S1	1/16/2008	9.97	31.59	822.55	812.58
MW-0610-S1	11/11/2008	11.85	31.46	822.55	810.70
MW-0610-S1	2/17/2009	10.39	NM	822.55	812.16
MW-0610-S1	6/12/2009	10.07	NM	822.55	812.48
MW-0610-S1	4/13/2010	10.28	31.49	822.55	812.27
MW-0610-S1	9/5/2010	11.55	31.65	822.55	811.00
MW-0610-S1	4/20/2011	9.55	31.42	822.55	813.00
MW-0610-S1	9/27/2011	11.18	31.68	822.55	811.37
MW-0610-S1	3/29/2012	10.13	31.64	822.55	812.42
MW-0610-S1	10/9/2012	11.39	31.44	822.55	811.16
MW-0610-S1	3/12/2013	10.16	31.44	822.55	812.39
MW-0610-S1	9/24/2013	10.85	31.63	822.55	811.70
MW-0610-S1	4/22/2014	9.45	31.65	822.55	813.10
MW-0610-S1	9/3/2014	11.06	31.59	822.55	811.49
MW-0610-S1	3/10/2015	10.41	31.64	822.55	812.14
MW-0610-S1	9/8/2015	10.59	31.67	822.55	811.96
MW-0610-S1	3/10/2016	10.11	31.65	822.55	812.44
MW-0610-S1	9/7/2016	10.78	31.66	822.55	811.77
MW-0610-S1	11/16/2016	11.07	NM	822.55	811.48
MW-0610-S1	3/3/2017	9.89	31.67	821.78	811.89
MW-0610-S1	9/6/2017	10.28	31.61	821.78	811.50
MW-0610-S1	3/6/2018	9.60	31.86	821.78	812.18
MW-0610-S1	9/12/2018	9.28	31.65	821.78	812.50
MW-0610-S1	3/4/2019	9.65	31.60	821.78	812.13
MW-0610-S1	9/6/2019	10.73	31.62	821.78	811.05
MW-0610-S1	3/4/2020	9.60	31.69	821.78	812.18
MW-0611-S1	12/5/2006	4.97	NM	821.77	816.80
MW-0611-S1	3/8/2007	7.45	17.60	821.77	814.32
MW-0611-S1	1/16/2008	8.06	17.70	821.77	813.71
MW-0611-S1	2/17/2009	11.15	NM	821.77	810.62
MW-0611-S1	6/12/2009	10.00	NM	821.77	811.77

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0611-S1	4/13/2010	8.85	17.60	821.77	812.92
MW-0611-S1	9/5/2010	12.67	17.65	821.77	809.10
MW-0611-S1	10/9/2012	Well covered with debris.			
MW-0611-S1	11/16/2016	10.72	NM	821.77	816.80
MW-0611-S1	3/3/2017	8.65	17.76	818.04	809.39
MW-0611-S1	9/6/2017	Well covered with debris.			
MW-0611-S1	3/6/2018	7.31	17.82	818.04	810.73
MW-0611-S1	9/12/2018	6.05	17.60	818.04	811.99
MW-0611-S1	9/6/2019	9.69	17.40	818.04	808.35
MW-0611-S1R	3/4/2020	7.90	17.65	820.91	813.01
MW-0612-S1	12/5/2006	9.13	NM	823.85	814.72
MW-0612-S1	3/8/2007	8.90	27.12	823.85	814.95
MW-0612-S1	1/16/2008	9.50	27.25	823.85	814.35
MW-0612-S1	11/11/2008	12.44	27.15	823.85	811.41
MW-0612-S1	2/17/2009	10.59	NM	823.85	813.26
MW-0612-S1	6/12/2009	9.71	NM	823.85	814.14
MW-0612-S1	3/29/2012	9.79	27.30	823.85	814.06
MW-0612-S1	10/9/2012	11.84	27.10	823.85	812.01
MW-0612-S1	3/12/2013	10.10	27.10	823.85	813.75
MW-0612-S1	9/24/2013	10.49	27.32	823.85	813.36
MW-0612-S1	4/22/2014	10.03	27.30	823.85	813.82
MW-0612-S1	9/3/2014	11.29	27.31	823.85	812.56
MW-0612-S1	3/10/2015	10.30	27.30	823.85	813.55
MW-0612-S1	9/8/2015	10.52	27.33	823.85	813.33
MW-0612-S1	3/10/2016	9.95	27.33	823.85	813.9
MW-0612-S1	9/7/2016	10.66	27.33	823.85	813.19
MW-0612-S1	11/16/2016	10.98	NM	823.85	812.87
MW-0612-S1	3/3/2017	9.70	27.34	823.14	813.44
MW-0612-S1	9/6/2017	10.12	27.30	823.14	813.02
MW-0612-S1	3/6/2018	8.93	27.39	823.14	814.21
MW-0612-S1	9/12/2018	8.84	27.30	823.14	814.30
MW-0612-S1	3/4/2019	9.38	27.29	823.14	813.76
MW-0612-S1	9/6/2019	10.65	27.30	823.14	812.49
MW-0612-S1	3/4/2020	9.29	27.38	823.14	813.85
MW-0612-S2	12/5/2006	6.34	NM	823.84	817.50
MW-0612-S2	3/8/2007	7.59	54.94	823.84	816.25
MW-0612-S2	1/16/2008	10.00	55.10	823.84	813.84
MW-0612-S2	11/11/2008	15.74	55.00	823.84	808.10
MW-0612-S2	2/17/2009	12.34	NM	823.84	811.50
MW-0612-S2	6/12/2009	10.57	NM	823.84	813.27
MW-0612-S2	3/29/2012	9.78	55.14	823.84	814.06
MW-0612-S2	10/9/2012	15.14	54.90	823.84	808.70
MW-0612-S2	3/12/2013	10.35	54.90	823.84	813.49
MW-0612-S2	9/24/2013	12.57	55.15	823.84	811.27
MW-0612-S2	4/22/2014	10.91	55.11	823.84	812.93
MW-0612-S2	9/3/2014	14.28	55.07	823.84	809.56

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0612-S2	3/10/2015	11.96	NM	823.84	811.88
MW-0612-S2	9/8/2015	10.60	54.65	823.84	813.24
MW-0612-S2	3/10/2016	10.38	55.98	823.84	813.46
MW-0612-S2	9/7/2016	12.87	55.14	823.84	810.97
MW-0612-S2	11/16/2016	11.71	NM	823.84	812.13
MW-0612-S2	3/3/2017	9.43	55.18	823.14	813.71
MW-0612-S2	9/6/2017	11.23	55.11	823.14	811.91
MW-0612-S2	3/6/2018	8.43	55.62	823.14	814.71
MW-0612-S2	9/12/2018	8.78	55.11	823.14	814.36
MW-0612-S2	3/4/2019	9.17	55.11	823.14	813.97
MW-0612-S2	9/6/2019	12.98	55.11	823.14	810.16
MW-0612-S2	3/4/2020	8.11	55.20	823.14	815.03
MW-0613-S1	12/5/2006	5.87	NM	822.03	816.16
MW-0613-S1	3/8/2007	6.72	25.36	822.03	815.31
MW-0613-S1	1/16/2008	7.40	25.50	822.03	814.63
MW-0613-S1	11/11/2008	10.57	25.39	822.03	811.46
MW-0613-S1	2/17/2009	8.53	NM	822.03	813.50
MW-0613-S1	6/12/2009	7.61	NM	822.03	814.42
MW-0613-S1	4/13/2010	7.40	25.40	822.03	814.63
MW-0613-S1	9/5/2010	9.85	25.40	822.03	812.18
MW-0613-S1	4/20/2011	6.79	25.58	822.03	815.24
MW-0613-S1	9/27/2011	7.84	25.58	822.03	814.19
MW-0613-S1	3/29/2012	7.53	25.34	822.03	814.50
MW-0613-S1	10/9/2012	9.96	25.37	822.03	812.07
MW-0613-S1	3/12/2013	8.01	25.37	822.03	814.02
MW-0613-S1	9/24/2013	9.03	25.55	822.03	813.00
MW-0613-S1	4/22/2014	7.97	25.55	822.03	814.06
MW-0613-S1	9/3/2014	9.34	25.55	822.03	812.69
MW-0613-S1	3/10/2015	8.32	24.81	822.03	813.71
MW-0613-S1	9/8/2015	8.49	25.61	822.03	813.54
MW-0613-S1	3/10/2016	7.86	25.78	822.03	814.17
MW-0613-S1	9/7/2016	8.67	25.58	822.03	813.36
MW-0613-S1	11/16/2016	8.76	NM	822.03	813.27
MW-0613-S1	3/3/2017	7.61	25.60	821.47	813.86
MW-0613-S1	9/6/2017	8.02	25.59	821.47	813.45
MW-0613-S1	3/6/2018	8.76	25.77	821.47	812.71
MW-0613-S1	9/12/2018	6.66	25.55	821.47	814.81
MW-0613-S1	3/4/2019	7.30	25.54	821.47	814.17
MW-0613-S1	9/6/2019	8.75	25.60	821.47	812.72
MW-0613-S1	3/4/2020	7.20	25.66	821.47	814.27
MW-0614-S2	12/5/2006	9.05	NM	826.81	817.76
MW-0614-S2	3/8/2007	10.33	57.68	826.81	816.48
MW-0614-S2	1/16/2008	13.00	57.80	826.81	813.81
MW-0614-S2	11/11/2008	18.81	57.55	826.81	808.00
MW-0614-S2	2/17/2009	15.45	NM	826.81	811.36
MW-0614-S2	6/12/2009	13.58	NM	826.81	813.23

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0614-S2	4/13/2010	12.58	57.80	826.81	814.23
MW-0614-S2	9/5/2010	17.57	58.05	826.81	809.24
MW-0614-S2	4/20/2011	12.97	57.65	826.81	813.84
MW-0614-S2	9/27/2011	15.21	57.90	826.81	811.60
MW-0614-S2	3/29/2012	12.84	57.85	826.81	813.97
MW-0614-S2	10/9/2012	18.27	57.70	826.81	808.54
MW-0614-S2	3/12/2013	13.25	57.70	826.81	813.56
MW-0614-S2	9/24/2013	15.91	57.91	826.81	810.90
MW-0614-S2	4/22/2014	13.78	57.87	826.81	813.03
MW-0614-S2	9/3/2014	16.43	57.85	826.81	810.38
MW-0614-S2	3/10/2015	15.13	NM	826.81	811.68
MW-0614-S2	9/8/2015	13.36	57.95	826.81	813.45
MW-0614-S2	3/10/2016	13.41	57.88	826.81	813.4
MW-0614-S2	9/7/2016	15.91	57.49	826.81	810.9
MW-0614-S2	11/16/2016	14.86	NM	826.81	811.95
MW-0614-S2	3/3/2017	12.22	57.93	826.22	814.00
MW-0614-S2	9/6/2017	14.30	57.84	826.22	811.92
MW-0614-S2	3/6/2018	11.38	58.44	826.22	814.84
MW-0614-S2	9/12/2018	11.71	57.82	826.22	814.51
MW-0614-S2	3/4/2019	12.20	57.85	826.22	814.02
MW-0614-S2	9/6/2019	16.18	57.90	826.22	810.04
MW-0614-S2	3/4/2020	11.00	57.91	826.22	815.22
MW-0616-S1	12/5/2006	6.58	NM	822.06	815.48
MW-0616-S1	3/8/2007	7.11	24.36	822.06	814.95
MW-0616-S1	1/16/2008	7.47	24.50	822.06	814.59
MW-0616-S1	11/11/2008	9.84	24.25	822.06	812.22
MW-0616-S1	2/17/2009	8.31	NM	822.06	813.75
MW-0616-S1	6/12/2009	7.53	NM	822.06	814.53
MW-0616-S1	4/13/2010	7.49	24.30	822.06	814.57
MW-0616-S1	9/5/2010	9.28	24.25	822.06	812.78
MW-0616-S1	4/20/2011	6.39	24.22	822.06	815.67
MW-0616-S1	9/27/2011	7.53	24.40	822.06	814.53
MW-0616-S1	3/29/2012	7.68	24.53	822.06	814.38
MW-0616-S1	10/9/2012	9.32	24.19	822.06	812.74
MW-0616-S1	3/12/2013	8.09	24.19	822.06	813.97
MW-0616-S1	9/24/2013	8.59	24.24	822.06	813.47
MW-0616-S1	4/22/2014	7.83	24.24	822.06	814.23
MW-0616-S1	9/3/2014	8.70	24.21	822.06	813.36
MW-0616-S1	3/10/2015	7.97	22.50	822.06	814.09
MW-0616-S1	9/8/2015	8.29	24.21	822.06	813.77
MW-0616-S1	3/10/2016	7.79	24.17	822.06	814.27
MW-0616-S1	9/7/2016	14.49	24.19	822.06	807.57
MW-0616-S1	11/16/2016	8.87	NM	822.06	813.19
MW-0616-S1	3/3/2017	7.73	24.02	821.29	813.56
MW-0616-S1	9/6/2017	7.84	24.00	821.29	813.45
MW-0616-S1	3/6/2018	7.12	24.24	821.29	814.17

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0616-S1	9/12/2018	6.94	24.09	821.29	814.35
MW-0616-S1	3/4/2019	7.43	24.05	821.29	813.86
MW-0616-S1	9/6/2019	8.75	24.02	821.29	812.54
MW-0616-S1	3/4/2020	7.51	24.10	821.29	813.78
MW-0617-S1	3/8/2007	11.18	29.36	826.47	815.29
MW-0617-S1	1/16/2008	11.90	29.50	826.47	814.57
MW-0617-S1	11/11/2008	14.87	29.40	826.47	811.60
MW-0617-S1	2/17/2009	13.07	NM	826.47	813.40
MW-0617-S1	6/12/2009	12.03	NM	826.47	814.44
MW-0617-S1	10/9/2012	14.27	29.41	826.47	812.20
MW-0617-S1	3/12/2013	12.64	29.41	826.47	813.83
MW-0617-S1	9/24/2013	13.38	29.50	826.47	813.09
MW-0617-S1	4/22/2014	12.32	29.47	826.47	814.15
MW-0617-S1	9/3/2014	13.63	29.51	826.47	812.84
MW-0617-S1	3/10/2015	12.72	29.49	826.47	813.75
MW-0617-S1	9/8/2015	12.89	29.30	826.47	813.58
MW-0617-S1	3/10/2016	12.37	29.58	826.47	814.1
MW-0617-S1	9/7/2016	13.05	29.57	826.47	813.42
MW-0617-S1	11/16/2016	13.32	NM	826.47	813.15
MW-0617-S1	3/3/2017	12.04	28.25	826.10	814.06
MW-0617-S1	9/6/2017	12.47	29.50	826.1	813.63
MW-0617-S1	3/6/2018	10.21	29.49	826.1	815.89
MW-0617-S1	9/12/2018	11.08	29.45	826.1	815.02
MW-0617-S1	3/4/2019	11.72	29.49	826.1	814.38
MW-0617-S1	9/6/2019	13.05	29.50	826.1	813.05
MW-0617-S1	3/4/2020	11.72	29.43	826.1	814.38
MW-0617-S2	3/8/2007	10.21	63.37	826.66	816.45
MW-0617-S2	1/16/2008	12.80	63.15	826.66	813.86
MW-0617-S2	11/11/2008	18.68	63.20	826.66	807.98
MW-0617-S2	2/17/2009	15.33	NM	826.66	811.33
MW-0617-S2	6/12/2009	13.44	NM	826.66	813.22
MW-0617-S2	6/12/2009	13.44	NM	826.66	813.22
MW-0617-S2	3/10/2016	13.02	NM	826.66	813.64
MW-0617-S2	9/7/2016	15.01	63.22	826.66	811.65
MW-0617-S2	11/16/2016	14.57	63.45	826.66	812.09
MW-0617-S2	3/3/2017	12.22	62.98	826.02	813.80
MW-0617-S2	9/6/2017	14.18	63.27	826.02	811.84
MW-0617-S2	3/6/2018	11.26	62.83	826.02	814.76
MW-0617-S2	9/12/2018	Unable to locate.			
MW-0617-S2	3/4/2019	12.00	62.75	826.02	814.02
MW-0617-S2	9/6/2019	15.85	62.90	826.02	810.17
MW-0617-S2	3/4/2020	10.83	62.80	826.02	815.19
MW-0618-S1	12/5/2006	8.13	NM	824.84	816.71
MW-0618-S1	3/8/2007	9.08	27.00	824.84	815.76
MW-0618-S1	1/16/2008	9.72	27.12	824.84	815.12
MW-0618-S1	11/11/2008	13.07	27.05	824.84	811.77

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0618-S1	2/17/2009	11.09	NM	824.84	813.75
MW-0618-S1	6/12/2009	9.94	NM	824.84	814.90
MW-0618-S1	4/13/2010	9.73	27.31	824.84	815.11
MW-0618-S1	9/5/2010	12.32	27.05	824.84	812.52
MW-0618-S1	4/20/2011	9.13	26.99	824.84	815.71
MW-0618-S1	9/27/2011	10.28	27.20	824.84	814.56
MW-0618-S1	3/29/2012	10.06	27.19	824.84	814.78
MW-0618-S1	10/9/2012	12.43	26.99	824.84	812.41
MW-0618-S1	3/12/2013	10.51	26.99	824.84	814.33
MW-0618-S1	9/24/2013	11.48	27.18	824.84	813.36
MW-0618-S1	4/22/2014	10.28	27.17	824.84	814.56
MW-0618-S1	9/3/2014	11.78	27.18	824.84	813.06
MW-0618-S1	3/10/2015	10.68	NM	824.84	814.16
MW-0618-S1	9/8/2015	10.93	27.19	824.84	813.91
MW-0618-S1	3/10/2016	10.25	27.18	824.84	814.59
MW-0618-S1	9/7/2016	11.09	27.17	824.84	813.75
MW-0618-S1	11/16/2016	16.59	NM	824.84	808.25
MW-0618-S1	3/3/2017	10.01	27.21	824.22	814.21
MW-0618-S1	9/6/2017	10.43	27.20	824.22	813.79
MW-0618-S1	3/6/2018	9.10	27.24	824.22	815.12
MW-0618-S1	9/12/2018	8.86	27.20	824.22	815.36
MW-0618-S1	3/4/2019	9.62	27.15	824.22	814.60
MW-0618-S1	9/6/2019	Well access blocked via dumpster.			
MW-0618-S1	3/4/2020	9.65	27.22	824.22	814.57
MW-0619-S1	12/5/2006	10.13	NM	827.46	817.33
MW-0619-S1	3/8/2007	11.12	26.07	827.46	816.34
MW-0619-S1	1/16/2008	11.88	26.20	827.46	815.58
MW-0619-S1	11/11/2008	15.29	26.10	827.46	812.17
MW-0619-S1	2/17/2009	13.51	NM	827.46	813.95
MW-0619-S1	6/12/2009	12.03	NM	827.46	815.43
MW-0619-S1	10/9/2012	14.69	26.07	827.46	812.77
MW-0619-S1	3/12/2013	12.85	26.07	827.46	814.61
MW-0619-S1	9/24/2013	13.65	26.25	827.46	813.81
MW-0619-S1	4/22/2014	12.34	26.24	827.46	815.12
MW-0619-S1	9/3/2014	14.02	26.26	827.46	813.44
MW-0619-S1	3/10/2015	12.93	26.24	827.46	814.53
MW-0619-S1	9/8/2015	13.05	26.26	827.46	814.41
MW-0619-S1	3/10/2016	12.55	26.33	827.46	814.91
MW-0619-S1	9/7/2016	13.33	26.21	827.46	814.13
MW-0619-S1	11/16/2016	13.61	NM	827.46	813.85
MW-0619-S1	3/3/2017	12.07	26.02	826.12	814.05
MW-0619-S1	9/6/2017	12.57	26.26	826.12	813.55
MW-0619-S1	3/6/2018	11.07	26.22	826.12	815.05
MW-0619-S1	9/12/2018	11.00	26.20	826.12	815.12
MW-0619-S1	3/4/2019	11.68	26.23	826.12	814.44
MW-0619-S1	9/6/2019	13.25	26.20	826.12	812.87

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0619-S1	3/4/2020	11.88	26.20	826.12	814.24
MW-0620-S1	12/5/2006	9.94	NM	827.39	817.45
MW-0620-S1	3/8/2007	10.97	18.36	827.39	816.42
MW-0620-S1	1/16/2008	11.78	18.46	827.39	815.61
MW-0620-S1	11/11/2008	15.15	18.45	827.39	812.24
MW-0620-S1	2/17/2009	13.41	NM	827.39	813.98
MW-0620-S1	6/12/2009	11.89	NM	827.39	815.50
MW-0620-S1	4/13/2010	11.60	18.39	827.39	815.79
MW-0620-S1	9/5/2010	13.85	18.40	827.39	813.54
MW-0620-S1	4/20/2011	11.07	18.34	827.39	816.32
MW-0620-S1	9/27/2011	12.19	18.55	827.39	815.20
MW-0620-S1	3/29/2012	11.95	18.50	827.39	815.44
MW-0620-S1	10/9/2012	14.60	19.38	827.39	812.79
MW-0620-S1	3/12/2013	12.82	19.38	827.39	814.57
MW-0620-S1	9/24/2013	13.55	18.54	827.39	813.84
MW-0620-S1	4/22/2014	12.19	18.52	827.39	815.20
MW-0620-S1	9/3/2014	13.15	18.52	827.39	814.24
MW-0620-S1	3/10/2015	13.17	18.53	827.39	814.22
MW-0620-S1	9/8/2015	12.97	18.32	827.39	814.42
MW-0620-S1	3/10/2016	12.31	18.62	827.39	815.08
MW-0620-S1	9/7/2016	13.23	18.55	827.39	814.16
MW-0620-S1	11/16/2016	13.49	NM	827.39	813.9
MW-0620-S1	3/3/2017	11.88	18.30	826.86	814.98
MW-0620-S1	9/6/2017	12.47	18.83	826.86	814.39
MW-0620-S1	3/6/2018	9.94	18.54	826.86	816.92
MW-0620-S1	9/12/2018	10.40	18.50	826.86	816.46
MW-0620-S1	3/4/2019	11.51	18.54	826.86	815.35
MW-0620-S1	9/6/2019	13.13	18.50	826.86	813.73
MW-0620-S1	3/4/2020	11.11	18.47	826.86	815.75
MW-0621-S1	12/5/2006	9.53	NM	826.72	817.19
MW-0621-S1	3/8/2007	10.49	24.55	826.72	816.23
MW-0621-S1	1/16/2008	11.19	24.66	826.72	815.53
MW-0621-S1	11/11/2008	14.62	24.58	826.72	812.10
MW-0621-S1	2/17/2009	12.84	NM	826.72	813.88
MW-0621-S1	6/12/2009	11.39	NM	826.72	815.33
MW-0621-S1	4/13/2010	11.15	24.63	826.72	815.57
MW-0621-S1	9/5/2010	13.86	24.62	826.72	812.86
MW-0621-S1	4/20/2011	10.68	24.54	826.72	816.04
MW-0621-S1	9/27/2011	11.81	24.78	826.72	814.91
MW-0621-S1	3/29/2012	11.47	24.71	826.72	815.25
MW-0621-S1	10/9/2012	14.05	24.61	826.72	812.67
MW-0621-S1	3/12/2013	12.19	24.61	826.72	814.53
MW-0621-S1	9/24/2013	13.00	24.73	826.72	813.72
MW-0621-S1	4/22/2014	11.71	24.72	826.72	815.01
MW-0621-S1	9/3/2014	13.31	24.74	826.72	813.41
MW-0621-S1	3/10/2015	12.28	24.73	826.72	814.44

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0621-S1	9/8/2015	12.38	24.53	826.72	814.34
MW-0621-S1	3/10/2016	11.90	24.85	826.72	814.82
MW-0621-S1	9/7/2016	12.76	24.76	826.72	813.96
MW-0621-S1	11/16/2016	12.92	NM	826.72	813.80
MW-0621-S1	3/3/2017	11.47	24.57	826.14	814.67
MW-0621-S1	9/6/2017	11.91	24.75	826.14	814.23
MW-0621-S1	3/6/2018	10.42	24.78	826.14	815.72
MW-0621-S1	9/12/2018	10.40	24.73	826.14	815.74
MW-0621-S1	3/4/2019	11.05	24.73	826.14	815.09
MW-0621-S1	9/6/2019	12.63	24.75	826.14	813.51
MW-0621-S1	3/4/2020	11.23	24.70	826.14	814.91
MW-0622-S1	12/5/2006	11.03	NM	828.57	817.54
MW-0622-S1	3/8/2007	12.07	23.78	828.57	816.50
MW-0622-S1	1/16/2008	12.90	23.85	828.57	815.67
MW-0622-S1	11/11/2008	16.27	23.82	828.57	812.30
MW-0622-S1	2/17/2009	14.59	NM	828.57	813.98
MW-0622-S1	6/12/2009	12.98	NM	828.57	815.59
MW-0622-S1	10/9/2012	15.71	23.75	828.57	812.86
MW-0622-S1	3/12/2013	13.89	23.75	828.57	814.68
MW-0622-S1	9/24/2013	14.66	23.92	828.57	813.91
MW-0622-S1	4/22/2014	13.24	23.94	828.57	815.33
MW-0622-S1	9/3/2014	15.02	23.89	828.57	813.55
MW-0622-S1	3/10/2015	13.95	23.98	828.57	814.62
MW-0622-S1	9/8/2015	14.02	23.96	828.57	814.55
MW-0622-S1	3/10/2016	13.55	24.02	828.57	815.02
MW-0622-S1	9/7/2016	14.28	23.91	828.57	814.29
MW-0622-S1	11/16/2016	14.60	NM	828.57	813.97
MW-0622-S1	3/3/2017	13.09	23.68	828.10	815.01
MW-0622-S1	9/6/2017	13.52	23.90	828.1	814.58
MW-0622-S1	3/6/2018	12.00	23.78	828.1	816.10
MW-0622-S1	9/12/2018	11.92	23.75	828.1	816.18
MW-0622-S1	3/4/2019	12.60	23.84	828.1	815.50
MW-0622-S1	9/6/2019	14.20	23.90	828.1	813.90
MW-0622-S1	3/4/2020	12.91	23.66	828.1	815.19
MW-0622-S2	12/5/2006	10.54	NM	828.66	818.12
MW-0622-S2	3/8/2007	11.81	65.94	828.66	816.85
MW-0622-S2	1/16/2008	14.01	66.05	828.66	814.65
MW-0622-S2	11/11/2008	20.76	65.95	828.66	807.90
MW-0622-S2	2/17/2009	17.31	NM	828.66	811.35
MW-0622-S2	6/12/2009	15.32	NM	828.66	813.34
MW-0622-S2	4/13/2010	14.28	66.00	828.66	814.38
MW-0622-S2	9/5/2010	19.50	66.05	828.66	809.16
MW-0622-S2	4/20/2011	14.82	65.89	828.66	813.84
MW-0622-S2	9/27/2011	17.13	66.15	828.66	811.53
MW-0622-S2	3/29/2012	14.40	66.09	828.66	814.26
MW-0622-S2	10/9/2012	20.24	65.95	828.66	808.42

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0622-S2	3/12/2013	15.10	65.95	828.66	813.56
MW-0622-S2	9/24/2013	17.70	66.10	828.66	810.96
MW-0622-S2	4/22/2014	15.61	67.07	828.66	813.05
MW-0622-S2	9/3/2014	19.32	66.98	828.66	809.34
MW-0622-S2	3/10/2015	16.82	NM	828.66	811.84
MW-0622-S2	9/8/2015	15.13	66.50	828.66	813.53
MW-0622-S2	3/10/2016	15.21	NM	828.66	813.45
MW-0622-S2	9/7/2016	17.95	66.12	828.66	810.71
MW-0622-S2	11/16/2016	16.40	NM	828.66	812.26
MW-0622-S2	3/3/2017	13.89	65.92	827.98	814.09
MW-0622-S2	9/6/2017	16.08	66.13	827.98	811.90
MW-0622-S2	3/6/2018	12.92	66.13	827.98	815.06
MW-0622-S2	9/12/2018	13.40	66.00	827.98	814.58
MW-0622-S2	3/4/2019	13.78	66.11	827.98	814.20
MW-0622-S2	9/6/2019	17.91	66.12	827.98	810.07
MW-0622-S2	3/4/2020	12.50	66.15	827.98	815.48
MW-0623-S1	3/8/2007	12.37	25.04	829.09	816.72
MW-0623-S1	1/16/2008	13.17	25.17	829.09	815.92
MW-0623-S1	11/11/2008	16.58	25.18	829.09	812.51
MW-0623-S1	2/17/2009	14.96	NM	829.09	814.13
MW-0623-S1	6/12/2009	13.37	NM	829.09	815.72
MW-0623-S1	4/13/2010	13.00	25.10	829.09	816.09
MW-0623-S1	9/5/2010	15.79	25.10	829.09	813.30
MW-0623-S1	4/20/2011	12.62	25.00	829.09	816.47
MW-0623-S1	9/27/2011	13.80	25.26	829.09	815.29
MW-0623-S1	3/29/2012	13.32	25.20	829.09	815.77
MW-0623-S1	10/9/2012	16.04	25.05	829.09	813.05
MW-0623-S1	3/12/2013	14.23	25.05	829.09	814.86
MW-0623-S1	9/24/2013	14.94	25.22	829.09	814.15
MW-0623-S1	4/22/2014	13.53	25.21	829.09	815.56
MW-0623-S1	9/3/2014	15.31	25.23	829.09	813.78
MW-0623-S1	3/10/2015	14.27	25.25	829.09	814.82
MW-0623-S1	9/8/2015	14.83	23.43	829.09	814.26
MW-0623-S1	3/10/2016	14.86	25.34	829.09	814.23
MW-0623-S1	9/7/2016	14.58	25.26	829.09	814.51
MW-0623-S1	11/16/2016	14.93	NM	829.09	814.16
MW-0623-S1	3/3/2017	13.37	25.00	828.47	815.10
MW-0623-S1	9/6/2017	13.88	25.25	828.47	814.59
MW-0623-S1	3/6/2018	12.28	25.25	828.47	816.19
MW-0623-S1	9/12/2018	12.22	25.25	828.47	816.25
MW-0623-S1	3/4/2019	12.92	25.25	828.47	815.55
MW-0623-S1	9/6/2019	14.50	25.18	828.47	813.97
MW-0623-S1	3/4/2020	13.30	25.30	828.47	815.17
MW-0704-S1	1/16/2008	9.84	29.31	825.38	815.54
MW-0704-S1	11/11/2008	13.15	29.20	825.38	812.22
MW-0704-S1	2/17/2009	11.27	NM	825.38	814.11

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-0704-S1	6/12/2009	10.04	NM	825.38	815.34
MW-0704-S1	4/13/2010	9.83	29.23	825.38	815.55
MW-0704-S1	9/5/2010	12.38	29.20	825.38	813.00
MW-0704-S1	4/20/2011	9.26	29.17	825.38	816.12
MW-0704-S1	9/27/2011	10.39	29.39	825.38	814.99
MW-0704-S1	3/29/2012	10.14	29.35	825.38	815.24
MW-0704-S1	10/9/2012	12.52	29.16	825.38	812.86
MW-0704-S1	3/12/2013	10.67	29.16	825.38	814.71
MW-0704-S1	9/24/2013	11.55	29.36	825.38	813.83
MW-0704-S1	4/22/2014	10.38	29.36	825.38	815.00
MW-0704-S1	9/3/2014	11.86	29.33	825.38	813.51
MW-0704-S1	3/10/2015	10.80	29.28	825.38	814.58
MW-0704-S1	9/8/2015	11.01	29.39	825.38	814.37
MW-0704-S1	3/10/2016	10.41	29.38	825.38	814.97
MW-0704-S1	9/7/2016	11.20	29.37	825.38	814.18
MW-0704-S1	11/16/2016	11.66	NM	825.38	813.72
MW-0704-S1	3/3/2017	10.09	29.38	824.44	814.35
MW-0704-S1	9/6/2017	10.54	29.34	824.44	813.90
MW-0704-S1	3/6/2018	9.14	29.58	824.44	815.30
MW-0704-S1	9/12/2018	9.05	29.30	824.44	815.39
MW-0704-S1	3/4/2019	9.71	29.32	824.44	814.73
MW-0704-S1	9/6/2019	11.22	29.35	824.44	813.22
MW-0704-S1	3/4/2020	9.27	29.42	824.44	815.17
MW-0705-S1	1/16/2008	11.20	25.78	826.16	814.96
MW-0705-S1	11/11/2008	13.71	25.68	826.16	812.45
MW-0705-S1	2/17/2009	11.86	NM	826.16	814.30
MW-0705-S1	6/12/2009	10.79	NM	826.16	815.37
MW-0705-S1	10/9/2012	13.10	25.65	826.16	813.06
MW-0705-S1	3/12/2013	11.31	25.65	826.16	814.85
MW-0705-S1	9/24/2013	12.20	25.85	826.16	813.96
MW-0705-S1	4/22/2014	11.09	25.82	826.16	815.07
MW-0705-S1	9/3/2014	12.50	25.82	826.16	813.66
MW-0705-S1	3/10/2015	11.91	25.80	826.16	814.25
MW-0705-S1	9/8/2015	11.67	25.87	826.16	814.49
MW-0705-S1	3/10/2016	11.08	25.85	826.16	815.08
MW-0705-S1	9/7/2016	11.83	25.83	826.16	814.33
MW-0705-S1	11/16/2016	12.09	NM	826.16	814.07
MW-0705-S1	3/3/2017	10.86	25.88	824.79	813.93
MW-0705-S1	9/6/2017	11.23	25.80	824.79	813.56
MW-0705-S1	3/6/2018	9.93	26.13	824.79	814.86
MW-0705-S1	9/12/2018	9.81	25.81	824.79	814.98
MW-0705-S2	9/13/2018	9.81	25.81	824.79	814.98
MW-0705-S1	3/4/2019	10.45	25.80	824.79	814.34
MW-0705-S1	9/6/2019	11.94	25.80	824.79	812.85
MW-0705-S1	3/4/2020	10.44	25.85	824.79	814.35
MW-1501-S1	3/10/2016	11.67	19.04	828.32	816.65

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-1501-S1	9/7/2016	12.41	18.93	828.32	815.91
MW-1501-S1	11/16/2016	13.33	NM	828.32	814.99
MW-1501-S1	3/3/2017	11.50	18.70	827.45	815.95
MW-1501-S1	9/6/2017	18.95	11.95	827.45	808.50
MW-1501-S1	3/6/2018	9.74	18.97	827.45	817.71
MW-1501-S1	9/12/2018	9.90	18.94	827.45	817.55
MW-1501-S1	3/4/2019	10.89	18.96	827.45	816.56
MW-1501-S1	9/6/2019	12.63	18.98	827.45	814.82
MW-1501-S1	3/4/2020	11.03	19.00	827.45	816.42
MW-1502-S1	3/10/2016	12.79	28.07	828.45	815.66
MW-1502-S1	9/7/2016	13.53	27.97	828.45	814.92
MW-1502-S1	11/16/2016	13.88	NM	828.45	814.57
MW-1502-S1	3/3/2017	12.35	27.72	827.27	814.92
MW-1502-S1	9/6/2017	12.80	27.95	827.27	814.47
MW-1502-S1	3/6/2018	11.28	28.00	827.27	815.99
MW-1502-S1	9/12/2018	11.20	27.95	827.27	816.07
MW-1502-S1	3/4/2019	11.91	27.95	827.27	815.36
MW-1502-S1	9/6/2019	13.52	28.00	827.27	813.75
MW-1502-S1	3/4/2020	12.20	28.02	827.27	815.07
MW-1503-S1	3/10/2016	12.98	28.68	828.24	815.26
MW-1503-S1	9/7/2016	13.73	28.48	828.24	814.51
MW-1503-S1	11/16/2016	14.08	NM	828.24	814.16
MW-1503-S1	3/3/2017	12.53	28.28	827.45	814.92
MW-1503-S1	9/6/2017	13.03	28.50	827.45	814.42
MW-1503-S1	3/6/2018	11.47	28.50	827.45	815.98
MW-1503-S1	9/12/2018	11.38	28.50	827.45	816.07
MW-1503-S1	3/4/2019	12.11	28.50	827.45	815.34
MW-1503-S1	9/6/2019	13.70	28.50	827.45	813.75
MW-1503-S1	3/4/2020	12.40	28.52	827.45	815.05
MW-1504-S1	3/10/2016	12.98	27.62	828.24	815.26
MW-1504-S1	9/7/2016	13.73	27.43	828.24	814.51
MW-1504-S1	11/16/2016	14.08	NM	828.24	814.16
MW-1504-S1	3/3/2017	12.53	27.38	827.53	815.00
MW-1504-S1	9/6/2017	13.03	27.43	827.53	814.50
MW-1504-S1	3/6/2018	13.43	27.42	827.53	814.10
MW-1504-S1	9/12/2018	11.38	27.47	827.53	816.15
MW-1504-S1	3/4/2019	12.10	27.42	827.53	815.43
MW-1504-S1	9/6/2019	13.40	27.50	827.53	814.13
MW-1504-S1	3/4/2020	12.40	27.54	827.53	815.13
MW-1505-S1	3/10/2016	13.02	32.17	828.19	815.17
MW-1505-S1	9/7/2016	13.78	27.57	828.19	814.41
MW-1505-S1	11/16/2016	14.12	NM	828.19	814.07
MW-1505-S1	3/3/2017	12.58	31.85	827.53	814.95
MW-1505-S1	9/6/2017	13.03	32.05	827.53	814.50
MW-1505-S1	3/6/2018	11.80	32.08	827.53	815.73
MW-1505-S1	9/12/2018	11.44	32.00	827.53	816.09

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
MW-1505-S1	3/4/2019	12.15	32.04	827.53	815.38
MW-1505-S1	9/6/2019	13.72	32.00	827.53	813.81
MW-1505-S1	3/4/2020	12.45	32.12	827.53	815.08
MW-1506-S1	3/10/2016	13.32	34.17	827.89	814.57
MW-1506-S1	9/7/2016	14.07	34.27	827.89	813.82
MW-1506-S1	11/16/2016	14.40	NM	827.89	813.49
MW-1506-S1	3/3/2017	12.88	34.03	827.82	814.94
MW-1506-S1	9/6/2017	13.35	34.26	827.82	814.47
MW-1506-S1	3/6/2018	11.80	34.29	827.82	816.02
MW-1506-S1	9/12/2018	11.71	34.25	827.82	816.11
MW-1506-S1	3/4/2019	12.43	34.24	827.82	815.39
MW-1506-S1	9/6/2019	14.00	34.20	827.82	813.82
MW-1506-S1	3/4/2020	12.74	34.30	827.82	815.08
MW-1507-S1	3/10/2016	13.42	33.67	827.77	814.35
MW-1507-S1	9/7/2016	14.17	33.57	827.77	813.60
MW-1507-S1	11/16/2016	14.51	NM	827.77	813.26
MW-1507-S1	3/3/2017	12.97	33.33	827.94	814.97
MW-1507-S1	9/6/2017	13.42	33.56	827.94	814.52
MW-1507-S1	3/6/2018	11.89	33.59	827.94	816.05
MW-1507-S1	9/12/2018	11.82	33.50	827.94	816.12
MW-1507-S1	3/4/2019	12.52	33.53	827.94	815.42
MW-1507-S1	9/6/2019	14.10	33.40	827.94	813.84
MW-1507-S1	3/4/2020	12.82	33.48	827.94	815.12
MW-1508-S1	3/10/2016	14.46	35.21	826.69	812.23
MW-1508-S1	9/7/2016	14.68	34.58	826.69	812.01
MW-1508-S1	11/16/2016	15.04	NM	826.69	811.65
MW-1508-S1	3/3/2017	13.48	34.30	828.48	815.00
MW-1508-S1	9/6/2017	13.95	34.48	828.48	814.53
MW-1508-S1	3/6/2018	12.41	34.49	828.48	816.07
MW-1508-S1	9/12/2018	12.35	34.45	828.48	816.13
MW-1508-S1	9/6/2019	14.60	34.50	828.48	813.88
MW-1508-S1	3/4/2020	13.38	34.55	828.48	815.10
DR-1301-S1	3/3/2017	12.15	24.62	827.04	814.89
DR-1301-S1	9/6/2017	12.78	24.82	827.04	814.26
DR-1301-S1	3/6/2018	11.05	24.87	827.04	815.99
DR-1301-S1	9/12/2018	10.92	23.90	827.04	816.12
DR-1301-S1	3/4/2019	11.70	24.84	827.04	815.34
DR-1301-S1	9/6/2019	13.27	24.84	827.04	813.77
DR-1301-S1	3/4/2020	11.97	24.82	827.04	815.07
IW-1301-S1	3/3/2017	12.03	23.62	826.97	814.94
IW-1301-S1	9/6/2017	12.53	23.85	826.97	814.44
IW-1301-S1	3/6/2018	11.02	23.88	826.97	815.95
IW-1301-S1	9/12/2018	11.00	24.80	826.97	815.97
IW-1301-S1	3/4/2019	11.62	23.87	826.97	815.35
IW-1301-S1	9/6/2019	13.21	23.80	826.97	813.76

Table 1
Monitoring Well Groundwater Elevation Data
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Well ID	Date	Depth to Water (feet)	Total Depth (feet)	Top of Casing Elevation* (feet AMSL)	Groundwater Elevation (feet AMSL)
IW-1301-S1	3/4/2020	11.90	23.87	826.97	815.07
PM-1301	3/10/2016	12.42	24.23	828.92	816.50
PM-1301	9/7/2016	13.23	24.23	828.92	815.69
PM-1301	11/16/2016	14.10	NM	828.92	814.82
PM-1301	3/3/2017	11.98	23.94	826.8	814.82
PM-1301	9/6/2017	12.46	24.22	826.8	814.34
PM-1301	3/6/2018	10.98	13.66	826.8	815.82
PM-1301	9/12/2018	10.80	24.10	826.8	816.00
PM-1301	3/4/2019	11.54	24.20	826.8	815.26
PM-1301	9/6/2019	13.10	24.10	826.8	813.70
PM-1301	3/4/2020	11.77	24.20	826.8	815.03

Notes:

* : Monitoring wells re-surveyed March 2017 by John H. Stephens R.L.S, Inc.
 AMSL: Above mean sea level
 NM: Reading not collected

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0101-S1U	6/22/2001	MW-1M-06/22/2001-N-LB	Low-Flow	< 50 U	< 50 U	< 50 U	--	--	< 200 U	800	--	< 100 U	< 50 U	--	< 50 U	3,100	67
MW-0101-S1U	11/15/2004	FD-1 (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	13	< 50.0 U	< 5.0 U	< 5.0 U	1,600	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	69	13,000	140
MW-0101-S1U	11/15/2004	MW-1M (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	14	< 50.0 U	< 5.0 U	< 5.0 U	1,300	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	73	11,000	150
MW-0101-S1U	3/24/2006	MW-0101-S1U (032406)	Low-Flow	< 5.0 U	14	7.0	< 50.0 U	2.4 J	< 5.0 U	1,200	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	68	9,400	67
MW-0101-S1U	11/10/2006	FD-1 (111006)-BDS	Low-Flow	< 5.0 U	12	9.3	< 50.0 U	2.3 J	< 5.0 U	1,100	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	72	7,500	100
MW-0101-S1U	11/10/2006	MW-0101-S1U (111006)	Low-Flow	< 5.0 U	12	9.4	< 50.0 U	2.3 J	< 5.0 U	1,100	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	73	7,700	100
MW-0101-S1U	4/19/2012	FD-1 (041912)-TP	PDB	< 5.0 U	< 5.0 U	20.3	< 100 U	< 5.0 U	< 5.0 U	748 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	57.7	13,500 D	69.0
MW-0101-S1U	4/19/2012	FD-2 (041912)-BC	Low-Flow	< 5.0 U	< 5.0 U	8.1	< 100 U	< 5.0 U	< 5.0 U	712 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	63.4	4,550 D	83.0
MW-0101-S1U	4/19/2012	MW-0101-S1U (041912)-LF	Low-Flow	< 5.0 U	< 5.0 U	8.5	< 100 U	< 5.0 U	< 5.0 U	673 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	62.0	5,390 D	77.1
MW-0101-S1U	4/19/2012	MW-0101-S1U (041912)-PDB	PDB	< 5.0 U	< 5.0 U	20.4	< 100 U	< 5.0 U	< 5.0 U	688 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	56.6	13,500 D	66.3
MW-0101-S1U	10/31/2012	MW-0101-S1U(103112)LF	Low-Flow	< 5.0 U	3.4 J	6.2	< 100 U	1.9 J	< 5.0 U	819 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	70.8	3,430 D	88.7
MW-0101-S1U	10/31/2012	MW-0101-S1U(103112)PDB	PDB	< 5.0 U	2.8 J	11.4	< 100 U	2.1 J	< 5.0 U	847 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	67.5	8,500 D	86.7
MW-0101-S1U	4/2/2013	MW-0101-S1U (040213)PDB	PDB	< 5.0 U	4.9 J	15.8 J	< 100 U	1.4 J	< 5.0 U	1,180 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	70.6 J	10,600 EJ	52.4
MW-0101-S1U	10/16/2013	MW-0101-S1U(101613)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	2,990 D	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	66.1	6,920 D	55.8
MW-0101-S1U	5/13/2014	MW-0101-S1U(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	1,240	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	49.0 J	11,200 D	50.0
MW-0101-S1U	9/25/2014	MW-0101-S1U(092514)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,030	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	53.6	18,100 DJ	31.9
MW-0101-S1U	3/31/2015	MW-0101-S1U(033115)-PDB	PDB	< 25.0 U	4.2 J	8.0 J	< 500 U	< 25.0 UB	< 25.0 U	1,060	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	56.1	17,900 D	32.8
MW-0101-S1U	9/30/2015	MW-0101-S1U(093015)PDB	PDB	< 5.0 U	2.7 J	19.8	< 100 UB	2.9 J	< 5.0 U	3,160 D	< 100 U	< 5.0 U	< 5.0 U	0.44 J	114	5,200 D	75.6
MW-0101-S1U	3/9/2016	MW-0101-S1U(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,020	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	62.0	6,560 D	59.3
MW-0101-S1U	9/27/2016	MW-0101-S1U(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 UJ	< 50.0 U	< 50.0 U	2,330	< 1,000 U	< 110 UB	< 50.0 U	< 50.0 U	69.5	18,500 D	33.2
MW-0101-S1U	3/24/2017	MW-0101-S1U(032417)PDB	PDB	< 500 U	< 500 U	< 500 U	< 10,000 U	< 500 U	< 500 U	3,020	< 10,000 U	< 500 U	< 500 U	< 500 U	< 500 U	16,800	< 200 U
MW-0101-S1U	9/27/2017	MW-0101-S1U (092717)	PDB	< 500 U	< 500 U	< 500 U	< 10,000 U	< 500 U	< 500 U	8,670	< 10,000 UJ	< 500 U	< 500 U	< 500 U	< 500 U	< 500 U	268 J
MW-0101-S1U	3/27/2018	MW-0101-S1U (032718)	PDB	< 25.0 U	< 25.0 U	12.9 J	< 500 U	< 25.0 U	< 25.0 U	2,600	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	55.8	3,590	83.6
MW-0101-S1U	10/4/2018	MW-0101-S1U (100418)	PDB	< 25.0 U	< 25.0 U	46.8	< 500 U	< 25.0 U	< 25.0 U	10,800	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	59.4	552	684
MW-0101-S1U	3/26/2019	MW-0101-S1U (32619)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	2,560	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	29.0 J	10,700	49.5
MW-0101-S1U	9/27/2019	MW-0101-S1U(092719)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	2,810	< 1,000 UN2	< 50.0 U	< 50.0 U	< 50.0 U	59.0	933	75.5
MW-0101-S1U	3/27/2020	MW-0101-S1U (032720)	PDB	< 50.0 U	< 50.0 U	16.5 J	< 1,000 U	< 50.0 U	< 50.0 U	1,430	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	43.3 J	14,700	52.6
MW-0102-S1U	6/22/2001	MW-2 DUP-06/22/2001-N-LB	Low-Flow	< 50 U	< 50 U	< 50 U	--	--	< 200 U	360	--	< 100 U	< 50 U	--	< 50 U	410	< 20 U
MW-0102-S1U	6/22/2001	MW-2-06/22/2001-N-LB	Low-Flow	< 50 U	< 50 U	< 50 U	--	--	< 200 U	340	--	< 100 U	< 50 U	--	< 50 U	370	< 20 U
MW-0102-S1U	11/15/2004	MW-2 (111504)-RE	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	770	< 5.0 U	< 9.5 U	< 5.0 U	< 5.0 U	74	4,600	37
MW-0102-S1U	10/20/2005	MW-2-1U (102005)	Low-Flow	< 5.0 U	< 5.0 U	5.1	< 50.0 U	< 5.0 U	< 5.0 U	770	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	68	3,800	21
MW-0102-S1U	3/22/2006	MW-0102-S1U (032206)	Low-Flow	< 5.0 U	< 5.0 U	4.5 J	< 50.0 U	< 5.0 U	< 5.0 U	1,000	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	88	4,800	21
MW-0102-S1U	4/19/2012	MW-0102-S1U (041912)-LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	563 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	85.9	2,380 D	21.2
MW-0102-S1U	4/19/2012	MW-0102-S1U (041912)-PDB	PDB	< 5.0 U	< 5.0 U	5.9	< 100 U	< 5.0 U	< 5.0 U	948 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	108	3,970 D	35.1
MW-0102-S1U	10/31/2012	MW-0102-S1U(103112)PDB	PDB	< 5.0 U	< 5.0 U	3.9 J	< 100 U	< 5.0 U	< 5.0 U	916 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	114	3,770 D	35.3
MW-0102-S1U	4/2/2013	MW-0102-S1U (040213)PDB	PDB	< 5.0 U	< 5.0 U	3.1 J	< 100 U	< 5.0 U	< 5.0 U	847 EJ	< 100 U	3.9 J	< 5.0 U	< 5.0 U	103	3,370 EJ	21.5
MW-0102-S1U	10/16/2013	MW-0102-S1U(101613)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	988	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	105	3,870 D	6.5 J
MW-0102-S1U	5/13/2014	MW-0102-S1U (051314)	PDB	< 5.0 U	< 5.0 U	4.9 J	< 100 U	< 5.0 U	< 5.0 U	826 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	103	2,910 D	21.8
MW-0102-S1U	9/25/2014	MW-0102-S1U(092514)PDB	PDB	< 5.0 U	< 5.0 U	3.1 J	< 100 U	< 5.0 U	< 5.0 U	907 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	75.2	2,950 D	17.4
MW-0102-S1U	3/31/2015	MW-0102-S1U(033115)-PDB	PDB	< 25.0 U	< 25.0 U	2.8 J	< 500 U	< 25.0 U	< 25.0 U	867	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	82.8	2,470 D	12.9
MW-0102-S1U	9/30/2015	MW-0102-S1U(093015)PDB	PDB	< 5.0 U	4.4 J	6.5	< 100 UB	< 5.0 U	< 5.0 U	1,280 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	125	4,440 D	28.6
MW-0102-S1U	3/9/2016	MW-0102-S1U(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,010	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	114	2,360 D	17.0
MW-0102-S1U	9/27/2016	MW-0102-S1U(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	1,230	< 1,000 U	< 106 UB	< 50.0 U	< 50.0 U	104	5,060 D	21.6
MW-0102-S1U	3/24/2017	MW-0102-S1U(032417)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	1,310	< 500 U	< 25.0 U	<				

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)														
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride	
MW-0501-S1	10/28/2010	MW-0501-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	5/13/2011	MW-0501-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	2.8	0.66 J	< 1.0 U	< 1.0 U	< 1.0 U	0.20 J	< 1.0 U	< 1.0 U	
MW-0501-S1	10/18/2011	MW-0501-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	10/31/2012	MW-0501-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	4/2/2013	MW-0501-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.7 J	< 2.0 U	
MW-0501-S1	10/16/2013	MW-0501-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.8 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	5/13/2014	MW-0501-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	63.4 UB	< 5.0 U	< 5.0 U	3.0 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	9/25/2014	MW-0501-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	85.1 J	< 5.0 U	< 5.0 U	4.5 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.4	< 2.0 U	
MW-0501-S1	3/31/2015	MW-0501-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	4.1 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.36 J	< 2.0 U	
MW-0501-S1	9/30/2015	MW-0501-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	2.6 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	3/30/2016	MW-0501-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ	
MW-0501-S1	9/27/2016	MW-0501-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	180	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 6.8 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	3/24/2017	MW-0501-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	9/27/2017	MW-0501-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	3/27/2018	MW-501-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U	
MW-0501-S1	4/17/2018	MW-0501-S1 (041718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1.3 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	10/4/2018	MW-0501-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	3/26/2019	MW-0501-S1 (32619)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	9/27/2019	MW-0501-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S1	3/27/2020	MW-0501-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S2	10/18/2005	MW-0501-2L (101805)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S2	3/21/2006	MW-0501-S2 (032106)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	26	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.2 J	< 2.0 U	
MW-0501-S2	6/24/2009	MW-0501-S2 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U	
MW-0501-S2	5/5/2010	MW-0501-S2 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U	
MW-0501-S2	10/28/2010	MW-0501-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S2	5/13/2011	MW-0501-S2(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.67 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	
MW-0501-S2	10/18/2011	MW-0501-S2(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S2	3/27/2018	MW-501-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	10.2 J	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U	
MW-0501-S2	3/27/2020	MW-0501-S2 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S3U	10/20/2005	MW-0501-3L (102005)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	5.9	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S3U	3/21/2006	MW-0501-S3U (032106)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	73	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0501-S3U	6/24/2009	MW-0501-S3U (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U	
MW-0502-S1	10/19/2005	MW-0502-1L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	9.9	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	84	< 2.0 U	
MW-0502-S1	3/24/2006	MW-0502-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	15	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	4.8 J	190	< 2.0 U
MW-0502-S1	11/10/2006	MW-0502-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	18	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.7	180	< 2.0 U
MW-0502-S1	10/31/2012	MW-0502-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.2 J	< 2.0 U	
MW-0502-S1	10/16/2013	MW-0502-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0502-S1	5/13/2014	MW-0502-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0502-S1	9/25/2014	MW-0502-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0502-S1	3/31/2015	MW-0502-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1.1 J	0.36 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.0 J	< 2.0 U	
MW-0502-S1	9/30/2015	MW-0502-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	1.2 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0502-S1	3/30/2016	MW-0502-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0502-S1	9/27/2016	MW-0502-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ											

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)														
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride	
MW-0503-S1	5/13/2014	MW-0503-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	66.9 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0503-S1	9/25/2014	MW-0503-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	118	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0503-S1	3/31/2015	MW-0503-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.63 J	< 2.0 U	
MW-0503-S1	9/30/2015	MW-0503-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0503-S1	3/30/2016	MW-0503-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0503-S1	9/27/2016	MW-0503-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	217 J	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0503-S1	3/24/2017	MW-0503-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0503-S1	9/27/2017	MW-0503-S1 (0-2717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ	
MW-0503-S1	3/27/2018	MW-0503-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0503-S1	10/4/2018	MW-0503-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0503-S1	3/26/2019	MW-0503-S1 (32619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0503-S1	9/27/2019	MW-0503-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0503-S1	3/27/2020	MW-0503-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0503-S2	10/18/2005	MW-0503-2L (101805)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	5.6	9.9	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	
MW-0503-S2	3/24/2006	MW-0503-S2 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	7.8	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	1.3 J	< 2.0 U	
MW-0503-S2	6/24/2009	MW-0503-S2 (062409)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	8.4	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U	
MW-0503-S2	3/27/2018	MW-0503-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	11.4	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	1.1 J	< 5.0 U	< 2.0 U	
MW-0503-S2	3/27/2020	MW-0503-S2 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	19.1 J	< 5.0 U	< 5.0 U	12.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	1.1 J	< 5.0 U	< 2.0 U	
MW-0504-I2	10/18/2005	MW-0504-2L (101805)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	15	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	17	< 2.0 U	
MW-0504-I2	3/27/2006	MW-0504-I2 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	26	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	6.0	< 2.0 U	
MW-0504-S1	10/18/2005	MW-0504-1L (101805)	Low-Flow	< 5.0 U	13	5.8	< 50.0 U	< 5.0 U	< 5.0 U	660	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	62	1,500	16	
MW-0504-S1	3/27/2006	MW-0504-S1 (032706)	Low-Flow	< 5.0 U	15	4.2 J	< 50.0 U	< 5.0 U	< 5.0 U	1,200	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	90	1,400	23	
MW-0504-S1	11/20/2006	MW-0504-S1 (112006)	Direct fill	< 5.0 U	10	4.0 J	< 50.0 U	< 5.0 U	< 5.0 U	700	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	91	1,400	17	
MW-0504-S1	10/31/2012	MW-0504-S1(103112)PDB	PDB	< 5.0 U	7.6	4.7 J	< 100 U	< 5.0 U	< 5.0 U	1,030 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	132	3,040 D	20.9	
MW-0504-S1	4/2/2013	MW-0504-S1 (040213) PDB	PDB	< 5.0 U	9.9	6.4	< 100 U	1.1 J	< 5.0 U	1,120 EJ	< 100 U	6.5	< 5.0 U	< 5.0 U	188 EJ	3,370 EJ	25.2	
MW-0504-S1	10/16/2013	MW-0504-S1(101613)	PDB	< 5.0 U	10.4	6.3	< 100 U	< 5.0 U	< 5.0 U	1,020 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	175	3,240 D	22.9	
MW-0504-S1	5/13/2014	MW-0504-S1 (051314)	PDB	< 5.0 U	7.8	6.4	57.3 UB	< 5.0 U	< 5.0 U	826 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	154	2,740 D	24.4	
MW-0504-S1	9/25/2014	MW-0504-S1(092514)PDB	PDB	< 5.0 U	4.8 J	3.2 J	< 100 U	< 5.0 U	< 5.0 U	749 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	109	2,540 D	14.7	
MW-0504-S1	3/31/2015	MW-0504-S1(033115)-PDB	PDB	< 5.0 U	8.9	5.2	< 100 U	< 5.0 UB	< 5.0 U	909 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	183	3,010 D	24.1	
MW-0504-S1	9/30/2015	MW-0504-S1(093015)PDB	PDB	< 5.0 U	9.5	5.9	< 100 UB	0.91 J	< 5.0 U	923 D	0.52 J	< 5.0 U	< 5.0 U	< 5.0 U	0.13 J	179	3,000 D	19.4
MW-0504-S1	3/9/2016	MW-0504-S1(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	571	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	92.2	1,820 D	8.9 J	
MW-0504-S1	9/27/2016	MW-0504-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	661	< 1,000 U	< 111 UB	< 50.0 U	< 50.0 U	105	2,620	< 20.0 U	
MW-0504-S1	3/24/2017	MW-0504-S1(032417)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	839	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	124	2,640 D	19.7	
MW-0504-S1	9/27/2017	MW-0504-S1 (092717)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	714	< 500 UJ	< 25.0 U	< 25.0 U	< 25.0 U	108	2,520	13.3 J	
MW-0504-S1	3/27/2018	MW-0504-S1 (032718)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	260	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	31.2	665	< 10.0 U	
MW-0504-S1	10/4/2018	MW-0504-S1 (100418)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	507	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	75.2	1,890	12.7	
MW-0504-S1	3/26/2019	MW-0504-S1 (032619)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	748	< 500 U	< 51.8 UB	< 25.0 U	< 25.0 U	114	2,210	16.0	
MW-0504-S1	9/27/2019	MW-0504-S1(092719)	PDB	< 5.0 U	5.9	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	536	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	88.7	1,730	10.4	
MW-0504-S1	3/27/2020	MW-0504-S1 (032720)	PDB	< 5.0 U	5.8	2.8 J	8.6 J	< 5.0 U	< 5.0 U	559	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	95.9	1,750	13.2	
MW-0504-S2	3/27/2006	MW-0504-S2 (032706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	49	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	1.2 J	< 5.0 U	1.5 J	< 2.0 U	
MW-0504-S2	11/7/2006	MW-0504-S2 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	300	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	20	100	< 2.0 U	
MW-0504-S2	3/27/2018	MW-0504-S2 (032718)	PDB	< 5.0 U	< 5.0 U	0.67 J	< 100 U	< 5.0 U	< 5.0 U	255	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	12.4	< 5.0 UB	0.83 J	
MW-0504-S2	3/27/2020	MW-0504-S2 (032720)	PDB	< 5.0 U	< 5.0 U	1.3 J	5.7 J	< 5.0 U	< 5.0 U	692	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	24.5	< 5.0 U	< 2.0 U	
MW-0505-B1	11/13/2006	MW-0505-B1 (111306)	Direct Push															

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)														
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride	
MW-0516-S1	10/19/2005	MW-0516-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/23/2006	MW-0516-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/5/2010	MW-0516-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/6/2010	MW-0516-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	10/28/2010	MW-0516-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2011	MW-0516-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.65 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0516-S1	10/18/2011	MW-0516-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/31/2012	MW-0516-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	4/2/2013	MW-0516-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/16/2013	MW-0516-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2014	MW-0516-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/25/2014	MW-0516-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/31/2015	MW-0516-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.56 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.26 J	< 2.0 U
MW-0516-S1	9/30/2015	MW-0516-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	FD-1(033016)-LM	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	MW-0516-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2016	MW-0516-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/24/2017	MW-0516-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2017	MW-0516-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/27/2018	MW-0516-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/4/2018	MW-0516-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/26/2019	MW-0516-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2019	MW-0516-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	32.0 J	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/27/2020	MW-0516-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	5.0 J	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	10/20/2005	MW-0516-3L (102005)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	3/23/2006	MW-0516-S2 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	6/25/2009	MW-0516-S2 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S2	3/27/2018	MW-0516-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S2	3/27/2020	MW-0516-S2 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0517-I2	10/18/2005	MW-0517-2L (101805)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	7.4	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0517-I2	3/22/2006	MW-0517-I2 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0517-S1	10/18/2005	MW-0517-1L (101805)	Low-Flow	< 5.0 UJ	8.4 J	< 5.0 UJ	< 50.0 UJ	< 5.0 UJ	< 5.0 UJ	370 J	< 5.0 UJ	< 5.0 UJ	< 5.0 UJ	< 5.0 UJ	42 J	690 J	15 J	
MW-0517-S1	3/22/2006	MW-0517-S1 (032206)	Low-Flow	< 5.0 U	10	2.7 J	< 50.0 U	1.7 J	< 5.0 U	900	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	65	1,800	30	
MW-0517-S1	10/31/2012	MW-0517-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	37.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	18.8	103	< 2.0 U	
MW-0517-S1	4/2/2013	FD-1 (040213) JG	PDB	< 5.0 U	6.1	2.8 J	< 100 U	1.7 J	< 5.0 U	593 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	77.4	6,440 D	1.6 J	
MW-0517-S1	4/2/2013	MW-0517-S1 (040213) PDB	PDB	< 5.0 U	6.1	3.0 J	< 100 U	1.8 J	< 5.0 U	572 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	80.4	6,270 EJ	1.9 J	
MW-0517-S1	10/16/2013	FD-1(101613)-WK	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	322 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	68.7	2,570 D	3.1	
MW-0517-S1	10/16/2013	MW-0517-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	270 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	65.1	2,010 D	3.0	
MW-0517-S1	5/13/2014	FD-1(051314)	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	505	< 1,000 U	< 50.0 U	< 50.0 U	<				

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0602-S1	9/27/2016	MW-0602-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 7.6 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/24/2017	MW-0602-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2017	MW-0602-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/27/2018	MW-0602-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/4/2018	MW-0602-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/26/2019	MW-0602-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	6.4	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2019	MW-0602-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/27/2020	MW-0602-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-B1	3/24/2006	MW-0603-B1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	730	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	44	20	< 2.0 U
MW-0603-B1	11/8/2006	MW-0603-B1 (110806)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	620	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	39	< 5.0 U	2.0
MW-0603-B1	6/25/2009	MW-0603-B1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	545	< 100 U	< 5 U	< 5 U	< 5 U	79.2	< 5 U	< 2 U
MW-0603-B1	6/25/2009	MW-0603-B1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	557	< 100 U	< 5 U	< 5 U	< 5 U	77.4	< 5 U	3.6
MW-0603-S1	3/24/2006	MW-0603-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	11/8/2006	MW-0603-S1 (110806)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	6/25/2009	MW-0603-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	5/5/2010	MW-0603-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	10/28/2010	MW-0603-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2011	MW-0603-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0603-S1	10/18/2011	MW-0603-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/31/2012	MW-0603-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/16/2013	MW-0603-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2014	MW-0603-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/25/2014	MW-0603-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/31/2015	MW-0603-S1(033115)-AO-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.36 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/30/2015	MW-0603-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.27 J	< 2.0 U
MW-0603-S1	3/30/2016	MW-0603-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2016	MW-0603-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2017	MW-0603-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2017	MW-0603-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/27/2018	MW-0603-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/4/2018	MW-0603-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/26/2019	MW-0603-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 6.6 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2019	MW-0603-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/27/2020	MW-0603-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	3.6 J	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S2	3/24/2006	MW-0603-S2 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	270	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	8.6	< 5.0 U	< 2.0 U
MW-0603-S2	11/8/2006	MW-0603-S2 (110806)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	270	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	8.7	< 5.0 U	2.0
MW-0603-S2	6/25/2009	MW-0603-S2 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	293	< 100 U	< 5 U	< 5 U	< 5 U	11.5	< 5 U	< 2 U
MW-0603-S2	5/5/2010	FD-1 (050510)-TP	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	68.7	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S2	5/5/2010	MW-0603-S2 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	65.7	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S2	5/6/2010	MW-0603-S2 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	291	< 100 U	< 5 U	< 5 U	< 5 U	10.6	< 5 U	< 2 U
MW-0603-S2	10/28/2010	MW-0603-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	74.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S2	5/13/2011	FD-(051311)-EG	PDB	< 1.7 U	< 1.7 U	< 1.7 U	< 27 UB	< 1.7 U	< 1.7 U	64	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	2.2	< 1.7 U	< 1.7 U
MW-0603-S2	5/13/2011	MW-0603-S2(051311)	PDB	< 1.7 U	< 1.7 U	< 1.7 U	< 25 UB	< 1.7 U	< 1.7 U	69	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	2.2	< 1.7 U	0.79 J
MW-0603-S2	10/18/2011	FD-															

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0605-S1	10/31/2012	MW-0605(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	15.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,480 D	< 2.0 U
MW-0605-S1	4/2/2013	MW-0605-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	16.9 J	< 100 U	2.6 J	< 5.0 U	< 5.0 U	< 5.0 U	1,180 EJ	< 2.0 U
MW-0605-S1	10/16/2013	MW-0605-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	17.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,580 D	< 2.0 U
MW-0605-S1	5/13/2014	MW-0605-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	14.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2,630 D	< 2.0 U
MW-0605-S1	12/1/2014	MW-0605-S1(120114)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	99.2 J	< 5.0 U	< 5.0 U	12.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	629 D	< 2.0 U
MW-0605-S1	3/31/2015	MW-0605-S1(033115)-PDB	PDB	< 5.0 U	1.8 J	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	12.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	1.0 J	983 D	< 2.0 U
MW-0605-S1	9/30/2015	MW-0605-S1(093015)PDB	PDB	< 5.0 U	2.8 J	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	16.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	1.4 J	1,210 D	< 2.0 U
MW-0605-S1	3/30/2016	MW-0605-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	14.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	742 D	< 2.0 U
MW-0605-S1	9/27/2016	MW-0605-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 116 UB	< 50.0 U	< 50.0 U	< 50.0 U	1,100	< 20.0 U
MW-0605-S1	3/24/2017	MW-0605-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	12.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,170 D	< 2.0 U
MW-0605-S1	9/27/2017	MW-0605-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	14.3	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	992	< 2.0 U
MW-0605-S1	3/27/2018	MW-0605-S1 (032718)	PDB	< 5.0 U	2.8 J	< 5.0 U	5.5 J	< 5.0 U	< 5.0 U	14.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	2.2 J	1,170	< 2.0 U
MW-0605-S1	10/4/2018	MW-0605-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	15.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	911	< 2.0 U
MW-0605-S1	3/26/2019	MW-0605-S1 (32619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	11.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,020	< 2.0 U
MW-0605-S1	9/27/2019	MW-0605-S1(092719)	PDB	< 5.0 U	2.9 J	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	11.7	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1,450	< 2.0 UN2
MW-0605-S1	3/27/2020	MW-0605-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	6.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	218	< 2.0 U
MW-0605-S2	3/22/2006	FD-1 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	50	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	7.4	27	< 2.0 U
MW-0605-S2	3/22/2006	MW-0605-S2 (032206)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	49	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	7.1	21	< 2.0 U
MW-0605-S2	11/9/2006	MW-0605-S2 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	100	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	7.8	< 5.0 U	< 2.0 U
MW-0605-S2	3/27/2018	MW-0605-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	3.2 J	< 5.0 U	< 5.0 U	7.0	0.39 J	< 5.0 U	< 5.0 U	0.13 J	0.33 J	< 5.0 UB	< 2.0 U
MW-0605-S2	3/27/2020	MW-0605-S2 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	16.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0606-S1	3/23/2006	MW-0606-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	230	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	42	970	< 2.0 U
MW-0606-S1	11/6/2006	MW-0606-S1 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	210	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	43	770	1.0 J
MW-0606-S1	10/31/2012	MW-0606-S1(103112)LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	288 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	76.5	2,410 D	< 2.0 U
MW-0606-S1	10/31/2012	MW-0606-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	281 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	78.8	2,380 D	1.2 J
MW-0606-S1	4/2/2013	MW-0606-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	394 EJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	105	4,490 EJ	2.0
MW-0606-S1	10/16/2013	MW-0606-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	314 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	92.8	2,650 D	< 1.3 J
MW-0606-S1	5/13/2014	MW-0606-S1(051314)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	365	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	75.9	3,280 D	< 10.0 U
MW-0606-S1	9/25/2014	MW-0606-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	448 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	81.0	2,580 DJ	1.2 J
MW-0606-S1	3/31/2015	MW-0606-S1(033115)-PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	428	< 1,000 U	< 50.0 U	< 50.0 U	< 50.0 U	94.6	3,030 D	< 20.0 U
MW-0606-S1	9/30/2015	MW-0606-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	0.42 J	< 100 UB	< 5.0 U	< 5.0 U	285	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	45.6	1,260 D	0.43 J
MW-0606-S1	3/9/2016	MW-0606-S1(030916)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	329 D	< 100 U	< 5.0 UJ	< 5.0 U	< 5.0 U	62.6	1,960 D	< 2.0 U
MW-0606-S1	9/27/2016	MW-0606-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	633	< 1,000 U	< 113 UB	< 50.0 U	< 50.0 U	58.0	1,130	< 20.0 U
MW-0606-S1	3/24/2017	MW-0606-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	441	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	97.8	2,820 D	< 2.0 U
MW-0606-S1	9/27/2017	MW-0606-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	250	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	51.0	1,470	< 2.0 U
MW-0606-S1	3/27/2018	MW-0606-S1 (032718)	PDB	< 5.0 U	< 5.0 U	1.1 J	2.8 J	< 5.0 U	< 5.0 U	279	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	81.5	1,880	0.92 J
MW-0606-S1	10/4/2018	MW-0606-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	453	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	97.0	1,960	< 2.0 U
MW-0606-S1	3/25/2019	MW-0606-S1 (032519)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	245	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	55.3	1,340	< 2.0 U
MW-0606-S1	9/27/2019	MW-0606-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	360	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	83.1	2,020	< 2.0 U
MW-0606-S1	3/27/2020	MW-0606-S1 (032720)	PDB	< 25.0 U	< 25.0 U	2.3 J	< 500 U	< 25.0 U	< 25.0 U	656	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	109	2,740	< 10.0 U
MW-0606-S2	3/23/2006	MW-0606-S2 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	1.8 J	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	2.8 J	< 2.0 U
MW-0606-S2	11/6/2006	MW-0606-S2 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 7.2 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.3 J	< 2.0 U
MW-0606-S2	6/26/2009	MW-0606-S2 (062609)	Low-Flow	< 5.0 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	245	< 100 U	< 5 U	< 5 U	< 5 U	50.9	390	< 2 U
MW-0606-S2	4/19/2012	MW-0606-S2 (041912)-PDB	PDB	<													

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0607-S1	9/27/2019	MW-0607-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
MW-0607-S1	3/27/2020	MW-0607-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
MW-0607-S2	3/7/2007	MW-0607-S2 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	11/12/2008	MW-0607-S2 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	5/5/2010	MW-0607-S2 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	5.5	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S2	5/6/2010	MW-0607-S2 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S2	10/28/2010	MW-0607-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	5/13/2011	MW-0607-S2(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.80 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.66 J
MW-0607-S2	10/18/2011	MW-0607-S2(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	3/27/2018	MW-0607-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S2	3/27/2020	MW-0607-S2 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.52 J
MW-0608-B1	3/23/2006	MW-0608-B1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	8.4	150	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	87	2.3 J	< 2.0 U
MW-0608-B1	11/7/2006	MW-0608-B1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	180	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	150	< 5.0 U	1.3 J
MW-0608-B1	6/25/2009	MW-0608-B1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	6.0	125	< 100 U	< 5 U	< 5 U	< 5 U	123	< 5 U	< 2 U
MW-0608-B1	6/25/2009	MW-0608-B1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	169	< 100 U	< 5 U	< 5 U	< 5 U	188	6.6	3.2
MW-0608-S1	3/23/2006	MW-0608-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	2.9 J	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	2.0 J	< 2.0 U
MW-0608-S1	11/7/2006	MW-0608-S1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	35	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3.3 J	1.7 J
MW-0608-S1	6/26/2009	MW-0608-S1 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	24.5	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	4.9
MW-0608-S1	10/31/2012	MW-0608-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0608-S1	4/2/2013	MW-0608-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	30.9	< 100 U	2.5 J	< 5.0 U	< 5.0 U	< 5.0 U	5.2 J	1.7 J
MW-0608-S1	10/16/2013	MW-0608-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	5/13/2014	MW-0608-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	148	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	11.7	3.5 J	5.4
MW-0608-S1	9/25/2014	MW-0608-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/31/2015	MW-0608-S1(033115)-PDB	PDB	< 5.0 U	1.4 J	0.33 J	< 100 UB	< 5.0 U	< 5.0 U	144	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	13.1	< 5.0 U
MW-0608-S1	9/30/2015	MW-0608-S1(093015)PDB	PDB	< 5.0 U	3.9 J	0.54 J	< 100 UB	< 5.0 U	< 5.0 U	243 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	35.3	< 5.0 U
MW-0608-S1	3/30/2016	MW-0608-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	97.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	9.3	< 5.0 U
MW-0608-S1	9/27/2016	MW-0608-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 7.3 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/24/2017	MW-0608-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	30.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	9/27/2017	MW-0608-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	427	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	44.0	< 5.0 U	5.1
MW-0608-S1	3/27/2018	MW-0608-S1 (032718)	PDB	< 5.0 U	3.6 J	1.5 J	< 100 U	< 5.0 U	< 5.0 U	371	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	45.1	< 5.0 U	5.1
MW-0608-S1	10/4/2018	MW-0608-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	453	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	58.3	< 5.0 U	6.5
MW-0608-S1	3/26/2019	MW-0608-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	286	< 100 U	8.0	< 5.0 U	< 5.0 U	34.5	< 5.0 U	3.8
MW-0608-S1	9/27/2019	MW-0608-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	4.2 J	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/27/2020	MW-0608-S1 (032720)	PDB	< 5.0 U	2.6 J	1.3 J	< 100 U	< 5.0 U	< 5.0 U	484	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	47.0	< 5.0 U	3.2
MW-0608-S2	3/23/2006	MW-0608-S2 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	900	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	100	100	< 2.0 U
MW-0608-S2	11/7/2006	MW-0608-S2 (110706)	Low-Flow	< 5.0 U	< 5.0 UJ	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 UJ	630	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	88 J	63	< 2.0 U
MW-0608-S2	6/26/2009	FD-2-PS (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	635	< 100 U	< 5 U	< 5 U	< 5 U	109	12.4	2.5
MW-0608-S2	6/26/2009	MW-0608-S2 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	605	< 100 U	< 5 U	< 5 U	< 5 U	113	12.2	2.6
MW-0608-S2	3/27/2018	MW-0608-S2 (032718)	PDB	< 5.0 U	< 5.0 U	1.7 J	< 100 U	< 5.0 U	< 5.0 U	801	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	112	< 5.0 UB	2.1
MW-0608-S2	3/27/2020	MW-0608-S2 (032720)	PDB	< 5.0 U	< 5.0 U	1.5 J	35.3 J	< 5.0 U	< 5.0 U	888	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	100	1.7 J	1.9 J
MW-0609-S1	3/23/2006	MW-0609-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	61	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	9.7	260	< 2.0 U
MW-0609-S1	11/9/2006	MW-0609-S1 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	55	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	9.0	220	< 2.0 U
MW-0609-S1	6/26/2009	FD-1-PS (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	225	< 100 U	< 5 U	< 5 U	< 5 U	25.4	69.4	3.7
MW-0609-S1	6/26/2009	MW-0609-S1 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	226	< 100 U	< 5 U	< 5 U	< 5 U	26.1		

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0610-S1	10/28/2010	MW-0610-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2011	MW-0610-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.67 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0610-S1	10/18/2011	MW-0610-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/31/2012	MW-0610-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/16/2013	MW-0610-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2014	MW-0610-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/25/2014	MW-0610-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.0 J	< 2.0 U
MW-0610-S1	3/31/2015	MW-0610-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.43 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/30/2015	MW-0610-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	2.1 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/30/2016	MW-0610-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2016	MW-0610-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.4 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/24/2017	MW-0610-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2017	MW-0610-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/27/2018	MW-0610-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/4/2018	MW-0610-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/26/2019	MW-0610-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	7.0	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2019	MW-0610-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/27/2020	MW-0610-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	11/13/2006	MW-0611-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	11/13/2008	MW-0611-S1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	4/29/2016	MW-0611-S1 (042916) (LOW FLOW)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0611-S1	3/24/2017	MW-0611-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	10/11/2017	MW-0611-S1 (101117) LF	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	4/25/2018	MW-0611-S1(042518)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	10/4/2018	MW-0611-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	3/25/2019	MW-0611-S1 (032519)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	3/27/2020	MW-0611-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1-R	10/31/2019	MW-0611-S1-R(103119)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0612-S1	11/9/2006	MW-0612-S1 (110906)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	130	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	43	3,300	2.4
MW-0612-S1	3/7/2007	FD-1-MG (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	132	< 100 U	< 5.0 UJ	< 5.0 U	< 5.0 U	38.6	3,760	3.1
MW-0612-S1	3/7/2007	MW-0612-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	161	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	38.9	3,950	< 2.0 U
MW-0612-S1	6/25/2009	MW-0612-S1 (062509)	Low-Flow	< 50 U	< 50 U	< 50 U	< 1,000 UJ	< 50 U	< 50 U	207	< 1,000 U	< 50 U	< 50 U	< 50 U	< 50 U	4,370	< 20 U
MW-0612-S1	4/19/2012	MW-0612-S1 (041912)-PDB	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	223	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	44.9	4,750 D	15.1
MW-0612-S1	10/31/2012	FD-2(103112)PDB-WK	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	850 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	141	675 D	< 2.0 U
MW-0612-S1	10/31/2012	MW-0612-S1(103112)LF	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	185	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	45.8	2,490 D	11.8
MW-0612-S1	10/31/2012	MW-0612-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	275	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	48.5	5,440 D	24.5
MW-0612-S1	4/2/2013	MW-0612-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	191	< 100 U	3.5 J	< 5.0 U	< 5.0 U	41.0	3,720 EJ	9.3
MW-0612-S1	10/16/2013	MW-0612-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	242	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	49.1	3,220 D	12.4
MW-0612-S1	5/13/2014	MW-0612-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	248 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	46.2	3,400 D	13.2
MW-0612-S1	9/25/2014	MW-0612-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	251	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	43.2	3,190 DJ	13.7
MW-0612-S1	3/31/2015	MW-0612-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	0.65 J	< 100 UB	< 5.0 U	< 5.0 U	292	0.32 J	< 5.0 U	< 5.0 U	< 5.0 U	49.6	3,870 D	11.6
MW-0612-S1	9/30/2015	MW-0612-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	0.43 J	< 100 UB	< 5.0 U	< 5.0 U	268 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	62.5	4,420 D	7.6
MW-0612-S1	3/9/2016	MW-0612-S1(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	<								

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0613-S1	9/27/2016	MW-0613-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.4 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/24/2017	MW-0613-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2017	MW-0613-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/27/2018	MW-0613-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/4/2018	MW-0613-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/26/2019	MW-0613-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2019	MW-0613-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/27/2020	MW-0613-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-B1	11/16/2006	MW-0614-B1 (111606)	Direct fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	3.9 J	3.1 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-B1	11/12/2008	MW-0614-B1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	17.5	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	11/16/2006	MW-0614-S2 (111606)	Direct fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	2.6 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	11/12/2008	MW-0614-S2 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	5/5/2010	MW-0614-S2 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0614-S2	10/28/2010	MW-0614-S2(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	5/13/2011	MW-0614-S2(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	1.6	0.63 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0614-S2	10/18/2011	MW-0614-S2(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	3/27/2018	MW-0614-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.0 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0614-S2	3/27/2020	MW-0614-S2 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	5.4 J	< 5.0 U	< 5.0 U	1.8 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1	11/20/2006	FD-2-MG (112006)	Direct fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1	11/20/2006	MW-0615-B1 (112006)	Direct fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	1.6 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.8 J
MW-0615-B1	11/14/2008	MW-0615-B1 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1	5/5/2010	MW-0615-B1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0615-B1	10/28/2010	MW-0615-B1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1	5/13/2011	MW-0615-B1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	1.8	0.16 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0615-B1	10/18/2011	MW-0615-B1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1A	8/6/2008	MW-0615-B1A (137-147)		< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1A	8/11/2008	FD-1-MG (081108)	bladder pump	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	12.9	< 5.0 U	< 2.0 U
MW-0615-B1A	8/11/2008	MW-0615-B1A (103-113)	bladder pump	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	13.3	< 5.0 U	< 2.0 U
MW-0615-B1A	8/12/2008	MW-0615-B1A (80-90)	bladder pump	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	28.6	< 5.0 U	< 2.0 U
MW-0615-B1A	8/12/2008	MW-0615-B1A (93-103)	bladder pump	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	5.4	< 5.0 U	< 2.0 U
MW-0615-B1a	11/13/2008	FD-1-MG (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	5.1	< 5.0 U	< 2.0 U
MW-0615-B1a	11/13/2008	MW-0615-B1A (103-113)(111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	5.4	< 5.0 U	< 2.0 U
MW-0615-B1a	11/13/2008	MW-0615-B1A (137-145.2)(111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0615-B1a	11/13/2008	MW-0615-B1A (93-103)(111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	5.2	< 5.0 U	< 2.0 U
MW-0615-B1a	11/14/2008	MW-0615-B1A (80-90)(111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	10.0	< 5.0 U	< 2.0 U
MW-0616-B1	11/27/2006	MW-0616-B1 (112706)	Direct fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	14	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0616-B1	11/13/2008	MW-0616-B1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	10.8	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0616-B1A	8/15/2008	MW-0616-B1A (117-127)	bladder pump	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.0 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	11.1	< 5.0 U	< 2.0 U
MW-0616-B1A	8/15/2008	MW-0616-B1A (127-137)	bladder pump	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	4.4 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	13.9	< 5.0 U	< 2.0 U
MW-0616-B1A	8/15/2008	MW-0616-B1A (137-145.6)	bladder pump	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.7 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	7.6	< 5.0 U	< 2.0 U
MW-0616-B1A	8/18/2008	MW-0616-B1A (107-117)	bladder pump	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	2.6 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	19.7	< 5.0 U	< 2.0 U
MW-0616-B1a	11/19/2008	MW-0616-B1A (117-127)(111908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0616-B1a	11/19/2008	MW-0616-B1A (127-137)(111908)	Low-Flow	< 5.0 U</													

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0617-S2	3/7/2007	MW-0617-S2 (030707)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	518	< 100 U	< 5.0 U	9.0	< 5.0 U	74.5	386	< 2.0 U
MW-0617-S2	11/14/2008	MW-0617-S2 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	342	< 100 U	< 5.0 U	5.8	< 5.0 U	34.4	209	< 2.0 U
MW-0617-S2	12/29/2008	FD-1-MAH (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	668	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	60.2	221	< 2.0 U
MW-0617-S2	12/29/2008	MW-0617-S2 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	586	< 100 U	< 5.0 U	8.4	< 5.0 U	62.4	227	< 2.0 U
MW-0617-S2	3/27/2018	MW-0617-S2 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	4.6 J	< 100 U	< 5.0 U	3.1 J	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0617-S2	3/27/2020	MW-0617-S2 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	3.9 J	< 100 U	< 5.0 U	< 5.0 U	0.21 J	< 5.0 U	< 5.0 U	19.8
MW-0618-S1	11/13/2006	MW-0618-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/12/2008	MW-0618-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/31/2012	MW-0618-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0618-S1	4/2/2013	MW-0618-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.2 J	< 2.0 U
MW-0618-S1	10/16/2013	MW-0618-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	5/13/2014	MW-0618-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/31/2015	MW-0618-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	< 5.0 U	0.49 J	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 2.0 U
MW-0618-S1	9/30/2015	MW-0618-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	0.91 J	0.36 J	< 5.0 U	< 5.0 U	< 5.0 U	0.74 J	0.28 J	< 2.0 U
MW-0618-S1	3/30/2016	MW-0618-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2016	MW-0618-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 6.1 UB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/24/2017	MW-0618-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2017	MW-0618-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/27/2018	MW-0618-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/4/2018	MW-0618-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/26/2019	MW-0618-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	9.6	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/27/2020	MW-0618-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1.1 J	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.75 J	< 5.0 U	0.42 J
MW-0619-S1	11/20/2006	MW-0619-S1 (112006)	Direct fill	< 5.0 U	< 5.0 U	1.8 J	< 50.0 U	< 5.0 U	< 5.0 U	390	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	26	1,900	1.8 J
MW-0619-S1	11/14/2008	FD-2-TK (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	347	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	31.8	3,140	5.0
MW-0619-S1	11/14/2008	MW-0619-S1 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	345	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	33.8	3,200	4.9
MW-0619-S1	10/31/2012	MW-0619-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	143	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	6.7	963 D	< 2.0 U
MW-0619-S1	4/2/2013	MW-0619-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	18.4 J	< 100 U	4.0 J	< 5.0 U	< 5.0 U	< 5.0 U	4.7 J	< 2.0 U
MW-0619-S1	10/16/2013	MW-0619-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	165	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	8.4	929 D	< 2.0 U
MW-0619-S1	5/13/2014	MW-0619-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	54.4 UB	< 5.0 U	< 5.0 U	19.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.3 J	< 2.0 U
MW-0619-S1	9/25/2014	MW-0619-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	17.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	20.1	< 2.0 U
MW-0619-S1	3/31/2015	MW-0619-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	25.1	0.38 J	< 5.0 U	< 5.0 U	< 5.0 U	0.94 J	3.0 J	1.8 J
MW-0619-S1	9/30/2015	MW-0619-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	0.89 J	< 100 UB	< 5.0 U	< 5.0 U	195	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	13.0	1,310 D	1.5 J
MW-0619-S1	3/30/2016	MW-0619-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	23.7	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0619-S1	9/27/2016	MW-0619-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	50.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	202	< 2.0 U
MW-0619-S1	3/24/2017	MW-0619-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	20.5	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0619-S1	9/27/2017	MW-0619-S1 (092717)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	114	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	8.0	818	< 2.0 U
MW-0619-S1	3/27/2018	MW-0619-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	22.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	1.5 J
MW-0619-S1	10/4/2018	MW-0619-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	110	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	7.8	533	< 2.0 U
MW-0619-S1	3/26/2019	MW-0619-S1 (32619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	22.5	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	32.8	< 2.0 U
MW-0619-S1	9/27/2019	MW-0619-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	55.5	< 100 UN2	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	224	1.1 J
MW-0619-S1	3/27/2020	MW-0619-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	17.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.93 J	< 5.0 U	1.5 J
MW-0620-S1	11/21/2006	MW-0620-S1 (112106)	Direct fill	< 5.0 U	< 5.0 U	< 5.0 U	< 50.0 U	< 5.0 U	< 5.0 U	110	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	11	5,900	< 2.0 U
MW-0620-S1	11/14/2008	MW-0620-S1 (111408)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	75.0	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	10.4	5,940	< 2.0 U
MW-0620-S1	4/19/2012	MW-0620-S1 (041912)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	7.1	86.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4,830 D	< 2.0 U
MW-0620-S1	10/31/2012	MW-0620-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	4.1 J	213	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	10	5,660 D	< 2.0 U
MW-0620-S1	4/2/2013	MW-0620-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	12.3 J	17.8 J	< 100 U	3.1 J	< 5.0 U	< 5.0 U	< 5.0 U	12,400 EJ	< 2.0 U
MW-0620-S1	10/16/2013	MW-0620-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1,820 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	5.0	1,780 D	< 2.0 U
MW-0620-S1	12/16/2013	MW-0620-S1(121613)		< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	1,930	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	17.8	2,520	< 2.0 U
MW-0620-S1	1/30/2014	MW-0620-S1(013014)		< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	9.2	39.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	10,200	< 2.0 U
MW-0620-S1	5/13/2014	MW-0620-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	7.7	167 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5,770 D	< 2.0 U
MW-0620-S1	9/25/2014	MW-0620-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	6.4	9.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4,830 D	< 2.0 U
MW-0620-S1	3/31/2015	MW-0620-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	6.3	19.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	3,000 D	1.1 J
MW-0620-S1	9/30/2015	MW-0620-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	2.3 J	< 100 UB	< 5.0 U	1.5 J	1,100 D	0.35 J	< 5.0 U	< 5.0 U	< 5.0 U	11.3	1,150 D	6.4
MW-0620-S1	3/30/2016	FD-2(033016)-LM	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	5.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4,410 D	< 2.

Table 2
Groundwater Analytical Data Summary Screened Against Drinking Water Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0701-B1A	8/14/2008	MW-0701-B1A (88-98)	bladder pump	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	3.8 J	< 5.0 U	< 5.0 U	< 2.0 U
MW-0701-B1a	11/12/2008	MW-0701-B1A (88-98)(111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	12.8	< 5.0 U	< 5.0 U	< 2.0 U
MW-0701-B1a	11/12/2008	MW-0701-B1A (98-108)(111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 UJ	< 100 U	< 5.0 U	< 5.0 U	5.8	< 5.0 U	< 5.0 U	< 2.0 U
MW-0702-B1	11/13/2008	MW-0702-B1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0702-B1	6/26/2009	MW-0702-B1 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0703-B1	11/12/2008	MW-0703-B1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0703-B1	6/26/2009	MW-0703-B1 (062609)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0703-B1	5/5/2010	MW-0703-B1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 100 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0703-B1	10/28/2010	MW-0703-B1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0703-B1	5/13/2011	MW-0703-B1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 10 UB	< 1.0 U	< 1.0 U	< 1.0 U	0.62 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0703-B1	10/18/2011	MW-0703-B1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0704-S1	11/13/2008	MW-0704-S1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	408	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	71.8	1,370	< 2.0 U
MW-0704-S1	6/25/2009	MW-0704-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	571	< 100 U	< 5 U	< 5 U	< 5 U	103	1,200	5.6
MW-0704-S1	10/31/2012	MW-0704-S1(103115)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	635 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	81.3	1,640 D	2.9
MW-0704-S1	4/2/2013	MW-0704-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	714 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	96.1	2,000 D	2.6
MW-0704-S1	10/16/2013	MW-0704-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	628 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	99.5	1,830 D	4.5
MW-0704-S1	5/13/2014	MW-0704-S1(051314)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	606	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	77.4	2,080 D	< 10.0 U
MW-0704-S1	9/25/2014	MW-0704-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	3.1 J	< 100 U	< 5.0 U	< 5.0 U	704 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	109	3,240 DJ	5.1
MW-0704-S1	3/31/2015	MW-0704-S1(033115)-PDB	PDB	< 25.0 U	< 25.0 U	2.8 J	< 500 U	< 25.0 U	< 25.0 U	740	< 500 U	3.3 J	< 25.0 U	< 25.0 U	101	2,640 D	3.7 J
MW-0704-S1	9/30/2015	MW-0704-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	1.1 J	< 100 UB	< 5.0 U	< 5.0 U	620 D	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	94.9	1,880 D	4.8
MW-0704-S1	3/9/2016	MW-0704-S1(030916)	Low-Flow	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	660	< 500 U	< 25.0 UJ	< 25.0 U	< 25.0 U	89.5	1,370 D	< 10.0 U
MW-0704-S1	9/27/2016	MW-0704-S1(092716)PDB	PDB	< 50.0 U	< 50.0 U	< 50.0 U	< 1,000 U	< 50.0 U	< 50.0 U	668	< 1,000 U	< 107 UB	< 50.0 U	< 50.0 U	88.9	2,480	< 20.0 U
MW-0704-S1	3/24/2017	MW-0704-S1(032417)PDB	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	569	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	76.0	2,000 D	< 10.0 U
MW-0704-S1	9/27/2017	MW-0704-S1 (092717)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 UJ	< 25.0 U	< 25.0 U	614	< 500 UJ	< 25.0 U	< 25.0 U	< 25.0 U	83.0	2,150	< 10.0 U
MW-0704-S1	3/27/2018	MW-0704-S1 (032718)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	532	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	73.5	1,890	< 10.0 U
MW-0704-S1	10/4/2018	MW-0704-S1 (100418)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	578	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	83.1	1,120	< 10.0 U
MW-0704-S1	3/26/2019	MW-0704-S1 (032619)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	461	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	59.8	1,640	< 10.0 U
MW-0704-S1	9/27/2019	MW-0704-S1(092719)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	454	< 500 UN2	< 25.0 U	< 25.0 U	< 25.0 U	72.4	2,640	< 10.0 U
MW-0704-S1	3/27/2020	MW-0704-S1 (032720)	PDB	< 25.0 U	< 25.0 U	< 25.0 U	< 500 U	< 25.0 U	< 25.0 U	514	< 500 U	< 25.0 U	< 25.0 U	< 25.0 U	73.7	1,300	< 10.0 U
MW-0705-S1	11/13/2008	MW-0705-S1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 R	< 5.0 U	< 5.0 U	37.2	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.4	187	< 2.0 U
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	50.0	< 100 U	< 5 U	< 5 U	< 5 U	14.9	178	5.1
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 100 UJ	< 5 U	< 5 U	34.0	< 100 U	< 5 U	< 5 U	< 5 U	9.0	86.3	4.8
MW-0705-S1	10/31/2012	MW-0705-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	39.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.4	146	4.2
MW-0705-S1	4/2/2013	MW-0705-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	46.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	13.7	177	4.1
MW-0705-S1	10/16/2013	MW-0705-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	50.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	11.9	185	3.9
MW-0705-S1	5/13/2014	MW-0705-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	42.1	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	10.7	131	4.2
MW-0705-S1	9/25/2014	MW-0705-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	40.6	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.3	115	3.1
MW-0705-S1	3/31/2015	MW-0705-S1(033115)-PDB	PDB	< 5.0 U	0.80 J	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	47.9	0.25 J	< 5.0 U	< 5.0 U	< 5.0 U	12.1	148	3.6
MW-0705-S1	9/30/2015	MW-0705-S1(093015)PDB	PDB	< 5.0 U	0.71 J	< 5.0 U	< 100 UB	< 5.0 U	< 5.0 U	59.5	0.56 J	< 5.0 U	< 5.0 U	< 5.0 U	18.5	176	3.2
MW-0705-S1	3/30/2016	MW-0705-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	46.5	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	11.6	135	3.4
MW-0705-S1	9/27/2016	MW-0705-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	46.7	< 100 U	< 7.9 UB	< 5.0 U	< 5.0 U	13.0	149	3.2
MW-0705-S1	3/24/2017	MW-0705-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	35.3	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	9.4	98.6	< 2.0 U
MW-0705-S1	9/27/2017	MW-0705-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 UJ	< 5.0 U	< 5.0 U	39.1	< 100 UJ	< 5.0 U	< 5.0 U	< 5.0 U	10.1	107	3.3
MW-0705-S1	3/27/2018	MW-0705-S1 (032718)	PDB	< 5.0													

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)													
				1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	Acetone	Benzene	Chloroform (Trichloromethane)	cis-1,2-Dichloroethene	Cyclohexane	Methylene chloride	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-1507-S1	3/27/2020	MW-1507-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	< 5.0 U	70.8	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	6.1	373	< 2.0 U
MW-1508-S1	9/3/2015	DUP-01(090315)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	0.36 J	9.9	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.33 J	102	< 2.0 U
MW-1508-S1	9/3/2015	MW-1508-S1(090315)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 100 U	< 5.0 U	0.51 J	10	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	0.35 J	105	< 2.0 U
Maximum Contaminant Level‡				200	24	7	14,000	5	80	70	13,000	5	5	1,000	100	5	2

Notes:
Only chemicals detected one or more times during the groundwater monitoring event are presented.
‡ The data are screened against United States Environmental Protection Agency (USEPA) Drinking Water Screening Criteria (Maximum Contaminant Levels [MCLs]).
* No MCL is established for 1,1-dichloroethane, acetone, or cyclohexane; as such, the Indiana Deptment of Environmental Management Remediation Closure Guide (RCG) Tap Water Criteria were used for screening purposes
Shaded Concentrations highlighted gray exceed the screening criteria
µg/L: micrograms per liter
D: Concentration is based on a diluted sample analysis
E: The compound was quantitated above the calibration range.
J: The compound was positively identified; however, the associated numerical value is an estimated concentration only
PDB: Passive diffusion bag
U: The compound was analyzed for but not detected. The associated value is the compound quantitation limit
UB: Compound considered non-detect at the listed value due to associated blank contamination
UJ: The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0516-S1	10/19/2005	MW-0516-2L (101905)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/23/2006	MW-0516-S1 (032306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	6/25/2009	MW-0516-S1 (062509)-PDB	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/5/2010	MW-0516-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	5/6/2010	MW-0516-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0516-S1	10/28/2010	MW-0516-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2011	MW-0516-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0516-S1	10/18/2011	MW-0516-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/31/2012	MW-0516-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	4/2/2013	MW-0516-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/16/2013	MW-0516-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	5/13/2014	MW-0516-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/25/2014	MW-0516-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/31/2015	MW-0516-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.26 J	< 2.0 U
MW-0516-S1	9/30/2015	MW-0516-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	FD-1(033016)-LM	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/30/2016	MW-0516-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2016	MW-0516-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/24/2017	MW-0516-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2017	MW-0516-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/27/2018	MW-0516-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	10/4/2018	MW-0516-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/26/2019	MW-0516-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	9/27/2019	MW-0516-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0516-S1	3/27/2020	MW-0516-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/24/2006	MW-0602-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	11/7/2006	MW-0602-S1 (110706)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/31/2012	MW-0602-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/16/2013	MW-0602-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	5/13/2014	MW-0602-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/25/2014	MW-0602-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/30/2016	MW-0602-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2016	MW-0602-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/24/2017	MW-0602-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2017	MW-0602-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/27/2018	MW-0602-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	10/4/2018	MW-0602-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/26/2019	MW-0602-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	9/27/2019	MW-0602-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0602-S1	3/27/2020	MW-0602-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2006	MW-0603-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	11/8/2006	MW-0603-S1 (110806)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	6/25/2009	MW-0603-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	5/5/2010	MW-0603-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0603-S1	10/28/2010	MW-0603-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2011	MW-0603-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0603-S1	10/18/2011	MW-0603-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/31/2012	MW-0603-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/16/2013	MW-0603-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	5/13/2014	MW-0603-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/25/2014	MW-0603-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/31/2015	MW-0603-S1(033115)-AO-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/30/2015	MW-0603-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.27 J	< 2.0 U
MW-0603-S1	3/30/2016	MW-0603-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2016	MW-0603-S1(091716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/24/2017	MW-0603-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2017	MW-0603-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/27/2018	MW-0603-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	10/4/2018	MW-0603-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/26/2019	MW-0603-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	9/27/2019	MW-0603-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0603-S1	3/27/2020	MW-0603-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0606-S1	3/23/2006	MW-0606-S1 (032306)	Low-Flow	< 5.0 U	230	< 5.0 UJ	42	970	< 2.0 U
MW-0606-S1	11/6/2006	MW-0606-S1 (110606)	Low-Flow	< 5.0 U	210	< 5.0 U	43	770	1.0 J
MW-0606-S1	10/31/2012	MW-0606-S1(103112)LF	Low-Flow	< 5.0 U	288 D	< 5.0 U	76.5	2,410 D	< 2.0 U
MW-0606-S1	10/31/2012	MW-0606-S1(103112)PDB	PDB	< 5.0 U	281 D	< 5.0 U	78.8	2,380 D	1.2 J
MW-0606-S1	4/2/2013	MW-0606-S1 (040213) PDB	PDB	< 5.0 U	394 EJ	< 5.0 U	105	4,490 EJ	2.0
MW-0606-S1	10/16/2013	MW-0606-S1(101613)	PDB	< 5.0 U	314 D	< 5.0 U	92.8	2,650 D	1.3 J
MW-0606-S1	5/13/2014	MW-0606-S1(051314)	PDB	< 25.0 U	365	< 25.0 U	75.9	3,280 D	< 10.0 U
MW-0606-S1	9/25/2014	MW-0606-S1(092514)PDB	PDB	< 5.0 U	448 D	< 5.0 U	81.0	2,580 DJ	1.2 J
MW-0606-S1	3/31/2015	MW-0606-S1(033115)-PDB	PDB	< 50.0 U	428	< 50.0 U	94.6	3,030 D	< 20.0 U
MW-0606-S1	9/30/2015	MW-0606-S1(093015)PDB	PDB	0.42 J	285	< 5.0 U	45.6	1,260 D	0.43 J
MW-0606-S1	3/9/2016	MW-0606-S1(030916)	Low-Flow	< 5.0 U	329 D	< 5.0 U	62.6	1,960 D	< 2.0 U
MW-0606-S1	9/27/2016	MW-0606-S1(092716)PDB	PDB	< 50.0 U	633	< 50.0 U	58.0	1,130	< 20.0 U
MW-0606-S1	3/24/2017	MW-0606-S1(032417)PDB	PDB	< 5.0 U	441	< 5.0 U	97.8	2,820 D	< 2.0 U
MW-0606-S1	9/27/2017	MW-0606-S1 (092717)	PDB	< 5.0 U	250	< 5.0 U	51.0	1,470	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0606-S1	3/27/2018	MW-0606-S1 (032718)	PDB	1.1 J	279	< 5.0 U	81.5	1,880	0.92 J
MW-0606-S1	10/4/2018	MW-0606-S1 (100418)	PDB	< 5.0 U	453	< 5.0 U	97.0	1,960	< 2.0 U
MW-0606-S1	3/25/2019	MW-0606-S1 (032519)	Low-Flow	< 5.0 U	245	< 5.0 U	55.3	1,340	< 2.0 U
MW-0606-S1	9/27/2019	MW-0606-S1(092719)	PDB	< 5.0 U	360	< 5.0 U	83.1	2,020	< 2.0 U
MW-0606-S1	3/27/2020	MW-0606-S1 (032720)	PDB	2.3 J	656	< 25.0 U	109	2,740	< 10.0 U
MW-0607-S1	3/24/2006	MW-0607-S1 (032406)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 UJ	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	11/6/2006	MW-0607-S1 (110606)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	6/25/2009	MW-0607-S1 (062509)	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/5/2010	MW-0607-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	5/6/2010	MW-0607-S1 (050610)LF	Low-Flow	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0607-S1	10/28/2010	MW-0607-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2011	MW-0607-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0607-S1	10/18/2011	MW-0607-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/31/2012	MW-0607-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0607-S1	4/2/2013	MW-0607-S1 (040213) PDB	PDB	< 5.0 U	2.9 J	< 5.0 U	< 5.0 U	36.9 J	< 2.0 U
MW-0607-S1	10/16/2013	MW-0607-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	5/13/2014	MW-0607-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/25/2014	MW-0607-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	4.0 J	< 2.0 U
MW-0607-S1	3/31/2015	MW-0607-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/30/2015	MW-0607-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/30/2016	MW-0607-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2016	MW-0607-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/24/2017	MW-0607-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2017	MW-0607-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/27/2018	MW-0607-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	10/4/2018	MW-0607-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/26/2019	MW-0607-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	9/27/2019	MW-0607-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0607-S1	3/27/2020	MW-0607-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/23/2006	MW-0608-S1 (032306)	Low-Flow	< 5.0 U	2.9 J	< 5.0 UJ	< 5.0 U	2.0 J	< 2.0 U
MW-0608-S1	11/7/2006	MW-0608-S1 (110706)	Low-Flow	< 5.0 U	35	< 5.0 U	3.3 J	1.7 J	< 2.0 U
MW-0608-S1	6/26/2009	MW-0608-S1 (062609)	Low-Flow	< 5 U	24.5	< 5 U	< 5 U	< 5 U	4.9
MW-0608-S1	10/31/2012	MW-0608-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0608-S1	4/2/2013	MW-0608-S1 (040213) PDB	PDB	< 5.0 U	30.9	< 5.0 U	< 5.0 U	5.2 J	1.7 J
MW-0608-S1	10/16/2013	MW-0608-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	5/13/2014	MW-0608-S1(051314)	PDB	< 5.0 U	148	< 5.0 U	11.7	3.5 J	5.4
MW-0608-S1	9/25/2014	MW-0608-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	1.5 J	< 2.0 U
MW-0608-S1	3/31/2015	MW-0608-S1(033115)-PDB	PDB	0.33 J	144	< 5.0 U	13.1	< 5.0 U	4.0
MW-0608-S1	9/30/2015	MW-0608-S1(093015)PDB	PDB	0.54 J	243 D	< 5.0 U	35.3	< 5.0 U	5.8
MW-0608-S1	3/30/2016	MW-0608-S1(033016)PDB	PDB	< 5.0 U	97.8	< 5.0 U	9.3	< 5.0 U	2.6
MW-0608-S1	9/27/2016	MW-0608-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/24/2017	MW-0608-S1(032417)PDB	PDB	< 5.0 U	30.3	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	9/27/2017	MW-0608-S1 (092717)	PDB	< 5.0 U	427	< 5.0 U	44.0	< 5.0 U	5.1
MW-0608-S1	3/27/2018	MW-0608-S1 (032718)	PDB	1.5 J	371	< 5.0 U	45.1	< 5.0 U	5.1
MW-0608-S1	10/4/2018	MW-0608-S1 (100418)	PDB	< 5.0 U	453	< 5.0 U	58.3	< 5.0 U	6.5
MW-0608-S1	3/26/2019	MW-0608-S1 (032619)	PDB	< 5.0 U	286	< 5.0 U	34.5	< 5.0 U	3.8
MW-0608-S1	9/27/2019	MW-0608-S1(092719)	PDB	< 5.0 U	4.2 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0608-S1	3/27/2020	MW-0608-S1 (032720)	PDB	1.3 J	484	< 5.0 U	47.0	< 5.0 U	3.2
MW-0609-S1	3/23/2006	MW-0609-S1 (032306)	Low-Flow	< 5.0 U	61	< 5.0 UJ	9.7	260	< 2.0 U
MW-0609-S1	11/9/2006	MW-0609-S1 (110906)	Low-Flow	< 5.0 U	55	< 5.0 U	9.0	220	< 2.0 U
MW-0609-S1	6/26/2009	FD-1-PS (062609)	Low-Flow	< 5 U	225	< 5 U	25.4	69.4	3.7
MW-0609-S1	6/26/2009	MW-0609-S1 (062609)	Low-Flow	< 5 U	226	< 5 U	26.1	69.9	3.6
MW-0609-S1	10/31/2012	MW-0609-S1(103112)PDB	PDB	< 5.0 U	3.8 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	4/2/2013	MW-0609-S1 (040213) PDB	PDB	< 5.0 U	18.9	< 5.0 U	< 5.0 U	8.2 J	< 2.0 U
MW-0609-S1	10/16/2013	MW-0609-S1(101613)	PDB	< 5.0 U	489 D	< 5.0 U	40.1	5.9	7.8
MW-0609-S1	5/13/2014	MW-0609-S1(051314)	PDB	< 5.0 U	198 D	< 5.0 U	16.2	40.1	5.4
MW-0609-S1	9/25/2014	MW-0609-S1(092514)PDB	PDB	< 5.0 U	26.6	< 5.0 U	2.7 J	< 5.0 U	6.2
MW-0609-S1	9/30/2015	MW-0609-S1(093015)PDB	PDB	< 5.0 U	347 D	< 5.0 U	53.1	248	3.2
MW-0609-S1	3/30/2016	MW-0609-S1(033016)PDB	PDB	< 5.0 U	18.6	< 5.0 U	< 5.0 U	7.9	< 2.0 U
MW-0609-S1	9/27/2016	MW-0609-S1(092716)PDB	PDB	< 5.0 U	496	< 5.0 U	49.7	17.1	18.1
MW-0609-S1	3/24/2017	MW-0609-S1(032417)PDB	PDB	< 5.0 U	7.5	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	9/27/2017	MW-0609-S1 (092717)	PDB	< 5.0 U	147	< 5.0 U	8.1	< 5.0 U	15.0
MW-0609-S1	4/17/2018	MW-0609-S1 (041718)	PDB	< 5.0 U	1.1 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	10/4/2018	MW-0609-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	3/26/2019	MW-0609-S1 (032619)	PDB	< 5.0 U	26.0	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	9/27/2019	MW-0609-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0609-S1	3/27/2020	MW-0609-S1 (032720)	PDB	< 5.0 U	8.7	< 5.0 U	0.63 J	1.2 J	< 2.0 U
MW-0610-S1	11/10/2006	MW-0610-S1 (111006)	Low-Flow	< 5.0 U	40	< 5.0 U	4.2 J	< 5.0 U	1.9 J
MW-0610-S1	11/12/2008	MW-0610-S1 (111208)	Low-Flow	< 5.0 U	19.1	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/5/2010	MW-0610-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0610-S1	10/28/2010	MW-0610-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2011	MW-0610-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0610-S1	10/18/2011	MW-0610-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/31/2012	MW-0610-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/16/2013	MW-0610-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	5/13/2014	MW-0610-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0610-S1	9/25/2014	MW-0610-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	2.0 J	< 2.0 U
MW-0610-S1	3/31/2015	MW-0610-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/30/2015	MW-0610-S1(093015)PDB	PDB	< 5.0 U	2.1 J	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/30/2016	MW-0610-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2016	MW-0610-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/24/2017	MW-0610-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2017	MW-0610-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/27/2018	MW-0610-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	10/4/2018	MW-0610-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/26/2019	MW-0610-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	9/27/2019	MW-0610-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0610-S1	3/27/2020	MW-0610-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	11/13/2006	MW-0611-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	11/13/2008	MW-0611-S1 (111308)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	4/29/2016	MW-0611-S1 (042916) (LOW FLOW)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0611-S1	3/24/2017	MW-0611-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	10/11/2017	MW-0611-S1 (101117) LF	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	4/25/2018	MW-0611-S1(042518)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	10/4/2018	MW-0611-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	3/25/2019	MW-0611-S1 (032519)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1	3/27/2020	MW-0611-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0611-S1-R	10/31/2019	MW-0611-S1-R(103119)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0612-S1	11/9/2006	MW-0612-S1 (110906)	Low-Flow	< 5.0 U	130	< 5.0 U	43	3,300	2.4
MW-0612-S1	3/7/2007	FD-1-MG (030707)	Low-Flow	< 5.0 U	132	< 5.0 U	38.6	3,760	3.1
MW-0612-S1	3/7/2007	MW-0612-S1 (030707)	Low-Flow	< 5.0 U	161	< 5.0 U	38.9	3,950	< 2.0 U
MW-0612-S1	6/25/2009	MW-0612-S1 (062509)	Low-Flow	< 50 U	207	< 50 U	< 50 U	4,370	< 20 U
MW-0612-S1	4/19/2012	MW-0612-S1 (041912)-PDB	Low-Flow	< 5.0 U	223	< 5.0 U	44.9	4,750 D	15.1
MW-0612-S1	10/31/2012	FD-2(103112)PDB-WK	PDB	< 5.0 U	850 D	< 5.0 U	141	675 D	< 2.0 U
MW-0612-S1	10/31/2012	MW-0612-S1(103112)LF	Low-Flow	< 5.0 U	185	< 5.0 U	45.8	2,490 D	11.8
MW-0612-S1	10/31/2012	MW-0612-S1(103112)PDB	PDB	< 5.0 U	275	< 5.0 U	48.5	5,440 D	24.5
MW-0612-S1	4/2/2013	MW-0612-S1 (040213) PDB	PDB	< 5.0 U	191	< 5.0 U	41.0	3,720 EJ	9.3
MW-0612-S1	10/16/2013	MW-0612-S1(101613)	PDB	< 5.0 U	242	< 5.0 U	49.1	3,220 D	12.4
MW-0612-S1	5/13/2014	MW-0612-S1(051314)	PDB	< 5.0 U	248 D	< 5.0 U	46.2	3,400 D	13.2
MW-0612-S1	9/25/2014	MW-0612-S1(092514)PDB	PDB	< 5.0 U	251	< 5.0 U	43.2	3,190 DJ	13.7
MW-0612-S1	3/31/2015	MW-0612-S1(033115)-PDB	PDB	0.65 J	292	< 5.0 U	49.6	3,870 D	11.6
MW-0612-S1	9/30/2015	MW-0612-S1(093015)PDB	PDB	0.43 J	268 D	< 5.0 U	62.5	4,420 D	7.6
MW-0612-S1	3/9/2016	MW-0612-S1(030916)	Low-Flow	< 25.0 U	193	< 25.0 U	47.2	2,380 D	< 10.0 U
MW-0612-S1	9/27/2016	MW-0612-S1(092716)PDB	PDB	< 50.0 U	249	< 50.0 U	< 50.0 U	4,630 D	< 20.0 U
MW-0612-S1	3/24/2017	MW-0612-S1(032417)PDB	PDB	< 25.0 U	254	< 25.0 U	49.4	3,960 D	< 10.0 U
MW-0612-S1	9/27/2017	MW-0612-S1 (092717)	PDB	< 25.0 U	100	< 25.0 U	< 25.0 U	674	< 10.0 U
MW-0612-S1	3/27/2018	MW-0612-S1 (032718)	PDB	< 25.0 U	278	< 25.0 U	47.8	4,360	6.6 J
MW-0612-S1	10/4/2018	MW-0612-S1 (100418)	PDB	< 25.0 U	306	< 25.0 U	47.0	4,180	< 10.0 U
MW-0612-S1	3/26/2019	MW-0612-S1 (032619)	PDB	< 25.0 U	341	< 25.0 U	54.4	4,110	< 10.0 U
MW-0612-S1	9/27/2019	MW-0612-S1(092719)	PDB	< 25.0 U	35.9	< 25.0 U	< 25.0 U	358	< 10.0 U
MW-0612-S1	3/27/2020	MW-0612-S1 (032720)	PDB	< 25.0 U	283	< 25.0 U	45.4	2,810	12.0
MW-0613-S1	11/10/2006	MW-0613-S1 (111006)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	11/12/2008	MW-0613-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/5/2010	MW-0613-S1 (050510)	PDB	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 2 U
MW-0613-S1	10/28/2010	MW-0613-S1(102810)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2011	MW-0613-S1(051311)	PDB	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
MW-0613-S1	10/18/2011	MW-0613-S1(101811)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/31/2012	MW-0613-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.2 UB	< 2.0 U
MW-0613-S1	4/2/2013	MW-0613-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	24.0 J	< 2.0 U
MW-0613-S1	10/16/2013	MW-0613-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	5/13/2014	MW-0613-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/25/2014	MW-0613-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/31/2015	MW-0613-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/30/2015	MW-0613-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/30/2016	MW-0613-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2016	MW-0613-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/24/2017	MW-0613-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2017	MW-0613-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/27/2018	MW-0613-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	10/4/2018	MW-0613-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/26/2019	MW-0613-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	9/27/2019	MW-0613-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0613-S1	3/27/2020	MW-0613-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/7/2007	MW-0617-S1 (030707)	Low-Flow	< 5.0 U	< 5.0 U	48.1	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	11/12/2008	MW-0617-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	18.3	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	12/29/2008	MW-0617-S1 (122908)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/31/2012	MW-0617-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/16/2013	MW-0617-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	5/13/2014	MW-0617-S1 (051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U

Table 3
Off-Site Groundwater Analytical Data Summary Screened Against Groundwater Vapor Intrusion Criteria
RACER Trust Former GM Delco Plant 5
Kokomo, Indiana

Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0617-S1	9/25/2014	MW-0617-S1(092514)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/31/2015	MW-0617-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 2.0 U
MW-0617-S1	9/30/2015	MW-0617-S1(093015)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/30/2016	MW-0617-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2016	MW-0617-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/24/2017	MW-0617-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2017	MW-0617-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 UJ
MW-0617-S1	3/27/2018	MW-0617-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	10/4/2018	MW-0617-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/26/2019	MW-0617-S1 (32619)	PDB	< 5.0 U	< 5.0 U	9.8	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	9/27/2019	MW-0617-S1(092719)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0617-S1	3/27/2020	MW-0617-S1 (032720)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/13/2006	MW-0618-S1 (111306)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	11/12/2008	MW-0618-S1 (111208)	Low-Flow	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/31/2012	MW-0618-S1(103112)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 UB	< 2.0 U
MW-0618-S1	4/2/2013	MW-0618-S1 (040213) PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	5.2 J	< 2.0 U
MW-0618-S1	10/16/2013	MW-0618-S1(101613)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	5/13/2014	MW-0618-S1(051314)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/31/2015	MW-0618-S1(033115)-PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	0.29 J	< 5.0 U	< 2.0 U
MW-0618-S1	9/30/2015	MW-0618-S1(093015)PDB	PDB	< 5.0 U	0.91 J	< 5.0 U	0.74 J	0.28 J	< 2.0 U
MW-0618-S1	3/30/2016	MW-0618-S1(033016)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2016	MW-0618-S1(092716)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/24/2017	MW-0618-S1(032417)PDB	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	9/27/2017	MW-0618-S1 (092717)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/27/2018	MW-0618-S1 (032718)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	10/4/2018	MW-0618-S1 (100418)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/26/2019	MW-0618-S1 (032619)	PDB	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U
MW-0618-S1	3/27/2020	MW-0618-S1 (032720)	PDB	< 5.0 U	1.1 J	< 5.0 U	0.75 J	< 5.0 U	0.42 J
MW-0704-S1	11/13/2008	MW-0704-S1 (111308)	Low-Flow	< 5.0 U	408	< 5.0 U	71.8	1,370	< 2.0 U
MW-0704-S1	6/25/2009	MW-0704-S1 (062509)	Low-Flow	< 5 U	571	< 5 U	103	1,200	5.6
MW-0704-S1	10/31/2012	MW-0704-S1(103112)PDB	PDB	< 5.0 U	635 D	< 5.0 U	81.3	1,640 D	2.9
MW-0704-S1	4/2/2013	MW-0704-S1 (040213) PDB	PDB	< 5.0 U	714 D	< 5.0 U	96.1	2,000 D	2.6
MW-0704-S1	10/16/2013	MW-0704-S1(101613)	PDB	< 5.0 U	628 D	< 5.0 U	99.5	1,830 D	4.5
MW-0704-S1	5/13/2014	MW-0704-S1(051314)	PDB	< 25.0 U	606	< 25.0 U	77.4	2,080 D	< 10.0 U
MW-0704-S1	9/25/2014	MW-0704-S1(092514)PDB	PDB	3.1 J	704 D	< 5.0 U	109	3,240 DJ	5.1
MW-0704-S1	3/31/2015	MW-0704-S1(033115)-PDB	PDB	2.8 J	740	< 25.0 U	101	2,640 D	3.7 J
MW-0704-S1	9/30/2015	MW-0704-S1(093015)PDB	PDB	1.1 J	620 D	< 5.0 U	94.9	1,880 D	4.8
MW-0704-S1	3/9/2016	MW-0704-S1(030916)	Low-Flow	< 25.0 U	660	< 25.0 U	89.5	1,370 D	< 10.0 U
MW-0704-S1	9/27/2016	MW-0704-S1(092716)PDB	PDB	< 50.0 U	668	< 50.0 U	88.9	2,480	< 20.0 U
MW-0704-S1	3/24/2017	MW-0704-S1(032417)PDB	PDB	< 25.0 U	569	< 25.0 U	76.0	2,000 D	< 10.0 U
MW-0704-S1	9/27/2017	MW-0704-S1 (092717)	PDB	< 25.0 U	614	< 25.0 U	83.0	2,150	< 10.0 U
MW-0704-S1	3/27/2018	MW-0704-S1 (032718)	PDB	< 25.0 U	532	< 25.0 U	73.5	1,890	< 10.0 U
MW-0704-S1	10/4/2018	MW-0704-S1 (100418)	PDB	< 25.0 U	578	< 25.0 U	83.1	1,120	< 10.0 U
MW-0704-S1	3/26/2019	MW-0704-S1 (032619)	PDB	< 25.0 U	461	< 25.0 U	59.8	1,640	< 10.0 U
MW-0704-S1	9/27/2019	MW-0704-S1(092719)	PDB	< 25.0 U	454	< 25.0 U	72.4	2,640	< 10.0 U
MW-0704-S1	3/27/2020	MW-0704-S1 (032720)	PDB	< 25.0 U	514	< 25.0 U	73.7	1,300	< 10.0 U
MW-0705-S1	11/13/2008	MW-0705-S1 (111308)	Low-Flow	< 5.0 U	37.2	< 5.0 U	9.4	187	< 2.0 U
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-LF	Low-Flow	< 5 U	50.0	< 5 U	14.9	178	5.1
MW-0705-S1	6/26/2009	MW-0705-S1 (062609)-PDB	PDB	< 5 U	34.0	< 5 U	9.0	86.3	4.8
MW-0705-S1	10/31/2012	MW-0705-S1(103112)PDB	PDB	< 5.0 U	39.8	< 5.0 U	9.4	146	4.2
MW-0705-S1	4/2/2013	MW-0705-S1 (040213) PDB	PDB	< 5.0 U	46.8	< 5.0 U	13.7	177	4.1
MW-0705-S1	10/16/2013	MW-0705-S1(101613)	PDB	< 5.0 U	50.3	< 5.0 U	11.9	185	3.9
MW-0705-S1	5/13/2014	MW-0705-S1(051314)	PDB	< 5.0 U	42.1	< 5.0 U	10.7	131	4.2
MW-0705-S1	9/25/2014	MW-0705-S1(092514)PDB	PDB	< 5.0 U	40.6	< 5.0 U	9.3	115	3.1
MW-0705-S1	3/31/2015	MW-0705-S1(033115)-PDB	PDB	< 5.0 U	47.9	< 5.0 U	12.1	148	3.6
MW-0705-S1	9/30/2015	MW-0705-S1(093015)PDB	PDB	< 5.0 U	59.5	< 5.0 U	18.5	176	3.2


Location	Date	Sample ID	Sampling Method	Concentration (µg/L)					
				1,1-Dichloroethene	cis-1,2-Dichloroethene	Tetrachloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride
MW-0705-S1	3/30/2016	MW-0705-S1(033016)PDB	PDB	< 5.0 U	46.5	< 5.0 U	11.6	135	3.4
MW-0705-S1	9/27/2016	MW-0705-S1(092716)PDB	PDB	< 5.0 U	46.7	< 5.0 U	13.0	149	3.2
MW-0705-S1	3/24/2017	MW-0705-S1(032417)PDB	PDB	< 5.0 U	35.3	< 5.0 U	9.4	98.6	< 2.0 U
MW-0705-S1	9/27/2017	MW-0705-S1 (092717)	PDB	< 5.0 U	39.1	< 5.0 U	10.1	107	3.3
MW-0705-S1	3/27/2018	MW-0705-S1 (032718)	PDB	< 5.0 U	44.6	< 5.0 U	11.7	114	4.2
MW-0705-S1	10/4/2018	MW-0705-S1 (100418)	PDB	< 5.0 U	53.7	< 5.0 U	13.0	119	3.6
MW-0705-S1	3/26/2019	MW-0705-S1 (032619)	PDB	< 5.0 U	45.9	< 5.0 U	10.2	89.7	2.9
MW-0705-S1	9/27/2019	MW-0705-S1(092719)	PDB	< 5.0 U	5.5	< 5.0 U	< 5.0 U	7.9	< 2.0 U
MW-0705-S1	3/27/2020	MW-0705-S1 (032720)	PDB	< 5.0 U	52.9	< 5.0 U	9.4	72.7	4.1
Site specific Groundwater Vapor Intrusion Screening Level-Residential‡				55,120	41,260	44,270	23,430	1,540	540
Site specific Groundwater Vapor Intrusion Screening Level-Commercial/Industrial‡				77,160	57,760	61,980	32,800	2,150	1,810


Notes:

- µg/L: Results are reported in micrograms per liter
- ‡: The data are screened against site-specific Groundwater Vapor Intrusion Screening Criteria for residential and commercial/industrial values
- BOLD**: Results exceed the residential standards
- SHADED**: Results exceed the commercial/industrial standards
- D: Concentration is based on a diluted sample analysis
- LF: Low Flow Sampling Technique
- PDB: Passive Diffusion Bag Sampling Technique
- J: The compound was positively identified; however, the associated numerical value is an estimated concentration only
- U: The compound was analyzed for but not detected. The associated value is the compound quantitation limit
- UB: Compound considered non-detect at the listed value due to associated blank contamination
- UJ: The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation

FIGURES










- LEGEND
- MW-0608-S2 MONITORING WELL SCREENED IN S2 UNIT
 - MW-0603-S2 ABANDONED MONITORING WELL
 - AREA OF INTEREST (AOI)
 - PROPERTY BOUNDARY
 - DENOTES AREA WHERE S2 UNIT IS NOT PRESENT
 - (815.18) GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)
 - 815.00 GROUNDWATER CONTOUR (DASHED WHERE INFERRED)

RACER TRUST
FORMER GM DELCO PLANT 5
KOKOMO, INDIANA
SEMI-ANNUAL PROGRESS AND
DATA REPORT - FIRST HALF 2020

POTENTIOMETRIC SURFACE - S2 UNIT
(MARCH 4, 2020)







APPENDIX A

First Half 2020 Progress Report





**Revitalizing Auto Communities
Environmental Response Trust**

Ms. Michelle Kaysen
U.S. Environmental Protection Agency, Region 5
Waste Management Division
77 West Jackson Blvd., DE-9J
Chicago, IL 60604-3590

July 14, 2020

RE: First Half 2020 Progress Report
RCRA Corrective Action
Former GM Delco Plant 5, Kokomo, IN
USEPA ID No. IND000806844

Dear Ms. Kaysen:

In accordance with the Performance-based Administrative Order on Consent (Order) between the U.S. Environmental Protection Agency Region 5 (USEPA) and Revitalizing Auto Communities Environmental Response (RACER) Trust, please find the attached progress report for the first half of 2020. This progress report details activities that have been completed at the RACER Trust owned Former GM Delco Plant 5 in Kokomo, Indiana (Site) from January 1, 2020 through June 30, 2020.

Please let me know if you have any questions about the report.

Sincerely,

Robert W. Hare, P.E., CHMM
Cleanup Manager – (IL, IN, KS, MO,

Attachment A – First Half 2020 Progress Report

C: Glynda Oakes, IDEM Office of Land Quality (E-mail)
Howard County Health Department (CD)
Carey Stranahan, City of Kokomo (CD)
Kokomo Public Library (Public Information Repository) (CD)
Sarah Fisher, Arcadis U.S. (CD)

ATTACHMENT A
FIRST HALF 2020 PROGRESS REPORT
PERFORMANCE-BASED ADMINISTRATIVE ORDER ON CONSENT
RCRA CORRECTIVE ACTION
FORMER GM DELCO PLANT 5, KOKOMO, IN
JANUARY 1, 2020 TO JUNE 30, 2020

WORK PERFORMED THIS HALF

- Completed site-wide groundwater gauging and deployed passive diffusion bag samplers on March 2, 2020. Groundwater samples were collected from passive diffusion bag samplers on March 27, 2020, after a minimum of three weeks of equilibration.
- Submitted Statement of Basis (SB) supporting documents to USEPA:
 - On May 19, 2020, past documents were submitted to USEPA in Adobe pdf format via file share website as requested by USEPA
 - On June 8, 2020, Arcadis submitted tables to USEPA summarizing past risk evaluations for determination of constituents of potential concern (COPCs) and constituents of concern (COCs).

DATA AVAILABLE DURING THIS HALF

- Analytical results from the March 2020 groundwater sampling event is included in the attached *Semi-Annual Progress and Data Report, First Half 2020*.

PROBLEMS ENCOUNTERED

- No problems encountered during the first half of 2020.

SUMMARY OF PROBLEM RESOLUTION

- None.

POTENTIAL PROBLEMS

- None.

ESTIMATED PERCENT COMPLETE AND INFORMATION SUMMARY FOR SELECTED ACTIVITIES

- Description of Current Conditions 100%

Summarized available information for the Site and identified seven Areas of Interest (AOIs), four of which require additional investigation. No ecological habitat was identified at or in the immediate vicinity of the Site. Due May 15, 2006 and submitted October 10, 2005.

- Public Participation Plan 100%

- Resource Conservation and Recovery Act (RCRA) Facility Investigation (RFI) Work Plan 100%

Submitted December 15, 2005.

- RFI Phase I Implementation 100%

Objective was to characterize the hydrogeology, to evaluate potential off-site groundwater impacts and to characterize AOIs at the Site. Phase I included installation of 38 soil borings and 20 monitoring wells. Ninety-five soil, eight borehole water, and 23 groundwater samples were analyzed. Completed in October 2005.

- RFI Data Report (Phase I data) 100%

Major findings included identifying small, isolated zones with perched groundwater, and two continuous saturated sand units over the investigation area with shallow groundwater flow generally to the southeast. Trichloroethene (TCE) is primary chemical of concern, with source areas identified in AOIs 5 and 7. TCE groundwater impacts extend off-site, but are not present in borehole water samples collected approximately 800 feet from the Site. No potable water wells were identified in immediate vicinity of the Site. Currently, no unacceptable risks to human health have been identified. Submitted January 19, 2006.

- RFI Phase II Implementation 100%

Objective was to further characterize on- and off-site groundwater impacts and AOIs on Site. Phase II included installation of 29 soil borings and 20 monitoring wells. Seventy-five soil, two borehole water, and 20 groundwater samples were analyzed. Completed in March 2006.

- RFI Data Report (updated to include Phase II data) 100%

Major findings included more precise delineation of on- and off-site TCE groundwater impacts. Groundwater flow in the bedrock appears to be generally to the northeast. TCE distribution in

bedrock groundwater indicates an upgradient source of TCE to the bedrock groundwater. Source area soil impacts were more precisely delineated at AOIs 5 and 7, and a possible additional source area was identified in the vicinity of the former south manufacturing building. Currently, no unacceptable risks to human health have been identified. Submitted May 26, 2006.

- RFI Phase III Implementation 100%

Objective was to further characterize on- and off-site groundwater impacts and AOIs on site. The initial RFI Phase III field work included installation of six soil borings and 13 monitoring wells. Fourteen soil, four borehole water, and 42 groundwater samples were submitted for analysis. An additional six soil borings and four monitoring wells were installed, and 16 soil samples and four groundwater samples were collected as part of additional “step-out” activities (Phase IIIb) performed based on review of preliminary RFI Phase III soil and borehole water sample analytical data. Following review of the preliminary data from Phase IIIb, two additional monitoring wells were installed (Phase IIIc) to further characterize and delineate the extent of groundwater containing TCE in the S1 unit in the northwestern portion of the Site (MW-0623-S1), and in the S2 unit east of the Site along Lordeman Street (MW-0607-S2). Access was obtained to the adjacent former Midwest Plating property, where three monitoring wells were installed, and soil and groundwater samples were collected. Started on October 9, 2006 and completed in March 2007.

- RFI Data Report (updated to include Phase III data) 100%

Major findings included more precise delineation of on- and off-site groundwater impacts. Groundwater flow in the bedrock appears to generally be to the south. The source of the cis-1,2-dichloroethene (cis-1,2-DCE) in bedrock groundwater is uncertain. Additional characterization of the groundwater in the bedrock is necessary. There are relatively high concentrations of TCE and tetrachloroethene (PCE) in the soil at the former Midwest Plating property. More precise delineation of source area soil impacts is necessary at AOI 5 and the former south manufacturing building. Currently, no unacceptable risks to human health have been identified. Submitted June 1, 2007.

- RFI Soil Gas Sampling 100%

Objective is to allow for verifying the appropriateness of the groundwater vapor intrusion criteria that have been used to guide the RFI field investigation at the Site. A work plan addendum was submitted to USEPA on July 10, 2007. A conference call was held with USEPA to discuss the work plan, and the work plan was subsequently revised. USEPA’s comments were incorporated, and the work plan addendum was resubmitted to USEPA. Soil gas monitoring ports were installed in the residential area east of the Site on August 7, 2007, and soil gas samples were collected on August 13, 2007. Preliminary soil gas analytical results were submitted to USEPA on August 28, 2007, and a conference call was held to discuss those results on August 30, 2007. Additional soil gas sampling ports were installed on September 4, 2007, and additional soil gas samples were collected on September 17, 2007. The preliminary analytical results from the second sampling event were submitted to USEPA on September 27, 2007. USEPA provided comments on the preliminary data in a letter dated October 2, 2007. The comment letter and results were discussed

during an October 16, 2007, conference call. Additional risk evaluation was completed and submitted to USEPA on October 30, 2007, and a conference call to discuss the additional information was held on November 28, 2007. General Motors Company's (GM's) response to USEPA's October 2, 2007 comment letter was submitted to USEPA on December 3, 2007.

- Soil Gas Investigation Data Report 100%

The final soil gas investigation data report was submitted to USEPA on December 21, 2007.

- RFI Phase IV Implementation 100%

Objectives are to further characterize on-site soil impacts in the former south manufacturing building, to characterize the groundwater flow, and to delineate the horizontal and vertical extent of cis-1,2-DCE in the groundwater in the bedrock.

A total of 62 soil borings were advanced from August 29, 2007 to September 5, 2007 within and in the vicinity of the former north and south manufacturing buildings. These were field screened. Soil samples were collected based on field observations, and a total of 31 soil samples were submitted for laboratory analysis. An additional 26 soil borings were advanced from November 19, 2007 to November 20, 2007 to delineate TCE within, and in the vicinity of the north and south manufacturing buildings. A total of 60 soil samples were submitted for laboratory analysis. An additional 14 soil borings were advanced on January 15, 2008, to delineate TCE within, and in the vicinity of the north and south manufacturing buildings. A total of 15 soil samples were submitted for laboratory analysis. Based on review of these data, TCE is adequately delineated.

Installation of the pilot bedrock boring, packer testing, Flexible Liner Underground Technologies (FLUTe) hydraulic profiling, discrete low-flow vertical groundwater sampling, and isolated groundwater sampling was completed between August 20, 2007, and December 8, 2007. A preliminary report of the results from the pilot bedrock boring was submitted to USEPA on November 16, 2007. An updated report was submitted to USEPA on March 21, 2008. Three additional bedrock monitoring wells were installed in the upper transmissive zone from December 4, 2007 to December 15, 2007. Installation of the additional three deeper bedrock boreholes was completed from April 14, 2008, to May 1, 2008. FLUTe hydraulic profiling of the bedrock boreholes was completed from May 13, 2008, to May 15, 2008. The technical memo with the results of the profiling was submitted to USEPA on July 10, 2008. Discrete depth vertical groundwater sampling (packer sampling) of select intervals in the boreholes was completed in the third quarter 2008. An updated technical memo to summarize the data, and provide recommendations for future groundwater sampling was prepared and submitted to USEPA on October 20, 2008. A groundwater sampling event was completed in November 2008 that included collecting depth to water information across the entire monitoring well network, collecting samples from a subset of approximately 30 existing wells, and discrete depth vertical groundwater sampling (packer sampling) of select intervals in the boreholes; all to confirm the characterization of contaminated groundwater on and off site.

- RFI Supplemental Data Report (updated to include Phase IV soil data) 100%

Major findings included a more complete characterization of on-site soil impacts at AOIs 2 and 3 and the former north and south manufacturing buildings. In addition, the Phase IV soil results were evaluated relative to the determination included in the CA725 Report for the Former GM Delco Plant 5 Facility in Kokomo, Indiana, completed by ENVIRON in 2007, that all current human exposures to “contamination” at or from the Facility are under control, based on soil data collected prior to September 1, 2007. The evaluation of the Phase IV soil data indicated that results do not alter the conclusions presented in the CA725 Report or the “YE” determination for the CA725. Submitted June 27, 2008.

- Groundwater Evaluation 100%

A draft groundwater evaluation was prepared to report GM’s evaluation of groundwater quality and flow data collected through February 2009. Submitted to USEPA on April 10, 2009. This evaluation will be included in the RFI Report. A meeting was held with USEPA on May 19, 2009 to discuss the evaluation and proposed additional investigation.

- Additional Groundwater Investigation 100%

Groundwater sampling completed June 17 through 19, 2009.

- Draft RFI Report 100%

(Submitted October 5, 2009)

A meeting was held with USEPA on October 27, 2009, to review the draft report. USEPA provided comments on the human health risk assessment on December 22, 2009. A call was held with USEPA on February 22, 2010, to discuss USEPA’s comments on the RFI risk assessment. Based on that call, a revised RFI Report was submitted to USEPA for review on March 18, 2010.

- Final RFI Report 100%

The final RFI Report was submitted to USEPA on May 21, 2010.

- Human Health EI (CA725) Report 100%

(Submitted November 30, 2007)

Minor comments were received from USEPA on December 12, 2007, and revisions submitted on December 20, 2007. USEPA approved the determination on January 3, 2008.

- Groundwater Migration EI (CA750) 100%

(Submitted November 30, 2009)

A draft determination was submitted to USEPA on October 30, 2009, and was reviewed with USEPA via teleconference on November 12, 2009. The final determination was submitted to USEPA on November 30, 2009. USEPA approved the determination on December 22, 2009.

- Draft Corrective Measures Proposal 100%

(Originally due June 30, 2010, Revised due date of August 31, 2010, Submitted on August 30, 2010)

Motors Liquidation Company (MLC), formerly GM, requested an extension to submit the Corrective Measures Proposal (CMP) on June 22, 2010. USEPA agreed to extend the submittal date for the CMP to August 31, 2010. The draft CMP was submitted to USEPA on August 30, 2010. The draft CMP included proposed corrective measures to mitigate potentially significant future exposures that could result from historical site activities. The draft CMP also included documentation of groundwater modeling performed to support the identification of the area(s) where a groundwater use restriction should be pursued as part of final corrective measures. USEPA and MLC met on November 17, 2010, to discuss the draft CMP. Based on that meeting, MLC prepared and submitted additional information to USEPA on December 23, 2010. USEPA provided comments on the draft CMP on January 7, 2011. Based on the comments, additional evaluation was completed, and the results of that evaluation were submitted to USEPA. A conference call with USEPA was held on February 18, 2011, to discuss the comments and the results of the additional evaluation. April 30, 2011 was the established due date for revised CMP that addresses USEPA comments.

- Corrective Measures Proposal 100%

(The Final CMP was submitted to USEPA on December 6, 2011. Based on change in conceptual site model, a revised draft CMP was prepared in 2017 and 2018. The final CMP was submitted to USEPA on September 5, 2019.)

The vertical aquifer profiling and hydraulic profiling investigation conducted in 2016 allowed for the development of a refined conceptual site model for the Site and a pre-design investigation and treatability studies were completed in 2018. Subsequently, a new CMP was prepared to summarize activities and data since the RFI, update the risk evaluation, and evaluate proposed remedial alternatives. The updated CMP was submitted to USEPA on September 5, 2019.

- Semi-Annual Groundwater Monitoring 40%

The first half of the 2020 semi-annual groundwater monitoring events was completed on March 27, 2020.

- Vapor Intrusion Conceptual Site Model 100%

A revised version of the Conceptual Site Model (CSM) was reviewed with USEPA on December 10, 2013. Out of the review, the USEPA and RACER Trust, formerly MLC, concluded that additional data are needed to finalize the CSM. As such, RACER Trust is developing an approach to further investigate the risk of vapor intrusion associated with Site-related groundwater impacts. RACER Trust also informed USEPA that the Trust will work with USEPA to address public health concerns within the soil gas focus area. Data from a further vapor intrusion investigation and indoor air testing program were shared with USEPA on March 31, 2014. USEPA concurred that

the soil gas and indoor air impacts identified to the east of the Site are not related to RACER Trust. USEPA has referred the soil gas and potential vapor intrusion issue to the east of the Site to Superfund for further evaluation. Per a request by the USEPA, ARCADIS will convert the current CSM from a presentation format into a written document format for submittal into the record. The Vapor Intrusion Conceptual Site Model was finalized and submitted to USEPA on October 19, 2015.

- Monitored Natural Attenuation Evaluation 100%

An evaluation of MNA was completed to determine if MNA could be incorporated into the final corrective measures for the Site. The MNA evaluation report was submitted to USEPA on January 19, 2016.

- Calcium Oxide Pilot Study 100%

A Work Plan for the pilot study was drafted and submitted to USEPA (June 30, 2015). An RFP was prepared and submitted to a selection of contractors (August 8, 2015). The evaluation of remedial technologies is currently on hold until additional data is collected to further enhance the conceptual site model. This additional data collection includes the completion of a vertical aquifer and hydraulic profiling transect along the eastern property boundary. RACER Trust and USEPA made the decision to re-evaluate the corrective measures and RACER Trust will prepare a new CMP to capture all data and information generated since the last submitted CMP, as described above.

- Pre-Design Investigation and Treatability Study 100%

A work plan for the pre-design investigation (PDI) was drafted and submitted to USEPA (March 7, 2018). The PDI was completed from March 20, 2018 through April 5, 2018). Soils were collected in order to complete the treatability study.

SUMMARY OF CONTACTS WITH INTERESTED PARTIES

- The following documents were placed in the public information repository:
 - *Semi-Annual Progress and Data Report, Second Half 2019*, Former GM Delco Plant 5, Kokomo, IN, USEPA ID No. IND000806844, January 15, 2020.

CHANGES IN PERSONNEL

- None.

PROJECTED WORK FOR NEXT REPORTING PERIOD

The following activities are anticipated to be completed in the second half of 2020:

- Communicate with EPA regarding Statement of Basis, Final Decision, and Corrective Measures Implementation Work Plan.
- Update figures as requested by USEPA for use in the Statement of Basis.
- Complete a site-wide groundwater gauging and sampling event in October 2020.
- Prepare summaries of meetings, data reviews, or conference calls with USEPA, as appropriate.

APPENDIX B

Groundwater Analytical Reports and Data Validation Reports
(Provided on CD)



RACER TRUST
Former GM Delco Plant 5

DATA REVIEW

Kokomo, Indiana

Volatile Organic Compound (VOC) Analyses

SDGs #: 50253283 and 50253291

Analyses Performed By:
Pace Analytical Services, Inc.
Indianapolis, Indiana

Report #: 36562R
Review Level: Tier II
Project: 30012865

DATA REVIEW REPORT

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) 50253283 and 50253291 for samples collected in association with the RACER Trust site in Kokomo, Indiana. The review was conducted as an ARCADIS Tier II evaluation and included review of data package completeness. Only analytical data as reported by the laboratory were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain-of-custody (COC) records. Analyses were performed on the following samples.

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	TPH	Metal	Misc.
50253283	MW-0101-S1U (032720)	50253283001	Water	3/27/2020		X				
	MW-0102-S1U (032720)	50253283002	Water	3/27/2020		X				
	MW-0103-S1U (032720)	50253283003	Water	3/27/2020		X				
	MW-0501-S1 (032720)	50253283004	Water	3/27/2020		X				
	MW-0501-S2 (032720)	50253283005	Water	3/27/2020		X				
	MW-0502-S1 (032720)	50253283006	Water	3/27/2020		X				
	MW-0503-S1 (032720)	50253283007	Water	3/27/2020		X				
	MW-0503-S2 (032720)	50253283008	Water	3/27/2020		X				
	MW-1501-S1 (032720)	50253283009	Water	3/27/2020		X				
	MW-1502-S1 (032720)	50253283010	Water	3/27/2020		X				
	MW-1504-S1 (032720)	50253283011	Water	3/27/2020		X				
	MW-1507-S1 (032720)	50253283012	Water	3/27/2020		X				
	FD-1 (032720) DH	50253283013	Water	3/27/2020	MW-0517-S1 (032720)	X				
	FD-2 (032720) DH	50253283014	Water	3/27/2020	MW-0622-S1 (032720)	X				
	MW-0505-S1 (032720)	50253283015	Water	3/27/2020		X				
	MW-0505-S2 (032720)	50253283016	Water	3/27/2020		X				
	MW-0509-S1 (032720)	50253283017	Water	3/27/2020		X				
	MW-0517-S1 (032720)	50253283018	Water	3/27/2020		X				
	MW-0604-S1 (032720)	50253283019	Water	3/27/2020		X				
	MW-0604-S2 (032720)	50253283020	Water	3/27/2020		X				
	MW-0605-S1 (032720)	50253283021	Water	3/27/2020		X				
	MW-0605-S2 (032720)	50253283022	Water	3/27/2020		X				
	MW-0619-S1 (032720)	50253283023	Water	3/27/2020		X				

DATA REVIEW REPORT

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	TPH	Metal	Misc.
50253283	MW-0620-S1 (032720)	50253283024	Water	3/27/2020		X				
	MW-0621-S1 (032720)	50253283025	Water	3/27/2020		X				
	MW-0622-S1 (032720)	50253283026	Water	3/27/2020		X				
	MW-0622-S2 (032720)	50253283027	Water	3/27/2020		X				
	MW-0623-S1 (032720)	50253283028	Water	3/27/2020		X				
	FD-3 (032720) DH	50253283029	Water	3/27/2020	MW-0622-S2 (032720)	X				
	TB1 (032720) DH	50253283030	Water	3/27/2020		X				
50253291	MW-0504-S1 (032720)	50253291001	Water	3/27/2020		X				
	MW-0504-S2 (032720)	50253291002	Water	3/27/2020		X				
	MW-0506-S1 (032720)	50253291003	Water	3/27/2020		X				
	EB-01 (032720) RW	50253291004	Water	3/27/2020		X				
	MW-0506-S2 (032720)	50253291005	Water	3/27/2020		X				
	MW-0507-S1 (032720)	50253291006	Water	3/27/2020		X				
	MW-0516-S1 (032720)	50253291007	Water	3/27/2020		X				
	MW-0516-S2 (032720)	50253291008	Water	3/27/2020		X				
	MW-0602-S1 (032720)	50253291009	Water	3/27/2020		X				
	MW-0603-S1 (032720)	50253291010	Water	3/27/2020		X				
	MW-0606-S1 (032720)	50253291011	Water	3/27/2020		X				
	MW-0606-S2 (032720)	50253291012	Water	3/27/2020		X				
	MW-0607-S1 (032720)	50253291013	Water	3/27/2020		X				
	MW-0607-S2 (032720)	50253291014	Water	3/27/2020		X				
	MW-0608-S1 (032720)	50253291015	Water	3/27/2020		X				
	MW-0608-S2 (032720)	50253291016	Water	3/27/2020		X				
	MW-0609-S1 (032720)	50253291017	Water	3/27/2020		X				
	MW-0609-S2 (032720)	50253291018	Water	3/27/2020		X				
	MW-0610-S1 (032720)	50253291019	Water	3/27/2020		X				
	MW-0611-S1 (032720)	50253291020	Water	3/27/2020		X				
	MW-0612-S1 (032720)	50253291021	Water	3/27/2020		X				
	MW-0612-S2 (032720)	50253291022	Water	3/27/2020		X				

DATA REVIEW REPORT

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	TPH	Metal	Misc.
50253291	MW-0613-S1 (032720)	50253291023	Water	3/27/2020		X				
	EB-02 (032720) RW	50253291024	Water	3/27/2020		X				
	MW-0614-S2 (032720)	50253291025	Water	3/27/2020		X				
	EB-03 (032720) RW	50253291026	Water	3/27/2020		X				
	MW-0617-S1 (032720)	50253291027	Water	3/27/2020		X				
	MW-0617-S2 (032720)	50253291028	Water	3/27/2020		X				
	MW-0618-S1 (032720)	50253291029	Water	3/27/2020		X				
	MW-0704-S1 (032720)	50253291030	Water	3/27/2020		X				
	MW-0705-S1 (032720)	50253291031	Water	3/27/2020		X				
	TB-01 (032720) RW	50253291032	Water	3/27/2020		X				

Note:

1. As specified on the COCs, samples MW-0501-S1 (032720), MW-0501-S2 (032720), and MW-0503-S1 (032720) were used in the matrix spike/matrix spike duplicate sample analyses.

DATA REVIEW REPORT

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of quality assurance (QA) or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

DATA REVIEW REPORT

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260. Data were reviewed in accordance with *USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review* (October 1999).

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected as unusable. The compound may or may not be present in the sample.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is

DATA REVIEW REPORT

that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data, but any value potentially contains error.

DATA REVIEW REPORT

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260	Water	14 days from collection to analysis (preserved)	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e. laboratory method blanks, field or equipment rinse blanks, and trip blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Target compounds were detected in some of the laboratory method blanks. Sample results that were less than the BAL were qualified as listed in the following table.

SDG	Sample	Analyte	Sample Result	Qualification
50253291	MW-0504-S1 (032720)	Chloromethane	Detected sample results < reporting limit (RL) and < BAL	"UB" at the RL
	MW-0506-S2 (032720)			
	MW-0516-S2 (032720)	Bromomethane		
	MW-0609-S1 (032720)	1,2,4-Trichlorobenzene 1,2-Dichlorobenzene		

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All samples exhibited surrogate recoveries within the control limits.

4 Matrix Spike / Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

DATA REVIEW REPORT

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on samples where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

Samples MW-0501-S1 (032720), MW-0501-S2 (032720), MW-0503-S1 (032720), MW-0516-S1 (032720), MW-0608-S2 (032720), and MW-0705-S1 (032720) were used in the MS/MSD analyses. The samples associated with the MS/MSD analyses exhibiting recoveries outside of the control limits are presented in the following table.

SDG	Sample	Compound	MS Recovery	MSD Recovery
50253291	MW-0516-S1 (032720)	Chloroethane	> UL	> UL

The criteria used to evaluate the MS/MSD recoveries are presented in the following table; in the case of MS/MSD deviations, the sample results are qualified as documented.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J
Parent sample concentration > 4x the MS/MSD spiking solution concentration.	Detect	No Action
	Non-detect	

Samples associated with MS/MSDs exhibiting RPDs greater than the control limit are presented in the following table.

SDG	Sample	Compound
50253291	MW-0516-S1 (032720)	Bromomethane
	MW-0705-S1 (032720)	1,1-Dichloroethane

The criteria used to evaluate the RPD between the MS and MSD are presented in the following table; in the case of RPD deviations, the sample results are qualified as documented.

Control Limit	Sample Result	Qualification
> UL	Non-detect	UJ
	Detect	J

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the accuracy of the analytical method independent of matrix interferences. The spiked compounds used in the LCS analysis must exhibit recoveries within the laboratory-established acceptance limits.

DATA REVIEW REPORT

Samples associated with LCS analyses exhibiting recoveries outside of the control limits are presented in the following table.

SDG	Samples	Compound	LCS Recovery
50253291	MW-0504-S1 (032720) MW-0504-S2 (032720) MW-0506-S1 (032720) EB-01 (032720) RW MW-0506-S2 (032720) MW-0507-S1 (032720) MW-0516-S1 (032720) MW-0516-S2 (032720) MW-0602-S1 (032720) MW-0603-S1 (032720)	Chloroethane	> UL
	MW-0516-S1 (032720)	Bromomethane	> UL

The criteria used to evaluate the LCS recoveries are presented in the following table; in the case of any LCS deviations, the sample results are qualified as documented.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J

6. Field Duplicate Sample Analysis

The field duplicate sample analysis is used to assess the overall precision of the field sampling procedures and analytical method. The control limits of 35% for water matrices and 50% for soil matrices are applied to the RPD between the parent and field duplicate samples. In the case when the parent and/or duplicate sample concentrations are no greater than five times the reporting limit (RL), the control limit of two times the RL for water matrices or three times the RL for soil matrices is applied to the difference between the results.

Results for the field duplicate samples are summarized in the following tables.

Sample and Field Duplicate Sample: MW-0517-S1 (032720) and FD-1 (032720) DH						
Compound	Sample Result	Duplicate Result	RPD	Difference	RL	Evaluation
cis-1,2-Dichloroethene	993	935	6.0 %	N/A	500	Acceptable
trans-1,2-Dichloroethene	87.8	116 J	N/A	28.2	500	Acceptable
Trichloroethene	5300	4930	7.2 %	N/A	500	Acceptable

DATA REVIEW REPORT

Sample and Field Duplicate Sample: MW-0622-S1 (032720) and FD-2 (032720) DH

Compound	Sample Result	Duplicate Result	RPD	Difference	RL	Evaluation
cis-1,2-Dichloroethene	1460	1560	6.6 %	N/A	250	Acceptable
trans-1,2-Dichloroethene	22.4 J	250 U	N/A	22.4	250	Acceptable
Trichloroethene	19800	20800	4.9 %	N/A	2500	Acceptable

Sample and Field Duplicate Sample: MW-0622-S2 (032720) and FD-3 (032720) DH

Compound	Sample Result	Duplicate Result	RPD	Difference	RL	Evaluation
All compounds	U	U	N/A	N/A	Varies	Acceptable

Note: N/A = Not applicable
J = Estimated (result is < RL)
U = Not detected

The field duplicate sample analyses exhibited acceptable results.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW REPORT

DATA VALIDATION CHECKLIST FOR VOCS

VOCs: SW-846 8260	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
Gas Chromatography/Mass Spectrometry (GC/MS)					
Holding Times		X		X	
Reporting Limits (Units)		X		X	
Blanks					
A. Method Blanks		X	X		
B. Equipment/Field Blanks		X		X	
C. Trip Blanks		X		X	
Surrogates Accuracy (%R)		X		X	
Matrix Spike (MS) %R		X	X		
Matrix Spike Duplicate (MSD) %R		X	X		
MS/MSD Precision (RPD)		X	X		
Laboratory Control Sample (LCS) %R		X	X		
Laboratory Control Sample Duplicate (LCSD) %R	X				X
LCS/LCSD RPD	X				X
Laboratory Duplicate Sample RPD	X				X
Field Duplicate Sample RPD		X		X	
Dilution Factor		X		X	

Notes:

%R = Percent recovery

RPD = Relative percent difference

DATA REVIEW REPORT

Validation Performed By: Dennis Dyke

Signature: 

Date: April 21, 2020

CHAIN OF CUSTODIES, LABORATORY QUALIFIERS, AND CORRECTED SAMPLE ANALYSIS DATA SHEETS



QUALIFIERS

Project: Racer Trust

Pace Project No.: 50253291

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.


TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D4	Sample was diluted due to the presence of high levels of target analytes.
L1	Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
N2	The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.
R1	RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



50253283

Send Results to:	Contact & Company Name:	Telephone:		Preservative	HCL								Keys Preservation Key: A. H ₂ SO ₄ B. HCL C. HNO ₃ D. NaOH E. None F. Other: _____ Container Information Key: 1. 40 ml Vial 2. 1 L Amber 3. 250 ml Plastic 4. 500 ml Plastic 5. Encore 6. 2 oz. Glass 7. 4 oz. Glass 8. 8 oz. Glass 9. Other: _____ 10. Other: _____ Matrix Key: SO - Soil W - Water T - Tissue SE - Sediment SL - Sludge A - Air NL - NAPL/Oil SW - Sample Wipe Other: _____
	Address:	Fax:		Filtered (✓)									
	City	State	Zip	E-mail Address:	# of Containers	3							
	Project Name/Location (City, State):				PARAMETER ANALYSIS & METHOD								
Project #:				Vol by 8/20/20									
Sampler's Printed Name:													
Sampler's Signature:													
Sample ID		Collection		Type (✓)		Matrix		REMARKS 50253283					
		Date	Time	Comp	Grab								
MW-0101-SIU (032720)	3/27/20	1500		✓	WT	X						001	
MW-0102-SIU (032720)		1450										002	
MW-0103-SIU (032720)		1045										003	
MW-0501-SI (032720)		1015										004	
MW-0501-S2 (032720)		1030										005	
MW-0502-SI (032720)		1515										006	
MW-0503-SI (032720)		1530										007	
MW-0503-S2 (032720)		1545										008	
MW-1501-SI (032720)		1115										009	
MW-1502-SI (032720)		1145										010	
MW-1504-SI (032720)		1155										011	
MW-1507-SI (032720)		1205										012	
FD-1 (032720) DH		—										013	
FD-2 (032720) DH		—										014	
Special Instructions/Comments: MS/MSD was collected for: MW-0501-SI (032720), MW-0501-S2 (032720), and MW-0503-SI (032720)													
Special QA/QC Instructions(✓):													
Laboratory Information and Receipt				Relinquished By		Received By		Relinquished By		Laboratory Received By			
Lab Name:	Cooler Custody Seal (✓)			Printed Name:	Printed Name:		Printed Name:		Printed Name:				
Pace	☐ Intact ☐ Not Intact			Signature:	Signature:		Signature:		Signature:				
☒ Cooler packed with ice (✓)				Signature:	Signature:		Signature:		Signature:				
Specify Turnaround Requirements:	Sample Receipt:			Firm:	Firm/Courier:		Firm/Courier:		Firm:				
Standard				Firm:	Firm/Courier:		Firm/Courier:		Firm:				
Shipping Tracking #:	Condition/Cooler Temp: 3.1/2.1			Date/Time:	Date/Time:		Date/Time:		Date/Time:				
				3/30/20 1130	3/30/20 1130								



ID#: 1

CHAIN OF CUSTODY & LABORATORY
ANALYSIS REQUEST FORM

Page 2 of 3

Lab Work Order #

Send Results to:	Contact & Company Name:	Telephone:	Preservative	HCL									Keys Preservation Key: A. H ₂ SO ₄ B. HCL C. HNO ₃ D. NaOH E. None F. Other: _____ G. Other: _____ H. Other: _____ Matrix Key: SO - Soil W - Water T - Tissue SE - Sediment SL - Sludge A - Air NL - NAPL/Oil SW - Sample Wipe Other: _____																																																																
	Address:	Fax:	Filtered (✓)																																																																										
	City	State	Zip	E-mail Address:	# of Containers	3																																																																							
	Indiana	IN	46204	matthew.giles@arcadis-us.com	Container Information																																																																								
Project Name/Location (City, State):													Project #:																																																																
Pacer Trust (Indianapolis)													30029075																																																																
Sampler's Printed Name:													Sampler's Signature:																																																																
David Hitt, Miley White													David Hitt																																																																
Sample ID													Collection		Type (✓)		Matrix		PARAMETER ANALYSIS & METHOD																																																										
													Date		Time		Comp															Grab																																													
MW-0505-S1 (032720)													3/27/20		1430				✓		WT		vial by 82600																																																						
MW-0505-S2 (032720)															1440																																																														
MW-0509-S1 (032720)															1645																																																														
MW-0517-S1 (032720)															1600																																																														
MW-0604-S1 (032720)															1615																																																														
MW-0604-S2 (032720)															1630																																																														
MW-0605-S1 (032720)															1355																																																														
MW-0605-S2 (032720)															1410																																																														
MW-0619-S1 (032720)															1700																																																														
MW-0620-S1 (032720)															1310																																																														
MW-0621-S1 (032720)															1420																																																														
MW-0622-S1 (032720)															1220																																																														
MW-0622-S2 (032720)															1240																																																														
MW-0623-S1 (032720)													✓		1300				✓		✓																																																								
Special Instructions/Comments:													Special QA/QC Instructions(✓):																																																																
Laboratory Information and Receipt													Relinquished By													Received By													Relinquished By													Laboratory Received By																									
Lab Name: Pacer													Cooler Custody Seal (✓)													Printed Name: David Hitt													Printed Name: Max Palmer													Printed Name:													Printed Name:												
Cooler packed with ice (✓)													Intact Not Intact													Signature: David Hitt													Signature: Max Palmer													Signature:													Signature:												
Specify Turnaround Requirements: Standard													Sample Receipt:													Firm: Arcadis													Firm/Counter: Pacer													Firm/Counter:													Firm:												
Shipping Tracking #:													Condition/Cooler Temp: 3.1/2.1													Date/Time: 3/30/20 1130													Date/Time: 3/30/20 1130													Date/Time:													Date/Time:												

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0101-S1U (032720)		Lab ID: 50253283001	Collected: 03/27/20 15:00	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	1000	10		04/04/20 05:07	67-64-1	
Benzene	ND	ug/L	50.0	10		04/04/20 05:07	71-43-2	
Bromodichloromethane	ND	ug/L	50.0	10		04/04/20 05:07	75-27-4	
Bromoform	ND	ug/L	50.0	10		04/04/20 05:07	75-25-2	
Bromomethane	ND	ug/L	50.0	10		04/04/20 05:07	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	10		04/04/20 05:07	78-93-3	
Carbon disulfide	ND	ug/L	100	10		04/04/20 05:07	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	10		04/04/20 05:07	56-23-5	
Chlorobenzene	ND	ug/L	50.0	10		04/04/20 05:07	108-90-7	
Chloroethane	ND	ug/L	50.0	10		04/04/20 05:07	75-00-3	
Chloroform	ND	ug/L	50.0	10		04/04/20 05:07	67-66-3	
Chloromethane	ND	ug/L	50.0	10		04/04/20 05:07	74-87-3	
Cyclohexane	ND	ug/L	1000	10		04/04/20 05:07	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	100	10		04/04/20 05:07	96-12-8	
Dibromochloromethane	ND	ug/L	50.0	10		04/04/20 05:07	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	10		04/04/20 05:07	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	50.0	10		04/04/20 05:07	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	10		04/04/20 05:07	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	10		04/04/20 05:07	106-46-7	
Dichlorodifluoromethane	ND	ug/L	50.0	10		04/04/20 05:07	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	10		04/04/20 05:07	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	10		04/04/20 05:07	107-06-2	
1,1-Dichloroethene	16.5J	ug/L	50.0	10		04/04/20 05:07	75-35-4	
cis-1,2-Dichloroethene	1430	ug/L	50.0	10		04/04/20 05:07	156-59-2	
trans-1,2-Dichloroethene	43.3J	ug/L	50.0	10		04/04/20 05:07	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	10		04/04/20 05:07	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	50.0	10		04/04/20 05:07	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	10		04/04/20 05:07	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	10		04/04/20 05:07	100-41-4	
2-Hexanone	ND	ug/L	250	10		04/04/20 05:07	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	10		04/04/20 05:07	98-82-8	
Methyl acetate	ND	ug/L	500	10		04/04/20 05:07	79-20-9	N2
Methylcyclohexane	ND	ug/L	500	10		04/04/20 05:07	108-87-2	N2
Methylene Chloride	ND	ug/L	50.0	10		04/04/20 05:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	10		04/04/20 05:07	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	10		04/04/20 05:07	1634-04-4	
Styrene	ND	ug/L	50.0	10		04/04/20 05:07	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	10		04/04/20 05:07	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	10		04/04/20 05:07	127-18-4	
Toluene	ND	ug/L	50.0	10		04/04/20 05:07	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	10		04/04/20 05:07	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	10		04/04/20 05:07	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	10		04/04/20 05:07	79-00-5	
Trichloroethene	14700	ug/L	500	100		04/07/20 06:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	10		04/04/20 05:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	50.0	10		04/04/20 05:07	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0101-S1U (032720)		Lab ID: 50253283001		Collected: 03/27/20 15:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		52.6	ug/L	20.0	10		04/04/20 05:07	75-01-4	
Xylene (Total)		ND	ug/L	100	10		04/04/20 05:07	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	75-120	10		04/04/20 05:07	1868-53-7	D4
4-Bromofluorobenzene (S)		97	%.	85-116	10		04/04/20 05:07	460-00-4	
Toluene-d8 (S)		94	%.	83-111	10		04/04/20 05:07	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0102-S1U (032720)		Lab ID: 50253283002	Collected: 03/27/20 14:50	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	500	5		04/04/20 05:39	67-64-1	
Benzene	ND	ug/L	25.0	5		04/04/20 05:39	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		04/04/20 05:39	75-27-4	
Bromoform	ND	ug/L	25.0	5		04/04/20 05:39	75-25-2	
Bromomethane	ND	ug/L	25.0	5		04/04/20 05:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		04/04/20 05:39	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		04/04/20 05:39	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		04/04/20 05:39	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		04/04/20 05:39	108-90-7	
Chloroethane	ND	ug/L	25.0	5		04/04/20 05:39	75-00-3	
Chloroform	ND	ug/L	25.0	5		04/04/20 05:39	67-66-3	
Chloromethane	ND	ug/L	25.0	5		04/04/20 05:39	74-87-3	
Cyclohexane	ND	ug/L	500	5		04/04/20 05:39	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/04/20 05:39	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		04/04/20 05:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/04/20 05:39	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/04/20 05:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/04/20 05:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/04/20 05:39	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/04/20 05:39	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		04/04/20 05:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		04/04/20 05:39	107-06-2	
1,1-Dichloroethene	6.6J	ug/L	25.0	5		04/04/20 05:39	75-35-4	
cis-1,2-Dichloroethene	1150	ug/L	25.0	5		04/04/20 05:39	156-59-2	
trans-1,2-Dichloroethene	105	ug/L	25.0	5		04/04/20 05:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		04/04/20 05:39	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/04/20 05:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/04/20 05:39	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		04/04/20 05:39	100-41-4	
2-Hexanone	ND	ug/L	125	5		04/04/20 05:39	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/04/20 05:39	98-82-8	
Methyl acetate	ND	ug/L	250	5		04/04/20 05:39	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5		04/04/20 05:39	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5		04/04/20 05:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/04/20 05:39	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/04/20 05:39	1634-04-4	
Styrene	ND	ug/L	25.0	5		04/04/20 05:39	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/04/20 05:39	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		04/04/20 05:39	127-18-4	
Toluene	ND	ug/L	25.0	5		04/04/20 05:39	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/04/20 05:39	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/04/20 05:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/04/20 05:39	79-00-5	
Trichloroethene	3660	ug/L	250	50		04/04/20 06:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		04/04/20 05:39	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/04/20 05:39	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0102-S1U (032720)		Lab ID: 50253283002		Collected: 03/27/20 14:50		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		14.6	ug/L	10.0	5		04/04/20 05:39	75-01-4	
Xylene (Total)		ND	ug/L	50.0	5		04/04/20 05:39	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	75-120	5		04/04/20 05:39	1868-53-7	D4
4-Bromofluorobenzene (S)		97	%.	85-116	5		04/04/20 05:39	460-00-4	
Toluene-d8 (S)		93	%.	83-111	5		04/04/20 05:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0103-S1U (032720)		Lab ID: 50253283003	Collected: 03/27/20 10:45	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 06:42	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 06:42	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 06:42	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 06:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 06:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 06:42	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 06:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 06:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 06:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 06:42	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 06:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 06:42	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 06:42	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 06:42	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 06:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 06:42	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 06:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 06:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 06:42	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 06:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 06:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 06:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 06:42	75-35-4	
cis-1,2-Dichloroethene	2.8J	ug/L	5.0	1		04/04/20 06:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 06:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 06:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 06:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 06:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 06:42	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 06:42	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 06:42	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 06:42	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 06:42	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 06:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 06:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 06:42	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 06:42	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 06:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 06:42	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 06:42	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 06:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 06:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 06:42	79-00-5	
Trichloroethene	5.1	ug/L	5.0	1		04/04/20 06:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 06:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 06:42	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0103-S1U (032720)		Lab ID: 50253283003		Collected: 03/27/20 10:45		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/04/20 06:42	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 06:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	75-120	1		04/04/20 06:42	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	85-116	1		04/04/20 06:42	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/04/20 06:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0501-S1 (032720)		Lab ID: 50253283004	Collected: 03/27/20 10:15	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 12:48	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 12:48	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 12:48	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 12:48	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 12:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 12:48	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 12:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 12:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 12:48	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 12:48	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 12:48	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 12:48	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 12:48	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 12:48	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 12:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 12:48	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 12:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 12:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 12:48	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 12:48	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 12:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 12:48	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 12:48	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 12:48	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 12:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 12:48	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 12:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 12:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 12:48	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 12:48	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 12:48	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 12:48	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 12:48	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 12:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 12:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 12:48	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 12:48	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 12:48	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 12:48	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 12:48	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 12:48	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 12:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 12:48	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/04/20 12:48	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 12:48	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 12:48	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0501-S1 (032720)		Lab ID: 50253283004		Collected: 03/27/20 10:15		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/04/20 12:48	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/04/20 12:48	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	102	%.	75-120	1		04/04/20 12:48	1868-53-7		
4-Bromofluorobenzene (S)	94	%.	85-116	1		04/04/20 12:48	460-00-4		
Toluene-d8 (S)	94	%.	83-111	1		04/04/20 12:48	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0501-S2 (032720)		Lab ID: 50253283005	Collected: 03/27/20 10:30	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 12:32	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 12:32	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 12:32	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 12:32	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 12:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 12:32	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 12:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 12:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 12:32	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 12:32	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 12:32	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 12:32	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 12:32	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 12:32	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 12:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 12:32	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 12:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 12:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 12:32	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 12:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 12:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 12:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 12:32	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 12:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 12:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 12:32	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 12:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 12:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 12:32	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 12:32	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 12:32	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 12:32	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 12:32	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 12:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 12:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 12:32	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 12:32	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 12:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 12:32	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 12:32	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 12:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 12:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 12:32	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/04/20 12:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 12:32	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 12:32	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0501-S2 (032720)		Lab ID: 50253283005		Collected: 03/27/20 10:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/04/20 12:32	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 12:32	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		107	%.	75-120	1		04/04/20 12:32	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	85-116	1		04/04/20 12:32	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/04/20 12:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0502-S1 (032720)		Lab ID: 50253283006	Collected: 03/27/20 15:15	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 07:14	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 07:14	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 07:14	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 07:14	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 07:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 07:14	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 07:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 07:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 07:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 07:14	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 07:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 07:14	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 07:14	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 07:14	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 07:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 07:14	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 07:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 07:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 07:14	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 07:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 07:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 07:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 07:14	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 07:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 07:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 07:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 07:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 07:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 07:14	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 07:14	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 07:14	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 07:14	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 07:14	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 07:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 07:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 07:14	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 07:14	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 07:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 07:14	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 07:14	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 07:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 07:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 07:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/04/20 07:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 07:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 07:14	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0502-S1 (032720)		Lab ID: 50253283006		Collected: 03/27/20 15:15		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/04/20 07:14	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 07:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	75-120	1		04/04/20 07:14	1868-53-7	
4-Bromofluorobenzene (S)		93	%.	85-116	1		04/04/20 07:14	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/04/20 07:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0503-S1 (032720)		Lab ID: 50253283007		Collected: 03/27/20 15:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			04/06/20 20:55	67-64-1	
Benzene	ND	ug/L	5.0	1			04/06/20 20:55	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/06/20 20:55	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/06/20 20:55	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/06/20 20:55	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/06/20 20:55	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/06/20 20:55	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/06/20 20:55	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/06/20 20:55	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/06/20 20:55	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/06/20 20:55	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/06/20 20:55	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/06/20 20:55	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/06/20 20:55	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/06/20 20:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/06/20 20:55	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/06/20 20:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/06/20 20:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/06/20 20:55	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/06/20 20:55	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/06/20 20:55	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/06/20 20:55	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/06/20 20:55	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			04/06/20 20:55	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			04/06/20 20:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/06/20 20:55	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/06/20 20:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/06/20 20:55	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/06/20 20:55	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/06/20 20:55	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/06/20 20:55	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/06/20 20:55	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/06/20 20:55	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/06/20 20:55	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/06/20 20:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/06/20 20:55	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/06/20 20:55	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/06/20 20:55	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/06/20 20:55	127-18-4	
Toluene	ND	ug/L	5.0	1			04/06/20 20:55	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/06/20 20:55	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/06/20 20:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/06/20 20:55	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			04/06/20 20:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/06/20 20:55	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/06/20 20:55	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0503-S1 (032720)		Lab ID: 50253283007		Collected: 03/27/20 15:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/06/20 20:55	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/06/20 20:55	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	103	%.	75-120	1		04/06/20 20:55	1868-53-7		
4-Bromofluorobenzene (S)	96	%.	85-116	1		04/06/20 20:55	460-00-4		
Toluene-d8 (S)	92	%.	83-111	1		04/06/20 20:55	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0503-S2 (032720)		Lab ID: 50253283008	Collected: 03/27/20 15:45	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	19.1J	ug/L	100	1		04/04/20 07:46	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 07:46	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 07:46	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 07:46	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 07:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 07:46	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 07:46	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 07:46	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 07:46	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 07:46	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 07:46	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 07:46	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 07:46	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 07:46	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 07:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 07:46	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 07:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 07:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 07:46	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 07:46	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 07:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 07:46	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 07:46	75-35-4	
cis-1,2-Dichloroethene	12.1	ug/L	5.0	1		04/04/20 07:46	156-59-2	
trans-1,2-Dichloroethene	1.1J	ug/L	5.0	1		04/04/20 07:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 07:46	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 07:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 07:46	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 07:46	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 07:46	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 07:46	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 07:46	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 07:46	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 07:46	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 07:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 07:46	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 07:46	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 07:46	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 07:46	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 07:46	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 07:46	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 07:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 07:46	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/04/20 07:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 07:46	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 07:46	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0503-S2 (032720)		Lab ID: 50253283008		Collected: 03/27/20 15:45		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/04/20 07:46	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 07:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		108	%.	75-120	1		04/04/20 07:46	1868-53-7	
4-Bromofluorobenzene (S)		94	%.	85-116	1		04/04/20 07:46	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/04/20 07:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-1501-S1 (032720)		Lab ID: 50253283009	Collected: 03/27/20 11:15	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 08:18	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 08:18	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 08:18	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 08:18	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 08:18	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 08:18	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 08:18	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 08:18	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 08:18	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 08:18	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 08:18	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 08:18	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 08:18	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 08:18	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 08:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 08:18	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:18	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 08:18	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 08:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 08:18	107-06-2	
1,1-Dichloroethene	1.13	ug/L	5.0	1		04/04/20 08:18	75-35-4	
cis-1,2-Dichloroethene	306	ug/L	25.0	5		04/07/20 07:02	156-59-2	
trans-1,2-Dichloroethene	20.5	ug/L	5.0	1		04/04/20 08:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 08:18	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 08:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 08:18	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 08:18	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 08:18	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 08:18	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 08:18	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 08:18	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 08:18	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 08:18	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 08:18	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 08:18	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 08:18	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 08:18	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 08:18	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:18	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 08:18	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 08:18	79-00-5	
Trichloroethene	191	ug/L	5.0	1		04/04/20 08:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 08:18	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 08:18	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-1501-S1 (032720)		Lab ID: 50253283009		Collected: 03/27/20 11:15		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/04/20 08:18	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 08:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	75-120	1		04/04/20 08:18	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	85-116	1		04/04/20 08:18	460-00-4	
Toluene-d8 (S)		93	%.	83-111	1		04/04/20 08:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-1502-S1 (032720)		Lab ID: 50253283010	Collected: 03/27/20 11:45	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 08:50	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 08:50	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 08:50	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 08:50	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 08:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 08:50	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 08:50	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 08:50	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 08:50	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 08:50	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 08:50	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 08:50	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 08:50	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 08:50	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 08:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 08:50	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:50	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 08:50	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 08:50	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 08:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 08:50	75-35-4	
cis-1,2-Dichloroethene	149	ug/L	5.0	1		04/04/20 08:50	156-59-2	
trans-1,2-Dichloroethene	1.3J	ug/L	5.0	1		04/04/20 08:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 08:50	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 08:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 08:50	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 08:50	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 08:50	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 08:50	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 08:50	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 08:50	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 08:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 08:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 08:50	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 08:50	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 08:50	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 08:50	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 08:50	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 08:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 08:50	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/04/20 08:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 08:50	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 08:50	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-1502-S1 (032720)		Lab ID: 50253283010		Collected: 03/27/20 11:45		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		32.8	ug/L	2.0	1		04/04/20 08:50	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 08:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	75-120	1		04/04/20 08:50	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	85-116	1		04/04/20 08:50	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/04/20 08:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-1504-S1 (032720)		Lab ID: 50253283011	Collected: 03/27/20 11:55	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 09:22	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 09:22	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 09:22	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 09:22	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 09:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 09:22	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 09:22	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 09:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 09:22	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 09:22	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 09:22	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 09:22	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 09:22	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 09:22	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 09:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 09:22	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 09:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 09:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 09:22	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 09:22	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 09:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 09:22	107-06-2	
1,1-Dichloroethene	3.9J	ug/L	5.0	1		04/04/20 09:22	75-35-4	
cis-1,2-Dichloroethene	1550	ug/L	50.0	10		04/04/20 09:53	156-59-2	
trans-1,2-Dichloroethene	13.0	ug/L	5.0	1		04/04/20 09:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 09:22	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 09:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 09:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 09:22	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 09:22	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 09:22	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 09:22	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 09:22	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 09:22	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 09:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 09:22	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 09:22	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 09:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 09:22	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 09:22	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 09:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 09:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 09:22	79-00-5	
Trichloroethene	3940	ug/L	250	50		04/07/20 07:34	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 09:22	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 09:22	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-1504-S1 (032720)		Lab ID: 50253283011		Collected: 03/27/20 11:55		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		62.5	ug/L	2.0	1		04/04/20 09:22	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 09:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		100	%.	75-120	1		04/04/20 09:22	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	85-116	1		04/04/20 09:22	460-00-4	
Toluene-d8 (S)		93	%.	83-111	1		04/04/20 09:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-1507-S1 (032720)		Lab ID: 50253283012	Collected: 03/27/20 12:05	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 10:25	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 10:25	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 10:25	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 10:25	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 10:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 10:25	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 10:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 10:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 10:25	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 10:25	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 10:25	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 10:25	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 10:25	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 10:25	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 10:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 10:25	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 10:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 10:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 10:25	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 10:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 10:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 10:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 10:25	75-35-4	
cis-1,2-Dichloroethene	70.8	ug/L	5.0	1		04/04/20 10:25	156-59-2	
trans-1,2-Dichloroethene	6.1	ug/L	5.0	1		04/04/20 10:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 10:25	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 10:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 10:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 10:25	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 10:25	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 10:25	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 10:25	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 10:25	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 10:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 10:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 10:25	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 10:25	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 10:25	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 10:25	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 10:25	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 10:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 10:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 10:25	79-00-5	
Trichloroethene	373	ug/L	50.0	10		04/07/20 08:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 10:25	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 10:25	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-1507-S1 (032720)		Lab ID: 50253283012		Collected: 03/27/20 12:05		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/04/20 10:25	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 10:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	75-120	1		04/04/20 10:25	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	85-116	1		04/04/20 10:25	460-00-4	
Toluene-d8 (S)		95	%.	83-111	1		04/04/20 10:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: FD-1 (032720) DH		Lab ID: 50253283013	Collected: 03/27/20 08:00	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	10000	100		04/04/20 10:57	67-64-1	
Benzene	ND	ug/L	500	100		04/04/20 10:57	71-43-2	
Bromodichloromethane	ND	ug/L	500	100		04/04/20 10:57	75-27-4	
Bromoform	ND	ug/L	500	100		04/04/20 10:57	75-25-2	
Bromomethane	ND	ug/L	500	100		04/04/20 10:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	2500	100		04/04/20 10:57	78-93-3	
Carbon disulfide	ND	ug/L	1000	100		04/04/20 10:57	75-15-0	
Carbon tetrachloride	ND	ug/L	500	100		04/04/20 10:57	56-23-5	
Chlorobenzene	ND	ug/L	500	100		04/04/20 10:57	108-90-7	
Chloroethane	ND	ug/L	500	100		04/04/20 10:57	75-00-3	
Chloroform	ND	ug/L	500	100		04/04/20 10:57	67-66-3	
Chloromethane	ND	ug/L	500	100		04/04/20 10:57	74-87-3	
Cyclohexane	ND	ug/L	10000	100		04/04/20 10:57	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	1000	100		04/04/20 10:57	96-12-8	
Dibromochloromethane	ND	ug/L	500	100		04/04/20 10:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	500	100		04/04/20 10:57	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	500	100		04/04/20 10:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	500	100		04/04/20 10:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	500	100		04/04/20 10:57	106-46-7	
Dichlorodifluoromethane	ND	ug/L	500	100		04/04/20 10:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	500	100		04/04/20 10:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	500	100		04/04/20 10:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	500	100		04/04/20 10:57	75-35-4	
cis-1,2-Dichloroethene	935	ug/L	500	100		04/04/20 10:57	156-59-2	
trans-1,2-Dichloroethene	116J	ug/L	500	100		04/04/20 10:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	500	100		04/04/20 10:57	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	500	100		04/04/20 10:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	500	100		04/04/20 10:57	10061-02-6	
Ethylbenzene	ND	ug/L	500	100		04/04/20 10:57	100-41-4	
2-Hexanone	ND	ug/L	2500	100		04/04/20 10:57	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	500	100		04/04/20 10:57	98-82-8	
Methyl acetate	ND	ug/L	5000	100		04/04/20 10:57	79-20-9	N2
Methylcyclohexane	ND	ug/L	5000	100		04/04/20 10:57	108-87-2	N2
Methylene Chloride	ND	ug/L	500	100		04/04/20 10:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	2500	100		04/04/20 10:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	400	100		04/04/20 10:57	1634-04-4	
Styrene	ND	ug/L	500	100		04/04/20 10:57	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	500	100		04/04/20 10:57	79-34-5	
Tetrachloroethene	ND	ug/L	500	100		04/04/20 10:57	127-18-4	
Toluene	ND	ug/L	500	100		04/04/20 10:57	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	500	100		04/04/20 10:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	500	100		04/04/20 10:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	500	100		04/04/20 10:57	79-00-5	
Trichloroethene	4930	ug/L	500	100		04/04/20 10:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	500	100		04/04/20 10:57	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	500	100		04/04/20 10:57	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: FD-1 (032720) DH		Lab ID: 50253283013		Collected: 03/27/20 08:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	200	100		04/04/20 10:57	75-01-4		
Xylene (Total)	ND	ug/L	1000	100		04/04/20 10:57	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	105	%.	75-120	100		04/04/20 10:57	1868-53-7	D4	
4-Bromofluorobenzene (S)	96	%.	85-116	100		04/04/20 10:57	460-00-4		
Toluene-d8 (S)	94	%.	83-111	100		04/04/20 10:57	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: FD-2 (032720) DH		Lab ID: 50253283014	Collected: 03/27/20 08:00	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	5000	50		04/04/20 12:01	67-64-1	
Benzene	ND	ug/L	250	50		04/04/20 12:01	71-43-2	
Bromodichloromethane	ND	ug/L	250	50		04/04/20 12:01	75-27-4	
Bromoform	ND	ug/L	250	50		04/04/20 12:01	75-25-2	
Bromomethane	ND	ug/L	250	50		04/04/20 12:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	50		04/04/20 12:01	78-93-3	
Carbon disulfide	ND	ug/L	500	50		04/04/20 12:01	75-15-0	
Carbon tetrachloride	ND	ug/L	250	50		04/04/20 12:01	56-23-5	
Chlorobenzene	ND	ug/L	250	50		04/04/20 12:01	108-90-7	
Chloroethane	ND	ug/L	250	50		04/04/20 12:01	75-00-3	
Chloroform	ND	ug/L	250	50		04/04/20 12:01	67-66-3	
Chloromethane	ND	ug/L	250	50		04/04/20 12:01	74-87-3	
Cyclohexane	ND	ug/L	5000	50		04/04/20 12:01	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	500	50		04/04/20 12:01	96-12-8	
Dibromochloromethane	ND	ug/L	250	50		04/04/20 12:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	50		04/04/20 12:01	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	250	50		04/04/20 12:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	50		04/04/20 12:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	50		04/04/20 12:01	106-46-7	
Dichlorodifluoromethane	ND	ug/L	250	50		04/04/20 12:01	75-71-8	
1,1-Dichloroethane	ND	ug/L	250	50		04/04/20 12:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	250	50		04/04/20 12:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	250	50		04/04/20 12:01	75-35-4	
cis-1,2-Dichloroethene	1560	ug/L	250	50		04/04/20 12:01	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	250	50		04/04/20 12:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	50		04/04/20 12:01	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	250	50		04/04/20 12:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	50		04/04/20 12:01	10061-02-6	
Ethylbenzene	ND	ug/L	250	50		04/04/20 12:01	100-41-4	
2-Hexanone	ND	ug/L	1250	50		04/04/20 12:01	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	250	50		04/04/20 12:01	98-82-8	
Methyl acetate	ND	ug/L	2500	50		04/04/20 12:01	79-20-9	N2
Methylcyclohexane	ND	ug/L	2500	50		04/04/20 12:01	108-87-2	N2
Methylene Chloride	ND	ug/L	250	50		04/04/20 12:01	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	50		04/04/20 12:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	50		04/04/20 12:01	1634-04-4	
Styrene	ND	ug/L	250	50		04/04/20 12:01	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	50		04/04/20 12:01	79-34-5	
Tetrachloroethene	ND	ug/L	250	50		04/04/20 12:01	127-18-4	
Toluene	ND	ug/L	250	50		04/04/20 12:01	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	250	50		04/04/20 12:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	250	50		04/04/20 12:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	50		04/04/20 12:01	79-00-5	
Trichloroethene	20800	ug/L	1000	200		04/07/20 06:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	50		04/04/20 12:01	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	250	50		04/04/20 12:01	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: FD-2 (032720) DH		Lab ID: 50253283014		Collected: 03/27/20 08:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	100	50		04/04/20 12:01	75-01-4		
Xylene (Total)	ND	ug/L	500	50		04/04/20 12:01	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	103	%.	75-120	50		04/04/20 12:01	1868-53-7	D4	
4-Bromofluorobenzene (S)	96	%.	85-116	50		04/04/20 12:01	460-00-4		
Toluene-d8 (S)	94	%.	83-111	50		04/04/20 12:01	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0505-S1 (032720)		Lab ID: 50253283015	Collected: 03/27/20 14:30	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 05:23	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 05:23	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 05:23	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 05:23	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 05:23	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 05:23	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 05:23	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 05:23	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 05:23	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 05:23	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 05:23	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 05:23	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 05:23	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 05:23	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 05:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 05:23	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 05:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 05:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 05:23	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 05:23	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 05:23	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 05:23	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 05:23	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 05:23	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 05:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 05:23	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 05:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 05:23	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 05:23	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 05:23	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 05:23	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 05:23	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 05:23	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 05:23	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 05:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 05:23	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 05:23	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 05:23	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 05:23	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 05:23	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 05:23	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 05:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 05:23	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/04/20 05:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 05:23	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 05:23	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0505-S1 (032720)		Lab ID: 50253283015		Collected: 03/27/20 14:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/04/20 05:23	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 05:23	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	75-120	1		04/04/20 05:23	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	85-116	1		04/04/20 05:23	460-00-4	
Toluene-d8 (S)		93	%.	83-111	1		04/04/20 05:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0505-S2 (032720)		Lab ID: 50253283016	Collected: 03/27/20 14:40	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 05:54	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 05:54	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 05:54	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 05:54	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 05:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 05:54	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 05:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 05:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 05:54	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 05:54	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 05:54	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 05:54	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 05:54	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 05:54	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 05:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 05:54	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 05:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 05:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 05:54	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 05:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 05:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 05:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 05:54	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 05:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 05:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 05:54	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 05:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 05:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 05:54	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 05:54	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 05:54	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 05:54	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 05:54	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 05:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 05:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 05:54	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 05:54	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 05:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 05:54	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 05:54	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 05:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 05:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 05:54	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/04/20 05:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 05:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 05:54	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0505-S2 (032720)		Lab ID: 50253283016		Collected: 03/27/20 14:40		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/04/20 05:54	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/04/20 05:54	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	104	%.	75-120	1		04/04/20 05:54	1868-53-7		
4-Bromofluorobenzene (S)	96	%.	85-116	1		04/04/20 05:54	460-00-4		
Toluene-d8 (S)	95	%.	83-111	1		04/04/20 05:54	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0509-S1 (032720)		Lab ID: 50253283017	Collected: 03/27/20 16:45	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 06:26	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 06:26	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 06:26	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 06:26	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 06:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 06:26	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 06:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 06:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 06:26	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 06:26	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 06:26	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 06:26	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 06:26	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 06:26	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 06:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 06:26	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 06:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 06:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 06:26	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 06:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 06:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 06:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 06:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 06:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 06:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 06:26	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 06:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 06:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 06:26	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 06:26	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 06:26	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 06:26	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 06:26	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 06:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 06:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 06:26	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 06:26	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 06:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 06:26	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 06:26	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 06:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 06:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 06:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/04/20 06:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 06:26	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 06:26	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0509-S1 (032720)		Lab ID: 50253283017		Collected: 03/27/20 16:45		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/04/20 06:26	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 06:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	75-120	1		04/04/20 06:26	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	85-116	1		04/04/20 06:26	460-00-4	
Toluene-d8 (S)		93	%.	83-111	1		04/04/20 06:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0517-S1 (032720)		Lab ID: 50253283018	Collected: 03/27/20 16:00	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	500	5		04/04/20 06:58	67-64-1	
Benzene	ND	ug/L	25.0	5		04/04/20 06:58	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		04/04/20 06:58	75-27-4	
Bromoform	ND	ug/L	25.0	5		04/04/20 06:58	75-25-2	
Bromomethane	ND	ug/L	25.0	5		04/04/20 06:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		04/04/20 06:58	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		04/04/20 06:58	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		04/04/20 06:58	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		04/04/20 06:58	108-90-7	
Chloroethane	ND	ug/L	25.0	5		04/04/20 06:58	75-00-3	
Chloroform	ND	ug/L	25.0	5		04/04/20 06:58	67-66-3	
Chloromethane	ND	ug/L	25.0	5		04/04/20 06:58	74-87-3	
Cyclohexane	ND	ug/L	500	5		04/04/20 06:58	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/04/20 06:58	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		04/04/20 06:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/04/20 06:58	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/04/20 06:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/04/20 06:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/04/20 06:58	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/04/20 06:58	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		04/04/20 06:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		04/04/20 06:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5		04/04/20 06:58	75-35-4	
cis-1,2-Dichloroethene	993	ug/L	25.0	5		04/04/20 06:58	156-59-2	
trans-1,2-Dichloroethene	87.8	ug/L	25.0	5		04/04/20 06:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		04/04/20 06:58	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/04/20 06:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/04/20 06:58	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		04/04/20 06:58	100-41-4	
2-Hexanone	ND	ug/L	125	5		04/04/20 06:58	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/04/20 06:58	98-82-8	
Methyl acetate	ND	ug/L	250	5		04/04/20 06:58	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5		04/04/20 06:58	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5		04/04/20 06:58	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/04/20 06:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/04/20 06:58	1634-04-4	
Styrene	ND	ug/L	25.0	5		04/04/20 06:58	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/04/20 06:58	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		04/04/20 06:58	127-18-4	
Toluene	ND	ug/L	25.0	5		04/04/20 06:58	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/04/20 06:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/04/20 06:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/04/20 06:58	79-00-5	
Trichloroethene	5300	ug/L	125	25		04/08/20 21:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		04/04/20 06:58	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/04/20 06:58	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0517-S1 (032720)		Lab ID: 50253283018		Collected: 03/27/20 16:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	10.0	5		04/04/20 06:58	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		04/04/20 06:58	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	105	%.	75-120	5		04/04/20 06:58	1868-53-7	D4	
4-Bromofluorobenzene (S)	96	%.	85-116	5		04/04/20 06:58	460-00-4		
Toluene-d8 (S)	94	%.	83-111	5		04/04/20 06:58	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0604-S1 (032720)		Lab ID: 50253283019	Collected: 03/27/20 16:15	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 07:30	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 07:30	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 07:30	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 07:30	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 07:30	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 07:30	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 07:30	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 07:30	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 07:30	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 07:30	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 07:30	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 07:30	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 07:30	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 07:30	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 07:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 07:30	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 07:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 07:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 07:30	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 07:30	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 07:30	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 07:30	107-06-2	
1,1-Dichloroethene	1.5J	ug/L	5.0	1		04/04/20 07:30	75-35-4	
cis-1,2-Dichloroethene	1340	ug/L	100	20		04/08/20 22:12	156-59-2	
trans-1,2-Dichloroethene	101	ug/L	5.0	1		04/04/20 07:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 07:30	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 07:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 07:30	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 07:30	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 07:30	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 07:30	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 07:30	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 07:30	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 07:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 07:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 07:30	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 07:30	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 07:30	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 07:30	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 07:30	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 07:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 07:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 07:30	79-00-5	
Trichloroethene	3160	ug/L	100	20		04/08/20 22:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 07:30	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 07:30	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0604-S1 (032720)		Lab ID: 50253283019		Collected: 03/27/20 16:15		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		31.2	ug/L	2.0	1		04/04/20 07:30	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 07:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	75-120	1		04/04/20 07:30	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	85-116	1		04/04/20 07:30	460-00-4	
Toluene-d8 (S)		95	%.	83-111	1		04/04/20 07:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0604-S2 (032720)		Lab ID: 50253283020	Collected: 03/27/20 16:30	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 08:02	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 08:02	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 08:02	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 08:02	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 08:02	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 08:02	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 08:02	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 08:02	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 08:02	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 08:02	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 08:02	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 08:02	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 08:02	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 08:02	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 08:02	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 08:02	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:02	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:02	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:02	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 08:02	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 08:02	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 08:02	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 08:02	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 08:02	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 08:02	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 08:02	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 08:02	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 08:02	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 08:02	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 08:02	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 08:02	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 08:02	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 08:02	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 08:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 08:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 08:02	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 08:02	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 08:02	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 08:02	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 08:02	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:02	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 08:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 08:02	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/04/20 08:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 08:02	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 08:02	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0604-S2 (032720)		Lab ID: 50253283020		Collected: 03/27/20 16:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/04/20 08:02	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 08:02	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	75-120	1		04/04/20 08:02	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	85-116	1		04/04/20 08:02	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/04/20 08:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0605-S1 (032720)		Lab ID: 50253283021	Collected: 03/27/20 13:55	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 08:34	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 08:34	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 08:34	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 08:34	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 08:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 08:34	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 08:34	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 08:34	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 08:34	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 08:34	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 08:34	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 08:34	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 08:34	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 08:34	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 08:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 08:34	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:34	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 08:34	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 08:34	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 08:34	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 08:34	75-35-4	
cis-1,2-Dichloroethene	6.0	ug/L	5.0	1		04/04/20 08:34	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 08:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 08:34	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 08:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 08:34	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 08:34	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 08:34	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 08:34	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 08:34	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 08:34	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 08:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 08:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 08:34	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 08:34	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 08:34	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 08:34	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 08:34	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 08:34	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 08:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 08:34	79-00-5	
Trichloroethene	218	ug/L	125	25		04/04/20 09:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 08:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 08:34	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0605-S1 (032720)		Lab ID: 50253283021		Collected: 03/27/20 13:55		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/04/20 08:34	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 08:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	75-120	1		04/04/20 08:34	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	85-116	1		04/04/20 08:34	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/04/20 08:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0605-S2 (032720)		Lab ID: 50253283022	Collected: 03/27/20 14:10	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 09:37	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 09:37	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 09:37	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 09:37	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 09:37	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 09:37	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 09:37	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 09:37	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 09:37	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 09:37	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 09:37	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 09:37	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 09:37	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 09:37	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 09:37	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 09:37	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 09:37	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 09:37	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 09:37	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 09:37	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 09:37	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 09:37	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 09:37	75-35-4	
cis-1,2-Dichloroethene	16.0	ug/L	5.0	1		04/04/20 09:37	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/04/20 09:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 09:37	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 09:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 09:37	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 09:37	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 09:37	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 09:37	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 09:37	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 09:37	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 09:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 09:37	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 09:37	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 09:37	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 09:37	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 09:37	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 09:37	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 09:37	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 09:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 09:37	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/04/20 09:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 09:37	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 09:37	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0605-S2 (032720)		Lab ID: 50253283022		Collected: 03/27/20 14:10		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		0.79J	ug/L	2.0	1		04/04/20 09:37	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/04/20 09:37	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	75-120	1		04/04/20 09:37	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	85-116	1		04/04/20 09:37	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/04/20 09:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0619-S1 (032720)		Lab ID: 50253283023	Collected: 03/27/20 17:00	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/04/20 10:09	67-64-1	
Benzene	ND	ug/L	5.0	1		04/04/20 10:09	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/04/20 10:09	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/04/20 10:09	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/04/20 10:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/04/20 10:09	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/04/20 10:09	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/04/20 10:09	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/04/20 10:09	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/04/20 10:09	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/04/20 10:09	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/04/20 10:09	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/04/20 10:09	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/04/20 10:09	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/04/20 10:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/04/20 10:09	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 10:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 10:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/04/20 10:09	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/04/20 10:09	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/04/20 10:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/04/20 10:09	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/04/20 10:09	75-35-4	
cis-1,2-Dichloroethene	17.3	ug/L	5.0	1		04/04/20 10:09	156-59-2	
trans-1,2-Dichloroethene	0.93J	ug/L	5.0	1		04/04/20 10:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/04/20 10:09	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 10:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/04/20 10:09	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/04/20 10:09	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/04/20 10:09	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/04/20 10:09	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/04/20 10:09	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/04/20 10:09	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/04/20 10:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/04/20 10:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/04/20 10:09	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/04/20 10:09	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/04/20 10:09	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/04/20 10:09	127-18-4	
Toluene	ND	ug/L	5.0	1		04/04/20 10:09	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/04/20 10:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/04/20 10:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/04/20 10:09	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/04/20 10:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/04/20 10:09	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/04/20 10:09	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0619-S1 (032720)		Lab ID: 50253283023		Collected: 03/27/20 17:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	1.5J	ug/L	2.0	1		04/04/20 10:09	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/04/20 10:09	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	106	%.	75-120	1		04/04/20 10:09	1868-53-7		
4-Bromofluorobenzene (S)	96	%.	85-116	1		04/04/20 10:09	460-00-4		
Toluene-d8 (S)	94	%.	83-111	1		04/04/20 10:09	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0620-S1 (032720)		Lab ID: 50253283024	Collected: 03/27/20 13:10	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	1000	10		04/04/20 10:41	67-64-1	
Benzene	ND	ug/L	50.0	10		04/04/20 10:41	71-43-2	
Bromodichloromethane	ND	ug/L	50.0	10		04/04/20 10:41	75-27-4	
Bromoform	ND	ug/L	50.0	10		04/04/20 10:41	75-25-2	
Bromomethane	ND	ug/L	50.0	10		04/04/20 10:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	10		04/04/20 10:41	78-93-3	
Carbon disulfide	ND	ug/L	100	10		04/04/20 10:41	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	10		04/04/20 10:41	56-23-5	
Chlorobenzene	ND	ug/L	50.0	10		04/04/20 10:41	108-90-7	
Chloroethane	ND	ug/L	50.0	10		04/04/20 10:41	75-00-3	
Chloroform	ND	ug/L	50.0	10		04/04/20 10:41	67-66-3	
Chloromethane	ND	ug/L	50.0	10		04/04/20 10:41	74-87-3	
Cyclohexane	ND	ug/L	1000	10		04/04/20 10:41	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	100	10		04/04/20 10:41	96-12-8	
Dibromochloromethane	ND	ug/L	50.0	10		04/04/20 10:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	10		04/04/20 10:41	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	50.0	10		04/04/20 10:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	10		04/04/20 10:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	10		04/04/20 10:41	106-46-7	
Dichlorodifluoromethane	ND	ug/L	50.0	10		04/04/20 10:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	10		04/04/20 10:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	10		04/04/20 10:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	10		04/04/20 10:41	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	50.0	10		04/04/20 10:41	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	10		04/04/20 10:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	10		04/04/20 10:41	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	50.0	10		04/04/20 10:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	10		04/04/20 10:41	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	10		04/04/20 10:41	100-41-4	
2-Hexanone	ND	ug/L	250	10		04/04/20 10:41	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	10		04/04/20 10:41	98-82-8	
Methyl acetate	ND	ug/L	500	10		04/04/20 10:41	79-20-9	N2
Methylcyclohexane	ND	ug/L	500	10		04/04/20 10:41	108-87-2	N2
Methylene Chloride	ND	ug/L	50.0	10		04/04/20 10:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	10		04/04/20 10:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	10		04/04/20 10:41	1634-04-4	
Styrene	ND	ug/L	50.0	10		04/04/20 10:41	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	10		04/04/20 10:41	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	10		04/04/20 10:41	127-18-4	
Toluene	ND	ug/L	50.0	10		04/04/20 10:41	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	10		04/04/20 10:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	10		04/04/20 10:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	10		04/04/20 10:41	79-00-5	
Trichloroethene	1740	ug/L	50.0	10		04/04/20 10:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	10		04/04/20 10:41	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	50.0	10		04/04/20 10:41	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0620-S1 (032720)		Lab ID: 50253283024		Collected: 03/27/20 13:10		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	20.0	10		04/04/20 10:41	75-01-4		
Xylene (Total)	ND	ug/L	100	10		04/04/20 10:41	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	104	%.	75-120	10		04/04/20 10:41	1868-53-7	D4	
4-Bromofluorobenzene (S)	96	%.	85-116	10		04/04/20 10:41	460-00-4		
Toluene-d8 (S)	94	%.	83-111	10		04/04/20 10:41	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0621-S1 (032720)		Lab ID: 50253283025		Collected: 03/27/20 14:20		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	500	5			04/04/20 11:13	67-64-1	N2
Benzene	ND	ug/L	25.0	5			04/04/20 11:13	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5			04/04/20 11:13	75-27-4	
Bromoform	ND	ug/L	25.0	5			04/04/20 11:13	75-25-2	
Bromomethane	ND	ug/L	25.0	5			04/04/20 11:13	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5			04/04/20 11:13	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5			04/04/20 11:13	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5			04/04/20 11:13	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5			04/04/20 11:13	108-90-7	
Chloroethane	ND	ug/L	25.0	5			04/04/20 11:13	75-00-3	
Chloroform	ND	ug/L	25.0	5			04/04/20 11:13	67-66-3	
Chloromethane	ND	ug/L	25.0	5			04/04/20 11:13	74-87-3	
Cyclohexane	ND	ug/L	500	5			04/04/20 11:13	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5			04/04/20 11:13	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5			04/04/20 11:13	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5			04/04/20 11:13	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5			04/04/20 11:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5			04/04/20 11:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5			04/04/20 11:13	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5			04/04/20 11:13	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5			04/04/20 11:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5			04/04/20 11:13	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5			04/04/20 11:13	75-35-4	
cis-1,2-Dichloroethene	304	ug/L	25.0	5			04/04/20 11:13	156-59-2	
trans-1,2-Dichloroethene	27.6	ug/L	25.0	5			04/04/20 11:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5			04/04/20 11:13	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5			04/04/20 11:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5			04/04/20 11:13	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5			04/04/20 11:13	100-41-4	
2-Hexanone	ND	ug/L	125	5			04/04/20 11:13	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5			04/04/20 11:13	98-82-8	
Methyl acetate	ND	ug/L	250	5			04/04/20 11:13	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5			04/04/20 11:13	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5			04/04/20 11:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5			04/04/20 11:13	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5			04/04/20 11:13	1634-04-4	
Styrene	ND	ug/L	25.0	5			04/04/20 11:13	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5			04/04/20 11:13	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5			04/04/20 11:13	127-18-4	
Toluene	ND	ug/L	25.0	5			04/04/20 11:13	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5			04/04/20 11:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5			04/04/20 11:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5			04/04/20 11:13	79-00-5	
Trichloroethene	1280	ug/L	25.0	5			04/04/20 11:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5			04/04/20 11:13	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5			04/04/20 11:13	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0621-S1 (032720)		Lab ID: 50253283025		Collected: 03/27/20 14:20		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	10.0	5		04/04/20 11:13	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		04/04/20 11:13	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	102	%.	75-120	5		04/04/20 11:13	1868-53-7	D4	
4-Bromofluorobenzene (S)	96	%.	85-116	5		04/04/20 11:13	460-00-4		
Toluene-d8 (S)	93	%.	83-111	5		04/04/20 11:13	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0622-S1 (032720)		Lab ID: 50253283026		Collected: 03/27/20 12:20		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	2500	25		04/04/20 11:45	67-64-1		
Benzene	ND	ug/L	125	25		04/04/20 11:45	71-43-2		
Bromodichloromethane	ND	ug/L	125	25		04/04/20 11:45	75-27-4		
Bromoform	ND	ug/L	125	25		04/04/20 11:45	75-25-2		
Bromomethane	ND	ug/L	125	25		04/04/20 11:45	74-83-9		
2-Butanone (MEK)	ND	ug/L	625	25		04/04/20 11:45	78-93-3		
Carbon disulfide	ND	ug/L	250	25		04/04/20 11:45	75-15-0		
Carbon tetrachloride	ND	ug/L	125	25		04/04/20 11:45	56-23-5		
Chlorobenzene	ND	ug/L	125	25		04/04/20 11:45	108-90-7		
Chloroethane	ND	ug/L	125	25		04/04/20 11:45	75-00-3		
Chloroform	ND	ug/L	125	25		04/04/20 11:45	67-66-3		
Chloromethane	ND	ug/L	125	25		04/04/20 11:45	74-87-3		
Cyclohexane	ND	ug/L	2500	25		04/04/20 11:45	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	250	25		04/04/20 11:45	96-12-8		
Dibromochloromethane	ND	ug/L	125	25		04/04/20 11:45	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	125	25		04/04/20 11:45	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	125	25		04/04/20 11:45	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	125	25		04/04/20 11:45	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	125	25		04/04/20 11:45	106-46-7		
Dichlorodifluoromethane	ND	ug/L	125	25		04/04/20 11:45	75-71-8		
1,1-Dichloroethane	ND	ug/L	125	25		04/04/20 11:45	75-34-3		
1,2-Dichloroethane	ND	ug/L	125	25		04/04/20 11:45	107-06-2		
1,1-Dichloroethene	ND	ug/L	125	25		04/04/20 11:45	75-35-4		
cis-1,2-Dichloroethene	1460	ug/L	125	25		04/04/20 11:45	156-59-2		
trans-1,2-Dichloroethene	22.4J	ug/L	125	25		04/04/20 11:45	156-60-5		
1,2-Dichloropropane	ND	ug/L	125	25		04/04/20 11:45	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	125	25		04/04/20 11:45	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	125	25		04/04/20 11:45	10061-02-6		
Ethylbenzene	ND	ug/L	125	25		04/04/20 11:45	100-41-4		
2-Hexanone	ND	ug/L	625	25		04/04/20 11:45	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	125	25		04/04/20 11:45	98-82-8		
Methyl acetate	ND	ug/L	1250	25		04/04/20 11:45	79-20-9		N2
Methylcyclohexane	ND	ug/L	1250	25		04/04/20 11:45	108-87-2		N2
Methylene Chloride	ND	ug/L	125	25		04/04/20 11:45	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	625	25		04/04/20 11:45	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	100	25		04/04/20 11:45	1634-04-4		
Styrene	ND	ug/L	125	25		04/04/20 11:45	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	125	25		04/04/20 11:45	79-34-5		
Tetrachloroethene	ND	ug/L	125	25		04/04/20 11:45	127-18-4		
Toluene	ND	ug/L	125	25		04/04/20 11:45	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	125	25		04/04/20 11:45	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	125	25		04/04/20 11:45	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	125	25		04/04/20 11:45	79-00-5		
Trichloroethene	19800	ug/L	2500	500		04/04/20 12:16	79-01-6		
Trichlorofluoromethane	ND	ug/L	125	25		04/04/20 11:45	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	125	25		04/04/20 11:45	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0622-S1 (032720)		Lab ID: 50253283026		Collected: 03/27/20 12:20		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	50.0	25		04/04/20 11:45	75-01-4	
Xylene (Total)		ND	ug/L	250	25		04/04/20 11:45	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	75-120	25		04/04/20 11:45	1868-53-7	D4
4-Bromofluorobenzene (S)		95	%.	85-116	25		04/04/20 11:45	460-00-4	
Toluene-d8 (S)		94	%.	83-111	25		04/04/20 11:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0622-S2 (032720)		Lab ID: 50253283027	Collected: 03/27/20 12:40	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/06/20 15:31	67-64-1	
Benzene	ND	ug/L	5.0	1		04/06/20 15:31	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/06/20 15:31	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/06/20 15:31	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/06/20 15:31	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/06/20 15:31	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/06/20 15:31	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/06/20 15:31	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/06/20 15:31	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/06/20 15:31	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/06/20 15:31	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/06/20 15:31	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/06/20 15:31	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/06/20 15:31	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/06/20 15:31	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/06/20 15:31	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/06/20 15:31	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/06/20 15:31	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/06/20 15:31	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/06/20 15:31	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/06/20 15:31	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/06/20 15:31	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/06/20 15:31	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/06/20 15:31	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/06/20 15:31	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/06/20 15:31	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/06/20 15:31	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/06/20 15:31	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/06/20 15:31	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/06/20 15:31	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/06/20 15:31	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/06/20 15:31	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/06/20 15:31	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/06/20 15:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/06/20 15:31	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/06/20 15:31	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/06/20 15:31	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/06/20 15:31	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/06/20 15:31	127-18-4	
Toluene	ND	ug/L	5.0	1		04/06/20 15:31	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/06/20 15:31	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/06/20 15:31	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/06/20 15:31	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/06/20 15:31	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/06/20 15:31	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/06/20 15:31	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0622-S2 (032720)		Lab ID: 50253283027		Collected: 03/27/20 12:40		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/06/20 15:31	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/06/20 15:31	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	75-120	1		04/06/20 15:31	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	85-116	1		04/06/20 15:31	460-00-4	
Toluene-d8 (S)		95	%.	83-111	1		04/06/20 15:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0623-S1(032720)		Lab ID: 50253283028	Collected: 03/27/20 13:00	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/06/20 16:06	67-64-1	
Benzene	ND	ug/L	5.0	1		04/06/20 16:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/06/20 16:06	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/06/20 16:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/06/20 16:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/06/20 16:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/06/20 16:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/06/20 16:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/06/20 16:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/06/20 16:06	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/06/20 16:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/06/20 16:06	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/06/20 16:06	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/06/20 16:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/06/20 16:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/06/20 16:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/06/20 16:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/06/20 16:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/06/20 16:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/06/20 16:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/06/20 16:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/06/20 16:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/06/20 16:06	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/06/20 16:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/06/20 16:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/06/20 16:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/06/20 16:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/06/20 16:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/06/20 16:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/06/20 16:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/06/20 16:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/06/20 16:06	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/06/20 16:06	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/06/20 16:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/06/20 16:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/06/20 16:06	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/06/20 16:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/06/20 16:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/06/20 16:06	127-18-4	
Toluene	ND	ug/L	5.0	1		04/06/20 16:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/06/20 16:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/06/20 16:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/06/20 16:06	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/06/20 16:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/06/20 16:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/06/20 16:06	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: MW-0623-S1(032720)		Lab ID: 50253283028		Collected: 03/27/20 13:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/06/20 16:06	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/06/20 16:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		104	%.	75-120	1		04/06/20 16:06	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	85-116	1		04/06/20 16:06	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/06/20 16:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: FD-3 (032720) DH		Lab ID: 50253283029	Collected: 03/27/20 08:00	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/06/20 16:38	67-64-1	
Benzene	ND	ug/L	5.0	1		04/06/20 16:38	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/06/20 16:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/06/20 16:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/06/20 16:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/06/20 16:38	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/06/20 16:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/06/20 16:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/06/20 16:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/06/20 16:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/06/20 16:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/06/20 16:38	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/06/20 16:38	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/06/20 16:38	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/06/20 16:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/06/20 16:38	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/06/20 16:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/06/20 16:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/06/20 16:38	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/06/20 16:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/06/20 16:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/06/20 16:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/06/20 16:38	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/06/20 16:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/06/20 16:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/06/20 16:38	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/06/20 16:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/06/20 16:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/06/20 16:38	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/06/20 16:38	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/06/20 16:38	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/06/20 16:38	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/06/20 16:38	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/06/20 16:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/06/20 16:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/06/20 16:38	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/06/20 16:38	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/06/20 16:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/06/20 16:38	127-18-4	
Toluene	ND	ug/L	5.0	1		04/06/20 16:38	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/06/20 16:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/06/20 16:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/06/20 16:38	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/06/20 16:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/06/20 16:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/06/20 16:38	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: FD-3 (032720) DH		Lab ID: 50253283029		Collected: 03/27/20 08:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/06/20 16:38	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/06/20 16:38	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	103	%.	75-120	1		04/06/20 16:38	1868-53-7		
4-Bromofluorobenzene (S)	96	%.	85-116	1		04/06/20 16:38	460-00-4		
Toluene-d8 (S)	94	%.	83-111	1		04/06/20 16:38	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: TB1 (032720) DH		Lab ID: 50253283030	Collected: 03/27/20 08:00	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/06/20 17:13	67-64-1	
Benzene	ND	ug/L	5.0	1		04/06/20 17:13	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/06/20 17:13	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/06/20 17:13	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/06/20 17:13	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/06/20 17:13	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/06/20 17:13	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/06/20 17:13	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/06/20 17:13	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/06/20 17:13	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/06/20 17:13	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/06/20 17:13	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/06/20 17:13	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/06/20 17:13	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/06/20 17:13	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/06/20 17:13	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/06/20 17:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/06/20 17:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/06/20 17:13	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/06/20 17:13	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/06/20 17:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/06/20 17:13	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/06/20 17:13	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/06/20 17:13	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/06/20 17:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/06/20 17:13	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/06/20 17:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/06/20 17:13	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/06/20 17:13	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/06/20 17:13	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/06/20 17:13	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/06/20 17:13	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/06/20 17:13	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/06/20 17:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/06/20 17:13	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/06/20 17:13	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/06/20 17:13	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/06/20 17:13	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/06/20 17:13	127-18-4	
Toluene	ND	ug/L	5.0	1		04/06/20 17:13	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/06/20 17:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/06/20 17:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/06/20 17:13	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/06/20 17:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/06/20 17:13	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/06/20 17:13	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust Kokomo

Pace Project No.: 50253283

Sample: TB1 (032720) DH		Lab ID: 50253283030		Collected: 03/27/20 08:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/06/20 17:13	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/06/20 17:13	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	103	%.	75-120	1		04/06/20 17:13	1868-53-7		
4-Bromofluorobenzene (S)	97	%.	85-116	1		04/06/20 17:13	460-00-4		
Toluene-d8 (S)	93	%.	83-111	1		04/06/20 17:13	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ID#: 2

WO# : 50253291



50253281

DRY

Page 1 of 3

Lab Work Order #

Send Results to:	Contact & Company Name:	Telephone:	Preservative	HCL								Preservation Key: A. H ₂ SO ₄ B. HCL C. HNO ₃ D. NaOH E. None F. Other: _____ G. Other: _____ H. Other: _____ Matrix Key: SO - Soil W - Water T - Tissue SE - Sediment SL - Sludge A - Air NL - NAPL/Oil SW - Sample Wipe Other: _____		
	Address:	Fax:	Filtered (✓)										Container Information Key: 1. 40 ml Vial 2. 1 L Amber 3. 250 ml Plastic 4. 500 ml Plastic 5. Encore 6. 2 oz. Glass 7. 4 oz. Glass 8. 8 oz. Glass 9. Other: _____ 10. Other: _____	
	City	State	Zip	# of Containers	3									
	E-mail Address:			Container Information										
Project Name/Location (City, State):			PARAMETER ANALYSIS & METHOD									REMARKS		
Project #:			VOL by 8260											
Sampler's Printed Name:														
Sampler's Signature:														
Sample ID			Collection		Type (✓)	Matrix								
			Date	Time	Comp	Grab								
MW-0504-S1 (032720)			3/27/20	1600		✓	WT	X					001	
MW-0504-S2 (032720)				1610									002	
MW-0506-S1 (032720)				1530									003	
EB-01 (032720) RW				1532									004	
MW-0506-S2 (032720)				1545									005	
MW-0507-S1 (032720)				1615									006	
MW-0516-S1 (032720)				1400									007	
MW-0516-S2 (032720)				1410									008	
MW-0602-S1 (032720)				1625									009	
MW-0603-S1 (032720)				1430									010	
MW-0606-S1 (032720)				1155									011	
MW-0606-S2 (032720)				1205									012	
MW-0607-S1 (032720)				1105									013	
MW-0607-S2 (032720)			✓	1055									014	
Special Instructions/Comments:													☐ Special QA/QC Instructions(✓):	
Laboratory Information and Receipt			Relinquished By			Received By			Relinquished By			Laboratory Received By		
Lab Name:	Cooler Custody Seal (✓)		Printed Name:			Printed Name:			Printed Name:			Printed Name:		
✓ Cooler packed with ice (✓)	☐ Intact ☐ Not Intact		Signature:			Signature:			Signature:			Signature:		
Specify Turnaround Requirements:	Sample Receipt:		Firm:			Firm/Courier:			Firm/Courier:			Firm:		
Shipping Tracking #:	Condition/Cooler Temp:		Date/Time:			Date/Time:			Date/Time:			Date/Time:		

CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Send Results to:	Contact & Company Name: Arcadis		Telephone: 317-231-6500		Preservative HCL															
	Address: 150 West Market Street		Fax:		Filtered (✓)															
	City: Indianapolis	State: IN	Zip: 46204	E-mail Address: Matthew.Griley@arcadis-us.com		# of Containers 3														
	Project Name/Location (City, State): Racer Trust		Project #: 30029075		PARAMETER ANALYSIS & METHOD															
Sampler's Printed Name: David Hilt, Ailey White		Sampler's Signature: David Hilt																		
Sample ID		Collection Date Time		Type (✓) Comp Grab		Matrix														
MW-0608-S1(032720)		3/27/20 1215		✓		WT	X													
MW-0608-S2(032720)		1220																		
MW-0609-S1(032720)		1240																		
MW-0609-S2(032720)		1245																		
MW-0610-S1(032720)		1230																		
MW-0611-S1(032720)		1300																		
MW-0612-S1(032720)		1120																		
MW-0612-S2(032720)		1130																		
MW-0613-S1(032720)		1045																		
EB-02(032720) RW		1047																		
MW-0614-S2(032720)		1420																		
EB-03(032720) RW		1422																		
MW-0617-S1(032720)		1500																		
MW-0617-S2(032720)		1510																		
Special Instructions/Comments:																				
☐ Special QA/QC Instructions(✓):																				
Laboratory Information and Receipt				Relinquished By		Received By		Relinquished By		Laboratory Received By										
Lab Name: Pace		Cooler Custody Seal (✓)		Printed Name: David Hilt		Printed Name: Max Palmer		Printed Name:		Printed Name:										
☒ Cooler packed with ice (✓)		☐ Intact ☐ Not Intact		Signature: David Hilt		Signature: Max Palmer		Signature:		Signature:										
Specify Turnaround Requirements: standard		Sample Receipt:		Firm: Arcadis		Firm/Courier: Pace		Firm/Courier:		Firm:										
Shipping Tracking #:		Condition/Cooler Temp: _____		Date/Time: 3/30/20 1130		Date/Time: 3/30/20 1130		Date/Time:		Date/Time:										

Keys	
Preservation Key:	Container Information Key:
A. H ₂ SO ₄	1. 40 ml Vial
B. HCL	2. 1 L Amber
C. HNO ₃	3. 250 ml Plastic
D. NaOH	4. 500 ml Plastic
E. None	5. Encore
F. Other: _____	6. 2 oz. Glass
G. Other: _____	7. 4 oz. Glass
H. Other: _____	8. 8 oz. Glass
	9. Other: _____
	10. Other: _____
Matrix Key:	
SO - Soil	SE - Sediment
W - Water	SL - Sludge
T - Tissue	A - Air
	NL - NAPL/Oil
	SW - Sample Wipe
	Other: _____

REMARKS 50253291

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0504-S1 (032720)		Lab ID: 50253291001	Collected: 03/27/20 16:00	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	8.6J	ug/L	100	1		04/07/20 04:04	67-64-1	
Benzene	ND	ug/L	5.0	1		04/07/20 04:04	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/07/20 04:04	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/07/20 04:04	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/07/20 04:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/07/20 04:04	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/07/20 04:04	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/07/20 04:04	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/07/20 04:04	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/07/20 04:04	75-00-3	L1
Chloroform	ND	ug/L	5.0	1		04/07/20 04:04	67-66-3	
Chloromethane	ND ~~1.03~~	ug/L	5.0	1		04/07/20 04:04	74-87-3	UB
Cyclohexane	ND	ug/L	100	1		04/07/20 04:04	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/07/20 04:04	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/07/20 04:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/07/20 04:04	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 04:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 04:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 04:04	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/07/20 04:04	75-71-8	
1,1-Dichloroethane	5.8	ug/L	5.0	1		04/07/20 04:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/07/20 04:04	107-06-2	
1,1-Dichloroethene	2.8J	ug/L	5.0	1		04/07/20 04:04	75-35-4	
cis-1,2-Dichloroethene	559	ug/L	50.0	10		04/07/20 04:41	156-59-2	
trans-1,2-Dichloroethene	95.9	ug/L	5.0	1		04/07/20 04:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/07/20 04:04	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 04:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 04:04	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/07/20 04:04	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/07/20 04:04	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/07/20 04:04	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/07/20 04:04	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/07/20 04:04	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/07/20 04:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/07/20 04:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/07/20 04:04	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/07/20 04:04	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/07/20 04:04	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/07/20 04:04	127-18-4	
Toluene	ND	ug/L	5.0	1		04/07/20 04:04	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/07/20 04:04	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/07/20 04:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/07/20 04:04	79-00-5	
Trichloroethene	1750	ug/L	50.0	10		04/07/20 04:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/07/20 04:04	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/07/20 04:04	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0504-S1 (032720)		Lab ID: 50253291001		Collected: 03/27/20 16:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		13.2	ug/L	2.0	1		04/07/20 04:04	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/07/20 04:04	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		103	%.	75-120	1		04/07/20 04:04	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	85-116	1		04/07/20 04:04	460-00-4	
Toluene-d8 (S)		95	%.	83-111	1		04/07/20 04:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0504-S2 (032720)		Lab ID: 50253291002	Collected: 03/27/20 16:10	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	5.7J	ug/L	100	1		04/08/20 00:27	67-64-1	
Benzene	ND	ug/L	5.0	1		04/08/20 00:27	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/08/20 00:27	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/08/20 00:27	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/08/20 00:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/08/20 00:27	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/08/20 00:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/08/20 00:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/08/20 00:27	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/08/20 00:27	75-00-3	L1
Chloroform	ND	ug/L	5.0	1		04/08/20 00:27	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/08/20 00:27	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/08/20 00:27	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/08/20 00:27	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/08/20 00:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/08/20 00:27	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 00:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 00:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 00:27	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/08/20 00:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/08/20 00:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/08/20 00:27	107-06-2	
1,1-Dichloroethene	1.3J	ug/L	5.0	1		04/08/20 00:27	75-35-4	
cis-1,2-Dichloroethene	692	ug/L	25.0	5		04/07/20 05:19	156-59-2	
trans-1,2-Dichloroethene	24.5	ug/L	5.0	1		04/08/20 00:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/08/20 00:27	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 00:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 00:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/08/20 00:27	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/08/20 00:27	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/08/20 00:27	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/08/20 00:27	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/08/20 00:27	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/08/20 00:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/08/20 00:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/08/20 00:27	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/08/20 00:27	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/08/20 00:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/08/20 00:27	127-18-4	
Toluene	ND	ug/L	5.0	1		04/08/20 00:27	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/08/20 00:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/08/20 00:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/08/20 00:27	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/08/20 00:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/08/20 00:27	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/08/20 00:27	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0504-S2 (032720)		Lab ID: 50253291002		Collected: 03/27/20 16:10		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/08/20 00:27	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/08/20 00:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	75-120	1		04/08/20 00:27	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	85-116	1		04/08/20 00:27	460-00-4	
Toluene-d8 (S)		95	%.	83-111	1		04/08/20 00:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0506-S1 (032720)		Lab ID: 50253291003		Collected: 03/27/20 15:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1		04/07/20 06:34	67-64-1		
Benzene	ND	ug/L	5.0	1		04/07/20 06:34	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		04/07/20 06:34	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/07/20 06:34	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/07/20 06:34	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/07/20 06:34	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		04/07/20 06:34	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/07/20 06:34	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/07/20 06:34	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/07/20 06:34	75-00-3		L1
Chloroform	ND	ug/L	5.0	1		04/07/20 06:34	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/07/20 06:34	74-87-3		
Cyclohexane	ND	ug/L	100	1		04/07/20 06:34	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/07/20 06:34	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		04/07/20 06:34	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/07/20 06:34	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 06:34	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 06:34	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 06:34	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/07/20 06:34	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/07/20 06:34	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/07/20 06:34	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/07/20 06:34	75-35-4		
cis-1,2-Dichloroethene	1.6J	ug/L	5.0	1		04/07/20 06:34	156-59-2		
trans-1,2-Dichloroethene	0.92J	ug/L	5.0	1		04/07/20 06:34	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/07/20 06:34	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 06:34	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 06:34	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/07/20 06:34	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		04/07/20 06:34	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/07/20 06:34	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		04/07/20 06:34	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		04/07/20 06:34	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		04/07/20 06:34	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/07/20 06:34	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/07/20 06:34	1634-04-4		
Styrene	ND	ug/L	5.0	1		04/07/20 06:34	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/07/20 06:34	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/07/20 06:34	127-18-4		
Toluene	ND	ug/L	5.0	1		04/07/20 06:34	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/07/20 06:34	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/07/20 06:34	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/07/20 06:34	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		04/07/20 06:34	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/07/20 06:34	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/07/20 06:34	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0506-S1 (032720)		Lab ID: 50253291003		Collected: 03/27/20 15:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/07/20 06:34	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/07/20 06:34	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	105	%.	75-120	1		04/07/20 06:34	1868-53-7		
4-Bromofluorobenzene (S)	97	%.	85-116	1		04/07/20 06:34	460-00-4		
Toluene-d8 (S)	95	%.	83-111	1		04/07/20 06:34	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: EB-01 (032720) RW		Lab ID: 50253291004	Collected: 03/27/20 15:32	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/07/20 07:12	67-64-1	
Benzene	ND	ug/L	5.0	1		04/07/20 07:12	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/07/20 07:12	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/07/20 07:12	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/07/20 07:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/07/20 07:12	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/07/20 07:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/07/20 07:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/07/20 07:12	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/07/20 07:12	75-00-3	L1
Chloroform	ND	ug/L	5.0	1		04/07/20 07:12	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/07/20 07:12	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/07/20 07:12	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/07/20 07:12	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/07/20 07:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/07/20 07:12	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 07:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 07:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 07:12	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/07/20 07:12	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/07/20 07:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/07/20 07:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/07/20 07:12	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/07/20 07:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/07/20 07:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/07/20 07:12	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 07:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 07:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/07/20 07:12	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/07/20 07:12	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/07/20 07:12	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/07/20 07:12	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/07/20 07:12	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/07/20 07:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/07/20 07:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/07/20 07:12	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/07/20 07:12	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/07/20 07:12	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/07/20 07:12	127-18-4	
Toluene	ND	ug/L	5.0	1		04/07/20 07:12	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/07/20 07:12	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/07/20 07:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/07/20 07:12	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/07/20 07:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/07/20 07:12	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/07/20 07:12	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust
Pace Project No.: 50253291

Sample: EB-01 (032720) RW		Lab ID: 50253291004		Collected: 03/27/20 15:32		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/07/20 07:12	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/07/20 07:12	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	106	%.	75-120	1		04/07/20 07:12	1868-53-7		
4-Bromofluorobenzene (S)	97	%.	85-116	1		04/07/20 07:12	460-00-4		
Toluene-d8 (S)	93	%.	83-111	1		04/07/20 07:12	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0506-S2 (032720)		Lab ID: 50253291005	Collected: 03/27/20 15:45	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	8.4J	ug/L	100	1		04/07/20 07:50	67-64-1	
Benzene	ND	ug/L	5.0	1		04/07/20 07:50	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/07/20 07:50	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/07/20 07:50	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/07/20 07:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/07/20 07:50	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/07/20 07:50	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/07/20 07:50	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/07/20 07:50	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/07/20 07:50	75-00-3	L1
Chloroform	ND	ug/L	5.0	1		04/07/20 07:50	67-66-3	
Chloromethane	ND ~~0.67J~~	ug/L	5.0	1		04/07/20 07:50	74-87-3	UB
Cyclohexane	ND	ug/L	100	1		04/07/20 07:50	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/07/20 07:50	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/07/20 07:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/07/20 07:50	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 07:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 07:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 07:50	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/07/20 07:50	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/07/20 07:50	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/07/20 07:50	107-06-2	
1,1-Dichloroethene	1.2J	ug/L	5.0	1		04/07/20 07:50	75-35-4	
cis-1,2-Dichloroethene	675	ug/L	50.0	10		04/07/20 20:03	156-59-2	
trans-1,2-Dichloroethene	66.0	ug/L	5.0	1		04/07/20 07:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/07/20 07:50	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 07:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 07:50	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/07/20 07:50	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/07/20 07:50	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/07/20 07:50	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/07/20 07:50	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/07/20 07:50	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/07/20 07:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/07/20 07:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/07/20 07:50	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/07/20 07:50	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/07/20 07:50	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/07/20 07:50	127-18-4	
Toluene	ND	ug/L	5.0	1		04/07/20 07:50	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/07/20 07:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/07/20 07:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/07/20 07:50	79-00-5	
Trichloroethene	515	ug/L	50.0	10		04/07/20 20:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/07/20 07:50	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/07/20 07:50	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0506-S2 (032720)		Lab ID: 50253291005		Collected: 03/27/20 15:45		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		1.2J	ug/L	2.0	1		04/07/20 07:50	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/07/20 07:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	75-120	1		04/07/20 07:50	1868-53-7	
4-Bromofluorobenzene (S)		97	%.	85-116	1		04/07/20 07:50	460-00-4	
Toluene-d8 (S)		95	%.	83-111	1		04/07/20 07:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0507-S1 (032720)		Lab ID: 50253291006		Collected: 03/27/20 16:15		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			04/07/20 08:28	67-64-1	
Benzene	ND	ug/L	5.0	1			04/07/20 08:28	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/07/20 08:28	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/07/20 08:28	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/07/20 08:28	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/07/20 08:28	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/07/20 08:28	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/07/20 08:28	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/07/20 08:28	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/07/20 08:28	75-00-3	L1
Chloroform	ND	ug/L	5.0	1			04/07/20 08:28	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/07/20 08:28	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/07/20 08:28	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/07/20 08:28	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/07/20 08:28	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/07/20 08:28	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 08:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 08:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 08:28	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/07/20 08:28	75-71-8	
1,1-Dichloroethane	41.2	ug/L	5.0	1			04/07/20 08:28	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/07/20 08:28	107-06-2	
1,1-Dichloroethene	0.61J	ug/L	5.0	1			04/07/20 08:28	75-35-4	
cis-1,2-Dichloroethene	127	ug/L	5.0	1			04/07/20 08:28	156-59-2	
trans-1,2-Dichloroethene	2.1J	ug/L	5.0	1			04/07/20 08:28	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/07/20 08:28	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/07/20 08:28	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/07/20 08:28	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/07/20 08:28	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/07/20 08:28	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/07/20 08:28	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/07/20 08:28	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/07/20 08:28	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/07/20 08:28	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/07/20 08:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/07/20 08:28	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/07/20 08:28	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/07/20 08:28	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/07/20 08:28	127-18-4	
Toluene	ND	ug/L	5.0	1			04/07/20 08:28	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/07/20 08:28	120-82-1	
1,1,1-Trichloroethane	28.5	ug/L	5.0	1			04/07/20 08:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/07/20 08:28	79-00-5	
Trichloroethene	4.3J	ug/L	5.0	1			04/07/20 08:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/07/20 08:28	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/07/20 08:28	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0507-S1 (032720)		Lab ID: 50253291006		Collected: 03/27/20 16:15		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/07/20 08:28	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/07/20 08:28	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	75-120	1		04/07/20 08:28	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	85-116	1		04/07/20 08:28	460-00-4	
Toluene-d8 (S)		95	%.	83-111	1		04/07/20 08:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0516-S1 (032720)		Lab ID: 50253291007	Collected: 03/27/20 14:00	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	5.0J	ug/L	100	1		04/07/20 09:06	67-64-1	
Benzene	ND	ug/L	5.0	1		04/07/20 09:06	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/07/20 09:06	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/07/20 09:06	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/07/20 09:06	74-83-9	R1
2-Butanone (MEK)	ND	ug/L	25.0	1		04/07/20 09:06	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/07/20 09:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/07/20 09:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/07/20 09:06	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/07/20 09:06	75-00-3	L1,M0 UJ
Chloroform	ND	ug/L	5.0	1		04/07/20 09:06	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/07/20 09:06	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/07/20 09:06	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/07/20 09:06	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/07/20 09:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/07/20 09:06	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 09:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 09:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 09:06	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/07/20 09:06	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/07/20 09:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/07/20 09:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/07/20 09:06	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/07/20 09:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/07/20 09:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/07/20 09:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 09:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 09:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/07/20 09:06	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/07/20 09:06	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/07/20 09:06	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/07/20 09:06	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/07/20 09:06	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/07/20 09:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/07/20 09:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/07/20 09:06	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/07/20 09:06	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/07/20 09:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/07/20 09:06	127-18-4	
Toluene	ND	ug/L	5.0	1		04/07/20 09:06	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/07/20 09:06	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/07/20 09:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/07/20 09:06	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/07/20 09:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/07/20 09:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/07/20 09:06	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0516-S1 (032720)		Lab ID: 50253291007		Collected: 03/27/20 14:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/07/20 09:06	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/07/20 09:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		105	%.	75-120	1		04/07/20 09:06	1868-53-7	
4-Bromofluorobenzene (S)		100	%.	85-116	1		04/07/20 09:06	460-00-4	
Toluene-d8 (S)		95	%.	83-111	1		04/07/20 09:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0516-S2 (032720)		Lab ID: 50253291008		Collected: 03/27/20 14:10		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			04/07/20 10:59	67-64-1	
Benzene	ND	ug/L	5.0	1			04/07/20 10:59	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/07/20 10:59	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/07/20 10:59	75-25-2	
Bromomethane	ND ~~2.63~~	ug/L	5.0	1			04/07/20 10:59	74-83-9	UB
2-Butanone (MEK)	ND	ug/L	25.0	1			04/07/20 10:59	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/07/20 10:59	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/07/20 10:59	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/07/20 10:59	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/07/20 10:59	75-00-3	L1
Chloroform	ND	ug/L	5.0	1			04/07/20 10:59	67-66-3	
Chloromethane	ND ~~1.63~~	ug/L	5.0	1			04/07/20 10:59	74-87-3	UB
Cyclohexane	ND	ug/L	100	1			04/07/20 10:59	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/07/20 10:59	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/07/20 10:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/07/20 10:59	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 10:59	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 10:59	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 10:59	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/07/20 10:59	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/07/20 10:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/07/20 10:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/07/20 10:59	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			04/07/20 10:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			04/07/20 10:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/07/20 10:59	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/07/20 10:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/07/20 10:59	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/07/20 10:59	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/07/20 10:59	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/07/20 10:59	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/07/20 10:59	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/07/20 10:59	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/07/20 10:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/07/20 10:59	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/07/20 10:59	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/07/20 10:59	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/07/20 10:59	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/07/20 10:59	127-18-4	
Toluene	ND	ug/L	5.0	1			04/07/20 10:59	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/07/20 10:59	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/07/20 10:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/07/20 10:59	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			04/07/20 10:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/07/20 10:59	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/07/20 10:59	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0516-S2 (032720)		Lab ID: 50253291008		Collected: 03/27/20 14:10		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/07/20 10:59	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/07/20 10:59	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	75-120	1		04/07/20 10:59	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	85-116	1		04/07/20 10:59	460-00-4	
Toluene-d8 (S)		95	%.	83-111	1		04/07/20 10:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0602-S1 (032720)		Lab ID: 50253291009		Collected: 03/27/20 16:25		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			04/07/20 11:37	67-64-1	
Benzene	ND	ug/L	5.0	1			04/07/20 11:37	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/07/20 11:37	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/07/20 11:37	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/07/20 11:37	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/07/20 11:37	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/07/20 11:37	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/07/20 11:37	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/07/20 11:37	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/07/20 11:37	75-00-3	L1
Chloroform	ND	ug/L	5.0	1			04/07/20 11:37	67-66-3	
Chloromethane	ND 1.23	ug/L	5.0	1			04/07/20 11:37	74-87-3	UB
Cyclohexane	ND	ug/L	100	1			04/07/20 11:37	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/07/20 11:37	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/07/20 11:37	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/07/20 11:37	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 11:37	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 11:37	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 11:37	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/07/20 11:37	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/07/20 11:37	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/07/20 11:37	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/07/20 11:37	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			04/07/20 11:37	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			04/07/20 11:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/07/20 11:37	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/07/20 11:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/07/20 11:37	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/07/20 11:37	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/07/20 11:37	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/07/20 11:37	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/07/20 11:37	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/07/20 11:37	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/07/20 11:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/07/20 11:37	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/07/20 11:37	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/07/20 11:37	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/07/20 11:37	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/07/20 11:37	127-18-4	
Toluene	ND	ug/L	5.0	1			04/07/20 11:37	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/07/20 11:37	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/07/20 11:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/07/20 11:37	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			04/07/20 11:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/07/20 11:37	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/07/20 11:37	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0602-S1 (032720)		Lab ID: 50253291009		Collected: 03/27/20 16:25		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/07/20 11:37	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/07/20 11:37	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		106	%.	75-120	1		04/07/20 11:37	1868-53-7	
4-Bromofluorobenzene (S)		99	%.	85-116	1		04/07/20 11:37	460-00-4	
Toluene-d8 (S)		95	%.	83-111	1		04/07/20 11:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0603-S1 (032720)		Lab ID: 50253291010		Collected: 03/27/20 14:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	3.6J	ug/L	100	1			04/07/20 12:15	67-64-1	
Benzene	ND	ug/L	5.0	1			04/07/20 12:15	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/07/20 12:15	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/07/20 12:15	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/07/20 12:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/07/20 12:15	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/07/20 12:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/07/20 12:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/07/20 12:15	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/07/20 12:15	75-00-3	L1
Chloroform	ND	ug/L	5.0	1			04/07/20 12:15	67-66-3	
Chloromethane	ND ~~0.993~~	ug/L	5.0	1			04/07/20 12:15	74-87-3	UB
Cyclohexane	ND	ug/L	100	1			04/07/20 12:15	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/07/20 12:15	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/07/20 12:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/07/20 12:15	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 12:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 12:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 12:15	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/07/20 12:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/07/20 12:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/07/20 12:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/07/20 12:15	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			04/07/20 12:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			04/07/20 12:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/07/20 12:15	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/07/20 12:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/07/20 12:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/07/20 12:15	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/07/20 12:15	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/07/20 12:15	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/07/20 12:15	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/07/20 12:15	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/07/20 12:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/07/20 12:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/07/20 12:15	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/07/20 12:15	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/07/20 12:15	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/07/20 12:15	127-18-4	
Toluene	ND	ug/L	5.0	1			04/07/20 12:15	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/07/20 12:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/07/20 12:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/07/20 12:15	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			04/07/20 12:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/07/20 12:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/07/20 12:15	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0603-S1 (032720)		Lab ID: 50253291010		Collected: 03/27/20 14:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/07/20 12:15	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/07/20 12:15	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		108	%.	75-120	1		04/07/20 12:15	1868-53-7	
4-Bromofluorobenzene (S)		98	%.	85-116	1		04/07/20 12:15	460-00-4	
Toluene-d8 (S)		93	%.	83-111	1		04/07/20 12:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0606-S1 (032720)		Lab ID: 50253291011	Collected: 03/27/20 11:55	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	500	5		04/07/20 17:51	67-64-1	
Benzene	ND	ug/L	25.0	5		04/07/20 17:51	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		04/07/20 17:51	75-27-4	
Bromoform	ND	ug/L	25.0	5		04/07/20 17:51	75-25-2	
Bromomethane	ND	ug/L	25.0	5		04/07/20 17:51	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		04/07/20 17:51	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		04/07/20 17:51	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		04/07/20 17:51	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		04/07/20 17:51	108-90-7	
Chloroethane	ND	ug/L	25.0	5		04/07/20 17:51	75-00-3	
Chloroform	ND	ug/L	25.0	5		04/07/20 17:51	67-66-3	
Chloromethane	ND	ug/L	25.0	5		04/07/20 17:51	74-87-3	
Cyclohexane	ND	ug/L	500	5		04/07/20 17:51	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/07/20 17:51	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		04/07/20 17:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/07/20 17:51	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/07/20 17:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/07/20 17:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/07/20 17:51	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/07/20 17:51	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		04/07/20 17:51	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		04/07/20 17:51	107-06-2	
1,1-Dichloroethene	2.3J	ug/L	25.0	5		04/07/20 17:51	75-35-4	
cis-1,2-Dichloroethene	656	ug/L	25.0	5		04/07/20 17:51	156-59-2	
trans-1,2-Dichloroethene	109	ug/L	25.0	5		04/07/20 17:51	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		04/07/20 17:51	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/07/20 17:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/07/20 17:51	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		04/07/20 17:51	100-41-4	
2-Hexanone	ND	ug/L	125	5		04/07/20 17:51	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/07/20 17:51	98-82-8	
Methyl acetate	ND	ug/L	250	5		04/07/20 17:51	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5		04/07/20 17:51	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5		04/07/20 17:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/07/20 17:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/07/20 17:51	1634-04-4	
Styrene	ND	ug/L	25.0	5		04/07/20 17:51	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/07/20 17:51	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		04/07/20 17:51	127-18-4	
Toluene	ND	ug/L	25.0	5		04/07/20 17:51	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/07/20 17:51	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/07/20 17:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/07/20 17:51	79-00-5	
Trichloroethene	2740	ug/L	125	25		04/07/20 18:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		04/07/20 17:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/07/20 17:51	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0606-S1 (032720)		Lab ID: 50253291011		Collected: 03/27/20 11:55		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	10.0	5		04/07/20 17:51	75-01-4	
Xylene (Total)		ND	ug/L	50.0	5		04/07/20 17:51	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		108	%.	75-120	5		04/07/20 17:51	1868-53-7	D4
4-Bromofluorobenzene (S)		97	%.	85-116	5		04/07/20 17:51	460-00-4	
Toluene-d8 (S)		94	%.	83-111	5		04/07/20 17:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0606-S2 (032720)		Lab ID: 50253291012	Collected: 03/27/20 12:05	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/08/20 17:16	67-64-1	
Benzene	ND	ug/L	5.0	1		04/08/20 17:16	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/08/20 17:16	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/08/20 17:16	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/08/20 17:16	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/08/20 17:16	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/08/20 17:16	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/08/20 17:16	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/08/20 17:16	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/08/20 17:16	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/08/20 17:16	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/08/20 17:16	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/08/20 17:16	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/08/20 17:16	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/08/20 17:16	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/08/20 17:16	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 17:16	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 17:16	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 17:16	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/08/20 17:16	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/08/20 17:16	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/08/20 17:16	107-06-2	
1,1-Dichloroethene	1.6J	ug/L	5.0	1		04/08/20 17:16	75-35-4	
cis-1,2-Dichloroethene	730	ug/L	25.0	5		04/07/20 19:06	156-59-2	
trans-1,2-Dichloroethene	81.8	ug/L	5.0	1		04/08/20 17:16	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/08/20 17:16	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 17:16	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 17:16	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/08/20 17:16	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/08/20 17:16	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/08/20 17:16	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/08/20 17:16	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/08/20 17:16	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/08/20 17:16	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/08/20 17:16	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/08/20 17:16	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/08/20 17:16	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/08/20 17:16	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/08/20 17:16	127-18-4	
Toluene	ND	ug/L	5.0	1		04/08/20 17:16	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/08/20 17:16	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/08/20 17:16	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/08/20 17:16	79-00-5	
Trichloroethene	24.8	ug/L	5.0	1		04/08/20 17:16	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/08/20 17:16	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/08/20 17:16	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0606-S2 (032720)		Lab ID: 50253291012		Collected: 03/27/20 12:05		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		1.1J	ug/L	2.0	1		04/08/20 17:16	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/08/20 17:16	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		113	%.	75-120	1		04/08/20 17:16	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	85-116	1		04/08/20 17:16	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/08/20 17:16	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: TB-01 (032720) RW		Lab ID: 50253291032		Collected: 03/27/20 08:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/08/20 19:47	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/08/20 19:47	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	112	%.	75-120	1		04/08/20 19:47	1868-53-7		
4-Bromofluorobenzene (S)	95	%.	85-116	1		04/08/20 19:47	460-00-4		
Toluene-d8 (S)	94	%.	83-111	1		04/08/20 19:47	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0607-S1 (032720)		Lab ID: 50253291013	Collected: 03/27/20 11:05	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/07/20 19:44	67-64-1	
Benzene	ND	ug/L	5.0	1		04/07/20 19:44	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/07/20 19:44	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/07/20 19:44	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/07/20 19:44	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/07/20 19:44	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/07/20 19:44	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/07/20 19:44	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/07/20 19:44	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/07/20 19:44	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/07/20 19:44	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/07/20 19:44	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/07/20 19:44	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/07/20 19:44	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/07/20 19:44	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/07/20 19:44	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 19:44	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 19:44	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 19:44	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/07/20 19:44	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/07/20 19:44	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/07/20 19:44	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/07/20 19:44	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/07/20 19:44	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/07/20 19:44	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/07/20 19:44	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 19:44	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 19:44	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/07/20 19:44	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/07/20 19:44	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/07/20 19:44	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/07/20 19:44	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/07/20 19:44	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/07/20 19:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/07/20 19:44	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/07/20 19:44	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/07/20 19:44	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/07/20 19:44	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/07/20 19:44	127-18-4	
Toluene	ND	ug/L	5.0	1		04/07/20 19:44	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/07/20 19:44	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/07/20 19:44	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/07/20 19:44	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/07/20 19:44	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/07/20 19:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/07/20 19:44	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0607-S1 (032720)		Lab ID: 50253291013		Collected: 03/27/20 11:05		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/07/20 19:44	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/07/20 19:44	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		114	%.	75-120	1		04/07/20 19:44	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	85-116	1		04/07/20 19:44	460-00-4	
Toluene-d8 (S)		92	%.	83-111	1		04/07/20 19:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0607-S2 (032720)		Lab ID: 50253291014		Collected: 03/27/20 10:55		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1		04/07/20 20:22	67-64-1		
Benzene	ND	ug/L	5.0	1		04/07/20 20:22	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		04/07/20 20:22	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/07/20 20:22	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/07/20 20:22	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/07/20 20:22	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		04/07/20 20:22	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/07/20 20:22	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/07/20 20:22	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/07/20 20:22	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/07/20 20:22	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/07/20 20:22	74-87-3		
Cyclohexane	ND	ug/L	100	1		04/07/20 20:22	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/07/20 20:22	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		04/07/20 20:22	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/07/20 20:22	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 20:22	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 20:22	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/07/20 20:22	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/07/20 20:22	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/07/20 20:22	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/07/20 20:22	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/07/20 20:22	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/07/20 20:22	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/07/20 20:22	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/07/20 20:22	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 20:22	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/07/20 20:22	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/07/20 20:22	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		04/07/20 20:22	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/07/20 20:22	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		04/07/20 20:22	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		04/07/20 20:22	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		04/07/20 20:22	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/07/20 20:22	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/07/20 20:22	1634-04-4		
Styrene	ND	ug/L	5.0	1		04/07/20 20:22	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/07/20 20:22	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/07/20 20:22	127-18-4		
Toluene	ND	ug/L	5.0	1		04/07/20 20:22	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/07/20 20:22	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/07/20 20:22	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/07/20 20:22	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		04/07/20 20:22	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/07/20 20:22	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/07/20 20:22	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0607-S2 (032720)		Lab ID: 50253291014		Collected: 03/27/20 10:55		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	0.52J	ug/L	2.0	1		04/07/20 20:22	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/07/20 20:22	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	113	%.	75-120	1		04/07/20 20:22	1868-53-7		
4-Bromofluorobenzene (S)	97	%.	85-116	1		04/07/20 20:22	460-00-4		
Toluene-d8 (S)	94	%.	83-111	1		04/07/20 20:22	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0608-S1 (032720)		Lab ID: 50253291015		Collected: 03/27/20 12:15		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			04/07/20 21:00	67-64-1	
Benzene	ND	ug/L	5.0	1			04/07/20 21:00	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/07/20 21:00	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/07/20 21:00	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/07/20 21:00	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/07/20 21:00	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/07/20 21:00	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/07/20 21:00	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/07/20 21:00	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/07/20 21:00	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/07/20 21:00	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/07/20 21:00	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/07/20 21:00	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/07/20 21:00	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/07/20 21:00	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/07/20 21:00	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 21:00	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 21:00	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 21:00	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/07/20 21:00	75-71-8	
1,1-Dichloroethane	2.6J	ug/L	5.0	1			04/07/20 21:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/07/20 21:00	107-06-2	
1,1-Dichloroethene	1.3J	ug/L	5.0	1			04/07/20 21:00	75-35-4	
cis-1,2-Dichloroethene	484	ug/L	50.0	10			04/07/20 21:37	156-59-2	
trans-1,2-Dichloroethene	47.0	ug/L	5.0	1			04/07/20 21:00	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/07/20 21:00	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/07/20 21:00	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/07/20 21:00	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/07/20 21:00	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/07/20 21:00	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/07/20 21:00	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/07/20 21:00	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/07/20 21:00	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/07/20 21:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/07/20 21:00	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/07/20 21:00	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/07/20 21:00	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/07/20 21:00	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/07/20 21:00	127-18-4	
Toluene	ND	ug/L	5.0	1			04/07/20 21:00	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/07/20 21:00	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/07/20 21:00	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/07/20 21:00	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			04/07/20 21:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/07/20 21:00	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/07/20 21:00	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0608-S1 (032720)		Lab ID: 50253291015		Collected: 03/27/20 12:15		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	3.2	ug/L	2.0	1		04/07/20 21:00	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/07/20 21:00	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	111	%.	75-120	1		04/07/20 21:00	1868-53-7		
4-Bromofluorobenzene (S)	96	%.	85-116	1		04/07/20 21:00	460-00-4		
Toluene-d8 (S)	92	%.	83-111	1		04/07/20 21:00	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust
Pace Project No.: 50253291

Sample: MW-0608-S2 (032720)		Lab ID: 50253291016		Collected: 03/27/20 12:20		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	35.3J	ug/L	100	1			04/07/20 22:15	67-64-1	
Benzene	ND	ug/L	5.0	1			04/07/20 22:15	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/07/20 22:15	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/07/20 22:15	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/07/20 22:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/07/20 22:15	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/07/20 22:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/07/20 22:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/07/20 22:15	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/07/20 22:15	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/07/20 22:15	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/07/20 22:15	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/07/20 22:15	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/07/20 22:15	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/07/20 22:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/07/20 22:15	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 22:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 22:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/07/20 22:15	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/07/20 22:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/07/20 22:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/07/20 22:15	107-06-2	
1,1-Dichloroethene	1.5J	ug/L	5.0	1			04/07/20 22:15	75-35-4	
cis-1,2-Dichloroethene	888	ug/L	50.0	10			04/08/20 16:39	156-59-2	M1
trans-1,2-Dichloroethene	100	ug/L	5.0	1			04/07/20 22:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/07/20 22:15	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/07/20 22:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/07/20 22:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/07/20 22:15	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/07/20 22:15	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/07/20 22:15	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/07/20 22:15	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/07/20 22:15	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/07/20 22:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/07/20 22:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/07/20 22:15	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/07/20 22:15	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/07/20 22:15	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/07/20 22:15	127-18-4	
Toluene	ND	ug/L	5.0	1			04/07/20 22:15	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/07/20 22:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/07/20 22:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/07/20 22:15	79-00-5	
Trichloroethene	1.7J	ug/L	5.0	1			04/07/20 22:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/07/20 22:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/07/20 22:15	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0608-S2 (032720)		Lab ID: 50253291016		Collected: 03/27/20 12:20		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	1.9J	ug/L	2.0	1		04/07/20 22:15	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/07/20 22:15	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	112	%.	75-120	1		04/07/20 22:15	1868-53-7		
4-Bromofluorobenzene (S)	96	%.	85-116	1		04/07/20 22:15	460-00-4		
Toluene-d8 (S)	95	%.	83-111	1		04/07/20 22:15	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust
Pace Project No.: 50253291

Sample: MW-0609-S1 (032720)		Lab ID: 50253291017	Collected: 03/27/20 12:40	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	37.9J	ug/L	100	1		04/08/20 00:08	67-64-1	
Benzene	ND	ug/L	5.0	1		04/08/20 00:08	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/08/20 00:08	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/08/20 00:08	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/08/20 00:08	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/08/20 00:08	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/08/20 00:08	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/08/20 00:08	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/08/20 00:08	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/08/20 00:08	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/08/20 00:08	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/08/20 00:08	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/08/20 00:08	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/08/20 00:08	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/08/20 00:08	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/08/20 00:08	106-93-4	
1,2-Dichlorobenzene	ND ~~0.25J~~	ug/L	5.0	1		04/08/20 00:08	95-50-1	UB
1,3-Dichlorobenzene	0.20J	ug/L	5.0	1		04/08/20 00:08	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 00:08	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/08/20 00:08	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/08/20 00:08	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/08/20 00:08	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/08/20 00:08	75-35-4	
cis-1,2-Dichloroethene	8.7	ug/L	5.0	1		04/08/20 00:08	156-59-2	
trans-1,2-Dichloroethene	0.63J	ug/L	5.0	1		04/08/20 00:08	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/08/20 00:08	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 00:08	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 00:08	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/08/20 00:08	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/08/20 00:08	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/08/20 00:08	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/08/20 00:08	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/08/20 00:08	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/08/20 00:08	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/08/20 00:08	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/08/20 00:08	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/08/20 00:08	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/08/20 00:08	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/08/20 00:08	127-18-4	
Toluene	ND	ug/L	5.0	1		04/08/20 00:08	108-88-3	
1,2,4-Trichlorobenzene	ND ~~0.63J~~	ug/L	5.0	1		04/08/20 00:08	120-82-1	UB
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/08/20 00:08	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/08/20 00:08	79-00-5	
Trichloroethene	1.2J	ug/L	5.0	1		04/08/20 00:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/08/20 00:08	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/08/20 00:08	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0609-S1 (032720)		Lab ID: 50253291017		Collected: 03/27/20 12:40		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/08/20 00:08	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/08/20 00:08	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		113	%.	75-120	1		04/08/20 00:08	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	85-116	1		04/08/20 00:08	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/08/20 00:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0609-S2 (032720)		Lab ID: 50253291018		Collected: 03/27/20 12:45		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			04/08/20 00:45	67-64-1	N2
Benzene	ND	ug/L	5.0	1			04/08/20 00:45	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/08/20 00:45	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/08/20 00:45	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/08/20 00:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/08/20 00:45	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/08/20 00:45	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/08/20 00:45	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/08/20 00:45	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/08/20 00:45	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/08/20 00:45	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/08/20 00:45	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/08/20 00:45	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/08/20 00:45	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/08/20 00:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/08/20 00:45	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 00:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 00:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 00:45	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/08/20 00:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/08/20 00:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/08/20 00:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/08/20 00:45	75-35-4	
cis-1,2-Dichloroethene	207	ug/L	5.0	1			04/08/20 00:45	156-59-2	
trans-1,2-Dichloroethene	24.5	ug/L	5.0	1			04/08/20 00:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/08/20 00:45	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/08/20 00:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/08/20 00:45	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/08/20 00:45	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/08/20 00:45	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/08/20 00:45	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/08/20 00:45	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/08/20 00:45	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/08/20 00:45	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/08/20 00:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/08/20 00:45	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/08/20 00:45	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/08/20 00:45	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/08/20 00:45	127-18-4	
Toluene	ND	ug/L	5.0	1			04/08/20 00:45	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/08/20 00:45	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/08/20 00:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/08/20 00:45	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			04/08/20 00:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/08/20 00:45	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/08/20 00:45	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0609-S2 (032720)		Lab ID: 50253291018		Collected: 03/27/20 12:45		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		24.2	ug/L	2.0	1		04/08/20 00:45	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/08/20 00:45	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		111	%.	75-120	1		04/08/20 00:45	1868-53-7	
4-Bromofluorobenzene (S)		96	%.	85-116	1		04/08/20 00:45	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/08/20 00:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0610-S1 (032720)		Lab ID: 50253291019		Collected: 03/27/20 12:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			04/08/20 03:54	67-64-1	
Benzene	ND	ug/L	5.0	1			04/08/20 03:54	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/08/20 03:54	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/08/20 03:54	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/08/20 03:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/08/20 03:54	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/08/20 03:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/08/20 03:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/08/20 03:54	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/08/20 03:54	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/08/20 03:54	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/08/20 03:54	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/08/20 03:54	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/08/20 03:54	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/08/20 03:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/08/20 03:54	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 03:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 03:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 03:54	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/08/20 03:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/08/20 03:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/08/20 03:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/08/20 03:54	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			04/08/20 03:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			04/08/20 03:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/08/20 03:54	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/08/20 03:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/08/20 03:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/08/20 03:54	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/08/20 03:54	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/08/20 03:54	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/08/20 03:54	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/08/20 03:54	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/08/20 03:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/08/20 03:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/08/20 03:54	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/08/20 03:54	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/08/20 03:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/08/20 03:54	127-18-4	
Toluene	ND	ug/L	5.0	1			04/08/20 03:54	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/08/20 03:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/08/20 03:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/08/20 03:54	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			04/08/20 03:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/08/20 03:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/08/20 03:54	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0610-S1 (032720)		Lab ID: 50253291019		Collected: 03/27/20 12:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/08/20 03:54	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/08/20 03:54	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	113	%.	75-120	1		04/08/20 03:54	1868-53-7		
4-Bromofluorobenzene (S)	97	%.	85-116	1		04/08/20 03:54	460-00-4		
Toluene-d8 (S)	95	%.	83-111	1		04/08/20 03:54	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0611-S1 (032720)		Lab ID: 50253291020	Collected: 03/27/20 13:00	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/08/20 04:32	67-64-1	
Benzene	ND	ug/L	5.0	1		04/08/20 04:32	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/08/20 04:32	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/08/20 04:32	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/08/20 04:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/08/20 04:32	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/08/20 04:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/08/20 04:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/08/20 04:32	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/08/20 04:32	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/08/20 04:32	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/08/20 04:32	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/08/20 04:32	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/08/20 04:32	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/08/20 04:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/08/20 04:32	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 04:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 04:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 04:32	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/08/20 04:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/08/20 04:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/08/20 04:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/08/20 04:32	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/08/20 04:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/08/20 04:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/08/20 04:32	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 04:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 04:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/08/20 04:32	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/08/20 04:32	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/08/20 04:32	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/08/20 04:32	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/08/20 04:32	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/08/20 04:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/08/20 04:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/08/20 04:32	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/08/20 04:32	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/08/20 04:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/08/20 04:32	127-18-4	
Toluene	ND	ug/L	5.0	1		04/08/20 04:32	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/08/20 04:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/08/20 04:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/08/20 04:32	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/08/20 04:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/08/20 04:32	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/08/20 04:32	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0611-S1 (032720)		Lab ID: 50253291020		Collected: 03/27/20 13:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/08/20 04:32	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/08/20 04:32	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	112	%.	75-120	1		04/08/20 04:32	1868-53-7		
4-Bromofluorobenzene (S)	96	%.	85-116	1		04/08/20 04:32	460-00-4		
Toluene-d8 (S)	95	%.	83-111	1		04/08/20 04:32	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0612-S1 (032720)		Lab ID: 50253291021	Collected: 03/27/20 11:20	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	500	5		04/08/20 05:09	67-64-1	
Benzene	ND	ug/L	25.0	5		04/08/20 05:09	71-43-2	
Bromodichloromethane	ND	ug/L	25.0	5		04/08/20 05:09	75-27-4	
Bromoform	ND	ug/L	25.0	5		04/08/20 05:09	75-25-2	
Bromomethane	ND	ug/L	25.0	5		04/08/20 05:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	5		04/08/20 05:09	78-93-3	
Carbon disulfide	ND	ug/L	50.0	5		04/08/20 05:09	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	5		04/08/20 05:09	56-23-5	
Chlorobenzene	ND	ug/L	25.0	5		04/08/20 05:09	108-90-7	
Chloroethane	ND	ug/L	25.0	5		04/08/20 05:09	75-00-3	
Chloroform	ND	ug/L	25.0	5		04/08/20 05:09	67-66-3	
Chloromethane	ND	ug/L	25.0	5		04/08/20 05:09	74-87-3	
Cyclohexane	ND	ug/L	500	5		04/08/20 05:09	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/08/20 05:09	96-12-8	
Dibromochloromethane	ND	ug/L	25.0	5		04/08/20 05:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/08/20 05:09	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/08/20 05:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/08/20 05:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/08/20 05:09	106-46-7	
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/08/20 05:09	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	5		04/08/20 05:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	5		04/08/20 05:09	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	5		04/08/20 05:09	75-35-4	
cis-1,2-Dichloroethene	283	ug/L	25.0	5		04/08/20 05:09	156-59-2	
trans-1,2-Dichloroethene	45.4	ug/L	25.0	5		04/08/20 05:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	5		04/08/20 05:09	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/08/20 05:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/08/20 05:09	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	5		04/08/20 05:09	100-41-4	
2-Hexanone	ND	ug/L	125	5		04/08/20 05:09	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/08/20 05:09	98-82-8	
Methyl acetate	ND	ug/L	250	5		04/08/20 05:09	79-20-9	N2
Methylcyclohexane	ND	ug/L	250	5		04/08/20 05:09	108-87-2	N2
Methylene Chloride	ND	ug/L	25.0	5		04/08/20 05:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/08/20 05:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/08/20 05:09	1634-04-4	
Styrene	ND	ug/L	25.0	5		04/08/20 05:09	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/08/20 05:09	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	5		04/08/20 05:09	127-18-4	
Toluene	ND	ug/L	25.0	5		04/08/20 05:09	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/08/20 05:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/08/20 05:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/08/20 05:09	79-00-5	
Trichloroethene	2810	ug/L	250	50		04/08/20 05:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5		04/08/20 05:09	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/08/20 05:09	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0612-S1 (032720)		Lab ID: 50253291021		Collected: 03/27/20 11:20		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	12.0	ug/L	10.0	5		04/08/20 05:09	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		04/08/20 05:09	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	109	%.	75-120	5		04/08/20 05:09	1868-53-7	D4	
4-Bromofluorobenzene (S)	95	%.	85-116	5		04/08/20 05:09	460-00-4		
Toluene-d8 (S)	93	%.	83-111	5		04/08/20 05:09	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0612-S2 (032720)		Lab ID: 50253291022		Collected: 03/27/20 11:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	500	5		04/08/20 06:25	67-64-1		
Benzene	ND	ug/L	25.0	5		04/08/20 06:25	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		04/08/20 06:25	75-27-4		
Bromoform	ND	ug/L	25.0	5		04/08/20 06:25	75-25-2		
Bromomethane	ND	ug/L	25.0	5		04/08/20 06:25	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		04/08/20 06:25	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		04/08/20 06:25	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		04/08/20 06:25	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		04/08/20 06:25	108-90-7		
Chloroethane	ND	ug/L	25.0	5		04/08/20 06:25	75-00-3		
Chloroform	ND	ug/L	25.0	5		04/08/20 06:25	67-66-3		
Chloromethane	ND	ug/L	25.0	5		04/08/20 06:25	74-87-3		
Cyclohexane	ND	ug/L	500	5		04/08/20 06:25	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/08/20 06:25	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		04/08/20 06:25	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/08/20 06:25	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/08/20 06:25	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/08/20 06:25	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/08/20 06:25	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/08/20 06:25	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		04/08/20 06:25	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		04/08/20 06:25	107-06-2		
1,1-Dichloroethene	3.3J	ug/L	25.0	5		04/08/20 06:25	75-35-4		
cis-1,2-Dichloroethene	1350	ug/L	25.0	5		04/08/20 06:25	156-59-2		
trans-1,2-Dichloroethene	97.6	ug/L	25.0	5		04/08/20 06:25	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		04/08/20 06:25	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/08/20 06:25	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/08/20 06:25	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		04/08/20 06:25	100-41-4		
2-Hexanone	ND	ug/L	125	5		04/08/20 06:25	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/08/20 06:25	98-82-8		
Methyl acetate	ND	ug/L	250	5		04/08/20 06:25	79-20-9		N2
Methylcyclohexane	ND	ug/L	250	5		04/08/20 06:25	108-87-2		N2
Methylene Chloride	ND	ug/L	25.0	5		04/08/20 06:25	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/08/20 06:25	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/08/20 06:25	1634-04-4		
Styrene	ND	ug/L	25.0	5		04/08/20 06:25	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/08/20 06:25	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		04/08/20 06:25	127-18-4		
Toluene	ND	ug/L	25.0	5		04/08/20 06:25	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/08/20 06:25	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/08/20 06:25	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/08/20 06:25	79-00-5		
Trichloroethene	3.2J	ug/L	25.0	5		04/08/20 06:25	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		04/08/20 06:25	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/08/20 06:25	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0612-S2 (032720)		Lab ID: 50253291022		Collected: 03/27/20 11:30		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	116	ug/L	10.0	5		04/08/20 06:25	75-01-4		
Xylene (Total)	ND	ug/L	50.0	5		04/08/20 06:25	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	113	%.	75-120	5		04/08/20 06:25	1868-53-7	D4	
4-Bromofluorobenzene (S)	96	%.	85-116	5		04/08/20 06:25	460-00-4		
Toluene-d8 (S)	93	%.	83-111	5		04/08/20 06:25	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0613-S1 (032720)		Lab ID: 50253291023		Collected: 03/27/20 10:45		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			04/08/20 07:03	67-64-1	N2
Benzene	ND	ug/L	5.0	1			04/08/20 07:03	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/08/20 07:03	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/08/20 07:03	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/08/20 07:03	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/08/20 07:03	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/08/20 07:03	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/08/20 07:03	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/08/20 07:03	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/08/20 07:03	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/08/20 07:03	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/08/20 07:03	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/08/20 07:03	110-82-7	
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/08/20 07:03	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/08/20 07:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/08/20 07:03	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 07:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 07:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 07:03	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/08/20 07:03	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/08/20 07:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/08/20 07:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/08/20 07:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			04/08/20 07:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			04/08/20 07:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/08/20 07:03	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/08/20 07:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/08/20 07:03	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/08/20 07:03	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/08/20 07:03	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/08/20 07:03	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/08/20 07:03	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/08/20 07:03	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/08/20 07:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/08/20 07:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/08/20 07:03	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/08/20 07:03	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/08/20 07:03	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/08/20 07:03	127-18-4	
Toluene	ND	ug/L	5.0	1			04/08/20 07:03	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/08/20 07:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/08/20 07:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/08/20 07:03	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			04/08/20 07:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/08/20 07:03	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/08/20 07:03	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0613-S1 (032720)		Lab ID: 50253291023		Collected: 03/27/20 10:45		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/08/20 07:03	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/08/20 07:03	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	111	%.	75-120	1		04/08/20 07:03	1868-53-7		
4-Bromofluorobenzene (S)	95	%.	85-116	1		04/08/20 07:03	460-00-4		
Toluene-d8 (S)	94	%.	83-111	1		04/08/20 07:03	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: EB-02 (032720) RW		Lab ID: 50253291024	Collected: 03/27/20 10:47	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/08/20 07:40	67-64-1	
Benzene	ND	ug/L	5.0	1		04/08/20 07:40	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/08/20 07:40	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/08/20 07:40	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/08/20 07:40	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/08/20 07:40	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/08/20 07:40	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/08/20 07:40	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/08/20 07:40	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/08/20 07:40	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/08/20 07:40	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/08/20 07:40	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/08/20 07:40	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/08/20 07:40	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/08/20 07:40	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/08/20 07:40	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 07:40	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 07:40	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 07:40	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/08/20 07:40	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/08/20 07:40	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/08/20 07:40	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/08/20 07:40	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/08/20 07:40	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/08/20 07:40	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/08/20 07:40	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 07:40	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 07:40	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/08/20 07:40	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/08/20 07:40	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/08/20 07:40	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/08/20 07:40	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/08/20 07:40	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/08/20 07:40	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/08/20 07:40	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/08/20 07:40	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/08/20 07:40	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/08/20 07:40	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/08/20 07:40	127-18-4	
Toluene	ND	ug/L	5.0	1		04/08/20 07:40	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/08/20 07:40	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/08/20 07:40	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/08/20 07:40	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/08/20 07:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/08/20 07:40	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/08/20 07:40	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: EB-02 (032720) RW		Lab ID: 50253291024		Collected: 03/27/20 10:47		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/08/20 07:40	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/08/20 07:40	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	111	%.	75-120	1		04/08/20 07:40	1868-53-7		
4-Bromofluorobenzene (S)	95	%.	85-116	1		04/08/20 07:40	460-00-4		
Toluene-d8 (S)	93	%.	83-111	1		04/08/20 07:40	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust
Pace Project No.: 50253291

Sample: MW-0614-S2 (032720)		Lab ID: 50253291025	Collected: 03/27/20 14:20	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	5.4J	ug/L	100	1		04/08/20 17:54	67-64-1	
Benzene	ND	ug/L	5.0	1		04/08/20 17:54	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/08/20 17:54	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/08/20 17:54	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/08/20 17:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/08/20 17:54	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/08/20 17:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/08/20 17:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/08/20 17:54	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/08/20 17:54	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/08/20 17:54	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/08/20 17:54	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/08/20 17:54	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/08/20 17:54	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/08/20 17:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/08/20 17:54	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 17:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 17:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 17:54	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/08/20 17:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/08/20 17:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/08/20 17:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/08/20 17:54	75-35-4	
cis-1,2-Dichloroethene	1.8J	ug/L	5.0	1		04/08/20 17:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/08/20 17:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/08/20 17:54	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 17:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 17:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/08/20 17:54	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/08/20 17:54	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/08/20 17:54	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/08/20 17:54	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/08/20 17:54	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/08/20 17:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/08/20 17:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/08/20 17:54	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/08/20 17:54	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/08/20 17:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/08/20 17:54	127-18-4	
Toluene	ND	ug/L	5.0	1		04/08/20 17:54	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/08/20 17:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/08/20 17:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/08/20 17:54	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/08/20 17:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/08/20 17:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/08/20 17:54	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0614-S2 (032720)		Lab ID: 50253291025		Collected: 03/27/20 14:20		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	2.0	1		04/08/20 17:54	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/08/20 17:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		113	%.	75-120	1		04/08/20 17:54	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	85-116	1		04/08/20 17:54	460-00-4	
Toluene-d8 (S)		95	%.	83-111	1		04/08/20 17:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust
Pace Project No.: 50253291

Sample: EB-03 (032720) RW		Lab ID: 50253291026		Collected: 03/27/20 14:22		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1		04/08/20 08:56	67-64-1	N2	
Benzene	ND	ug/L	5.0	1		04/08/20 08:56	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		04/08/20 08:56	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/08/20 08:56	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/08/20 08:56	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/08/20 08:56	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		04/08/20 08:56	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/08/20 08:56	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/08/20 08:56	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/08/20 08:56	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/08/20 08:56	67-66-3	N2	
Chloromethane	ND	ug/L	5.0	1		04/08/20 08:56	74-87-3		
Cyclohexane	ND	ug/L	100	1		04/08/20 08:56	110-82-7		
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/08/20 08:56	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		04/08/20 08:56	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/08/20 08:56	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 08:56	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 08:56	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 08:56	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/08/20 08:56	75-71-8		N2
1,1-Dichloroethane	ND	ug/L	5.0	1		04/08/20 08:56	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/08/20 08:56	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/08/20 08:56	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/08/20 08:56	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/08/20 08:56	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/08/20 08:56	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 08:56	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 08:56	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/08/20 08:56	100-41-4	N2	
2-Hexanone	ND	ug/L	25.0	1		04/08/20 08:56	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/08/20 08:56	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		04/08/20 08:56	79-20-9		
Methylcyclohexane	ND	ug/L	50.0	1		04/08/20 08:56	108-87-2		
Methylene Chloride	ND	ug/L	5.0	1		04/08/20 08:56	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/08/20 08:56	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/08/20 08:56	1634-04-4		
Styrene	ND	ug/L	5.0	1		04/08/20 08:56	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/08/20 08:56	79-34-5		N2
Tetrachloroethene	ND	ug/L	5.0	1		04/08/20 08:56	127-18-4		
Toluene	ND	ug/L	5.0	1		04/08/20 08:56	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/08/20 08:56	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/08/20 08:56	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/08/20 08:56	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		04/08/20 08:56	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/08/20 08:56	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/08/20 08:56	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: EB-03 (032720) RW		Lab ID: 50253291026		Collected: 03/27/20 14:22		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/08/20 08:56	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/08/20 08:56	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	113	%.	75-120	1		04/08/20 08:56	1868-53-7		
4-Bromofluorobenzene (S)	95	%.	85-116	1		04/08/20 08:56	460-00-4		
Toluene-d8 (S)	94	%.	83-111	1		04/08/20 08:56	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0617-S1 (032720)		Lab ID: 50253291027		Collected: 03/27/20 15:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			04/08/20 09:34	67-64-1	
Benzene	ND	ug/L	5.0	1			04/08/20 09:34	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/08/20 09:34	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/08/20 09:34	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/08/20 09:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/08/20 09:34	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/08/20 09:34	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/08/20 09:34	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/08/20 09:34	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/08/20 09:34	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/08/20 09:34	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/08/20 09:34	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/08/20 09:34	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/08/20 09:34	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/08/20 09:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/08/20 09:34	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 09:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 09:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 09:34	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/08/20 09:34	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/08/20 09:34	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/08/20 09:34	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/08/20 09:34	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			04/08/20 09:34	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			04/08/20 09:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/08/20 09:34	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/08/20 09:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/08/20 09:34	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/08/20 09:34	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/08/20 09:34	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/08/20 09:34	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/08/20 09:34	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/08/20 09:34	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/08/20 09:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/08/20 09:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/08/20 09:34	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/08/20 09:34	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/08/20 09:34	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/08/20 09:34	127-18-4	
Toluene	ND	ug/L	5.0	1			04/08/20 09:34	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/08/20 09:34	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/08/20 09:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/08/20 09:34	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			04/08/20 09:34	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/08/20 09:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/08/20 09:34	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0617-S1 (032720)		Lab ID: 50253291027		Collected: 03/27/20 15:00		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	ND	ug/L	2.0	1		04/08/20 09:34	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/08/20 09:34	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	111	%.	75-120	1		04/08/20 09:34	1868-53-7		
4-Bromofluorobenzene (S)	95	%.	85-116	1		04/08/20 09:34	460-00-4		
Toluene-d8 (S)	93	%.	83-111	1		04/08/20 09:34	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0617-S2 (032720)		Lab ID: 50253291028		Collected: 03/27/20 15:10		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1			04/08/20 10:12	67-64-1	
Benzene	ND	ug/L	5.0	1			04/08/20 10:12	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1			04/08/20 10:12	75-27-4	
Bromoform	ND	ug/L	5.0	1			04/08/20 10:12	75-25-2	
Bromomethane	ND	ug/L	5.0	1			04/08/20 10:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			04/08/20 10:12	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1			04/08/20 10:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			04/08/20 10:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			04/08/20 10:12	108-90-7	
Chloroethane	ND	ug/L	5.0	1			04/08/20 10:12	75-00-3	
Chloroform	ND	ug/L	5.0	1			04/08/20 10:12	67-66-3	
Chloromethane	ND	ug/L	5.0	1			04/08/20 10:12	74-87-3	
Cyclohexane	ND	ug/L	100	1			04/08/20 10:12	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1			04/08/20 10:12	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1			04/08/20 10:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			04/08/20 10:12	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 10:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 10:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			04/08/20 10:12	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1			04/08/20 10:12	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1			04/08/20 10:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			04/08/20 10:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			04/08/20 10:12	75-35-4	
cis-1,2-Dichloroethene	3.9J	ug/L	5.0	1			04/08/20 10:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			04/08/20 10:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			04/08/20 10:12	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			04/08/20 10:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			04/08/20 10:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			04/08/20 10:12	100-41-4	
2-Hexanone	ND	ug/L	25.0	1			04/08/20 10:12	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			04/08/20 10:12	98-82-8	
Methyl acetate	ND	ug/L	50.0	1			04/08/20 10:12	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1			04/08/20 10:12	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1			04/08/20 10:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1			04/08/20 10:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1			04/08/20 10:12	1634-04-4	
Styrene	ND	ug/L	5.0	1			04/08/20 10:12	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1			04/08/20 10:12	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1			04/08/20 10:12	127-18-4	
Toluene	0.21J	ug/L	5.0	1			04/08/20 10:12	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1			04/08/20 10:12	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1			04/08/20 10:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1			04/08/20 10:12	79-00-5	
Trichloroethene	ND	ug/L	5.0	1			04/08/20 10:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1			04/08/20 10:12	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1			04/08/20 10:12	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0617-S2 (032720)		Lab ID: 50253291028		Collected: 03/27/20 15:10		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		19.8	ug/L	2.0	1		04/08/20 10:12	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/08/20 10:12	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		114	%.	75-120	1		04/08/20 10:12	1868-53-7	
4-Bromofluorobenzene (S)		94	%.	85-116	1		04/08/20 10:12	460-00-4	
Toluene-d8 (S)		93	%.	83-111	1		04/08/20 10:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0618-S1 (032720)		Lab ID: 50253291029		Collected: 03/27/20 10:35		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	1		04/08/20 10:49	67-64-1		
Benzene	ND	ug/L	5.0	1		04/08/20 10:49	71-43-2		
Bromodichloromethane	ND	ug/L	5.0	1		04/08/20 10:49	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/08/20 10:49	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/08/20 10:49	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/08/20 10:49	78-93-3		
Carbon disulfide	ND	ug/L	10.0	1		04/08/20 10:49	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/08/20 10:49	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/08/20 10:49	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/08/20 10:49	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/08/20 10:49	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/08/20 10:49	74-87-3		
Cyclohexane	ND	ug/L	100	1		04/08/20 10:49	110-82-7		N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/08/20 10:49	96-12-8		
Dibromochloromethane	ND	ug/L	5.0	1		04/08/20 10:49	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/08/20 10:49	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 10:49	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 10:49	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 10:49	106-46-7		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/08/20 10:49	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/08/20 10:49	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/08/20 10:49	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/08/20 10:49	75-35-4		
cis-1,2-Dichloroethene	1.1J	ug/L	5.0	1		04/08/20 10:49	156-59-2		
trans-1,2-Dichloroethene	0.75J	ug/L	5.0	1		04/08/20 10:49	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/08/20 10:49	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 10:49	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 10:49	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/08/20 10:49	100-41-4		
2-Hexanone	ND	ug/L	25.0	1		04/08/20 10:49	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/08/20 10:49	98-82-8		
Methyl acetate	ND	ug/L	50.0	1		04/08/20 10:49	79-20-9		N2
Methylcyclohexane	ND	ug/L	50.0	1		04/08/20 10:49	108-87-2		N2
Methylene Chloride	ND	ug/L	5.0	1		04/08/20 10:49	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/08/20 10:49	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/08/20 10:49	1634-04-4		
Styrene	ND	ug/L	5.0	1		04/08/20 10:49	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/08/20 10:49	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/08/20 10:49	127-18-4		
Toluene	ND	ug/L	5.0	1		04/08/20 10:49	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/08/20 10:49	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/08/20 10:49	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/08/20 10:49	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		04/08/20 10:49	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/08/20 10:49	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/08/20 10:49	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0618-S1 (032720)		Lab ID: 50253291029		Collected: 03/27/20 10:35		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride	0.42J	ug/L	2.0	1		04/08/20 10:49	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/08/20 10:49	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	113	%.	75-120	1		04/08/20 10:49	1868-53-7		
4-Bromofluorobenzene (S)	94	%.	85-116	1		04/08/20 10:49	460-00-4		
Toluene-d8 (S)	93	%.	83-111	1		04/08/20 10:49	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0704-S1 (032720)		Lab ID: 50253291030		Collected: 03/27/20 11:45		Received: 03/30/20 11:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	500	5		04/08/20 18:32	67-64-1		
Benzene	ND	ug/L	25.0	5		04/08/20 18:32	71-43-2		
Bromodichloromethane	ND	ug/L	25.0	5		04/08/20 18:32	75-27-4		
Bromoform	ND	ug/L	25.0	5		04/08/20 18:32	75-25-2		
Bromomethane	ND	ug/L	25.0	5		04/08/20 18:32	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	5		04/08/20 18:32	78-93-3		
Carbon disulfide	ND	ug/L	50.0	5		04/08/20 18:32	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	5		04/08/20 18:32	56-23-5		
Chlorobenzene	ND	ug/L	25.0	5		04/08/20 18:32	108-90-7		
Chloroethane	ND	ug/L	25.0	5		04/08/20 18:32	75-00-3		
Chloroform	ND	ug/L	25.0	5		04/08/20 18:32	67-66-3		
Chloromethane	ND	ug/L	25.0	5		04/08/20 18:32	74-87-3		
Cyclohexane	ND	ug/L	500	5		04/08/20 18:32	110-82-7	N2	
1,2-Dibromo-3-chloropropane	ND	ug/L	50.0	5		04/08/20 18:32	96-12-8		
Dibromochloromethane	ND	ug/L	25.0	5		04/08/20 18:32	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	5		04/08/20 18:32	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	25.0	5		04/08/20 18:32	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	5		04/08/20 18:32	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	5		04/08/20 18:32	106-46-7		
Dichlorodifluoromethane	ND	ug/L	25.0	5		04/08/20 18:32	75-71-8		
1,1-Dichloroethane	ND	ug/L	25.0	5		04/08/20 18:32	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	5		04/08/20 18:32	107-06-2		
1,1-Dichloroethene	ND	ug/L	25.0	5		04/08/20 18:32	75-35-4		
cis-1,2-Dichloroethene	514	ug/L	25.0	5		04/08/20 18:32	156-59-2		
trans-1,2-Dichloroethene	73.7	ug/L	25.0	5		04/08/20 18:32	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	5		04/08/20 18:32	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	25.0	5		04/08/20 18:32	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	5		04/08/20 18:32	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	5		04/08/20 18:32	100-41-4		
2-Hexanone	ND	ug/L	125	5		04/08/20 18:32	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5		04/08/20 18:32	98-82-8		
Methyl acetate	ND	ug/L	250	5		04/08/20 18:32	79-20-9	N2	
Methylcyclohexane	ND	ug/L	250	5		04/08/20 18:32	108-87-2	N2	
Methylene Chloride	ND	ug/L	25.0	5		04/08/20 18:32	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	5		04/08/20 18:32	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	5		04/08/20 18:32	1634-04-4		
Styrene	ND	ug/L	25.0	5		04/08/20 18:32	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	5		04/08/20 18:32	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	5		04/08/20 18:32	127-18-4		
Toluene	ND	ug/L	25.0	5		04/08/20 18:32	108-88-3		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	5		04/08/20 18:32	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	5		04/08/20 18:32	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	5		04/08/20 18:32	79-00-5		
Trichloroethene	1300	ug/L	125	25		04/08/20 19:09	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	5		04/08/20 18:32	75-69-4		
1,1,2-Trichlorotrifluoroethane	ND	ug/L	25.0	5		04/08/20 18:32	76-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0704-S1 (032720)		Lab ID: 50253291030		Collected: 03/27/20 11:45		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260							
		Pace Analytical Services - Indianapolis							
Vinyl chloride		ND	ug/L	10.0	5		04/08/20 18:32	75-01-4	
Xylene (Total)		ND	ug/L	50.0	5		04/08/20 18:32	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		111	%.	75-120	5		04/08/20 18:32	1868-53-7	D4
4-Bromofluorobenzene (S)		96	%.	85-116	5		04/08/20 18:32	460-00-4	
Toluene-d8 (S)		95	%.	83-111	5		04/08/20 18:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0705-S1 (032720)		Lab ID: 50253291031	Collected: 03/27/20 11:35	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/08/20 11:27	67-64-1	
Benzene	ND	ug/L	5.0	1		04/08/20 11:27	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/08/20 11:27	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/08/20 11:27	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/08/20 11:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/08/20 11:27	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/08/20 11:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/08/20 11:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/08/20 11:27	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/08/20 11:27	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/08/20 11:27	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/08/20 11:27	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/08/20 11:27	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/08/20 11:27	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/08/20 11:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/08/20 11:27	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 11:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 11:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 11:27	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/08/20 11:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/08/20 11:27	75-34-3	R1 UJ
1,2-Dichloroethane	ND	ug/L	5.0	1		04/08/20 11:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/08/20 11:27	75-35-4	
cis-1,2-Dichloroethene	52.9	ug/L	5.0	1		04/08/20 11:27	156-59-2	
trans-1,2-Dichloroethene	9.4	ug/L	5.0	1		04/08/20 11:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/08/20 11:27	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 11:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 11:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/08/20 11:27	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/08/20 11:27	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/08/20 11:27	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/08/20 11:27	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/08/20 11:27	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/08/20 11:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/08/20 11:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/08/20 11:27	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/08/20 11:27	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/08/20 11:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/08/20 11:27	127-18-4	
Toluene	ND	ug/L	5.0	1		04/08/20 11:27	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/08/20 11:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/08/20 11:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/08/20 11:27	79-00-5	
Trichloroethene	72.7	ug/L	5.0	1		04/08/20 11:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/08/20 11:27	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/08/20 11:27	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust

Pace Project No.: 50253291

Sample: MW-0705-S1 (032720)		Lab ID: 50253291031		Collected: 03/27/20 11:35		Received: 03/30/20 11:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis							
Vinyl chloride		4.1	ug/L	2.0	1		04/08/20 11:27	75-01-4	
Xylene (Total)		ND	ug/L	10.0	1		04/08/20 11:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)		114	%.	75-120	1		04/08/20 11:27	1868-53-7	
4-Bromofluorobenzene (S)		95	%.	85-116	1		04/08/20 11:27	460-00-4	
Toluene-d8 (S)		94	%.	83-111	1		04/08/20 11:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Racer Trust
Pace Project No.: 50253291

Sample: TB-01 (032720) RW		Lab ID: 50253291032	Collected: 03/27/20 08:00	Received: 03/30/20 11:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5030 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Indianapolis						
Acetone	ND	ug/L	100	1		04/08/20 19:47	67-64-1	
Benzene	ND	ug/L	5.0	1		04/08/20 19:47	71-43-2	
Bromodichloromethane	ND	ug/L	5.0	1		04/08/20 19:47	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/08/20 19:47	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/08/20 19:47	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/08/20 19:47	78-93-3	
Carbon disulfide	ND	ug/L	10.0	1		04/08/20 19:47	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/08/20 19:47	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/08/20 19:47	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/08/20 19:47	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/08/20 19:47	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/08/20 19:47	74-87-3	
Cyclohexane	ND	ug/L	100	1		04/08/20 19:47	110-82-7	N2
1,2-Dibromo-3-chloropropane	ND	ug/L	10.0	1		04/08/20 19:47	96-12-8	
Dibromochloromethane	ND	ug/L	5.0	1		04/08/20 19:47	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/08/20 19:47	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 19:47	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 19:47	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/08/20 19:47	106-46-7	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/08/20 19:47	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/08/20 19:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/08/20 19:47	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/08/20 19:47	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/08/20 19:47	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/08/20 19:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/08/20 19:47	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 19:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/08/20 19:47	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/08/20 19:47	100-41-4	
2-Hexanone	ND	ug/L	25.0	1		04/08/20 19:47	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/08/20 19:47	98-82-8	
Methyl acetate	ND	ug/L	50.0	1		04/08/20 19:47	79-20-9	N2
Methylcyclohexane	ND	ug/L	50.0	1		04/08/20 19:47	108-87-2	N2
Methylene Chloride	ND	ug/L	5.0	1		04/08/20 19:47	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/08/20 19:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/08/20 19:47	1634-04-4	
Styrene	ND	ug/L	5.0	1		04/08/20 19:47	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/08/20 19:47	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/08/20 19:47	127-18-4	
Toluene	ND	ug/L	5.0	1		04/08/20 19:47	108-88-3	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/08/20 19:47	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/08/20 19:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/08/20 19:47	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/08/20 19:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/08/20 19:47	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ug/L	5.0	1		04/08/20 19:47	76-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Arcadis U.S., Inc.

150 W. Market Street

Suite 728

Indianapolis, Indiana 46204

Tel 317 231 6500

Fax 317 231 6514

www.arcadis.com