

2014 ANNUAL REPORT – FINAL REPORT

**Landfill Leak Detection Systems
Coldwater Road Landfill
Flint, Michigan
MID 005 356 860**

**RACER TRUST
Detroit, Michigan**

February 2015



**Landfill Leak Detection System
Coldwater Road Landfill
Flint, Michigan
MID 005 356 860**

**Prepared for RACER Trust
Detroit, Michigan**



**SCOTT L. CORMIER, P.E.
VICE PRESIDENT
O'BRIEN & GERE ENGINEERS, INC.**



February 11, 2015

Mr. Richard Conforti, P.E.
Environmental Engineer
Michigan Department of Environmental Quality
Office of Waste Management and Radiological Protection
P.O. Box 30473
Lansing, Michigan 48909-7973

RE: Landfill Leak Detection System 2014 Annual Report
Coldwater Road Landfill, Flint, Michigan
MID 005 356 860
FILE: 15388 /51440/rep

Dear Mr. Conforti:

On behalf of Revitalizing Auto Communities Environmental Response Trust (RACER), O'Brien & Gere is pleased to present the results of the 2014 annual leak detection system (LDS) sampling event conducted in November 2014 for the Coldwater Road Landfill site (Figure 1). During this event samples were collected from the six leak detection vaults (A through F). Samples from the six leachate sumps (A through F) were not collected during this event, per the revised Post-Closure Care Plan approved on November 7, 2014, and will be collected on an annual basis during future late spring/early summer sampling events typically conducted in the month of June.

The samples were analyzed for total organic carbon (TOC, Method 415.1), total suspended solids (TSS, Method 160.2), specific conductivity (Method 120.1), dissolved chromium (Cr), dissolved copper (Cu), dissolved nickel (Ni), and dissolved zinc (Zn, Method 200.8). The event also included field measurements for pH, specific conductivity and temperature.

The analytical results are summarized in the attached table: Landfill Leak Detection Vaults – Historical Analytical Results, Inorganics and Metals (Table 1). A Site Location Map (Figure 1) and Landfill Site Layout (Figure 2) are also attached. The Analytical Laboratory Report and the Chain of Custody are included as (Appendix A).

The samples for the leak detection vaults were collected on November 18, 2014 using a peristaltic pump and tubing for each vault. A duplicate sample was collected from Vault D. Samples were placed directly into laboratory prepared containers, logged onto a chain of custody form and placed on ice for transport to Merit Laboratories, Inc., in East Lansing, Michigan.

The laboratory analysis for TOC, TSS, dissolved metals, and the field parameters continue to show historically consistent concentrations for the vaults (Tables 1). A review of the analytical data presented in the attached table indicates analytical results similar to previous sampling events, a summary of the data is provided below:

Vaults:

- Chromium concentrations were not detected above the method detection limit of 5 µg/L
- Copper concentrations were not detected above the method detection limit of 4 µg/L; except in Vault D where the copper concentration was 10 µg/L
- Nickel concentrations ranged from 10 µg/L in Vault E and Vault F to 25 µg/L in Vault A and increased slightly compared to the previous sample results; which ranged from below the method detection limit of <5 µg/L in Vault B, Vault E and Vault F to 20 µg/L in Vault D
- Zinc concentrations ranged from 5 µg/L in Vault C to 20 µg/L in Vault A and increased slightly compared to the previous sample results; which ranged from below the method detection limit of <5 µg/L in Vault A, Vault C and Vault F to 11 µg/L in Vault D
- TOC concentrations ranged from 2.4 mg/L in Vault F to 6.0 mg/L in Vault D and were comparable to the previous sample results; which ranged from 2.6 mg/L in Vault F to 7.9 mg/L in Vault DTSS concentrations ranged from below the method detection limit of <1 mg/L in Vault D duplicate to 4 mg/L in Vault C and were comparable to the previous sample results; which ranged from below the method detection limit of <1 mg/L in Vault E to 4 mg/L in Vault pH concentrations ranged from 6.27 in Vault A to 7.13 in Vault F and were comparable to the previous sample results; which ranged from 6.82 in Vault A to 7.15 in Vault F
- Specific conductivity ranged from 1,525 µs/cm in Vault A to 1,747 µs/cm in Vault E and were comparable to the previous sample results; which ranged from 1,369 µs/cm in Vault B to 1,759 µs/cm in Vault C.

Sumps were not sampled during this event.

The duplicate sample collected during this sample event from Vault D exhibited values consistent with the original results; except for copper, which was detected at 10 µg/L in the original sample, but was detected at 5 µg/L in the duplicate sample.

There were no exceedances of the Shewart control limits (SCL) during this sampling event. There was a positive (increasing) trend for specific conductivity in Vault D, and a positive (increasing) trend for pH in Vault B, Vault C and Vault E. The trends were calculated using regression analysis over the last four sampling events per the Post Closure Care Plan, January 2014.

The positive trend for specific conductivity in Vault D was not confirmed by the concentrations of other metals or pH, which were either not detected or stable, and the specific conductivity was within the range of historical results. The positive trends do not suggest there was a release from the landfill and they will continue to be evaluated during future sampling events. No other trends or spikes were observed during this monitoring event. The Shewart control charts are included as Appendix B.

The next semiannual sampling event will be completed in June 2015. If you have any questions, please feel free to contact either of us at (248) 477-5701.

Very truly yours,

O'BRIEN & GERE ENGINEERS, INC.



Scott L. Cormier, PE
Vice President

Very truly yours,

O'BRIEN & GERE ENGINEERS, INC.



Clifford S. Yantz
Scientist-3

cc: David Favero – RACER Trust
Kevin Schneider – O'Brien & Gere

ENCLOSURES:

Table 1 – Vaults Historical Analytical Results
Figure 1 – Site Location Map
Figure 2 – Site Layout
Appendix A – Analytical Laboratory Reports
Appendix B – Leak Detection Vault Control Charts

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

On Behalf of RACER Trust



Scott L. Cormier, P.E.
Agent for RACER Trust

Vice President – O'Brien & Gere Engineers, Inc.

Title

February 11, 2015

Date

cc: file

TABLES

Table 1
RACER Trust - Coldwater Road Landfill Facility
Landfill Leak Detection Vaults - Historical Analytical Results
Inorganics and Metals

Vault	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)			
		TOC (mg/L)	TSS (mg/L)	pH	SpC	T	Cr	Cu	Ni	Zn
		MDEQ Residential Drinking Water Criteria & RBSLs					100 (A)	1,000 (E)	100 (A)	2,400
Vault A	23-Mar-95	4.6	<1	7.50	690	--	<20	<20	<40	180
	20-Jun-95	8.9	2.0	6.80	1900	--	24	21	<30	<20
	30-Aug-95	8.2	2.0	6.90	2000	--	<20	<20	<40	<20
	28-Nov-95	9.1	<1	7.00	1900	--	23	31	43	24
	27-Mar-96	140.0	<10	7.20	2000	--	<20	<20	46	<20
	18-Jun-96	12.0	<10	6.90	2000	--	<20	<20	<20	<20
	20-Aug-96	32.0	<5	7.10	1900	--	<20	<20	<20	30
	11-Nov-96	18.0	5.0	7.10	2000	--	<20	<20	30	60
	19-Feb-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-May-97	13.0	17.0	6.67	1940	9.7	<10	<10	71	90
	12-Aug-97	6.0	4.0	5.98	1810	12.8	<10	<10	88	60
	15-Nov-97	8.0	12.0	6.50	2000	12.0	<10	10	125	100
	9-Feb-98	6.0	8.0	6.40	1960	11.5	<10	<10	73	60
	14-May-98	12.0	15.0	6.90	1760	17.4	<10	20	13	200
	14-Aug-98	5.0	6.0	6.70	--	--	<10	<10	15	160
	13-Nov-98	5.0	12.0	6.50	1990	16.5	<10	<10	20	220
	19-Mar-99	5.7	8.0	6.80	1334	13.6	<10	10	14	60
	6-May-99	5.6	16.0	6.85	3250	26.2	<10	<10	15	20
	23-Jul-99	5.7	3.0	6.30	1470	18.9	<5	9	13	19
	22-Oct-99	5.0	3.0	5.86	1750	12.1	<10	<10	16	30
	14-Mar-00	5.6	<1	7.60	1410	10.7	<10	<10	15	20
	20-Jun-00	7.0	3.0	6.90	1410	18.3	<10	<10	12	20
	13-Sep-00	5.9	5.0	7.50	1650	15.1	<5	<10	14	20
	10-Nov-00	6.4	2.0	7.20	1470	11.8	<10	100	10	150
	12-Mar-01	6.0	1.0	7.43	1530	12.8	<10	<10	7	10
	24-May-01	9.4	10.0	7.56	1380	11.9	<10	<10	10	20
	31-Aug-01	5.3	10.6	7.49	1450	12.5	<5	<10	14	9
	16-Nov-01	5.1	3.0	6.77	1300	12.4	<10	<10	15	50
	8-Mar-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	31-May-02	2.4	54.0	7.23	1470	13.8	<10	<10	<5	40
	5-Sep-02	4.7	6.0	6.60	--	--	<5	<5	14	140
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	6.7	8.0	6.81	1290	12	<5	<5	9	99
4-Jun-03	2.0	11.0	6.78	1370	11.3	<5	<5	10	<5	
5-Oct-03	NS	NS	NS	NS	NS	NS	NS	NS	NS	
8-Dec-03	NS	NS	NS	NS	NS	NS	NS	NS	NS	
27-Feb-04	NS	NS	NS	NS	NS	NS	NS	NS	NS	
30-Jun-04	4.5	55.0	6.99	1318	12.5	<5	<5	8	<5	
19-Nov-04	3.4	2.0	6.85	1120	11.4	6	<5	15	14	
Duplicate	19-Nov-04	4.4	4.0	--	--	6	<5	18	16	
15-Jun-05	6.0	8.0	6.00	1640	13.4	<5	<5	13	21	
17-Jan-06	5.9	12785	10.01	1630	8.4	<5	<5	13	8	
Re-sample	14-Feb-06	--	--	7.88	1800	8.5	--	14	--	
29-Jun-06	NS	NS	NS	NS	NS	NS	NS	NS	NS	
28-Nov-06	4.7	438	7.73	1940	13.2	<5	<4	13	6	
6-Jun-07	4.9	11	6.76	1990	11.7	13	4	20	8	
12-Nov-07	5.9	70	6.76	2030	12.4	4	5	21	11	
24-Jun-08	5.0	371	6.89	2060	13.3	<5	<1	25	5	
17-Nov-08	5.8	23	6.06	2060	9.2	<5	<1	22	<5	
23-Jun-09	5.5	88	7.01	2050	13.6	<5	11	27	36	
17-Nov-09	6	8	7.07	2090	10.3	<5	<4	22	7	
14-Jun-10	6	10	7.05	2070	13.1	8	<4	16	6	
20-Jun-11	6.7	9	7.33	2010	12.2	30	<4	27	39	
Re-sample	14-Jul-11	--	--	--	--	<5	--	--	--	
14-Nov-11	7.0	316	6.93	2080	11.5	<5	<4	20	<5	
25-Jun-12	6.0	6	5.75	1870	11.9	<5	4	25	<5	
Duplicate	25-Jun-12	6.0	6	5.75	1872	11.9	<5	6	25	10
5-Dec-12	5.8	2	6.76	1820	10.6	<5	<4	24	10	
Duplicate	5-Dec-12	5.8	3	6.76	1814	10.6	<5	<4	24	8
6-Jun-13	6.1	4	6.71	1882	11.0	<5	<4	22	<5	
4-Nov-13	5.0	<1	6.71	1630	11.2	<5	<4	18	<5	
23-Jun-14	5.0	3	6.82	1579	13.2	<5	<4	18	<5	
18-Nov-14	4.1	2	6.27	1525	6.6	<5	<4	25	20	

See notes on page 6.

Table 1
RACER Trust - Coldwater Road Landfill Facility
Landfill Leak Detection Vaults - Historical Analytical Results
Inorganics and Metals

Vault	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)			
		TOC (mg/L)	TSS (mg/L)	pH	SpC	T	Cr	Cu	Ni	Zn
		MDEQ Residential Drinking Water Criteria & RBSLs					100 (A)	1,000 (E)	100 (A)	2,400
Vault B	23-Mar-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	30-Aug-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	28-Nov-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Mar-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Jun-96	11.0	<10	6.90	1900	--	<20	<20	<20	<20
	20-Aug-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11-Nov-96	17.0	66.0	7.00	1600	--	<20	<20	20	40
	19-Feb-97	7.0	4	7.10	1590	8.9	<10	<10	43	20
	7-May-97	7.0	4	6.50	1930	13.8	<10	<10	45	20
	12-Aug-97	5.0	3.0	6.45	663	26.0	<10	<10	26	60
	15-Nov-97	6.0	4.0	6.80	1400	11.0	<10	<10	96	50
	9-Feb-98	7.0	8.0	6.60	1560	12.6	<10	<10	57	20
	14-May-98	6.0	3.0	6.90	1490	11.2	<10	<10	14	30
	14-Aug-98	4.0	7.0	6.60	--	--	<10	<10	10	14
	13-Nov-98	6.0	18.0	6.30	1940	20.6	<10	10	17	80
	19-Mar-99	4.2	6.0	6.50	817	14.2	<10	<10	5	<10
	6-May-99	5.6	4.0	7.00	1330	26.2	<10	10	6	20
	23-Jul-99	5.8	3.0	6.50	1070	16.2	<5	13	10	18
	22-Oct-99	5.0	5.0	6.23	1440	11.0	<10	<10	16	20
	14-Mar-00	6.6	<1	8.00	900	11.0	<10	<10	8	20
	20-Jun-00	7.1	7.0	6.80	1120	17.3	<10	30	9	30
	13-Sep-00	5.4	<1	7.40	1560	15.6	<5	10	8	20
	10-Nov-00	6.8	1.0	7.10	1280	11.6	<5	40	14	90
	12-Mar-01	5.2	5.0	7.36	1460	12.3	<10	<10	7	20
	24-May-01	8.5	10.0	7.58	1280	13.0	<10	20	12	40
	31-Aug-01	3.9	<1.3	7.78	1370	12.9	<5	<10	11	20
	16-Nov-01	5.7	2.0	7.12	1230	13.1	<10	10	8	60
	8-Mar-02	5.4	2.0	6.99	2400	8.5	<10	10	<5	70
	31-May-02	5.1	3.0	7.23	1070	14.2	<10	<10	<5	20
	5-Sep-02	4.8	4.0	6.70	--	--	<5	<5	8	84
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4-Jun-03	5.5	3.0	6.98	1530	10.1	<5	<5	7	<5
	5-Oct-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
8-Dec-03	4.7	2.0	7.12	1490	11.5	<5	6	5	35	
8-Dec-03	4.7	7.0	--	--	--	<5	6	5	35	
27-Feb-04	4.0	12.0	7.42	1380	12.3	<5	5	<5	16	
30-Jun-04	4.1	396.0	6.98	1210	11.8	<5	12	7	<5	
19-Nov-04	NS	NS	NS	NS	NS	NS	NS	NS	NS	
15-Jun-05	6.0	6.0	6.07	1560	12.8	<5	<5	14	20	
1-Dec-05	4.7	<1	6.87	1310	9.1	<5	<5	8	50	
Re-sample	14-Feb-06	--	--	7.70	1520	6.1	--	<4	--	
Duplicate	29-Jun-06	2.6	1.0	7.04	1050	13.9	<5	<4	5	
	28-Nov-06	5.5	4.0	7.46	1380	13.0	<5	<4	8	
Duplicate	28-Nov-06	4.7	--	7.17	1340	13.0	5	4	7	
	6-Jun-07	4.7	2.0	6.34	1670	12.1	9	6	13	
	12-Nov-07	3.8	1.0	6.93	1690	12.6	2	5	16	
	24-Jun-08	3.2	6.0	6.95	1880	14.0	<5	2	8	
	17-Nov-08	2.4	<1	6.89	1818	9.6	<5	2	8	
Duplicate	17-Nov-08	1.7	2.0	6.89	1820	9.6	<5	1	8	
	23-Jun-09	3.6	4.0	7.13	1780	13.3	<5	1	6	
	17-Nov-09	3	0	6.99	1970	10.9	<5	<4	9	
	14-Jun-10	3	2	6.90	1810	12.1	8	<4	5	
	8-Nov-10	4	3	6.93	1911	12.2	21	<4	11	
Re-sample	1-Dec-10	--	--	6.93	--	12.2	6	--	--	
	20-Jun-11	3.4	1	7.03	1496	12.2	28	<4	11	
Re-sample	14-Jul-11	--	--	--	--	<5	--	--	--	
	14-Nov-11	3.0	1	6.93	1948	12.0	<5	<4	7	
	25-Jun-12	3.0	4	6.16	1781	12.5	<5	<4	<5	
	5-Dec-12	3.2	5	6.85	1936	10.2	<5	6	9	
	6-Jun-13	3.2	<1	6.66	1455	10.8	<5	<4	6	
	4-Nov-13	3.0	1	6.74	1750	11.8	<5	<4	5	
	23-Jun-14	3.2	1	6.87	1369	12.3	<5	<4	<5	
	18-Nov-14	2.7	3	7.05	1656	7.1	<5	<4	13	
									10	

See notes on page 6.

Table 1
RACER Trust - Coldwater Road Landfill Facility
Landfill Leak Detection Vaults - Historical Analytical Results
Inorganics and Metals

Vault	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)			
		TOC (mg/L)	TSS (mg/L)	pH	SpC	T	Cr	Cu	Ni	Zn
		MDEQ Residential Drinking Water Criteria & RBSLs					100 (A)	1,000 (E)	100 (A)	2,400
Vault C	23-Mar-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-95	4.4	<1	7.40	530	--	25	25	<30	60
	30-Aug-95	3.7	<1	7.40	340	--	<20	<20	<40	74
	28-Nov-95	7.6	<1	7.00	2200	--	29	37	67	36
	27-Mar-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Jun-96	7.7	<10	6.90	2000	--	<20	<20	<20	<20
	20-Aug-96	8.3	<5	6.90	1900	--	<20	<20	<20	40
	11-Nov-96	16.0	9.0	7.00	2100	--	<20	<20	<20	80
	19-Feb-97	7.0	1.0	7.60	1610	9.0	<10	<10	45	30
	7-May-97	6.0	10.0	6.57	1730	12.5	<10	100	66	20
	8-Aug-97	4.0	13.0	6.34	1610	24.1	<10	<10	79	20
	15-Nov-97	6.0	4.0	6.70	2000	12.0	<10	<10	122	50
	9-Feb-98	8.0	4.0	6.50	1720	12.2	<10	<10	64	50
	14-May-98	6.0	3.0	6.90	1600	12.1	<10	<10	23	40
	14-Aug-98	6.0	5.0	6.80	--	--	<10	<10	23	40
	13-Nov-98	6.0	12.0	6.30	1760	21.4	<10	<10	21	30
	13-Nov-98	6.0	10.0	--	--	--	<10	<10	21	30
	19-Mar-99	6.3	2.0	7.00	1300	15.6	<10	<10	19	20
	6-May-99	6.1	8.0	6.90	1600	26.6	<10	10	20	20
	23-Jul-99	6.5	0.0	6.70	1370	17.3	<5	12	20	20
	22-Oct-99	6.4	5.0	6.57	1160	11.0	<10	<10	18	10
	14-Mar-00	6.5	1.0	7.80	1350	12.6	<10	<10	17	10
	20-Jun-00	6.0	4.0	6.90	1280	18.3	<10	140	19	170
	13-Sep-00	6.1	<1	7.60	1430	14.9	<5	<10	16	20
	10-Nov-00	10.6	4.0	6.80	1210	12.1	<10	<10	17	40
	12-Mar-01	6.3	4.0	7.69	1380	12.1	<10	<10	8	<10
	24-May-01	9.2	8.0	7.54	1410	13.3	<10	<10	17	30
	31-Aug-01	5.4	4.0	7.44	1530	13.1	<5	<10	16	20
	16-Nov-01	6.0	2.0	6.79	1170	13.2	<10	<10	15	60
	8-Mar-02	4.0	1.0	7.09	1680	11.3	<10	10	<5	20
	31-May-02	5.1	7.0	7.17	1280	14.2	<10	<10	14	40
	5-Sep-02	5.0	7.0	6.69	--	--	<5	<5	14	39
	12-Dec-02	4.2	7.0	6.90	1330	12.1	<5	<5	12	53
	18-Mar-03	5.7	4.0	6.80	1260	10.7	<5	<5	10	37
	4-Jun-03	4.4	6.0	6.92	1150	11.0	<5	<5	8	<5
	5-Oct-03	4.4	4.0	6.99	1230	13.6	<5	<5	14	28
	8-Dec-03	3.8	6.0	7.14	1520	11.6	<5	11	14	63
	27-Feb-04	4.6	1.0	7.39	1410	12.1	<5	<5	12	36
	30-Jun-04	3.7	14.0	6.96	1008	12.2	<5	<5	12	8
	19-Nov-04	4.3	4.0	6.90	1090	11.7	<5	<5	20	6
	15-Jun-05	5.0	6.0	6.26	1460	12.5	<5	<5	15	39
	1-Dec-05	5.9	2.0	6.92	1620	11.1	<5	<5	18	15
	29-Jun-06	2.6	5.0	6.90	2260	15.2	5	<4	10	11
	28-Nov-06	11.6	44.0	7.04	1430	13.4	<5	5	15	<5
	6-Jun-07	4.9	6.0	6.54	1510	12.2	9	5	11	6
12-Nov-07	4.3	1.0	6.90	1490	13.2	2	5	16	12	
24-Jun-08	4.2	49.0	6.91	1620	13.4	<5	<1	9	<5	
17-Nov-08	4.4	6.0	6.79	1600	9.4	<5	<1	10	11	
23-Jun-09	4.6	9.0	7.16	1660	13.7	<5	<1	8	6	
17-Nov-09	5	15	7.11	1650	11.5	<5	<4	9	6	
Duplicate	17-Nov-09	5	20	7.11	1650	11.5	<5	<4	9	6
	14-Jun-10	5	4	7.01	1710	12.4	7	<4	7	7
	8-Nov-10	6	7	7.16	1670	12.7	16	<4	11	<5
	20-Jun-11	5.4	5	7.28	1686	12.9	25	<4	15	22
Duplicate	20-Jun-11	5.9	5	7.28	1688	12.9	24	<4	14	21
Re-sample	14-Jul-11	--	--	--	--	<5	--	--	--	--
	14-Nov-11	5.0	5	6.97	1699	12.4	<5	<4	10	<5
	25-Jun-12	5.0	7	6.83	1748	13.0	<5	<4	6	<5
	5-Dec-12	5.4	1	6.91	1713	11.1	<5	11	16	9
	6-Jun-13	5.4	22	6.66	1744	12.2	<5	<4	10	6
	4-Nov-13	5.3	1	6.84	1703	11.8	<5	<4	8	<5
	23-Jun-14	5.7	4	7.01	1759	12.3	<5	5	10	<5
	18-Nov-14	4.6	4	7.09	1724	7.4	<5	<4	18	5

See notes on page 6.

Table 1
RACER Trust - Coldwater Road Landfill Facility
Landfill Leak Detection Vaults - Historical Analytical Results
Inorganics and Metals

Vault	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)			
		TOC (mg/L)	TSS (mg/L)	pH	SpC	T	Cr	Cu	Ni	Zn
		MDEQ Residential Drinking Water Criteria & RBSLs					100 (A)	1,000 (E)	100 (A)	2,400
Vault D	23-Mar-95	8.9	83.0	7.30	2200		13	<20	44	<20
	20-Jun-95	NS	NS	NS	NS		NS	NS	NS	NS
	30-Aug-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	28-Nov-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Mar-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Jun-96	11.0	150.0	6.90	1800	--	<20	<20	<20	20
	20-Aug-96	40.0	<5	7.20	1600	--	<20	<20	<20	40
	11-Nov-96	23.0	9.0	7.00	1700	--	<20	<20	40	70
	19-Feb-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-May-97	23.0	76.0	6.69	1580	8.8	<10	<10	58	70
	8-Aug-97	11.0	44.0	6.48	1540	28.5	<10	<10	79	20
	15-Nov-97	12.0	6.0	6.60	1800	11.0	<10	<10	114	30
	9-Feb-98	12.0	52.0	6.50	1655	12.5	<10	<10	66	40
	14-May-98	10.0	40.0	7.00	1700	16.3	<10	30	23	50
	14-Aug-98	11.0	57.0	6.60	--	--	<10	<10	23	40
	13-Nov-98	11.0	22.0	6.70	1790	15.2	<10	<10	20	30
	19-Mar-99	6.3	2.0	7.00	1302	14.8	<10	30	20	40
	6-May-99	12.4	28.0	6.90	1510	25.2	<10	30	15	30
	23-Jul-99	11.0	40.0	7.00	1231	21.0	<5	9	21	19
	22-Oct-99	10.6	13.0	6.76	1384	10.3	<10	<10	23	20
	14-Mar-00	10.7	57.0	7.80	1460	13.0	<10	<10	15	20
	20-Jun-00	10.1	23.0	6.80	1410	18.7	<10	60	21	70
	13-Sep-00	10.7	7.0	7.60	1370	16.1	<5	<10	21	20
	10-Nov-00	7.0	10.0	7.20	1630	12.2	<10	<10	23	20
	12-Mar-01	5.6	33.0	7.84	1710	12.9	<10	<10	11	10
	24-May-01	12.0	16.0	7.48	1760	13.1	<10	10	18	30
	31-Aug-01	9.8	8.0	7.66	1420	12.8	5	<10	24	20
	16-Nov-01	7.4	20.0	7.58	1270	12.9	<10	10	17	50
	8-Mar-02	8.4	3.0	7.18	1430	10.9	<10	10	<5	10
	31-May-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5-Sep-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	8.9	15.0	6.77	1380	11.6	<5	5.0	10.0	19
4-Jun-03	9.6	5.0	6.91	1430	11.0	<5	<5	8	<5	
5-Oct-03	NS	NS	NS	NS	NS	NS	NS	NS	NS	
8-Dec-03	6.1	4.0	6.92	1330	11.0	8	17	14	63	
27-Feb-04	NS	NS	NS	NS	NS	NS	NS	NS	NS	
30-Jun-04	6.5	5.0	6.96	1050	12.1	<5	<5	30	9	
19-Nov-04	NS	NS	NS	NS	NS	NS	NS	NS	NS	
15-Jun-05	6.0	6.0	5.90	1540	12.9	<5	<5	25	17	
17-Jan-06	6.2	8.0	7.34	1600	7.9	6	14	37	<5	
Re-sample	14-Feb-06	--	--	7.96	1520	9.2	--	5	--	--
	29-Jun-06	5.9	51.0	6.98	1570	13.9	6	<4	26	14
	28-Nov-06	7.2	13.0	7.18	1590	13.1	<5	<4	17	7
	6-Jun-07	6.9	7.0	7.30	1530	14.2	9	5	34	8
Duplicate	12-Nov-07	7.3	5.0	6.91	1580	12.3	3	5	23	12
	12-Nov-07	6.0	7.0	6.91	1570	12.3	3	5	23	9
	24-Jun-08	4.1	4.0	6.87	1570	15.4	<5	<1	35	<5
	17-Nov-08	5.6	10.0	7.42	1580	8.0	<5	1	17	6
	23-Jun-09	7.0	20.0	7.17	1570	13.7	<5	<1	34	5
	17-Nov-09	6.0	7	7.28	1610	11.5	<5	<4	16	7
Duplicate	14-Jun-10	7.0	35	7.10	1550	11.9	8	<4	32	11
	14-Jun-10	7.0	1	7.10	1550	11.9	7	<4	33	11
	8-Nov-10	9.0	31	7.41	1555	13.4	19	<4	18	<5
	14-Jul-11	--	--	7.23	--	18.0	<5	<4	40	<5
	14-Nov-11	9.0	5	7.04	1513	11.8	<5	<4	25	<5
	25-Jun-12	5.0	3	5.70	1367	14.5	<5	16	29	15
	5-Dec-12	7.3	3	7.11	1471	10.4	<5	11	33	22
	6-Jun-13	7.5	3	6.76	1534	11.5	<5	5	18	75
Duplicate	4-Nov-13	7.2	<1	7.03	1565	11.8	<5	4	13	7
	4-Nov-13	7.6	<1	7.03	1562	11.8	<5	<4	13	9
Duplicate	23-Jun-14	8.0	7	7.10	1592	12.2	<5	4	15	9
Duplicate	23-Jun-14	7.9	2	7.10	1591	12.2	<5	<4	16	8
Duplicate	18-Nov-14	6.2	2	7.02	1635	7.6	<5	10	20	11
Duplicate	18-Nov-14	6.0	<1	7.02	1640	7.6	<5	5	21	12

See notes on page 6.

Table 1
RACER Trust - Coldwater Road Landfill Facility
Landfill Leak Detection Vaults - Historical Analytical Results
Inorganics and Metals

Vault	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)			
		TOC (mg/L)	TSS (mg/L)	pH	SpC	T	Cr	Cu	Ni	Zn
		MDEQ Residential Drinking Water Criteria & RBSLs					100 (A)	1,000 (E)	100 (A)	2,400
Vault E	23-Mar-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	30-Aug-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	28-Nov-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Mar-96	110.0	<10	7.20	2000	--	<20	<20	46	<20
	18-Jun-96	9.0	76.0	7.00	2400	--	<20	<20	<20	<20
	10/04/96	5.9	19.0	6.90	2000	--	<20	<20	<20	20
	11-Nov-96	12.0	11.0	7.00	1800	--	<20	<20	<20	30
	19-Feb-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7-May-97	7.0	2.0	6.33	2120	15.6	<10	<10	35	30
	12-Aug-97	5.0	27.0	6.70	1840	14.9	<10	<10	64	40
	15-Nov-97	5.0	12.0	6.50	2100	11.0	<10	<10	116	40
	9-Feb-98	6.0	4.0	6.60	1950	12.6	<10	<10	54	50
	14-May-98	6.0	32.0	7.10	1850	13.5	<10	<10	7	60
	14-Aug-98	4.0	8.0	6.70	--	--	<10	<10	8	40
	30-Nov-98	3.0	14.0	--	--	--	10	<10	46	60
	19-Mar-99	4.8	20.0	6.50	1302	14.3	<10	20	6	30
	6-May-99	8.2	14.0	6.90	1720	27.4	<10	<10	5	20
	23-Jul-99	4.6	9.0	6.50	1468	21.8	<5	11	6	19
	22-Oct-99	3.5	6.0	6.33	1382	11.0	<10	<10	6	20
	14-Mar-00	5.6	48.0	8.00	1500	13.9	<10	<10	5	10
	20-Jun-00	6.3	22.0	6.90	1430	19.6	<10	30	<5	30
	13-Sep-00	4.1	5.0	7.70	1360	15.7	<5	<10	5	20
	10-Nov-00	4.3	4.0	7.50	1290	11.8	<10	40	5	60
	12-Mar-01	5.4	9.0	7.33	--	12.7	<10	<10	5	10
	24-May-01	8.6	10.0	7.52	1900	13.6	<10	10	6	40
	31-Aug-01	5.7	5.3	7.58	1810	13.2	<5	10	6	70
	16-Nov-01	3.6	<1.0	7.46	1630	12.8	<10	10	6	60
	8-Mar-02	6.0	<1.0	7.01	1570	9.8	<10	10	6	90
	31-May-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5-Sep-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
4-Jun-03	5.1	6.0	6.92	1470	11.0	<5	6.0	<5	50	
5-Oct-03	NS	NS	NS	NS	NS	NS	NS	NS	NS	
8-Dec-03	NS	NS	NS	NS	NS	NS	NS	NS	NS	
27-Feb-04	5.4	4.0	7.61	1190	12.1	<5	6	7	43	
30-Jun-04	4.9	390	6.91	1337	12.7	<5	<5	6	43	
19-Nov-04	4.3	3	7.06	1230	11.4	<5	7	22	11	
15-Jun-05	7.0	3	6.77	1790	12.6	<5	<5	12	31	
1-Dec-05	3.7	<1	7.10	1630	10.9	<5	66	<5	73	
29-Jun-06	5.8	8.0	6.94	1790	14.0	5	4	6	13	
28-Nov-06	6.3	134.0	7.51	1680	13.1	5	5	<5	10	
6-Jun-07	4.6	3.0	6.48	1820	12.7	9	7	<5	9	
Duplicate	6-Jun-07	4.8	3.0	--	1820	--	10	5	<5	8
12-Nov-07	3.9	4.0	6.80	1740	12.0	2	4	11	13	
24-Jun-08	6.0	2.0	6.76	1860	13.9	<5	2	<5	6	
17-Nov-08	4.1	1.0	7.43	1630	10.3	<5	2	<5	19	
23-Jun-09	3.2	10.0	6.79	1950	14.0	<5	2	<5	15	
Duplicate	23-Jun-09	3.0	17.0	6.79	1960	14.0	<5	2	<5	14
17-Nov-09	5.0	9	6.89	1780	11.2	<5	<4	<5	14	
14-Jun-10	4.0	21	6.85	1910	12.5	9	<4	<5	13	
8-Nov-10	5.0	<1	7.02	1714	12.4	24	<4	<5	7	
Duplicate	8-Nov-10	5.0	3	7.02	1715	12.4	20	<4	<5	7
20-Jun-11	3.4	5	6.91	1711	13.0	29	<4	10	15	
Re-sample	14-Jul-11	--	--	--	--	<5	--	--	--	
14-Nov-11	4.0	9	6.89	1637	11.7	<5	<4	<5	<5	
Duplicate	14-Nov-11	3.0	5	6.89	1635	11.7	<5	<4	<5	<5
25-Jun-12	3.0	3	6.00	1792	12.9	<5	<4	<5	7	
5-Dec-12	3.4	0	6.77	1776	10.4	<5	<4	6	11	
6-Jun-13	3.3	8	6.54	1397	10.6	<5	6	<5	<5	
4-Nov-13	3.0	2	6.74	1741	12.0	<5	4	12	9	
23-Jun-14	3.3	<1	6.88	1677	11.7	<5	<4	<5	<5	
18-Nov-14	3.0	2	7.08	1747	7.5	<5	<4	10	6	

See notes on page 6.

Table 1
RACER Trust - Coldwater Road Landfill Facility
Landfill Leak Detection Vaults - Historical Analytical Results
Inorganics and Metals


Vault	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)			
		TOC (mg/L)	TSS (mg/L)	pH	SpC	T	Cr	Cu	Ni	Zn
		MDEQ Residential Drinking Water Criteria & RBSLs					100 (A)	1,000 (E)	100 (A)	2,400
Vault F	23-Mar-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-95	8.2	<1	6.80	1400	--	<20	<20	<30	190
	30-Aug-95	6.1	<1	6.80	1100	NS	<20	<20	<40	220
	28-Nov-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Mar-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Jun-96	6.2	77.0	6.80	1600	--	<20	<20	<20	<20
	20-Aug-96	4.8	1500.0	7.10	1500	--	<20	20	<20	50
	11-Nov-96	14.0	7100.0	7.00	1600	--	<20	<20	<20	30
	19-Feb-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-May-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8-Aug-97	3.0	21.0	6.14	1530	20.6	<10	<10	64	20
	15-Nov-97	7.0	56.0	6.70	1800	13.0	<10	<10	93	130
	9-Feb-98	5.0	30.0	6.50	1750	13.5	<10	<10	49	160
	14-May-98	5.0	16.0	7.07	1400	25.4	<10	20	7	130
	14-Aug-98	3.0	25.0	6.60	--	--	<10	<10	7	40
	30-Nov-98	4.0	38.0	--	--	--	10	<10	47	30
	19-Mar-99	4.2	52.0	6.80	982	14.4	<10	20	9	20
	6-May-99	4.6	50.0	7.00	1460	28.0	<10	10	5	30
	23-Jul-99	3.7	95.0	6.30	1262	21.2	6	17	6	26
	22-Oct-99	3.7	12.0	6.29	1116	12.3	<10	<10	6	20
	14-Mar-00	5.4	81.0	8.00	1250	14.9	<10	<10	6	30
	20-Jun-00	4.4	66.0	7.10	1310	20.1	<10	40	<5	80
	13-Sep-00	3.0	11.0	7.40	1440	15.6	<5	<10	6	20
	10-Nov-00	3.9	41.0	6.80	1040	11.6	<10	60	5	100
	12-Mar-01	5.5	24.0	7.12	1110	12.3	<10	<10	5	10
	24-May-01	7.4	16.0	7.44	1470	12.8	<10	60	5	100
	31-Aug-01	NS	NS	NS	NS	NS	NS	NS	NS	NS
	16-Nov-01	4.2	68.0	7.26	1110	12.9	<10	40	<5	100
	8-Mar-02	4.4	11.0	6.92	1290	10.4	<10	10	<5	60
	31-May-02	2.4	45.0	7.17	1200	14.3	<10	<10	6	20
	5-Sep-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Feb-04	3.9	7.0	7.11	1920	12.2	<5	5	<5	30
	30-Jun-04	3.5	1.0	6.89	1300	12.0	<5	5	<5	10
30-Jun-04	3.5	1.0	6.89	1300	12.0	<5	5	<5	10	
19-Nov-04	3.2	4.0	7.07	1160	11.0	<5	<5	15	8	
15-Jun-05	4.0	8.0	5.47	1780	12.3	<5	<5	9	17	
1-Dec-05	3.7	3.0	6.92	1640	10.7	<5	83	<5	62	
Duplicate	7-Dec-05	4.7	5.0	--	1540	--	<5	31	19	<10
Re-sample	14-Feb-06	--	--	7.90	1710	7.2	--	<4	--	--
	29-Jun-06	2.9	90.0	6.72	1710	15.3	7	<4	<5	9
	28-Nov-06	4.4	3.0	7.04	1610	13.9	5	<4	<5	10
	6-Jun-07	3.9	2.0	6.44	1640	15.5	10	3	<5	8
	12-Nov-07	2.2	53.0	6.84	1600	12.2	2	3	9	11
Duplicate	24-Jun-08	2.3	5.0	6.86	1510	14.5	<5	<1	<5	<5
	24-Jun-08	2.8	3.0	6.86	1500	14.5	<5	<1	<5	<5
	17-Nov-08	1.8	9.0	7.20	1510	9.5	<5	<1	<5	15
	23-Jun-09	2.9	29.0	7.08	1530	13.1	<5	<1	<5	10
	17-Nov-09	3	16	7.03	1550	11.0	<5	<4	<5	11
	14-Jun-10	3	14	7.02	1540	12.1	6	<4	<5	17
	8-Nov-10	3	2	7.00	1590	12.3	16	<4	<5	14
Re-sample	20-Jun-11	2.5	47	7.03	1642	14.6	23	<4	9	20
	14-Jul-11	--	--	--	--	--	<5	--	--	--
	14-Nov-11	2.0	29	6.93	1651	11.4	<5	<4	<5	<5
	25-Jun-12	--	--	--	--	--	--	--	--	--
	5-Dec-12	2.8	7	6.69	1729	9.9	<5	<4	6	12
Duplicate	6-Jun-13	2.7	2	6.78	1761	10.8	<5	<4	6	6
	6-Jun-13	2.9	<1	6.78	1759	10.8	<5	<4	<5	6
	4-Nov-13	2.6	1	6.83	1736	11.6	<5	<4	<5	<5
	23-Jun-14	2.6	3	7.15	1710	13.3	<5	<4	<5	<5
	18-Nov-14	2.4	2	7.13	1724	7.4	<5	<4	10	8

Notes: "<" - Not detected above specified detection limit.
"NS" - Not sampled - no liquid.
"SpC" - Specific conductivity in micro siemens (uS).
"T" - Temperature in degrees celsius.
"--" - Physical parameter not measured (instrument failure or duplicate sample).
Exceeds MDEQ Residential Drinking Water Criteria
"A" - Criterion is the state of Michigan drinking water standard established pursuant to Section 5 of 1976 PA 399, MCL 325.1005.
"E" - Criterion is the aesthetic drinking water value, as required by Section 20120a(5) of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (NREPA)

FIGURES

Document Path: I:\Racer-Trust\15388\51440\Coldwater-Rd-La.Docs\Reports\GW Monitoring\Annual 11-14\Figures\001 - Site_Location (2014-11).mxd

PLOT DATE: 12/22/2014 KBS



RACER TRUST
COLDWATER ROAD LANDFILL FACILITY
FLINT, MICHIGAN



SITE LOCATION MAP



FIGURE 2



LEGEND


-  LEACHATE COLLECTION SUMP
-  ACCESS PORT FOR LEAK DETECTION VAULT

RACER TRUST
COLDWATER ROAD
LANDFILL FACILITY
FLINT, MICHIGAN

SITE LAYOUT



FEBRUARY 2015
15388/51440-002



I:\Racer-Trust_15388\51440_Coldwater-Rd-La\Docs\Reports\LD\Annual 11-14\Figures\002 - Site_Layout 2014 Annual Rpts (LDS-Rpt) (2014-11).mxd
PLOT DATE: 1/21/2015 KBS

MAP USES DATA FROM THE MICHIGAN CENTER FOR GEOGRAPHIC INFORMATION

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

APPENDIX A
Analytical Laboratory
Reports



Analytical Laboratory Report

Report ID: S63687.01(01)
Generated on 11/26/2014

Report to

Attention: Clifford Yantz
O'Brien & Gere Engineers, Inc.
37000 Grand River Ave.
Suite 260
Farmington, MI 48335

Phone: 248-477-5701 FAX: 248-477-5962
Email: Clifford.Yantz@obg.com

Additional Contacts: Kevin Schneider

Report produced by

Merit Laboratories, Inc.
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:
Kevin George (kgeorge@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S63687.01-S63687.07
Project: RACER Coldwater Rd Landfill Annual Event
Collected Date: 11/18/2014
Submitted Date/Time: 11/20/2014 14:45
Sampled by: Kevin Schneider
P.O. #: 11311200

A handwritten signature in cursive script that reads "Maya Murshak".

Maya Murshak
Technical Director



Analytical Laboratory Report

General Report Notes

Results relate only to items tested as received by laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis were applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Report Narrative

There is no additional narrative for this analytical report



Analytical Laboratory Report

Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods



Analytical Laboratory Report

Method Summary

Method	Version
E120.1	EPA Method 120.1 Revision 1982
E200.8	EPA Method 200.8 Revision 5.4
SM2540D	Standard Method 2540 D 20th Edition
SM5310C	Standard Method 5310C 20th Edition
SW3015A	SW 846 Method 3015A Revision 1 February 2007



Analytical Laboratory Report

Sample Summary (7 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S63687.01	Vault A	Wastewater	11/18/2014 10:10
S63687.02	Vault B	Wastewater	11/18/2014 11:10
S63687.03	Vault C	Wastewater	11/18/2014 11:50
S63687.04	Vault D	Wastewater	11/18/2014 12:25
S63687.05	Vault E	Wastewater	11/18/2014 13:30
S63687.06	Vault F	Wastewater	11/18/2014 14:10
S63687.07	DUP-1	Wastewater	11/18/2014 00:01



Analytical Laboratory Report

Lab Sample ID: S63687.01
 Sample Tag: Vault A
 Collected Date/Time: 11/18/2014 10:10
 Matrix: Wastewater
 COC Reference: 84889

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.0	IR
2	40ml Glass	H2SO4	Yes	5.0	IR
1	125ml Plastic	HNO3	Yes	5.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Metal Digestion	Completed			SW3015A	11/24/14 11:50	CCM		
Inorganics								
Conductivity	1,525	umhos/cm		E120.1	11/25/14 13:10	JKB		
TOC	4.1	mg/L	1	SM5310C	11/25/14 15:28	JKB		
Total Suspended Solids	2	mg/L	1	SM2540D	11/24/14 19:00	ASB		
Metals								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/24/14 16:41	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.004	E200.8	11/24/14 16:41	CCM	7440-50-8	
Nickel, Dissolved	0.025	mg/L	0.005	E200.8	11/24/14 16:41	CCM	7440-02-0	
Zinc, Dissolved	0.020	mg/L	0.005	E200.8	11/24/14 16:41	CCM	7440-66-6	



Analytical Laboratory Report

Lab Sample ID: S63687.02
 Sample Tag: Vault B
 Collected Date/Time: 11/18/2014 11:10
 Matrix: Wastewater
 COC Reference: 84889

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.0	IR
2	40ml Glass	H2SO4	Yes	5.0	IR
1	125ml Plastic	HNO3	Yes	5.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Metal Digestion	Completed			SW3015A	11/24/14 11:50	CCM		
Inorganics								
Conductivity	1,656	umhos/cm		E120.1	11/25/14 13:14	JKB		
TOC	2.7	mg/L	1	SM5310C	11/25/14 16:08	JKB		
Total Suspended Solids	3	mg/L	1	SM2540D	11/24/14 19:00	ASB		
Metals								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/24/14 16:43	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.004	E200.8	11/24/14 16:43	CCM	7440-50-8	
Nickel, Dissolved	0.013	mg/L	0.005	E200.8	11/24/14 16:43	CCM	7440-02-0	
Zinc, Dissolved	0.010	mg/L	0.005	E200.8	11/24/14 16:43	CCM	7440-66-6	



Analytical Laboratory Report

Lab Sample ID: S63687.03
 Sample Tag: Vault C
 Collected Date/Time: 11/18/2014 11:50
 Matrix: Wastewater
 COC Reference: 84889

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.0	IR
2	40ml Glass	H2SO4	Yes	5.0	IR
1	125ml Plastic	HNO3	Yes	5.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Metal Digestion	Completed			SW3015A	11/24/14 11:50	CCM		
Inorganics								
Conductivity	1,724	umhos/cm		E120.1	11/25/14 13:16	JKB		
TOC	4.6	mg/L	1	SM5310C	11/25/14 16:27	JKB		
Total Suspended Solids	4	mg/L	1	SM2540D	11/24/14 19:00	ASB		
Metals								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/24/14 16:45	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.004	E200.8	11/24/14 16:45	CCM	7440-50-8	
Nickel, Dissolved	0.018	mg/L	0.005	E200.8	11/24/14 16:45	CCM	7440-02-0	
Zinc, Dissolved	0.005	mg/L	0.005	E200.8	11/24/14 16:45	CCM	7440-66-6	



Analytical Laboratory Report

Lab Sample ID: S63687.04
 Sample Tag: Vault D
 Collected Date/Time: 11/18/2014 12:25
 Matrix: Wastewater
 COC Reference: 84889

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.0	IR
2	40ml Glass	H2SO4	Yes	5.0	IR
1	125ml Plastic	HNO3	Yes	5.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Metal Digestion	Completed			SW3015A	11/24/14 11:50	CCM		
Inorganics								
Conductivity	1,635	umhos/cm		E120.1	11/25/14 13:18	JKB		
TOC	6.2	mg/L	1	SM5310C	11/25/14 16:47	JKB		
Total Suspended Solids	2	mg/L	1	SM2540D	11/25/14 13:00	ASB		
Metals								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/24/14 16:48	CCM	7440-47-3	
Copper, Dissolved	0.010	mg/L	0.004	E200.8	11/24/14 16:48	CCM	7440-50-8	
Nickel, Dissolved	0.020	mg/L	0.005	E200.8	11/24/14 16:48	CCM	7440-02-0	
Zinc, Dissolved	0.011	mg/L	0.005	E200.8	11/24/14 16:48	CCM	7440-66-6	



Analytical Laboratory Report

Lab Sample ID: S63687.05
 Sample Tag: Vault E
 Collected Date/Time: 11/18/2014 13:30
 Matrix: Wastewater
 COC Reference: 84889

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.0	IR
2	40ml Glass	H2SO4	Yes	5.0	IR
1	125ml Plastic	HNO3	Yes	5.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Metal Digestion	Completed			SW3015A	11/24/14 11:50	CCM		
Inorganics								
Conductivity	1,747	umhos/cm		E120.1	11/25/14 13:20	JKB		
TOC	3.0	mg/L	1	SM5310C	11/25/14 17:07	JKB		
Total Suspended Solids	2	mg/L	1	SM2540D	11/25/14 13:00	ASB		
Metals								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/24/14 16:50	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.004	E200.8	11/24/14 16:50	CCM	7440-50-8	
Nickel, Dissolved	0.010	mg/L	0.005	E200.8	11/24/14 16:50	CCM	7440-02-0	
Zinc, Dissolved	0.006	mg/L	0.005	E200.8	11/24/14 16:50	CCM	7440-66-6	



Analytical Laboratory Report

Lab Sample ID: S63687.06
 Sample Tag: Vault F
 Collected Date/Time: 11/18/2014 14:10
 Matrix: Wastewater
 COC Reference: 84889

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.0	IR
2	40ml Glass	H2SO4	Yes	5.0	IR
1	125ml Plastic	HNO3	Yes	5.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Metal Digestion	Completed			SW3015A	11/24/14 11:50	CCM		
Inorganics								
Conductivity	1,724	umhos/cm		E120.1	11/25/14 13:22	JKB		
TOC	2.4	mg/L	1	SM5310C	11/25/14 17:26	JKB		
Total Suspended Solids	2	mg/L	1	SM2540D	11/25/14 13:00	ASB		
Metals								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/24/14 17:00	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.004	E200.8	11/24/14 17:00	CCM	7440-50-8	
Nickel, Dissolved	0.010	mg/L	0.005	E200.8	11/24/14 17:00	CCM	7440-02-0	
Zinc, Dissolved	0.008	mg/L	0.005	E200.8	11/24/14 17:00	CCM	7440-66-6	



Analytical Laboratory Report

Lab Sample ID: S63687.07
 Sample Tag: DUP-1
 Collected Date/Time: 11/18/2014 00:01
 Matrix: Wastewater
 COC Reference: 84889

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.0	IR
2	40ml Glass	H2SO4	Yes	5.0	IR
1	125ml Plastic	HNO3	Yes	5.0	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Metal Digestion	Completed			SW3015A	11/24/14 11:50	CCM		
Inorganics								
Conductivity	1,640	umhos/cm		E120.1	11/25/14 13:24	JKB		
TOC	6.0	mg/L	1	SM5310C	11/25/14 21:48	JKB		
Total Suspended Solids	Not detected	mg/L	1	SM2540D	11/25/14 13:00	ASB		
Metals								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/24/14 16:52	CCM	7440-47-3	
Copper, Dissolved	0.005	mg/L	0.004	E200.8	11/24/14 16:52	CCM	7440-50-8	
Nickel, Dissolved	0.021	mg/L	0.005	E200.8	11/24/14 16:52	CCM	7440-02-0	
Zinc, Dissolved	0.012	mg/L	0.005	E200.8	11/24/14 16:52	CCM	7440-66-6	



2680 East Lansing Dr., East Lansing, MI 48823
 Phone (517) 332-0167 Fax (517) 332-4034
 www.meritlabs.com

C.O.C. PAGE # 1 OF 1

84889

REPORT TO

CHAIN OF CUSTODY RECORD

INVOICE TO

CONTACT NAME Cliff Yantz / Kevin Schneider
 COMPANY O'Brien & Gere
 ADDRESS 37000 Grand River St 260
 CITY Farmington Hills STATE MI ZIP CODE 48335
 PHONE NO. 248-477-5701 FAX NO. 248-477-5963 P.O. NO. _____
 E-MAIL ADDRESS clifford.yantz@obg.com QUOTE NO. _____

CONTACT NAME _____ SAME
 COMPANY _____
 ADDRESS _____
 CITY _____ STATE _____ ZIP CODE _____
 PHONE NO. _____ E-MAIL ADDRESS _____

ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)

PROJECT NO./NAME RACER Colchester Rd Landfill Annual Event SAMPLER(S) - PLEASE PRINT/SIGN NAME Kevin Schneider
 TURNAROUND TIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDARD OTHER _____
 DELIVERABLES REQUIRED STD LEVEL II LEVEL III LEVEL IV EDD OTHER _____

MATRIX CODE: GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID
 SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE

Containers & Preservatives

Dissolved Metals	TOC	specific conductivity	TSS	Certifications	
				<input type="checkbox"/> OHIO VAP	<input type="checkbox"/> Drinking Water
				Project Locations	
				<input type="checkbox"/> Detroit	<input type="checkbox"/> New York
				Special Instructions	
X	X	X	X	Metals Are:	
X	X	X	X	Cu, Cr, Ni, Zn	
X	X	X	X		
X	X	X	X		
X	X	X	X		
X	X	X	X		

MERIT LAB NO. <small>FOR LAB USE ONLY</small>	YEAR		SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	NONE	HCl	HNO ₃	H ₂ SO ₄	NaOH	MeOH	OTHER
	DATE	TIME										
63687.01	11/18/14	1010	Vault A	WW	4	1	1	2				
.02		1110	Vault B									
.03		1150	Vault C									
.04		1225	Vault D									
.05		1330	Vault E									
.06		1410	Vault F									
.07		-	DUP-1									

RELINQUISHED BY: [Signature] Sampler DATE 11/20/14 TIME 13:00
 RECEIVED BY: [Signature] DATE 11/20/14 TIME 13:00
 RELINQUISHED BY: _____ DATE _____ TIME _____
 RECEIVED BY: _____ DATE _____ TIME _____

RELINQUISHED BY: [Signature] DATE 11/20/14 TIME 14:45
 RECEIVED BY: [Signature] DATE 11/20/14 TIME 14:45
 SEAL NO. _____ SEAL INTACT _____ INITIALS _____ NOTES: TEMP. ON ARRIVAL 50
 SEAL NO. _____ SEAL INTACT _____ INITIALS _____


APPENDIX B
Leak Detection Vault
Control Charts

**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault A - Chromium**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	10	13.38	6.25
2	Jun-95	24		
3	Aug-95	10		
4	Nov-95	23		
5	Mar-96	10		
6	Jun-96	10		
7	Aug-96	10		
8	Nov-96	10		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	5	-1.34	46	Nov-11	4.5	2.5	-1.74
10	Aug-97	4.5	5	-1.34	47	Jun-12	4.5	2.5	-1.74
11	Nov-97	4.5	5	-1.34	48	Dec-12	4.5	2.5	-1.74
12	Feb-98	4.5	5	-1.34	49	Jun-13	4.5	2.5	-1.74
13	May-98	4.5	5	-1.34	50	Nov-13	4.5	2.5	-1.74
14	Aug-98	4.5	5	-1.34	51	Jun-14	4.5	2.5	-1.74
15	Nov-98	4.5	5	-1.34	52	Nov-14	4.5	2.5	-1.74
16	Mar-99	4.5	5	-1.34					
17	May-99	4.5	5	-1.34					
18	Jul-99	4.5	2.5	-1.74					
19	Oct-99	4.5	5	-1.34					
20	Mar-00	4.5	5	-1.34					
21	Jun-00	4.5	5	-1.34					
22	Sep-00	4.5	2.5	-1.74					
23	Nov-00	4.5	5	-1.34					
24	Mar-01	4.5	5	-1.34					
25	May-01	4.5	5	-1.34					
26	Aug-01	4.5	2.5	-1.74					
27	Aug-01	4.5	5	-1.34					
28	May-02	4.5	5	-1.34					
29	Sep-02	4.5	2.5	-1.74					
30	Mar-03	4.5	2.5	-1.74					
31	Jun-03	4.5	2.5	-1.74					
32	Jun-04	4.5	2.5	-1.74					
33	Nov-04	4.5	6	-1.18					
34	Jun-05	4.5	2.5	-1.74					
35	Jan-06	4.5	2.5	-1.74					
36	Nov-06	4.5	2.5	-1.74					
37	Jun-07	4.5	13	-0.06					
38	Nov-07	4.5	4	-1.50					
39	Jun-08	4.5	2.5	-1.74					
40	Nov-08	4.5	2.5	-1.74					
41	Jun-09	4.5	2.5	-1.74					
42	Nov-09	4.5	2.5	-1.74					
43	Jun-10	4.5	8	-0.86					
44	Jun-11	4.5	30	2.66					
45	Jul-11	4.5	2.5	-1.74					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault A - Copper**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	10	14	7.87
2	Jun-95	21		
3	Aug-95	10		
4	Nov-95	31		
5	Mar-96	10		
6	Jun-96	10		
7	Aug-96	10		
8	Nov-96	10		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	5	-1.14	45	Nov-11	4.5	2	-1.52
10	Aug-97	4.5	5	-1.14	46	Jun-12	4.5	4	-1.27
11	Nov-97	4.5	10	-0.51	47	Dec-12	4.5	2	-1.52
12	Feb-98	4.5	5	-1.14	48	Jun-13	4.5	2	-1.52
13	May-98	4.5	20	0.76	49	Nov-13	4.5	2	-1.52
14	Aug-98	4.5	5	-1.14	50	Jun-14	4.5	2	-1.52
15	Nov-98	4.5	5	-1.14	51	Nov-14	4.5	2	-1.52
16	Mar-99	4.5	10	-0.51					
17	May-99	4.5	5	-1.14					
18	Jul-99	4.5	9	-0.64					
19	Oct-99	4.5	5	-1.14					
20	Mar-00	4.5	5	-1.14					
21	Jun-00	4.5	5	-1.14					
22	Sep-00	4.5	5	-1.14					
23	Nov-00	4.5	100	10.92					
24	Mar-01	4.5	5	-1.14					
25	May-01	4.5	5	-1.14					
26	Aug-01	4.5	5	-1.14					
27	Aug-01	4.5	5	-1.14					
28	May-02	4.5	5	-1.14					
29	Sep-02	4.5	2.5	-1.46					
30	Mar-03	4.5	2.5	-1.46					
31	Jun-03	4.5	2.5	-1.46					
32	Jun-04	4.5	2.5	-1.46					
33	Nov-04	4.5	2.5	-1.46					
34	Jun-05	4.5	2.5	-1.46					
35	Jan-06	4.5	2.5	-1.46					
36	Nov-06	4.5	2	-1.52					
37	Jun-07	4.5	4	-1.27					
38	Nov-07	4.5	5	-1.14					
39	Jun-08	4.5	0.5	-1.71					
40	Nov-08	4.5	0.5	-1.71					
41	Jun-09	4.5	11	-0.38					
42	Nov-09	4.5	2	-1.52					
43	Jun-10	4.5	2	-1.52					
44	Jun-11	4.5	2	-1.52					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault A - Nickel**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	20	24.25	14.07
2	Jun-95	15		
3	Aug-95	20		
4	Nov-95	43		
5	Mar-96	46		
6	Jun-96	10		
7	Aug-96	10		
8	Nov-96	30		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	71	3.32	46	Nov-11	4.5	20	-0.30
10	Aug-97	4.5	88	4.53	47	Jun-12	4.5	25	0.05
11	Nov-97	4.5	125	7.16	48	Dec-12	4.5	24	-0.02
12	Feb-98	4.5	73	3.47	49	Jun-13	4.5	22	-0.16
13	May-98	4.5	15	-0.66	50	Nov-13	4.5	18	-0.44
14	Aug-98	4.5	13	-0.80	51	Jun-14	4.5	18	-0.44
15	Nov-98	4.5	20	-0.30	52	Nov-14	4.5	25	0.05
16	Mar-99	4.5	14	-0.73					
17	May-99	4.5	15	-0.66					
18	Jul-99	4.5	13	-0.80					
19	Oct-99	4.5	16	-0.59					
20	Mar-00	4.5	15	-0.66					
21	Jun-00	4.5	12	-0.87					
22	Sep-00	4.5	14	-0.73					
23	Nov-00	4.5	10	-1.01					
24	Mar-01	4.5	7	-1.23					
25	May-01	4.5	10	-1.01					
26	Aug-01	4.5	14	-0.73					
27	Aug-01	4.5	15	-0.66					
28	May-02	4.5	2.5	-1.55					
29	Sep-02	4.5	14	-0.73					
30	Mar-03	4.5	9	-1.08					
31	Jun-03	4.5	10	-1.01					
32	Jun-04	4.5	8	-1.16					
33	Nov-04	4.5	15	-0.66					
34	Jun-05	4.5	13	-0.80					
35	Jan-06	4.5	13	-0.80					
36	Feb-06	4.5	14	-0.73					
37	Nov-06	4.5	13	-0.80					
38	Jun-07	4.5	20	-0.30					
39	Nov-07	4.5	21	-0.23					
40	Jun-08	4.5	25	0.05					
41	Nov-08	4.5	22	-0.16					
42	Jun-09	4.5	27	0.20					
43	Nov-09	4.5	22	-0.16					
44	Jun-10	4.5	16	-0.59					
45	Jun-11	4.5	27	0.20					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault A - Zinc**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	180	41.75	58.47
2	Jun-95	10		
3	Aug-95	10		
4	Nov-95	24		
5	Mar-96	10		
6	Jun-96	10		
7	Aug-96	30		
8	Nov-96	60		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	90	0.83	45	Nov-11	4.5	2.5	-0.67
10	Aug-97	4.5	60	0.31	46	Jun-12	4.5	2.5	-0.67
11	Nov-97	4.5	100	1.00	47	Dec-12	4.5	10	-0.54
12	Feb-98	4.5	60	0.31	48	Jun-13	4.5	2.5	-0.67
13	May-98	4.5	200	2.71	49	Nov-13	4.5	2.5	-0.67
14	Aug-98	4.5	160	2.02	50	Jun-14	4.5	2.5	-0.67
15	Nov-98	4.5	220	3.05	51	Nov-14	4.5	20	-0.37
16	Mar-99	4.5	60	0.31					
17	May-99	4.5	20	-0.37					
18	Jul-99	4.5	19	-0.39					
19	Oct-99	4.5	30	-0.20					
20	Mar-00	4.5	20	-0.37					
21	Jun-00	4.5	20	-0.37					
22	Sep-00	4.5	20	-0.37					
23	Nov-00	4.5	150	1.85					
24	Mar-01	4.5	10	-0.54					
25	May-01	4.5	20	-0.37					
26	Aug-01	4.5	9	-0.56					
27	Aug-01	4.5	50	0.14					
28	May-02	4.5	40	-0.03					
29	Sep-02	4.5	140	1.68					
30	Mar-03	4.5	99	0.98					
31	Jun-03	4.5	2.5	-0.67					
32	Jun-04	4.5	2.5	-0.67					
33	Nov-04	4.5	14	-0.47					
34	Jun-05	4.5	21	-0.35					
35	Jan-06	4.5	8	-0.58					
36	Nov-06	4.5	6	-0.61					
37	Jun-07	4.5	8	-0.58					
38	Nov-07	4.5	11	-0.53					
39	Jun-08	4.5	5	-0.63					
40	Nov-08	4.5	2.5	-0.67					
41	Jun-09	4.5	36	-0.10					
42	Nov-09	4.5	7	-0.59					
43	Jun-10	4.5	6	-0.61					
44	Jun-11	4.5	39	-0.05					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault A - pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	7.5	7.06	0.22
2	Jun-95	6.8		
3	Aug-95	6.9		
4	Nov-95	7		
5	Mar-96	7.2		
6	Jun-96	6.9		
7	Aug-96	7.1		
8	Nov-96	7.1		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	6.70	-1.65	45	Nov-11	4.5	6.93	-0.60
10	Aug-97	4.5	6.00	-4.83	46	Jun-12	4.5	5.75	-5.97
11	Nov-97	4.5	6.50	-2.56	47	Dec-12	4.5	6.76	-1.38
12	Feb-98	4.5	6.40	-3.01	48	Jun-13	4.5	6.7	-1.65
13	May-98	4.5	6.90	-0.74	49	Nov-13	4.5	6.71	-1.60
14	Aug-98	4.5	6.70	-1.65	50	Jun-14	4.5	6.82	-1.10
15	Nov-98	4.5	6.50	-2.56	51	Nov-14	4.5	6.27	-3.60
16	Mar-99	4.5	6.80	-1.19					
17	May-99	4.5	6.90	-0.74					
18	Jul-99	4.5	6.30	-3.47					
19	Oct-99	4.5	5.90	-5.28					
20	Mar-00	4.5	7.60	2.44					
21	Jun-00	4.5	6.90	-0.74					
22	Sep-00	4.5	7.50	1.99					
23	Nov-00	4.5	7.20	0.63					
24	Mar-01	4.5	7.40	1.53					
25	May-01	4.5	7.60	2.44					
26	Aug-01	4.5	7.50	1.99					
27	Aug-01	4.5	6.80	-1.19					
28	May-02	4.5	7.20	0.63					
29	Sep-02	4.5	6.60	-2.10					
30	Mar-03	4.5	6.80	-1.19					
31	Jun-03	4.5	6.80	-1.19					
32	Jun-04	4.5	7.00	-0.28					
33	Nov-04	4.5	6.90	-0.74					
34	Jun-05	4.5	6.00	-4.83					
35	Jan-06	4.5	10.01	13.40					
36	Nov-06	4.5	7.73	3.03					
37	Jun-07	4.5	6.76	-1.38					
38	Nov-07	4.5	6.76	-1.38					
39	Jun-08	4.5	6.89	-0.78					
40	Nov-08	4.5	6.06	-4.56					
41	Jun-09	4.5	7.01	-0.24					
42	Nov-09	4.5	7.07	0.03					
43	Jun-10	4.5	7.05	-0.06					
44	Jun-11	4.5	7.33	1.22					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault A - SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	690	1,798.75	450.73
2	Jun-95	1900		
3	Aug-95	2000		
4	Nov-95	1900		
5	Mar-96	2000		
6	Jun-96	2000		
7	Aug-96	1900		
8	Nov-96	2000		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	1940	0.31	43	Nov-11	4.5	2080	0.62
10	Aug-97	4.5	1810	0.02	44	Jun-12	4.5	1870	0.16
11	Nov-97	4.5	2000	0.45	45	Dec-12	4.5	1820	0.05
12	Feb-98	4.5	1960	0.36	46	Jun-13	4.5	1882	0.18
13	May-98	4.5	1760	-0.09	47	Nov-13	4.5	1630	-0.37
14	Nov-98	4.5	1990	0.42	48	Jun-14	4.5	1579	-0.49
15	Mar-99	4.5	1334	-1.03	49	Nov-14	4.5	1525	-0.61
16	May-99	4.5	3250	3.22					
17	Jul-99	4.5	1470	-0.73					
18	Oct-99	4.5	1750	-0.11					
19	Mar-00	4.5	1410	-0.86					
20	Jun-00	4.5	1410	-0.86					
21	Sep-00	4.5	1650	-0.33					
22	Nov-00	4.5	1470	-0.73					
23	Mar-01	4.5	1530	-0.60					
24	May-01	4.5	1380	-0.93					
25	Aug-01	4.5	1450	-0.77					
26	Aug-01	4.5	1300	-1.11					
27	May-02	4.5	1470	-0.73					
28	Mar-03	4.5	1290	-1.13					
29	Jun-03	4.5	1370	-0.95					
30	Jun-04	4.5	1318	-1.07					
31	Nov-04	4.5	1120	-1.51					
32	Jun-05	4.5	1640	-0.35					
33	Jan-06	4.5	1630	-0.37					
34	Nov-06	4.5	1940	0.31					
35	Jun-07	4.5	1990	0.42					
36	Nov-07	4.5	1690	-0.24					
37	Jun-08	4.5	2060	0.58					
38	Nov-08	4.5	2060	0.58					
39	Jun-09	4.5	2050	0.56					
40	Nov-09	4.5	2090	0.65					
41	Jun-10	4.5	2070	0.60					
42	Jun-11	4.5	2010	0.47					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault B - Chromium**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	10	6.25	2.31
2	Nov-96	10		
3	Feb-97	5		
4	May-97	5		
5	Aug-97	5		
6	Nov-97	5		
7	Feb-98	5		
8	May-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	5	-0.54	45	Nov-11	4.5	2.5	-1.62
10	Nov-98	4.5	5	-0.54	46	Jun-12	4.5	2.5	-1.62
11	Mar-99	4.5	5	-0.54	47	Dec-12	4.5	2.5	-1.62
12	May-99	4.5	5	-0.54	48	Jun-13	4.5	2.5	-1.62
13	Jul-99	4.5	2.5	-1.62	49	Nov-13	4.5	2.5	-1.62
14	Oct-99	4.5	5	-0.54	50	Jun-14	4.5	2.5	-1.62
15	Mar-00	4.5	5	-0.54	51	Nov-14	4.5	2.5	-1.62
16	Jun-00	4.5	5	-0.54					
17	Sep-00	4.5	2.5	-1.62					
18	Nov-00	4.5	2.5	-1.62					
19	Mar-01	4.5	5	-0.54					
20	May-01	4.5	5	-0.54					
21	Aug-01	4.5	2.5	-1.62					
22	Nov-01	4.5	5	-0.54					
23	Mar-02	4.5	5	-0.54					
24	May-02	4.5	5	-0.54					
25	Sep-02	4.5	2.5	-1.62					
26	Jun-03	4.5	2.5	-1.62					
27	Dec-03	4.5	2.5	-1.62					
28	Feb-04	4.5	2.5	-1.62					
29	Jun-04	4.5	2.5	-1.62					
30	Jun-05	4.5	2.5	-1.62					
31	Dec-05	4.5	2.5	-1.62					
32	Jun-06	4.5	2.5	-1.62					
33	Nov-06	4.5	2.5	-1.62					
34	Jun-07	4.5	9	1.19					
35	Nov-07	4.5	2	-1.84					
36	Jun-08	4.5	2.5	-1.62					
37	Nov-08	4.5	2.5	-1.62					
38	Jun-09	4.5	2.5	-1.62					
39	Nov-09	4.5	2.5	-1.62					
40	Jun-10	4.5	8	0.76					
41	Nov-10	4.5	21	6.37					
42	Dec-10	4.5	6	-0.11					
43	Jun-11	4.5	28	9.40					
44	Jul-11	4.5	2.5	-1.62					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault B - Copper**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	10	6.25	2.31
2	Nov-96	10		
3	Feb-97	5		
4	May-97	5		
5	Aug-97	5		
6	Nov-97	5		
7	Feb-98	5		
8	May-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	5	-0.54	44	Nov-11	4.5	2	-1.84
10	Nov-98	4.5	10	1.62	45	Jun-12	4.5	2	-1.84
11	Mar-99	4.5	5	-0.54	46	Dec-12	4.5	6	-0.11
12	May-99	4.5	10	1.62	47	Jun-13	4.5	2	-1.84
13	Jul-99	4.5	13	2.92	48	Nov-13	4.5	2	-1.84
14	Oct-99	4.5	5	-0.54	49	Jun-14	4.5	2	-1.84
15	Mar-00	4.5	5	-0.54	50	Nov-14	4.5	2	-1.84
16	Jun-00	4.5	30	10.26					
17	Sep-00	4.5	10	1.62					
18	Nov-00	4.5	40	14.58					
19	Mar-01	4.5	5	-0.54					
20	May-01	4.5	20	5.94					
21	Aug-01	4.5	5	-0.54					
22	Nov-01	4.5	10	1.62					
23	Mar-02	4.5	10	1.62					
24	May-02	4.5	5	-0.54					
25	Sep-02	4.5	2.5	-1.62					
26	Jun-03	4.5	2.5	-1.62					
27	Dec-03	4.5	6	-0.11					
28	Feb-04	4.5	5	-0.54					
29	Jun-04	4.5	12	2.48					
30	Jun-05	4.5	2.5	-1.62					
31	Dec-05	4.5	2.5	-1.62					
32	Feb-06	4.5	2	-1.84					
33	Jun-06	4.5	2	-1.84					
34	Nov-06	4.5	2	-1.84					
35	Jun-07	4.5	6	-0.11					
36	Nov-07	4.5	5	-0.54					
37	Jun-08	4.5	2	-1.84					
38	Nov-08	4.5	2	-1.84					
39	Jun-09	4.5	1	-2.27					
40	Nov-09	4.5	2	-1.84					
41	Jun-10	4.5	2	-1.84					
42	Nov-10	4.5	2	-1.84					
43	Jun-11	4.5	2	-1.84					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault B - Nickel**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	10	38.88	28.34
2	Nov-96	20		
3	Feb-97	43		
4	May-97	45		
5	Aug-97	26		
6	Nov-97	96		
7	Feb-98	57		
8	May-98	14		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	10	-1.02	43	Nov-11	4.5	7	-1.12
10	Nov-98	4.5	17	-0.77	44	Jun-12	4.5	2.5	-1.28
11	Mar-99	4.5	5	-1.20	45	Dec-12	4.5	9	-1.05
12	May-99	4.5	6	-1.16	46	Jun-13	4.5	6	-1.16
13	Jul-99	4.5	10	-1.02	47	Nov-13	4.5	5	-1.20
14	Oct-99	4.5	16	-0.81	48	Jun-14	4.5	2.5	-1.28
15	Mar-00	4.5	8	-1.09	49	Nov-14	4.5	13	-0.91
16	Jun-00	4.5	9	-1.05					
17	Sep-00	4.5	8	-1.09					
18	Nov-00	4.5	14	-0.88					
19	Mar-01	4.5	7	-1.12					
20	May-01	4.5	12	-0.95					
21	Aug-01	4.5	11	-0.98					
22	Nov-01	4.5	8	-1.09					
23	Mar-02	4.5	2.5	-1.28					
24	May-02	4.5	2.5	-1.28					
25	Sep-02	4.5	8	-1.09					
26	Jun-03	4.5	7	-1.12					
27	Dec-03	4.5	5	-1.20					
28	Feb-04	4.5	2.5	-1.28					
29	Jun-04	4.5	7	-1.12					
30	Jun-05	4.5	14	-0.88					
31	Dec-05	4.5	8	-1.09					
32	Jun-06	4.5	5	-1.20					
33	Nov-06	4.5	8	-1.09					
34	Jun-07	4.5	13	-0.91					
35	Nov-07	4.5	16	-0.81					
36	Jun-08	4.5	8	-1.09					
37	Nov-08	4.5	8	-1.09					
38	Jun-09	4.5	6	-1.16					
39	Nov-09	4.5	9	-1.05					
40	Jun-10	4.5	5	-1.20					
41	Nov-10	4.5	11	-0.98					
42	Jun-11	4.5	11	-0.98					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault B - Zinc

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	10	31.25	17.27
2	Nov-96	40		
3	Feb-97	20		
4	May-97	20		
5	Aug-97	60		
6	Nov-97	50		
7	Feb-98	20		
8	May-98	30		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	14	-1.00	43	Nov-11	4.5	9	-1.29
10	Nov-98	4.5	80	2.82	44	Jun-12	4.5	8	-1.35
11	Mar-99	4.5	5	-1.52	45	Dec-12	4.5	15	-0.94
12	May-99	4.5	20	-0.65	46	Jun-13	4.5	7	-1.40
13	Jul-99	4.5	18	-0.77	47	Nov-13	4.5	14	-1.00
14	Oct-99	4.5	20	-0.65	48	Jun-14	4.5	7	-1.40
15	Mar-00	4.5	20	-0.65	49	Nov-14	4.5	10	-1.23
16	Jun-00	4.5	30	-0.07					
17	Sep-00	4.5	20	-0.65					
18	Nov-00	4.5	90	3.40					
19	Mar-01	4.5	20	-0.65					
20	May-01	4.5	40	0.51					
21	Aug-01	4.5	20	-0.65					
22	Nov-01	4.5	60	1.66					
23	Mar-02	4.5	70	2.24					
24	May-02	4.5	20	-0.65					
25	Sep-02	4.5	84	3.05					
26	Jun-03	4.5	2.5	-1.66					
27	Dec-03	4.5	35	0.22					
28	Feb-04	4.5	16	-0.88					
29	Jun-04	4.5	2.5	-1.66					
30	Jun-05	4.5	20	-0.65					
31	Dec-05	4.5	50	1.09					
32	Jun-06	4.5	8	-1.35					
33	Nov-06	4.5	11	-1.17					
34	Jun-07	4.5	16	-0.88					
35	Nov-07	4.5	14	-1.00					
36	Jun-08	4.5	9	-1.29					
37	Nov-08	4.5	15	-0.94					
38	Jun-09	4.5	17	-0.83					
39	Nov-09	4.5	17	-0.83					
40	Jun-10	4.5	20	-0.65					
41	Nov-10	4.5	17	-0.83					
42	Jun-11	4.5	16	-0.88					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault B - pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	6.9	6.79	0.23
2	Nov-96	7		
3	Feb-97	7.1		
4	May-97	6.5		
5	Aug-97	6.5		
6	Nov-97	6.8		
7	Feb-98	6.6		
8	May-98	6.9		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	6.60	-0.82	44	Nov-11	4.5	6.93	0.62
10	Nov-98	4.5	6.30	-2.12	45	Jun-12	4.5	6.16	-2.73
11	Mar-99	4.5	6.50	-1.25	46	Dec-12	4.5	6.85	0.27
12	May-99	4.5	7.00	0.93	47	Jun-13	4.5	6.7	-0.38
13	Jul-99	4.5	6.50	-1.25	48	Nov-13	4.5	6.74	-0.21
14	Oct-99	4.5	6.20	-2.56	49	Jun-14	4.5	6.87	0.36
15	Mar-00	4.5	8.00	5.28	50	Nov-14	4.5	7.05	1.14
16	Jun-00	4.5	6.80	0.05					
17	Sep-00	4.5	7.40	2.67					
18	Nov-00	4.5	7.10	1.36					
19	Mar-01	4.5	7.40	2.67					
20	May-01	4.5	7.60	3.54					
21	Aug-01	4.5	7.80	4.41					
22	Nov-01	4.5	7.10	1.36					
23	Mar-02	4.5	7.00	0.93					
24	May-02	4.5	7.20	1.80					
25	Sep-02	4.5	6.70	-0.38					
26	Jun-03	4.5	7.00	0.93					
27	Dec-03	4.5	7.10	1.36					
28	Feb-04	4.5	7.40	2.67					
29	Jun-04	4.5	7.40	2.67					
30	Jun-05	4.5	6.10	-3.00					
31	Dec-05	4.5	6.90	0.49					
32	Feb-06	4.5	7.70	3.98					
33	Jun-06	4.5	7.04	1.10					
34	Nov-06	4.5	7.46	2.93					
35	Jun-07	4.5	6.34	-1.95					
36	Nov-07	4.5	6.93	0.62					
37	Jun-08	4.5	6.95	0.71					
38	Nov-08	4.5	6.89	0.45					
39	Jun-09	4.5	7.13	1.49					
40	Nov-09	4.5	6.99	0.88					
41	Jun-10	4.5	6.90	0.49					
42	Nov-10	4.5	6.93	0.62					
43	Jun-11	4.5	7.03	1.06					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault B - SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	1900	1,516.63	391.89
2	Nov-96	1600		
3	Feb-97	1590		
4	May-97	1930		
5	Aug-97	663		
6	Nov-97	1400		
7	Feb-98	1560		
8	May-98	1490		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	1940	1.08	42	Nov-11	4.5	1948	1.10
10	Mar-99	4.5	817	-1.79	43	Jun-12	4.5	1781	0.67
11	May-99	4.5	1330	-0.48	44	Dec-12	4.5	1936	1.07
12	Jul-99	4.5	1070	-1.14	45	Jun-13	4.5	1455	-0.16
13	Oct-99	4.5	1440	-0.20	46	Nov-13	4.5	1750	0.60
14	Mar-00	4.5	900	-1.57	47	Jun-14	4.5	1369	-0.38
15	Jun-00	4.5	1120	-1.01	48	Nov-14	4.5	1656	0.36
16	Sep-00	4.5	1560	0.11					
17	Nov-00	4.5	1280	-0.60					
18	Mar-01	4.5	1460	-0.14					
19	May-01	4.5	1280	-0.60					
20	Aug-01	4.5	1370	-0.37					
21	Nov-01	4.5	1230	-0.73					
22	Mar-02	4.5	2400	2.25					
23	May-02	4.5	1070	-1.14					
24	Jun-03	4.5	1530	0.03					
25	Dec-03	4.5	1490	-0.07					
26	Feb-04	4.5	1380	-0.35					
27	Jun-04	4.5	1210	-0.78					
28	Jun-05	4.5	1560	0.11					
29	Dec-05	4.5	1310	-0.53					
30	Feb-06	4.5	1520	0.01					
31	Jun-06	4.5	1050	-1.19					
32	Nov-06	4.5	1380	-0.35					
33	Jun-07	4.5	1670	0.39					
34	Nov-07	4.5	1690	0.44					
35	Jun-08	4.5	1880	0.93					
36	Nov-08	4.5	1818	0.77					
37	Jun-09	4.5	1780	0.67					
38	Nov-09	4.5	1970	1.16					
39	Jun-10	4.5	1810	0.75					
40	Nov-10	4.5	1911	1.01					
41	Jun-11	4.5	1496	-0.05					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault C - Chromium**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	25	13.00	8.98
2	Aug-95	10		
3	Nov-95	29		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	Feb-97	5		
8	May-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	5	-0.89	53	Nov-11	4.5	2.5	-1.17
10	Nov-97	4.5	5	-0.89	54	Jun-12	4.5	2.5	-1.17
11	Feb-98	4.5	5	-0.89	55	Dec-12	4.5	2.5	-1.17
12	May-98	4.5	5	-0.89	56	Jun-13	4.5	2.5	-1.17
14	Aug-98	4.5	5	-0.89	57	Nov-13	4.5	2.5	-1.17
15	Nov-98	4.5	5	-0.89	58	Jun-14	4.5	2.5	-1.17
16	Mar-99	4.5	5	-0.89	59	Nov-14	4.5	2.5	-1.17
17	May-99	4.5	5	-0.89					
18	Jul-99	4.5	2.5	-1.17					
19	Oct-99	4.5	5	-0.89					
20	Mar-00	4.5	5	-0.89					
21	Jun-00	4.5	5	-0.89					
22	Sep-00	4.5	2.5	-1.17					
23	Nov-00	4.5	5	-0.89					
24	Mar-01	4.5	5	-0.89					
25	May-01	4.5	5	-0.89					
26	Aug-01	4.5	2.5	-1.17					
27	Nov-01	4.5	5	-0.89					
28	Mar-02	4.5	5	-0.89					
29	May-02	4.5	5	-0.89					
30	Sep-02	4.5	2.5	-1.17					
31	Dec-02	4.5	2.5	-1.17					
32	Mar-03	4.5	2.5	-1.17					
33	Jun-03	4.5	2.5	-1.17					
34	Oct-03	4.5	2.5	-1.17					
35	Dec-03	4.5	2.5	-1.17					
36	Feb-04	4.5	2.5	-1.17					
37	Jun-04	4.5	2.5	-1.17					
38	Nov-04	4.5	2.5	-1.17					
39	Jun-05	4.5	2.5	-1.17					
40	Dec-05	4.5	2.5	-1.17					
41	Jun-06	4.5	5	-0.89					
42	Nov-06	4.5	2.5	-1.17					
43	Jun-07	4.5	9	-0.45					
44	Nov-07	4.5	2	-1.23					
45	Jun-08	4.5	2.5	-1.17					
46	Nov-08	4.5	2.5	-1.17					
47	Jun-09	4.5	2.5	-1.17					
48	Nov-09	4.5	2.5	-1.17					
49	Jun-10	4.5	7	-0.67					
50	Nov-10	4.5	16	0.33					
51	Jun-11	4.5	25	1.34					
52	Jul-11	4.5	2.5	-1.17					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault C - Copper

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	25	25.88	31.76
2	Aug-95	10		
3	Nov-95	37		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	Feb-97	5		
8	May-97	100		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	5	-0.66	52	Nov-11	4.5	2	-0.75
10	Nov-97	4.5	5	-0.66	53	Jun-12	4.5	2	-0.75
11	Feb-98	4.5	5	-0.66	54	Dec-12	4.5	11	-0.47
12	May-98	4.5	5	-0.66	55	Jun-13	4.5	2	-0.75
14	Aug-98	4.5	5	-0.66	56	Nov-13	4.5	2	-0.75
15	Nov-98	4.5	5	-0.66	57	Jun-14	4.5	5	-0.66
16	Mar-99	4.5	5	-0.66	58	Nov-14	4.5	2	-0.75
17	May-99	4.5	10	-0.50					
18	Jul-99	4.5	12	-0.44					
19	Oct-99	4.5	5	-0.66					
20	Mar-00	4.5	5	-0.66					
21	Jun-00	4.5	140	3.59					
22	Sep-00	4.5	5	-0.66					
23	Nov-00	4.5	5	-0.66					
24	Mar-01	4.5	5	-0.66					
25	May-01	4.5	5	-0.66					
26	Aug-01	4.5	5	-0.66					
27	Nov-01	4.5	5	-0.66					
28	Mar-02	4.5	10	-0.50					
29	May-02	4.5	5	-0.66					
30	Sep-02	4.5	2.5	-0.74					
31	Dec-02	4.5	2.5	-0.74					
32	Mar-03	4.5	2.5	-0.74					
33	Jun-03	4.5	2.5	-0.74					
34	Oct-03	4.5	2.5	-0.74					
35	Dec-03	4.5	11	-0.47					
36	Feb-04	4.5	2.5	-0.74					
37	Jun-04	4.5	2.5	-0.74					
38	Nov-04	4.5	2.5	-0.74					
39	Jun-05	4.5	2.5	-0.74					
40	Dec-05	4.5	2.5	-0.74					
41	Jun-06	4.5	2	-0.75					
42	Nov-06	4.5	5	-0.66					
43	Jun-07	4.5	5	-0.66					
44	Nov-07	4.5	5	-0.66					
45	Jun-08	4.5	0.5	-0.80					
46	Nov-08	4.5	0.5	-0.80					
47	Jun-09	4.5	0.5	-0.80					
48	Nov-09	4.5	2	-0.75					
49	Jun-10	4.5	2	-0.75					
50	Nov-10	4.5	2	-0.75					
51	Jun-11	4.5	2	-0.75					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault C - Nickel**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15	30.38	25.11
2	Aug-95	20		
3	Nov-95	67		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	Feb-97	45		
8	May-97	66		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	79	1.94	52	Nov-11	4.5	10	-0.81
10	Nov-97	4.5	122	3.65	53	Jun-12	4.5	6	-0.97
11	Feb-98	4.5	64	1.34	54	Dec-12	4.5	16	-0.57
12	May-98	4.5	23	-0.29	55	Jun-13	4.5	10	-0.81
14	Aug-98	4.5	23	-0.29	56	Nov-13	4.5	8	-0.89
15	Nov-98	4.5	21	-0.37	57	Jun-14	4.5	10	-0.81
16	Mar-99	4.5	19	-0.45	58	Nov-14	4.5	18	-0.49
17	May-99	4.5	20	-0.41					
18	Jul-99	4.5	20	-0.41					
19	Oct-99	4.5	18	-0.49					
20	Mar-00	4.5	17	-0.53					
21	Jun-00	4.5	19	-0.45					
22	Sep-00	4.5	16	-0.57					
23	Nov-00	4.5	17	-0.53					
24	Mar-01	4.5	8	-0.89					
25	May-01	4.5	17	-0.53					
26	Aug-01	4.5	16	-0.57					
27	Nov-01	4.5	15	-0.61					
28	Mar-02	4.5	2.5	-1.11					
29	May-02	4.5	14	-0.65					
30	Sep-02	4.5	14	-0.65					
31	Dec-02	4.5	12	-0.73					
32	Mar-03	4.5	10	-0.81					
33	Jun-03	4.5	8	-0.89					
34	Oct-03	4.5	14	-0.65					
35	Dec-03	4.5	14	-0.65					
36	Feb-04	4.5	12	-0.73					
37	Jun-04	4.5	12	-0.73					
38	Nov-04	4.5	20	-0.41					
39	Jun-05	4.5	15	-0.61					
40	Dec-05	4.5	18	-0.49					
41	Jun-06	4.5	10	-0.81					
42	Nov-06	4.5	15	-0.61					
43	Jun-07	4.5	11	-0.77					
44	Nov-07	4.5	16	-0.57					
45	Jun-08	4.5	9	-0.85					
46	Nov-08	4.5	10	-0.81					
47	Jun-09	4.5	8	-0.89					
48	Nov-09	4.5	9	-0.85					
49	Jun-10	4.5	7	-0.93					
50	Nov-10	4.5	11	-0.77					
51	Jun-11	4.5	15	-0.61					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault C - Zinc

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	60	43.75	25.24
2	Aug-95	74		
3	Nov-95	36		
4	Jun-96	10		
5	Aug-96	40		
6	Nov-96	80		
7	Feb-97	30		
8	May-97	20		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	20	-0.94	52	Nov-11	4.5	2.5	-1.63
10	Nov-97	4.5	50	0.25	53	Jun-12	4.5	2.5	-1.63
11	Feb-98	4.5	50	0.25	54	Dec-12	4.5	9	-1.38
12	May-98	4.5	40	-0.15	55	Jun-13	4.5	6	-1.50
14	Aug-98	4.5	40	-0.15	56	Nov-13	4.5	2.5	-1.63
15	Nov-98	4.5	30	-0.54	57	Jun-14	4.5	2.5	-1.63
16	Mar-99	4.5	20	-0.94	58	Nov-14	4.5	5	-1.54
17	May-99	4.5	20	-0.94					
18	Jul-99	4.5	20	-0.94					
19	Oct-99	4.5	10	-1.34					
20	Mar-00	4.5	10	-1.34					
21	Jun-00	4.5	170	5.00					
22	Sep-00	4.5	20	-0.94					
23	Nov-00	4.5	40	-0.15					
24	Mar-01	4.5	5	-1.54					
25	May-01	4.5	30	-0.54					
26	Aug-01	4.5	20	-0.94					
27	Nov-01	4.5	60	0.64					
28	Mar-02	4.5	20	-0.94					
29	May-02	4.5	40	-0.15					
30	Sep-02	4.5	39	-0.19					
31	Dec-02	4.5	53	0.37					
32	Mar-03	4.5	37	-0.27					
33	Jun-03	4.5	2.5	-1.63					
34	Oct-03	4.5	28	-0.62					
35	Dec-03	4.5	63	0.76					
36	Feb-04	4.5	36	-0.31					
37	Jun-04	4.5	8	-1.42					
38	Nov-04	4.5	6	-1.50					
39	Jun-05	4.5	39	-0.19					
40	Dec-05	4.5	15	-1.14					
41	Jun-06	4.5	11	-1.30					
42	Nov-06	4.5	2.5	-1.63					
43	Jun-07	4.5	6	-1.50					
44	Nov-07	4.5	12	-1.26					
45	Jun-08	4.5	2.5	-1.63					
46	Nov-08	4.5	11	-1.30					
47	Jun-09	4.5	6	-1.50					
48	Nov-09	4.5	6	-1.50					
49	Jun-10	4.5	7	-1.46					
50	Nov-10	4.5	2.5	-1.63					
51	Jun-11	4.5	22	-0.86					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault C - pH

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	7.4	7.10	0.33
2	Aug-95	7.4		
3	Nov-95	7		
4	Jun-96	6.9		
5	Aug-96	6.9		
6	Nov-96	7		
7	Feb-97	7.6		
8	May-97	6.6		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	6.3	-2.40	52	Nov-11	4.5	7.0	-0.39
10	Nov-97	4.5	6.7	-1.20	53	Jun-12	4.5	6.83	-0.81
11	Feb-98	4.5	6.5	-1.80	54	Dec-12	4.5	6.91	-0.57
12	May-98	4.5	6.9	-0.60	55	Jun-13	4.5	6.7	-1.20
14	Aug-98	4.5	6.8	-0.90	56	Nov-13	4.5	6.84	-0.78
15	Nov-98	4.5	6.3	-2.40	57	Jun-14	4.5	7.01	-0.27
16	Mar-99	4.5	7	-0.30	58	Nov-14	4.5	7.09	-0.03
17	May-99	4.5	6.9	-0.60					
18	Jul-99	4.5	6.7	-1.20					
19	Oct-99	4.5	6.6	-1.50					
20	Mar-00	4.5	7.8	2.10					
21	Jun-00	4.5	6.9	-0.60					
22	Sep-00	4.5	7.6	1.50					
23	Nov-00	4.5	6.8	-0.90					
24	Mar-01	4.5	7.7	1.80					
25	May-01	4.5	7.5	1.20					
26	Aug-01	4.5	7.4	0.90					
27	Nov-01	4.5	6.8	-0.90					
28	Mar-02	4.5	7.1	0.00					
29	May-02	4.5	7.2	0.30					
30	Sep-02	4.5	6.7	-1.20					
31	Dec-02	4.5	6.9	-0.60					
32	Mar-03	4.5	6.8	-0.90					
33	Jun-03	4.5	6.9	-0.60					
34	Oct-03	4.5	7	-0.30					
35	Dec-03	4.5	7.1	0.00					
36	Feb-04	4.5	7.4	0.90					
37	Jun-04	4.5	7	-0.30					
38	Nov-04	4.5	6.9	-0.60					
39	Jun-05	4.5	6.3	-2.40					
40	Dec-05	4.5	6.3	-2.40					
41	Jun-06	4.5	6.9	-0.60					
42	Nov-06	4.5	7.0	-0.18					
43	Jun-07	4.5	6.5	-1.68					
44	Nov-07	4.5	6.9	-0.60					
45	Jun-08	4.5	6.9	-0.57					
46	Nov-08	4.5	6.8	-0.93					
47	Jun-09	4.5	7.2	0.18					
48	Nov-09	4.5	7.1	0.03					
49	Jun-10	4.5	7.0	-0.27					
50	Nov-10	4.5	7.2	0.18					
51	Jun-11	4.5	7.3	0.54					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault C - SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	530	1,551.25	716.19
2	Aug-95	340		
3	Nov-95	2200		
4	Jun-96	2000		
5	Aug-96	1900		
6	Nov-96	2100		
7	Feb-97	1610		
8	May-97	1730		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	1610	0.08	52	Nov-11	4.5	1699	0.21
10	Nov-97	4.5	2000	0.63	53	Jun-12	4.5	1748	0.27
11	Feb-98	4.5	1720	0.24	54	Dec-12	4.5	1713	0.23
12	May-98	4.5	1600	0.07	55	Jun-13	4.5	1744	0.27
14	Nov-98	4.5	1760	0.29	56	Nov-13	4.5	1703	0.21
15	Mar-99	4.5	1300	-0.35	57	Jun-14	4.5	1759	0.29
16	May-99	4.5	1600	0.07	58	Nov-14	4.5	1724	0.24
17	Jul-99	4.5	1370	-0.25					
18	Oct-99	4.5	1160	-0.55					
19	Mar-00	4.5	1350	-0.28					
20	Jun-00	4.5	1280	-0.38					
21	Sep-00	4.5	1430	-0.17					
22	Nov-00	4.5	1210	-0.48					
23	Mar-01	4.5	1380	-0.24					
24	May-01	4.5	1410	-0.20					
25	Aug-01	4.5	1530	-0.03					
26	Nov-01	4.5	1170	-0.53					
27	Mar-02	4.5	1680	0.18					
28	May-02	4.5	1280	-0.38					
29	Dec-02	4.5	1330	-0.31					
30	Mar-03	4.5	1260	-0.41					
31	Jun-03	4.5	1150	-0.56					
32	Oct-03	4.5	1230	-0.45					
33	Dec-03	4.5	1520	-0.04					
34	Feb-04	4.5	1410	-0.20					
35	Jun-04	4.5	1008	-0.76					
36	Nov-04	4.5	1090	-0.64					
37	Jun-05	4.5	1460	-0.13					
38	Dec-05	4.5	1620	0.10					
39	Jun-06	4.5	977	-0.80					
40	Nov-06	4.5	1430	-0.17					
41	Jun-07	4.5	1510	-0.06					
42	Nov-07	4.5	1490	-0.09					
43	Jun-08	4.5	1620	0.10					
44	Nov-08	4.5	1600	0.07					
45	Jun-09	4.5	1660	0.15					
46	Nov-09	4.5	1650	0.14					
47	Jun-10	4.5	1710	0.22					
50	Nov-10	4.5	1670	0.17					
51	Jun-11	4.5	1686	0.19					
52	Nov-11	4.5	1699	0.21					
53	Jun-12	4.5	1748	0.27					
54	Dec-12	4.5	1713	0.23					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault D - Chromium**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	13	7.86	5.11
2	Jun-96	10		
3	Aug-96	10		
4	Nov-96	10		
5	May-97	5		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.56	41	Jul-11	4.5	2.5	-1.05
10	Aug-98	4.5	5	-0.56	42	Jun-12	4.5	2.5	-1.05
11	Nov-98	4.5	5	-0.56	43	Dec-12	4.5	2.5	-1.05
12	Mar-99	4.5	5	-0.56	44	Jun-13	4.5	2.5	-1.05
13	May-99	4.5	5	-0.56	45	Nov-13	4.5	2.5	-1.05
14	Jul-99	4.5	2.5	-1.05	46	Jun-14	4.5	2.5	-1.05
15	Oct-99	4.5	5	-0.56	47	Nov-14	4.5	2.5	-1.05
16	Mar-00	4.5	5	-0.56					
17	Jun-00	4.5	5	-0.56					
18	Sep-00	4.5	2.5	-1.05					
19	Nov-00	4.5	5	-0.56					
20	Mar-01	4.5	5	-0.56					
21	May-01	4.5	5	-0.56					
22	Aug-01	4.5	5	-0.56					
23	Nov-01	4.5	5	-0.56					
24	Mar-02	4.5	5	-0.56					
25	Mar-03	4.5	2.5	-1.05					
26	Jun-03	4.5	2.5	-1.05					
27	Dec-03	4.5	8	0.03					
28	Jun-04	4.5	2.5	-1.05					
29	Jun-05	4.5	2.5	-1.05					
30	Jan-06	4.5	6	-0.36					
31	Jun-06	4.5	6	-0.36					
32	Nov-06	4.5	2.5	-1.05					
33	Jun-07	4.5	9	0.22					
34	Nov-07	4.5	3	-0.95					
35	Jun-08	4.5	2.5	-1.05					
36	Nov-08	4.5	2.5	-1.05					
37	Jun-09	4.5	2.5	-1.05					
38	Nov-09	4.5	2.5	-1.05					
39	Jun-10	4.5	8	0.03					
40	Nov-10	4.5	19	2.18					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault D - Copper

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	10	7.48	5.13
2	Jun-96	10		
3	Aug-96	10		
4	Nov-96	10		
5	May-97	5		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	30	4.39	41	Nov-10	4.5	2	-1.07
10	Aug-98	4.5	5	-0.48	42	Jul-11	4.5	2	-1.07
11	Nov-98	4.5	5	-0.48	43	Nov-11	4.5	2	-1.07
12	Mar-99	4.5	30	4.39	44	Jun-12	4.5	16	1.66
13	May-99	4.5	30	4.39	45	Dec-12	4.5	11	0.69
14	Jul-99	4.5	9	0.30	46	Jun-13	4.5	5	-0.48
15	Oct-99	4.5	5	-0.48	47	Nov-13	4.5	4	-0.68
16	Mar-00	4.5	5	-0.48	48	Jun-14	4.5	4	-0.68
17	Jun-00	4.5	60	10.24	49	Nov-14	4.5	10	0.49
18	Sep-00	4.5	5	-0.48					
19	Nov-00	4.5	5	-0.48					
20	Mar-01	4.5	5	-0.48					
21	May-01	4.5	10	0.49					
22	Aug-01	4.5	5	-0.48					
23	Nov-01	4.5	10	0.49					
24	Mar-02	4.5	10	0.49					
25	Mar-03	4.5	5	-0.48					
26	Jun-03	4.5	2.5	-0.97					
27	Dec-03	4.5	17	1.86					
28	Jun-04	4.5	2.5	-0.97					
29	Jun-05	4.5	2.5	-0.97					
30	Jan-06	4.5	14	1.27					
31	Feb-06	4.5	5	-0.48					
32	Jun-06	4.5	2	-1.07					
33	Nov-06	4.5	2	-1.07					
34	Jun-07	4.5	5	-0.48					
35	Nov-07	4.5	5	-0.48					
36	Jun-08	4.5	0.5	-1.36					
37	Nov-08	4.5	1	-1.26					
38	Jun-09	4.5	0.5	-1.36					
39	Nov-09	4.5	2	-1.07					
40	Jun-10	4.5	2	-1.07					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault D - Nickel**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	44	52.63	35.01
2	Jun-96	10		
3	Aug-96	10		
4	Nov-96	40		
5	May-97	58		
6	Aug-97	79		
7	Nov-97	114		
8	Feb-98	66		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	23	-0.85	41	Jul-11	4.5	40	-0.36
10	Aug-98	4.5	23	-0.85	42	Nov-11	4.5	25	-0.79
11	Nov-98	4.5	20	-0.93	43	Jun-12	4.5	29	-0.67
12	Mar-99	4.5	20	-0.93	44	Dec-12	4.5	33	-0.56
13	May-99	4.5	15	-1.07	45	Jun-13	4.5	18	-0.99
14	Jul-99	4.5	21	-0.90	46	Nov-13	4.5	13	-1.13
15	Oct-99	4.5	23	-0.85	47	Jun-14	4.5	15	-1.07
16	Mar-00	4.5	15	-1.07	48	Nov-14	4.5	20	-0.93
17	Jun-00	4.5	21	-0.90					
18	Sep-00	4.5	21	-0.90					
19	Nov-00	4.5	23	-0.85					
20	Mar-01	4.5	11	-1.19					
21	May-01	4.5	18	-0.99					
22	Aug-01	4.5	24	-0.82					
23	Nov-01	4.5	17	-1.02					
24	Mar-02	4.5	2.5	-1.43					
25	Mar-03	4.5	10	-1.22					
26	Jun-03	4.5	8	-1.27					
27	Dec-03	4.5	14	-1.10					
28	Jun-04	4.5	30	-0.65					
29	Jun-05	4.5	25	-0.79					
30	Jan-06	4.5	37	-0.45					
31	Jun-06	4.5	26	-0.76					
32	Nov-06	4.5	17	-1.02					
33	Jun-07	4.5	34	-0.53					
34	Nov-07	4.5	23	-0.85					
35	Jun-08	4.5	35	-0.50					
36	Nov-08	4.5	17	-1.02					
37	Jun-09	4.5	34	-0.53					
38	Nov-09	4.5	16	-1.05					
39	Jun-10	4.5	32	-0.59					
40	Nov-10	4.5	18	-0.99					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault D - Zinc**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	20	37.49	22.59
2	Jun-96	10		
3	Aug-96	40		
4	Nov-96	70		
5	May-97	70		
6	Aug-97	20		
7	Nov-97	30		
8	Feb-98	40		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	50	0.55	42	Nov-11	4.5	2.5	-1.55
10	Aug-98	4.5	40	0.11	43	Jun-12	4.5	15	-1.00
11	Nov-98	4.5	30	-0.33	44	Dec-12	4.5	22	-0.69
12	Mar-99	4.5	40	0.11	45	Jun-13	4.5	75	1.66
13	May-99	4.5	30	-0.33	46	Nov-13	4.5	7	-1.35
14	Jul-99	4.5	19	-0.82	47	Jun-14	4.5	9	-1.26
15	Oct-99	4.5	20	-0.77	48	Nov-14	4.5	11	-1.17
16	Mar-00	4.5	20	-0.77					
17	Jun-00	4.5	70	1.44					
18	Sep-00	4.5	20	-0.77					
19	Nov-00	4.5	20	-0.77					
20	Mar-01	4.5	10	-1.22					
21	May-01	4.5	30	-0.33					
22	Aug-01	4.5	20	-0.77					
23	Nov-01	4.5	50	0.55					
24	Mar-02	4.5	10	-1.22					
25	Mar-03	4.5	19	-0.82					
26	Jun-03	4.5	2.5	-1.55					
27	Dec-03	4.5	63	1.13					
28	Jun-04	4.5	9	-1.26					
29	Jun-05	4.5	17	-0.91					
30	Jan-06	4.5	2.5	-1.55					
31	Jun-06	4.5	14	-1.04					
32	Nov-06	4.5	7	-1.35					
33	Jun-07	4.5	8	-1.31					
34	Nov-07	4.5	12	-1.13					
35	Jun-08	4.5	2.5	-1.55					
36	Nov-08	4.5	6	-1.39					
37	Jun-09	4.5	5	-1.44					
38	Nov-09	4.5	7	-1.35					
39	Jun-10	4.5	11	-1.17					
40	Nov-10	4.5	2.5	-1.55					
41	Jul-11	4.5	2.5	-1.55					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART**

Vault D - pH

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	7.3	6.84	0.31
2	Jun-96	6.9		
3	Aug-96	7.2		
4	Nov-96	7		
5	May-97	6.7		
6	Aug-97	6.5		
7	Nov-97	6.6		
8	Feb-98	6.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7.00	0.52	42	Nov-11	4.5	7.0	0.65
10	Aug-98	4.5	6.60	-0.76	43	Jun-12	4.5	5.7	-3.65
11	Nov-98	4.5	6.70	-0.44	44	Dec-12	4.5	7.11	0.88
12	Mar-99	4.5	7.00	0.52	45	Jun-13	4.5	7.11	0.88
13	May-99	4.5	6.90	0.20	46	Nov-13	4.5	7.03	0.62
14	Jul-99	4.5	7.00	0.52	47	Jun-14	4.5	7.1	0.84
15	Oct-99	4.5	6.80	-0.12	48	Nov-14	4.5	7.02	0.59
16	Mar-00	4.5	7.80	3.09					
17	Jun-00	4.5	6.80	-0.12					
18	Sep-00	4.5	7.60	2.45					
19	Nov-00	4.5	7.20	1.16					
20	Mar-01	4.5	7.80	3.09					
21	May-01	4.5	7.50	2.13					
22	Aug-01	4.5	7.70	2.77					
23	Nov-01	4.5	7.60	2.45					
24	Mar-02	4.5	7.20	1.16					
25	Mar-03	4.5	6.80	-0.12					
26	Jun-03	4.5	6.90	0.20					
27	Dec-03	4.5	6.90	0.20					
28	Jun-04	4.5	7.00	0.52					
29	Jun-05	4.5	5.90	-3.01					
30	Jan-06	4.5	7.34	1.61					
31	Jun-06	4.5	6.98	0.46					
32	Nov-06	4.5	7.18	1.10					
33	Jun-07	4.5	7.30	1.49					
34	Nov-07	4.5	6.91	0.23					
35	Jun-08	4.5	6.87	0.10					
36	Nov-08	4.5	7.42	1.87					
37	Jun-09	4.5	7.17	1.07					
38	Nov-09	4.5	7.28	1.42					
39	Jun-10	4.5	7.10	0.84					
40	Nov-10	4.5	7.41	1.84					
41	Jul-11	4.5	7.23	1.26					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault D - SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	2200	1,734.38	211.31
2	Jun-96	1800		
3	Aug-96	1600		
4	Nov-96	1700		
5	May-97	1580		
6	Aug-97	1540		
7	Nov-97	1800		
8	Feb-98	1655		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	1700	-0.16	41	Nov-11	4.5	1513	-1.05
11	Nov-98	4.5	1790	0.26	42	Jun-12	4.5	1367	-1.74
12	Mar-99	4.5	1302	-2.05	43	Dec-12	4.5	1471	-1.25
13	May-99	4.5	1510	-1.06	44	Jun-13	4.5	1534	-0.95
14	Jul-99	4.5	1231	-2.38	45	Nov-13	4.5	1565	-0.80
15	Oct-99	4.5	1384	-1.66	46	Jun-14	4.5	1592	-0.67
16	Mar-00	4.5	1460	-1.30	47	Nov-14	4.5	1635	-0.47
17	Jun-00	4.5	1410	-1.54					
18	Sep-00	4.5	1370	-1.72					
19	Nov-00	4.5	1630	-0.49					
20	Mar-01	4.5	1710	-0.12					
21	May-01	4.5	1760	0.12					
22	Aug-01	4.5	1420	-1.49					
23	Nov-01	4.5	1270	-2.20					
24	Mar-02	4.5	1430	-1.44					
25	Mar-03	4.5	1380	-1.68					
26	Jun-03	4.5	1430	-1.44					
27	Dec-03	4.5	1330	-1.91					
28	Jun-04	4.5	1050	-3.24					
29	Jun-05	4.5	1540	-0.92					
30	Jan-06	4.5	1600	-0.64					
31	Jun-06	4.5	1195	-2.55					
32	Nov-06	4.5	1590	-0.68					
33	Jun-07	4.5	1530	-0.97					
34	Nov-07	4.5	1580	-0.73					
35	Jun-08	4.5	1570	-0.78					
36	Nov-08	4.5	1580	-0.73					
37	Jun-09	4.5	1570	-0.78					
38	Nov-09	4.5	1610	-0.59					
39	Jun-10	4.5	1550	-0.87					
40	Nov-10	4.5	1555	-0.85					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault E - Chromium**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	10	7.48	5.13
2	Jun-96	10		
3	Oct-96	10		
4	Nov-96	10		
5	May-97	5		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.48	43	Nov-11	4.5	2.5	-0.97
10	Aug-98	4.5	5	-0.48	44	Jun-12	4.5	2.5	-0.97
11	Nov-98	4.5	10	0.49	45	Dec-12	4.5	2.5	-0.97
12	Mar-99	4.5	5	-0.48	46	Jun-13	4.5	2.5	-0.97
13	May-99	4.5	5	-0.48	47	Nov-13	4.5	2.5	-0.97
14	Jul-99	4.5	2.5	-0.97	48	Jun-14	4.5	2.5	-0.97
15	Oct-99	4.5	5	-0.48	49	Nov-14	4.5	2.5	-0.97
16	Mar-00	4.5	5	-0.48					
17	Jun-00	4.5	5	-0.48					
18	Sep-00	4.5	2.5	-0.97					
19	Nov-00	4.5	5	-0.48					
20	Mar-01	4.5	5	-0.48					
21	May-01	4.5	5	-0.48					
22	Aug-01	4.5	2.5	-0.97					
23	Nov-01	4.5	5	-0.48					
24	Mar-02	4.5	5	-0.48					
25	Jun-03	4.5	2.5	-0.97					
26	Feb-04	4.5	2.5	-0.97					
27	Jun-04	4.5	2.5	-0.97					
28	Nov-04	4.5	2.5	-0.97					
29	Jun-05	4.5	2.5	-0.97					
30	Dec-05	4.5	2.5	-0.97					
31	Jun-06	4.5	5	-0.48					
32	Nov-06	4.5	5	-0.48					
33	Jun-07	4.5	9	0.30					
34	Nov-07	4.5	2	-1.07					
35	Jun-08	4.5	2.5	-0.97					
36	Nov-08	4.5	2.5	-0.97					
37	Jun-09	4.5	2.5	-0.97					
38	Nov-09	4.5	2.5	-0.97					
39	Jun-10	4.5	9	0.30					
40	Nov-10	4.5	24	3.22					
41	Jun-11	4.5	29	4.19					
42	Jul-11	4.5	2.5	-0.97					
43	Nov-11	4.5	2.5	-0.97					
44	Jun-12	4.5	2.5	-0.97					
45	Dec-12	4.5	2.5	-0.97					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault E - Copper**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	10	7.50	5.17
2	Jun-96	10		
3	Oct-96	10		
4	Nov-96	10		
5	May-97	5		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.48	42	Nov-11	4.5	2	-1.06
10	Aug-98	4.5	5	-0.48	43	Jun-12	4.5	2	-1.06
11	Nov-98	4.5	10	0.48	44	Dec-12	4.5	2	-1.06
12	Mar-99	4.5	20	2.42	45	Jun-13	4.5	6	-0.29
13	May-99	4.5	5	-0.48	46	Nov-13	4.5	4	-0.68
14	Jul-99	4.5	11	0.68	47	Jun-14	4.5	2	-1.06
15	Oct-99	4.5	5	-0.48	48	Nov-14	4.5	2	-1.06
16	Mar-00	4.5	5	-0.48					
17	Jun-00	4.5	30	4.35					
18	Sep-00	4.5	2.5	-0.97					
19	Nov-00	4.5	40	6.29					
20	Mar-01	4.5	5	-0.48					
21	May-01	4.5	10	0.48					
22	Aug-01	4.5	10	0.48					
23	Nov-01	4.5	10	0.48					
24	Mar-02	4.5	10	0.48					
25	Jun-03	4.5	6	-0.29					
26	Feb-04	4.5	6	-0.29					
27	Jun-04	4.5	2.5	-0.97					
28	Nov-04	4.5	7	-0.10					
29	Jun-05	4.5	2.5	-0.97					
30	Dec-05	4.5	66	11.32					
31	Jun-06	4.5	4	-0.68					
32	Nov-06	4.5	5	-0.48					
33	Jun-07	4.5	7	-0.10					
34	Nov-07	4.5	4	-0.68					
35	Jun-08	4.5	2	-1.06					
36	Nov-08	4.5	2	-1.06					
37	Jun-09	4.5	2	-1.06					
38	Nov-09	4.5	2	-1.06					
39	Jun-10	4.5	2	-1.06					
40	Nov-10	4.5	2	-1.06					
41	Jun-11	4.5	2	-1.06					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault E - Nickel**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	46	43.13	36.46
2	Jun-96	10		
3	Oct-96	10		
4	Nov-96	10		
5	May-97	35		
6	Aug-97	64		
7	Nov-97	116		
8	Feb-98	54		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7	-0.99	42	Nov-11	4.5	2.5	-1.11
10	Aug-98	4.5	8	-0.96	43	Jun-12	4.5	2.5	-1.11
11	Nov-98	4.5	46	0.08	44	Dec-12	4.5	6	-1.02
12	Mar-99	4.5	6	-1.02	45	Jun-13	4.5	2.5	-1.11
13	May-99	4.5	5	-1.05	46	Nov-13	4.5	12	-0.85
14	Jul-99	4.5	6	-1.02	47	Jun-14	4.5	2.5	-1.11
15	Oct-99	4.5	6	-1.02	48	Nov-14	4.5	10	-0.91
16	Mar-00	4.5	5	-1.05					
17	Jun-00	4.5	2.5	-1.11					
18	Sep-00	4.5	5	-1.05					
19	Nov-00	4.5	5	-1.05					
20	Mar-01	4.5	5	-1.05					
21	May-01	4.5	6	-1.02					
22	Aug-01	4.5	6	-1.02					
23	Nov-01	4.5	6	-1.02					
24	Mar-02	4.5	6	-1.02					
25	Jun-03	4.5	2.5	-1.11					
26	Feb-04	4.5	7	-0.99					
27	Jun-04	4.5	6	-1.02					
28	Nov-04	4.5	22	-0.58					
29	Jun-05	4.5	12	-0.85					
30	Dec-05	4.5	2.5	-1.11					
31	Jun-06	4.5	6	-1.02					
32	Nov-06	4.5	2.5	-1.11					
33	Jun-07	4.5	2.5	-1.11					
34	Nov-07	4.5	11	-0.88					
35	Jun-08	4.5	2.5	-1.11					
36	Nov-08	4.5	2.5	-1.11					
37	Jun-09	4.5	2.5	-1.11					
38	Nov-09	4.5	2.5	-1.11					
39	Jun-10	4.5	2.5	-1.11					
40	Nov-10	4.5	2.5	-1.11					
41	Jun-11	4.5	10	-0.91					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault E - Zinc**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	10	28.75	14.79
2	Jun-96	10		
3	Oct-96	20		
4	Nov-96	30		
5	May-97	30		
6	Aug-97	40		
7	Nov-97	40		
8	Feb-98	50		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	60	2.11	42	Nov-11	4.5	2.5	-1.77
10	Aug-98	4.5	40	0.76	43	Jun-12	4.5	7	-1.47
11	Nov-98	4.5	60	2.11	44	Dec-12	4.5	11	-1.20
12	Mar-99	4.5	30	0.08	45	Jun-13	4.5	2.5	-1.77
13	May-99	4.5	20	-0.59	46	Nov-13	4.5	9	-1.34
14	Jul-99	4.5	19	-0.66	47	Jun-14	4.5	2.5	-1.77
15	Oct-99	4.5	20	-0.59	48	Nov-14	4.5	6	-1.54
16	Mar-00	4.5	10	-1.27					
17	Jun-00	4.5	30	0.08					
18	Sep-00	4.5	20	-0.59					
19	Nov-00	4.5	60	2.11					
20	Mar-01	4.5	10	-1.27					
21	May-01	4.5	40	0.76					
22	Aug-01	4.5	70	2.79					
23	Nov-01	4.5	60	2.11					
24	Mar-02	4.5	90	4.14					
25	Jun-03	4.5	50	1.44					
26	Feb-04	4.5	43	0.96					
27	Jun-04	4.5	43	0.96					
28	Nov-04	4.5	11	-1.20					
29	Jun-05	4.5	31	0.15					
30	Dec-05	4.5	73	2.99					
31	Jun-06	4.5	13	-1.06					
32	Nov-06	4.5	10	-1.27					
33	Jun-07	4.5	9	-1.34					
34	Nov-07	4.5	13	-1.06					
35	Jun-08	4.5	6	-1.54					
36	Nov-08	4.5	19	-0.66					
37	Jun-09	4.5	15	-0.93					
38	Nov-09	4.5	14	-1.00					
39	Jun-10	4.5	13	-1.06					
40	Nov-10	4.5	7	-1.47					
41	Jun-11	4.5	10	-1.27					
42	Nov-11	4.5	2.5	-1.77					
43	Jun-12	4.5	7	-1.47					
44	Dec-12	4.5	11	-1.20					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault E - pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	7.2	6.78	0.30
2	Jun-96	7		
3	Oct-96	6.9		
4	Nov-96	7		
5	May-97	6.3		
6	Aug-97	6.7		
7	Nov-97	6.5		
8	Feb-98	6.6		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7.10	1.08	41	Nov-11	4.5	6.9	0.38
10	Aug-98	4.5	6.70	-0.25	42	Jun-12	4.5	6	-2.57
11	Mar-99	4.5	6.50	-0.91	43	Dec-12	4.5	6.77	-0.02
12	May-99	4.5	6.90	0.42	44	Jun-13	4.5	6.5	-0.91
13	Jul-99	4.5	6.50	-0.91	45	Nov-13	4.5	6.74	-0.12
14	Oct-99	4.5	6.30	-1.58	46	Jun-14	4.5	6.88	0.35
15	Mar-00	4.5	8.00	4.07	47	Nov-14	4.5	7.08	1.01
16	Jun-00	4.5	6.90	0.42					
17	Sep-00	4.5	7.70	3.07					
18	Nov-00	4.5	7.50	2.41					
19	Mar-01	4.5	7.30	1.74					
20	May-01	4.5	7.50	2.41					
21	Aug-01	4.5	7.60	2.74					
22	Nov-01	4.5	7.50	2.41					
23	Mar-02	4.5	7.00	0.75					
24	Jun-03	4.5	6.90	0.42					
25	Feb-04	4.5	7.60	2.74					
26	Jun-04	4.5	6.90	0.42					
27	Nov-04	4.5	7.10	1.08					
28	Jun-05	4.5	6.80	0.08					
29	Dec-05	4.5	7.10	1.08					
30	Jun-06	4.5	6.94	0.55					
31	Nov-06	4.5	7.51	2.44					
32	Jun-07	4.5	6.48	-0.98					
33	Nov-07	4.5	6.80	0.08					
34	Jun-08	4.5	6.76	-0.05					
35	Nov-08	4.5	7.43	2.17					
35	Nov-08	4.5	6.79	0.05					
36	Jun-09	4.5	6.79	0.05					
37	Nov-09	4.5	6.89	0.38					
38	Jun-10	4.5	6.85	0.25					
39	Nov-10	4.5	7.02	0.81					
40	Jun-11	4.5	6.91	0.45					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault E - SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	2000	2,026.25	187.84
2	Jun-96	2400		
3	Oct-96	2000		
4	Nov-96	1800		
5	May-97	2120		
6	Aug-97	1840		
7	Nov-97	2100		
8	Feb-98	1950		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	1850	-0.94	39	Nov-11	4.5	1637	-2.07
10	Mar-99	4.5	1302	-3.86	40	Jun-12	4.5	1792	-1.25
11	May-99	4.5	1720	-1.63	41	Dec-12	4.5	1776	-1.33
12	Jul-99	4.5	1468	-2.97	42	Jun-13	4.5	1397	-3.35
13	Oct-99	4.5	1382	-3.43	43	Nov-13	4.5	1741	-1.52
14	Mar-00	4.5	1500	-2.80	44	Jun-14	4.5	1677	-1.86
15	Jun-00	4.5	1430	-3.17	45	Nov-14	4.5	1747	-1.49
16	Sep-00	4.5	1360	-3.55					
17	Nov-00	4.5	1290	-3.92					
18	May-01	4.5	1900	-0.67					
19	Aug-01	4.5	1810	-1.15					
20	Nov-01	4.5	1630	-2.11					
21	Mar-02	4.5	1570	-2.43					
22	Jun-03	4.5	1470	-2.96					
23	Feb-04	4.5	1190	-4.45					
24	Jun-04	4.5	1337	-3.67					
25	Nov-04	4.5	1230	-4.24					
26	Jun-05	4.5	1790	-1.26					
27	Dec-05	4.5	1630	-2.11					
28	Jun-06	4.5	1376	-3.46					
29	Nov-06	4.5	1680	-1.84					
30	Jun-07	4.5	1820	-1.10					
31	Nov-07	4.5	1740	-1.52					
32	Jun-08	4.5	1860	-0.89					
33	Nov-08	4.5	1630	-2.11					
34	Jun-09	4.5	1950	-0.41					
35	Nov-09	4.5	1780	-1.31					
36	Jun-10	4.5	1910	-0.62					
37	Nov-10	4.5	1714	-1.66					
38	Jun-11	4.5	1711	-1.68					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault F - Chromium**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	8.13	5.40
2	Aug-95	10		
3	Jun-96	10		
4	Aug-96	10		
5	Nov-96	10		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.58	44	Jul-11	4.5	2.5	-1.04
10	Aug-98	4.5	5	-0.58	45	Nov-11	4.5	2.5	-1.04
11	Nov-98	4.5	10	0.35	46	Dec-12	4.5	2.5	-1.04
12	Mar-99	4.5	5	-0.58	47	Jun-13	4.5	2.5	-1.04
13	May-99	4.5	5	-0.58	48	Nov-13	4.5	2.5	-1.04
14	Jul-99	4.5	6	-0.39	49	Jun-14	4.5	2.5	-1.04
15	Oct-99	4.5	5	-0.58	50	Nov-14	4.5	2.5	-1.04
16	Mar-00	4.5	5	-0.58					
17	Jun-00	4.5	5	-0.58					
18	Sep-00	4.5	2.5	-1.04					
19	Nov-00	4.5	5	-0.58					
20	Mar-01	4.5	5	-0.58					
21	May-01	4.5	5	-0.58					
22	Nov-01	4.5	5	-0.58					
23	Mar-02	4.5	5	-0.58					
24	May-02	4.5	5	-0.58					
25	Mar-03	4.5	2.5	-1.04					
26	Jun-03	4.5	2.5	-1.04					
27	Oct-03	4.5	2.5	-1.04					
28	Feb-04	4.5	2.5	-1.04					
29	Jun-04	4.5	2.5	-1.04					
30	Nov-04	4.5	2.5	-1.04					
31	Jun-05	4.5	2.5	-1.04					
32	Dec-05	4.5	2.5	-1.04					
33	Jun-06	4.5	7	-0.21					
34	Nov-06	4.5	5	-0.58					
35	Jun-07	4.5	10	0.35					
36	Nov-07	4.5	2	-1.14					
37	Jun-08	4.5	2.5	-1.04					
38	Nov-08	4.5	2.5	-1.04					
39	Jun-09	4.5	2.5	-1.04					
40	Nov-09	4.5	2.5	-1.04					
41	Jun-10	4.5	6	-0.39					
42	Nov-10	4.5	16	1.46					
43	Jun-11	4.5	23	2.75					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault F - Copper**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	9.38	6.61
2	Aug-95	10		
3	Jun-96	10		
4	Aug-96	20		
5	Nov-96	10		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	20	1.61	44	Jun-11	4.5	2	-1.12
10	Aug-98	4.5	5	-0.66	45	Nov-11	4.5	2	-1.12
11	Nov-98	4.5	5	-0.66	46	Dec-12	4.5	2	-1.12
12	Mar-99	4.5	20	1.61	47	Jun-13	4.5	2	-1.12
13	May-99	4.5	10	0.09	48	Nov-13	4.5	2	-1.12
14	Jul-99	4.5	17	1.15	49	Jun-14	4.5	2	-1.12
15	Oct-99	4.5	5	-0.66	50	Nov-14	4.5	2	-1.12
16	Mar-00	4.5	5	-0.66					
17	Jun-00	4.5	40	4.63					
18	Sep-00	4.5	5	-0.66					
19	Nov-00	4.5	60	7.66					
20	Mar-01	4.5	5	-0.66					
21	May-01	4.5	60	7.66					
22	Nov-01	4.5	40	4.63					
23	Mar-02	4.5	10	0.09					
24	May-02	4.5	5	-0.66					
25	Mar-03	4.5	19	1.46					
26	Jun-03	4.5	2.5	-1.04					
27	Oct-03	4.5	11	0.25					
28	Feb-04	4.5	5	-0.66					
29	Jun-04	4.5	5	-0.66					
30	Nov-04	4.5	2.5	-1.04					
31	Jun-05	4.5	2.5	-1.04					
32	Dec-05	4.5	83	11.14					
33	Feb-06	4.5	2	-1.12					
34	Jun-06	4.5	2	-1.12					
35	Nov-06	4.5	2	-1.12					
36	Jun-07	4.5	3	-0.97					
37	Nov-07	4.5	3	-0.97					
38	Jun-08	4.5	0.5	-1.34					
39	Nov-08	4.5	0.5	-1.34					
40	Jun-09	4.5	0.5	-1.34					
41	Nov-09	4.5	2	-1.12					
42	Jun-10	4.5	2	-1.12					
43	Nov-10	4.5	2	-1.12					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault F - Nickel**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15	33.88	31.96
2	Aug-95	20		
3	Jun-96	10		
4	Aug-96	10		
5	Nov-96	10		
6	Aug-97	64		
7	Nov-97	93		
8	Feb-98	49		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7	-0.84	43	Jun-11	4.5	9	-0.78
10	Aug-98	4.5	7	-0.84	44	Nov-11	4.5	2.5	-0.98
11	Nov-98	4.5	47	0.41	45	Dec-12	4.5	6	-0.87
12	Mar-99	4.5	9	-0.78	46	Jun-13	4.5	2.5	-0.98
13	May-99	4.5	5	-0.90	47	Nov-13	4.5	2.5	-0.98
14	Jul-99	4.5	6	-0.87	48	Jun-14	4.5	2.5	-0.98
15	Oct-99	4.5	6	-0.87	49	Nov-14	4.5	10	-0.75
16	Mar-00	4.5	6	-0.87					
17	Jun-00	4.5	2.5	-0.98					
18	Sep-00	4.5	6	-0.87					
19	Nov-00	4.5	5	-0.90					
20	Mar-01	4.5	5	-0.90					
21	May-01	4.5	5	-0.90					
22	Nov-01	4.5	2.5	-0.98					
23	Mar-02	4.5	2.5	-0.98					
24	May-02	4.5	6	-0.87					
25	Mar-03	4.5	2.5	-0.98					
26	Jun-03	4.5	2.5	-0.98					
27	Oct-03	4.5	5	-0.90					
28	Feb-04	4.5	2.5	-0.98					
29	Jun-04	4.5	2.5	-0.98					
30	Nov-04	4.5	15	-0.59					
31	Jun-05	4.5	9	-0.78					
32	Dec-05	4.5	2.5	-0.98					
33	Jun-06	4.5	2.5	-0.98					
34	Nov-06	4.5	2.5	-0.98					
35	Jun-07	4.5	2.5	-0.98					
36	Nov-07	4.5	9	-0.78					
37	Jun-08	4.5	2.5	-0.98					
38	Nov-08	4.5	2.5	-0.98					
39	Jun-09	4.5	2.5	-0.98					
40	Nov-09	4.5	2.5	-0.98					
41	Jun-10	4.5	2.5	-0.98					
42	Nov-10	4.5	2.5	-0.98					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault F - Zinc**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	190	101.24	83.60
2	Aug-95	220		
3	Jun-96	10		
4	Aug-96	50		
5	Nov-96	30		
6	Aug-97	20		
7	Nov-97	130		
8	Feb-98	160		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	130	0.34	43	Jun-11	4.5	20	-0.97
10	Aug-98	4.5	40	-0.73	44	Nov-11	4.5	2.5	-1.18
11	Nov-98	4.5	30	-0.85	45	Dec-12	4.5	12	-1.07
12	Mar-99	4.5	20	-0.97	46	Jun-13	4.5	6	-1.14
13	May-99	4.5	30	-0.85	47	Nov-13	4.5	2.5	-1.18
14	Jul-99	4.5	26	-0.90	48	Jun-14	4.5	2.5	-1.18
15	Oct-99	4.5	20	-0.97	49	Nov-14	4.5	8	-1.12
16	Mar-00	4.5	30	-0.85					
17	Jun-00	4.5	80	-0.25					
18	Sep-00	4.5	20	-0.97					
19	Nov-00	4.5	100	-0.01					
20	Mar-01	4.5	10	-1.09					
21	May-01	4.5	100	-0.01					
22	Nov-01	4.5	100	-0.01					
23	Mar-02	4.5	60	-0.49					
24	May-02	4.5	20	-0.97					
25	Mar-03	4.5	119	0.21					
26	Jun-03	4.5	2.5	-1.18					
27	Oct-03	4.5	66	-0.42					
28	Feb-04	4.5	30	-0.85					
29	Jun-04	4.5	10	-1.09					
30	Nov-04	4.5	8	-1.12					
31	Jun-05	4.5	17	-1.01					
32	Dec-05	4.5	62	-0.47					
33	Jun-06	4.5	9	-1.10					
34	Nov-06	4.5	10	-1.09					
35	Jun-07	4.5	8	-1.12					
36	Nov-07	4.5	11	-1.08					
37	Jun-08	4.5	2.5	-1.18					
38	Nov-08	4.5	15	-1.03					
39	Jun-09	4.5	10	-1.09					
40	Nov-09	4.5	11	-1.08					
41	Jun-10	4.5	17	-1.01					
42	Nov-10	4.5	14	-1.04					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault F - pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	6.8	6.73	0.31
2	Aug-95	6.8		
3	Jun-96	6.8		
4	Aug-96	7.1		
5	Nov-96	7		
6	Aug-97	6.1		
7	Nov-97	6.7		
8	Feb-98	6.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7.10	1.21	42	Jun-11	4.5	7.0	0.98
10	Aug-98	4.5	6.60	-0.40	43	Nov-11	4.5	6.93	0.66
11	Mar-99	4.5	6.80	0.24	44	Dec-12	4.5	6.69	-0.11
12	May-99	4.5	7.00	0.89	45	Jun-13	4.5	6.8	0.24
13	Jul-99	4.5	6.30	-1.37	46	Nov-13	4.5	6.83	0.34
14	Oct-99	4.5	6.30	-1.37	47	Jun-14	4.5	7.15	1.37
15	Mar-00	4.5	8.00	4.11	48	Nov-14	4.5	7.13	1.30
16	Jun-00	4.5	7.10	1.21					
17	Sep-00	4.5	7.40	2.17					
18	Nov-00	4.5	6.80	0.24					
19	Mar-01	4.5	7.10	1.21					
20	May-01	4.5	7.40	2.17					
21	Nov-01	4.5	7.30	1.85					
22	Mar-02	4.5	6.90	0.56					
23	May-02	4.5	7.20	1.53					
24	Mar-03	4.5	6.80	0.24					
25	Jun-03	4.5	6.90	0.56					
26	Oct-03	4.5	6.90	0.56					
27	Feb-04	4.5	7.10	1.21					
28	Jun-04	4.5	6.90	0.56					
29	Nov-04	4.5	7.10	1.21					
30	Jun-05	4.5	5.50	-3.94					
31	Dec-05	4.5	6.90	0.56					
32	Jun-06	4.5	6.72	-0.02					
33	Nov-06	4.5	7.04	1.01					
34	Jun-07	4.5	6.44	-0.92					
35	Nov-07	4.5	6.84	0.37					
36	Jun-08	4.5	6.86	0.43					
37	Nov-08	4.5	7.20	1.53					
38	Jun-09	4.5	7.08	1.14					
39	Nov-09	4.5	7.03	0.98					
40	Jun-10	4.5	7.02	0.95					
41	Nov-10	4.5	7.00	0.89					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY
RCRA LANDFILL LEAK DETECTION SYSTEM
SHEWART CONTROL CHART
Vault F - SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	1400	1,535.00	218.31
2	Aug-95	1100		
3	Jun-96	1600		
4	Aug-96	1500		
5	Nov-96	1600		
6	Aug-97	1530		
7	Nov-97	1800		
8	Feb-98	1750		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	1400	-0.62	41	Jun-11	4.5	1642	0.49
10	Mar-99	4.5	982	-2.53	42	Nov-11	4.5	1651	0.53
11	May-99	4.5	1460	-0.34	43	Dec-12	4.5	1729	0.89
12	Jul-99	4.5	1262	-1.25	44	Jun-13	4.5	1759	1.03
13	Oct-99	4.5	1116	-1.92	45	Nov-13	4.5	1736	0.92
14	Mar-00	4.5	1250	-1.31	46	Jun-14	4.5	1710	0.80
15	Jun-00	4.5	1310	-1.03	47	Nov-14	4.5	1724	0.87
16	Sep-00	4.5	1440	-0.44					
17	Nov-00	4.5	1040	-2.27					
18	Mar-01	4.5	1110	-1.95					
19	May-01	4.5	1470	-0.30					
20	Nov-01	4.5	1110	-1.95					
21	Mar-02	4.5	1290	-1.12					
22	May-02	4.5	1200	-1.53					
23	Mar-03	4.5	1270	-1.21					
24	Jun-03	4.5	1300	-1.08					
25	Oct-03	4.5	1040	-2.27					
26	Feb-04	4.5	1920	1.76					
27	Jun-04	4.5	1300	-1.08					
28	Nov-04	4.5	1160	-1.72					
29	Jun-05	4.5	1780	1.12					
30	Dec-05	4.5	1640	0.48					
31	Jun-06	4.5	1355	-0.82					
32	Nov-06	4.5	1610	0.34					
33	Jun-07	4.5	1640	0.48					
34	Nov-07	4.5	1600	0.30					
35	Jun-08	4.5	1510	-0.11					
36	Nov-08	4.5	1510	-0.11					
37	Jun-09	4.5	1530	-0.02					
38	Nov-09	4.5	1550	0.07					
39	Jun-10	4.5	1540	0.02					
40	Nov-10	4.5	1590	0.25					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



More than Engineering Solutions

All materials printed on recycled paper. 

