

Ms. Tiffany Minder

Environmental Compliance Supervisor
City of Flint Water Pollution
Water Pollution Control Facilities
G4652 Beecher Rd.
Flint, MI, 48532

RE: ***Discharge Permit Submittal– January 2023 through March 2023***

Permit No.: 6-08-04-04-GML1

FILE: 1088190/1940103462/Docs

Dear **Ms. Minder:**

In accordance with requirements of the above referenced discharge permit, we are providing you with the following discharge information for the period January 1, 2023 to March 31, 2023 for the Coldwater Road Landfill facility, located at 6220 Horton Avenue, Mount Morris, Michigan. In addition, we are reporting the performance of the per- and polyfluoroalkyl substances (PFAS) pretreatment system in this letter and will continue to do so as long as the pretreatment system is in operation.

April 24, 2023

- Periodic Report on Continued Compliance, certification
- Periodic Report on Continued Compliance Sample (Table 1)
- Daily Discharge Summary Table (Table 2)
- PFAS Sampling Results Table (Table 3)
- Analytical Reports provided by Merit Laboratories, Inc. for samples from the on-Site, above ground collection tank collected on February 14, 2023 and March 8, 2023.
- Analytical Reports provided by Merit Laboratories, Inc. for samples from the on-Site, PFAS pretreatment system collected on March 8, 2023 during the discharge of the liquids from the on-Site, above ground collection tank through the system.
- Copy of Chain-of-Custody forms.

Ramboll
2090 Commonwealth Blvd.
Ann Arbor, MI 48105
USA

T 734-761-4000
F 734-761-2050
<https://ramboll.com>

The laboratory analytical results indicate concentrations in the effluent were below the Sewer Use Permit limits for the required monitoring parameters during the discharge period.

The initial grab sample analyzed for total suspended solids (TSS) collected from the tank on February 14, 2023 (i.e., before any discharge to the sewer system was made) was detected at a concentration of 1,130 mg/l, which is above the Sewer Use Permit limit of 570 mg/l. A second grab sample was collected from the tank on March 8, 2023 (i.e., on the day the liquids from the tank were discharged to the sewer), and TSS was detected at a concentration of 185 mg/l. A third sample was collected from the discharge pipe just before entering the



containment discharge sump and entering the sewer and TSS was detected at a concentration of 4.20 mg/l. The two samples collected for TSS on March 8, 2023 were both below the Sewer Use Permit limit of 570 mg/l, and the average daily concentration for TSS was 440 mg/l which is also below the discharge limit. The high TSS result was due to a lower-than-normal volume of liquid for the first quarter discharge and the stirring up of accumulated sediment on the bottom of the accumulation tank during the initial sampling event. After completion of the second quarterly discharge the sediment on the bottom of the tank will be washed out, collected, and properly disposed.

In addition, the PFAS analytical results for the effluent sample were below the Sewer Use Permit limits and therefore were reduced below the current EGLE Part 4, Water Quality Standards, Rule 57 Water Quality Values. Therefore, the PFAS pretreatment system is operating as designed.

Breakthrough samples were collected from GAC vessels on March 8, 2023 during the accumulation tank discharge. The influent sample had a detection of 7,600 ng/L for perfluorooctane sulfonic acid (PFOS).

PFOS was detected at a concentration 26 ng/l from the primary GAC vessel sample collected at the start of the discharge. In the samples collected just before discharge was discontinued, PFOS was detected at a concentration of 53 ng/l in the primary GAC vessel, at a concentration of 9.1 ng/l in the secondary GAC vessel, at a concentration of 6.8 ng/l in the tertiary (third) GAC vessel, and at a concentration of 3.2 ng/l in the quaternary (fourth) GAC vessel.

The GAC vessels will continue to be utilized for the next discharge event, and we will evaluate whether changing out the GAC in the primary vessel will be necessary following that discharge event. If it is determined that the primary GAC vessel should be changed out, then new GAC would be placed in the primary vessel and the system components would be changed so that the existing quaternary (fourth), tertiary (third), and secondary GAC vessels would be moved up in position making the primary vessel the new quaternary vessel (last vessel before discharge) for the approved four-vessel pretreatment system.

Please call me at 313-333-0211 if you have any questions.

Yours sincerely,
RAMBOLL AMERICAS ENGINEERING SOLUTIONS, INC.

Clifford S. Yantz
Project Manager
1943864 - MIDWEST EAST Resources 056

M 313.333.0211
Clifford.yantz@ramboll.com

- cc: Mr. Kevin Forbes – Beecher Metropolitan District, Flint, MI
Ms. Nicole Sanabria – EGLE (via email)
Ms. Christina Hebert – EGLE (via email)
Mr. David Favero – RACER Trust
Mr. Kevin Schneider – Ramboll

City of Flint Industrial Pretreatment Program

Periodic Report on Continued Compliance

Company Name: RACER Trust, Coldwater Road
Street Address: 6220 Horton Avenue, Flint, Michigan
Permit Number: 6-08-04-04-GML1
Outfall Number: 001

Reporting Period: January 1, 2023 through March 31, 2023

Average Volume of Daily Discharge (during reporting period): 1,067 gallons
(One Day Event)

Complete the following:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Name of Authorized Representative: Clifford Yantz

Title of Authorized Representative: Project Manager, Ramboll Americas Engineering Solutions, Inc., As agent for the RACER Trust

Signature of Authorized Representative: _____

Date Signed by Authorized Representative: _____

If required to implement a Toxic Organics Management Plan (TOMP), complete the following:

"Based on my inquiry of the person or persons directly responsible for managing compliance with the pretreatment standard for total toxic organics (TTO), I certify that, to the best of my knowledge and belief, no dumping of concentrated toxic organics into the wastewaters has occurred since filing of the last Periodic Report on Continued Compliance. I further certify that, this facility is implementing the toxic organic management plan submitted to the control authority."

Name of Authorized Representative: _____ N/A

Title of Authorized Representative: _____ N/A

Signature of Authorized Representative: _____ N/A

Date Signed by Authorized Representative: _____ N/A

Table 1
Periodic Report on Continued Compliance
City of Flint Sewer User Self-Monitoring Report
First Quarter - 2023 - GSWVR Sample

RACER Trust - Coldwater Road Landfill Facility						
Permit Number 6-08-04-04-GML1						
6220 Horton Avenue						
Analytical Parameter	Ammonia-N	BOD5	HEM	pH @ 25°C	Phosphorus	TSS
Units	mg/L	mg/L	mg/L	SU	mg/L	mg/L
Sampling Frequency	Per Batch	Per Batch	Per Batch	Per Batch	Per Batch	Per Batch
Sampling Procedure	Grab sample	Grab sample	Grab sample	Grab sample	Grab sample	Grab sample
Daily Maximum Limit	110	1196	100	NA	14	570
Maximum Limit	NA	NA	NA	10.5	NA	NA
Minimum Limit	NA	NA	NA	6	NA	NA
Test Result	4.86	31.4	<2	9.23	0.31	1,130
Test Method	4500-NH3 D	10360	1664A	4500-H+ B	4500-PE	2540 D
Test Date	2/15/2023	2/20/2023	2/15/2023	2/14/2023	2/23/2023	2/16/2023
Sample Date	2/14/2023	2/14/2023	2/14/2023	2/14/2023	2/14/2023	2/14/2023
Sample Type	wastewater	wastewater	wastewater	wastewater	wastewater	wastewater
Test Result						185
Test Method						2540 D
Test Date						3/13/2023
Sample Date						3/8/2023
Sample Type						wastewater
Test Result						4.20
Test Method						2540 D
Test Date						3/13/2023
Sample Date						3/8/2023
Sample Type						wastewater
Average Daily Conc.						440
No. of Samples						3
Number of Limit Exceedances						1

Table 1
Periodic Report on Continued Compliance
City of Flint Sewer User Self-Monitoring Report
First Quarter - 2023 - GSWVR Sample

RACER Trust - Coldwater Road Landfill Facility							
Permit Number 6-08-04-04-GML1							
6220 Horton Avenue							
Analytical Parameter	Arsenic	Chromium	Copper	Mercury	Nickel	Zinc	Cyanide, available
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sampling Frequency	Per Batch	Per Batch	Per Batch	Per Batch	Per Batch	Per Batch	Per Batch
Sampling Procedure	Grab sample	Grab sample	Grab sample	Grab sample	Grab sample	Grab sample	Grab sample
Daily Maximum Limit	0.051	1.273	1.797	0.000012	0.543	2.626	0.165
Maximum Limit	NA	NA	NA	NA	NA	NA	NA
Minimum Limit	NA	NA	NA	NA	NA	NA	NA
Test Result	0.020	0.299	1.47	<0.0002	0.297	0.085	0.004
Test Method	E200.8	200.8	200.8	245.1	200.8	200.8	1677
Test Date	2/17/2023	2/17/2023	2/17/2023	2/16/2023	2/17/2023	2/17/2023	2/15/2023
Sample Date	2/14/2023	2/14/2023	2/14/2023	2/14/2023	2/14/2023	2/14/2023	2/14/2023
Sample Type	wastewater	wastewater	wastewater	wastewater	wastewater	wastewater	wastewater
Test Result							
Test Method							
Test Date							
Sample Date							
Sample Type							
Test Result							
Test Method							
Test Date							
Sample Date							
Sample Type							
Average Daily Conc.							
No. of Samples							
Number of Limit Exceedances							



TABLE 2
RACER Trust - Coldwater Road
Daily Discharge Summary Table
First Quarter 2023
6-08-04-04-GML1

Date	Beginning Flow Meter Reading	End Flow Meter Reading	Gallons Discharged	Begin Time of Discharge	End Time of Discharge	Average Flow (gal/min)	Temperature at Discharge		pH
							(C)	(F)	
3/8/2023	792,905	-- (792,905)*	1,067	9:45	16:12	2.98	7.7	45.9	8.88

Total Discharge Volume: 1,067

NOTES : *Discharge meter was found not to be recording during the discharge event. The total gallons discharged were calculated by collecting manual readings and compared to the volume chart in the operation and maintenance manual.



TABLE 3
RACER Trust - Coldwater Road
Pre-and Polyfluoroalkyl Substances (PFAS) Sampling Results - March 2023

Coldwater Road - PFAS Pretreatment System Samples

Perfluorinated Compound	Well/Sample ID: Beecher Metropolitan District Sewer Use Permit - Discharge Pollutant Limitations and Monitoring Requirements	01-PRCC-23-INF (Influent Sample)	01-PRCC-23-PRIM (Primary GAC Vessel Sample)	01-PRCC-23-PRIM-23 (Primary GAC Vessel Sample after 23 Bed Volumes)	01-PRCC-23-MID-1-23 (Secondary GAC Vessel Sample after 23 Bed Volumes)	01-PRCC-23-MID-2-23 (Tertiary GAC Vessel Sample after 23 Bed Volumes)	01-PRCC-23-EFF-23 (Effluent Sample after 23 Bed Volumes)
		3/8/2023	3/8/2023	3/8/2023	3/8/2023	3/8/2023	3/8/2023
Perfluorobutanoic Acid (PFBA)	--	260 I	<9.9	<10.0	<9.6	<9.7	<10
Perfluoropentanoic Acid (PFPeA)	--	270 I	<4.0	<4.0	<3.8	<3.9	<4.0
4:2 Fluorotelomer Sulfonic Acid (4:2 FTSA)	--	<2.0 I	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluorohexanoic Acid (PFHxA)	400,000	130	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluorobutane Sulfonic Acid (PFBS)	420	140	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluoroheptanoic Acid (PFHpA)	--	39	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluoropentane Sulfonic Acid (PFPeS)	--	240	<2.0	1.8 J	<1.9	<1.9	<2.0
6:2 Fluorotelomer Sulfonic Acid (6:2 FTSA)	--	<2.0 I	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluorooctanoic Acid (PFOA)	8	78	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluorohexane Sulfonic Acid (PFHxS)	51	630	<2.0	3.8	<1.9	<1.9	<2.0
Perfluorohexane Sulfonic Acid - LN (PFHxS-LN)	--	530	<2.0	2.8	<1.9	<1.9	<2.0
Perfluorohexane Sulfonic Acid - BR (PFHxS-BR)	--	100	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluorononanoic Acid (PFNA)	6	<2.0	<2.0	<2.0	<1.9	<1.9	<2.0
8:2 Fluorotelomer Sulfonic Acid (8:2 FTSA)	--	<2.0	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluoroheptane Sulfonic Acid (PFHpS)	--	120	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluorodecanoic Acid (PFDA)	--	<2.0	<2.0	<2.0	<1.9	<1.9	<2.0
N-methyl Perfluorooctanesulfonamidoacetic Acid (N-MeFOSAA)	--	<2.0	<2.0	<2.0	<1.9	<1.9	<2.0
N-Ethyl Perfluorooctane Sulfonamidoacetic Acid (EtFOSAA)	--	<3.9	<4.0	<4.0	<3.8	<3.9	<4.0
Perfluorooctane Sulfonic Acid (PFOS)	16	7,600	26	53	9.1	6.8	3.2
Perfluorooctane Sulfonic Acid (PFOS-LN)	--	4,600	21	29	7.4	5.6	2.3
Perfluorooctane Sulfonic Acid (PFOS-BR)	--	3,000	5.3	22	<1.9	<1.9	<2.0
Perfluoroundecanoic Acid (PFUnDA)	--	<2.0	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluorononane Sulfonic Acid (PFNS)	--	3.5	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluorododecanoic Acid (PFDoDA)	--	<2.0	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluorodecane Sulfonic Acid (PFDS)	--	1.9 J	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluorotridecanoic Acid (PFTrDA)	--	<2.0	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluorooctane Sulfonamide (FOSA)	--	<2.0	<2.0	<2.0	<1.9	<1.9	<2.0
Perfluorotetradecanoic Acid (PFTeDA)	--	<3.9	<4.0	<4.0	<3.8	<3.9	<4.0
11-chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	--	<2.0	<2.0	<2.0	<1.9	<1.9	<2.0
9-chlorohexadecafluoro-3-oxanone1-sulfonic acid (9Cl-PF3ONS)	--	<2.0	<2.0	<2.0	<1.9	<1.9	<2.0
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	--	<2.0	<2.0	<2.0	<1.9	<1.9	<2.0
Hexafluoropropylene oxide dimer (HFPO-DA)	--	<3.9	<4.0	<4.0	<3.8	<3.9	<4.0
Total Per-and Polyfluoroalkyl Substances	--	9,512.4	26.0	58.6	9.1	6.8	3.2

Notes

- 1) Detections in **bold**.
- 2) Concentrations in ng/L.
- 3) < = Not detected at specified reporting limit.
- 4) -- = Not analyzed/No criteria.
- 5) Dup = Duplicate sample.
- 6) Beecher Metropolitan District Sewer Use Permit Discharge Pollutant Limitations and Monitoring Requirements - October 15, 2021.
- 7) Concentrations above the discharge limit are highlighted in yellow.
- 8) Number after Prim (Primary GAC vessel), Mid (Secondary GAC vessel), and Eff (Effluent sample after tertiary GAC vessel) samples equals number of GAC Bed volumes discharged through the pretreatment system at the time of sample collection. One bed volume equals 45 gallons.
- 9) I - Matrix interference with internal standard.
- 10) J - Estimated value less than reporting limit, but greater than MDL.
- 11) X - Elevated reporting limit due to matrix interference.
- 12) QA/QC Samples were either not detected above the reporting limit or below the Beecher Metropolitan District Sewer Use Permit Discharge Limits.



Analytical Laboratory Report

Report ID: S45335.01(01)
Generated on 02/23/2023

Report to

Attention: Clifford Yantz
Ramboll
2090 Commonwealth Blvd.
Ann Arbor, MI 48105

Phone: 313-333-0211 FAX:
Email: Clifford.Yantz@ramboll.com

Additional Contacts: Kevin Schneider

Report produced by

Merit Laboratories, Inc.
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:
John Lavery (johnlavery@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S45335.01
Project: RACER Coldwater Road
Collected Date(s): 02/14/2023
Submitted Date/Time: 02/14/2023 15:30
Sampled by: Kevin Schneider
P.O. #: 1940004462 TASK001

Table of Contents

Cover Page (Page 1)
General Report Notes (Page 2)
Report Narrative (Page 2)
Laboratory Certifications (Page 3)
Qualifier Descriptions (Page 3)
Glossary of Abbreviations (Page 3)
Method Summary (Page 4)
Sample Summary (Page 5)

Maya Murshak
Technical Director



Analytical Laboratory Report

General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

When MDL results are provided, then 'Not detected' indicates that parameter was not found at a level equal to or greater than the MDL.

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile, and 2-chloroethylvinyl ether need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Wisconsin PFAs analysis: MDL = LOD; RL = LOQ. LOD and LOQ are adjusted for dilution.

Report Narrative

There is no additional narrative for this analytical report



Analytical Laboratory Report

Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884
Wisconsin DNR	FID# 399147320

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Analytical Laboratory Report

Method Summary

Method	Version
E1664A	EPA Method 1664 Revision A February 1999
E200.8	EPA Method 200.8 Revision 5.4
E245.1	EPA Method 245.1 Revision 3.0
HACH 10360	HACH 10360
OIA-1677	EPA Method OIA-1677-09
SM2540D	Standard Method 2540 D 2015
SM2550B	Standard Method 2550 B 2011
SM4500-H+ B	Standard Method 4500 H + B 2011
SM4500-NH3 G	Standard Method 4500 NH3 G 2017
SM4500-PE	Standard Method 4500 P E 2011 / 4500 P B(5) 2011
SW3015A	SW 846 Method 3015A Revision 1 February 2007



Analytical Laboratory Report

Sample Summary (1 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S45335.01	01-PRCC-23	Wastewater	02/14/23 13:15



Analytical Laboratory Report

Lab Sample ID: S45335.01

Sample Tag: 01-PRCC-23

Collected Date/Time: 02/14/2023 13:15

Matrix: Wastewater

COC Reference: 154989

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	1L Plastic	None	Yes	3.7	IR
1	125ml Plastic	HNO3	Yes	3.7	IR
1	500ml Plastic	None	Yes	3.7	IR
1	125ml Amber	PbCO3/NaOH	Yes	3.7	IR
1	32oz Glass	HCL	Yes	3.7	IR
1	250ml Plastic	H2SO4	Yes	3.7	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Mercury Digestion	Completed	E245.1	02/16/23 14:33	CTV	
TBOD5 - Set*	Completed	HACH 10360	02/15/23 14:30	PJH	
Metal Digestion	Completed	SW3015A	02/17/23 10:00	CCM	

Inorganics

Method: E1664A, Run Date: 02/15/23 09:00, Analyst: JW

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Oil & Grease n-Hexane Extract.	Not detected	2		mg/L	1		

Method: HACH 10360, Run Date: 02/20/23 16:28, Analyst: PJH

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
TBOD5*	31.4	3		mg/L	6		

Method: SM2540D, Run Date: 02/16/23 16:25, Analyst: SSM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Suspended Solids	1,130	3		mg/L	10		

Method: SM2550B, Run Date: 02/14/23 13:15, Analyst: KS

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Field Temperature*	49	1		oF	1		

Method: SM4500-H+ B, Run Date: 02/14/23 13:15, Analyst: KS

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Field pH*	9.23	0.01		STD Units	1		

Method: SM4500-NH3 G, Run Date: 02/15/23 17:44, Analyst: MJC

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Ammonia-N (Undistilled)*	4.86	0.40		mg/L	20	7664-41-7	

Method: SM4500-PE, Run Date: 02/23/23 12:31, Analyst: MJC

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Phosphorus	0.31	0.05	0.045	mg/L	5	7723-14-0	

Metals

Method: E200.8, Run Date: 02/17/23 12:24, Analyst: CCM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Arsenic	0.020	0.002		mg/L	5	7440-38-2	



Analytical Laboratory Report

Lab Sample ID: S45335.01 (continued)

Sample Tag: 01-PRCC-23

Method: E200.8, Run Date: 02/17/23 12:24, Analyst: CCM (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Chromium	0.299	0.005		mg/L	5	7440-47-3	
Copper	1.47	0.005		mg/L	5	7440-50-8	
Nickel	0.297	0.005		mg/L	5	7440-02-0	
Zinc	0.085	0.005		mg/L	5	7440-66-6	

Method: E245.1, Run Date: 02/16/23 15:25, Analyst: CTV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Mercury	Not detected	0.0002		mg/L	1	7439-97-6	

Other / Misc.

Method: OIA-1677, Run Date: 02/15/23 14:15, Analyst: JDP

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Available Cyanide	0.004	0.002	0.0015	mg/L	1	57-12-5	

Merit Laboratories Login Checklist

Lab Set ID:S45335

Client:OBG02 (Ramboll Americas)

Project: RACER Coldwater Road

Submitted:02/14/2023 15:30 Login User: PFD

Attention: Clifford Yantz

Address: Ramboll
2090 Commonwealth Blvd.
Ann Arbor, MI 48105

Phone: 313-333-0211 FAX:
Email: Clifford.Yantz@ramboll.com

Selection	Description	Note
-----------	-------------	------

Sample Receiving

- | | | |
|-----|--|--|
| 01. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Samples are received at 4C +/- 2C Thermometer # IR 3.7 |
| 02. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Received on ice/ cooling process begun |
| 03. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Samples shipped |
| 04. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Samples left in 24 hr. drop box |
| 05. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | Are there custody seals/tape or is the drop box locked |

Chain of Custody

- | | | |
|-----|--|--|
| 06. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | COC adequately filled out |
| 07. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | COC signed and relinquished to the lab |
| 08. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Sample tag on bottles match COC |
| 09. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Subcontracting needed? Subcontracted to: |

Preservation

- | | | |
|-----|--|---|
| 10. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Do sample have correct chemical preservation |
| 11. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Completed pH checks on preserved samples? (no VOAs) |
| 12. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Did any samples need to be preserved in the lab? |

Bottle Conditions

- | | | |
|-----|--|---|
| 13. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | All bottles intact |
| 14. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Appropriate analytical bottles are used |
| 15. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Merit bottles used |
| 16. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Sufficient sample volume received |
| 17. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Samples require laboratory filtration |
| 18. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Samples submitted within holding time |
| 19. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | Do water VOC or TOX bottles contain headspace |

Corrective action for all exceptions is to call the client and to notify the project manager.

Client Review By: _____ Date: _____

Merit Laboratories Bottle Preservation Check

Lab Set ID: S45335 Submitted: 02/14/2023 15:30

Client: OBG02 (Ramboll Americas)

Project: RACER Coldwater Road

Initial Preservation Check: 02/14/2023 17:21 PFD

Preservation Recheck (E200.8): 02/17/2023 09:19 MMC

Attention: Clifford Yantz

Address: Ramboll

2090 Commonwealth Blvd.

Ann Arbor, MI 48105

Phone: 313-333-0211

FAX:

Email: Clifford.Yantz@ramboll.com

Sample ID	Bottle / Preservation	pH (Orig)	Add ml	pH (New)	Notes
S45335.01	125ml Amber PbCO3/NaOH	>12			
S45335.01	125ml Plastic HNO3	3	0.5	<2	Lot# 2022042218
S45335.01	250ml Plastic H2SO4	<2			
S45335.01	32oz Glass HCL	6	2.0	<2	Lot# 2020080697



Quality Control Report

Report ID: QC-S45335-01
Generated on 02/27/2023

Report to

Attention: Clifford Yantz
Ramboll
2090 Commonwealth Blvd.
Ann Arbor, MI 48105

Phone: 313-333-0211 FAX:

Report Produced by

Merit Laboratories
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Report Summary

Lab Sample ID(s): S45335.01
Project: RACER Coldwater Road
Submitted Date/Time: 02/14/2023 15:30
Sampled by: Kevin Schneider
P.O. #: 1940004462 TASK001

QC Report Sections

Cover Page (Page 1)
Analysis Summary (Page 2)
Prep Batch Summary (Page 3)
Batch QC Results (Pages 4-12)

Report Flag Descriptions

*: QC result is outside of indicated control limits
W: Surrogate result not applicable due to sample dilution

I certify that this data package is in compliance with the terms and conditions of the program, and project, and contractual requirements both technically and for completeness. Release of the data contained in this hardcopy data package and its computer-readable data submitted has been authorized by the Quality Assurance Manager and his/her designee, as verified by the following signature.

Barbara Ball
Quality Assurance Manager

QC Report - Analysis Summary

Lab Sample ID: S45335.01

Sample Tag: 01-PRCC-23

Collected Date/Time: 02/14/2023 13:15

Matrix: Wastewater

COC Reference: 154989

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
<i>Inorganics</i>						
Ammonia-N (Undistilled)	SM4500-NH3 G	02/15/23 17:44	AMN230215B	AMN230215B	No	BLK/LCS/MS/DUP
Oil & Grease n-Hexane Extract.	E1664A	02/15/23 09:00	OGHEX230215W1	OGHEX230215W1	No	BLK/LCS
TBOD5	HACH 10360	02/20/23 16:28	BOD230215	BOD230215	No	BLK/LCS/DUP
Total Phosphorus	SM4500-PE	02/23/23 12:31	PHS230223QC	PHS230223QC	No	BLK/LCS/MS/DUP
Total Suspended Solids	SM2540D	02/16/23 16:25	TSS230216	TSS230216	No	BLK/LCS/DUP
<i>Metals</i>						
Arsenic	E200.8	02/17/23 12:24	MT4-23-0217A	MTD-021723-1	No	BLK/LCS/MS/MSD
Chromium	E200.8	02/17/23 12:24	MT4-23-0217A	MTD-021723-1	No	BLK/LCS/MS/MSD
Copper	E200.8	02/17/23 12:24	MT4-23-0217A	MTD-021723-1	No	BLK/LCS/MS/MSD
Mercury	E245.1	02/16/23 15:25	HG-23-0216A	HGD-021623-1	No	BLK/LCS/MS/MSD
Nickel	E200.8	02/17/23 12:24	MT4-23-0217A	MTD-021723-1	No	BLK/LCS/MS/MSD
Zinc	E200.8	02/17/23 12:24	MT4-23-0217A	MTD-021723-1	No	BLK/LCS/MS/MSD
<i>Other / Misc.</i>						
Available Cyanide	OIA-1677	02/15/23 14:15	ACN230215-W1	ACN230215-W1	No	BLK/LCS/MS/MSD/DU

QC Report - Prep Batch Summary

Inorganics, Prep Batch ID: AMN230215B

Surrogates: No, QC Types: BLK/LCS/MS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S45335.01	Ammonia-N (Undistilled)	SM4500-NH3 G	02/15/23 17:44	AMN230215B

Inorganics, Prep Batch ID: BOD230215

Surrogates: No, QC Types: BLK/LCS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S45335.01	TBOD5	HACH 10360	02/20/23 16:28	BOD230215

Inorganics, Prep Batch ID: OGHEX230215W1

Surrogates: No, QC Types: BLK/LCS

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S45335.01	Oil & Grease n-Hexane Extract.	E1664A	02/15/23 09:00	OGHEX230215W1

Inorganics, Prep Batch ID: PHS230223QC

Surrogates: No, QC Types: BLK/LCS/MS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S45335.01	Total Phosphorus	SM4500-PE	02/23/23 12:31	PHS230223QC

Inorganics, Prep Batch ID: TSS230216

Surrogates: No, QC Types: BLK/LCS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S45335.01	Total Suspended Solids	SM2540D	02/16/23 16:25	TSS230216

Metals, Prep Batch ID: HGD-021623-1

Surrogates: No, QC Types: BLK/LCS/MS/MSD

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S45335.01	Mercury	E245.1	02/16/23 15:25	HG-23-0216A

Metals, Prep Batch ID: MTD-021723-1

Surrogates: No, QC Types: BLK/LCS/MS/MSD

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S45335.01	Arsenic	E200.8	02/17/23 12:24	MT4-23-0217A
S45335.01	Chromium	E200.8	02/17/23 12:24	MT4-23-0217A
S45335.01	Copper	E200.8	02/17/23 12:24	MT4-23-0217A
S45335.01	Nickel	E200.8	02/17/23 12:24	MT4-23-0217A
S45335.01	Zinc	E200.8	02/17/23 12:24	MT4-23-0217A

Other / Misc., Prep Batch ID: ACN230215-W1

Surrogates: No, QC Types: BLK/LCS/MS/MSD/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S45335.01	Available Cyanide	OIA-1677	02/15/23 14:15	ACN230215-W1

QC Report - Batch QC Results

Inorganics, Prep Batch ID: AMN230215B

Surrogates: No, QC Types: BLK/LCS/MS/DUP

Blank (BLK)

Lab Sample ID: AMN230215B.LRB1

Run in Batch: AMN230215B, Run Date: 02/15/2023 17:00, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Ammonia-N (Undistilled)		ND	0.02	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: AMN230215B.LCS1

Run in Batch: AMN230215B, Run Date: 02/15/2023 17:08, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Ammonia-N (Undistilled)		96.0	90	110

Matrix Spike (MS)

Lab Sample ID: AMN230215B.MS1, Parent Sample ID: S45302.02

Run in Batch: AMN230215B, Run Date: 02/15/2023 17:30, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Ammonia-N (Undistilled)		98.0	80	120

Duplicate (DUP)

Lab Sample ID: AMN230215B.DP1, Parent Sample ID: S45372.02

Run in Batch: AMN230215B, Run Date: 02/15/2023 17:58, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 20

Analyte	Flags	RPD	RPD CL
Ammonia-N (Undistilled)		0.5	20

QC Report - Batch QC Results

Inorganics, Prep Batch ID: BOD230215

Surrogates: No, QC Types: BLK/LCS/DUP

Blank (BLK)

Lab Sample ID: BOD230215.LRB1

Run in Batch: BOD230215, Run Date: 02/20/2023 16:28, Prep Date: 02/20/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
TBOD5		ND	3	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: BOD230215.LCS1

Run in Batch: BOD230215, Run Date: 02/20/2023 16:28, Prep Date: 02/20/2023, Matrix: Liquid, Dilution: 20

Analyte	Flags	% Rec	LCL	UCL
TBOD5		98.7	50.7	167

Duplicate (DUP)

Lab Sample ID: BOD230215.DP1, Parent Sample ID: S45331.01

Run in Batch: BOD230215, Run Date: 02/20/2023 16:28, Prep Date: 02/20/2023, Matrix: Liquid, Dilution: 60

Analyte	Flags	RPD	RPD CL
TBOD5		2.5	20

QC Report - Batch QC Results

Inorganics, Prep Batch ID: OGHEX230215W1

Surrogates: No, QC Types: BLK/LCS

Blank (BLK)

Lab Sample ID: OGHEX230215W1.LRB1

Run in Batch: OGHEX230215W1, Run Date: 02/15/2023 09:00, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Oil & Grease n-Hexane Extract.		ND	1	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: OGHEX230215W1.LCS1

Run in Batch: OGHEX230215W1, Run Date: 02/15/2023 09:00, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Oil & Grease n-Hexane Extract.		95	78	114

Laboratory Control Sample (LCS)

Lab Sample ID: OGHEX230215W1.LCS2

Run in Batch: OGHEX230215W1, Run Date: 02/15/2023 09:00, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Oil & Grease n-Hexane Extract.		90	78	114

QC Report - Batch QC Results

Inorganics, Prep Batch ID: PHS230223QC

Surrogates: No, QC Types: BLK/LCS/MS/DUP

Blank (BLK)

Lab Sample ID: PHS230223QC.LRB1

Run in Batch: PHS230223QC, Run Date: 02/23/2023 12:02, Prep Date: 02/23/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Total Phosphorus		ND	0.01	mg/L

Blank (BLK)

Lab Sample ID: PHS230223QC.LRB2

Run in Batch: PHS230223QC, Run Date: 02/23/2023 12:10, Prep Date: 02/23/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Total Phosphorus		ND	0.01	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: PHS230223QC.LCS1

Run in Batch: PHS230223QC, Run Date: 02/23/2023 12:21, Prep Date: 02/23/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Total Phosphorus		91	90	110

Matrix Spike (MS)

Lab Sample ID: PHS230223QC.MS1, Parent Sample ID: S45302.09

Run in Batch: PHS230223QC, Run Date: 02/23/2023 17:26, Prep Date: 02/23/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Total Phosphorus		94	80	120

Duplicate (DUP)

Lab Sample ID: PHS230223QC.DP1, Parent Sample ID: S45357.02

Run in Batch: PHS230223QC, Run Date: 02/23/2023 17:22, Prep Date: 02/23/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	RPD	RPD CL
Total Phosphorus		4.3	20

QC Report - Batch QC Results

Inorganics, Prep Batch ID: TSS230216

Surrogates: No, QC Types: BLK/LCS/DUP

Blank (BLK)

Lab Sample ID: TSS230216.LRB1

Run in Batch: TSS230216, Run Date: 02/16/2023 16:25, Prep Date: 02/16/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Total Suspended Solids		ND	3	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: TSS230216.LCS1

Run in Batch: TSS230216, Run Date: 02/16/2023 16:25, Prep Date: 02/16/2023, Matrix: Liquid, Dilution: 10

Analyte	Flags	% Rec	LCL	UCL
Total Suspended Solids		90.50	82.2	111

Duplicate (DUP)

Lab Sample ID: TSS230216.DP1, Parent Sample ID: S45328.01

Run in Batch: TSS230216, Run Date: 02/16/2023 16:25, Prep Date: 02/16/2023, Matrix: Liquid, Dilution: 20

Analyte	Flags	RPD	RPD CL
Total Suspended Solids	*	15.094	10

QC Report - Batch QC Results

Metals, Prep Batch ID: HGD-021623-1

Surrogates: No, QC Types: BLK/LCS/MS/MSD

Blank (BLK)

Lab Sample ID: HG-23-0216A.015.LRB

Run in Batch: HG-23-0216A, Run Date: 02/16/2023 15:02, Prep Date: 02/16/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Mercury		ND	0.20	ug/L

Laboratory Control Sample (LCS)

Lab Sample ID: HG-23-0216A.014.LCS

Run in Batch: HG-23-0216A, Run Date: 02/16/2023 14:59, Prep Date: 02/16/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Mercury		103	85	115

Matrix Spike (MS)

Lab Sample ID: HG-23-0216A.024.MS, Parent Sample ID: S45380.01

Run in Batch: HG-23-0216A, Run Date: 02/16/2023 15:32, Prep Date: 02/16/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Mercury		100	80	120

Matrix Spike (MS)

Lab Sample ID: HG-23-0216A.034.MS, Parent Sample ID: S45286.01

Run in Batch: HG-23-0216A, Run Date: 02/16/2023 16:05, Prep Date: 02/16/2023, Matrix: Liquid, Dilution: 2

Analyte	Flags	% Rec	LCL	UCL
Mercury		104	80	120

Matrix Spike Duplicate (MSD)

Lab Sample ID: HG-23-0216A.025.MSD, Parent Sample ID: HG-23-0216A.024.MS

Run in Batch: HG-23-0216A, Run Date: 02/16/2023 15:35, Prep Date: 02/16/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Mercury		102	80	120	1	20

Matrix Spike Duplicate (MSD)

Lab Sample ID: HG-23-0216A.035.MSD, Parent Sample ID: HG-23-0216A.034.MS

Run in Batch: HG-23-0216A, Run Date: 02/16/2023 16:08, Prep Date: 02/16/2023, Matrix: Liquid, Dilution: 2

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Mercury		103	80	120	1	20

QC Report - Batch QC Results

Metals, Prep Batch ID: MTD-021723-1

Surrogates: No, QC Types: BLK/LCS/MS/MSD

Blank (BLK)

Lab Sample ID: MT4-23-0217A.021.LRB

Run in Batch: MT4-23-0217A, Run Date: 02/17/2023 11:27, Prep Date: 02/17/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Arsenic		ND	0.0004	mg/L
Chromium		ND	0.001	mg/L
Copper		ND	0.001	mg/L
Nickel		ND	0.001	mg/L
Zinc		ND	0.001	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: MT4-23-0217A.019.LCS

Run in Batch: MT4-23-0217A, Run Date: 02/17/2023 11:22, Prep Date: 02/17/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Arsenic		104	85	115
Chromium		101	85	115
Copper		99	85	115
Nickel		100	85	115
Zinc		101	85	115

Matrix Spike (MS)

Lab Sample ID: MT4-23-0217A.042.MS, Parent Sample ID: S45320.01

Run in Batch: MT4-23-0217A, Run Date: 02/17/2023 12:01, Prep Date: 02/17/2023, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL
Arsenic		109	75	125
Chromium		102	75	125
Copper		99	75	125
Nickel		101	75	125
Zinc		88	75	125

Matrix Spike (MS)

Lab Sample ID: MT4-23-0217A.055.MS, Parent Sample ID: S45386.02

Run in Batch: MT4-23-0217A, Run Date: 02/17/2023 12:37, Prep Date: 02/17/2023, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL
Arsenic		108	75	125
Chromium		101	75	125
Copper		93	75	125
Nickel		98	75	125
Zinc		100	75	125

Matrix Spike Duplicate (MSD)

Lab Sample ID: MT4-23-0217A.043.MSD, Parent Sample ID: MT4-23-0217A.042.MS

Run in Batch: MT4-23-0217A, Run Date: 02/17/2023 12:04, Prep Date: 02/17/2023, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Arsenic		105	75	125	4	20
Chromium		102	75	125	1	20
Copper		100	75	125	1	20
Nickel		102	75	125	1	20
Zinc		76	75	125	1	20

QC Report - Batch QC Results

Metals, Prep Batch ID: MTD-021723-1 (continued)

Surrogates: No, QC Types: BLK/LCS/MS/MSD

Matrix Spike Duplicate (MSD)

Lab Sample ID: MT4-23-0217A.056.MSD, Parent Sample ID: MT4-23-0217A.055.MS

Run in Batch: MT4-23-0217A, Run Date: 02/17/2023 12:39, Prep Date: 02/17/2023, Matrix: Liquid, Dilution: 5

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Arsenic		107	75	125	1	20
Chromium		102	75	125	1	20
Copper		96	75	125	2	20
Nickel		101	75	125	3	20
Zinc		110	75	125	4	20

QC Report - Batch QC Results

Other / Misc., Prep Batch ID: ACN230215-W1

Surrogates: No, QC Types: BLK/LCS/MS/MSD/DUP

Blank (BLK)

Lab Sample ID: ACN230215-W1.LRB1

Run in Batch: ACN230215-W1, Run Date: 02/15/2023 13:41, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Available Cyanide		ND	0.002	mg/L

Blank (BLK)

Lab Sample ID: ACN230215-W1.LRB2

Run in Batch: ACN230215-W1, Run Date: 02/15/2023 14:29, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Available Cyanide		ND	0.002	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: ACN230215-W1.LCS1

Run in Batch: ACN230215-W1, Run Date: 02/15/2023 13:45, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Available Cyanide		98	88	109

Matrix Spike (MS)

Lab Sample ID: ACN230215-W1.MS1, Parent Sample ID: S45217.01

Run in Batch: ACN230215-W1, Run Date: 02/15/2023 13:59, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
Available Cyanide		90	82	130

Matrix Spike Duplicate (MSD)

Lab Sample ID: ACN230215-W1.MSD1, Parent Sample ID: ACN230215-W1.MS1

Run in Batch: ACN230215-W1, Run Date: 02/15/2023 14:01, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
Available Cyanide		86	82	130	5	15

Duplicate (DUP)

Lab Sample ID: ACN230215-W1.DP1, Parent Sample ID: S45217.01

Run in Batch: ACN230215-W1, Run Date: 02/15/2023 13:55, Prep Date: 02/15/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	RPD	RPD CL
Available Cyanide		<1	15



Analytical Laboratory Report

Report ID: S46093.01(01)
Generated on 03/16/2023

Report to

Attention: Clifford Yantz
Ramboll
2090 Commonwealth Blvd.
Ann Arbor, MI 48105

Phone: 313-333-0211 FAX:
Email: Clifford.Yantz@ramboll.com

Additional Contacts: Kevin Schneider

Report produced by

Merit Laboratories, Inc.
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:
John Lavery (johnlavery@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S46093.01-S46093.02
Project: RACER Coldwater Road
Collected Date(s): 03/08/2023
Submitted Date/Time: 03/09/2023 15:20
Sampled by: Kevin Schneider
P.O. #: 1940006516 TASK-1

Table of Contents

- Cover Page (Page 1)
- General Report Notes (Page 2)
- Report Narrative (Page 2)
- Laboratory Certifications (Page 3)
- Qualifier Descriptions (Page 3)
- Glossary of Abbreviations (Page 3)
- Method Summary (Page 4)
- Sample Summary (Page 5)

Maya Murshak
Technical Director



Analytical Laboratory Report

General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

When MDL results are provided, then 'Not detected' indicates that parameter was not found at a level equal to or greater than the MDL.

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile, and 2-chloroethylvinyl ether need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Wisconsin PFAs analysis: MDL = LOD; RL = LOQ. LOD and LOQ are adjusted for dilution.

Report Narrative

There is no additional narrative for this analytical report



Analytical Laboratory Report

Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884
Wisconsin DNR	FID# 399147320

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Analytical Laboratory Report

Method Summary

Method	Version
SM2540D	Standard Method 2540 D 2015



Analytical Laboratory Report

Sample Summary (2 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S46093.01	01-PRCC-23-01	Wastewater	03/08/23 10:20
S46093.02	01-PRCC-23-02	Wastewater	03/08/23 10:30



Analytical Laboratory Report

Lab Sample ID: S46093.01

Sample Tag: 01-PRCC-23-01

Collected Date/Time: 03/08/2023 10:20

Matrix: Wastewater

COC Reference: 154998

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	1L Plastic	None	Yes	3.6	IR

Inorganics

Method: SM2540D, Run Date: 03/13/23 17:40, Analyst: MDG

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Suspended Solids	185	3		mg/L	5		



Analytical Laboratory Report

Lab Sample ID: S46093.02

Sample Tag: 01-PRCC-23-02

Collected Date/Time: 03/08/2023 10:30

Matrix: Wastewater

COC Reference: 154998

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	1L Plastic	None	Yes	3.6	IR

Inorganics

Method: SM2540D, Run Date: 03/13/23 17:40, Analyst: MDG

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Suspended Solids	4.20	3		mg/L	1		

Merit Laboratories Login Checklist

Lab Set ID:S46093

Client:OBG02 (Ramboll Americas)

Project: RACER Coldwater Road

Submitted:03/09/2023 15:20 Login User: MAM

Attention: Clifford Yantz

Address: Ramboll
2090 Commonwealth Blvd.
Ann Arbor, MI 48105

Phone: 313-333-0211 FAX:
Email: Clifford.Yantz@ramboll.com

Selection	Description	Note
Sample Receiving		
01.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Samples are received at 4C +/- 2C Thermometer # IR 3.6
02.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Received on ice/ cooling process begun
03.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Samples shipped
04.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Samples left in 24 hr. drop box
05.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Are there custody seals/tape or is the drop box locked
Chain of Custody		
06.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	COC adequately filled out
07.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	COC signed and relinquished to the lab
08.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Sample tag on bottles match COC
09.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Subcontracting needed? Subcontracted to:
Preservation		
10.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Do sample have correct chemical preservation
11.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Completed pH checks on preserved samples? (no VOAs)
12.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Did any samples need to be preserved in the lab?
Bottle Conditions		
13.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	All bottles intact
14.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Appropriate analytical bottles are used
15.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Merit bottles used
16.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Sufficient sample volume received
17.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Samples require laboratory filtration
18.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Samples submitted within holding time
19.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Do water VOC or TOX bottles contain headspace

Corrective action for all exceptions is to call the client and to notify the project manager.

Client Review By: _____ Date: _____



Quality Control Report

Report ID: QC-S46093-01
Generated on 03/16/2023

Report to

Attention: Clifford Yantz
Ramboll
2090 Commonwealth Blvd.
Ann Arbor, MI 48105

Phone: 313-333-0211 FAX:

Report Produced by

Merit Laboratories
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Report Summary

Lab Sample ID(s): S46093.01-S46093.02
Project: RACER Coldwater Road
Submitted Date/Time: 03/09/2023 15:20
Sampled by: Kevin Schneider
P.O. #: 1940006516 TASK-1

QC Report Sections

Cover Page (Page 1)
Analysis Summary (Pages 2-3)
Prep Batch Summary (Page 4)
Batch QC Results (Page 5)

Report Flag Descriptions

*: QC result is outside of indicated control limits
W: Surrogate result not applicable due to sample dilution

I certify that this data package is in compliance with the terms and conditions of the program, and project, and contractual requirements both technically and for completeness. Release of the data contained in this hardcopy data package and its computer-readable data submitted has been authorized by the Quality Assurance Manager and his/her designee, as verified by the following signature.

Barbara Ball
Quality Assurance Manager

QC Report - Analysis Summary

Lab Sample ID: S46093.01

Sample Tag: 01-PRCC-23-01

Collected Date/Time: 03/08/2023 10:20

Matrix: Wastewater

COC Reference: 154998

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Inorganics						
Total Suspended Solids	SM2540D	03/13/23 17:40	TSS230313	TSS230313	No	BLK/LCS/DUP

QC Report - Analysis Summary

Lab Sample ID: S46093.02

Sample Tag: 01-PRCC-23-02

Collected Date/Time: 03/08/2023 10:30

Matrix: Wastewater

COC Reference: 154998

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Inorganics						
Total Suspended Solids	SM2540D	03/13/23 17:40	TSS230313	TSS230313	No	BLK/LCS/DUP

QC Report - Prep Batch Summary

Inorganics, Prep Batch ID: TSS230313

Surrogates: No, QC Types: BLK/LCS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S46093.01	Total Suspended Solids	SM2540D	03/13/23 17:40	TSS230313
S46093.02	Total Suspended Solids	SM2540D	03/13/23 17:40	TSS230313

QC Report - Batch QC Results

Inorganics, Prep Batch ID: TSS230313

Surrogates: No, QC Types: BLK/LCS/DUP

Blank (BLK)

Lab Sample ID: TSS230313.LRB1

Run in Batch: TSS230313, Run Date: 03/13/2023 17:40, Prep Date: 03/13/2023, Matrix: Liquid, Dilution: 1

Analyte	Flags	Conc	RDL	Units
Total Suspended Solids		ND	3.	mg/L

Laboratory Control Sample (LCS)

Lab Sample ID: TSS230313.LCS1

Run in Batch: TSS230313, Run Date: 03/13/2023 17:40, Prep Date: 03/13/2023, Matrix: Liquid, Dilution: 10

Analyte	Flags	% Rec	LCL	UCL
Total Suspended Solids		112	80.2	113

Duplicate (DUP)

Lab Sample ID: TSS230313.DP1, Parent Sample ID: S46131.02

Run in Batch: TSS230313, Run Date: 03/13/2023 17:40, Prep Date: 03/13/2023, Matrix: Liquid, Dilution: 5

Analyte	Flags	RPD	RPD CL
Total Suspended Solids	*	21.6	10



Analytical Laboratory Report

Report ID: S46097.01(01)
Generated on 03/30/2023

Report to

Attention: Clifford Yantz
Ramboll Americas
2090 Commonwealth Blvd
Ann Arbor, MI 48105

Phone: 313-333-0211 FAX:
Email: Clifford.Yantz@ramboll.com

Additional Contacts: Kevin Schneider

Report produced by

Merit Laboratories, Inc.
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:
John Lavery (johnlavery@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S46097.01-S46097.07
Project: RACER Coldwater Road
Collected Date(s): 03/08/2023
Submitted Date/Time: 03/09/2023 15:20
Sampled by: Kevin Schneider
P.O. #: 1940006516 TASK 37

Table of Contents

- Cover Page (Page 1)
- General Report Notes (Page 2)
- Report Narrative (Page 2)
- Laboratory Certifications (Page 3)
- Qualifier Descriptions (Page 3)
- Glossary of Abbreviations (Page 3)
- Method Summary (Page 4)
- Sample Summary (Page 5)

Maya Murshak
Technical Director



Analytical Laboratory Report

General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

When MDL results are provided, then 'Not detected' indicates that parameter was not found at a level equal to or greater than the MDL.

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile, and 2-chloroethylvinyl ether need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Wisconsin PFAs analysis: MDL = LOD; RL = LOQ. LOD and LOQ are adjusted for dilution.

Report Narrative

There is no additional narrative for this analytical report



Analytical Laboratory Report

Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884
Wisconsin DNR	FID# 399147320

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Analytical Laboratory Report

Method Summary

Method	Version
ASTMD7979-19M	ASTM Method D7979 - 19 Modified (Isotopic Dilution)

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11Cl-PF3OUdS	11-chloroeicosafuoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9Cl-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Analytical Laboratory Report

Sample Summary (7 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S46097.01	Field Blank-030823	Liquid	03/08/23 10:10
S46097.02	01-PRCC-23-INF	Wastewater	03/08/23 09:45
S46097.03	01-PRCC-23-PRIM	Wastewater	03/08/23 09:55
S46097.04	01-PRCC-23-EFF-23	Wastewater	03/08/23 15:40
S46097.05	01-PRCC-23-MID-2-23	Wastewater	03/08/23 15:42
S46097.06	01-PRCC-23-MID-1-23	Wastewater	03/08/23 15:44
S46097.07	01-PRCC-23-PRIM-23	Wastewater	03/08/23 15:46



Analytical Laboratory Report

Lab Sample ID: S46097.01

Sample Tag: Field Blank-030823

Collected Date/Time: 03/08/2023 10:10

Matrix: Liquid

COC Reference: 154994

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	3.6	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	10.76/6.55/8	ASTMD7979-19M	03/13/23 14:00	PTW	

Organics

28 PFAs, Method: ASTMD7979-19M, Run Date: 03/14/23 12:08, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	9.5	9.5	ng/L	1.9	375-22-4	
PFPeA*	Not detected	3.8	0.95	ng/L	1.9	2706-90-3	
4:2 FTSA*	Not detected	1.9	1.5	ng/L	1.9	757124-72-4	
PFHxA*	Not detected	1.9	1.3	ng/L	1.9	307-24-4	
PFBS*	Not detected	1.9	1.3	ng/L	1.9	375-73-5	
PFHpA*	Not detected	1.9	1.3	ng/L	1.9	375-85-9	
PFPeS*	Not detected	1.9	1.7	ng/L	1.9	2706-91-4	
6:2 FTSA*	Not detected	1.9	1.9	ng/L	1.9	27619-97-2	
PFOA*	Not detected	1.9	1.5	ng/L	1.9	335-67-1	
PFHxS*	Not detected	1.9	1.5	ng/L	1.9	355-46-4	
PFHxS-LN*	Not detected	1.9	1.5	ng/L	1.9	355-46-4-LN	
PFHxS-BR*	Not detected	1.9	1.5	ng/L	1.9	355-46-4-BR	
PFNA*	Not detected	1.9	1.7	ng/L	1.9	375-95-1	
8:2 FTSA*	Not detected	1.9	0.95	ng/L	1.9	39108-34-4	I
PFHpS*	Not detected	1.9	1.9	ng/L	1.9	375-92-8	
PFDA*	Not detected	1.9	1.9	ng/L	1.9	335-76-2	
N-MeFOSAA*	Not detected	1.9	1.9	ng/L	1.9	2355-31-9	
EtFOSAA*	Not detected	3.8	1.9	ng/L	1.9	2991-50-6	
PFOS*	Not detected	1.9	1.9	ng/L	1.9	1763-23-1	
PFOS-LN*	Not detected	1.9	1.9	ng/L	1.9	1763-23-1-LN	
PFOS-BR*	Not detected	1.9	1.9	ng/L	1.9	1763-23-1-BR	
PFUnDA*	Not detected	1.9	1.3	ng/L	1.9	2058-94-8	
PFNS*	Not detected	1.9	1.3	ng/L	1.9	68259-12-1	
PFDODA*	Not detected	1.9	1.5	ng/L	1.9	307-55-1	
PFDS*	Not detected	1.9	1.3	ng/L	1.9	335-77-3	
PFTTrDA*	Not detected	1.9	1.1	ng/L	1.9	72629-94-8	
FOSA*	Not detected	1.9	1.7	ng/L	1.9	754-91-6	
PFTeDA*	Not detected	3.8	1.7	ng/L	1.9	376-06-7	
11Cl-PF3OUdS*	Not detected	1.9	1.7	ng/L	1.9	763051-92-9	
9Cl-PF3ONS*	Not detected	1.9	1.3	ng/L	1.9	756426-58-1	
ADONA*	Not detected	1.9	1.9	ng/L	1.9	919005-14-4	
HFPO-DA*	Not detected	3.8	1.9	ng/L	1.9	13252-13-6	

I-Matrix interference with internal standard



Analytical Laboratory Report

Lab Sample ID: S46097.02

Sample Tag: 01-PRCC-23-INF

Collected Date/Time: 03/08/2023 09:45

Matrix: Wastewater

COC Reference: 154994

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	3.6	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	12.17/6.52/11	ASTMD7979-19M	03/13/23 14:00	PTW	

Organics

28 PFAs, Method: ASTMD7979-19M, Run Date: 03/13/23 19:41, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	260	9.8	9.8	ng/L	1.95	375-22-4	I
PFPeA*	270	3.9	0.98	ng/L	1.95	2706-90-3	I
4:2 FTSA*	Not detected	2.0	1.6	ng/L	1.95	757124-72-4	I
PFHxA*	130	2.0	1.4	ng/L	1.95	307-24-4	
PFBS*	140	2.0	1.4	ng/L	1.95	375-73-5	
PFHpA*	39	2.0	1.4	ng/L	1.95	375-85-9	
PFPeS*	240	2.0	1.8	ng/L	1.95	2706-91-4	
6:2 FTSA*	Not detected	2.0	2.0	ng/L	1.95	27619-97-2	I
PFOA*	78	2.0	1.6	ng/L	1.95	335-67-1	
PFHxS*	630	2.0	1.6	ng/L	1.95	355-46-4	
PFHxS-LN*	530	2.0	1.6	ng/L	1.95	355-46-4-LN	
PFHxS-BR*	100	2.0	1.6	ng/L	1.95	355-46-4-BR	
PFNA*	Not detected	2.0	1.8	ng/L	1.95	375-95-1	
8:2 FTSA*	Not detected	2.0	0.98	ng/L	1.95	39108-34-4	
PFHpS*	120	2.0	2.0	ng/L	1.95	375-92-8	
PFDA*	Not detected	2.0	2.0	ng/L	1.95	335-76-2	
N-MeFOSAA*	Not detected	2.0	2.0	ng/L	1.95	2355-31-9	
EtFOSAA*	Not detected	3.9	2.0	ng/L	1.95	2991-50-6	
PFOS*	7,600	2.0	1.9	ng/L	1.95	1763-23-1	
PFOS-LN*	4,600	2.0	1.9	ng/L	1.95	1763-23-1-LN	
PFOS-BR*	3,000	2.0	1.9	ng/L	1.95	1763-23-1-BR	
PFUnDA*	Not detected	2.0	1.4	ng/L	1.95	2058-94-8	
PFNS*	3.5	2.0	1.4	ng/L	1.95	68259-12-1	
PFDODA*	Not detected	2.0	1.6	ng/L	1.95	307-55-1	
PFDS*	1.9	2.0	1.4	ng/L	1.95	335-77-3	J
PFTTrDA*	Not detected	2.0	1.2	ng/L	1.95	72629-94-8	
FOSA*	Not detected	2.0	1.8	ng/L	1.95	754-91-6	
PFTeDA*	Not detected	3.9	1.8	ng/L	1.95	376-06-7	
11Cl-PF3OUdS*	Not detected	2.0	1.8	ng/L	1.95	763051-92-9	
9Cl-PF3ONS*	Not detected	2.0	1.4	ng/L	1.95	756426-58-1	
ADONA*	Not detected	2.0	2.0	ng/L	1.95	919005-14-4	
HFPO-DA*	Not detected	3.9	2.0	ng/L	1.95	13252-13-6	

I-Matrix interference with internal standard

J-Estimated value less than reporting limit, but greater than MDL



Analytical Laboratory Report

Lab Sample ID: S46097.03

Sample Tag: 01-PRCC-23-PRIM

Collected Date/Time: 03/08/2023 09:55

Matrix: Wastewater

COC Reference: 154994

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	3.6	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	12.45/6.39/12	ASTMD7979-19M	03/13/23 14:00	PTW	

Organics

28 PFAs, Method: ASTMD7979-19M, Run Date: 03/13/23 20:00, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	9.9	9.9	ng/L	1.98	375-22-4	
PFPeA*	Not detected	4.0	0.99	ng/L	1.98	2706-90-3	
4:2 FTSA*	Not detected	2.0	1.6	ng/L	1.98	757124-72-4	
PFHxA*	Not detected	2.0	1.4	ng/L	1.98	307-24-4	
PFBS*	Not detected	2.0	1.4	ng/L	1.98	375-73-5	
PFHpA*	Not detected	2.0	1.4	ng/L	1.98	375-85-9	
PFPeS*	Not detected	2.0	1.8	ng/L	1.98	2706-91-4	
6:2 FTSA*	Not detected	2.0	2.0	ng/L	1.98	27619-97-2	
PFOA*	Not detected	2.0	1.6	ng/L	1.98	335-67-1	
PFHxS*	Not detected	2.0	1.6	ng/L	1.98	355-46-4	
PFHxS-LN*	Not detected	2.0	1.6	ng/L	1.98	355-46-4-LN	
PFHxS-BR*	Not detected	2.0	1.6	ng/L	1.98	355-46-4-BR	
PFNA*	Not detected	2.0	1.8	ng/L	1.98	375-95-1	
8:2 FTSA*	Not detected	2.0	0.99	ng/L	1.98	39108-34-4	
PFHpS*	Not detected	2.0	2.0	ng/L	1.98	375-92-8	
PFDA*	Not detected	2.0	2.0	ng/L	1.98	335-76-2	
N-MeFOSAA*	Not detected	2.0	2.0	ng/L	1.98	2355-31-9	
EtFOSAA*	Not detected	4.0	2.0	ng/L	1.98	2991-50-6	
PFOS*	26	2.0	1.9	ng/L	1.98	1763-23-1	
PFOS-LN*	21	2.0	1.9	ng/L	1.98	1763-23-1-LN	
PFOS-BR*	5.3	2.0	1.9	ng/L	1.98	1763-23-1-BR	
PFUnDA*	Not detected	2.0	1.4	ng/L	1.98	2058-94-8	
PFNS*	Not detected	2.0	1.4	ng/L	1.98	68259-12-1	
PFDODA*	Not detected	2.0	1.6	ng/L	1.98	307-55-1	
PFDS*	Not detected	2.0	1.4	ng/L	1.98	335-77-3	
PFTTrDA*	Not detected	2.0	1.2	ng/L	1.98	72629-94-8	
FOSA*	Not detected	2.0	1.8	ng/L	1.98	754-91-6	
PFTeDA*	Not detected	4.0	1.8	ng/L	1.98	376-06-7	
11Cl-PF3OUdS*	Not detected	2.0	1.8	ng/L	1.98	763051-92-9	
9Cl-PF3ONS*	Not detected	2.0	1.4	ng/L	1.98	756426-58-1	
ADONA*	Not detected	2.0	2.0	ng/L	1.98	919005-14-4	
HFPO-DA*	Not detected	4.0	2.0	ng/L	1.98	13252-13-6	



Analytical Laboratory Report

Lab Sample ID: S46097.04

Sample Tag: 01-PRCC-23-EFF-23

Collected Date/Time: 03/08/2023 15:40

Matrix: Wastewater

COC Reference: 154994

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	3.6	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	12.45/6.51/12	ASTMD7979-19M	03/13/23 14:00	PTW	

Organics

28 PFAs, Method: ASTMD7979-19M, Run Date: 03/13/23 20:39, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	10	10	ng/L	2.02	375-22-4	
PFPeA*	Not detected	4.0	1.0	ng/L	2.02	2706-90-3	
4:2 FTSA*	Not detected	2.0	1.6	ng/L	2.02	757124-72-4	
PFHxA*	Not detected	2.0	1.4	ng/L	2.02	307-24-4	
PFBS*	Not detected	2.0	1.4	ng/L	2.02	375-73-5	
PFHpA*	Not detected	2.0	1.4	ng/L	2.02	375-85-9	
PFPeS*	Not detected	2.0	1.8	ng/L	2.02	2706-91-4	
6:2 FTSA*	Not detected	2.0	2.0	ng/L	2.02	27619-97-2	
PFOA*	Not detected	2.0	1.6	ng/L	2.02	335-67-1	
PFHxS*	Not detected	2.0	1.6	ng/L	2.02	355-46-4	
PFHxS-LN*	Not detected	2.0	1.6	ng/L	2.02	355-46-4-LN	
PFHxS-BR*	Not detected	2.0	1.6	ng/L	2.02	355-46-4-BR	
PFNA*	Not detected	2.0	1.8	ng/L	2.02	375-95-1	
8:2 FTSA*	Not detected	2.0	1.0	ng/L	2.02	39108-34-4	
PFHpS*	Not detected	2.0	2.0	ng/L	2.02	375-92-8	
PFDA*	Not detected	2.0	2.0	ng/L	2.02	335-76-2	
N-MeFOSAA*	Not detected	2.0	2.0	ng/L	2.02	2355-31-9	
EtFOSAA*	Not detected	4.0	2.0	ng/L	2.02	2991-50-6	
PFOS*	3.2	2.0	2.0	ng/L	2.02	1763-23-1	
PFOS-LN*	2.3	2.0	2.0	ng/L	2.02	1763-23-1-LN	
PFOS-BR*	Not detected	2.0	2.0	ng/L	2.02	1763-23-1-BR	
PFUnDA*	Not detected	2.0	1.4	ng/L	2.02	2058-94-8	
PFNS*	Not detected	2.0	1.4	ng/L	2.02	68259-12-1	
PFDoDA*	Not detected	2.0	1.6	ng/L	2.02	307-55-1	
PFDS*	Not detected	2.0	1.4	ng/L	2.02	335-77-3	
PFTTrDA*	Not detected	2.0	1.2	ng/L	2.02	72629-94-8	
FOSA*	Not detected	2.0	1.8	ng/L	2.02	754-91-6	
PFTeDA*	Not detected	4.0	1.8	ng/L	2.02	376-06-7	
11Cl-PF3OUdS*	Not detected	2.0	1.8	ng/L	2.02	763051-92-9	
9Cl-PF3ONS*	Not detected	2.0	1.4	ng/L	2.02	756426-58-1	
ADONA*	Not detected	2.0	2.0	ng/L	2.02	919005-14-4	
HFPO-DA*	Not detected	4.0	2.0	ng/L	2.02	13252-13-6	



Analytical Laboratory Report

Lab Sample ID: S46097.05

Sample Tag: 01-PRCC-23-MID-2-23

Collected Date/Time: 03/08/2023 15:42

Matrix: Wastewater

COC Reference: 154994

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	3.6	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	12.61/6.44/12	ASTMD7979-19M	03/13/23 14:00	PTW	

Organics

28 PFAs, Method: ASTMD7979-19M, Run Date: 03/13/23 21:18, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	9.7	9.7	ng/L	1.94	375-22-4	
PFPeA*	Not detected	3.9	0.97	ng/L	1.94	2706-90-3	
4:2 FTSA*	Not detected	1.9	1.6	ng/L	1.94	757124-72-4	
PFHxA*	Not detected	1.9	1.4	ng/L	1.94	307-24-4	
PFBS*	Not detected	1.9	1.4	ng/L	1.94	375-73-5	
PFHpA*	Not detected	1.9	1.4	ng/L	1.94	375-85-9	
PFPeS*	Not detected	1.9	1.7	ng/L	1.94	2706-91-4	
6:2 FTSA*	Not detected	1.9	1.9	ng/L	1.94	27619-97-2	
PFOA*	Not detected	1.9	1.6	ng/L	1.94	335-67-1	
PFHxS*	Not detected	1.9	1.6	ng/L	1.94	355-46-4	
PFHxS-LN*	Not detected	1.9	1.6	ng/L	1.94	355-46-4-LN	
PFHxS-BR*	Not detected	1.9	1.6	ng/L	1.94	355-46-4-BR	
PFNA*	Not detected	1.9	1.7	ng/L	1.94	375-95-1	
8:2 FTSA*	Not detected	1.9	0.97	ng/L	1.94	39108-34-4	
PFHpS*	Not detected	1.9	1.9	ng/L	1.94	375-92-8	
PFDA*	Not detected	1.9	1.9	ng/L	1.94	335-76-2	
N-MeFOSAA*	Not detected	1.9	1.9	ng/L	1.94	2355-31-9	
EtFOSAA*	Not detected	3.9	1.9	ng/L	1.94	2991-50-6	
PFOS*	6.8	1.9	1.9	ng/L	1.94	1763-23-1	
PFOS-LN*	5.6	1.9	1.9	ng/L	1.94	1763-23-1-LN	
PFOS-BR*	Not detected	1.9	1.9	ng/L	1.94	1763-23-1-BR	
PFUnDA*	Not detected	1.9	1.4	ng/L	1.94	2058-94-8	
PFNS*	Not detected	1.9	1.4	ng/L	1.94	68259-12-1	
PFDODA*	Not detected	1.9	1.6	ng/L	1.94	307-55-1	
PFDS*	Not detected	1.9	1.4	ng/L	1.94	335-77-3	
PFTTrDA*	Not detected	1.9	1.2	ng/L	1.94	72629-94-8	
FOSA*	Not detected	1.9	1.7	ng/L	1.94	754-91-6	
PFTeDA*	Not detected	3.9	1.7	ng/L	1.94	376-06-7	
11Cl-PF3OUdS*	Not detected	1.9	1.7	ng/L	1.94	763051-92-9	
9Cl-PF3ONS*	Not detected	1.9	1.4	ng/L	1.94	756426-58-1	
ADONA*	Not detected	1.9	1.9	ng/L	1.94	919005-14-4	
HFPO-DA*	Not detected	3.9	1.9	ng/L	1.94	13252-13-6	



Analytical Laboratory Report

Lab Sample ID: S46097.06

Sample Tag: 01-PRCC-23-MID-1-23

Collected Date/Time: 03/08/2023 15:44

Matrix: Wastewater

COC Reference: 154994

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	3.6	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	12.75/6.49/12	ASTMD7979-19M	03/13/23 14:00	PTW	

Organics

28 PFAs, Method: ASTMD7979-19M, Run Date: 03/14/23 12:47, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	9.6	9.6	ng/L	1.92	375-22-4	
PFPeA*	Not detected	3.8	0.96	ng/L	1.92	2706-90-3	
4:2 FTSA*	Not detected	1.9	1.5	ng/L	1.92	757124-72-4	
PFHxA*	Not detected	1.9	1.3	ng/L	1.92	307-24-4	
PFBS*	Not detected	1.9	1.3	ng/L	1.92	375-73-5	
PFHpA*	Not detected	1.9	1.3	ng/L	1.92	375-85-9	
PFPeS*	Not detected	1.9	1.7	ng/L	1.92	2706-91-4	
6:2 FTSA*	Not detected	1.9	1.9	ng/L	1.92	27619-97-2	
PFOA*	Not detected	1.9	1.5	ng/L	1.92	335-67-1	
PFHxS*	Not detected	1.9	1.5	ng/L	1.92	355-46-4	
PFHxS-LN*	Not detected	1.9	1.5	ng/L	1.92	355-46-4-LN	
PFHxS-BR*	Not detected	1.9	1.5	ng/L	1.92	355-46-4-BR	
PFNA*	Not detected	1.9	1.7	ng/L	1.92	375-95-1	
8:2 FTSA*	Not detected	1.9	0.96	ng/L	1.92	39108-34-4	
PFHpS*	Not detected	1.9	1.9	ng/L	1.92	375-92-8	
PFDA*	Not detected	1.9	1.9	ng/L	1.92	335-76-2	
N-MeFOSAA*	Not detected	1.9	1.9	ng/L	1.92	2355-31-9	
EtFOSAA*	Not detected	3.8	1.9	ng/L	1.92	2991-50-6	
PFOS*	9.1	1.9	1.9	ng/L	1.92	1763-23-1	
PFOS-LN*	7.4	1.9	1.9	ng/L	1.92	1763-23-1-LN	
PFOS-BR*	Not detected	1.9	1.9	ng/L	1.92	1763-23-1-BR	
PFUnDA*	Not detected	1.9	1.3	ng/L	1.92	2058-94-8	
PFNS*	Not detected	1.9	1.3	ng/L	1.92	68259-12-1	
PFDODA*	Not detected	1.9	1.5	ng/L	1.92	307-55-1	
PFDS*	Not detected	1.9	1.3	ng/L	1.92	335-77-3	
PFTTrDA*	Not detected	1.9	1.2	ng/L	1.92	72629-94-8	
FOSA*	Not detected	1.9	1.7	ng/L	1.92	754-91-6	
PFTeDA*	Not detected	3.8	1.7	ng/L	1.92	376-06-7	
11Cl-PF3OUdS*	Not detected	1.9	1.7	ng/L	1.92	763051-92-9	
9Cl-PF3ONS*	Not detected	1.9	1.3	ng/L	1.92	756426-58-1	
ADONA*	Not detected	1.9	1.9	ng/L	1.92	919005-14-4	
HFPO-DA*	Not detected	3.8	1.9	ng/L	1.92	13252-13-6	



Analytical Laboratory Report

Lab Sample ID: S46097.07

Sample Tag: 01-PRCC-23-PRIM-23

Collected Date/Time: 03/08/2023 15:46

Matrix: Wastewater

COC Reference: 154994

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	3.6	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	11.59/6.56/10	ASTMD7979-19M	03/13/23 14:00	PTW	

Organics

28 PFAs, Method: ASTMD7979-19M, Run Date: 03/13/23 21:57, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	10.0	10.0	ng/L	1.99	375-22-4	
PFPeA*	Not detected	4.0	1.00	ng/L	1.99	2706-90-3	
4:2 FTSA*	Not detected	2.0	1.6	ng/L	1.99	757124-72-4	
PFHxA*	Not detected	2.0	1.4	ng/L	1.99	307-24-4	
PFBS*	Not detected	2.0	1.4	ng/L	1.99	375-73-5	
PFHpA*	Not detected	2.0	1.4	ng/L	1.99	375-85-9	
PFPeS*	1.8	2.0	1.8	ng/L	1.99	2706-91-4	J
6:2 FTSA*	Not detected	2.0	2.0	ng/L	1.99	27619-97-2	
PFOA*	Not detected	2.0	1.6	ng/L	1.99	335-67-1	
PFHxS*	3.8	2.0	1.6	ng/L	1.99	355-46-4	
PFHxS-LN*	2.8	2.0	1.6	ng/L	1.99	355-46-4-LN	
PFHxS-BR*	Not detected	2.0	1.6	ng/L	1.99	355-46-4-BR	
PFNA*	Not detected	2.0	1.8	ng/L	1.99	375-95-1	
8:2 FTSA*	Not detected	2.0	1.00	ng/L	1.99	39108-34-4	
PFHpS*	Not detected	2.0	2.0	ng/L	1.99	375-92-8	
PFDA*	Not detected	2.0	2.0	ng/L	1.99	335-76-2	
N-MeFOSAA*	Not detected	2.0	2.0	ng/L	1.99	2355-31-9	
EtFOSAA*	Not detected	4.0	2.0	ng/L	1.99	2991-50-6	
PFOS*	53	2.0	2.0	ng/L	1.99	1763-23-1	
PFOS-LN*	29	2.0	2.0	ng/L	1.99	1763-23-1-LN	
PFOS-BR*	22	2.0	2.0	ng/L	1.99	1763-23-1-BR	
PFUnDA*	Not detected	2.0	1.4	ng/L	1.99	2058-94-8	
PFNS*	Not detected	2.0	1.4	ng/L	1.99	68259-12-1	
PFDoDA*	Not detected	2.0	1.6	ng/L	1.99	307-55-1	
PFDS*	Not detected	2.0	1.4	ng/L	1.99	335-77-3	
PFTTrDA*	Not detected	2.0	1.2	ng/L	1.99	72629-94-8	
FOSA*	Not detected	2.0	1.8	ng/L	1.99	754-91-6	
PFTeDA*	Not detected	4.0	1.8	ng/L	1.99	376-06-7	
11Cl-PF3OUdS*	Not detected	2.0	1.8	ng/L	1.99	763051-92-9	
9Cl-PF3ONS*	Not detected	2.0	1.4	ng/L	1.99	756426-58-1	
ADONA*	Not detected	2.0	2.0	ng/L	1.99	919005-14-4	
HFPO-DA*	Not detected	4.0	2.0	ng/L	1.99	13252-13-6	

J-Estimated value less than reporting limit, but greater than MDL

Merit Laboratories Login Checklist

Lab Set ID:S46097

Attention: Clifford Yantz
Address: Ramboll Americas
2090 Commonwealth Blvd
Ann Arbor, MI 48105

Client:OBG02 (Ramboll Americas - East Lansing, MI)

Project: RACER Coldwater Road

Submitted:03/09/2023 15:20 Login User: MAM

Phone: 313-333-0211 FAX:
Email: Clifford.Yantz@ramboll.com

Selection	Description	Note
-----------	-------------	------

Sample Receiving

- | | | |
|-----|--|--|
| 01. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Samples are received at 4C +/- 2C Thermometer # IR 3.6 |
| 02. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Received on ice/ cooling process begun |
| 03. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Samples shipped |
| 04. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Samples left in 24 hr. drop box |
| 05. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | Are there custody seals/tape or is the drop box locked |

Chain of Custody

- | | | |
|-----|--|--|
| 06. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | COC adequately filled out |
| 07. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | COC signed and relinquished to the lab |
| 08. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Sample tag on bottles match COC |
| 09. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Subcontracting needed? Subcontracted to: |

Preservation

- | | | |
|-----|--|---|
| 10. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Do sample have correct chemical preservation |
| 11. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | Completed pH checks on preserved samples? (no VOAs) |
| 12. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Did any samples need to be preserved in the lab? |

Bottle Conditions

- | | | |
|-----|--|---|
| 13. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | All bottles intact |
| 14. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Appropriate analytical bottles are used |
| 15. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Merit bottles used |
| 16. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Sufficient sample volume received |
| 17. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Samples require laboratory filtration |
| 18. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Samples submitted within holding time |
| 19. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | Do water VOC or TOX bottles contain headspace |

Corrective action for all exceptions is to call the client and to notify the project manager.

Client Review By: _____ Date: _____



Merit Laboratories, Inc.

2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
www.meritlabs.com

C.O.C. PAGE #

OF

154994

REPORT TO

CHAIN OF CUSTODY RECORD

INVOICE TO

CONTACT NAME Kevin Schneider / Clifford Vantz
COMPANY Ramboll
ADDRESS 2090 Commonwealth Blvd
CITY Ann Arbor STATE MI ZIP CODE 48105
PHONE NO. 313-333-0211 CELL NO. P.O. NO. 1940006516 Task 37
E-MAIL ADDRESS clifford.vantz@ramboll.com / kevin.schneider@ramboll.com QUOTE NO.

CONTACT NAME SAME
COMPANY
ADDRESS
CITY STATE ZIP CODE
PHONE NO. E-MAIL ADDRESS
ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)

PROJECT NO./NAME RACER Coldwater Road SAMPLER(S) - PLEASE PRINT/SIGN NAME Kevin Schneider [Signature]
TURNAROUND TIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDARD OTHER
DELIVERABLES REQUIRED STD LEVEL II LEVEL III LEVEL IV EDD OTHER

MATRIX W=WATER GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID
CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR WS=WASTE

Containers & Preservatives

MERIT LAB NO. FOR LAB USE ONLY	COLLECTION		SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	NONE	HCl	HNO ₃	H ₂ SO ₄	NaOH	MeOH	OTHER	PEAS (7775)	Certifications		Project Locations		Special Instructions
	DATE	TIME												<input type="checkbox"/> OHIO VAP	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> DoD	<input type="checkbox"/> NPDES	
46097.01	3/8/23	1010	Field Blank - 030823	L	1	X							X					Low level reporting
.02	3/8/23	945	01-PRCC-23-INTF	ww	3	X							X					with estimated
.03	3/8/23	955	01-PRCC-23-PRIM	ww	3	X							X					values
.04	3/8/23	1540	01-PRCC-23-EFF-23	ww	3	X							X					
.05	3/8/23	1542	01-PRCC-23-MID-2-23	ww	3	X							X					
.06	3/8/23	1544	01-PRCC-23-MID-1-23	ww	3	X							X					
.07	3/8/23	1546	01-PRCC-23-PRIM-23	ww	3	X							X					

RELINQUISHED BY: [Signature] DATE 3/9/23 TIME 11:30
RECEIVED BY: [Signature] DATE 3/9/23 TIME 11:30
RELINQUISHED BY: [Signature] DATE 3/9/23 TIME 15:20
RECEIVED BY: [Signature] DATE 3/9/23 TIME 15:20

RELINQUISHED BY: DATE TIME
RECEIVED BY: DATE TIME
SEAL NO. SEAL INTACT YES NO INITIALS
NOTES: TEMP. ON ARRIVAL 3.6

PLEASE NOTE: SIGNING ACKNOWLEDGES ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE



Quality Control Report

Report ID: QC-S46097-01
Generated on 03/31/2023

Report to

Attention: Clifford Yantz
Ramboll Americas
2090 Commonwealth Blvd
Ann Arbor, MI 48105

Phone: 313-333-0211 FAX:

Report Produced by

Merit Laboratories
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Report Summary

Lab Sample ID(s): S46097.01-S46097.07
Project: RACER Coldwater Road
Submitted Date/Time: 03/09/2023 15:20
Sampled by: Kevin Schneider
P.O. #: 1940006516 TASK 37

QC Report Sections

Cover Page (Page 1)
Analysis Summary (Pages 2-8)
Prep Batch Summary (Page 9)
Internal Standards per Lab Sample (Pages 10-16)
Internal Standards per QC Sample (Pages 17-22)
Batch QC Results (Pages 23-28)

Report Flag Descriptions

*: QC result is outside of indicated control limits
W: Surrogate result not applicable due to sample dilution

I certify that this data package is in compliance with the terms and conditions of the program, and project, and contractual requirements both technically and for completeness. Release of the data contained in this hardcopy data package and its computer-readable data submitted has been authorized by the Quality Assurance Manager and his/her designee, as verified by the following signature.

Barbara Ball
Quality Assurance Manager

QC Report - Analysis Summary

Lab Sample ID: S46097.01

Sample Tag: Field Blank-030823

Collected Date/Time: 03/08/2023 10:10

Matrix: Liquid

COC Reference: 154994

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Organics - Volatiles						
28 PFAs	ASTMD7979-19M	03/14/23 12:08	AK230313	PF230313W1	Yes	BLK/LCS/LCSD/MS/DU

QC Report - Analysis Summary

Lab Sample ID: S46097.02

Sample Tag: 01-PRCC-23-INF

Collected Date/Time: 03/08/2023 09:45

Matrix: Wastewater

COC Reference: 154994

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Organics - Volatiles						
28 PFAs	ASTMD7979-19M	03/13/23 19:41	AK230313	PF230313W1	Yes	BLK/LCS/LCSD/MS/DU

QC Report - Analysis Summary

Lab Sample ID: S46097.03

Sample Tag: 01-PRCC-23-PRIM

Collected Date/Time: 03/08/2023 09:55

Matrix: Wastewater

COC Reference: 154994

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Organics - Volatiles						
28 PFAs	ASTMD7979-19M	03/13/23 20:00	AK230313	PF230313W1	Yes	BLK/LCS/LCSD/MS/DU

QC Report - Analysis Summary

Lab Sample ID: S46097.04

Sample Tag: 01-PRCC-23-EFF-23

Collected Date/Time: 03/08/2023 15:40

Matrix: Wastewater

COC Reference: 154994

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Organics - Volatiles						
28 PFAs	ASTMD7979-19M	03/13/23 20:39	AK230313	PF230313W1	Yes	BLK/LCS/LCSD/MS/DU

QC Report - Analysis Summary

Lab Sample ID: S46097.05

Sample Tag: 01-PRCC-23-MID-2-23

Collected Date/Time: 03/08/2023 15:42

Matrix: Wastewater

COC Reference: 154994

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Organics - Volatiles						
28 PFAs	ASTMD7979-19M	03/13/23 21:18	AK230313	PF230313W1	Yes	BLK/LCS/LCSD/MS/DU

QC Report - Analysis Summary

Lab Sample ID: S46097.06

Sample Tag: 01-PRCC-23-MID-1-23

Collected Date/Time: 03/08/2023 15:44

Matrix: Wastewater

COC Reference: 154994

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Organics - Volatiles						
28 PFAs	ASTMD7979-19M	03/14/23 12:47	AK230313	PF230313W1	Yes	BLK/LCS/LCSD/MS/DU

QC Report - Analysis Summary

Lab Sample ID: S46097.07

Sample Tag: 01-PRCC-23-PRIM-23

Collected Date/Time: 03/08/2023 15:46

Matrix: Wastewater

COC Reference: 154994

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Organics - Volatiles						
28 PFAs	ASTMD7979-19M	03/13/23 21:57	AK230313	PF230313W1	Yes	BLK/LCS/LCSD/MS/DU

QC Report - Prep Batch Summary

Organics - Volatiles, Prep Batch ID: PF230313W1

Surrogates: Yes, QC Types: BLK/LCS/LCSD/MS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S46097.01	28 PFAs	ASTMD7979-19M	03/14/23 12:08	AK230313
S46097.02	28 PFAs	ASTMD7979-19M	03/13/23 19:41	AK230313
S46097.03	28 PFAs	ASTMD7979-19M	03/13/23 20:00	AK230313
S46097.04	28 PFAs	ASTMD7979-19M	03/13/23 20:39	AK230313
S46097.05	28 PFAs	ASTMD7979-19M	03/13/23 21:18	AK230313
S46097.06	28 PFAs	ASTMD7979-19M	03/14/23 12:47	AK230313
S46097.07	28 PFAs	ASTMD7979-19M	03/13/23 21:57	AK230313

QC Report - Internal Standards per Lab Sample

Lab Sample ID: S46097.01

Sample Tag: Field Blank-030823

Collected Date/Time: 03/08/2023 10:10

Matrix: Liquid

COC Reference: 154994

Organics - Volatiles, Analysis: 28 PFAs

Run in Batch: AK230313, Run Date: 03/14/2023 12:08, Matrix: WW, Dilution: 1.9

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA		103.3	50.0	150.0
M2-6:2FTSA		114.3	50.0	150.0
M2-8:2FTSA	*	244.4	50.0	150.0
M2PFTeDA		99.7	12.0	218.0
M3PFBS		112.9	50.0	150.0
M3PFHxS		113.6	50.0	150.0
M4PFHpA		101.8	50.0	150.0
M5PFHxA		102.4	50.0	150.0
M5PFPeA		105.1	50.0	150.0
M6PFDA		97.3	50.0	150.0
M7PFUnDA		104.4	50.0	150.0
M8FOSA		119.2	50.0	150.0
M8PFOA		96.8	50.0	150.0
M8PFOS		109.2	50.0	150.0
M9-PFNA		99.1	50.0	150.0
MPFBA		113.1	50.0	150.0
MPFDoDA		85.6	50.0	150.0
d3N-MeFOSAA		122.2	50.0	150.0
d5EtFOSAA		124.2	50.0	150.0
MHFPO-DA		104.8	50.0	150.0

QC Report - Internal Standards per Lab Sample

Lab Sample ID: S46097.02

Sample Tag: 01-PRCC-23-INF

Collected Date/Time: 03/08/2023 09:45

Matrix: Wastewater

COC Reference: 154994

Organics - Volatiles, Analysis: 28 PFAs

Run in Batch: AK230313, Run Date: 03/13/2023 19:41, Matrix: WW, Dilution: 1.95

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA	*	442.5	50.0	150.0
M2-6:2FTSA	*	243.7	50.0	150.0
M2-8:2FTSA		120.4	50.0	150.0
M2PFTeDA		92.8	12.0	218.0
M3PFBS		126.1	50.0	150.0
M3PFHxS		125.3	50.0	150.0
M4PFHpA		104.2	50.0	150.0
M5PFHxA		76.8	50.0	150.0
M5PFPeA	*	48.2	50.0	150.0
M6PFDA		123.3	50.0	150.0
M7PFUnDA		119.3	50.0	150.0
M8FOSA		115.6	50.0	150.0
M8PFOA		126.8	50.0	150.0
M8PFOS		109.1	50.0	150.0
M9-PFNA		104.9	50.0	150.0
MPFBA	*	38.0	50.0	150.0
MPFDoDA		106.2	50.0	150.0
d3N-MeFOSAA		138.6	50.0	150.0
d5EtFOSAA		124.6	50.0	150.0
MHFPO-DA		77.3	50.0	150.0

QC Report - Internal Standards per Lab Sample

Lab Sample ID: S46097.03

Sample Tag: 01-PRCC-23-PRIM

Collected Date/Time: 03/08/2023 09:55

Matrix: Wastewater

COC Reference: 154994

Organics - Volatiles, Analysis: 28 PFAs

Run in Batch: AK230313, Run Date: 03/13/2023 20:00, Matrix: WW, Dilution: 1.98

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA		120.4	50.0	150.0
M2-6:2FTSA		108.4	50.0	150.0
M2-8:2FTSA		102.0	50.0	150.0
M2PFTeDA		100.4	12.0	218.0
M3PFBS		121.5	50.0	150.0
M3PFHxS		107.5	50.0	150.0
M4PFHpA		101.8	50.0	150.0
M5PFHxA		118.1	50.0	150.0
M5PFPeA		111.7	50.0	150.0
M6PFDA		98.1	50.0	150.0
M7PFUnDA		118.6	50.0	150.0
M8FOSA		112.0	50.0	150.0
M8PFOA		118.7	50.0	150.0
M8PFOS		97.8	50.0	150.0
M9-PFNA		100.8	50.0	150.0
MPFBA		116.8	50.0	150.0
MPFDoDA		96.3	50.0	150.0
d3N-MeFOSAA		119.9	50.0	150.0
d5EtFOSAA		106.3	50.0	150.0
MHFPO-DA		104.1	50.0	150.0

QC Report - Internal Standards per Lab Sample

Lab Sample ID: S46097.04

Sample Tag: 01-PRCC-23-EFF-23

Collected Date/Time: 03/08/2023 15:40

Matrix: Wastewater

COC Reference: 154994

Organics - Volatiles, Analysis: 28 PFAs

Run in Batch: AK230313, Run Date: 03/13/2023 20:39, Matrix: WW, Dilution: 2.02

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA		131.9	50.0	150.0
M2-6:2FTSA		115.9	50.0	150.0
M2-8:2FTSA		87.1	50.0	150.0
M2PFTeDA		82.9	12.0	218.0
M3PFBS		114.7	50.0	150.0
M3PFHxS		113.7	50.0	150.0
M4PFHpA		111.0	50.0	150.0
M5PFHxA		119.7	50.0	150.0
M5PFPeA		106.0	50.0	150.0
M6PFDA		98.3	50.0	150.0
M7PFUnDA		116.0	50.0	150.0
M8FOSA		109.2	50.0	150.0
M8PFOA		109.1	50.0	150.0
M8PFOS		102.3	50.0	150.0
M9-PFNA		102.6	50.0	150.0
MPFBA		118.0	50.0	150.0
MPFDoDA		82.2	50.0	150.0
d3N-MeFOSAA		114.3	50.0	150.0
d5EtFOSAA		107.2	50.0	150.0
MHFPO-DA		114.2	50.0	150.0

QC Report - Internal Standards per Lab Sample

Lab Sample ID: S46097.05

Sample Tag: 01-PRCC-23-MID-2-23

Collected Date/Time: 03/08/2023 15:42

Matrix: Wastewater

COC Reference: 154994

Organics - Volatiles, Analysis: 28 PFAs

Run in Batch: AK230313, Run Date: 03/13/2023 21:18, Matrix: WW, Dilution: 1.94

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA		136.7	50.0	150.0
M2-6:2FTSA		127.0	50.0	150.0
M2-8:2FTSA		131.9	50.0	150.0
M2PFTeDA		72.9	12.0	218.0
M3PFBS		123.4	50.0	150.0
M3PFHxS		122.0	50.0	150.0
M4PFHpA		111.9	50.0	150.0
M5PFHxA		113.4	50.0	150.0
M5PFPeA		109.6	50.0	150.0
M6PFDA		100.1	50.0	150.0
M7PFUnDA		110.1	50.0	150.0
M8FOSA		109.3	50.0	150.0
M8PFOA		112.4	50.0	150.0
M8PFOS		103.5	50.0	150.0
M9-PFNA		109.8	50.0	150.0
MPFBA		121.2	50.0	150.0
MPFDoDA		89.7	50.0	150.0
d3N-MeFOSAA		124.8	50.0	150.0
d5EtFOSAA		100.2	50.0	150.0
MHFPO-DA		113.9	50.0	150.0

QC Report - Internal Standards per Lab Sample

Lab Sample ID: S46097.06

Sample Tag: 01-PRCC-23-MID-1-23

Collected Date/Time: 03/08/2023 15:44

Matrix: Wastewater

COC Reference: 154994

Organics - Volatiles, Analysis: 28 PFAs

Run in Batch: AK230313, Run Date: 03/14/2023 12:47, Matrix: WW, Dilution: 1.92

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA		67.9	50.0	150.0
M2-6:2FTSA		77.7	50.0	150.0
M2-8:2FTSA		85.6	50.0	150.0
M2PFTeDA		77.5	12.0	218.0
M3PFBS		102.9	50.0	150.0
M3PFHxS		84.2	50.0	150.0
M4PFHpA		82.4	50.0	150.0
M5PFHxA		90.4	50.0	150.0
M5PFPeA		101.0	50.0	150.0
M6PFDA		89.2	50.0	150.0
M7PFUnDA		84.4	50.0	150.0
M8FOSA		102.9	50.0	150.0
M8PFOA		88.5	50.0	150.0
M8PFOS		101.3	50.0	150.0
M9-PFNA		71.5	50.0	150.0
MPFBA		100.2	50.0	150.0
MPFDoDA		70.5	50.0	150.0
d3N-MeFOSAA		103.3	50.0	150.0
d5EtFOSAA		95.8	50.0	150.0
MHFPO-DA		94.3	50.0	150.0

QC Report - Internal Standards per Lab Sample

Lab Sample ID: S46097.07

Sample Tag: 01-PRCC-23-PRIM-23

Collected Date/Time: 03/08/2023 15:46

Matrix: Wastewater

COC Reference: 154994

Organics - Volatiles, Analysis: 28 PFAs

Run in Batch: AK230313, Run Date: 03/13/2023 21:57, Matrix: WW, Dilution: 1.99

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA		137.7	50.0	150.0
M2-6:2FTSA		96.7	50.0	150.0
M2-8:2FTSA		113.6	50.0	150.0
M2PFTeDA		93.1	12.0	218.0
M3PFBS		125.4	50.0	150.0
M3PFHxS		112.1	50.0	150.0
M4PFHpA		111.0	50.0	150.0
M5PFHxA		108.6	50.0	150.0
M5PFPeA		103.0	50.0	150.0
M6PFDA		93.2	50.0	150.0
M7PFUnDA		109.6	50.0	150.0
M8FOSA		106.3	50.0	150.0
M8PFOA		107.0	50.0	150.0
M8PFOS		107.8	50.0	150.0
M9-PFNA		98.8	50.0	150.0
MPFBA		116.5	50.0	150.0
MPFDoDA		86.9	50.0	150.0
d3N-MeFOSAA		110.6	50.0	150.0
d5EtFOSAA		111.4	50.0	150.0
MHFPO-DA		100.2	50.0	150.0

QC Report - Internal Standards per QC Sample

Organics - Volatiles, Prep Batch ID: PF230313W1

QC Types: BLK/LCS/LCSD/MS/DUP

Blank (BLK)

Lab Sample ID: AK230313.BLK230313

Run in Batch: AK230313, Run Date: 03/13/2023 18:03, Prep Date: 03/13/2023, Matrix: WW, Dilution: 1

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA		147.2	50.0	150.0
M2-6:2FTSA		125.4	50.0	150.0
M2-8:2FTSA		137.7	50.0	150.0
M2PFTeDA		91.0	12.0	218.0
M3PFBS		112.4	50.0	150.0
M3PFHxS		112.0	50.0	150.0
M4PFHpA		109.7	50.0	150.0
M5PFHxA		114.3	50.0	150.0
M5PFPeA		102.4	50.0	150.0
M6PFDA		85.6	50.0	150.0
M7PFUnDA		103.2	50.0	150.0
M8FOSA		102.4	50.0	150.0
M8PFOA		119.1	50.0	150.0
M8PFOS		94.5	50.0	150.0
M9-PFNA		94.7	50.0	150.0
MPFBA		110.6	50.0	150.0
MPFDoDA		86.4	50.0	150.0
d3N-MeFOSAA		112.4	50.0	150.0
d5EtFOSAA		103.1	50.0	150.0
MHFPO-DA		100.8	50.0	150.0

QC Report - Internal Standards per QC Sample

Blank (BLK)

Lab Sample ID: SE230313R.BLK230313

Run in Batch: SE230313R, Run Date: 03/14/2023 13:25, Prep Date: 03/13/2023, Matrix: WW, Dilution: 1

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA		86.7	50.0	150.0
M2-6:2FTSA		99.1	50.0	150.0
M2-8:2FTSA		78.3	50.0	150.0
M2PFTeDA		83.9	12.0	218.0
M3PFBS		80.3	50.0	150.0
M3PFHxS		83.4	50.0	150.0
M4PFHpA		79.2	50.0	150.0
M5PFHxA		85.3	50.0	150.0
M5PFPeA		87.1	50.0	150.0
M6PFDA		90.7	50.0	150.0
M7PFUnDA		90.5	50.0	150.0
M8FOSA		85.6	50.0	150.0
M8PFOA		82.2	50.0	150.0
M8PFOS		87.8	50.0	150.0
M9-PFNA		80.0	50.0	150.0
MPFBA		85.3	50.0	150.0
MPFDoDA		78.1	50.0	150.0
d3N-MeFOSAA		80.6	50.0	150.0
d5EtFOSAA		87.6	50.0	150.0
MHFPO-DA		101.5	50.0	150.0

QC Report - Internal Standards per QC Sample

Laboratory Control Sample (LCS)

Lab Sample ID: AK230313.LCS230313

Run in Batch: AK230313, Run Date: 03/13/2023 17:24, Prep Date: 03/13/2023, Matrix: WW, Dilution: 1

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA		139.1	50.0	150.0
M2-6:2FTSA		134.2	50.0	150.0
M2-8:2FTSA		104.4	50.0	150.0
M2PFTeDA		106.1	12.0	218.0
M3PFBS		115.4	50.0	150.0
M3PFHxS		105.1	50.0	150.0
M4PFHpA		86.1	50.0	150.0
M5PFHxA		103.1	50.0	150.0
M5PFPeA		94.9	50.0	150.0
M6PFDA		96.1	50.0	150.0
M7PFUnDA		106.1	50.0	150.0
M8FOSA		100.0	50.0	150.0
M8PFOA		113.6	50.0	150.0
M8PFOS		93.7	50.0	150.0
M9-PFNA		98.1	50.0	150.0
MPFBA		105.0	50.0	150.0
MPFDoDA		91.5	50.0	150.0
d3N-MeFOSAA		108.8	50.0	150.0
d5EtFOSAA		102.4	50.0	150.0
MHFPO-DA		96.1	50.0	150.0

QC Report - Internal Standards per QC Sample

Laboratory Control Sample Duplicate (LCSD)

Lab Sample ID: AK230313.LCSD230313, Parent Sample ID: AK230313.LCS230313

Run in Batch: AK230313, Run Date: 03/13/2023 17:44, Prep Date: 03/13/2023, Matrix: WW, Dilution: 1

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA		138.0	50.0	150.0
M2-6:2FTSA		116.7	50.0	150.0
M2-8:2FTSA		108.4	50.0	150.0
M2PFTeDA		101.7	12.0	218.0
M3PFBS		117.2	50.0	150.0
M3PFHxS		109.6	50.0	150.0
M4PFHpA		105.7	50.0	150.0
M5PFHxA		107.9	50.0	150.0
M5PFPeA		95.2	50.0	150.0
M6PFDA		91.4	50.0	150.0
M7PFUnDA		102.8	50.0	150.0
M8FOSA		109.8	50.0	150.0
M8PFOA		111.2	50.0	150.0
M8PFOS		101.5	50.0	150.0
M9-PFNA		94.9	50.0	150.0
MPFBA		104.4	50.0	150.0
MPFDoDA		94.5	50.0	150.0
d3N-MeFOSAA		107.5	50.0	150.0
d5EtFOSAA		106.9	50.0	150.0
MHFPO-DA		99.6	50.0	150.0

QC Report - Internal Standards per QC Sample

Matrix Spike (MS)

Lab Sample ID: AK230313.4609703M, Parent Sample ID: S46097.03

Run in Batch: AK230313, Run Date: 03/13/2023 20:20, Prep Date: 03/13/2023, Matrix: WW, Dilution: 1.98

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA		126.9	50.0	150.0
M2-6:2FTSA		129.5	50.0	150.0
M2-8:2FTSA		113.4	50.0	150.0
M2PFTeDA		99.2	12.0	218.0
M3PFBS		125.8	50.0	150.0
M3PFHxS		111.8	50.0	150.0
M4PFHpA		106.0	50.0	150.0
M5PFHxA		118.7	50.0	150.0
M5PFPeA		107.3	50.0	150.0
M6PFDA		103.0	50.0	150.0
M7PFUnDA		123.2	50.0	150.0
M8FOSA		116.7	50.0	150.0
M8PFOA		127.2	50.0	150.0
M8PFOS		103.4	50.0	150.0
M9-PFNA		97.5	50.0	150.0
MPFBA		118.6	50.0	150.0
MPFDoDA		96.5	50.0	150.0
d3N-MeFOSAA		120.7	50.0	150.0
d5EtFOSAA		114.9	50.0	150.0
MHFPO-DA		112.4	50.0	150.0

QC Report - Internal Standards per QC Sample

Duplicate (DUP)

Lab Sample ID: AK230313.4609704D, Parent Sample ID: S46097.04

Run in Batch: AK230313, Run Date: 03/13/2023 20:59, Prep Date: 03/13/2023, Matrix: WW, Dilution: 2.02

Internal Standard	Flags	%Rec	LCL	UCL
M2-4:2FTSA		136.7	50.0	150.0
M2-6:2FTSA		105.6	50.0	150.0
M2-8:2FTSA	*	174.8	50.0	150.0
M2PFTeDA		80.3	12.0	218.0
M3PFBS		121.5	50.0	150.0
M3PFHxS		117.4	50.0	150.0
M4PFHpA		104.1	50.0	150.0
M5PFHxA		108.0	50.0	150.0
M5PFPeA		102.4	50.0	150.0
M6PFDA		87.1	50.0	150.0
M7PFUnDA		113.9	50.0	150.0
M8FOSA		103.6	50.0	150.0
M8PFOA		113.1	50.0	150.0
M8PFOS		101.7	50.0	150.0
M9-PFNA		100.7	50.0	150.0
MPFBA		114.0	50.0	150.0
MPFDoDA		87.8	50.0	150.0
d3N-MeFOSAA		120.8	50.0	150.0
d5EtFOSAA		100.1	50.0	150.0
MHFPO-DA		104.0	50.0	150.0

QC Report - Batch QC Results

Organics - Volatiles, Prep Batch ID: PF230313W1

Surrogates: Yes, QC Types: BLK/LCS/LCSD/MS/DUP

Blank (BLK)

Lab Sample ID: AK230313.BLK230313

Run in Batch: AK230313, Run Date: 03/13/2023 18:03, Prep Date: 03/13/2023, Matrix: WW, Dilution: 1

Analyte	Flags	Conc	RDL	Units
PFBA		ND	10	ng/l
PFMPA		ND	2	ng/l
FPrPA (3:3 FTCA)		ND	4	ng/l
PFPPrS		ND	2	ng/l
PFPeA		ND	4	ng/l
PFMBA		ND	2	ng/l
4:2 FTSA		ND	2	ng/l
NFDHA		ND	2	ng/l
PFHxA		ND	2	ng/l
PFBS		ND	2	ng/l
HFPO-DA		ND	4	ng/l
FPePA (5:3 FTCA)		ND	4	ng/l
PFEESA		ND	2	ng/l
PFHpA		ND	2	ng/l
ADONA		ND	2	ng/l
PFPeS		ND	2	ng/l
PFBSA		ND	2	ng/l
6:2 FTSA		ND	2	ng/l
PFOA		ND	2	ng/l
PFHxS-BR		ND	2	ng/l
PFHxS		ND	2	ng/l
PFHxS-LN		ND	2	ng/l
FHpPA (7:3 FTCA)		ND	4	ng/l
PFNA		ND	2	ng/l
8:2 FTSA		ND	2	ng/l
PFECHS		ND	2	ng/l
PFHpS		ND	2	ng/l
N-MeFOSAA		ND	2	ng/l
PFDA		ND	2	ng/l
PFOS		ND	2	ng/l
PFOS-BR		ND	2	ng/l
EtFOSAA		ND	4	ng/l
PFHxSA		ND	2	ng/l
PFOS-LN		ND	2	ng/l
PFUnDA		ND	2	ng/l
9CL-PF3ONS		ND	2	ng/l
PFNS		ND	2	ng/l
PFDoDA		ND	2	ng/l
PFDS		ND	2	ng/l
PFTTrDA		ND	2	ng/l
FOSA		ND	2	ng/l
11CL-PF3OUdS		ND	2	ng/l
PFTeDA		ND	4	ng/l

QC Report - Batch QC Results

Organics - Volatiles, Prep Batch ID: PF230313W1 (continued)

Surrogates: Yes, QC Types: BLK/LCS/LCSD/MS/DUP

Blank (BLK)

Lab Sample ID: SE230313R.BLK230313

Run in Batch: SE230313R, Run Date: 03/14/2023 13:25, Prep Date: 03/13/2023, Matrix: WW, Dilution: 1

Analyte	Flags	Conc	RDL	Units
PFBA		ND	10	ng/l
PFMPA		ND	2	ng/l
FPrPA (3:3 FTCA)		ND	4	ng/l
PFPPrS		ND	2	ng/l
PFPeA		ND	4	ng/l
PFMBA		ND	2	ng/l
4:2 FTSA		ND	2	ng/l
NFDHA		ND	2	ng/l
PFHxA		ND	2	ng/l
PFBS		ND	2	ng/l
HFPO-DA		ND	2	ng/l
FPePA (5:3 FTCA)		ND	4	ng/l
PFEESA		ND	2	ng/l
PFHpA		ND	2	ng/l
PFPeS		ND	2	ng/l
ADONA		ND	2	ng/l
6:2 FTSA		ND	2	ng/l
PFBSA		ND	2	ng/l
PFOA		ND	2	ng/l
PFHxS-BR		ND	2	ng/l
PFHxS-LN		ND	2	ng/l
PFHxS		ND	2	ng/l
FHpPA (7:3 FTCA)		ND	4	ng/l
PFNA		ND	2	ng/l
PFECHS		ND	2	ng/l
8:2 FTSA		ND	2	ng/l
PFHpS		ND	2	ng/l
PFDA		ND	2	ng/l
N-MeFOSAA		ND	2	ng/l
PFOS-BR		ND	2	ng/l
PFOS		ND	2	ng/l
EtFOSAA		ND	4	ng/l
PFOS-LN		ND	2	ng/l
PFUnDA		ND	2	ng/l
PFHxSA		ND	2	ng/l
9CL-PF3ONS		ND	2	ng/l
PFNS		ND	2	ng/l
PFDoDA		ND	2	ng/l
PFDS		ND	2	ng/l
PFTTrDA		ND	2	ng/l
11CL-PF3OUdS		ND	2	ng/l
FOSA		ND	2	ng/l
PFTeDA		ND	4	ng/l

QC Report - Batch QC Results

Organics - Volatiles, Prep Batch ID: PF230313W1 (continued)

Surrogates: Yes, QC Types: BLK/LCS/LCSD/MS/DUP

Laboratory Control Sample (LCS)

Lab Sample ID: AK230313.LCS230313

Run in Batch: AK230313, Run Date: 03/13/2023 17:24, Prep Date: 03/13/2023, Matrix: WW, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
PFBA		105.6	70.0	130.0
PFMPA		112.4	70.0	130.0
FPrPA (3:3 FTCA)		122.4	70.0	130.0
PFPPrS		76.6	70.0	130.0
PFPeA		105.2	70.0	130.0
PFMBA		100.4	70.0	130.0
4:2 FTSA		101.2	70.0	130.0
NFDHA		97.2	70.0	130.0
PFHxA		97.8	70.0	130.0
PFBS		106.8	70.0	130.0
HFPO-DA		95.6	70.0	130.0
FPePA (5:3 FTCA)		104.8	70.0	130.0
PFEESA		104.4	70.0	130.0
PFHpA		117.6	70.0	130.0
ADONA		106.2	70.0	130.0
PFPeS		106.0	70.0	130.0
PFBSA		106.8	70.0	130.0
6:2 FTSA		90.4	70.0	130.0
PFOA		100.2	70.0	130.0
PFHxS		107.8	70.0	130.0
FHpPA (7:3 FTCA)		102.2	70.0	130.0
PFNA		113.4	70.0	130.0
8:2 FTSA		116.4	70.0	130.0
PFECHS		97.8	70.0	130.0
PFHpS		108.0	70.0	130.0
N-MeFOSAA		103.4	70.0	130.0
PFDA		102.0	70.0	130.0
PFOS		116.0	70.0	130.0
EtFOSAA		110.0	70.0	130.0
PFHxSA		99.8	70.0	130.0
PFUnDA		101.0	70.0	130.0
9CL-PF3ONS		111.2	70.0	130.0
PFNS		126.2	70.0	130.0
PFDoDA		116.4	70.0	130.0
PFDS		118.4	70.0	130.0
PFTTrDA		122.0	70.0	130.0
FOSA		114.8	70.0	130.0
11CL-PF3OUdS		113.0	70.0	130.0
PFTeDA		110.6	70.0	130.0

Laboratory Control Sample Duplicate (LCSD)

Lab Sample ID: AK230313.LCSD230313, Parent Sample ID: AK230313.LCS230313

Run in Batch: AK230313, Run Date: 03/13/2023 17:44, Prep Date: 03/13/2023, Matrix: WW, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
PFBA		107.2	70.0	130.0	1.5	30.0
PFMPA		104.8	70.0	130.0	7.0	30.0

QC Report - Batch QC Results

Organics - Volatiles, Prep Batch ID: PF230313W1 (continued)

Surrogates: Yes, QC Types: BLK/LCS/LCSD/MS/DUP

Laboratory Control Sample Duplicate (LCSD) (continued)

Lab Sample ID: AK230313.LCSD230313, Parent Sample ID: AK230313.LCS230313

Run in Batch: AK230313, Run Date: 03/13/2023 17:44, Prep Date: 03/13/2023, Matrix: WW, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL	RPD	RPD CL
FPrPA (3:3 FTCA)		119.6	70.0	130.0	2.3	30.0
PFPPrS		103.4	70.0	130.0	29.8	30.0
PFPeA		104.0	70.0	130.0	1.1	30.0
PFMBA		103.2	70.0	130.0	2.8	30.0
4:2 FTSA		106.6	70.0	130.0	5.2	30.0
NFDHA		102.0	70.0	130.0	4.8	30.0
PFHxA		98.6	70.0	130.0	0.8	30.0
PFBS		104.0	70.0	130.0	2.7	30.0
HFPO-DA		109.2	70.0	130.0	13.3	30.0
FPePA (5:3 FTCA)		111.8	70.0	130.0	6.5	30.0
PFEESA		99.0	70.0	130.0	5.3	30.0
PFHpA		90.6	70.0	130.0	25.9	30.0
ADONA		110.6	70.0	130.0	4.1	30.0
PFPeS		103.6	70.0	130.0	2.3	30.0
PFBSA		98.6	70.0	130.0	8.0	30.0
6:2 FTSA		105.4	70.0	130.0	15.3	30.0
PFOA		105.4	70.0	130.0	5.1	30.0
PFHxS		106.2	70.0	130.0	1.5	30.0
FHpPA (7:3 FTCA)		104.8	70.0	130.0	2.5	30.0
PFNA		105.8	70.0	130.0	6.9	30.0
8:2 FTSA		108.2	70.0	130.0	7.3	30.0
PFECHS		96.6	70.0	130.0	1.2	30.0
PFHpS		97.4	70.0	130.0	10.3	30.0
N-MeFOSAA		108.6	70.0	130.0	4.9	30.0
PFDA		122.2	70.0	130.0	18.0	30.0
PFOS		99.8	70.0	130.0	15.0	30.0
EtFOSAA		93.4	70.0	130.0	16.3	30.0
PFHxSA		106.4	70.0	130.0	6.4	30.0
PFUnDA		103.0	70.0	130.0	2.0	30.0
9CL-PF3ONS		101.2	70.0	130.0	9.4	30.0
PFNS		106.4	70.0	130.0	17.0	30.0
PFDoDA		112.2	70.0	130.0	3.7	30.0
PFDS		106.2	70.0	130.0	10.9	30.0
PFTTrDA		119.0	70.0	130.0	2.5	30.0
FOSA		105.8	70.0	130.0	8.2	30.0
11CL-PF3OUdS		108.6	70.0	130.0	4.0	30.0
PFTeDA		108.4	70.0	130.0	2.0	30.0

Matrix Spike (MS)

Lab Sample ID: AK230313.4609703M, Parent Sample ID: S46097.03

Run in Batch: AK230313, Run Date: 03/13/2023 20:20, Prep Date: 03/13/2023, Matrix: WW, Dilution: 1.98

Analyte	Flags	% Rec	LCL	UCL
PFBA		99.0	70.0	130.0
PFPeA		97.0	70.0	130.0
4:2 FTSA		101.0	70.0	130.0
PFHxA		93.9	70.0	130.0

QC Report - Batch QC Results

Organics - Volatiles, Prep Batch ID: PF230313W1 (continued)

Surrogates: Yes, QC Types: BLK/LCS/LCSD/MS/DUP

Matrix Spike (MS) (continued)

Lab Sample ID: AK230313.4609703M, Parent Sample ID: S46097.03

Run in Batch: AK230313, Run Date: 03/13/2023 20:20, Prep Date: 03/13/2023, Matrix: WW, Dilution: 1.98

Analyte	Flags	% Rec	LCL	UCL
PFBS		101.0	70.0	130.0
PFHpA		111.1	70.0	130.0
PFPeS		101.0	70.0	130.0
6:2 FTSA		88.9	70.0	130.0
PFOA		91.9	70.0	130.0
PFHxS		101.0	70.0	130.0
PFNA		111.1	70.0	130.0
8:2 FTSA		101.0	70.0	130.0
PFHpS		101.0	70.0	130.0
PFDA		94.9	70.0	130.0
N-MeFOSAA		101.0	70.0	130.0
EtFOSAA		96.0	70.0	130.0
PFOS		105.1	70.0	130.0
PFUnDA		91.9	70.0	130.0
PFNS		111.1	70.0	130.0
PFDoDA		100.0	70.0	130.0
PFDS		101.0	70.0	130.0
PFTTrDA		111.1	70.0	130.0
FOSA		97.0	70.0	130.0
PFTeDA		111.1	70.0	130.0
11CL-PF3OUdS		111.1	70.0	130.0
9CL-PF3ONS		97.0	70.0	130.0
ADONA		97.0	70.0	130.0
HFPO-DA		94.9	70.0	130.0

Duplicate (DUP)

Lab Sample ID: AK230313.4609704D, Parent Sample ID: S46097.04

Run in Batch: AK230313, Run Date: 03/13/2023 20:59, Prep Date: 03/13/2023, Matrix: WW, Dilution: 2.02

Analyte	Flags	RPD	RPD CL
PFBA		NC	30.0
PFPeA		NC	30.0
4:2 FTSA		NC	30.0
PFHxA		NC	30.0
PFBS		NC	30.0
PFHpA		NC	30.0
PFPeS		NC	30.0
6:2 FTSA		NC	30.0
PFOA		NC	30.0
PFHxS		NC	30.0
PFHxS-LN		NC	30.0
PFHxS-BR		NC	30.0
PFNA		NC	30.0
8:2 FTSA		NC	30.0
PFHpS		NC	30.0
PFDA		NC	30.0
N-MeFOSAA		NC	30.0

QC Report - Batch QC Results

Organics - Volatiles, Prep Batch ID: PF230313W1 (continued)

Surrogates: Yes, QC Types: BLK/LCS/LCSD/MS/DUP

Duplicate (DUP) (continued)

Lab Sample ID: AK230313.4609704D, Parent Sample ID: S46097.04

Run in Batch: AK230313, Run Date: 03/13/2023 20:59, Prep Date: 03/13/2023, Matrix: WW, Dilution: 2.02

Analyte	Flags	RPD	RPD CL
EtFOSAA		NC	30.0
PFOS		29.3	30.0
PFOS-LN	*	44.1	30.0
PFOS-BR		NC	30.0
PFUnDA		NC	30.0
PFNS		NC	30.0
PFDoDA		NC	30.0
PFDS		NC	30.0
PFTTrDA		NC	30.0
FOSA		NC	30.0
PFTeDA		NC	30.0
11CL-PF3OUdS		NC	30.0
9CL-PF3ONS		NC	30.0
ADONA		NC	30.0
HFPO-DA		NC	30.0

