

May 23, 2006

Reference No. 17303

Ms. Vicki Katko
Department of Environmental Quality
Remediation and Redevelopment Division
Jackson District Office
301 East Louis Glick Highway
Jackson, Michigan 49201-1556

Dear Ms. Katko:

Re: 2005 Groundwater Monitoring Summary
Company Vehicle Operations Area
Former Willow Run Assembly Plant
Washtenaw County, Michigan

On behalf of ENCORE, a wholly owned subsidiary of General Motors Corporation (GM), Conestoga-Rovers & Associates, Inc. (CRA) is providing this Groundwater Monitoring Summary covering the period between January 2005 and December 2005 for the Company Vehicle Operations (CVO) property located in Ypsilanti, Michigan (Site). Regular groundwater sampling events are being conducted to monitor constituent concentrations over time at the property boundaries.

The shallow groundwater at the Site has been impacted with chlorinated and non-chlorinated volatile organic compounds (VOCs). The main constituents of concern (COCs) at the Site are trichloroethylene (TCE), cis-1,2-dichloroethylene (cis-DCE), and vinyl chloride. The Michigan Department of Environmental Quality (MDEQ) granted a *groundwater not in an aquifer determination* for the surficial unit from which this groundwater is sampled (letter to Ken Richards dated September 1, 2004). Accordingly, drinking water criteria are not applicable; however, drinking water criteria are used along with groundwater surface water interface (GSI) criteria to monitor the property boundary concentrations for off-Site migration.

An Interim Response Action (IRA), specifically chemical oxidation using potassium permanganate (KMnO₄) to treat the impacted groundwater, was conducted between December 2001 and June 2002, in two source areas at the Site. In addition, a sheet pile wall was installed in October 2004, adjacent to Tyler Pond, to prevent migration of dense non-aqueous phase liquid (DNAPL) into Tyler Pond.

GROUNDWATER SAMPLING IN 2005

Regular groundwater monitoring was completed on a quarterly basis in 2005. The sampling locations remained the same as the 2004 quarterly locations with the addition of six new wells (GS-6, GS-7, MW-14, PZ18-195, PZ18-131 or PZ18-133, and IW-45 or MW-18-45) as proposed in the Supplemental Phase III Extent of Contamination (EOC) Work Plan Addendum No. 2 submitted to MDEQ in April 2005. The following table presents a list of wells sampled in 2005.

<u>Northern Boundary</u>	<u>Southern Boundary</u>	<u>Interior</u>
<u>Wells</u>	<u>Wells</u>	<u>Wells</u>
GS-3	MW19-01	MW-6
GS-4	MW19-02	MW19-07
GS-5	MW19-03	IW-9
GS-6	MW19-04	IW-12
PZ18-195	MW19-24	IW-33
	MW-14	IW-46
	GS-7 (Off-Site)	IW-44
		PZ18-131 or PZ18-133
		IW-45 or MW-18-45
		MW19-09

- Wells GS-6, GS-7, MW-14, PZ18-131/PZ18-133, and IW-45/MW-18-45 were sampled in the second quarter of 2005 for the first time as part of the quarterly groundwater monitoring events.
 - As discussed in the letter summarizing the 2004 Groundwater Monitoring Summary (letter to Mr. Peter Masson dated March 18, 2005), well GS-5 is located within the sheet pile wall and no longer reflects groundwater venting to surface water conditions. Accordingly, groundwater VOC concentrations reflecting GSI conditions in this area were assessed by a new GSI well, GS-6, located on the west side of sheet pile wall, and an existing piezometer, PZ18-195, located on the east side of the sheet pile wall.
 - To monitor groundwater concentrations at the top of the sheet pile wing walls, IW-45 and PZ18-131 were sampled as a part of the quarterly sampling events.
- PZ18-133 was sampled instead of PZ18-131 beginning in the third quarterly event due to an obstruction in PZ18-131 (a ¼" polyethylene tubing became stuck in the well). PZ18-131 was abandoned and replaced with a two-inch monitoring well (MW18-07) in March 2006, which will be a regular quarterly sampling location in 2006. In addition, the sampling of injection well IW-45, located at the top of the bank and inside the east sheet pile wing wall, was replaced with MW-18-45, located on the east side of the sheet pile wall, in the third quarterly event to monitor groundwater moving outside the sheet pile wall. MW-18-45 will continue

to be a quarterly sampling location in 2006 to monitor groundwater concentrations outside the sheet pile wall.

- MW19-09 is not included in the quarterly locations; however, during the fourth quarterly event MW19-09 was inadvertently sampled. The groundwater monitoring results for MW19-09 are included in Table 1.

Groundwater samples were collected from these wells and were analyzed for target compound list (TCL) VOCs. Table 1 presents the constituents monitored during the 2005 groundwater monitoring, and includes historical data collected from December 2001 through December 2005. The table indicates that during the 2005 sampling events nine constituents (cis-1,2-DCE, trans-1,2-DCE, vinyl chloride, 1,1-dichloroethene, ethylbenzene, xylene (total), acetone, benzene, and methylene chloride) were detected above the GSI and/or generic criteria at perimeter locations. In addition, several constituents including cis-1,2-DCE, trans-1,2-DCE, vinyl chloride, TCE, and toluene were detected above GSI criteria in interior wells. Generally, concentrations of the constituents detected in the groundwater are stable at the Site.

Four constituents, cis-1,2-DCE, trans-1,2-DCE, vinyl chloride, and benzene, have historically been detected above the generic criteria in the boundary wells and have been reported to the MDEQ using EQP4482 Notice of Migration (NOM) of contamination pursuant to Part 201 of the National Resources and Environmental Protection Act, 1994 Act 451 as amended.

Three constituents, 1,1-DCE, ethylbenzene, and xylene (total) were included in a revised NOM submitted on September 6, 2005. One boundary well exhibited an exceedance for 1,1-DCE where previous results were not detected, although the reporting limits for the previous data were elevated due to matrix interference. Ethylbenzene and xylenes were detected above criteria during the second quarterly sampling event. Since then both constituents have not been detected in boundary wells (reporting limit below criteria). Acetone and methylene chloride detections were concluded to be false positives because they are common lab contaminants, were detected in the method blanks, and were not detected in subsequent samples. No changes to the off-Site migration were submitted for these constituents.

GROUNDWATER LEVEL MONITORING

Water levels were collected on a quarterly basis to determine groundwater flow conditions throughout the 2005 calendar year. Figures 1 through 4 present the locations for all the monitoring wells where water levels were gauged; the groundwater flow pattern was also interpreted from these readings for each quarterly event.

May 23, 2006

4

Reference No. 17303

The figures generally show consistent flow direction at the Site, with a groundwater divide that extends through the center portion of the Site running northwest to southeast. Groundwater north of this divide moves towards Tyler Pond to the north, while groundwater south of the divide moves to the south towards Tyler Road. These flow patterns are consistent with data recorded in previous years.

The figures also show the effects of the presence of sheet pile wall as a barrier to groundwater flow. In the area of the sheet pile wall groundwater flow is directed around the wall, as evident by the close contour patterns to the west of the sheet pile wall, and the higher water level elevation within the sheet pile wall area compared to adjacent areas.

2006 PROPOSED MONITORING

Regular groundwater monitoring is planned on a quarterly basis for the 2006 calendar year. The sampling locations will remain the same as the 2005 quarterly locations. Water levels will also be collected, on a quarterly basis in 2006, prior to each sampling event.

If you have any questions, please do not hesitate to contact me at (734) 453-5123.


Yours truly,


CONESTOGA-ROVERS & ASSOCIATES


Fred W. Blickle, P.E

AB/bw/1/Det.
Encl.

c.c.: Ken Richards - ENCORE
Beth Landale - CRA










TABLE 1
2001-2005 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells				1,1,1-Trichloroethane mg/L	1,1,2,2-Tetrachloroethane mg/L	1,1,2-Trichloroethane mg/L	1,1-Dichloroethane mg/L	1,1-DCE mg/L	1,2,4-Trichlorobenzene mg/L	1,2-DBCP mg/L	1,2-DBE mg/L	1,2-Dichlorobenzene mg/L	1,2-Dichloroethane mg/L	1,2-Dichloropropane mg/L	1,3-Dichlorobenzene mg/L	1,4-Dichlorobenzene mg/L	MEK mg/L	2-Hexanone mg/L	MIK mg/L	Acetone mg/L	Benzene mg/L		
Well ID	Top of Casing	Screen (ft BGS)	Sample Date																				
IW-9	716.449	11 - 16	12/13/2001	0.001 U	0.001 U	0.001	0.001 U	0.015 ^a	0.005 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.64 J	0.05 U	0.05 U	0.1 U	0.02 ^a	
			1/14/2002	0.001 U	0.001 U	0.001 U	0.001 U	0.012 ^a	0.005 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.16	0.05 U	0.05 U	0.13	0.034 ^a	
			3/14/2002	0.001 U	0.001 U	0.001 U	0.001 U	0.012 ^a	0.005 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.05 U	0.05 U	0.05 U	0.16	0.041 ^a	
			5/6/2002	0.001 U	0.001 U	0.001 U	0.001 U	0.004	0.005 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.05 U	0.05 U	0.05 U	0.1 U	0.015 ^a	
			7/22/2002	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.012 / 0.011a	0.005 U / 0.005 U	0.001 U / 0.001 U	--	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.05 U / 0.05 U	0.05 U / 0.05 U	0.05 U / 0.05 U	0.1 / 0.1	0.037 / 0.038a
			11/25/2002	0.001 U	0.001 U	0.001 U	0.001 U	0.028 ^a	0.001 U	0.001 U	--	0.001	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.043 ^a
			6/26/2003	0.001 U	0.001 U	0.001 U	0.001 U	0.021 ^a	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.025 ^a
			12/2/2003	2 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	50 U	100 U	100 U	50 U	2 U
			3/31/2004	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	7.1 U / 7.1 U	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	36 U / 36 U	71 U / 71 U	71 U / 71 U	36 U / 36 U	1.4 U / 1.4 U
			6/30/2004	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	6.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	31 U	62 U	62 U	31 U	1.2 U
			9/22/2004	1 U	1 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	25 U	50 U	50 U	25 U	1 U
			12/8/2004	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	6.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	31 U	62 U	62 U	31 U	1.2 U
			3/10/2005	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.001 U
			6/23/2005	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	6.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	31 U	63 U	63 U	31 U	1.3 U
			10/5/2005	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	13 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	63 U	130 U	130 U	63 U	2.5 U
			12/14/2005	2.6 U	2.6 U	2.6 U	2.6 U	2.6 U	13 U	2.6 U	2.6 U	2.6 U	2.6 U	2.6 U	2.6 U	2.6 U	2.6 U	2.6 U	64 U	130 U	130 U	64 U	2.6 U
IW-12	717.278	7 - 17	12/13/2001	0.001 U	0.001 U	0.006 ^a	0.001 U	0.17 ^{ab}	0.005 U	0.001 U	--	0.001 U	0.002	0.001 U	0.001 U	0.001 U	0.23	0.05 U	0.05 U	0.1 U	0.1 ^a		
			1/14/2002	0.001 U	0.001 U	0.001 U	0.001 U	0.011 ^a	0.005 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.11	0.05 U	0.05 U	0.34	0.053 ^a	
			3/14/2002	0.001 U	0.001 U	0.001 U	0.001 U	0.001	0.005 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.07	0.05 U	0.05 U	0.28	0.042 ^a	
			5/6/2002	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.099	0.05 U	0.05 U	2.6 ^{ab}	0.088 ^a	
			7/22/2002	0.001 U	0.001 U	0.001 U	0.001 U	0.059 ^a	0.005 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.05 U	0.05 U	0.05 U	0.1 U	0.085 ^a	
			11/25/2002	0.001 U	0.001 U	0.001 U	0.001 U	0.227 ^{ab}	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.16 ^a	
			6/26/2003	0.001 U	0.001 U	0.001 U	0.001 U	0.016 ^a	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.1 ^a	
			12/2/2003	2 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	50 U	100 U	100 U	50 U	2 U
			3/31/2004	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	12 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	62 U	120 U	120 U	62 U	0.637 ^{ab}
			7/1/2004	0.56 U	0.56 U	0.56 U	0.56 U	0.56 U	2.8 U	0.56 U	0.56 U	0.56 U	0.56 U	0.56 U	0.56 U	0.56 U	0.56 U	0.56 U	14 U	28 U	28 U	0.64 J	0.177 ^a
			9/22/2004	1 U	1 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	25 U	50 U	50 U	25 U	1 U
			12/7/2004	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	8.3 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	42 U	83 U	83 U	42 U	1.7 U
			3/10/2005	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.041 J / 0.0427a	0.005 U / 0.005 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.025 U / 0.025 U	0.05 U / 0.05 U	0.05 U / 0.05 U	0.003 J / 0.0029 J	0.036 J / 0.0357a
			6/23/2005	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	6.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	31 U	63 U	63 U	31 U	1.3 U
			10/5/2005	0.25 U	0.25 U	0.25 U	0.25 U	0.117 ^{ab}	1.3 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	13 U	25 U	13 U	6.3 U	0.0777 ^a
			12/13/2005	3.1 U	3.1 U	3.1 U	3.1 U	3.1 U	16 U	3.1 U	3.1 U	3.1 U	3.1 U	3.1 U	3.1 U	3.1 U	3.1 U	3.1 U	78 U	160 U	160 U	78 U	3.1 U
IW-33	717.816	13 - 18	12/13/2001	0.001 U	0.001 U	0.034 ^a	0.003	0.031 ^a	0.005 U	0.001 U	--	0.001 U	0.009 ^a	0.006 ^a	0.001 U	0.001 U	0.05 U	0.05 U	0.05 U	0.26	0.18 ^a		
			1/14/2002	0.001 U	0.001 U	0.001 U	0.001	0.012 ^a	0.005 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.11	0.05 U	0.05 U	0.49	0.08 ^a	
			3/14/2002	0.001 U	0.001 U	0.001 U	0.001	0.001 U	0.005 U	0.001 U	--	0.001 U	0.001 U	0.002	0.001 U	0.001 U	0.001 U	0.05 U	0.05 U	0.05 U	0.24	0.068 ^a	
			5/6/2002	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.005 U / 0.005 U	0.001 U / 0.001 U	--	0.001 U / 0.001 U	0.001 / 0.001	0.002 / 0.001	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.05 U / 0.05 U	0.05 U / 0.05 U	0.05 U / 0.05 U	0.4 / 0.38	0.058 / 0.062a	
			7/22/2002	0.001 U	0.001 U	0.002	0.002	0.003	0.005 U	0.001 U	--	0.001 U	0.003	0.001 U	0.001 U	0.001 U	0.001 U	0.05 U	0.05 U	0.05 U	0.1 U	0.17 ^a	
			11/26/2002	0.001 U	0.001 U	0.003	0.002	0.033 ^a	0.001 U	0.001 U	--	0.001 U	0.004	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.18 ^a	
			6/26/2003	0.001 U	0.001 U	0.001 U	0.003	0.057 ^a	0.001 U	0.001 U	--	0.001 U	0.004	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.12 ^a	
			12/2/2003	2 U	2 U	2 U	2 U	2 U	10 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	50 U	100 U	100 U	50 U	2 U	
			4/1/2004	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	6.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	31 U	62 U	62 U	31 U	1.2 U	
			7/1/2004	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	8.3 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	42 U	83 U	83 U	42 U	1.7 U	
			9/22/2004	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	17 U / 17 U	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	83 U / 83 U	170 U / 170 U	170 U / 170 U	83 U / 83 U	3.3 U / 3.3 U
			12/8/2004	3.3 U	3.3 U	3.3 U	3.3 U	3.3 U	17 U	3.3 U	3.3 U	3.3 U	3.3 U	3.3 U	3.3 U	3.3 U	3.3 U	3.3 U	83 U	170 U	170 U	83 U	3.3 U
			3/10/2005	0.001 U	0.001 U	0.0069 ^a	0.0097	0.367 ^{ab}	0.00021 J	0.001 U	0.001 U	0.00075 J	0.00052 J	0.018 ^a	0.0094 ^a	0.00052 J	0.00092 J	0.022 J	0.05 U	0.079	0.055	0.147 ^a	
			6/23/2005	6.3 U	6.3 U	6.3 U	6.3 U	6.3 U	31 U	6.3 U	6.3 U	6.3 U	6.3 U	6.3 U	6.3 U	6.3 U	6.3 U	6.3 U	160 U	310 U	310 U	160 U	6.3 U
			10/5/2005	5 U	5 U	5 U	5 U	5 U	25 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	130 U	250 U	250 U	130 U	5 U
			12/14/2005	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	18 U	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	89 U	180 U	180 U	89 U	3.6 U
IW-44	717.23	12 - 17	12/10/2004	0.056 U	0.056 U	0.056 U	0.056 U	0.056 U	0.28 U	0.056 U	0.056 U	0.056 U	0.056 U	0.056 U	0.056 U	0.056 U	1.4 U	2.8 U	2.8 U	1.4 U	0.056 U		
			3/11/2005	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.25 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	1.3 U	2.5 U	2.5 U	1.3 U	0.05 U	
			6/23/2005	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	1.9 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	9.6 U	19 U	19 U	9.6 U	0.38 U	
			10/6/2005	4.2 U	4.2 U	4.2 U	4.2 U	4.2 U	21 U	4.2 U	4.2 U	4.2 U	4.2 U	4.2 U	4.2 U	4.2 U	4.2 U	100 U	210 U	210 U	100 U	4.2 U	
			12/14/2005	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	8.3 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	42 U	83 U	83 U	42 U	1.7 U	
			IW-45	716.89	7.5 - 17.5	11/25/2002	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.02				

TABLE 1
2001-2005 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells				1,1,1-Trichloroethane mg/L	1,1,2,2-Tetrachloroethane mg/L	1,1,2-Trichloroethane mg/L	1,1-Dichloroethane mg/L	1,1-DCE mg/L	1,2,4-Trichlorobenzene mg/L	1,2-DBCP mg/L	1,2-DBE mg/L	1,2-Dichlorobenzene mg/L	1,2-Dichloroethane mg/L	1,2-Dichloropropane mg/L	1,3-Dichlorobenzene mg/L	1,4-Dichlorobenzene mg/L	MEK mg/L	2-Hexanone mg/L	MIK mg/L	Acetone mg/L	Benzene mg/L
Top of	Screen																				
		9/23/2004		0.067 U	0.067 U	0.067 U	0.067 U	0.067 U	0.33 U	0.067 U	0.067 U	0.067 U	0.067 U	0.067 U	0.067 U	0.067 U	1.7 U	3.3 U	3.3 U	1.7 U	0.067 U
		12/10/2004		0.015 U	0.015 U	0.015 U	0.015 U	0.015 U	0.077 U	0.015 U	0.015 U	0.015 U	0.015 U	0.015 U	0.015 U	0.015 U	0.38 U	0.77 U	0.77 U	0.38 U	0.015 U
		3/11/2005		0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.25 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	1.3 U	2.5 U	2.5 U	1.3 U	0.05 U
		6/23/2005		0.001 U	0.001 U	0.001 U	0.001 U	0.00076 J	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.00011 J	0.025 U	0.05 U	0.05 U	0.025 U	0.0059*
		10/6/2005		0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	0.63 U	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	3.1 U	6.3 U	6.3 U	0.6 J	0.13 U
		12/14/2005		0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.25 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	1.3 U	2.5 U	2.5 U	1.3 U	0.05 U
GS-4	702.93	3-5	4/3/2003	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.001 U
		6/27/2003		0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.001
		12/2/2003		0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.005 U / 0.005 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.025 U / 0.025 U	0.05 U / 0.05 U	0.05 U / 0.05 U	0.025 U / 0.025 U	0.0015 / 0.0018
		4/1/2004		0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.05 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.25 U	0.5 U	0.5 U	0.25 U	0.0031 J
		7/1/2004		0.0071 U	0.0071 U	0.0071 U	0.0071 U	0.0071 U	0.036 U	0.0071 U	0.0071 U	0.0071 U	0.0071 U	0.0071 U	0.0071 U	0.0071 U	0.18 U	0.36 U	0.36 U	0.18 U	0.0027 J
		9/23/2004		0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.0013 U
		12/10/2004		0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.0014 U
		4/13/2005		0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.0014 U	0.0016
		6/23/2005		0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.0022
		10/6/2005		0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.0006

TABLE 1
2001-2005 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells				1,1,1-Trichloroethane mg/L	1,1,2,2-Tetrachloroethane mg/L	1,1,2-Trichloroethane mg/L	1,1-Dichloroethane mg/L	1,1-DCE mg/L	1,2,4-Trichlorobenzene mg/L	1,2-DBCP mg/L	1,2-DBE mg/L	1,2-Dichlorobenzene mg/L	1,2-Dichloroethane mg/L	1,2-Dichloropropane mg/L	1,3-Dichlorobenzene mg/L	1,4-Dichlorobenzene mg/L	MEK mg/L	2-Hexanone mg/L	MIK mg/L	Acetone mg/L	Benzene mg/L		
Top of		Screen																					
			6/23/2005	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	1.6 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	7.8 U	16 U	16 U	7.8 U	0.31 U		
			10/5/2005	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	5 U	5 U	2.5 U	0.1 U		
			12/13/2005	1 U	1 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	25 U	50 U	50 U	25 U	1 U		
MW19-09	718.24	10-20	12/1/2003	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	1 U / 1 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	5 U / 5 U	10 U / 10 U	10 U / 10 U	5 U / 5 U	0.2 U / 0.2 U		
			12/13/2005	0.25 U	0.25 U	0.25 U	0.25 U	0.034 J ^a	1.3 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	6.3 U	13 U	13 U	6.3 U	0.25 U		
MW19-24	716.64	8-18	5/28/2004	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	2.5 U	5 U	5 U	2.5 U	0.029 J ^a		
			6/30/2004	0.25 U / 0.2 U	0.25 U / 0.2 U	0.2 U / 0.25 U	0.25 U / 0.2 U	0.2 U / 0.25 U	1 U / 1.2 U	0.25 U / 0.2 U	0.2 U / 0.25 U	0.25 U / 0.2 U	0.25 U / 0.2 U	0.2 U / 0.25 U	0.2 U / 0.25 U	0.2 U / 0.25 U	5 U / 6.2 U	12 U / 10 U	10 U / 12 U	5 U / 6.2 U	0.25 U / 0.2 U		
			9/22/2004	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	1.2 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	6.2 U	12 U	12 U	6.2 U	0.078 J ^a		
			12/8/2004	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	1 U / 1 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	5 U / 5 U	10 U / 10 U	10 U / 10 U	5 U / 5 U	0.052 J / 0.05 J ^a		
			4/13/2005	0.001 U	0.001 U	0.001 U	0.00015 J	0.00025 J	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.00027 J	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.0017 U	0.036 J ^a		
			6/23/2005	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	1.6 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	7.8 U	16 U	16 U	7.8 U	0.049 J ^a		
			10/5/2005	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.06 J ^a		
			12/13/2005	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.072 J ^a		
PZ18-131	716.96	6-16	6/22/2005	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.12 U	0.25 U	0.25 UJ	R	0.005 U		
PZ18-133	719.17	10-20	10/6/2005	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.00035 J	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.001 J	0.001 U		
			12/14/2005	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.025 U	0.05 U	0.05 U	0.025 U	0.001 U		
PZ18-195	703.72	1-5	6/22/2005	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U	0.56 U	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U	2.8 U	5.6 U	5.6 UJ	R	0.11 U		
			10/6/2005	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.25 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	1.3 U	2.5 U	2.5 U	0.23 J	0.05 U		
			12/14/2005	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	0.63 U	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	3.1 U	6.3 U	6.3 U	3.1 U	0.13 U		
CRITERIA*																							
Residential Drinking Water				0.2 A	0.0085	0.005 A	0.88	0.007 A	0.07 A	0.0002 A	0.00005 A	0.6 A	0.005 A	0.005 A	0.0066	0.075 A	13	1	1.8	0.73	0.005 A		
Groundwater Surface Water Interface				0.2	0.078 X	0.33 X	0.74	0.065 X	0.03	0.016	0.0002 X	0.016	0.36 X	0.29 X	0.038	0.013	2.2		ID	1.7	0.2 X		
Final Acute Value				1.6	1.8	5.6	13	2.3	0.2	NA		0.28	15	4.0	0.2	0.2	40	NA	ID	30	1.8		

TABLE 1
2001-2005 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells			BDCM mg/L	Bromoform mg/L	MB mg/L	Carbon disulfide mg/L	Carbon tetrachloride mg/L	Chlorobenzene mg/L	Chloroethane mg/L	Chloroform (TCM) mg/L	MC mg/L	cis-1,2-DCE mg/L	cis-1,3-Dichloropropene mg/L	Cyclohexane mg/L	DBCM mg/L	DCDFM (CFC-12) mg/L	Ethylbenzene mg/L	Isopropylbenzene mg/L	Methyl acetate mg/L	Methyl cyclohexane mg/L	MTBE mg/L	Methylene chloride mg/L
Well ID	Top of Casing (ft BGS)	Screen (ft BGS)	Sample Date																			
IW-9	716.449	11 - 16	12/13/2001	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	16 ^{abc}	0.001 U	--	0.001 U	0.001 U	0.071 ^b	0.023	--	--	--	0.005
			1/14/2002	0.001 U	0.001 U	0.001 U	0.005	0.001 U	0.001 U	0.001	0.001 U	21 ^{abc}	0.001 U	--	0.001 U	0.001 U	0.11 ^{ab}	0.026	--	--	--	0.005 U
			3/14/2002	0.001 U	0.001 U	0.001 U	0.018	0.001 U	0.001 U	0.002	0.001 U	24 ^{abc}	0.001 U	--	0.001 U	0.001 U	0.15 ^{ab}	0.028	--	--	--	0.005 U
			5/6/2002	0.001 U	0.001 U	0.001 U	0.006	0.001 U	0.001 U	0.002	0.001 U	4.8 ^{ab}	0.001 U	--	0.001 U	0.001 U	0.04 ^b	0.01	--	--	--	0.005 U
			7/22/2002	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.007 / 0.006	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	20 / 20 ^{abc}	0.001 U / 0.001 U	--	0.001 U / 0.001 U	0.001 U / 0.001 U	0.12 / 0.11 ^{ab}	0.001 U / 0.025	--	--	--	0.005 U / 0.005 U
			11/25/2002	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	29 ^{abc}	0.001 U	--	0.001 U	0.001 U	0.03 ^a	0.038	--	--	--	0.005 U
			6/26/2003	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	16 ^{abc}	0.001 U	--	0.001 U	0.001 U	0.012	0.016	--	--	--	0.005 U
			12/2/2003	2 U	2 U	2 U	10 U	2 U	2 U	2 U	2 U	22 ^{abc}	2 U	2 U	2 U	2 U	10 U	20 U	2 U	10 U	10 U	10 U
			3/31/2004	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	7.1 U / 7.1 U	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	14 / 14 ^{abc}	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	7.1 U / 7.1 U	14 U / 14 U	1.4 U / 1.4 U	7.1 U / 7.1 U	7.1 U / 7.1 U	7.1 U / 7.1 U
			6/30/2004	1.2 U	1.2 U	1.2 U	6.2 U	1.2 U	1.2 U	1.2 U	1.2 U	9.6 ^{ab}	1.2 U	1.2 U	1.2 U	1.2 U	6.2 U	12 U	1.2 U	6.2 U	6.2 U	6.2 U
			9/22/2004	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	10 ^{ab}	1 U	1 U	1 U	1 U	5 U	10 U	1 U	5 U	5 U	5 U
			12/8/2004	1.2 U	1.2 U	1.2 U	6.2 U	1.2 U	1.2 U	1.2 U	1.2 U	13 ^{abc}	1.2 U	1.2 U	1.2 U	1.2 U	6.2 U	12 U	1.2 U	6.2 U	6.2 U	6.2 U
			3/10/2005	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	12 ^{abc}	0.001 U	0.00013 J	0.001 U	0.00002 J	0.005 U	0.01 U	0.001 U	0.005 U	0.005 U	0.005 U
			6/23/2005	1.3 U	1.3 U	1.3 U	6.3 U	1.3 U	1.3 U	1.3 U	1.3 U	7.3 ^{ab}	1.3 U	0.21 J	1.3 U	1.3 U	6.3 U	13 U	1.3 U	6.3 U	6.3 U	6.3 U
			10/5/2005	2.5 U	2.5 U	2.5 U	13 U	2.5 U	2.5 U	2.5 U	2.5 U	13 ^{abc}	2.5 UJ	2.5 U	2.5 U	2.5 U	13 U	25 UJ	2.5 U	13 U	0.38 J ^a	
			12/14/2005	2.6 U	2.6 U	2.6 U	13 U	2.6 U	2.6 U	2.6 U	2.6 U	17 ^{abc}	2.6 U	2.6 U	2.6 U	2.6 U	13 U	26 U	2.6 U	13 U		
IW-12	717.278	7 - 17	12/13/2001	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	64 ^{abc}	0.001 U	--	0.001 U	0.001 U	0.015	0.001 U	--	--	--	0.005
			1/14/2002	0.001 U	0.001 U	0.001 U	0.008	0.001 U	0.001 U	0.003	0.001 U	5 ^{ab}	0.001 U	--	0.001 U	0.001 U	0.006	0.001 U	--	--	--	0.005 U
			3/14/2002	0.001 U	0.001 U	0.001 U	0.007	0.001 U	0.001 U	0.004	0.001 U	1.7 ^{ab}	0.001 U	--	0.001 U	0.001 U	0.005	0.001 U	--	--	--	0.005 U
			5/6/2002	0.001	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.004	0.001 U	0.001 U	0.001 U	--	0.003	0.001 U	0.001 U	0.001 U	--	--	--	0.005 U
			7/22/2002	0.002	0.001 U	0.001 U	0.006	0.001 U	0.001 U	0.005	0.001 U	16 ^{abc}	0.001 U	--	0.001 U	0.001 U	0.011	0.001 U	--	--	--	0.005 U
			11/25/2002	0.001 U	0.001 U	0.001 U	0.005	0.001 U	0.001 U	0.001 U	0.001 U	60 ^{abc}	0.001 U	--	0.001 U	0.001 U	0.007	0.005 U	--	--	--	0.005 U
			6/26/2003	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	6.2 ^{ab}	0.001 U	--	0.001 U	0.001 U	0.001 U	0.005 U	--	--	--	0.005 U
			12/2/2003	2 U	2 U	2 U	10 U	2 U	2 U	2 U	2 U	44 ^{abc}	2 U	2 U	2 U	2 U	10 U	20 U	2 U	10 U	10 U	10 U
			3/31/2004	2.5 U	2.5 U	2.5 U	12 U	2.5 U	2.5 U	2.5 U	2.5 U	50 ^{abc}	2.5 U	2.5 U	2.5 U	2.5 U	12 U	25 U	2.5 U	12 U	12 U	12 U
			7/1/2004	0.56 U	0.56 U	0.56 U	2.8 U	0.56 U	0.56 U	0.56 U	0.56 U	12 ^{abc}	0.56 U	0.56 U	0.56 U	0.56 U	2.8 U	5.6 U	0.56 U	2.8 U	2.8 U	2.8 U
			9/22/2004	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	31 ^{abc}	1 U	1 U	1 U	1 U	5 U	10 U	1 U	5 U	5 U	5 U
			12/7/2004	1.7 U	1.7 U	1.7 U	8.3 U	1.7 U	1.7 U	1.7 U	1.7 U	46 ^{abc}	1.7 U	1.7 U	1.7 U	1.7 U	8.3 U	17 U	1.7 U	8.3 U	8.3 U	8.3 U
			3/10/2005	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.005 U / 0.005 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	8.9 / 8 ^{ab}	0.001 U / 0.001 U	0.0016 / 0.0015	0.001 U / 0.001 U	0.001 U / 0.001 U	0.00027 J / 0.00023 J	0.00025 J / 0.00026 J	0.01 U / 0.01 U	0.001 U / 0.001 U	0.005 U / 0.005 U	0.005 U / 0.005 U
			6/23/2005	1.3 U	1.3 U	1.3 U	6.3 U	1.3 U	1.3 U	1.3 U	1.3 U	19 ^{abc}	1.3 U	0.17 J	1.3 U	1.3 U	6.3 U	13 U	1.3 U	6.3 U	6.3 U	6.3 U
			10/5/2005	0.25 U	0.25 U	0.25 U	1.3 U	0.25 U	0.25 U	0.25 U	0.25 U	43 ^{abc}	0.25 U	0.25 U	0.25 U	0.25 U	1.3 U	2.5 U	0.25 U	1.3 U	1.3 U	1.3 U
			12/13/2005	3.1 U	3.1 U	3.1 U	16 U	3.1 U	3.1 U	3.1 U	3.1 U	49 ^{abc}	3.1 U	3.1 U	3.1 U	3.1 U	16 U	31 U	3.1 U	16 U		
IW-33	717.816	13 - 18	12/13/2001	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	12 ^{abc}	0.001 U	--	0.001 U	0.001 U	0.026 ^a	0.001 U	--	--	--	0.008 ^a
			1/14/2002	0.001 U	0.001 U	0.001 U	0.026	0.001 U	0.001 U	0.004	0.001 U	2.8 ^{ab}	0.001 U	--	0.001 U	0.001 U	0.01	0.001 U	--	--	--	0.005 U
			3/14/2002	0.002	0.001 U	0.001 U	0.017	0.001 U	0.001 U	0.005	0.001 U	0.59 ^a	0.001 U	--	0.001 U	0.001 U	0.001	0.001 U	--	--	--	0.005 U
			5/6/2002	0.002 / 0.002	0.001 U / 0.001 U	0.001 U / 0.001 U	0.011 / 0.01	0.001 U / 0.001 U	0.001 U / 0.001 U	0.006 / 0.006	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	--	0.003 / 0.003	0.001 U / 0.001 U	0.001 / 0.002	0.001 U / 0.001 U	--	--	--	0.005 U / 0.005 U
			7/22/2002	0.001 U	0.001 U	0.001 U	0.019	0.001 U	0.001 U	0.006	0.001 U	1.5 ^{ab}	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	--	--	--	0.005 U
			11/26/2002	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001	0.001 U	7.4 ^{ab}	0.001 U	--	0.001 U	0.001 U	0.001 U	0.005 U	--	--	--	0.005 U
			6/26/2003	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	15 ^{abc}	0.001 U	--	0.00.							

TABLE 1
2001-2005 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells			BDCM mg/L	Bromoform mg/L	MB mg/L	Carbon disulfide mg/L	Carbon tetrachloride mg/L	Chlorobenzene mg/L	Chloroethane mg/L	Chloroform (TCM) mg/L	MC mg/L	cis-1,2-DCE mg/L	cis-1,3-Dichloropropene mg/L	Cyclohexane mg/L	DBCM mg/L	DCDFM (CFC-12) mg/L	Ethylbenzene mg/L	Isopropylbenzene mg/L	Methyl acetate mg/L	Methyl cyclohexane mg/L	MTBE mg/L	Methylene chloride mg/L		
Top of	Screen																							
GS-4	702.93	3-5	9/23/2004	0.067 U	0.067 U	0.067 U	0.33 U	0.067 U	0.067 U	0.067 U	0.067 U	0.19 ^a	0.067 U	0.067 U	0.067 U	0.067 U	0.067 U	0.067 U	0.33 U	0.67 U	0.067 U	0.33 U	0.33 U	
			12/10/2004	0.015 U	0.015 U	0.015 U	0.077 U	0.015 U	0.015 U	0.015 U	0.015 U	0.081 ^a	0.015 U	0.015 U	0.015 U	0.015 U	0.015 U	0.077 U	0.15 U	0.015 U	0.077 U	0.077 U		
			3/11/2005	0.05 U	0.05 U	0.05 UJ	0.25 U	0.05 U	0.05 U	0.05 U	0.05 U	0.068	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.25 U	0.5 U	0.05 U	0.25 U	0.25 U		
			6/23/2005	0.001 U	0.001 U	0.001 U	0.00028 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.00061 J	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U	0.005 U	
			10/6/2005	0.13 U	0.13 U	0.13 U	0.63 U	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	0.13 UJ	0.13 U	0.13 U	0.13 U	0.63 U	1.3 UJ	0.13 U	0.63 U	0.017 J ^a	
			12/14/2005	0.05 U	0.05 U	0.05 U	0.25 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.25 U	0.5 U	0.05 U	0.25 U	0.25 U	
			4/3/2003	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U	0.005 U	--	--	0.005 U	
			6/27/2003	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.002	0.001 U	--	0.001 U	0.001 U	0.001 U	0.005 U	--	--	0.005 U	
			12/2/2003	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.005 U / 0.005 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.005 U / 0.005 U	0.01 U / 0.01 U	0.001 U / 0.001 U	0.005 U / 0.005 U	0.005 U / 0.005 U
			4/1/2004	0.01 U	0.01 U	0.01 U	0.05 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.05 U	0.1 U	0.01 U	0.05 U	0.05 U
7/1/2004	0.0071 U	0.0071 U	0.0071 U	0.036 U	0.0071 U	0.0071 U	0.0071 U	0.0071 U	0.0071 U	0.0071 U	0.0019 J	0.0071 U	0.0071 U	0.0071 U	0.0071 U	0.0071 U	0.036 U	0.071 U	0.0071 U	0.036 U	0.036 U			
9/23/2004	0.001 U	0.001 U	0.001 U	0.00048 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U	0.005 U			
12/10/2004	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.00027 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U	0.005 U			
4/13/2005	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.00095 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U	0.005 U			
6/23/2005	0.001 U	0.001 U	0.001 U	0.0001 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.00047 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U	0.005 U			
10/6/2005	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.00012 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U	0.005 U			
12/14/2005	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.0014	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U	0.005 U			
GS-5	702.99	3-5	4/10/2003	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	1.2 ^{ab}	0.001 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	--	--	--	0.005 U	
			6/27/2003	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	3.2 ^{ab}	0.001 U	--	0.001 U	0.001 U	0.005 U	--	--	--	0.005 U	
			12/3/2003	0.056 U	0.056 U	0.056 U	0.28 U	0.056 U	0.056 U	0.056 U	0.056 U	0.056 U	0.056 U	2.1 ^{ab}	0.056 U	0.056 U	0.056 U	0.056 U	0.28 U	0.56 U	0.056 U	0.28 U	0.28 U	
			4/1/2004	0.056 U	0.056 U	0.056 U	0.28 U	0.056 U	0.056 U	0.056 U	0.056 U	0.056 U	2.1 ^{ab}	0.056 U	0.056 U	0.056 U	0.056 U	0.056 U	0.28 U	0.56 U	0.056 U	0.28 U	0.28 U	
			7/1/2004	0.083 U	0.083 U	0.083 U	0.42 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	2.4 ^{ab}	0.083 U	0.083 U	0.083 U	0.083 U	0.42 U	0.83 U	0.083 U	0.42 U	0.42 U	
			9/23/2004	0.071 U	0.071 U	0.071 U	0.36 U	0.071 U	0.071 U	0.071 U	0.071 U	0.071 U	0.071 U	2.2 ^{ab}	0.071 U	0.071 U	0.071 U	0.071 U	0.36 U	0.71 U	0.071 U	0.36 U	0.36 U	
			12/10/2004	0.04 U	0.04 U	0.04 U	0.2 U	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U	1.3 ^{ab}	0.04 U	0.04 U	0.04 U	0.04 U	0.2 U	0.4 U	0.04 U	0.2 U	0.2 U	
			4/13/2005	0.001 U	0.001 U	0.001 U	0.002 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	4.2 ^{ab}	0.001 U	0.00018 J	0.001 U	0.001 U	0.00052 J	0.005 U	0.01 U	0.001 U	0.005 U	0.005 U
			6/23/2005	0.42 U	0.42 U	0.42 U	2.1 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	3.4 ^{ab}	0.42 U	0.42 U	0.42 U	0.42 U	0.00052 J	2.1 U	4.2 U	0.42 U	2.1 U	2.1 U
			10/6/2005	0.25 U	0.25 U	0.25 U	1.3 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	1.5 ^{ab}	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	1.3 U	2.5 U	0.25 U	1.3 U	1.3 U
GS-6	703.52	2-6	6/22/2005	0.062 U	0.062 U	0.062 U	0.31 U	0.062 U	0.062 U	0.062 U	0.062 U	1.6 ^{ab}	0.062 U	0.062 U	0.062 U	0.062 U	0.062 UJ	0.014 J	0.31 U	0.62 U	0.062 U	0.31 U	0.31 U	
			10/6/2005	0.071 U	0.071 U	0.071 U	0.36 U	0.071 U	0.071 U	0.071 U	0.071 U	0.071 U	0.071 U	1 ^{ab}	0.071 UJ	0.071 U	0.071 U	0.071 U	0.36 U	0.71 UJ	0.071 U	0.36 U	0.36 U	
			12/14/2005	0.063 U	0.063 U	0.063 U	0.31 U	0.063 U	0.063 U	0.063 U	0.063 U	0.063 U	0.063 U	0.83 ^{ab}	0.063 U	0.063 U	0.063 U	0.063 U	0.063 U	0.31 U	0.63 U	0.063 U	0.31 U	0.31 U
GS-7	681.5136	3-8	6/22/2005	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.005 U / 0.005 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 UJ / 0.001 UJ	0.001 U / 0.001 U	0.005 U / 0.005 U	0.01 U / 0.01 U	0.001 U / 0.001 U	0.005 U / 0.005 U	0.005 U / 0.005 U	0.005 U / 0.005 U	
			10/6/2005	0.001 U	0.001 U	0.001 U	0.00025 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U	0.005 U	
			12/14/2005	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U		

TABLE 1
2001-2005 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells				BDCM mg/L	Bromoform mg/L	MB mg/L	Carbon disulfide mg/L	Carbon tetrachloride mg/L	Chlorobenzene mg/L	Chloroethane mg/L	Chloroform (TCM) mg/L	MC mg/L	cis-1,2-DCE mg/L	cis-1,3-Dichloropropene mg/L	Cyclohexane mg/L	DBCM mg/L	DCDFM (CFC-12) mg/L	Ethylbenzene mg/L	Isopropylbenzene mg/L	Methyl acetate mg/L	Methyl cyclohexane mg/L	MTBE mg/L	Methylene chlo mg/L
Top of		Screen																					
			6/23/2005	0.31 U	0.31 U	0.31 U	1.6 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	4 ^{ab}	0.31 U	0.31 U	0.31 U	0.31 U		0.13 J ^{ab}	1.6 U	3.1 U	0.31 U	1.6 U
			10/5/2005	0.1 U	0.1 U	0.1 U	0.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	8.2 ^{ab}	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	1 U	0.1 U	0.5 U	
			12/13/2005	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	12 ^{abc}	1 U	1 U	1 U	1 U	1 U	5 U	10 U	1 U	5 U	
MW19-09	718.24	10-20	12/1/2003	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	1 U / 1 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	6.7 / 6.6ab	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	1 U / 1 U	2 U / 2 U	0.2 U / 0.2 U	1 U / 1 U	1 U / 1 U
			12/13/2005	0.25 U	0.25 U	0.25 U	1.3 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	4.3 ^{ab}	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	1.3 U	2.5 U	0.25 U	1.3 U	
MW19-24	716.64	8-18	5/28/2004	0.1 U	0.1 U	0.1 U	0.5 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.2 ^a	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.5 U	1 U	0.1 U	0.5 U
			6/30/2004	0.25 U / 0.2 U	0.25 U / 0.2 U	0.2 U / 0.25 U	1.2 U / 1 U	0.2 U / 0.25 U	0.25 U / 0.2 U	0.25 U / 0.2 U	0.25 U / 0.2 U	0.25 U / 0.2 U	0.24 J / 0.29a	0.2 U / 0.25 U	0.2 U / 0.25 U	0.25 U / 0.2 U	0.25 U / 0.2 U	0.2 U / 0.25 U	1.2 U / 1 U	2 U / 2.5 U	0.2 U / 0.25 U	1.2 U / 1 U	
			9/22/2004	0.25 U	0.25 U	0.25 U	1.2 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.32 ^a	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	1.2 U	2.5 U	0.25 U	1.2 U	
			12/8/2004	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	1 U / 1 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.31 / 0.35a	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	1 U / 1 U	2 U / 2 U	0.2 U / 0.2 U	1 U / 1 U	1 U / 1 U
			4/13/2005	0.001 U	0.001 U	0.001 U	0.00017 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.24 J ^a	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.005 U	0.005 U	
			6/23/2005	0.31 U	0.31 U	0.31 U	1.6 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.32 ^a	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	1.6 U	3.1 U	0.31 U	1.6 U	
			10/5/2005	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.5 ^a	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U	
			12/13/2005	0.001 U	0.001 U	0.001 U	0.041 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.31 J ^a	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U	
PZ18-131	716.96	6-16	6/22/2005	0.005 U	0.005 U	0.005 U	0.025 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.13 ^a	0.005 U	0.005 U	0.005 U	0.005 UJ	0.005 U	0.025 U	0.05 U	0.005 U	0.025 U	
PZ18-133	719.17	10-20	10/6/2005	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.015	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U	
			12/14/2005	0.001 U	0.001 U	0.001 U	0.005 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.0046	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.005 U	0.01 U	0.001 U	0.005 U	
PZ18-195	703.72	1-5	6/22/2005	0.11 U	0.11 U	0.11 U	0.56 U	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U	2.8 ^{ab}	0.11 U	0.11 U	0.11 U	0.11 UJ	0.11 U	0.56 U	1.1 U	0.11 U	0.56 U	
			10/6/2005	0.05 U	0.05 U	0.05 U	0.25 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	1.2 ^{ab}	0.05 UJ	0.05 U	0.05 U	0.05 U	0.05 U	0.25 U	0.5 UJ	0.05 U	0.25 U	
			12/14/2005	0.13 U	0.13 U	0.13 U	0.63 U	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	1.6 ^{ab}	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	0.63 U	1.3 U	0.13 U	0.63 U	
CRITERIA*																							
Residential Drinking Water				0.08 A,W	0.08 A,W	0.01	0.8	0.005 A	0.1 A	0.43	0.08 A,W	0.26	0.07 A			0.08 A,W	1.7	0.074 E	0.8			0.04 E	0.005 A
Groundwater Surface Water Interface				ID	ID	0.035	ID	0.045 X	0.047	ID	0.17 X	ID	0.62			ID	ID	0.018	ID			0.73 X	0.94 X
Final Acute Value				ID	ID	0.64	ID	1.6	0.85	ID	2.6	ID	11	NA		ID	ID	0.32	ID				17

TABLE 1
2001-2005 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells				<i>m</i> -xylene mg/L	<i>n</i> -Propylbenzene mg/L	<i>o</i> -Xylene mg/L	Styrene mg/L	Tetrachloroethene mg/L	Toluene mg/L	<i>trans</i> -1,2-DCE mg/L	<i>trans</i> -1,3-Dichloropropene mg/L	<i>trans</i> -1,4-Dichloro-2-butene mg/L	TCE mg/L	TCFM (CFC-11) mg/L	TFTCE (Freon 113) mg/L	Vinyl chloride mg/L	Xylene (total) mg/L	
Well ID	Top of Casing (ft BGS)	Screen (ft BGS)	Sample Date															
IW-9	716.449	11 - 16	12/13/2001	--	0.001	--	0.001 U	0.001 U	0.38 ^b	0.46 ^a	0.001 U	0.002 U	0.45 ^{ab}	--	--	--	31 ^{abc}	0.268 ^b
			1/14/2002	--	0.001	--	0.001 U	0.001 U	2.1 ^{abc}	0.67 ^a	0.001 U	0.002 U	0.17 ^a	--	--	--	18 ^{abc}	0.57 ^{ab}
			3/14/2002	--	0.001	--	0.001 U	0.001 U	1.1 ^{ab}	1 ^a	0.001 U	0.002 U	0.16 ^a	--	--	--	42 ^{abc}	6 U
			5/6/2002	--	0.001 U	--	0.001 U	0.001 U	0.22 ^a	0.18 ^a	0.001 U	0.002 U	0.15 ^a	--	--	--	4 ^{ab}	0.167 ^b
			7/22/2002	--	0.001 U / 0.001 U	--	0.001 U / 0.001 U	0.001 U / 0.001 U	1.1 / 0.9 ^{ab}	0.86 / 0.81 ^a	0.001 U / 0.001 U	0.002 U / 0.002 U	0.051 / 0.054 ^a	--	--	--	36 / 39 ^{abc}	0.5 / 0.52 ^{ab}
			11/25/2002	--	0.005 U	--	0.007	0.001 U	1.2 ^{ab}	0.86 J ^a	0.001 U	0.05 U	0.014 ^a	--	--	--	73 ^{abc}	3 U
			6/26/2003	--	0.005 U	--	0.001 U	0.001 U	0.64 ^{ab}	0.5 U	0.001 U	0.05 U	0.008 ^a	--	--	--	74 ^{abc}	0.3 ^{ab}
			12/2/2003	--	--	--	2 U	2 U	2 ^{abc}	0.56 J ^a	2 U	--	2 U	2 U	2 U	68 ^{abc}	4 U	
			3/31/2004	--	--	--	1.4 U / 1.4 U	1.4 U / 1.4 U	0.43 J / 0.48 J ^b	1.4 U / 0.41 J	1.4 U / 1.4 U	--	1.4 U / 1.4 U	1.4 U / 1.4 U	1.4 U / 1.4 U	50 / 50 ^{abc}	2.9 U / 2.9 U	
			6/30/2004	--	--	--	1.2 U	1.2 U	1.2 U	0.33 J ^a	1.2 U	--	1.2 U	1.2 U	1.2 U	43 ^{abc}	2.5 U	
			9/22/2004	--	--	--	1 U	1 U	0.3 J ^b	0.29 J ^a	1 U	--	1 U	1 U	1 U	36 ^{abc}	2 U	
			12/8/2004	--	--	--	1.2 U	1.2 U	0.3 J ^b	0.36 J ^a	1.2 U	--	1.2 U	1.2 U	1.2 U	36 ^{abc}	2.5 U	
			3/10/2005	0.00077 J	--	0.00048 J	0.001 U	0.001 U	0.0013	0.0023	0.001 U	--	0.001 U	0.001 U	0.001 U	45 ^{abc}	0.0012 J	
			6/23/2005	2.5 U	--	0.13 J ^b	1.3 U	1.3 U	1.3 U	0.38 J ^a	1.3 U	--	1.3 U	1.3 U	1.3 U	28 ^{abc}	0.13 J ^b	
			10/5/2005	5 U	--	2.5 U	2.5 U	2.5 U	0.42 J ^b	0.45 J ^a	2.5 UJ	--	2.5 U	2.5 U	2.5 U	42 ^{abc}	7.5 U	
			12/14/2005	5.1 U	--	2.6 U	2.6 U	2.6 U	0.8 J ^{ab}	0.35 J ^a	2.6 U	--	2.6 U	2.6 U	2.6 U	33 ^{abc}	7.7 U	
IW-12	717.278	7 - 17	12/13/2001	--	0.001 U	--	0.001 U	0.001 U	0.26 ^b	0.76 ^a	0.001 U	0.002 U	0.008 ^a	--	--	--	39 ^{abc}	0.039 ^b
			1/14/2002	--	0.001 U	--	0.001 U	0.001 U	0.16 ^b	0.26 ^a	0.001 U	0.002 U	0.001 U	--	--	--	2.2 ^{ab}	0.017
			3/14/2002	--	0.001 U	--	0.001 U	0.001 U	0.13	0.1	0.001 U	0.002 U	0.001 U	--	--	--	0.21 ^{ab}	0.01
			5/6/2002	--	0.001 U	--	0.001 U	0.001 U	0.17 ^b	0.001 U	0.001 U	0.002 U	0.001 U	--	--	--	0.001 U	0.003 U
			7/22/2002	--	0.001 U	--	0.001 U	0.001 U	0.2 ^b	0.95 ^a	0.001 U	0.002 U	0.001 U	--	--	--	14 ^{ab}	0.039 ^b
			11/25/2002	--	0.005 U	--	0.001 U	0.001 U	0.48 J ^b	2.2 ^{ab}	0.001 U	0.05 U	0.78 J ^{ab}	--	--	--	74 ^{abc}	0.1 ^b
			6/26/2003	--	0.005 U	--	0.001 U	0.001 U	0.08	0.27 ^a	0.001 U	0.05 U	0.001	--	--	--	13 ^{ab}	0.006
			12/2/2003	--	--	--	2 U	2 U	2 U	1.5 J ^a	2 U	--	2 U	2 U	2 U	22 ^{abc}	4 U	
			3/31/2004	--	--	--	2.5 U	2.5 U	2.5 U	2 J ^{ab}	2.5 U	--	2.5 U	2.5 U	2.5 U	31 ^{abc}	5 U	
			7/1/2004	--	--	--	0.56 U	0.56 U	0.13 J	0.45 J ^a	0.56 U	--	0.56 U	0.56 U	0.56 U	9.9 ^{ab}	1.1 U	
			9/22/2004	--	--	--	1 U	1 U	1 U	0.75 J ^a	1 U	--	1 U	1 U	1 U	21 ^{abc}	2 U	
			12/7/2004	--	--	--	1.7 U	1.7 U	1.7 U	1.1 J ^a	1.7 U	--	1.7 U	1.7 U	1.7 U	28 ^{abc}	3.3 U	
			3/10/2005	0.0055 / 0.0054	--	0.0057 / 0.0055	0.001 U / 0.00018 J	0.001 U / 0.001 U	0.045 J / 0.043 J	0.29 J / 0.33 J ^a	0.001 U / 0.001 U	--	0.0016 / 0.0016	0.001 U / 0.001 U	0.001 U / 0.001 U	12 / 11 ^{abc}	0.011 / 0.011	
			6/23/2005	2.5 U	--	1.3 U	1.3 U	1.3 U	1.3 U	0.58 J ^a	1.3 U	--	1.3 U	1.3 U	1.3 U	19 ^{abc}	3.8 U	
			10/5/2005	0.5 U	--	0.25 U	0.25 U	0.25 U	0.13 J	0.51 ^a	0.25 U	--	0.25 U	0.25 U	0.25 U	32 ^{abc}	0.75 U	
			12/13/2005	6.3 U	--	3.1 U	3.1 U	3.1 U	3.1 U	0.72 J ^a	3.1 U	--	3.1 U	3.1 U	3.1 U	29 ^{abc}	9.4 U	
IW-33	717.816	13 - 18	12/13/2001	--	0.001 U	--	0.001 U	0.001 U	0.17 ^b	0.6 ^a	0.001 U	0.002 U	0.012 ^a	--	--	--	200 ^{abc}	0.115 ^b
			1/14/2002	--	0.001 U	--	0.001 U	0.001 U	0.084	0.21 ^a	0.001 U	0.002 U	0.03 ^a	--	--	--	14 ^{ab}	0.063 ^b
			3/14/2002	--	0.001 U	--	0.001 U	0.001 U	0.066	0.006	0.001 U	0.002 U	0.012 ^a	--	--	--	0.42 ^{ab}	0.036 ^b
			5/6/2002	--	0.001 U / 0.001 U	--	0.001 U / 0.001 U	0.001 U / 0.001 U	0.048 / 0.053	0.001 U / 0.001 U	0.001 U / 0.001 U	0.002 U / 0.002 U	0.001 U / 0.001 U	--	--	--	0.001 U / 0.001 U	0.021 / 0.02
			7/22/2002	--	0.001 U	--	0.001 U	0.001 U	0.12	0.15 ^a	0.001 U	0.002 U	0.065 ^a	--	--	--	27 ^{abc}	0.093 ^b
			11/26/2002	--	0.005 U	--	0.001 U	0.001 U	0.21 J ^b	0.6 J ^a	0.001 U	0.05 U	0.15 ^a	--	--	--	100 ^{abc}	0.196 ^b
			6/26/2003	--	0.005 U	--	0.001	0.001 U	0.11	1 U	0.001 U	0.05 U	0.14 ^a	--	--	--	120 ^{abc}	0.082 ^b
			12/2/2003	--	--	--	2 U	2 U	2 U	2 U	2 U	--	2 U	2 U	2 U	48 ^{abc}	4 U	
			4/1/2004	--	--	--	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	--	1.2 U	1.2 U	1.2 U	40 ^{abc}	2.5 U	
			7/1/2004	--	--	--	1.7 U	1.7 U	1.7 U	0.31 J ^a	1.7 U	--	1.7 U	1.7 U	1.7 U	45 ^{abc}	3.3 U	
			9/22/2004	--	--	--	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	--	3.3 U / 3.3 U	3.3 U / 3.3 U	3.3 U / 3.3 U	98 / 90 ^{abc}	6.7 U / 6.7 U	
			12/8/2004	--	--	--	3.3 U	3.3 U	3.3 U	0.99 J ^a	3.3 U	--	3.3 U	3.3 U	3.3 U	120 ^{abc}	6.7 U	
			3/10/2005	0.099 J ^b	--	0.084 J ^b	0.001 U	0.001 U	0.14 J	2.1 J ^{ab}	0.001 U	--	0.12 J ^a	0.001 U	0.001 U	220 ^{abc}	0.19 J ^b	
			6/23/2005	5.7 J ^{ab}	--	2.7 J ^{ab}	6.3 U	6.3 U	0.8 J ^{ab}	1.6 J ^{ab}	6.3 U	--	6.3 U	6.3 U	6.3 U	180 ^{abc}	9.1 J ^{abc}	
			10/5/2005	10 U	--	5 U	5 U	5 U	5 U	0.82 J ^a	5 U	--	5 U	5 U	5 U	88 ^{abc}	15 U	
			12/14/2005	7.1 U	--	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	--	3.6 U	3.6 U	3.6 U	55 ^{abc}	11 U	
IW-44	717.23	12 - 17	12/10/2004	--	--	--	0.056 U	0.056 U	0.056 U	0.077	0.056 U	--	0.41 ^{ab}	0.056 U	0.056 U	1.9 ^{ab}	0.11 U	
			3/11/2005	0.1 U	--	0.05 U	0.05 U	0.05 U	0.05 U	0.18 ^a	0.05 U	--	0.63 ^{ab}	0.05 U	0.05 U	5.1 ^{ab}	0.15 U	
			6/23/2005	0.28 J ^b	--	0.12 J ^b	0.38 U	0.38 U	0.38 U	0.22 J ^a	0.38 U	--	0.63 ^{ab}	0.38 U	0.38 U	8.5 ^{ab}	0.43 J ^{ab}	
			10/6/2005	8.3 U	--	4.2 U	4.2 U	4.2 U	4.2 U	0.8 J ^a	4.2 UJ	--	1.6 J ^{ab}	4.2 U	4.2 U	18 ^{abc}	13 U	
			12/14/2005	3.3 U	--	1.7 U	1.7 U	1.7 U	1.7 U	0.19 J ^a	1.7 U	--	1.7 U	1.7 U	1.7 U	1.7 U	5 U	
IW-45	716.89	7.5 - 17.5	11/25/2002	--	0.005 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.05 U	0.56 J ^{ab}	--	--	0.032 ^{ab}	0.003 U	
			6/22/2005	--	--	--	0.33 U	0.33 U	0.33 U	0.058 J	0.33 U	--	9.9 J ^{abc}	0.33 U	0.33 U	0.25 J ^{ab}	0.67 U	
IW-46	714.89	12 - 17	12/14/2001	--	0.001 U	--	0.001 U	0.001 U	0.095	0.062	0.001 U	0.002 U	1.2 ^{ab}	--	--	--	2.1 ^{ab}	0.35 ^{ab}
			1/14/2002	--	0.001 U / 0.001 U	--	0.001 U / 0.001 U	0.001 U / 0.001 U	0.025 / 0.025	0.05 / 0.051	0.001 U / 0.001 U	0.002 U / 0.002 U	0.38 / 0.38 ^{ab}	--	--	--	1.2 / 1.1 ^{ab}	0.158 / 0.17 ^b
			3/14/2002	--	0.002 / 0.002	--	0.001 U / 0.001 U	0.001 U / 0.001 U	0.083 / 0.088	0.66 / 0.75 ^a	0.001 U / 0.001 U	0.002 U / 0.002 U	0.35 / 0.36 ^{ab}	--	--	--	1.6 / 1.4 ^{ab}	0.43 / 0.44 ^{ab}
			5/6/2002	--	0.001	--	0.001 U	0.001 U	0.044 J	0.001 U	0.001 U	0.002 U	0.001 UJ	--				

TABLE 1
2001-2005 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells			<i>m</i> -xylene mg/L	<i>n</i> -Propylbenzene mg/L	<i>o</i> -Xylene mg/L	Styrene mg/L	Tetrachloroethene mg/L	Toluene mg/L	<i>trans</i> -1,2-DCE mg/L	<i>trans</i> -1,3-Dichloropropene mg/L	<i>trans</i> -1,4-Dichloro-2-butene mg/L	TCE mg/L	TCFM (CFC-11) mg/L	TFTCE (Freon 113) mg/L	Vinyl chloride mg/L	Xylene (total) mg/L		
Top of	Screen																	
			9/23/2004	--	--	--	0.067 U	0.067 U	0.067 U	0.067 U	--	0.067 U	0.067 U	0.067 U		1.5 ^{ab}	0.13 U	
			12/10/2004	--	--	--	0.015 U	0.015 U	0.015 U	0.015 U	--	0.015 U	0.015 U	0.015 U		0.45 ^{ab}	0.031 U	
			3/11/2005	0.1 U	--	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	--	0.05 U	0.05 U	0.05 U		0.58 ^{ab}	0.15 U	
			6/23/2005	0.002 U	--	0.00022 J	0.001 U	0.001 U	0.001 U	0.0088	--	0.00069 J	0.001 U	0.001 U		2.4 ^{ab}	0.00022 J	
			10/6/2005	0.25 U	--	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	--	0.13 U	0.13 U	0.13 U		2 ^{ab}	0.38 U	
			12/14/2005	0.1 U	--	0.05 U	0.05 U	0.05 U	0.05 U	0.006 J	--	0.05 U	0.05 U	0.05 U		1.2 ^{ab}	0.15 U	
			4/3/2003	--	0.005 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.05 U	0.001 U	--	--		0.11 ^{ab}	0.003 U
			6/27/2003	--	0.005 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.05 U	0.001 U	--	--		0.25 ^{ab}	0.003 U
			12/2/2003	--	--	--	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	--	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U		0.01 / 0.011 ^a	0.002 U / 0.002 U
			4/1/2004	--	--	--	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	--	0.01 U	0.01 U	0.01 U		0.36 ^{ab}	0.02 U
			7/1/2004	--	--	--	0.0071 U	0.0071 U	0.0071 U	0.0071 U	--	0.0071 U	0.0071 U	0.0071 U		0.15 ^{ab}	0.014 U	
			9/23/2004	--	--	--	0.001 U	0.001 U	0.00031 J	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.0058 ^a	0.002 U
			12/10/2004	--	--	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.014 ^a	0.002 U
			4/13/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.27 J ^{ab}	0.003 U
			6/23/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.14 ^{ab}	0.003 U
			10/6/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.00011 J	0.001 U	0.001 U		0.001 U	0.003 U
			12/14/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.0028 ^a	0.003 U
			4/10/2003	--	0.005 U	--	0.001 U	0.001 U	0.001	0.011	0.001 U	0.05 U	0.001 U	--	--		0.43 ^{ab}	0.003 U
			6/27/2003	--	0.005 U	--	0.001 U	0.001 U	0.001	0.055	0.001 U	0.05 U	0.001 U	--	--		0.65 ^{ab}	0.003 U
			12/3/2003	--	--	--	0.056 U	0.056 U	0.056 U	0.034 J	0.056 U	--	0.056 U	0.056 U	0.056 U		1.2 ^{ab}	0.11 U
			4/1/2004	--	--	--	0.056 U	0.056 U	0.056 U	0.04 J	0.056 U	--	0.056 U	0.056 U	0.056 U		0.28 ^{ab}	0.11 U
			7/1/2004	--	--	--	0.083 U	0.083 U	0.083 U	0.045 J	0.083 U	--	0.083 U	0.083 U	0.083 U		0.32 ^{ab}	0.17 U
			9/23/2004	--	--	--	0.071 U	0.071 U	0.071 U	0.042 J	0.071 U	--	0.071 U	0.071 U	0.071 U		0.47 ^{ab}	0.14 U
			12/10/2004	--	--	--	0.04 U	0.04 U	0.031 J	0.04 U	0.04 U	--	0.04 U	0.04 U	0.04 U		0.11 ^{ab}	0.08 U
			4/13/2005	0.00031 J	--	0.00043 J	0.001 U	0.001 U	0.0026	0.063 J	0.001 U	--	0.027 J ^a	0.001 U	0.001 U		6.8 J ^{ab}	0.00077 J
			6/23/2005	0.33 J ^{ab}	--	0.13 J ^a	0.42 U	0.42 U	0.06 J	0.42 U	0.42 U	--	0.42 U	0.42 U	0.42 U		5.5 ^{ab}	0.5 J ^{ab}
			10/6/2005	0.5 U	--	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	--	0.25 U	0.25 U	0.25 U		4.6 ^{ab}	0.75 U
			6/22/2005	--	--	--	0.062 U	0.062 U	0.017 J	0.016 J	0.062 U	--	0.062 U	0.062 U	0.062 U		1.1 ^{ab}	0.069 J ^b
			10/6/2005	0.033 J	--	0.024 J	0.071 U	0.071 U	0.0098 J	0.017 J	0.071 U	--	0.071 U	0.071 U	0.071 U		1.3 ^{ab}	0.059 J ^b
			12/14/2005	0.13 U	--	0.063 U	0.063 U	0.063 U	0.063 U	0.011 J	0.063 U	--	0.063 U	0.063 U	0.063 U		0.83 ^{ab}	0.19 U
			6/22/2005	--	--	--	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	--	0.0012 U / 0.0013 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.002 U / 0.002 U	
			10/6/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.00069 J	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.001 U	0.003 U
			12/14/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.001 U	0.003 U
			6/26/2003	--	0.005 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.05 U	0.033 ^a	--	--		0.28 ^{ab}	0.003 U	
			12/3/2003	--	--	--	0.0067 U	0.0067 U	0.0067 U	0.0067 U	0.0067 U	--	0.018 ^a	0.0067 U	0.0067 U		0.24 ^{ab}	0.013 U
			4/1/2004	--	--	--	0.0067 U	0.0067 U	0.0067 U	0.0067 U	0.0067 U	--	0.0046 J	0.0067 U	0.0067 U		0.22 ^{ab}	0.013 U
			6/30/2004	--	--	--	0.0091 U	0.0091 U	0.0091 U	0.0091 U	0.0091 U	--	0.015 ^a	0.0091 U	0.0091 U		0.35 ^{ab}	0.018 U
			9/22/2004	--	--	--	0.011 U	0.011 U	0.011 U	0.0021 J	0.011 U	--	0.061 ^a	0.011 U	0.011 U		0.32 ^{ab}	0.022 U
			12/8/2004	--	--	--	0.011 U	0.011 U	0.011 U	0.0023 J	0.011 U	--	0.075 ^a	0.011 U	0.011 U		0.33 ^{ab}	0.022 U
			3/10/2005	0.063 U	--	0.031 U	0.031 U	0.031 U	0.031 U	0.0033 J	0.031 U	--	0.043 ^a	0.031 U	0.031 U		0.39 ^{ab}	0.094 U
			6/23/2005	0.1 U	--	0.05 U	0.05 U	0.05 U	0.05 U	0.0057 J	0.05 U	--	0.038 J ^a	0.05 U	0.05 U		0.67 ^{ab}	0.15 U
			10/5/2005	0.1 U	--	0.05 U	0.05 U	0.05 U	0.05 U	0.011 J	0.05 U	--	0.025 J ^a	0.05 U	0.05 U		0.92 ^{ab}	0.15 U
			12/14/2005	0.1 U	--	0.05 U	0.05 U	0.05 U	0.05 U	0.011 J	0.05 U	--	0.056 ^a	0.05 U	0.05 U		0.86 ^{ab}	0.15 U
			11/25/2002	--	0.005 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.05 U	0.001 U	--	--		0.001 U	0.003 U	
			1/29/2004	--	--	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.00026 J	0.001 U	0.001 U		0.0012	0.002 U
			5/28/2004	--	--	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.001 U	0.002 U
			6/23/2005	0.002 U / 0.002 U	--	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	0.0001 J / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U	--	0.001 U / 0.001 U	0.001 U / 0.001 U	0.001 U / 0.001 U		0.0018 / 0.002	0.003 U / 0.003 U
			10/5/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.001 U	0.003 U
			12/13/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.001 U	0.003 U
			10/6/2005	0.71 U	--	0.36 U	0.36 U	0.36 U	0.36 U	0.085 J	0.36 U	--	2.9 ^{ab}	0.36 U	0.36 U		1.6 ^{ab}	1.1 U
MW18-45	716.65	6.5-16	12/14/2005	0.5 U	--	0.25 U	0.25 U	0.25 U	0.25 U	0.031 J	--	0.53 ^{ab}	0.25 U	0.25 U	2.3 ^{ab}	0.75 U		
			12/1/2003	--	--	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.0037 ^a	0.002 U
			4/1/2004	--	--	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.0012	0.002 U
			6/30/2004	--	--	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.00088 J	0.002 U
			9/22/2004	--	--	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.0019	0.002 U
			12/8/2004	--	--	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.0039 ^a	0.002 U
			3/10/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.00066 J	0.003 U
			6/23/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.001 U	0.003 U
			10/5/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	--	0.001 U	0.001 U	0.001 U		0.0086 ^a	0.003 U

TABLE 1
2001-2005 GROUNDWATER RESULTS
COMPANY VEHICLE OPERATIONS AREA
FORMER WILLOW RUN ASSEMBLY PLANT
YPSILANTI, MICHIGAN

Groundwater Monitoring Wells				<i>m</i> -xylene mg/L	<i>n</i> -Propylbenzene mg/L	<i>o</i> -Xylene mg/L	Styrene mg/L	Tetrachloroethene mg/L	Toluene mg/L	<i>trans</i> -1,2-DCE mg/L	<i>trans</i> -1,3-Dichloropropene mg/L	<i>trans</i> -1,4-Dichloro-2-butene mg/L	TCE mg/L	TCFM (CFC-11) mg/L	TFTCE (Freon 113) mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
Top of	Screen																
			6/23/2005	0.19 J ^b	--	0.073 J ^b	0.31 U	0.31 U	0.31 U	0.15 J ^a	0.31 U	--	0.31 U	0.31 U	0.31 U	5.2 ^{ab}	0.29 J ^{ab}
			10/5/2005	0.2 U	--	0.1 U	0.1 U	0.1 U	0.13 ^a	0.1 U	--	0.012 J ^a	0.1 U	0.1 U	13 ^{ab}	0.3 U	
			12/13/2005	2 U	--	1 U	1 U	1 U	0.36 J ^a	1 U	--	1 U	1 U	1 U	18 ^{abc}	3 U	
MW19-09	718.24	10-20	12/1/2003	--	--	--	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.37 / 0.37 ^a	0.2 U / 0.2 U	--	3.6 / 3.6 ^{abc}	0.2 U / 0.2 U	0.2 U / 0.2 U	4.3 / 4.2 ^{ab}	0.4 U / 0.4 U
			12/13/2005	0.5 U	--	0.25 U	0.25 U	0.25 U	0.25 U	0.17 J ^a	0.25 U	--	4.6 ^{abc}	0.25 U	0.25 U	2.4 ^{ab}	0.75 U
MW19-24	716.64	8-18	5/28/2004	--	--	--	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	--	0.1 U	0.1 U	0.1 U	3.6 ^{ab}	0.2 U
			6/30/2004	--	--	--	0.25 U / 0.2 U	0.2 U / 0.25 U	0.2 U / 0.25 U	0.2 U / 0.25 U	0.25 U / 0.2 U	--	0.25 U / 0.2 U	0.2 U / 0.25 U	0.2 U / 0.25 U	7.8 / 7.2 ^{ab}	0.5 U / 0.4 U
			9/22/2004	--	--	--	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	--	0.25 U	0.25 U	0.25 U	6.9 ^{ab}	0.5 U
			12/8/2004	--	--	--	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	--	0.2 U / 0.2 U	0.2 U / 0.2 U	0.2 U / 0.2 U	7.7 / 7.2 ^{ab}	0.4 U / 0.4 U
			4/13/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.011	0.001 U	--	0.001 U	0.001 U	0.001 U	5.7 J ^{ab}	0.003 U
			6/23/2005	0.32 J ^{ab}	--	0.1 J ^b	0.31 U	0.31 U	0.033 J	0.31 U	0.31 U	--	0.31 U	0.31 U	0.31 U	7 ^{ab}	0.46 J ^{ab}
			10/5/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.014	0.001 U	--	0.00013 J	0.001 U	0.001 U	11 ^{ab}	0.003 U
			12/13/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.01	0.001 U	--	0.001 U	0.001 U	0.001 U	8.8 ^{ab}	0.003 U
PZ18-131	716.96	6-16	6/22/2005	--	--	--	0.005 U	0.005 U	0.005 U	0.087	0.005 U	--	0.0075 U	0.005 U	0.005 U	0.14 ^{ab}	0.01 U
PZ18-133	719.17	10-20	10/6/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.0001 J	0.00089 J	0.001 U	--	0.022 ^a	0.001 U	0.001 U	0.00097 J	0.003 U
			12/14/2005	0.002 U	--	0.001 U	0.001 U	0.001 U	0.001 U	0.0003 J	0.001 U	0.001 U	--	0.0095 ^a	0.001 U	0.001 U	0.001 U
PZ18-195	703.72	1-5	6/22/2005	--	--	--	0.11 U	0.11 U	0.11 U	0.036 J	0.11 U	--	0.11 U	0.11 U	0.11 U	0.11 ^{ab}	0.22 U
			10/6/2005	0.1 U	--	0.05 U	0.05 U	0.05 U	0.0096 J	0.05 UJ	0.05 U	--	0.05 U	0.05 U	0.05 U	0.099 ^{ab}	0.15 U
			12/14/2005	0.25 U	--	0.13 U	0.13 U	0.13 U	0.019 J	0.13 U	0.13 U	--	0.13 U	0.13 U	0.13 U	0.13 U	0.38 U
CRITERIA*																	
Residential Drinking Water				0.28 E	0.08	0.28 E	0.1 A	0.005 A	0.79 E	0.1 A			0.005 A	2.6	170 S	0.002 A	0.28 E
Groundwater Surface Water Interface				0.035	ID	0.035	0.08	0.045 X	0.14	1.5			0.2 X	0.032		0.015	0.035
Final Acute Value					ID		2.9	0.71	1.7	28	NA		3.5			17	0.63

Notes:
1,1-DCE 1,1-Dichloroethene
1,2-DBE 1,2-Dibromoethane (Ethylene Dibromide)
BDCM Bromodichloromethane
cis-1,2-DCE cis-1,2-Dichloroethene
DBCM Dibromochloromethane
DBCP 1,2-Dibromo-3-chloropropane
DCDFM (CFC-12) Dichlorodifluoromethane (CFC-12)
MB Methyl Bromide (Bromomethane)
MC Methyl Chloride (Chloromethane)
MEK 2-Butanone (Methyl Ethyl Ketone)
MIK 4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)
MTBE Methyl Tert Butyl Ether
TCE Trichloroethene
TCFM (CFC-11) Trichlorofluoromethane (CFC-11)
TCM (Trichloromethane)
TFTCE (Freon 113) Trifluorotrichloroethane (Freon 113)
trans-1,2-DCE trans-1,2-Dichloroethene
A Criterion is the state of Michigan drinking water standard established pursuant to section 5 of 1976 PA 399, MCL 325.1005
E Criterion is the aesthetic drinking water value, as required by section 20120 a (5) of the act.
ID Insufficient data to develop criterion
J Estimated concentration
M Calculated criterion is below the analytical target detection limit, therefore, the criterion defaults to the target detection limit.
NA Criterion or value is not available or, in the case of background and chemical abstract service numbers, not applicable.
R Rejected
U Not present at or above the associated value
UJ Estimated reporting limit
W Concentrations of trihalomethanes in groundwater shall be added together to determine compliance with the Michigan drinking water standard of 100 ug/L.
X The groundwater surface water interface (CSI) criterion shown in the generic cleanup criteria tables is not protective for surface water that is used as a drinking water source.
* Screening Criteria is from Michigan Department of Environmental Quality Act 451, Part 201