



Mr. Luis and Mrs. Lisa Villarreal
1320 East Stanley Street
Mount Morris, MI 48458

VIA HAND DELIVERY

Quarterly Water Well PFAS Results

April 18, 2024

Dear Mr. and Mrs. Villarreal:

Ramboll Americas Engineering Solutions, Inc. (Ramboll), on behalf of Revitalizing Auto Communities Environmental Response Trust (RACER Trust) is providing the attached analytical results/report for the per- and polyfluoroalkyl substances (PFAS) sample collected from your water system before (under sink PFAS removal unit) and after treatment on March 21, 2024. It is our understanding that Michigan Department of Health and Human Services' (MDHHS) Division of Environmental Health (DEH) will be officially providing these results to you in the near future.

Ramboll
2090 Commonwealth Blvd.
Ann Arbor, MI 48105
USA

T +1 734 761 4000
F +1 734 761 2050
<https://ramboll.com>

Both the before treatment water sample (*i.e.*, before the under sink PFAS removal unit) (Treatment Unit) and the after treatment (*i.e.*, sink) water sample were submitted to Merit Laboratories, Inc. (Merit) located in East Lansing, Michigan for PFAS analysis by United States Environmental Protection Agency (USEPA) Method 537 version 1.1 under standard chain-of-custody procedures to maintain sample integrity. Merit is a National Environmental Laboratory Accreditation Program NELAP accredited laboratory.

Ref
1088190/1940103462/Corres

PFAS were not detected in the after treatment (*i.e.*, sink) water sample.

In the before treatment (*i.e.*, raw) water sample, Perfluorooctanesulfonic acid (PFOS) was detected in the water sample at a concentration of 6 nanograms per liter (ng/l). The detection was below the Michigan Department of Environment, Great Lakes, and Energy (EGLE) drinking water criteria of 16 ng/l for PFOS. The USEPA has enacted a new maximum contaminant level (MCL) for PFOS of 4 ng/l; however, EGLE has not yet adopted the standard. The results are summarized in the attached table.

RACER Trust will continue monitoring your water on a quarterly basis and provide the results to you.

If you have questions after receiving these results, feel free to call me or one of the following:

- EGLE Materials Management Division
 - Ms. Nicole Sanabria – 517-281-7726
 - Ms. Christina Hebert – 517-282-6092
- Genesee County Health Department Environmental Health Division
 - Mr. Jeffrey Kost – 810-257-3603
- MDHHS Environmental Public Health
 - Ms. Staci Bator – 517-243-1562
- RACER Trust
 - Mr. Brendan Mullen – 201-247-4890

Yours sincerely,

RAMBOLL AMERICAS ENGINEERING SOLUTIONS, INC.



Clifford S. Yantz

Project Manager

M +1.313.333.0211
clifford.yantz@ramboll.com

Enclosures:

PFAS Sampling Results Summary Table
Laboratory Analytical Report



TABLE 1
RACER Trust - Coldwater Road
Per-and Polyfluoroalkyl Substances Sampling Results
1320 E. Stanley Road Residential Drinking Water Results

Coldwater Road - 1320 E. Stanley Road Residential Well

Perfluorinated Compound	Well/Sample ID:	USEPA PFAS National Primary Drinking Water Regulation (NPDWR)	EGLE Part 201 Generic Cleanup Criteria and Screening Levels	1320 E. Stanley Rd - RAW	1320 E. Stanley Rd - SINK	1320 E. Stanley Rd - RAW	1320 E. Stanley Rd - RAW	1320 E. Stanley Rd - RAW	1320 E. Stanley Rd - SINK
	Sample Date:	Drinking Water	Drinking Water	3/21/2024	3/21/2024	1/4/2024	10/11/2023	10/11/2023	10/11/2023
Perfluorohexanoic Acid (PFHxA)		--	400,000	<2	<2	<2	<2 z	<2 z	<2
Perfluorobutane Sulfonic Acid (PFBS)		--	420	<2	<2	<2	<2 z	<2 z	<2
Perfluoroheptanoic Acid (PFHpA)		--	--	<2	<2	<2	<2 z	<2 z	<2
Perfluorooctanoic Acid (PFOA)		4	8	<2	<2	<2	<2 z	2.6z	<2
Perfluorohexane Sulfonic Acid (PFHxS)		10	51	<2	<2	<2	<2 z	<2 z	<2
Perfluorononanoic Acid (PFNA)		10	6	<2	<2	<2	<2 z	<2 z	<2
Perfluorodecanoic Acid (PFDA)		--	--	<2	<2	<2	<2 z	<2 z	<2
N-methyl Perfluorooctanesulfonamidoacetic Acid (N-MeFOSAA)		--	--	<2	<2	<2	<2 z	<2 z	<2
N-Ethyl Perfluorooctane Sulfonamidoacetic Acid (EtFOSAA)		--	--	<2	<2	<2	<2 z	<2 z	<2
Perfluorooctane Sulfonic Acid (PFOS)		4	16	6	<2	12	4 z	4 z	<2
Perfluoroundecanoic Acid (PFUnDA)		--	--	<2	<2	<2	<2 z	<2 z	<2
Perfluorododecanoic Acid (PFDoDA)		--	--	<2	<2	<2	<2 z	<2 z	<2
Perfluorotridecanoic Acid (PFTeDA)		--	--	<2	<2	<2	<2 z	<2 z	<2
Perfluorotetradecanoic Acid (PFTeDA)		--	--	<2	<2	<2	<2 z	<2 z	<2
11-chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)		--	--	<2	<2	<2	<2 z	<2 z	<2
9-chlorohexadecafluoro-3-oxanone1-sulfonic acid (9Cl-PF3ONS)		--	--	<2	<2	<2	<2 z	<2 z	<2
4,8-dioxa-3H-perfluorononanoic acid (ADONA)		--	--	<2	<2	<2	<2 z	<2 z	<2
Hexafluoropropylene oxide dimer (HFPO-DA)		10	370	<2	<2	<2	<2 z	<2 z	<2
Mixtures containing two or more of PFHxS, PFNA, HFPO-DA, & PFBS		Hazard Index of 1 (unitless)	--						
Total Per-and Polyfluoroalkyl Substances		--	--	6.0	0.0	12.0	4.0	6.0	0.0

Notes

- 1) Detections in **bold**.
- 2) Concentrations reported in nanograms per liter (ng/L).
- 3) < = Not detected at specified reporting limit.
- 4) -- = Not analyzed/No criteria.
- 5) Dup = Duplicate sample.
- 6) EGLE Part 201 Groundwater Generic Cleanup Criteria and Screening Levels, December 21, 2020.
- 7) Concentration above the EGLE drinking water criteria are highlighted in yellow.
- 8) The United States Environmental Protection Agency (USEPA) enacted new maximum contaminant levels (MCLs) for PFOS of 4 ng/l; however, EGLE has not yet adopted those standards.
- 9) The Hazard Index is a long-established approach that EPA regularly uses to understand health risk from a chemical mixture (i.e., exposure to multiple chemicals). The HI is made up of a sum of fractions. Each fraction compares the level of each PFAS measured in the water to the health-based water concentration.
- 10) SINK samples collected after treatment from under sink PFAS removal unit.
- 11) Light gray header is most recent sampling event result.
- 12) QA/QC Samples were either not detected above the reporting limit or below the EGLE Part 201 Groundwater Generic Cleanup Criteria.
- 13) 1 - Suspect due to matrix effects.
- 14) 6-suspect -- contaminated Trizma. Trizma is a sample preservative for EPA Method 537.1.
- 15) z - Results for PFAS are suspect. Recovery for the surrogate d5-NEtFOSAA is outside method required quality control acceptance limits due to possible matrix interference. Sample was reanalyzed and reported per method requirements. Due to low bias surrogate recovery the result should be considered estimated.



TABLE 1
RACER Trust - Coldwater Road
Per-and Polyfluoroalkyl Substances Sampling Results
1320 E. Stanley Road Residential Drinking Water Results

Coldwater Road - 1320 E. Stanley Road Residential Well

Perfluorinated Compound	Well/Sample ID:	USEPA PFAS National Primary Drinking Water Regulation (NPDWR)	EGLE Part 201 Generic Cleanup Criteria and Screening Levels	1320 E. Stanley Rd	1320 E. Stanley Rd	1320 E. Stanley Rd	1320 E. Stanley Rd	1320 E. Stanley Rd	1320 E. Stanley Rd
	Sample Date:	Drinking Water	Drinking Water	7/7/2023	4/6/2023	1/4/2023	10/6/2022	7/7/2022	3/16/2022
Perfluorohexanoic Acid (PFHxA)	--	--	400,000	<2	<2	<2	<2	<2	<2
Perfluorobutane Sulfonic Acid (PFBS)	--	--	420	<2	<2	<2	<2	<2	<2
Perfluoroheptanoic Acid (PFHpA)	--	--	--	<2	<2	<2	<2	<2	<2
Perfluorooctanoic Acid (PFOA)	4	8	8	<2	<2	<2	<2	<2	<2
Perfluorohexane Sulfonic Acid (PFHxS)	10	51	51	<2	<2	<2	<2	<2	<2
Perfluorononanoic Acid (PFNA)	10	6	6	<2	<2	<2	<2	<2	<2
Perfluorodecanoic Acid (PFDA)	--	--	--	<2	<2	<2	<2	<2	<2
N-methyl Perfluorooctanesulfonamidoacetic Acid (N-MeFOSAA)	--	--	--	<2	<2	<2	<2	<2	<2
N-Ethyl Perfluorooctane Sulfonamidoacetic Acid (EtFOSAA)	--	--	--	<2	<2	<2	<2	<2	<2
Perfluorooctane Sulfonic Acid (PFOS)	4	16	16	5	7	6	6	6	7
Perfluoroundecanoic Acid (PFUnDA)	--	--	--	<2	<2	<2	<2	<2	<2
Perfluorododecanoic Acid (PFDoDA)	--	--	--	<2	<2	<2	<2	<2	<2
Perfluorotridecanoic Acid (PFTrDA)	--	--	--	<2	<2	<2	<2	<2	<2
Perfluorotetradecanoic Acid (PFTeDA)	--	--	--	<2	<2	<2	<2	<2	<2
11-chloroicosafafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	--	--	--	<2	<2	<2	<2	<2	<2
9-chlorohexadecafluoro-3-oxanone1-sulfonic acid (9Cl-PF3ONS)	--	--	--	<2	<2	<2	<2	<2	<2
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	<2	<2	<2	<2	<2	<2
Hexafluoropropylene oxide dimer (HFPO-DA)	10	370	370	<2	<2	<2	<2	<2	<2
Mixtures containing two or more of PFHxS, PFNA, HFPO-DA, & PFBS	Hazard Index of 1 (unitless)	--	--						
Total Per-and Polyfluoroalkyl Substances	--	--	--	5.0	7.0	6.0	6.0	6.0	7.0

Notes

- 1) Detections in **bold**.
- 2) Concentrations reported in nanograms per liter (ng/L).
- 3) < = Not detected at specified reporting limit.
- 4) -- = Not analyzed/No criteria.
- 5) Dup = Duplicate sample.
- 6) EGLE Part 201 Groundwater Generic Cleanup Criteria and Screening Levels, December 21, 2020.
- 7) Concentration above the EGLE drinking water criteria are highlighted in yellow.
- 8) The United States Environmental Protection Agency (USEPA) enacted new maximum contaminant levels (MCLs) for PFOS of 4 ng/l; however, EGLE has not yet adopted those standards.
- 9) The Hazard Index is a long-established approach that EPA regularly uses to understand health risk from a chemical mixture (i.e., exposure to multiple chemicals). The HI is made up of a sum of fractions. Each fraction compares the level of each PFAS measured in the water to the health-based water concentration.
- 10) SINK samples collected after treatment from under sink PFAS removal unit.
- 11) Light gray header is most recent sampling event result.
- 12) QA/QC Samples were either not detected above the reporting limit or below the EGLE Part 201 Groundwater Generic Cleanup Criteria.
- 13) 1 - Suspect due to matrix effects.
- 14) 6-suspect -- contaminated Trizma. Trizma is a sample preservative for EPA Method 537.1.
- 15) z - Results for PFAS are suspect. Recovery for the surrogate d5-NEtFOSAA is outside method required quality control acceptance limits due to possible matrix interference. Sample was reanalyzed and reported per method requirements. Due to low bias surrogate recovery the result should be considered estimated.



TABLE 1
RACER Trust - Coldwater Road
Per-and Polyfluoroalkyl Substances Sampling Results
1320 E. Stanley Road Residential Drinking Water Results

Coldwater Road - 1320 E. Stanley Road Residential Well

Perfluorinated Compound	Well/Sample ID:	USEPA PFAS National Primary Drinking Water Regulation (NPDWR)	EGLE Part 201 Generic Cleanup Criteria and Screening Levels	1320 E. Stanley Rd	1320 E. Stanley Rd	1320 E. Stanley Rd	1320 E. Stanley Rd	1320 E. Stanley Rd	1320 E. Stanley Rd
	Sample Date:	Drinking Water	Drinking Water	1/5/2022	9/30/2021	7/22/2021	3/26/2021	12/18/2020	8/14/2020
Perfluorohexanoic Acid (PFHxA)	--	--	400,000	<2	<2	<2	<2	<2	<2
Perfluorobutane Sulfonic Acid (PFBS)	--	--	420	<2	<2	0.17 J	0.2 J	<2	<2
Perfluoroheptanoic Acid (PFHpA)	--	--	--	<2	<2	<2	<2	<2	<2
Perfluorooctanoic Acid (PFOA)	4	8	8	<2	<2	<2	0.5 J	<2	<2
Perfluorohexane Sulfonic Acid (PFHxS)	10	51	51	<2	2	0.86 J	1.6 J	<2	<2
Perfluorononanoic Acid (PFNA)	10	6	6	<2	<2	<2	<2	<2	<2
Perfluorodecanoic Acid (PFDA)	--	--	--	<2	<2	<2	<2	<2	<2
N-methyl Perfluorooctanesulfonamidoacetic Acid (N-MeFOSAA)	--	--	--	<2	<2	<2	<2	<2	<2
N-Ethyl Perfluorooctane Sulfonamidoacetic Acid (EtFOSAA)	--	--	--	<2	<2	<2	<2	<2	<2
Perfluorooctane Sulfonic Acid (PFOS)	4	16	16	8	12	5	9	5	10
Perfluoroundecanoic Acid (PFUnDA)	--	--	--	<2	<2	<2	<2	<2	<2
Perfluorododecanoic Acid (PFDoDA)	--	--	--	<2	<2	<2	<2	<2	<2
Perfluorotridecanoic Acid (PFTrDA)	--	--	--	<2	<2	<2	<2	<2	<2
Perfluorotetradecanoic Acid (PFTeDA)	--	--	--	<2	<2	<2	<2	<2	<2
11-chloroicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	--	--	--	<2	<2	<2	<2	<2	<2
9-chlorohexadecafluoro-3-oxanone1-sulfonic acid (9Cl-PF3ONS)	--	--	--	<2	<2	<2	<2	<2	<2
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	<2	<2	<2	<2	<2	<2
Hexafluoropropylene oxide dimer (HFPO-DA)	10	370	370	<2	<2	<2	<2	<2	<2
Mixtures containing two or more of PFHxS, PFNA, HFPO-DA, & PFBS	Hazard Index of 1 (unitless)		--	--	--	--	--	--	--
Total Per-and Polyfluoroalkyl Substances	--	--	--	8.0	14.0	6.0	11.3	5.0	10.0

Notes

- 1) Detections in **bold**.
- 2) Concentrations reported in nanograms per liter (ng/L).
- 3) < = Not detected at specified reporting limit.
- 4) -- = Not analyzed/No criteria.
- 5) Dup = Duplicate sample.
- 6) EGLE Part 201 Groundwater Generic Cleanup Criteria and Screening Levels, December 21, 2020.
- 7) Concentration above the EGLE drinking water criteria are highlighted in yellow.
- 8) The United States Environmental Protection Agency (USEPA) enacted new maximum contaminant levels (MCLs) for PFOS of 4 ng/l; however, EGLE has not yet adopted those standards.
- 9) The Hazard Index is a long-established approach that EPA regularly uses to understand health risk from a chemical mixture (i.e., exposure to multiple chemicals). The HI is made up of a sum of fractions. Each fraction compares the level of each PFAS measured in the water to the health-based water concentration.
- 10) SINK samples collected after treatment from under sink PFAS removal unit.
- 11) Light gray header is most recent sampling event result.
- 12) QA/QC Samples were either not detected above the reporting limit or below the EGLE Part 201 Groundwater Generic Cleanup Criteria.
- 13) 1 - Suspect due to matrix effects.
- 14) 6-suspect -- contaminated Trizma. Trizma is a sample preservative for EPA Method 537.1.
- 15) z - Results for PFAS are suspect. Recovery for the surrogate d5-NEtFOSAA is outside method required quality control acceptance limits due to possible matrix interference. Sample was reanalyzed and reported per method requirements. Due to low bias surrogate recovery the result should be considered estimated.



**TABLE 1
RACER Trust - Coldwater Road
Per-and Polyfluoroalkyl Substances Sampling Results
1320 E. Stanley Road Residential Drinking Water Results**

Coldwater Road - 1320 E. Stanley Road Residential Well

Perfluorinated Compound	Well/Sample ID:	USEPA PFAS National Primary Drinking Water Regulation (NPDWR)	EGLE Part 201 Generic Cleanup Criteria and Screening Levels	1320 E. Stanley Rd	1320 E. Stanley Rd	1320 E. Stanley Rd	1320 E. Stanley Rd
	Sample Date:	Drinking Water	Drinking Water	12/19/2019	6/7/2019	12/18/2018	12/4/2018
Perfluorohexanoic Acid (PFHxA)	--	--	400,000	<2	<2	<2	<2
Perfluorobutane Sulfonic Acid (PFBS)	--	--	420	<2	<2	<2	<2
Perfluoroheptanoic Acid (PFHpA)	--	--	--	<2	<2	<2	<2
Perfluorooctanoic Acid (PFOA)	4	8	8	<2	<2	<2	<2
Perfluorohexane Sulfonic Acid (PFHxS)	10	51	51	<2	<2	<2	<2
Perfluorononanoic Acid (PFNA)	10	6	6	<2	<2	<2	<2
Perfluorodecanoic Acid (PFDA)	--	--	--	<2	<2	<2	<2
N-methyl Perfluorooctanesulfonamidoacetic Acid (N-MeFOSAA)	--	--	--	<2	<2	<2	<2
N-Ethyl Perfluorooctane Sulfonamidoacetic Acid (EtFOSAA)	--	--	--	<2	<2	<2	<2
Perfluorooctane Sulfonic Acid (PFOS)	4	16	16	6	8	8	7
Perfluoroundecanoic Acid (PFUnDA)	--	--	--	<2	<2	<2	<2
Perfluorododecanoic Acid (PFDoDA)	--	--	--	<2	<2	<2	<2
Perfluorotridecanoic Acid (PFTDA)	--	--	--	<2	<2	<2	<2
Perfluorotetradecanoic Acid (PFTeDA)	--	--	--	<2	<2	<2	<2
11-chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	--	--	--	--	--	--	--
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	--	--	--	--	--	--	--
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	--	--	--	--
Hexafluoropropylene oxide dimer (HFPO-DA)	10	370	370	--	--	--	--
Mixtures containing two or more of PFHxS, PFNA, HFPO-DA, & PFBS	Hazard Index of 1 (unitless)	--	--	--	--	--	--
Total Per-and Polyfluoroalkyl Substances	--	--	--	6.0	8.0	8.0	7.0

Notes

- 1) Detections in **bold**.
- 2) Concentrations reported in nanograms per liter (ng/L).
- 3) < = Not detected at specified reporting limit.
- 4) -- = Not analyzed/No criteria.
- 5) Dup = Duplicate sample.
- 6) EGLE Part 201 Groundwater Generic Cleanup Criteria and Screening Levels, December 21, 2020.
- 7) Concentration above the EGLE drinking water criteria are highlighted in yellow.
- 8) The United States Environmental Protection Agency (USEPA) enacted new maximum contaminant levels (MCLs) for PFOS of 4 ng/l; however, EGLE has not yet adopted those standards.
- 9) The Hazard Index is a long-established approach that EPA regularly uses to understand health risk from a chemical mixture (i.e., exposure to multiple chemicals). The HI is made up of a sum of fractions. Each fraction compares the level of each PFAS measured in the water to the health-based water concentration.
- 10) SINK samples collected after treatment from under sink PFAS removal unit.
- 11) Light gray header is most recent sampling event result.
- 12) QA/QC Samples were either not detected above the reporting limit or below the EGLE Part 201 Groundwater Generic Cleanup Criteria.
- 13) 1 - Suspect due to matrix effects.
- 14) 6-suspect -- contaminated Trizma. Trizma is a sample preservative for EPA Method 537.1.
- 15) z - Results for PFAS are suspect. Recovery for the surrogate d5-NetFOSAA is outside method required quality control acceptance limits due to possible matrix interference. Sample was reanalyzed and reported per method requirements. Due to low bias surrogate recovery the result should be considered estimated.



Analytical Laboratory Report

Report ID: S60075.01(01)
Generated on 04/10/2024

Report to

Attention: Clifford Yantz
Ramboll Americas
2090 Commonwealth Blvd
Ann Arbor, MI 48105

Phone: 313-333-0211 FAX:
Email: Clifford.Yantz@ramboll.com

Additional Contacts: Kevin Schneider

Report produced by

Merit Laboratories, Inc.
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:
John Lavery (johnlavery@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S60075.01-S60075.02
Project: RACER - Coldwater Road
Collected Date(s): 03/21/2024
Submitted Date/Time: 03/21/2024 13:55
Sampled by: Kevin Schneider
P.O. #: 1940008845 TASK37

Table of Contents

Cover Page (Page 1)
General Report Notes (Page 2)
Report Narrative (Page 2)
Laboratory Accreditations (Page 3)
Qualifier Descriptions (Page 3)
Glossary of Abbreviations (Page 3)
Method Summary (Page 4)
Parameter Summary (Page 5)
Sample Summary (Page 6)

Maya Murshak
Technical Director



Analytical Laboratory Report

General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

When MDL results are provided, then 'Not detected' indicates that parameter was not found at a level equal to or greater than the MDL.

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile, and 2-chloroethylvinyl ether need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Starred (*) analytes are not NY NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Wisconsin PFAs analysis: MDL = LOD; RL = LOQ. LOD and LOQ are adjusted for dilution.

All accreditations/certifications held by this laboratory are listed on page 3. Not all accreditations/certifications are applicable to this report.

For a specific list of accredited analytes, please feel free to contact the laboratory or visit <https://www.meritlabs.com/certifications>.

Report Narrative

There is no additional narrative for this analytical report



Analytical Laboratory Report

Laboratory Accreditations (For Reference Only)

Authority	Accreditation ID
Michigan DEQ	#9956
DOD ELAP & ISO/IEC 17025:2017	#69699 PJLA Testing
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Pennsylvania DEP	#68-05884
Wisconsin DNR	FID# 399147320

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
o	Associated EIS outside of control limits
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
q	Qualifier ion ratio outside of control limits
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Analytical Laboratory Report

Method Summary

Method	Version
E537.1	EPA Method 537.1 Version 1.0 November 2018
N/A	Not Applicable



Analytical Laboratory Report

Parameter Summary

Parameter	Synonym	Cas #
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFNA	Perfluorononanoic Acid	375-95-1
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFTTrDA	Perfluorotridecanoic Acid	72629-94-8
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11Cl-PF3OUdS	11-chloroeicosfluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9Cl-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Analytical Laboratory Report

Sample Summary (2 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S60075.01	1320 E. Stanley Rd - SINK	Drinking Water	03/21/24 10:15
S60075.02	1320 E. Stanley Rd - RAW	Drinking Water	03/21/24 10:25



Analytical Laboratory Report

Lab Sample ID: S60075.01

Sample Tag: 1320 E. Stanley Rd - SINK

Collected Date/Time: 03/21/2024 10:15

Matrix: Drinking Water

COC Reference: 155552

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	250mL Plastic	Trizma	Yes	4.1	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Sample Amount*	295.36 ml	E537.1	03/25/24 10:30	PTW	
pH check for DW PFAs*	7	N/A	03/25/24 10:30	PTW	

Organics

PFAs Drinking Water, Method: E537.1, Run Date: 03/26/24 16:35, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags	Limits
PFHxA	Not detected	2		ng/L	1	307-24-4		400,000
PFBS	Not detected	2		ng/L	1	375-73-5		420
PFHpA	Not detected	2		ng/L	1	375-85-9		
PFOA	Not detected	2		ng/L	1	335-67-1		8
PFHxS	Not detected	2		ng/L	1	355-46-4		51
PFNA	Not detected	2		ng/L	1	375-95-1		6
PFDA	Not detected	2		ng/L	1	335-76-2		
N-MeFOSAA	Not detected	2		ng/L	1	2355-31-9		
EtFOSAA*	Not detected	2		ng/L	1	2991-50-6		
PFOS	Not detected	2		ng/L	1	1763-23-1		16
PFUnDA	Not detected	2		ng/L	1	2058-94-8		
PFDoDA	Not detected	2		ng/L	1	307-55-1		
PFTTrDA	Not detected	2		ng/L	1	72629-94-8		
PFTeDA	Not detected	2		ng/L	1	376-06-7		
11Cl-PF3OUdS	Not detected	2		ng/L	1	763051-92-9		
9Cl-PF3ONS	Not detected	2		ng/L	1	756426-58-1		
ADONA	Not detected	2		ng/L	1	919005-14-4		
HFPO-DA	Not detected	2		ng/L	1	13252-13-6		370



Analytical Laboratory Report

Lab Sample ID: S60075.02

Sample Tag: 1320 E. Stanley Rd - RAW

Collected Date/Time: 03/21/2024 10:25

Matrix: Drinking Water

COC Reference: 155552

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
3	250mL Plastic	Trizma	Yes	4.1	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Sample Amount*	298.01 ml	E537.1	03/25/24 10:30	PTW	
pH check for DW PFAs*	7	N/A	03/25/24 10:30	PTW	

Organics

PFAs Drinking Water, Method: E537.1, Run Date: 03/26/24 16:49, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags	Limits
PFHxA	Not detected	2		ng/L	1	307-24-4		400,000
PFBS	Not detected	2		ng/L	1	375-73-5		420
PFHpA	Not detected	2		ng/L	1	375-85-9		
PFOA	Not detected	2		ng/L	1	335-67-1		8
PFHxS	Not detected	2		ng/L	1	355-46-4		51
PFNA	Not detected	2		ng/L	1	375-95-1		6
PFDA	Not detected	2		ng/L	1	335-76-2		
N-MeFOSAA	Not detected	2		ng/L	1	2355-31-9		
EtFOSAA*	Not detected	2		ng/L	1	2991-50-6		
PFOS	6	2		ng/L	1	1763-23-1		16
PFUnDA	Not detected	2		ng/L	1	2058-94-8		
PFDoDA	Not detected	2		ng/L	1	307-55-1		
PFTTrDA	Not detected	2		ng/L	1	72629-94-8		
PFTeDA	Not detected	2		ng/L	1	376-06-7		
11Cl-PF3OUdS	Not detected	2		ng/L	1	763051-92-9		
9Cl-PF3ONS	Not detected	2		ng/L	1	756426-58-1		
ADONA	Not detected	2		ng/L	1	919005-14-4		
HFPO-DA	Not detected	2		ng/L	1	13252-13-6		370

Merit Laboratories Login Checklist

Lab Set ID:S60075

Client:RAMBOLL (Ramboll Americas)

Project: RACER - Coldwater Road

Submitted:03/21/2024 13:55 Login User: MMC

Attention: Clifford Yantz

Address: Ramboll Americas
2090 Commonwealth Blvd
Ann Arbor, MI 48105

Phone: 313-333-0211 FAX:
Email: Clifford.Yantz@ramboll.com

Selection	Description	Note
-----------	-------------	------

Sample Receiving

- | | | |
|-----|--|--|
| 01. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Samples are received at 4C +/- 2C Thermometer # IR 4.1 |
| 02. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Received on ice/ cooling process begun |
| 03. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Samples shipped |
| 04. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Samples left in 24 hr. drop box |
| 05. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | Are there custody seals/tape or is the drop box locked |

Chain of Custody

- | | | |
|-----|--|--|
| 06. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | COC adequately filled out |
| 07. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | COC signed and relinquished to the lab |
| 08. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Sample tag on bottles match COC |
| 09. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Subcontracting needed? Subcontracted to: |

Preservation

- | | | |
|-----|--|---|
| 10. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Do sample have correct chemical preservation |
| 11. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | Completed pH checks on preserved samples? (no VOAs) |
| 12. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Did any samples need to be preserved in the lab? |

Bottle Conditions

- | | | |
|-----|--|---|
| 13. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | All bottles intact |
| 14. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Appropriate analytical bottles are used |
| 15. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Merit bottles used |
| 16. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Sufficient sample volume received |
| 17. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | Samples require laboratory filtration |
| 18. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Samples submitted within holding time |
| 19. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | Do water VOC or TOX bottles contain headspace |

Corrective action for all exceptions is to call the client and to notify the project manager.

Client Review By: _____ Date: _____



2680 East Lansing Dr., East Lansing, MI 48823
 Phone (517) 332-0167 Fax (517) 332-4034
 www.meritlabs.com

C.O.C. PAGE # 1 OF 1 155552

REPORT TO

CHAIN OF CUSTODY RECORD

INVOICE TO

CONTACT NAME Clifford Kuntz / Kevin Schneider
 COMPANY Ramboll
 ADDRESS 2090 Commonwealth Blvd.
 CITY Ann Arbor STATE MI ZIP CODE 48105
 PHONE NO. _____ CELL NO. 313-333-0211 P.O. NO. 1940008845
 E-MAIL ADDRESS Kevin.Schneider@Ramboll.com QUOTE NO. _____

CONTACT NAME SAME
 COMPANY _____
 ADDRESS _____
 CITY _____ STATE _____ ZIP CODE _____
 PHONE NO. _____ E-MAIL ADDRESS _____

ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)

PROJECT NO./NAME RACER Coldwater Road SAMPLER(S) - PLEASE PRINT/SIGN NAME Kevin Schneider JK
 TURNAROUND TIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDARD OTHER _____
 DELIVERABLES REQUIRED STD LEVEL II LEVEL III LEVEL IV EDD OTHER _____

PFAS (537)

Certifications
 OHIO VAP Drinking Water
 DoD NPDES
 Project Locations
 Detroit New York
 Other _____
 Special Instructions _____

MATRIX W=WATER GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID
 CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR WS=WASTE

Containers & Preservatives

MERIT LAB NO. <small>FOR LAB USE ONLY</small>	COLLECTION		SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	NONE	HCl	HNO ₃	H ₂ SO ₄	NaOH	MeOH	OTHER								
	DATE	TIME																		
<u>60075.01</u>	<u>3/21/24</u>	<u>1015</u>	<u>1320 E. Stanley Rd - SINK</u>	<u>DW</u>	<u>3</u>							<u>X</u>	<u>X</u>							
<u>.02</u>	<u>3/21/24</u>	<u>1025</u>	<u>1320 E. Stanley Rd - RAW</u>	<u>DW</u>	<u>3</u>							<u>X</u>	<u>X</u>							

RELINQUISHED BY: JK Sampler DATE 3/21/24 TIME 1100
 RECEIVED BY: Kevin Schneider DATE 3/21/24 TIME 11:01
 RELINQUISHED BY: Kevin Schneider DATE 3/21/24 TIME 12:55
 RECEIVED BY: M. Chilcote DATE 3/21/24 TIME 1355

RELINQUISHED BY: _____ DATE _____ TIME _____
 RECEIVED BY: _____ DATE _____ TIME _____
 SEAL NO. _____ SEAL INTACT YES NO INITIALS _____
 SEAL NO. _____ SEAL INTACT YES NO INITIALS _____
 NOTES: _____ TEMP. ON ARRIVAL 4.1



Quality Control Report

Report ID: QC-S60075-01
Generated on 04/12/2024

Report to
Attention: Clifford Yantz
Ramboll Americas
2090 Commonwealth Blvd
Ann Arbor, MI 48105

Report Produced by
Merit Laboratories
2680 East Lansing Drive
East Lansing, MI 48823

Phone: 313-333-0211 FAX:

Phone: (517) 332-0167 FAX: (517) 332-6333

Report Summary

Lab Sample ID(s): S60075.01-S60075.02
Project: RACER - Coldwater Road
Submitted Date/Time: 03/21/2024 13:55
Sampled by: Kevin Schneider
P.O. #: 1940008845 TASK37

QC Report Sections

Cover Page (Page 1)
Analysis Summary (Pages 2-3)
Prep Batch Summary (Page 4)
Surrogates per Lab Sample (Pages 5-6)
Surrogates per QC Sample (Page 7)
Internal Standards per Lab Sample (Pages 8-9)
Internal Standards per QC Sample (Page 10)
Batch QC Results (Pages 11-12)

Report Flag Descriptions

*: QC result is outside of indicated control limits
W: Surrogate result not applicable due to sample dilution

I certify that this data package is in compliance with the terms and conditions of the program, and project, and contractual requirements both technically and for completeness. Release of the data contained in this hardcopy data package and its computer-readable data submitted has been authorized by the Quality Assurance Manager and his/her designee, as verified by the following signature.

Barbara Ball
Quality Assurance Manager

QC Report - Analysis Summary

Lab Sample ID: S60075.01

Sample Tag: 1320 E. Stanley Rd - SINK

Collected Date/Time: 03/21/2024 10:15

Matrix: Drinking Water

COC Reference: 155552

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Organics - Volatiles						
PFAs Drinking Water	E537.1	03/26/24 16:35	CI240326DW	PD240325W1	Yes	BLK/LCS/MS/DUP

QC Report - Analysis Summary

Lab Sample ID: S60075.02

Sample Tag: 1320 E. Stanley Rd - RAW

Collected Date/Time: 03/21/2024 10:25

Matrix: Drinking Water

COC Reference: 155552

Analysis	Method	Run Date/Time	Batch ID	Prep ID	Surr	QC Types
Organics - Volatiles						
PFAs Drinking Water	E537.1	03/26/24 16:49	CI240326DW	PD240325W1	Yes	BLK/LCS/MS/DUP

QC Report - Prep Batch Summary

Organics - Volatiles, Prep Batch ID: PD240325W1

Surrogates: Yes, QC Types: BLK/LCS/MS/DUP

Sample ID	Analysis	Method	Run Date/Time	Batch ID
S60075.01	PFA's Drinking Water	E537.1	03/26/24 16:35	C1240326DW
S60075.02	PFA's Drinking Water	E537.1	03/26/24 16:49	C1240326DW

QC Report - Surrogates per Lab Sample

Lab Sample ID: S60075.01

Sample Tag: 1320 E. Stanley Rd - SINK

Collected Date/Time: 03/21/2024 10:15

Matrix: Drinking Water

COC Reference: 155552

Organics - Volatiles, Analysis: PFAs Drinking Water

Run in Batch: CI240326DW, Run Date: 03/26/2024 16:35, Matrix: WW, Dilution: 1

Surrogate	Flags	%Rec	LCL	UCL
C13PFDA		111.2	70.0	130.0
C13PFHxA		108.5	70.0	130.0
d5NEtFOSAA		94.4	70.0	130.0
13C-HFPO-DA		106.2	70.0	130.0

QC Report - Surrogates per Lab Sample

Lab Sample ID: S60075.02

Sample Tag: 1320 E. Stanley Rd - RAW

Collected Date/Time: 03/21/2024 10:25

Matrix: Drinking Water

COC Reference: 155552

Organics - Volatiles, Analysis: PFAs Drinking Water

Run in Batch: CI240326DW, Run Date: 03/26/2024 16:49, Matrix: WW, Dilution: 1

Surrogate	Flags	%Rec	LCL	UCL
C13PFDA		108.2	70.0	130.0
C13PFHxA		107.1	70.0	130.0
d5NEtFOSAA		78.3	70.0	130.0
13C-HFPO-DA		108.0	70.0	130.0

QC Report - Surrogates per QC Sample

Organics - Volatiles, Prep Batch ID: PD240325W1

QC Types: BLK/LCS/MS/DUP

Blank (BLK)

Lab Sample ID: CI240326DW.BLK240325

Run in Batch: CI240326DW, Run Date: 03/26/2024 13:07, Prep Date: 03/25/2024, Matrix: WW, Dilution: 1

Surrogate	Flags	%Rec	LCL	UCL
C13PFDA		110.1	70.0	130.0
C13PFHxA		105.7	70.0	130.0
d5NEtFOSAA		103.4	70.0	130.0
13C-HFPO-DA		102.7	70.0	130.0

Laboratory Control Sample (LCS)

Lab Sample ID: CI240326DW.LCS240325

Run in Batch: CI240326DW, Run Date: 03/26/2024 13:37, Prep Date: 03/25/2024, Matrix: WW, Dilution: 1

Surrogate	Flags	%Rec	LCL	UCL
C13PFDA		110.9	70.0	130.0
C13PFHxA		107.1	70.0	130.0
d5NEtFOSAA		97.6	70.0	130.0
13C-HFPO-DA		111.7	70.0	130.0

Matrix Spike (MS)

Lab Sample ID: CI240326DW.6003101M, Parent Sample ID: S60031.01

Run in Batch: CI240326DW, Run Date: 03/26/2024 14:06, Prep Date: 03/25/2024, Matrix: WW, Dilution: 1

Surrogate	Flags	%Rec	LCL	UCL
C13PFDA		107.3	70.0	130.0
C13PFHxA		106.2	70.0	130.0
d5NEtFOSAA		83.0	70.0	130.0
13C-HFPO-DA		108.9	70.0	130.0

Duplicate (DUP)

Lab Sample ID: CI240326DW.6000201D, Parent Sample ID: S60002.01

Run in Batch: CI240326DW, Run Date: 03/26/2024 14:51, Prep Date: 03/25/2024, Matrix: WW, Dilution: 1

Surrogate	Flags	%Rec	LCL	UCL
C13PFDA		106.7	70.0	130.0
C13PFHxA		105.9	70.0	130.0
d5NEtFOSAA		99.5	70.0	130.0
13C-HFPO-DA		98.2	70.0	130.0

QC Report - Internal Standards per Lab Sample

Lab Sample ID: S60075.01

Sample Tag: 1320 E. Stanley Rd - SINK

Collected Date/Time: 03/21/2024 10:15

Matrix: Drinking Water

COC Reference: 155552

Organics - Volatiles, Analysis: PFAs Drinking Water

Run in Batch: CI240326DW, Run Date: 03/26/2024 16:35, Matrix: WW, Dilution: 1

Internal Standard	Flags	%Rec	LCL	UCL
C13PFOA		96.7	50.0	150.0
C13PFOS		94.3	50.0	150.0
d3NMeFOSAA		87.0	50.0	150.0

QC Report - Internal Standards per Lab Sample

Lab Sample ID: S60075.02

Sample Tag: 1320 E. Stanley Rd - RAW

Collected Date/Time: 03/21/2024 10:25

Matrix: Drinking Water

COC Reference: 155552

Organics - Volatiles, Analysis: PFAs Drinking Water

Run in Batch: CI240326DW, Run Date: 03/26/2024 16:49, Matrix: WW, Dilution: 1

Internal Standard	Flags	%Rec	LCL	UCL
C13PFOA		100.8	50.0	150.0
C13PFOS		95.6	50.0	150.0
d3NMeFOSAA		92.0	50.0	150.0

QC Report - Internal Standards per QC Sample

Organics - Volatiles, Prep Batch ID: PD240325W1

QC Types: BLK/LCS/MS/DUP

Blank (BLK)

Lab Sample ID: CI240326DW.BLK240325

Run in Batch: CI240326DW, Run Date: 03/26/2024 13:07, Prep Date: 03/25/2024, Matrix: WW, Dilution: 1

Internal Standard	Flags	%Rec	LCL	UCL
C13PFOA		93.3	50.0	150.0
C13PFOS		94.4	50.0	150.0
d3NMeFOSAA		89.1	50.0	150.0

Laboratory Control Sample (LCS)

Lab Sample ID: CI240326DW.LCS240325

Run in Batch: CI240326DW, Run Date: 03/26/2024 13:37, Prep Date: 03/25/2024, Matrix: WW, Dilution: 1

Internal Standard	Flags	%Rec	LCL	UCL
C13PFOA		91.0	50.0	150.0
C13PFOS		86.6	50.0	150.0
d3NMeFOSAA		87.0	50.0	150.0

Matrix Spike (MS)

Lab Sample ID: CI240326DW.6003101M, Parent Sample ID: S60031.01

Run in Batch: CI240326DW, Run Date: 03/26/2024 14:06, Prep Date: 03/25/2024, Matrix: WW, Dilution: 1

Internal Standard	Flags	%Rec	LCL	UCL
C13PFOA		94.2	50.0	150.0
C13PFOS		87.0	50.0	150.0
d3NMeFOSAA		89.4	50.0	150.0

Duplicate (DUP)

Lab Sample ID: CI240326DW.6000201D, Parent Sample ID: S60002.01

Run in Batch: CI240326DW, Run Date: 03/26/2024 14:51, Prep Date: 03/25/2024, Matrix: WW, Dilution: 1

Internal Standard	Flags	%Rec	LCL	UCL
C13PFOA		98.0	50.0	150.0
C13PFOS		98.5	50.0	150.0
d3NMeFOSAA		90.3	50.0	150.0

QC Report - Batch QC Results

Organics - Volatiles, Prep Batch ID: PD240325W1

Surrogates: Yes, QC Types: BLK/LCS/MS/DUP

Blank (BLK)

Lab Sample ID: CI240326DW.BLK240325

Run in Batch: CI240326DW, Run Date: 03/26/2024 13:07, Prep Date: 03/25/2024, Matrix: WW, Dilution: 1

Analyte	Flags	Conc	RDL	Units
PFBS		ND	2	ng/l
PFHxA		ND	2	ng/l
HFPO-DA		ND	2	ng/l
PFHpA		ND	2	ng/l
PFHxS		ND	2	ng/l
ADONA		ND	2	ng/l
PFOA		ND	2	ng/l
PFOS		ND	2	ng/l
PFNA		ND	2	ng/l
9CL-PF3ONS		ND	2	ng/l
PFDA		ND	2	ng/l
N-MeFOSAA		ND	2	ng/l
PFOA		ND	2	ng/l
EtFOSAA		ND	2	ng/l
11CL-PF3OUdS		ND	2	ng/l
PFDoDA		ND	2	ng/l
PFTTrDA		ND	2	ng/l
PFTTeDA		ND	2	ng/l

Laboratory Control Sample (LCS)

Lab Sample ID: CI240326DW.LCS240325

Run in Batch: CI240326DW, Run Date: 03/26/2024 13:37, Prep Date: 03/25/2024, Matrix: WW, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
PFBS		101.0	70.0	130.0
PFHxA		100.0	70.0	130.0
HFPO-DA		101.0	70.0	130.0
PFHpA		98.5	70.0	130.0
PFHxS		99.0	70.0	130.0
ADONA		100.0	70.0	130.0
PFOA		103.5	70.0	130.0
PFOS		100.0	70.0	130.0
PFNA		103.0	70.0	130.0
9CL-PF3ONS		106.5	70.0	130.0
PFDA		101.5	70.0	130.0
N-MeFOSAA		98.0	70.0	130.0
PFOA		99.5	70.0	130.0
EtFOSAA		96.5	70.0	130.0
11CL-PF3OUdS		95.5	70.0	130.0
PFDoDA		98.0	70.0	130.0
PFTTrDA		94.0	70.0	130.0
PFTTeDA		95.0	70.0	130.0

QC Report - Batch QC Results

Organics - Volatiles, Prep Batch ID: PD240325W1 (continued)

Surrogates: Yes, QC Types: BLK/LCS/MS/DUP

Matrix Spike (MS)

Lab Sample ID: CI240326DW.6003101M, Parent Sample ID: S60031.01

Run in Batch: CI240326DW, Run Date: 03/26/2024 14:06, Prep Date: 03/25/2024, Matrix: WW, Dilution: 1

Analyte	Flags	% Rec	LCL	UCL
PFHxA		101.2	70.0	130.0
PFBS		102.9	70.0	130.0
PFHpA		101.2	70.0	130.0
PFOA		101.2	70.0	130.0
PFHxS		98.8	70.0	130.0
PFNA		101.2	70.0	130.0
PFDA		92.9	70.0	130.0
N-MeFOSAA		87.1	70.0	130.0
EtFOSAA		81.2	70.0	130.0
PFOS		95.3	70.0	130.0
PFUnDA		86.5	70.0	130.0
PFDoDA		92.9	70.0	130.0
PFTTrDA		84.7	70.0	130.0
PFTeDA		90.0	70.0	130.0
11CL-PF3OUdS		89.4	70.0	130.0
9CL-PF3ONS		95.9	70.0	130.0
ADONA		100.0	70.0	130.0
HFPO-DA		100.0	70.0	130.0

Duplicate (DUP)

Lab Sample ID: CI240326DW.6000201D, Parent Sample ID: S60002.01

Run in Batch: CI240326DW, Run Date: 03/26/2024 14:51, Prep Date: 03/25/2024, Matrix: WW, Dilution: 1

Analyte	Flags	RPD	RPD CL
PFHxA		NC	30.0
PFBS		NC	30.0
PFHpA		NC	30.0
PFOA		NC	30.0
PFHxS		NC	30.0
PFNA		NC	30.0
PFDA		NC	30.0
N-MeFOSAA		NC	30.0
EtFOSAA		NC	30.0
PFOS		NC	30.0
PFUnDA		NC	30.0
PFDoDA		NC	30.0
PFTTrDA		NC	30.0
PFTeDA		NC	30.0
11CL-PF3OUdS		NC	30.0
9CL-PF3ONS		NC	30.0
ADONA		NC	30.0
HFPO-DA		NC	30.0



2680 East Lansing Dr., East Lansing, MI 48823
 Phone (517) 332-0167 Fax (517) 332-4034
 www.meritlabs.com

C.O.C. PAGE # 1 OF 1 155552

REPORT TO

CHAIN OF CUSTODY RECORD

INVOICE TO

CONTACT NAME Clifford Kuntz / Kevin Schneider
 COMPANY Ramboll
 ADDRESS 2090 Commonwealth Blvd.
 CITY Ann Arbor STATE MI ZIP CODE 48105
 PHONE NO. _____ CELL NO. 313-333-0211 P.O. NO. 1940008845
 E-MAIL ADDRESS Kevin.Schneider@Ramboll.com QUOTE NO. _____

CONTACT NAME SAME
 COMPANY _____
 ADDRESS _____
 CITY _____ STATE _____ ZIP CODE _____
 PHONE NO. _____ E-MAIL ADDRESS _____

ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)

PROJECT NO./NAME RACER Coldwater Road SAMPLER(S) - PLEASE PRINT/SIGN NAME Kevin Schneider JK
 TURNAROUND TIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDARD OTHER _____
 DELIVERABLES REQUIRED STD LEVEL II LEVEL III LEVEL IV EDD OTHER _____
 MATRIX W=WATER GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID
 CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR WS=WASTE

Containers & Preservatives PFAS (537)
 Certifications
 OHIO VAP Drinking Water
 DoD NPDES
 Project Locations
 Detroit New York
 Other _____
 Special Instructions

MERIT LAB NO. <small>FOR LAB USE ONLY</small>	COLLECTION		SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	NONE	HCl	HNO ₃	H ₂ SO ₄	NaOH	MeOH	OTHER
	DATE	TIME										
<u>60075.01</u>	<u>3/21/24</u>	<u>1015</u>	<u>1320 E. Stanley Rd - SINK</u>	<u>DW</u>	<u>3</u>							<u>X</u>
<u>.02</u>	<u>3/21/24</u>	<u>1025</u>	<u>1320 E. Stanley Rd - RAW</u>	<u>DW</u>	<u>3</u>							<u>X</u>

RELINQUISHED BY: JK Sampler DATE 3/21/24 TIME 1100
 RECEIVED BY: Kevin Schneider DATE 3/21/24 TIME 11:01
 RELINQUISHED BY: Kevin Schneider DATE 3/21/24 TIME 12:55
 RECEIVED BY: M. Chilcote DATE 3/21/24 TIME 1355

RELINQUISHED BY: _____ DATE _____ TIME _____
 RECEIVED BY: _____ DATE _____ TIME _____
 SEAL NO. SEAL INTACT YES NO INITIALS _____
 SEAL NO. SEAL INTACT YES NO INITIALS _____
 NOTES: _____ TEMP. ON ARRIVAL 4.1