



Roy F. Weston, Inc.
Suite 400
3 Hawthorn Parkway
Vernon Hills, Illinois 60061-1450
708-918-4000 • Fax 708-918-4055

21 April 1995

Mr. Robert S. Metcalf, P.E.
Project Manager
Environmental and Energy Staff
General Motors Corporation
CLCD North
902 East Hamilton Avenue
Flint, MI 48550-8504

Work Order No. 01138-079-001

Re: Additional Monitoring Well Installation and Groundwater Sampling
Linden Road Site
Flint, Michigan

Dear Mr. Metcalf:

As requested by General Motors Corporation (GM), Roy F. Weston, Inc. (WESTON®) has completed the additional monitoring well installations and groundwater sampling at the Linden Road site located in Flint Township, Michigan. This well installation and sampling effort was implemented pursuant to a plan submitted to and approved by the Michigan Department of Natural Resources (MDNR). WESTON submitted the above plan on behalf of GM in a letter dated 8 February 1995.

The purpose of installing and sampling new wells, as well as of sampling the existing wells, was to supplement existing information on groundwater quality, particularly along the western boundary of the site.

Details of Well Installation

As proposed in the letter dated 8 February 1995 to MDNR, three additional upgradient shallow monitoring wells (MW-05S, MW-06S, and MW-07S) were installed along the western boundary of the site. The attached Figure 1 shows the locations of both the existing monitoring wells and the newly installed wells.

Drilling and well installation activities were performed by WESTON's subcontractor, Mateco Drilling Company of Grand Rapids, Michigan. These activities were performed between 27 February and 1 March 1995. Monitoring well drilling was performed using 4.25-inch I.D. hollow-stem augers (HSAs). Using ASTM-1586 procedures, soil samples were collected at continuous intervals with standard split-spoon samplers. Well materials consisted of 2-inch diameter stainless steel, flush-jointed riser pipes and stainless steel (Grade 304) screens. The well screens were 10 feet in length with 0.010-inch slotted openings. The screens were





Mr. Robert S. Metcalf, P.E.
General Motors Corporation

-2-

21 April 1995

positioned to straddle the water table. All well construction and well development methods were consistent with those employed in constructing the previous wells, as described in the "Interim Remedial Measures Evaluation and Site Investigation Report" (March 1992). Attachment A presents the geologic drill logs associated with the well drilling and installation.

A WESTON geologist was present throughout the well drilling and installation, as well as throughout groundwater sampling activities described below. This WESTON geologist also implemented health and safety protocols on site.

Groundwater Sampling and Analysis

Groundwater samples were collected from the newly installed wells (MW-05S, MW-06S, and MW-07S), as well as from the four existing shallow wells (MW-01S, MW-02S, MW-03S, and MW-04S). Sampling was conducted on 1 March 1995.

The well sampling procedures were in accordance with those described in the Site Investigation Plan (WESTON 1990). Prior to sampling the wells, the static water levels were measured to the nearest one-hundredth of a foot. The water levels were used to calculate the volume of water in the respective wells. The wells were then purged using clean bailers. Specific conductance, pH, and temperature measurements were taken of the purged water. Well pumping continued until the pH, specific conductance, and temperature readings stabilized or until a minimum of three well volumes was purged. Following well purging, samples were collected for analysis.

Seven investigative samples, a field duplicate, a field blank, a matrix spike/matrix spike duplicate, and a trip blank sample were collected and analyzed for volatile organic compounds (VOCs). Samples were analyzed by Clayton Environmental Laboratories, located in Novi, Michigan, using U.S. EPA Method DW 846/8260. The analytical detection limits were consistent with MDNR/MERA Operational Memorandum #6, Revision #3 guidelines.

Laboratory Analytical Results

Data validation conducted by WESTON determined that the laboratory results were acceptable. Both the laboratory data summaries and the chain-of-custody documentation related to this sampling effort are included as Attachment B. Analytical results indicate that no VOCs were detected in any of the three newly installed monitoring wells and in two of the existing wells (MW-02S and MW-04S). Trichloroethylene and cis-1,2-Dichloroethylene were detected in Monitoring Well MW-01S, at concentrations of 0.110 mg/L and .010 mg/L,



Mr. Robert S. Metcalf, P.E.
General Motors Corporation

-3-

21 April 1995

respectively. The concentration of Trichloroethylene in this monitoring well is lower than that detected in the same monitoring well during previous sampling rounds. Four VOCs were detected at trace concentrations in existing Monitoring Well MW-03S. The compounds detected in this well were 1,1-Dichloroethane (0.008 mg/L), cis-1,2-Dichloroethylene (0.002 mg/L), 1,1,1-Trichloroethane (0.003 mg/L), and Trichloroethylene (0.006 mg/L). Several compounds detected during previous sampling rounds in Monitoring Well MW-03S were not detected during this sampling event.

The concentration of Trichloroethylene in Monitoring Well MW-01S has decreased to approximately a third of that of the December 1992 sampling. Further, there has been a significant reduction (more than 50 percent) in the number of compounds detected in Monitoring Well MW-03S. These data indicate that, from a conservative standpoint, there is no deterioration in the quality of shallow groundwater at the site since the previous sampling event in December 1992. The reduction in both the number of compounds detected and the concentrations of the compounds detected could also suggest that the groundwater quality at the site is improving through natural chemical and biological processes.

If you have any questions or require additional samples, please call either of the undersigned at (708) 918-4000.

Very truly yours,

ROY F. WESTON, INC.



S. Babusukumar, P.G.
Project Manager

Scott D. Springer
Project Director

SB/SDS:ebg
Attachments

cc: E. Peterson

TAD-02/08/95-15:02-J:\CAD93\600\61091



LEGEND	
MW-04S	SHALLOW MONITORING WELL LOCATION
MW-02D	DEEP MONITORING WELL LOCATION
PZ-02	PIEZOMETER LOCATION

FIGURE 1

WESTON MANAGERS DESIGNERS/CONSULTANTS
 Three Hawthorn Parkway
 Vernon Hills, Illinois
 60061

MONITORING WELL &
 PIEZOMETER LOCATIONS
 LINDEN ROAD LANDFILL SITE
 Flint, Michigan

Attachment A
Geologic Drill Logs

GEOLOGIC DRILL LOG				PROJECT NAME AND LOCATION GM/Linden Road Landfill, Flint, Michigan			PAGE NO. 1 of 1	HOLE NO. MW-05S
START 2/28/95	FINISH 2/28/95	DRILLER Mateco	DRILL METHOD 4.25" ID HSA	BOREHOLE DIAMETER 8"	WELL DIAMETER 2"	TOTAL DEPTH 15.00'		
LOGGER B. Sedgwick		TOP of CASING ELEV. 3/29/95	GROUND ELEVATION	DEPTH/ELEVATION GROUNDWATER - DATE MEASURED 4.00'/' 3/29/95				

Approximately 35 feet south of northwest site corner.

SAMPLE NO.	SAMPLE TYPE	RECOVERY "	SAMPLE BLOWS*	ELEV	DEPTH	GRAPHIC LOG	WELL CONSTRUCTION	CLASSIFICATION SAMPLE INTERVAL	DESCRIPTION	OUM readings (in units) BZ: Breathing Zone BH: Borehole SP: Sample HS: Headspace
1	SS	18	2 7 10 15		1 2 3			ml	SILTY SAND: trace clay; dense; moderately sorted; moist; brown	
					3			sw	SAND: some silt; some fine to coarse pebbles; moderately poorly sorted; dense; moist; brown	HS = 0
2	SS	6	6 18 23 27		4			ml	SANDY, CLAYEY SILT: low plasticity; very stiff; trace fine pebbles; saturated; brown	HS = 0
3	SS	18	14 16 12 10		6 7			gw	SAND AND GRAVEL: fine to coarse; shattered stone fragments; poorly sorted; dense; saturated; brown	HS = 0
4	SS	22	2 4 8 9		8			ml	SILT: little clay; low plasticity; stiff; saturated; brown	
					8			ch	SILTY CLAY: little fine to medium pebbles; moderate plasticity; stiff; wet; gray	HS = 0
5	SS	24	6 8 10 15		10 11			ch	As above; higher plasticity	HS = 0
6	SS	24	5 7 9 10		12 13			ch	As above	HS = 0
					14 15					
End of Boring at 15'.										

GEOLOGIC DRILL LOG				PROJECT NAME AND LOCATION GM/Linden Road Landfill, Flint, Michigan			PAGE NO. 1 of 1	HOLE NO. MW-06S
START 2/28/95	FINISH 2/28/95	DRILLER Mateco	DRILL METHOD 4.25" ID HSA	BOREHOLE DIAMETER 8"	WELL DIAMETER 2"	TOTAL DEPTH 15.00'		
LOGGER B. Sedgwick		TOP of CASING ELEV. 3/29/95	GROUND ELEVATION	DEPTH/ELEVATION GROUNDWATER - DATE MEASURED 5.80'/' 3/29/95				

Approximately 300 feet south of MW-01 nest.

SAMPLE NO.	SAMPLE TYPE	RECOVERY "	SAMPLE BLOWS*	ELEV	DEPTH	GRAPHIC LOG	WELL CONSTRUCTION	CLASSIFICATION SAMPLE INTERVAL	DESCRIPTION	OUM readings (in units) BZ: Breathing Zone BH: Borehole SP: Sample HS: Headspace
1	SS	8	2 2 2 2		1			fill	FILL: slag; sand and gravel; coarse sand; wire; red brick fragments; moist; black-red	HS = 0
2	SS	10	2 3 3 4		4			fill	As above	HS = 0
3	SS	16	15 4 6 6		6			sw	SAND AND GRAVEL: medium to coarse sand; fine pebbles; moderately poorly sorted; dense; saturated; tan	HS = 0
4	SS	20	4 4 5 7		8			ch	SILTY CLAY: stiff; moderate plasticity; wet; tan SILTY CLAY: little fine sand; trace fine to medium, angular pebbles; moderate plasticity; stiff; moist to wet; gray	HS = 0
5	SS	22	2 4 5 7		10			ch	As above	HS = 0
6	SS	24	1 3 5 7		12			ch	As above	HS = 0
					13					
					14					
					15				End of Boring at 15'.	

GEOLOGIC DRILL LOG			PROJECT NAME AND LOCATION GM/Linden Road Landfill, Flint, Michigan			PAGE NO. 1 of 1	HOLE NO. MW-07S
START 2/28/95	FINISH 2/28/95	DRILLER Mateco	DRILL METHOD 4.25" ID HSA	BOREHOLE DIAMETER 8"	WELL DIAMETER 2"	TOTAL DEPTH 14.00'	
LOGGER B. Sedgwick		TOP of CASING ELEV. 3/29/95	GROUND ELEVATION	DEPTH/ELEVATION GROUNDWATER - DATE MEASURED 5.10'/' 3/29/95			

Approximately 300 feet south of MW-06s.

SAMPLE NO.	SAMPLE TYPE	RECOVERY "	SAMPLE BLOWS*	ELEV	DEPTH	GRAPHIC LOG	WELL CONSTRUCTION	CLASSIFICATION SAMPLE INTERVAL	DESCRIPTION	OUM readings (in units) BZ: Breathing Zone BH: Borehole SP: Sample HS: Headspace
1	SS	20	2 2 3 4		1 2 3			ch	SILTY CLAY : moderately plastic; moderately stiff; moist; brown-gray	HS = 0
2	SS	24	2 3 4 5		4 5			gw	SILT, SAND, AND GRAVEL : fine to coarse; poorly sorted; loose; saturated; brown-black	HS = 0
3	SS	20	3 5 7 9		6 7			cl	CLAYEY SILT : low plasticity; stiff; trace coarse pebbles; wet; gray SILTY CLAY : moderately low plasticity; little fine sand; stiff; moist; gray	HS = 0
4	SS	24	3 4 6 7		8 9			ch	As above; moderate plasticity; little medium to coarse, subangular pebbles	HS = 0
5	SS	24	3 5 6 7		10 11			ch	As above; fine pebbles; higher plasticity	HS = 0
6	SS	24	2 3 4 5		12 13			ch	As above	HS = 0
					14				End of Boring at 14'.	

Attachment B

Laboratory Data Summaries

Midwestern Operations

22345 Roethel Drive
P.O. Box 8022
Novi, MI 48375
(810) 344-1770
Fax (810) 344-2654

Clayton
ENVIRONMENTAL
CONSULTANTS

March 16, 1995

Mr. Babu Sukumar
ROY F. WESTON, INC.
3 Hawthorn Parkway, Suite 400
Vernon Hills, IL 60061-1450

Clayton Project No. 24400.00
Purchase Order No. 39987
Client Reference: 01138-079-001-0010


Dear Mr. Sukumar:

Attached is our analytical laboratory report for the samples received on March 3, 1995. Also enclosed is a copy of the Chain-of-Custody record acknowledging receipt of these samples.

Please note that any unused portion of the samples will be discarded after April 15, 1995, unless you have requested otherwise.

We appreciate the opportunity to assist you. If you have any questions concerning this report, please contact a Client Services Representative at (810) 344-2650.

Sincerely,


Robert Lieckfield, Jr., CIH
Director, Laboratory Services
Detroit Regional Office

RL/al

Attachments

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-01S	Date Sampled:	03/01/95
Lab Number:	009a/C6998.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration (µg/L)	LOD (µg/L)
Volatile Compounds		
Acetone	<50	50
Benzene	<1	1
Bromodichloromethane	<1	1
Bromoform	<1	1
Bromomethane	<1	1
2-Butanone	<50	50
Carbon disulfide	<50	50
Carbon tetrachloride	<1	1
Chlorobenzene	<1	1
Chloroethane	<1	1
Chloroform	<1	1
Chloromethane	<1	1
Dibromochloromethane	<1	1
1,2-Dichlorobenzene	<1	1
1,3-Dichlorobenzene	<1	1
1,4-Dichlorobenzene	<1	1
1,1-Dichloroethane	<1	1
1,2-Dichloroethane	<1	1
1,1-Dichloroethene	<1	1
cis-1,2-Dichloroethene	10	1
trans-1,2-Dichloroethene	<1	1
1,2-Dichloropropane	<1	1
cis-1,3-Dichloropropene	<1	1
trans-1,3-Dichloropropene	<1	1
Ethylbenzene	<1	1
2-Hexanone	<50	50
Methylene chloride	<1	1
4-Methyl-2-pentanone	<50	50
Styrene	<1	1
1,1,2,2-Tetrachloroethane	<1	1
Tetrachloroethene	<1	1
Toluene	<1	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-01S	Date Sampled:	03/01/95
Lab Number:	009a/C6998.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	<1	1
1,1,2-Trichloroethane	<1	1
Trichloroethene	110	1
Vinyl acetate	<1	1
Vinyl chloride	<1	1
Xylenes [total]	<3	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-02S	Date Sampled:	03/01/95
Lab Number:	004a/C6995.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration (µg/L)	LOD (µg/L)
Volatile Compounds		
Acetone	<50	50
Benzene	<1	1
Bromodichloromethane	<1	1
Bromoform	<1	1
Bromomethane	<1	1
2-Butanone	<50	50
Carbon disulfide	<50	50
Carbon tetrachloride	<1	1
Chlorobenzene	<1	1
Chloroethane	<1	1
Chloroform	<1	1
Chloromethane	<1	1
Dibromochloromethane	<1	1
1,2-Dichlorobenzene	<1	1
1,3-Dichlorobenzene	<1	1
1,4-Dichlorobenzene	<1	1
1,1-Dichloroethane	<1	1
1,2-Dichloroethane	<1	1
1,1-Dichloroethene	<1	1
cis-1,2-Dichloroethene	<1	1
trans-1,2-Dichloroethene	<1	1
1,2-Dichloropropane	<1	1
cis-1,3-Dichloropropene	<1	1
trans-1,3-Dichloropropene	<1	1
Ethylbenzene	<1	1
2-Hexanone	<50	50
Methylene chloride	<1	1
4-Methyl-2-pentanone	<50	50
Styrene	<1	1
1,1,2,2-Tetrachloroethane	<1	1
Tetrachloroethene	<1	1
Toluene	<1	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-02S	Date Sampled:	03/01/95
Lab Number:	004a/C6995.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	<1	1
1,1,2-Trichloroethane	<1	1
Trichloroethene	<1	1
Vinyl acetate	<1	1
Vinyl chloride	<1	1
Xylenes [total]	<3	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-03S	Date Sampled:	03/01/95
Lab Number:	003a/C6994.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration (µg/L)	LOD (µg/L)
Volatile Compounds		
Acetone	<50	50
Benzene	<1	1
Bromodichloromethane	<1	1
Bromoform	<1	1
Bromomethane	<1	1
2-Butanone	<50	50
Carbon disulfide	<50	50
Carbon tetrachloride	<1	1
Chlorobenzene	<1	1
Chloroethane	<1	1
Chloroform	<1	1
Chloromethane	<1	1
Dibromochloromethane	<1	1
1,2-Dichlorobenzene	<1	1
1,3-Dichlorobenzene	<1	1
1,4-Dichlorobenzene	<1	1
1,1-Dichloroethane	8	1
1,2-Dichloroethane	<1	1
1,1-Dichloroethene	<1	1
cis-1,2-Dichloroethene	2	1
trans-1,2-Dichloroethene	<1	1
1,2-Dichloropropane	<1	1
cis-1,3-Dichloropropene	<1	1
trans-1,3-Dichloropropene	<1	1
Ethylbenzene	<1	1
2-Hexanone	<50	50
Methylene chloride	<1	1
4-Methyl-2-pentanone	<50	50
Styrene	<1	1
1,1,2,2-Tetrachloroethane	<1	1
Tetrachloroethene	<1	1
Toluene	<1	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-03S	Date Sampled:	03/01/95
Lab Number:	003a/C6994.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	3	1
1,1,2-Trichloroethane	<1	1
Trichloroethene	6	1
Vinyl acetate	<1	1
Vinyl chloride	<1	1
Xylenes [total]	<3	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-04S	Date Sampled:	03/01/95
Lab Number:	002a/C6993.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Meth&d:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration (µg/L)	LOD (µg/L)
Volatile Compounds		
Acetone	<50	50
Benzene	<1	1
Bromodichloromethane	<1	1
Bromoform	<1	1
Bromomethane	<1	1
2-Butanone	<50	50
Carbon disulfide	<50	50
Carbon tetrachloride	<1	1
Chlorobenzene	<1	1
Chloroethane	<1	1
Chloroform	<1	1
Chloromethane	<1	1
Dibromochloromethane	<1	1
1,2-Dichlorobenzene	<1	1
1,3-Dichlorobenzene	<1	1
1,4-Dichlorobenzene	<1	1
1,1-Dichloroethane	<1	1
1,2-Dichloroethane	<1	1
1,1-Dichloroethene	<1	1
cis-1,2-Dichloroethene	<1	1
trans-1,2-Dichloroethene	<1	1
1,2-Dichloropropane	<1	1
cis-1,3-Dichloropropene	<1	1
trans-1,3-Dichloropropene	<1	1
Ethylbenzene	<1	1
2-Hexanone	<50	50
Methylene chloride	<1	1
4-Methyl-2-pentanone	<50	50
Styrene	<1	1
1,1,2,2-Tetrachloroethane	<1	1
Tetrachloroethene	<1	1
Toluene	<1	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-04S	Date Sampled:	03/01/95
Lab Number:	002a/C6993.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration (µg/L)	LOD (µg/L)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	<1	1
1,1,2-Trichloroethane	<1	1
Trichloroethene	<1	1
Vinyl acetate	<1	1
Vinyl chloride	<1	1
Xylenes [total]	<3	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-05S	Date Sampled:	03/01/95
Lab Number:	010a/C6999.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds		
Acetone	<50	50
Benzene	<1	1
Bromodichloromethane	<1	1
Bromoform	<1	1
Bromomethane	<1	1
2-Butanone	<50	50
Carbon disulfide	<50	50
Carbon tetrachloride	<1	1
Chlorobenzene	<1	1
Chloroethane	<1	1
Chloroform	<1	1
Chloromethane	<1	1
Dibromochloromethane	<1	1
1,2-Dichlorobenzene	<1	1
1,3-Dichlorobenzene	<1	1
1,4-Dichlorobenzene	<1	1
1,1-Dichloroethane	<1	1
1,2-Dichloroethane	<1	1
1,1-Dichloroethene	<1	1
cis-1,2-Dichloroethene	<1	1
trans-1,2-Dichloroethene	<1	1
1,2-Dichloropropane	<1	1
cis-1,3-Dichloropropene	<1	1
trans-1,3-Dichloropropene	<1	1
Ethylbenzene	<1	1
2-Hexanone	<50	50
Methylene chloride	<1	1
4-Methyl-2-pentanone	<50	50
Styrene	<1	1
1,1,2,2-Tetrachloroethane	<1	1
Tetrachloroethene	<1	1
Toluene	<1	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-05S	Date Sampled:	03/01/95
Lab Number:	010a/C6999.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	<1	1
1,1,2-Trichloroethane	<1	1
Trichloroethene	<1	1
Vinyl acetate	<1	1
Vinyl chloride	<1	1
Xylenes [total]	<3	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-06S	Date Sampled:	03/01/95
Lab Number:	007a/C6996.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds		
Acetone	<50	50
Benzene	<1	1
Bromodichloromethane	<1	1
Bromoform	<1	1
Bromomethane	<1	1
2-Butanone	<50	50
Carbon disulfide	<50	50
Carbon tetrachloride	<1	1
Chlorobenzene	<1	1
Chloroethane	<1	1
Chloroform	<1	1
Chloromethane	<1	1
Dibromochloromethane	<1	1
1,2-Dichlorobenzene	<1	1
1,3-Dichlorobenzene	<1	1
1,4-Dichlorobenzene	<1	1
1,1-Dichloroethane	<1	1
1,2-Dichloroethane	<1	1
1,1-Dichloroethene	<1	1
cis-1,2-Dichloroethene	<1	1
trans-1,2-Dichloroethene	<1	1
1,2-Dichloropropane	<1	1
cis-1,3-Dichloropropene	<1	1
trans-1,3-Dichloropropene	<1	1
Ethylbenzene	<1	1
2-Hexanone	<50	50
Methylene chloride	<1	1
4-Methyl-2-pentanone	<50	50
Styrene	<1	1
1,1,2,2-Tetrachloroethane	<1	1
Tetrachloroethene	<1	1
Toluene	<1	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-06S	Date Sampled:	03/01/95
Lab Number:	007a/C6996.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	<1	1
1,1,2-Trichloroethane	<1	1
Trichloroethene	<1	1
Vinyl acetate	<1	1
Vinyl chloride	<1	1
Xylenes [total]	<3	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Clayton
ENVIRONMENTAL
CONSULTANTS

Sample Identification: GMLRLF-0395-MW-06S DP	Date Sampled: 03/01/95
Lab Number: 008a/C6997.D	Date Received: 03/03/95
Sample Type: Water	Date Prepared: 03/09/95
Preparation Method: --	Date Analyzed: 03/09/95
Analytical Method: EPA 8260	
Analyst: TF	

Analyte	Concentration (µg/L)	LOD (µg/L)
Volatile Compounds		
Acetone	<50	50
Benzene	<1	1
Bromodichloromethane	<1	1
Bromoform	<1	1
Bromomethane	<1	1
2-Butanone	<50	50
Carbon disulfide	<50	50
Carbon tetrachloride	<1	1
Chlorobenzene	<1	1
Chloroethane	<1	1
Chloroform	<1	1
Chloromethane	<1	1
Dibromochloromethane	<1	1
1,2-Dichlorobenzene	<1	1
1,3-Dichlorobenzene	<1	1
1,4-Dichlorobenzene	<1	1
1,1-Dichloroethane	<1	1
1,2-Dichloroethane	<1	1
1,1-Dichloroethene	<1	1
cis-1,2-Dichloroethene	<1	1
trans-1,2-Dichloroethene	<1	1
1,2-Dichloropropane	<1	1
cis-1,3-Dichloropropene	<1	1
trans-1,3-Dichloropropene	<1	1
Ethylbenzene	<1	1
2-Hexanone	<50	50
Methylene chloride	<1	1
4-Methyl-2-pentanone	<50	50
Styrene	<1	1
1,1,2,2-Tetrachloroethane	<1	1
Tetrachloroethene	<1	1
Toluene	<1	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-06S DP	Date Sampled:	03/01/95
Lab Number:	008a/C6997.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	<1	1
1,1,2-Trichloroethane	<1	1
Trichloroethene	<1	1
Vinyl acetate	<1	1
Vinyl chloride	<1	1
Xylenes [total]	<3	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-07S	Date Sampled:	03/01/95
Lab Number:	001a/C6992.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds		
Acetone	<50	50
Benzene	<1	1
Bromodichloromethane	<1	1
Bromoform	<1	1
Bromomethane	<1	1
2-Butanone	<50	50
Carbon disulfide	<50	50
Carbon tetrachloride	<1	1
Chlorobenzene	<1	1
Chloroethane	<1	1
Chloroform	<1	1
Chloromethane	<1	1
Dibromochloromethane	<1	1
1,2-Dichlorobenzene	<1	1
1,3-Dichlorobenzene	<1	1
1,4-Dichlorobenzene	<1	1
1,1-Dichloroethane	<1	1
1,2-Dichloroethane	<1	1
1,1-Dichloroethene	<1	1
cis-1,2-Dichloroethene	<1	1
trans-1,2-Dichloroethene	<1	1
1,2-Dichloropropane	<1	1
cis-1,3-Dichloropropene	<1	1
trans-1,3-Dichloropropene	<1	1
Ethylbenzene	<1	1
2-Hexanone	<50	50
Methylene chloride	<1	1
4-Methyl-2-pentanone	<50	50
Styrene	<1	1
1,1,2,2-Tetrachloroethane	<1	1
Tetrachloroethene	<1	1
Toluene	<1	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-07S	Date Sampled:	03/01/95
Lab Number:	001a/C6992.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	<1	1
1,1,2-Trichloroethane	<1	1
Trichloroethene	<1	1
Vinyl acetate	<1	1
Vinyl chloride	<1	1
Xylenes [total]	<3	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-02S MS	Date Sampled:	03/01/95
Lab Number:	005a/C7002.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds		
Acetone	60	50
Benzene	57	1
Bromodichloromethane	55	1
Bromoform	49	1
Bromomethane	56	1
2-Butanone	50	50
Carbon disulfide	60	50
Carbon tetrachloride	56	1
Chlorobenzene	53	1
Chloroethane	56	1
Chloroform	55	1
Chloromethane	62	1
Dibromochloromethane	52	1
1,2-Dichlorobenzene	44	1
1,3-Dichlorobenzene	52	1
1,4-Dichlorobenzene	46	1
1,1-Dichloroethane	55	1
1,2-Dichloroethane	55	1
1,1-Dichloroethene	57	1
cis-1,2-Dichloroethene	55	1
trans-1,2-Dichloroethene	56	1
1,2-Dichloropropane	57	1
cis-1,3-Dichloropropene	53	1
trans-1,3-Dichloropropene	51	1
Ethylbenzene	56	1
2-Hexanone	50	50
Methylene chloride	63	1
4-Methyl-2-pentanone	60	50
Styrene	55	1
1,1,2,2-Tetrachloroethane	57	1
Tetrachloroethene	55	1
Toluene	56	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-02S MS	Date Sampled:	03/01/95
Lab Number:	005a/C7002.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	55	1
1,1,2-Trichloroethane	54	1
Trichloroethene	53	1
Vinyl acetate	54	1
Vinyl chloride	57	1
Xylenes [total]	170	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-02S MSD	Date Sampled:	03/01/95
Lab Number:	006a/C7003.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration (µg/L)	LOD (µg/L)
Volatile Compounds		
Acetone	50	50
Benzene	56	1
Bromodichloromethane	54	1
Bromoform	49	1
Bromomethane	57	1
2-Butanone	60	50
Carbon disulfide	50	50
Carbon tetrachloride	47	1
Chlorobenzene	54	1
Chloroethane	54	1
Chloroform	58	1
Chloromethane	61	1
Dibromochloromethane	54	1
1,2-Dichlorobenzene	48	1
1,3-Dichlorobenzene	51	1
1,4-Dichlorobenzene	53	1
1,1-Dichloroethane	58	1
1,2-Dichloroethane	57	1
1,1-Dichloroethene	52	1
cis-1,2-Dichloroethene	59	1
trans-1,2-Dichloroethene	55	1
1,2-Dichloropropane	58	1
cis-1,3-Dichloropropene	53	1
trans-1,3-Dichloropropene	51	1
Ethylbenzene	53	1
2-Hexanone	<50	50
Methylene chloride	66	1
4-Methyl-2-pentanone	50	50
Styrene	54	1
1,1,2,2-Tetrachloroethane	55	1
Tetrachloroethene	46	1
Toluene	53	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-MW-02S MSD	Date Sampled:	03/01/95
Lab Number:	006a/C7003.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration (µg/L)	LOD (µg/L)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	49	1
1,1,2-Trichloroethane	54	1
Trichloroethene	51	1
Vinyl acetate	52	1
Vinyl chloride	57	1
Xylenes [total]	160	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Sample Identification: GMLRLF-0395-FB-01 FIELD BLANK Date Sampled: 03/01/95
 Lab Number: 011a/C7000.D Date Received: 03/03/95
 Sample Type: Water Date Prepared: 03/09/95
 Preparation Method: -- Date Analyzed: 03/09/95
 Analytical Method: EPA 8260
 Analyst: TF

Analyte	Concentration (µg/L)	LOD (µg/L)
Volatile Compounds		
Acetone	<50	50
Benzene	<1	1
Bromodichloromethane	<1	1
Bromoform	<1	1
Bromomethane	<1	1
2-Butanone	<50	50
Carbon disulfide	<50	50
Carbon tetrachloride	<1	1
Chlorobenzene	<1	1
Chloroethane	<1	1
Chloroform	<1	1
Chloromethane	<1	1
Dibromochloromethane	<1	1
1,2-Dichlorobenzene	<1	1
1,3-Dichlorobenzene	<1	1
1,4-Dichlorobenzene	<1	1
1,1-Dichloroethane	<1	1
1,2-Dichloroethane	<1	1
1,1-Dichloroethene	<1	1
cis-1,2-Dichloroethene	<1	1
trans-1,2-Dichloroethene	<1	1
1,2-Dichloropropane	<1	1
cis-1,3-Dichloropropene	<1	1
trans-1,3-Dichloropropene	<1	1
Ethylbenzene	<1	1
2-Hexanone	<50	50
Methylene chloride	<1	1
4-Methyl-2-pentanone	<50	50
Styrene	<1	1
1,1,2,2-Tetrachloroethane	<1	1
Tetrachloroethene	<1	1
Toluene	<1	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification:	GMLRLF-0395-FB-01 FIELD BLANK	Date Sampled:	03/01/95
Lab Number:	011a/C7000.D	Date Received:	03/03/95
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	<1	1
1,1,2-Trichloroethane	<1	1
Trichloroethene	<1	1
Vinyl acetate	<1	1
Vinyl chloride	<1	1
Xylenes [total]	<3	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Sample Identification: GMLRLF-0395-TB-01 TRIP BLANK Date Sampled: 03/01/95
Lab Number: 012a/C7001.D Date Received: 03/03/95
Sample Type: Water Date Prepared: 03/09/95
Preparation Method: -- Date Analyzed: 03/09/95
Analytical Method: EPA 8260
Analyst: TF

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds		
Acetone	<50	50
Benzene	<1	1
Bromodichloromethane	<1	1
Bromoform	<1	1
Bromomethane	<1	1
2-Butanone	<50	50
Carbon disulfide	<50	50
Carbon tetrachloride	<1	1
Chlorobenzene	<1	1
Chloroethane	<1	1
Chloroform	<1	1
Chloromethane	<1	1
Dibromochloromethane	<1	1
1,2-Dichlorobenzene	<1	1
1,3-Dichlorobenzene	<1	1
1,4-Dichlorobenzene	<1	1
1,1-Dichloroethane	<1	1
1,2-Dichloroethane	<1	1
1,1-Dichloroethene	<1	1
cis-1,2-Dichloroethene	<1	1
trans-1,2-Dichloroethene	<1	1
1,2-Dichloropropane	<1	1
cis-1,3-Dichloropropene	<1	1
trans-1,3-Dichloropropene	<1	1
Ethylbenzene	<1	1
2-Hexanone	<50	50
Methylene chloride	<1	1
4-Methyl-2-pentanone	<50	50
Styrene	<1	1
1,1,2,2-Tetrachloroethane	<1	1
Tetrachloroethene	<1	1
Toluene	<1	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification: GMLRLF-0395-TB-01 TRIP BLANK Date Sampled: 03/01/95
 Lab Number: 012a/C7001.D Date Received: 03/03/95
 Sample Type: Water Date Prepared: 03/09/95
 Preparation Method: -- Date Analyzed: 03/09/95
 Analytical Method: EPA 8260
 Analyst: TF

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	<1	1
1,1,2-Trichloroethane	<1	1
Trichloroethene	<1	1
Vinyl acetate	<1	1
Vinyl chloride	<1	1
Xylenes [total]	<3	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Analytical Results
for
ROY F. WESTON, INC.
Clayton Project No. 24400.00
Client Reference: 01138-079-001

Sample Identification:	LAB BLANK	Date Sampled:	--
Lab Number:	----/C6990.D	Date Received:	--
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds		
Acetone	<50	50
Benzene	<1	1
Bromodichloromethane	<1	1
Bromoform	<1	1
Bromomethane	<1	1
2-Butanone	<50	50
Carbon disulfide	<50	50
Carbon tetrachloride	<1	1
Chlorobenzene	<1	1
Chloroethane	<1	1
Chloroform	<1	1
Chloromethane	<1	1
Dibromochloromethane	<1	1
1,2-Dichlorobenzene	<1	1
1,3-Dichlorobenzene	<1	1
1,4-Dichlorobenzene	<1	1
1,1-Dichloroethane	<1	1
1,2-Dichloroethane	<1	1
1,1-Dichloroethene	<1	1
cis-1,2-Dichloroethene	<1	1
trans-1,2-Dichloroethene	<1	1
1,2-Dichloropropane	<1	1
cis-1,3-Dichloropropene	<1	1
trans-1,3-Dichloropropene	<1	1
Ethylbenzene	<1	1
2-Hexanone	<50	50
Methylene chloride	<1	1
4-Methyl-2-pentanone	<50	50
Styrene	<1	1
1,1,2,2-Tetrachloroethane	<1	1
Tetrachloroethene	<1	1
Toluene	<1	1

Analytical Results
 for
 ROY F. WESTON, INC.
 Clayton Project No. 24400.00
 Client Reference: 01138-079-001

Sample Identification:	LAB BLANK	Date Sampled:	--
Lab Number:	----/C6990.D	Date Received:	--
Sample Type:	Water	Date Prepared:	03/09/95
Preparation Method:	--	Date Analyzed:	03/09/95
Analytical Method:	EPA 8260		
Analyst:	TF		

Analyte	Concentration ($\mu\text{g/L}$)	LOD ($\mu\text{g/L}$)
Volatile Compounds (continued)		
1,1,1-Trichloroethane	<1	1
1,1,2-Trichloroethane	<1	1
Trichloroethene	<1	1
Vinyl acetate	<1	1
Vinyl chloride	<1	1
Xylenes [total]	<3	3

General Notes:

- <: Less than the indicated limit of detection (LOD)
- : Information not available or not applicable

Clayton

ENVIRONMENTAL
CONSULTANTS

REQUEST FOR LABORATORY ANALYTICAL SERVICES

For Clayton Use Only Page 1 of 2

Project No. _____

Batch No. _____

Ind. Code _____ W.P. _____

Date Logged In _____ By _____

Clayton Prop. # 03862

REPORT RESULTS TO	Name <u>S. Babusukumar</u> Title <u>P. M.</u>		Purchase Order No. <u>39987</u>		Client Job No. <u>1138-699-001</u>		
	Company <u>Roy F. Weston Inc</u> Dept. _____		Name <u>Same</u>		Dept. _____		
	Mailing Address <u>3 Hawthorn Pkwy</u>		Address _____		City, State, Zip _____		
	City, State, Zip <u>Vernon Hills IL 60061</u>		Address _____		City, State, Zip _____		
Telephone No. <u>708-918-4000</u> Telefax No. <u>708-918-4055</u>		Date Results Req.: <u>Std</u>		Rush Charges Authorized? <input type="checkbox"/> Yes <input type="checkbox"/> No		Phone / Fax Results <input type="checkbox"/> <input type="checkbox"/>	
Special Instructions: (method, limit of detection, etc.) <u>* Detection limits as per MDR Mera</u> <u>* Operational memo #6 Rev 3 of Act 307</u> Explanation of Preservative: _____		Samples are: (check if applicable) <input type="checkbox"/> Drinking Water <input type="checkbox"/> Collected in the State of New York		ANALYSIS REQUESTED (Enter an 'X' in the box below to indicate request; Enter a 'P' if Preservative added. *)			
CLIENT SAMPLE IDENTIFICATION		DATE SAMPLED	MATRIX/MEDIA	AIR VOLUME (specify units)	Number of Containers	FOR LAB USE ONLY	
<u>GMLRLF/0395/MW-07S</u> ✓		<u>3/1/95</u>	<u>W</u>		<u>2</u>	✓	
<u>GMLRLF/0395/MW-04S</u> ✓						✓	
<u>GMLRLF/0395/MW-03S</u> ✓						✓	
<u>GMLRLF/0395/MW-02S</u> ✓						✓	
<u>GMLRLF/0395/MW-02MS</u> ✓						✓	
<u>GMLRLF/0395/MW-02MSD</u> ✓						✓	
<u>GMLRLF/0395/MW-06S</u> ✓						✓	
<u>GMLRLF/0395/MW-06DP</u> ✓						✓	
<u>GMLRLF/0395/MW-01S</u> ✓						✓	
<u>GMLRLF/0395/MW-05S</u> ✓						✓	
CHAIN OF CUSTODY	Collected by: <u>Brian Sedgwick</u> (print)		Collector's Signature: <u>Brian Sedgwick</u>				
	Relinquished by: <u>Brian Sedgwick</u>		Date/Time _____		Received by: <u>Carol Kanaw</u>		Date/Time _____
	Relinquished by: _____		Date/Time _____		Received at Lab by: _____		Date/Time <u>10:00am</u>
	Method of Shipment: <u>Fed Ex</u>				Sample Condition Upon Receipt: <input checked="" type="checkbox"/> Acceptable <input type="checkbox"/> Other (explain)		
Authorized by: <u>Brian Sedgwick</u> Date <u>3/2/95</u>		(Client Signature Must Accompany Request)					RECEIVED MAR 03 1995

Please return completed form and samples to one of the Clayton Environmental Consultants, Inc. labs listed below:

22345 Roethel Drive Novi, MI 48375 (810) 344-1770	Raritan Center 160 Fieldcrest Ave. Edison, NJ 08837 (908) 225-6040	400 Chastain Center Blvd., N.W. Suite 490 Kennesaw, GA 30144 (404) 499-7500	1252 Quarry Lane Pleasanton, CA 94566 (510) 426-2657
---	---	--	--

DISTRIBUTION:
WHITE - Clayton Laboratory
YELLOW - Clayton Accounting
PINK - Client Retains

