



December 30, 2010

By E-Mail and U.S. Mail

U.S. Environmental Protection Agency
290 Broadway, 19th Floor
New York, NY 10007-1866
Attn: Anne Kelly

U.S. Environmental Protection Agency
2890 Woodbridge Avenue Building 209 (MS-211)
Edison, New Jersey 08837
Attn: Andrew Confortini

NYS Department of Environmental Conservation, Region 6
Division of Environmental Remediation
317 Washington Street Watertown, NY 13601
Attn: Peter Ouderkirk, Environmental Engineer

Re: Administrative Order Index No. CERCLA-02-2010-2027
General Motors Corporation – Central Foundry Division Superfund Site
(the "Site")
Massena, New York, St. Lawrence County

Gentlepersons:

Pursuant to paragraph 74 of the Administrative Order ("Order"), Index No. CERCLA-02-2010-2027, Motors Liquidation Company ("MLC"), please see attached the Weekly Progress Report for the Site. Please contact me at (937) 478-8221 if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads "Pamela L. Barnett".

Pamela L. Barnett, PG
Project Manager

BOW Environmental Solutions, Inc. on behalf of MLC

Weekly Progress Report – December 30, 2010
Former Central Foundry Massena Superfund Site
Administrative Order Index No. CERCLA-02-2010-2027

I. Compliance Activities Completed for the Period (December 23, 2010 to December 29, 2010)

Note: No site activities to occur on Friday, December 31, 2010 due to the holiday.

Site Events

All facility sampling and equipment management activities were shutdown beginning December 24, 2010 and will resume January 3, 2011.

Removal Activities

No removal of Priority 1 equipment occurred during this period.

Maintenance Activities

MLC continued to perform plant-wide routine maintenance activities.

MLC continued to repair plant security vehicles (offsite).

II. Analytical Data

Analytical data were received for 27 paint chip samples collected from structural steel. The results are summarized in the attached Table 1, and the analytical data reports (#S47241 dated December 23, 2010 and #S47263 dated December 29, 2010) are attached. The previously provided figure showing structural steel paint chip sample locations and previous results will be updated with all results and provided to the USEPA by January 4, 2011.

Analytical data were received for 2 wipe samples collected from the Gehl fork truck used by Perras (see attached analytical data report #S47264 dated December 29, 2010). The fork lift will be re-cleaned and tested prior to release from the site.

Analytical data were received for 2 bulk samples (tire, seat) collected from the GM Hyster E200 fork truck (see attached analytical data report #S47264 dated December 29, 2010), which has an acceptable paint chip sample result (previously submitted in December 23, 2010 report). The tires will be removed prior to release from the site.

III. Site Activities Scheduled for the Upcoming Week

MLC will continue to perform routine maintenance activities plant-wide, as required.

MLC will continue repairs on plant security vehicles (off site).

MLC will make improvements to plant winterization.

Weekly Progress Report – December 30, 2010
Former Central Foundry Massena Superfund Site
Administrative Order Index No. CERCLA-02-2010-2027

IV. Project Submittals Status

The following table summarizes submittals made during the prior reporting periods, submittals responded to, and submittals which continue to be under review.

<u>Submitted to USEPA / NYSDEC</u>	Date
Weekly Status Report	December 23, 2010
Phase II Site Operating Plan	December 27, 2010

Previously Submitted to USEPA – Pending Comment or Approval

Massena Transformer Removal Work Plan	September 3, 2010
Memorandum of Routine Site Activities, partial approval received on October 19, 2010	September 22, 2010
Phase I Site Operating Plan – comments received December 23, 2010, and revisions to be made	October 26, 2010
Additional information related to onsite vehicles sent via e-mail	November 3, 2010

Previously Submitted to USEPA

Designated Facility Coordinator Letter	August 27, 2010
Intent to Comply Letter	August 30, 2010
Contractor Selection Letter	September 2, 2010
Massena Transformer Removal Work Plan	September 3, 2010
Sampling and Analysis Plan for Painted Surfaces on Stationary Process Equipment	September 10 2010
Draft Assessment and Preparation Plan for Reusable Equipment for Sale and Table 1 – Sold Equipment Awaiting Approval to Proceed with Processing and Removal	September 10, 2010
Contractor Use Notification for Perras on Priority 1 Items	September 27, 2010
Pull Ahead Request for demolition preparatory work	September 27, 2010
WTC Contractor Selection for Survey Work	October 14, 2010

**Weekly Progress Report – December 30, 2010
Former Central Foundry Massena Superfund Site
Administrative Order Index No. CERCLA-02-2010-2027**

<u>Comments/Approvals Received from USEPA/NYSDEC</u>	
Approved Designated Facility Coordinator Letter	September 16, 2010
Approval to Release Table 1 Equipment sold at June Auction	September 16, 2010
Approval of Contractor Equipment Decontamination Work Plan	September 16, 2010
Comments from NYSDEC on previous weekly reports	September 20, 2010
Approval of Sampling and Analysis Plan for Painted Surfaces on Stationary Process Equipment	September 29, 2010
MLC Contractor Selection	October 6, 2010
Comments from NYSDEC on previous weekly reports and Phase I SOP	October 6, 2010
Comments from US EPA on Pull Ahead Work	October 12, 2010
Comments on Phase I Site Operating Plan	December 23, 2010

V. Waste Manifests, Bills of Landing, and/or Certificates of Destruction for Reporting Period.

No waste manifests, bills of landing, or certificates of destruction were received during this period.

Weekly Progress Report – December 30, 2010
Former Central Foundry Massena Superfund Site
Administrative Order Index No. CERCLA-02-2010-2027

Massena Remediation Program Report Distribution List

2 copies (1 hard copy and 1 electronic copy):

Emergency and Remedial Response Division
U.S. Environmental Protection Agency, Region II
290 Broadway, 20th Floor
New York, New York 10007-1866
Attention: Anne Kelly

1 hard copy

U.S. Environmental Protection Agency
2890 Woodbridge Avenue
Building 209 (MS-211)
Edison, New Jersey 08837
Attn: Andrew Confortini

2 copies (1 hard copy and 1 electronic copy):

New York State Department of Environmental Conservation
317 Washington Street
Watertown, New York 13601-3787
Peter S. Ouderkirk, P.E.

All Reports and Government Correspondence:

James M. Redwine, Esq.
Motors Liquidation Company
500 Renaissance Dr., Suite 1400
Detroit, MI 48243

Raymond M. Kapp
ARCADIS
One International Boulevard, Suite 406
Mahwah, New Jersey 07495

**Weekly Progress Report – December 30, 2010
Former Central Foundry Massena Superfund Site
Administrative Order Index No. CERCLA-02-2010-2027**

ATTACHMENTS

1. Table 1 – Structural Steel Sample Results Received this Period
2. Laboratory Analytical Data Reports
 - a. #S47241, December 23, 2010, Merit Laboratories, Inc.
(19 structural steel paint chip samples)
 - b. #S47263, December 29, 2010, Merit Laboratories, Inc.
(8 structural steel paint chip samples)
 - c. #S47264, December 29, 2010, Merit Laboratories, Inc.
(Perras Gehl fork lift truck wipe samples)
 - d. #S47265, December 29, 2010, Merit Laboratories, Inc.
(GM Hyster E200 fork lift truck bulk samples)

**TABLE 1 - STRUCTURAL STEEL SAMPLE RESULTS RECEIVED THIS PERIOD
FORMER POWERTRAIN PLANT, MASSENA, NY**

Sample Date	Sample Name	Result (mg/kg)
12/17/2010	PC-COLUMN EE12A (121710)	15
12/17/2010	PC-COLUMN B15 (121710)	2,000
12/17/2010	PC-COLUMN B17 (121710)	600
12/17/2010	PC-COLUMN B23 (121710)	150
12/17/2010	PC-COLUMN B24 (121710)	200
12/17/2010	PC-COLUMN B27 (121710)	180
12/17/2010	PC-COLUMN C29 (121710)	180
12/17/2010	PC-COLUMN Q25 (121710)	40
12/17/2010	PC-COLUMN Q17 (121710)	6
12/17/2010	PC-COLUMN Q13 (121710)	20
12/17/2010	PC-COLUMN CHILL BLG (121710)	ND
12/21/2010	PC-COLUMN DD16.2 (122110)	25
12/21/2010	PC-COLUMN NN5 (122110)	20
12/21/2010	PC-TRUSS 25ftS M11 (122110)	120
12/21/2010	PC-TRUSS 30ftN M11 (122110)	120
12/21/2010	PC-TRUSS 45ftSE K1 (122110)	15
12/21/2010	PC-TRUSS 35ftSE E1 (122110)	70
12/21/2010	PC-TRUSS 35ftSE F1 (122110)	150
12/21/2010	PC-TRUSS 35ftSE C1 (122110)	150
12/21/2010	PC-TRUSS 15ftS B1 (122110)	40
12/22/2010	PC-TRUSS 15ftSE K27 (122210)	25
12/22/2010	PC-OVEN D-F29 SIDE (122210)	ND
12/22/2010	PC-OVEN D-F29 TOP (122210)	2
12/22/2010	PC-COLUMN L27 (122210)	20
12/22/2010	PC-COLUMN FF5 (122210)	50
12/22/2010	PC-COLUMN CC2A (122210)	60
12/22/2010	PC-COLUMN CC6A (122210)	100



Analytical Laboratory Report

Revised Report

Report ID: S47241.01(02)
Generated on 12/23/2010
Replaces report S47241.01(01) generated on 12/23/2010

Report to

Attention: Richard Boelter
Arcadis/ MLC
56 Chevrolet Road
Route 37 East
Massena, NY 13662

Report produced by

Merit Laboratories
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Phone: 315-764-2299 FAX:
Email: richard.boelter@arcadis-us.com

Report Summary

Lab Sample ID(s): S47241.01-S47241.19
Project: B0050081.0002/ Facility Equipment Sampling, Massena, NY
Collected Date: 12/17/2010 - 12/21/2010
Submitted Date/Time: 12/22/2010 11:30
Sampled by: Robert Conden
P.O. #: MLI0001

Report Notes

Results relate only to items tested as received by the laboratory.
Methods may be modified for improved performance.
Results reported on a dry weight basis where applicable.
"Not detected" indicates that parameter was not found at a level equal to or greater than the RL.
Report shall not be reproduced except in full, without the written approval of Merit Laboratories.

Laboratory Certifications:

Michigan DNRE (#9956), Ohio EPA (#CL0002), NELAC NY (#11814), NELAC FL (#E871045), WBENC (#2005110032)
Some analytes reported may not be certified. Full certification lists are available upon request.

Violetta F. Murshak
Laboratory Director



Analytical Laboratory Report

Revised Report

Sample Summary (19 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S47241.01	PC-COLUMN EE12A (121710)	Paint	12/17/2010 14:20
S47241.02	PC-COLUMN B15 (121710)	Paint	12/17/2010 14:42
S47241.03	PC-COLUMN B17 (121710)	Paint	12/17/2010 14:47
S47241.04	PC-COLUMN B23 (121710)	Paint	12/17/2010 15:05
S47241.05	PC-COLUMN B24 (121710)	Paint	12/17/2010 15:08
S47241.06	PC-COLUMN B27 (121710)	Paint	12/17/2010 15:25
S47241.07	PC-COLUMN C29 (121710)	Paint	12/17/2010 15:31
S47241.08	PC-COLUMN Q25 (121710)	Paint	12/17/2010 15:47
S47241.09	PC-COLUMN Q17 (121710)	Paint	12/17/2010 15:57
S47241.10	PC-COLUMN Q13 (121710)	Paint	12/17/2010 16:05
S47241.11	PC-COLUMN CHILL BLG (121710)	Paint	12/17/2010 16:15
S47241.12	PC-COLUMN DD16.2 (122110)	Paint	12/21/2010 09:12
S47241.13	PC-COLUMN NN5 (122110)	Paint	12/21/2010 09:35
S47241.14	PC-TRUSS 25ftS M11 (122110)	Paint	12/21/2010 11:31
S47241.15	PC-TRUSS 30ftN M11 (122110)	Paint	12/21/2010 11:51
S47241.16	PC-TRUSS 45ftSE K1 (122110)	Paint	12/21/2010 13:05
S47241.17	PC-TRUSS 35ftSE E1 (122110)	Paint	12/21/2010 13:53
S47241.18	PC-TRUSS 35ftSE F1 (122110)	Paint	12/21/2010 14:07
S47241.19	PC-TRUSS 35ftSE C1 (122110)	Paint	12/21/2010 14:39



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.01
 Sample Tag: PC-COLUMN EE12A (121710)
 Collected Date/Time: 12/17/2010 14:20
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	3,000	8082	12/22/10 17:28	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	3,000	8082	12/22/10 17:28	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	3,000	8082	12/22/10 17:28	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	3,000	8082	12/22/10 17:28	JANB	11141-16-5	Y
PCB-1248	15,000	ug/kg	3,000	8082	12/22/10 17:28	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	3,000	8082	12/22/10 17:28	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	3,000	8082	12/22/10 17:28	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.02
Sample Tag: PC-COLUMN B15 (121710)
Collected Date/Time: 12/17/2010 14:42
Matrix: Paint
COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	500,000	8082	12/22/10 17:39	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	500,000	8082	12/22/10 17:39	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	500,000	8082	12/22/10 17:39	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	500,000	8082	12/22/10 17:39	JANB	11141-16-5	Y
PCB-1248	2,000,000	ug/kg	500,000	8082	12/22/10 17:39	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	500,000	8082	12/22/10 17:39	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	500,000	8082	12/22/10 17:39	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.03
 Sample Tag: PC-COLUMN B17 (121710)
 Collected Date/Time: 12/17/2010 14:47
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst CAS #	Flags
Extraction / Prep.							
Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB	

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	100,000	8082	12/22/10 17:49	JANB 12674-11-2	Y
PCB-1242	Not detected	ug/kg	100,000	8082	12/22/10 17:49	JANB 53469-21-9	Y
PCB-1221	Not detected	ug/kg	100,000	8082	12/22/10 17:49	JANB 11104-28-2	Y
PCB-1232	Not detected	ug/kg	100,000	8082	12/22/10 17:49	JANB 11141-16-5	Y
PCB-1248	600,000ug/	kg	100,000	8082	12/22/10 17:49	JANB 12672-29-6	Y
PCB-1254	Not detected	ug/kg	100,000	8082	12/22/10 17:49	JANB 11097-69-1	Y
PCB-1260	Not detected	ug/kg	100,000	8082	12/22/10 17:49	JANB 11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.04
 Sample Tag: PC-COLUMN B23 (121710)
 Collected Date/Time: 12/17/2010 15:05
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	30,000	8082	12/22/10 20:05	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	30,000	8082	12/22/10 20:05	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	30,000	8082	12/22/10 20:05	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	30,000	8082	12/22/10 20:05	JANB	11141-16-5	Y
PCB-1248	150,000ug/	kg	30,000	8082	12/22/10 20:05	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	30,000	8082	12/22/10 20:05	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	30,000	8082	12/22/10 20:05	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.05
 Sample Tag: PC-COLUMN B24 (121710)
 Collected Date/Time: 12/17/2010 15:08
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst CAS #	Flags
----------	---------	-------	----	--------	---------------	---------------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB	
-----------------	-----------	--	--	-------	----------------	-----	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	50,000	8082	12/22/10 18:10	JANB 12674-11-2	Y
PCB-1242	Not detected	ug/kg	50,000	8082	12/22/10 18:10	JANB 53469-21-9	Y
PCB-1221	Not detected	ug/kg	50,000	8082	12/22/10 18:10	JANB 11104-28-2	Y
PCB-1232	Not detected	ug/kg	50,000	8082	12/22/10 18:10	JANB 11141-16-5	Y
PCB-1248	200,000ug/	kg	50,000	8082	12/22/10 18:10	JANB 12672-29-6	Y
PCB-1254	Not detected	ug/kg	50,000	8082	12/22/10 18:10	JANB 11097-69-1	Y
PCB-1260	Not detected	ug/kg	50,000	8082	12/22/10 18:10	JANB 11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.06
 Sample Tag: PC-COLUMN B27 (121710)
 Collected Date/Time: 12/17/2010 15:25
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	30,000	8082	12/22/10 20:15	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	30,000	8082	12/22/10 20:15	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	30,000	8082	12/22/10 20:15	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	30,000	8082	12/22/10 20:15	JANB	11141-16-5	Y
PCB-1248	180,000ug/	kg	30,000	8082	12/22/10 20:15	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	30,000	8082	12/22/10 20:15	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	30,000	8082	12/22/10 20:15	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.07

Sample Tag: PC-COLUMN C29 (121710)

Collected Date/Time: 12/17/2010 15:31

Matrix: Paint

COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst CAS #	Flags
Extraction / Prep.							
Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB	

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	30,000	8082	12/22/10 20:26	JANB 12674-11-2	Y
PCB-1242	Not detected	ug/kg	30,000	8082	12/22/10 20:26	JANB 53469-21-9	Y
PCB-1221	Not detected	ug/kg	30,000	8082	12/22/10 20:26	JANB 11104-28-2	Y
PCB-1232	Not detected	ug/kg	30,000	8082	12/22/10 20:26	JANB 11141-16-5	Y
PCB-1248	180,000ug/	kg	30,000	8082	12/22/10 20:26	JANB 12672-29-6	Y
PCB-1254	Not detected	ug/kg	30,000	8082	12/22/10 20:26	JANB 11097-69-1	Y
PCB-1260	Not detected	ug/kg	30,000	8082	12/22/10 20:26	JANB 11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.08
 Sample Tag: PC-COLUMN Q25 (121710)
 Collected Date/Time: 12/17/2010 15:47
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	10,000	8082	12/22/10 18:41	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	10,000	8082	12/22/10 18:41	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	10,000	8082	12/22/10 18:41	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	10,000	8082	12/22/10 18:41	JANB	11141-16-5	Y
PCB-1248	40,000	ug/kg	10,000	8082	12/22/10 18:41	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	10,000	8082	12/22/10 18:41	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	10,000	8082	12/22/10 18:41	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.09
Sample Tag: PC-COLUMN Q17 (121710)
Collected Date/Time: 12/17/2010 15:57
Matrix: Paint
COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		

Organics - PCBs/Pesticides

PCB List

PCB ID	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #
PCB-1016	Not detected	ug/kg	1,000	8082	12/22/10 19:23	JANB	12674-11-2
PCB-1242	Not detected	ug/kg	1,000	8082	12/22/10 19:23	JANB	53469-21-9
PCB-1221	Not detected	ug/kg	1,000	8082	12/22/10 19:23	JANB	11104-28-2
PCB-1232	Not detected	ug/kg	1,000	8082	12/22/10 19:23	JANB	11141-16-5
PCB-1248	6,000	ug/kg	1,000	8082	12/22/10 19:23	JANB	12672-29-6
PCB-1254	Not detected	ug/kg	1,000	8082	12/22/10 19:23	JANB	11097-69-1
PCB-1260	Not detected	ug/kg	1,000	8082	12/22/10 19:23	JANB	11096-82-5



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.10
 Sample Tag: PC-COLUMN Q13 (121710)
 Collected Date/Time: 12/17/2010 16:05
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	5,000	8082	12/22/10 19:33	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	5,000	8082	12/22/10 19:33	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	5,000	8082	12/22/10 19:33	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	5,000	8082	12/22/10 19:33	JANB	11141-16-5	Y
PCB-1248	20,000	ug/kg	5,000	8082	12/22/10 19:33	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	5,000	8082	12/22/10 19:33	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	5,000	8082	12/22/10 19:33	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.11
 Sample Tag: PC-COLUMN CHILL BLG (121710)
 Collected Date/Time: 12/17/2010 16:15
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	1,000	8082	12/22/10 19:44	JANB	12674-11-2	
PCB-1242	Not detected	ug/kg	1,000	8082	12/22/10 19:44	JANB	53469-21-9	
PCB-1221	Not detected	ug/kg	1,000	8082	12/22/10 19:44	JANB	11104-28-2	
PCB-1232	Not detected	ug/kg	1,000	8082	12/22/10 19:44	JANB	11141-16-5	
PCB-1248	Not detected	ug/kg	1,000	8082	12/22/10 19:44	JANB	12672-29-6	
PCB-1254	Not detected	ug/kg	1,000	8082	12/22/10 19:44	JANB	11097-69-1	
PCB-1260	Not detected	ug/kg	1,000	8082	12/22/10 19:44	JANB	11096-82-5	



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.12
 Sample Tag: PC-COLUMN DD16.2 (122110)
 Collected Date/Time: 12/21/2010 09:12
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	5,000	8082	12/22/10 22:20	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	5,000	8082	12/22/10 22:20	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	5,000	8082	12/22/10 22:20	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	5,000	8082	12/22/10 22:20	JANB	11141-16-5	Y
PCB-1248	25,000	ug/kg	5,000	8082	12/22/10 22:20	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	5,000	8082	12/22/10 22:20	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	5,000	8082	12/22/10 22:20	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.13
 Sample Tag: PC-COLUMN NN5 (122110)
 Collected Date/Time: 12/21/2010 09:35
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	5,000	8082	12/22/10 22:30	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	5,000	8082	12/22/10 22:30	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	5,000	8082	12/22/10 22:30	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	5,000	8082	12/22/10 22:30	JANB	11141-16-5	Y
PCB-1248	20,000	ug/kg	5,000	8082	12/22/10 22:30	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	5,000	8082	12/22/10 22:30	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	5,000	8082	12/22/10 22:30	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.14
 Sample Tag: PC-TRUSS 25ftS M11 (122110)
 Collected Date/Time: 12/21/2010 11:31
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst CAS #	Flags
----------	---------	-------	----	--------	---------------	---------------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB	
-----------------	-----------	--	--	-------	----------------	-----	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	20,000	8082	12/22/10 22:41	JANB 12674-11-2	Y
PCB-1242	Not detected	ug/kg	20,000	8082	12/22/10 22:41	JANB 53469-21-9	Y
PCB-1221	Not detected	ug/kg	20,000	8082	12/22/10 22:41	JANB 11104-28-2	Y
PCB-1232	Not detected	ug/kg	20,000	8082	12/22/10 22:41	JANB 11141-16-5	Y
PCB-1248	120,000ug/	kg	20,000	8082	12/22/10 22:41	JANB 12672-29-6	Y
PCB-1254	Not detected	ug/kg	20,000	8082	12/22/10 22:41	JANB 11097-69-1	Y
PCB-1260	Not detected	ug/kg	20,000	8082	12/22/10 22:41	JANB 11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.15
 Sample Tag: PC-TRUSS 30ftN M11 (122110)
 Collected Date/Time: 12/21/2010 11:51
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	30,000	8082	12/22/10 20:57	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	30,000	8082	12/22/10 20:57	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	30,000	8082	12/22/10 20:57	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	30,000	8082	12/22/10 20:57	JANB	11141-16-5	Y
PCB-1248	120,000ug/	kg	30,000	8082	12/22/10 20:57	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	30,000	8082	12/22/10 20:57	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	30,000	8082	12/22/10 20:57	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.16
 Sample Tag: PC-TRUSS 45ftSE K1 (122110)
 Collected Date/Time: 12/21/2010 13:05
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	3,000	8082	12/22/10 21:09	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	3,000	8082	12/22/10 21:09	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	3,000	8082	12/22/10 21:09	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	3,000	8082	12/22/10 21:09	JANB	11141-16-5	Y
PCB-1248	15,000	ug/kg	3,000	8082	12/22/10 21:09	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	3,000	8082	12/22/10 21:09	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	3,000	8082	12/22/10 21:09	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.17
 Sample Tag: PC-TRUSS 35ftSE E1 (122110)
 Collected Date/Time: 12/21/2010 13:53
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	10,000	8082	12/22/10 21:19	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	10,000	8082	12/22/10 21:19	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	10,000	8082	12/22/10 21:19	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	10,000	8082	12/22/10 21:19	JANB	11141-16-5	Y
PCB-1248	70,000	ug/kg	10,000	8082	12/22/10 21:19	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	10,000	8082	12/22/10 21:19	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	10,000	8082	12/22/10 21:19	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.18
 Sample Tag: PC-TRUSS 35ftSE F1 (122110)
 Collected Date/Time: 12/21/2010 14:07
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB		

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	30,000	8082	12/22/10 21:30	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	30,000	8082	12/22/10 21:30	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	30,000	8082	12/22/10 21:30	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	30,000	8082	12/22/10 21:30	JANB	11141-16-5	Y
PCB-1248	150,000ug/	kg	30,000	8082	12/22/10 21:30	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	30,000	8082	12/22/10 21:30	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	30,000	8082	12/22/10 21:30	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Revised Report

Lab Sample ID: S47241.19
 Sample Tag: PC-TRUSS 35ftSE C1 (122110)
 Collected Date/Time: 12/21/2010 14:39
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.5	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst CAS #	Flags
Extraction / Prep.							
Extraction, PCB	Completed			3550B	12/22/10 14:43	ADB	

Organics - PCBs/Pesticides


PCB List


PCB-1016	Not detected	ug/kg	50,000	8082	12/22/10 21:40	JANB 12674-11-2	Y
PCB-1242	Not detected	ug/kg	50,000	8082	12/22/10 21:40	JANB 53469-21-9	Y
PCB-1221	Not detected	ug/kg	50,000	8082	12/22/10 21:40	JANB 11104-28-2	Y
PCB-1232	Not detected	ug/kg	50,000	8082	12/22/10 21:40	JANB 11141-16-5	Y
PCB-1248	150,000ug/	kg	50,000	8082	12/22/10 21:40	JANB 12672-29-6	Y
PCB-1254	Not detected	ug/kg	50,000	8082	12/22/10 21:40	JANB 11097-69-1	Y
PCB-1260	Not detected	ug/kg	50,000	8082	12/22/10 21:40	JANB 11096-82-5	Y



Y-Elevated reporting limit due to high target concentration



CHAIN OF CUSTODY LABORATORY ANALYSIS REQUEST FORM

Contact & Company Name: MLC / ARCADIS Address: c/o former GM Central Foundry 56 Chevrolet Road, Route 37 East City: Massena, NY 13662 State: NY Zip: 13662 Telephone: R. Boelter - 315 764-2299 Fax: Not applicable E-mail Address: richard.boelter@arcadis-us.com		Project #: B0050081.0002 Facility Name/Location (City, State): Facility Equipment Sampling, Massena, NY Sampler's Printed Name: Robert Conden Sampler's Signature: 				
Sample ID	Sample Type	Collection Date	Time	Comp	Grab	Remarks
PC-COLUMN EE12A (121710)	Paint	12/17/10	14:20	X	X	47241.01 1 DAY TAT
PC-COLUMN B15 (121710)	Paint	12/17/10	14:42	X	X	.02 1 DAY TAT
PC-COLUMN B17 (121710)	Paint	12/17/10	14:47	X	X	.03 1 DAY TAT
PC-COLUMN B23 (121710)	Paint	12/17/10	15:05	X	X	.04 1 DAY TAT
PC-COLUMN B24 (121710)	Paint	12/17/10	15:08	X	X	.05 1 DAY TAT
PC-COLUMN B27 (121710)	Paint	12/17/10	15:25	X	X	.06 1 DAY TAT
PC-COLUMN C29 (121710)	Paint	12/17/10	15:31	X	X	.07 1 DAY TAT
PC-COLUMN Q25 (121710)	Paint	12/17/10	15:47	X	X	.08 1 DAY TAT
PC-COLUMN Q17 (121710)	Paint	12/17/10	15:57	X	X	.09 1 DAY TAT
PC-COLUMN Q13 (121710)	Paint	12/17/10	16:05	X	X	.10 1 DAY TAT
PC-COLUMN CHILL BLG (121710)	Paint	12/17/10	16:15	X	X	.11 1 DAY TAT
Special Instructions/Comments: 1 DAY TAT <input type="checkbox"/> Special QA/QC Instructions (✓)						



Lab Name: Analytics <input checked="" type="checkbox"/> Cooler packed with ice (✓) Specify Turnaround Requirements: 1 DAY TAT Shipping Tracking #:	Printed Name: Robert Conden Signature:  Firm: ARCADIS Date/Time: 12-21-10/15:30	Printed Name: Barb Richardson Signature:  Firm: Ment Date/Time: 12/21/10 11:30 4.5
--------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



CHAIN OF CUSTODY LABORATORY ANALYSIS REQUEST FORM

Contact & Company Name: MLC / ARCADIS Address: c/o former GM Central Foundry 56 Chevrolet Road, Route 37 East City: Massena, NY State: NY Zip: 13662 Project Name/Location (City, State): Facility Equipment Sampling, Massena, NY Project #: B0050081.0002 Sampler's Printed Name: Robert Conden Sampler's Signature: <i>[Signature]</i>		Telephone: R. Boelter - 315 764-2299 Fax: Not applicable E-mail Address: richard.boelter@arcadis-us.com		None 8	
Sample ID PCBS 8082		ANALYSIS & METHOD			
Sample ID PC-COLUMN DD16.2 (122110) PC-COLUMN NN5 (122110) PC-TRUSS 25ftS M11(122110) PC-TRUSS 30ftN M11(122110) PC-TRUSS 45ftSE K1(122110) PC-TRUSS 35ftSE E1(122110) PC-TRUSS 35ftSE F1(122110) PC-TRUSS 35ftSE C1(122110)	Date: 12/21/10 Time: 9:12 9:35 11:31 11:51 13:05 13:53 14:07 14:39	Matrix: Paint Date: 12/21/10 Time: 9:12 9:35 11:31 11:51 13:05 13:53 14:07 14:39	Remarks: 1 DAY TAT 1 DAY TAT 1 DAY TAT 1 DAY TAT 1 DAY TAT 1 DAY TAT 1 DAY TAT 1 DAY TAT	43241.12 .13 .14 .15 .16 .17 .18 .19	Matrix Key: SO Soil SE - SEWAGE S - SURF M - MATR'L C - CONTAMINANT
Special Instructions/Comments: 1 DAY TAT		<input type="checkbox"/> Special QA/QC Instructions (✓)			
Lab Name: Analytics <input checked="" type="checkbox"/> Cooler packed with ice (✓) Specify Turnaround Requirements: 1 DAY TAT Shipping Tracking #:	Requested By: Robert Conden Signature: <i>[Signature]</i> Firm: ARCADIS Date/Time: 12-21-10/15:45	Received By: Printed Name: Signature: Firm: Date/Time:	Printed Name: Signature: Firm: Date/Time:	Printed Name: Signature: Firm: Date/Time:	Printed Name: Signature: Firm: Date/Time:



Analytical Laboratory Report

Report ID: S47263.01(01)
Generated on 12/29/2010

Report to

Attention: Richard Boelter
Arcadis/ MLC
56 Chevrolet Road
Route 37 East
Massena, NY 13662

Report produced by

Merit Laboratories
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Phone: 315-764-2299 FAX:
Email: richard.boelter@arcadis-us.com

Report Summary

Lab Sample ID(s): S47263.01-S47263.08
Project: B0050081.0002/ Facility Equipment Sampling, Massena, NY
Collected Date: 12/21/2010 - 12/22/2010
Submitted Date/Time: 12/28/2010 10:10
Sampled by: Robert Conden
P.O. #: MLI0001

Report Notes

Results relate only to items tested as received by the laboratory.
Methods may be modified for improved performance.
Results reported on a dry weight basis where applicable.
"Not detected" indicates that parameter was not found at a level equal to or greater than the RL.
Report shall not be reproduced except in full, without the written approval of Merit Laboratories.

Laboratory Certifications:

Michigan DNRE (#9956), Ohio EPA (#CL0002), NELAC NY (#11814), NELAC FL (#E871045), WBENC (#2005110032)
Some analytes reported may not be certified. Full certification lists are available upon request.

Violetta F. Murshak
Laboratory Director



Analytical Laboratory Report

Sample Summary (8 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S47263.01	PC-TRUSS 15ftS B1 (122110)	Paint	12/21/2010 15:50
S47263.02	PC-TRUSS 15ftSE K27 (122210)	Paint	12/22/2010 10:21
S47263.03	PC-OVEN D-F29 SIDE (122210)	Paint	12/22/2010 10:31
S47263.04	PC-OVEN D-F29 TOP (122210)	Paint	12/22/2010 10:48
S47263.05	PC-COLUMN L27 (122210)	Paint	12/22/2010 13:56
S47263.06	PC-COLUMN FF5 (122210)	Paint	12/22/2010 14:38
S47263.07	PC-COLUMN CC2A (122210)	Paint	12/22/2010 14:57
S47263.08	PC-COLUMN CC6A (122210)	Paint	12/22/2010 15:19



Analytical Laboratory Report

Lab Sample ID: S47263.01
 Sample Tag: PC-TRUSS 15ftS B1 (122110)
 Collected Date/Time: 12/21/2010 15:50
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.3	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Extraction, PCB	Completed			3550B	12/28/10 11:39	ADB		

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	10,000	8082	12/28/10 16:26	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	10,000	8082	12/28/10 16:26	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	10,000	8082	12/28/10 16:26	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	10,000	8082	12/28/10 16:26	JANB	11141-16-5	Y
PCB-1248	40,000	ug/kg	10,000	8082	12/28/10 16:26	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	10,000	8082	12/28/10 16:26	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	10,000	8082	12/28/10 16:26	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Lab Sample ID: S47263.02
 Sample Tag: PC-TRUSS 15ftSE K27 (122210)
 Collected Date/Time: 12/22/2010 10:21
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.3	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/28/10 11:39	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	5,000	8082	12/28/10 16:36	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	5,000	8082	12/28/10 16:36	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	5,000	8082	12/28/10 16:36	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	5,000	8082	12/28/10 16:36	JANB	11141-16-5	Y
PCB-1248	25,000	ug/kg	5,000	8082	12/28/10 16:36	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	5,000	8082	12/28/10 16:36	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	5,000	8082	12/28/10 16:36	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Lab Sample ID: S47263.03
 Sample Tag: PC-OVEN D-F29 SIDE (122210)
 Collected Date/Time: 12/22/2010 10:31
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.3	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/28/10 11:39	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	1,000	8082	12/28/10 16:57	JANB	12674-11-2	
PCB-1242	Not detected	ug/kg	1,000	8082	12/28/10 16:57	JANB	53469-21-9	
PCB-1221	Not detected	ug/kg	1,000	8082	12/28/10 16:57	JANB	11104-28-2	
PCB-1232	Not detected	ug/kg	1,000	8082	12/28/10 16:57	JANB	11141-16-5	
PCB-1248	Not detected	ug/kg	1,000	8082	12/28/10 16:57	JANB	12672-29-6	
PCB-1254	Not detected	ug/kg	1,000	8082	12/28/10 16:57	JANB	11097-69-1	
PCB-1260	Not detected	ug/kg	1,000	8082	12/28/10 16:57	JANB	11096-82-5	



Analytical Laboratory Report

Lab Sample ID: S47263.04
 Sample Tag: PC-OVEN D-F29 TOP (122210)
 Collected Date/Time: 12/22/2010 10:48
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.3	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/28/10 11:39	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	1,000	8082	12/28/10 17:08	JANB	12674-11-2	
PCB-1242	Not detected	ug/kg	1,000	8082	12/28/10 17:08	JANB	53469-21-9	
PCB-1221	Not detected	ug/kg	1,000	8082	12/28/10 17:08	JANB	11104-28-2	
PCB-1232	Not detected	ug/kg	1,000	8082	12/28/10 17:08	JANB	11141-16-5	
PCB-1248	2,000	ug/kg	1,000	8082	12/28/10 17:08	JANB	12672-29-6	
PCB-1254	Not detected	ug/kg	1,000	8082	12/28/10 17:08	JANB	11097-69-1	
PCB-1260	Not detected	ug/kg	1,000	8082	12/28/10 17:08	JANB	11096-82-5	



Analytical Laboratory Report

Lab Sample ID: S47263.05
 Sample Tag: PC-COLUMN L27 (122210)
 Collected Date/Time: 12/22/2010 13:56
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.3	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Extraction, PCB	Completed			3550B	12/28/10 11:39	ADB		

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	5,000	8082	12/28/10 16:47	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	5,000	8082	12/28/10 16:47	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	5,000	8082	12/28/10 16:47	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	5,000	8082	12/28/10 16:47	JANB	11141-16-5	Y
PCB-1248	20,000	ug/kg	5,000	8082	12/28/10 16:47	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	5,000	8082	12/28/10 16:47	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	5,000	8082	12/28/10 16:47	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Lab Sample ID: S47263.06
 Sample Tag: PC-COLUMN FF5 (122210)
 Collected Date/Time: 12/22/2010 14:38
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.3	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/28/10 11:39	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	10,000	8082	12/28/10 17:18	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	10,000	8082	12/28/10 17:18	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	10,000	8082	12/28/10 17:18	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	10,000	8082	12/28/10 17:18	JANB	11141-16-5	Y
PCB-1248	Not detected	ug/kg	10,000	8082	12/28/10 17:18	JANB	12672-29-6	Y
PCB-1254	50,000	ug/kg	10,000	8082	12/28/10 17:18	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	10,000	8082	12/28/10 17:18	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Lab Sample ID: S47263.07
 Sample Tag: PC-COLUMN CC2A (122210)
 Collected Date/Time: 12/22/2010 14:57
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.3	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst CAS #	Flags
Extraction / Prep.							
Extraction, PCB	Completed			3550B	12/28/10 11:39	ADB	

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	10,000	8082	12/28/10 17:29	JANB 12674-11-2	Y
PCB-1242	Not detected	ug/kg	10,000	8082	12/28/10 17:29	JANB 53469-21-9	Y
PCB-1221	Not detected	ug/kg	10,000	8082	12/28/10 17:29	JANB 11104-28-2	Y
PCB-1232	Not detected	ug/kg	10,000	8082	12/28/10 17:29	JANB 11141-16-5	Y
PCB-1248	Not detected	ug/kg	10,000	8082	12/28/10 17:29	JANB 12672-29-6	Y
PCB-1254	60,000	ug/kg	10,000	8082	12/28/10 17:29	JANB 11097-69-1	Y
PCB-1260	Not detected	ug/kg	10,000	8082	12/28/10 17:29	JANB 11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Lab Sample ID: S47263.08
 Sample Tag: PC-COLUMN CC6A (122210)
 Collected Date/Time: 12/22/2010 15:19
 Matrix: Paint
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.3	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Extraction, PCB	Completed			3550B	12/28/10 11:39	ADB		

Organics - PCBs/Pesticides




PCB List

PCB-1016	Not detected	ug/kg	20,000	8082	12/28/10 17:39	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	20,000	8082	12/28/10 17:39	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	20,000	8082	12/28/10 17:39	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	20,000	8082	12/28/10 17:39	JANB	11141-16-5	Y
PCB-1248	100,000ug/	kg	20,000	8082	12/28/10 17:39	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	20,000	8082	12/28/10 17:39	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	20,000	8082	12/28/10 17:39	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



CHAIN OF CUSTODY LABORATORY ANALYSIS REQUEST FORM

Contact & Company Name: MLC / ARCADIS Address: c/o former GM Central Foundry 56 Chevrolet Road, Route 37 East City: Massena, NY State: NY Zip: 13662 Telephone: R. Boelter - 315 764-2299 Fax: Not applicable E-mail Address: richard.boelter@arcadis-us.com		None 8
Project Name/Location (City, State): Facility Equipment Sampling, Massena, NY Project #: B0050081.0002 Sampler's Printed Name: Robert Conden Sampler's Signature: 		PCBs 8082
Special Instructions/Comments: 1 DAY TAT	<input type="checkbox"/> Special QA/QC Instructions (✓)	
Lab Name: Analytics <input checked="" type="checkbox"/> Cooler packed with ice (✓) Specify Turnaround Requirements: 1 DAY TAT Shipping Tracking #:	Requested By: Robert Conden Printed Name: Robert Conden Signature:  Firm: ARCADIS Date/Time: 12-23-10/14:20	Requested By: Barb Richards Printed Name: Barb Richards Signature:  Firm: Merit Date/Time: 12/28/10 4.3



Analytical Laboratory Report

Report ID: S47264.01(01)
Generated on 12/29/2010

Report to

Attention: Richard Boelter
Arcadis/ MLC
56 Chevrolet Road
Route 37 East
Massena, NY 13662

Phone: 315-764-2299 FAX:
Email: richard.boelter@arcadis-us.com

Report produced by

Merit Laboratories
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Report Summary

Lab Sample ID(s): S47264.01-S47264.02
Project: B0050081.0002/ Facility Equipment Sampling, Massena, NY
Collected Date: 12/22/2010
Submitted Date/Time: 12/28/2010 10:10
Sampled by: Robert Conden
P.O. #: ML10001

Report Notes

Results relate only to items tested as received by the laboratory.
Methods may be modified for improved performance.
Results reported on a dry weight basis where applicable.
"Not detected" indicates that parameter was not found at a level equal to or greater than the RL.
Report shall not be reproduced except in full, without the written approval of Merit Laboratories.

Laboratory Certifications:

Michigan DNRE (#9956), Ohio EPA (#CL0002), NELAC NY (#11814), NELAC FL (#E871045), WBENC (#2005110032)
Some analytes reported may not be certified. Full certification lists are available upon request.

Violetta F. Murshak
Laboratory Director



Analytical Laboratory Report

Sample Summary (2 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S47264.01	W-PERRAS-GEHL-FORK (122210)	Wipe	12/22/2010 12:10
S47264.02	W-PERRAS-GEHL-BODY (122210)	Wipe	12/22/2010 12:20



Analytical Laboratory Report

Lab Sample ID: S47264.01
 Sample Tag: W-PERRAS-GEHL-FORK (122210)
 Collected Date/Time: 12/22/2010 12:10
 Matrix: Wipe
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	Hexane	Yes	4.3	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Extraction, PCB	Completed			3550B	12/28/10 11:38	ADB		

Organics - PCBs/Pesticides

PCB Swab List

PCB-1016	Not detected	ug/100cm ²	20	8082	12/28/10 18:42	JANB	12674-11-2	Y
PCB-1221	Not detected	ug/100cm ²	20	8082	12/28/10 18:42	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/100cm ²	20	8082	12/28/10 18:42	JANB	11141-16-5	Y
PCB-1242	Not detected	ug/100cm ²	20	8082	12/28/10 18:42	JANB	53469-21-9	Y
PCB-1248	140	ug/100cm ²	20	8082	12/28/10 18:42	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/100cm ²	20	8082	12/28/10 18:42	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/100cm ²	20	8082	12/28/10 18:42	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Lab Sample ID: S47264.02
 Sample Tag: W-PERRAS-GEHL-BODY (122210)
 Collected Date/Time: 12/22/2010 12:20
 Matrix: Wipe
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	Hexane	Yes	4.3	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
----------	---------	-------	----	--------	---------------	---------	-------	-------

Extraction / Prep.

Extraction, PCB	Completed			3550B	12/28/10 11:38	ADB		
-----------------	-----------	--	--	-------	----------------	-----	--	--

Organics - PCBs/Pesticides

PCB Swab List

PCB-1016	Not detected	ug/100cm2	1	8082	12/28/10 18:52	JANB	12674-11-2	
PCB-1221	Not detected	ug/100cm2	1	8082	12/28/10 18:52	JANB	11104-28-2	
PCB-1232	Not detected	ug/100cm2	1	8082	12/28/10 18:52	JANB	11141-16-5	
PCB-1242	Not detected	ug/100cm2	1	8082	12/28/10 18:52	JANB	53469-21-9	
PCB-1248	4	ug/100cm2	1	8082	12/28/10 18:52	JANB	12672-29-6	
PCB-1254	Not detected	ug/100cm2	1	8082	12/28/10 18:52	JANB	11097-69-1	
PCB-1260	Not detected	ug/100cm2	1	8082	12/28/10 18:52	JANB	11096-82-5	



CHAIN OF CUSTODY LABORATORY ANALYSIS REQUEST FORM

Contact & Company Name: MLC / ARCADIS Address: c/o former GM Central Foundry 56 Chevrolet Road, Route 37 East City: Massena, NY 13662 State: Zip Project Name/Location (City, State): Facility Equipment Sampling, Massena, NY Project #: B0050081.0002 Sampler's Printed Name: Robert Conden		Telephone: R. Boelter - 315 764-2299 Fax: Not applicable E-mail Address: richard.boelter@arcadis-us.com		None 2 COMPUTER		KEYS Reservation Key C HING 4.000 mL E-Errors 10.4 Matrix Key SO Soil NAPL Sample W/S	
Special Instructions/Comments: 1 DAY TAT <input type="checkbox"/> Special QA/QC Instructions (✓)		PCBs 8082		CHAIN OF CUSTODY		REMARKS 43264.01 1 DAY TAT .02 1 DAY TAT	
Lab Name: Analytics <input checked="" type="checkbox"/> Cooler packed with ice (✓) Specify Turnaround Requirements: 1 DAY TAT Shipping Tracking #:		Collection Type Time Comp: Grab 12:22/10 12:10 X WIPE X 12:22/10 12:20 X WIPE X		Printed Name: Robert Conden Signature: [Signature] Firm: ARCADIS Date/Time: 12-23-10 / 14:20		Printed Name: Barb Richardson Signature: [Signature] Firm: Ment Date/Time: 12/28/10 10:10	



Analytical Laboratory Report

Report ID: S47265.01(01)
Generated on 12/29/2010

Report to

Attention: Richard Boelter
Arcadis/MLC
56 Chevrolet Road
Route 37 East
Massena, NY 13662

Phone: 315-764-2299 FAX:
Email: richard.boelter@arcadis-us.com

Report produced by

Merit Laboratories
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Report Summary

Lab Sample ID(s): S47265.01-S47265.02
Project: B0050081.0002/ Facility Equipment Sampling, Massena, NY
Collected Date: 12/22/2010
Submitted Date/Time: 12/28/2010 10:10
Sampled by: Robert Conden
P.O. #: B0050081.0002

Report Notes

Results relate only to items tested as received by the laboratory.
Methods may be modified for improved performance.
Results reported on a dry weight basis where applicable.
"Not detected" indicates that parameter was not found at a level equal to or greater than the RL.
Report shall not be reproduced except in full, without the written approval of Merit Laboratories.

Laboratory Certifications:

Michigan DNRE (#9956), Ohio EPA (#CL0002), NELAC NY (#11814), NELAC FL (#E871045), WBENC (#2005110032)
Some analytes reported may not be certified. Full certification lists are available upon request.

Violetta F. Murshak
Laboratory Director



Analytical Laboratory Report

Sample Summary (2 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S47265.01	PC-GM HYSTER E200 TIRE (122210)	Solid	12/22/2010 11:45
S47265.02	PC-GM HYSTER E200 SEAT (122210)	Solid	12/22/2010 11:58



Analytical Laboratory Report

Lab Sample ID: S47265.01
 Sample Tag: PC-GM HYSTER E200 TIRE (122210)
 Collected Date/Time: 12/22/2010 11:45
 Matrix: Solid
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.3	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Extraction, PCB	Completed			3550B	12/28/10 1139	ADB		

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	15,000	8082	12/28/10 1831	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	15,000	8082	12/28/10 1831	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	15,000	8082	12/28/10 1831	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	15,000	8082	12/28/10 1831	JANB	11141-16-5	Y
PCB-1248	90,000	ug/kg	15,000	8082	12/28/10 1831	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	15,000	8082	12/28/10 1831	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	15,000	8082	12/28/10 1831	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



Analytical Laboratory Report

Lab Sample ID: S47265.02
 Sample Tag: PC-GM HYSTER E200 SEAT (122210)
 Collected Date/Time: 12/22/2010 11:58
 Matrix: Solid
 COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	4oz Glass	None	Yes	4.3	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Analyst	CAS #	Flags
Extraction / Prep.								
Extraction, PCB	Completed			3550B	12/28/10 11:39	ADB		

Organics - PCBs/Pesticides

PCB List

PCB-1016	Not detected	ug/kg	2,000	8082	12/28/10 20:40	JANB	12674-11-2	Y
PCB-1242	Not detected	ug/kg	2,000	8082	12/28/10 20:40	JANB	53469-21-9	Y
PCB-1221	Not detected	ug/kg	2,000	8082	12/28/10 20:40	JANB	11104-28-2	Y
PCB-1232	Not detected	ug/kg	2,000	8082	12/28/10 20:40	JANB	11141-16-5	Y
PCB-1248	8,000	ug/kg	2,000	8082	12/28/10 20:40	JANB	12672-29-6	Y
PCB-1254	Not detected	ug/kg	2,000	8082	12/28/10 20:40	JANB	11097-69-1	Y
PCB-1260	Not detected	ug/kg	2,000	8082	12/28/10 20:40	JANB	11096-82-5	Y

Y-Elevated reporting limit due to high target concentration



CHAIN OF CUSTODY LABORATORY ANALYSIS REQUEST FORM

Contact & Company Name: MLC / ARCADIS Address: c/o former GM Central Foundry 56 Chevrolet Road, Route 37 East City: State Zip Massena, NY 13662 Project Name/Location (City, State): Facility Equipment Sampling, Massena, NY Project #: B0050081.0002 Sampler's Printed Name: Robert Conden		Telephone: R. Boelter - 315 764-2299 Fax: Not applicable E-mail Address: richard.boelter@arcadis-us.com		None 2	
Special Instructions/Comments: 1 DAY TAT		<input type="checkbox"/> Special QA/QC Instructions (✓)		REMARKS 47265.01 1 DAY TAT 02 1 DAY TAT	
Lab Name: Analytics <input checked="" type="checkbox"/> Cooler packed with ice (✓) Specify Turnaround Requirements 1 DAY TAT Shipping Tracking #:		Relinquished By: Printed Name: Robert Conden Signature: [Signature] Firm: ARCADIS Date/Time: 12/23/10/14:20		Relinquished By: Printed Name: Barb Richardson Signature: [Signature] Firm: Ment Date/Time: 12/28/10 10:10	