

**OBG**

**2017 ANNUAL REPORT – FINAL REPORT**

**Landfill Leak Detection Systems  
Coldwater Road Landfill  
Flint, Michigan  
MID 005 356 860**

**RACER TRUST  
Detroit, Michigan**


February 2018



**Landfill Leak Detection System  
Coldwater Road Landfill  
MID 005 356 860**


**Flint, Michigan**

Prepared for: RACER Trust  
Detroit, Michigan



---

BRIAN E. WHITE, PE  
SENIOR VICE PRESIDENT  
O'BRIEN & GERE ENGINEERS, INC.



February 26, 2018

**Mr. Richard Conforti, P.E.**  
Environmental Engineer  
Michigan Department of Environmental Quality  
Office of Waste Management and Radiological Protection  
P.O. Box 30473  
Lansing, Michigan 48909-7973

RE: Landfill Leak Detection System 2017 Annual Report  
Coldwater Road Landfill, Flint, Michigan  
MID 005 356 860  
FILE: 15388 /64737/rep

Dear **Mr. Conforti**

On behalf of Revitalizing Auto Communities Environmental Response Trust (RACER), O'Brien & Gere is pleased to present the results of the 2017 annual leak detection system (LDS) sampling event conducted in November 2017 for the Coldwater Road Landfill site ([Figure 1](#)).

During this event samples were collected from the six leak detection vaults (A through F). Samples from the six leachate sumps (A through F) were not collected during this event, per the Post-Closure Care Plan (PCCP) that was recently revised and approved on January 24, 2017. Samples from the leachate sumps are collected on an annual basis during the late spring/early summer sampling events, typically conducted in the month of June.

The vault samples were analyzed for total organic carbon (TOC, Method 415.1), total suspended solids (TSS, Method 160.2), specific conductivity (Method 120.1), dissolved chromium (Cr), dissolved copper (Cu), dissolved nickel (Ni), and dissolved zinc (Zn, Method 200.8). The event also included field measurements for pH, specific conductivity, and temperature.

The analytical results are summarized in the attached tables: Landfill Leak Detection Vaults – Historical Analytical Results, Inorganics and Metals ([Table 1](#)) and Landfill Sump and Vault Sampling Log ([Table 2](#)). A Site Location Map ([Figure 1](#)) and Landfill Site Layout ([Figure 2](#)) are also attached. The Analytical Laboratory Report and the Chain of Custody are included as [Appendix A](#).

The samples for the leak detection vaults were collected on November 6, 2017 using a peristaltic pump and tubing for each vault. A duplicate sample was collected from Vault C. Samples were placed directly into laboratory prepared containers, logged onto a chain of custody form, and placed on ice for transport to Merit Laboratories, Inc., in East Lansing, Michigan.

The laboratory analysis for TOC, TSS, dissolved metals, and the field parameters continue to show historical consistent concentrations for the vaults ([Tables 1](#)). A review of the analytical data presented in the attached table indicates analytical results similar to previous sampling events. A summary of the data is provided below:



## Vaults:

- Chromium concentrations were not detected above the method detection limit of 5 µg/L, which is similar or less than the historic sample results.
- Copper concentrations were not detected above the method detection limit of 5 µg/L, which is similar or less than the historic sample results.
- Nickel concentrations were not detected above the method detection limit of 5 µg/L; except in Vault A (17 µg/L), Vault C (10 µg/L), and Vault D (12 µg/L). The results were similar or less than historic results, which ranged from below the method detection limit to 125 µg/L at Vault D (11/15/1997).
- Zinc concentrations were not detected above the method detection limit of 5 µg/L; except in Vault B (7 µg/L), and Vault D (6 µg/L). The results were similar or less than historic results, which ranged from below the method detection limit to 220 µg/L at Vault A (11/13/1998) and Vault F (8/30/1995).
- TOC concentrations ranged from 2.2 mg/L in Vault F to 5.9 mg/L in Vault D. The results were similar or less than historic results, which ranged from 1.8 mg/L at Vault F (11/17/2008) to 140 mg/L at Vault A (3/27/1996).
- TSS concentrations were not detected above the method detection limit of 3 mg/L; except in Vault C (3 mg/L). The results were similar or less than historic results, which ranged from below the method detection limit to 7,100 mg/L at Vault F (11/11/1996).
- pH concentrations ranged from 6.16 in Vault A to 6.47 in Vault F. The results were within the range of the historic results, which ranged from 5.47 at Vault F (6/15/2005) to 10.01 at Vault A (1/17/2006).
- Specific conductivity ranged from 1,363 µs/cm in Vault A to 1,764 µs/cm in Vault C. The results were similar or less than historic results, which ranged from 340 µs/cm at Vault C (8/30/1995) to 3,250 µs/cm at Vault A (5/6/1999).

Sumps were not sampled during this event per the revised PCCP, and will be collected during the June semi-annual sampling event each year.


A duplicate sample was collected during this sample event from Vault C and exhibited values consistent with the original results.

There were no exceedances of the Shewart control limits (SCL) during this sampling event. No other trends or spikes were observed during this monitoring event. The Shewart control charts are included as [Appendix B](#).

The next semiannual sampling event will be completed in June 2018. If you have any questions, please feel free to contact Cliff at (313) 333-0211.

Very truly yours,

**O'BRIEN & GERE ENGINEERS, INC.**



Brian E. White, PE  
Senior Vice President

Very truly yours,

**O'BRIEN & GERE ENGINEERS, INC.**



Clifford S. Yantz  
Senior Hydrogeologist



**ENCLOSURES:**

Table 1 – Vaults Historical Analytical Results

Table 2 – Sump and Vault Field Data

Figure 1 – Site Location Map

Figure 2 – Site Layout

Appendix A – Analytical Laboratory Reports


Appendix B – Leak Detection Vault Control Charts

cc: David Favero – RACER Trust  
Kevin Schneider – OBG



I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

On Behalf of RACER Trust



---

Brian E. White, P.E.  
Senior Vice President – O'Brien & Gere Engineers, Inc.

Agent for RACER Trust

Date: February 26, 2018

---

cc: file



**TABLES**

**TABLE 1**  
**RACER Trust - Coldwater Road Landfill Facility**  
**Landfill Leak Detection Vaults - Historical Analytical Results**  
**Inorganics and Metals**

Vault	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)			
		TOC (mg/L)	TSS (mg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn
		<i>MDEQ Residential Drinking Water Criteria &amp; RBLS</i>					<i>100 (A)</i>	<i>1,000 (E)</i>	<i>100 (A)</i>	<i>2,400</i>
	23-Mar-95	4.6	<1	7.50	690	--	<20	<20	<40	180
	20-Jun-95	8.9	2.0	6.80	1900	--	24	21	<30	<20
	30-Aug-95	8.2	2.0	6.90	2000	--	<20	<20	<40	<20
	28-Nov-95	9.1	<1	7.00	1900	--	23	31	43	24
	27-Mar-96	140.0	<10	7.20	2000	--	<20	<20	46	<20
	18-Jun-96	12.0	<10	6.90	2000	--	<20	<20	<20	<20
	20-Aug-96	32.0	<5	7.10	1900	--	<20	<20	<20	30
	11-Nov-96	18.0	5.0	7.10	2000	--	<20	<20	30	60
	19-Feb-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-May-97	13.0	17.0	6.67	1940	9.7	<10	<10	71	90
	12-Aug-97	6.0	4.0	5.98	1810	12.8	<10	<10	88	60
	15-Nov-97	8.0	12.0	6.50	2000	12.0	<10	10	125	100
	9-Feb-98	6.0	8.0	6.40	1960	11.5	<10	<10	73	60
	14-May-98	12.0	15.0	6.90	1760	17.4	<10	20	13	200
	14-Aug-98	5.0	6.0	6.70	--	--	<10	<10	15	160
	13-Nov-98	5.0	12.0	6.50	1990	16.5	<10	<10	20	220
	19-Mar-99	5.7	8.0	6.80	1334	13.6	<10	10	14	60
	6-May-99	5.6	16.0	6.85	3250	26.2	<10	<10	15	20
	23-Jul-99	5.7	3.0	6.30	1470	18.9	<5	9	13	19
	22-Oct-99	5.0	3.0	5.86	1750	12.1	<10	<10	16	30
	14-Mar-00	5.6	<1	7.60	1410	10.7	<10	<10	15	20
	20-Jun-00	7.0	3.0	6.90	1410	18.3	<10	<10	12	20
	13-Sep-00	5.9	5.0	7.50	1650	15.1	<5	<10	14	20
	10-Nov-00	6.4	2.0	7.20	1470	11.8	<10	100	10	150
	12-Mar-01	6.0	1.0	7.43	1530	12.8	<10	<10	7	10
	24-May-01	9.4	10.0	7.56	1380	11.9	<10	<10	10	20
	31-Aug-01	5.3	10.6	7.49	1450	12.5	<5	<10	14	9
	16-Nov-01	5.1	3.0	6.77	1300	12.4	<10	<10	15	50
	8-Mar-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	31-May-02	2.4	54.0	7.23	1470	13.8	<10	<10	<5	40
	5-Sep-02	4.7	6.0	6.60	--	--	<5	<5	14	140
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	6.7	8.0	6.81	1290	12	<5	<5	9	99
	4-Jun-03	2.0	11.0	6.78	1370	11.3	<5	<5	10	<5
	5-Oct-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8-Dec-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Feb-04	NS	NS	NS	NS	NS	NS	NS	NS	NS
	30-Jun-04	4.5	55.0	6.99	1318	12.5	<5	<5	8	<5
	19-Nov-04	3.4	2.0	6.85	1120	11.4	6	<5	15	14
Duplicate	19-Nov-04	4.4	4.0	--	--	6	<5	<5	18	16
	15-Jun-05	6.0	8.0	6.00	1640	13.4	<5	<5	13	21
	17-Jan-06	5.9	12785	10.01	1630	8.4	<5	<5	13	8
Re-sample	14-Feb-06	--	--	7.88	1800	8.5	--	--	14	--
	29-Jun-06	NS	NS	NS	NS	NS	NS	NS	NS	NS
	28-Nov-06	4.7	438	7.73	1940	13.2	<5	<4	13	6
	6-Jun-07	4.9	11	6.76	1990	11.7	13	4	20	8
	12-Nov-07	5.9	70	6.76	2030	12.4	4	5	21	11
	24-Jun-08	5.0	371	6.89	2060	13.3	<5	<1	25	5
	17-Nov-08	5.8	23	6.06	2060	9.2	<5	<1	22	<5
	23-Jun-09	5.5	88	7.01	2050	13.6	<5	11	27	36
	17-Nov-09	6	8	7.07	2090	10.3	<5	<4	22	7
	14-Jun-10	6	10	7.05	2070	13.1	8	<4	16	6
	20-Jun-11	6.7	9	7.33	2010	12.2	30	<4	27	39
Re-sample	14-Jul-11	--	--	--	--	--	<5	--	--	--
	14-Nov-11	7.0	316	6.93	2080	11.5	<5	<4	20	<5
	25-Jun-12	6.0	6	5.75	1870	11.9	<5	4	25	<5
Duplicate	25-Jun-12	6.0	6	5.75	1872	11.9	<5	6	25	10
	5-Dec-12	5.8	2	6.76	1820	10.6	<5	<4	24	10
Duplicate	5-Dec-12	5.8	3	6.76	1814	10.6	<5	<4	24	8
	6-Jun-13	6.1	4	6.71	1882	11.0	<5	<4	22	<5
	4-Nov-13	5.0	<1	6.71	1630	11.2	<5	<4	18	<5
	23-Jun-14	5.0	3	6.82	1579	13.2	<5	<4	18	<5
	18-Nov-14	4.1	2	6.27	1525	6.6	<5	<4	25	20
	25-Jun-15	4.5	2	6.64	1507	11.2	<5	6	21	10
	17-Nov-15	3.6	1	6.64	1423	11.7	<5	<5	20	5
	21-Jun-16	3.8	<3	6.93	1364	12.0	<5	<5	14	<5
Duplicate	21-Jun-16	3.9	<3	6.93	1362	12.0	<5	<5	13	<5
	28-Nov-16	3.3	<3	6.82	1378	11.4	<5	<5	15	<5
	19-Jun-17	4.2	<3	6.90	1450	11.4	<5	<5	15	<5
	<b>6-Nov-17</b>	<b>3.6</b>	<b>&lt;3</b>	<b>6.16</b>	<b>1363</b>	<b>11.8</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>17</b>	<b>&lt;5</b>

See notes on page 7.



**TABLE 1**  
**RACER Trust - Coldwater Road Landfill Facility**  
**Landfill Leak Detection Vaults - Historical Analytical Results**  
**Inorganics and Metals**

Vault	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)			
		TOC (mg/L)	TSS (mg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn
		<i>MDEQ Residential Drinking Water Criteria &amp; RBLS</i>					<i>100 (A)</i>	<i>1,000 (E)</i>	<i>100 (A)</i>	<i>2,400</i>
	23-Mar-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	30-Aug-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	28-Nov-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Mar-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
Vault B	18-Jun-96	11.0	<10	6.90	1900	--	<20	<20	<20	<20
	20-Aug-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11-Nov-96	17.0	66.0	7.00	1600	--	<20	<20	20	40
	19-Feb-97	7.0	4	7.10	1590	8.9	<10	<10	43	20
	7-May-97	7.0	4	6.50	1930	13.8	<10	<10	45	20
	12-Aug-97	5.0	3.0	6.45	663	26.0	<10	<10	26	60
	15-Nov-97	6.0	4.0	6.80	1400	11.0	<10	<10	96	50
	9-Feb-98	7.0	8.0	6.60	1560	12.6	<10	<10	57	20
	14-May-98	6.0	3.0	6.90	1490	11.2	<10	<10	14	30
	14-Aug-98	4.0	7.0	6.60	--	--	<10	<10	10	14
	13-Nov-98	6.0	18.0	6.30	1940	20.6	<10	10	17	80
	19-Mar-99	4.2	6.0	6.50	817	14.2	<10	<10	5	<10
	6-May-99	5.6	4.0	7.00	1330	26.2	<10	10	6	20
	23-Jul-99	5.8	3.0	6.50	1070	16.2	<5	13	10	18
	22-Oct-99	5.0	5.0	6.23	1440	11.0	<10	<10	16	20
	14-Mar-00	6.6	<1	8.00	900	11.0	<10	<10	8	20
	20-Jun-00	7.1	7.0	6.80	1120	17.3	<10	30	9	30
	13-Sep-00	5.4	<1	7.40	1560	15.6	<5	10	8	20
	10-Nov-00	6.8	1.0	7.10	1280	11.6	<5	40	14	90
	12-Mar-01	5.2	5.0	7.36	1460	12.3	<10	<10	7	20
	24-May-01	8.5	10.0	7.58	1280	13.0	<10	20	12	40
	31-Aug-01	3.9	<1.3	7.78	1370	12.9	<5	<10	11	20
	16-Nov-01	5.7	2.0	7.12	1230	13.1	<10	10	8	60
	8-Mar-02	5.4	2.0	6.99	2400	8.5	<10	10	<5	70
	31-May-02	5.1	3.0	7.23	1070	14.2	<10	<10	<5	20
	5-Sep-02	4.8	4.0	6.70	--	--	<5	<5	8	84
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4-Jun-03	5.5	3.0	6.98	1530	10.1	<5	<5	7	<5
	5-Oct-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8-Dec-03	4.7	2.0	7.12	1490	11.5	<5	6	5	35
	8-Dec-03	4.7	7.0	--	--	--	<5	6	5	35
	27-Feb-04	4.0	12.0	7.42	1380	12.3	<5	5	<5	16
30-Jun-04	4.1	396.0	6.98	1210	11.8	<5	12	7	<5	
19-Nov-04	NS	NS	NS	NS	NS	NS	NS	NS	NS	
15-Jun-05	6.0	6.0	6.07	1560	12.8	<5	<5	14	20	
1-Dec-05	4.7	<1	6.87	1310	9.1	<5	<5	8	50	
Re-sample	14-Feb-06	--	--	7.70	1520	6.1	--	<4	--	
Duplicate	29-Jun-06	2.6	1.0	7.04	1050	13.9	<5	4	8	
	28-Nov-06	5.5	4.0	7.46	1380	13.0	<5	4	8	
Duplicate	28-Nov-06	4.7	--	7.17	1340	13.0	5	4	7	
	6-Jun-07	4.7	2.0	6.34	1670	12.1	9	6	13	
	12-Nov-07	3.8	1.0	6.93	1690	12.6	2	5	16	
	24-Jun-08	3.2	6.0	6.95	1880	14.0	<5	2	8	
	17-Nov-08	2.4	<1	6.89	1818	9.6	<5	2	8	
Duplicate	17-Nov-08	1.7	2.0	6.89	1820	9.6	<5	1	8	
	23-Jun-09	3.6	4.0	7.13	1780	13.3	<5	1	6	
	17-Nov-09	3	0	6.99	1970	10.9	<5	<4	9	
	14-Jun-10	3	2	6.90	1810	12.1	8	<4	5	
	8-Nov-10	4	3	6.93	1911	12.2	21	<4	11	
Re-sample	1-Dec-10	--	--	6.93	--	12.2	6	--	--	
	20-Jun-11	3.4	1	7.03	1496	12.2	28	<4	11	
Re-sample	14-Jul-11	--	--	--	--	--	<5	--	--	
	14-Nov-11	3.0	1	6.93	1948	12.0	<5	<4	7	
	25-Jun-12	3.0	4	6.16	1781	12.5	<5	<4	<5	
	5-Dec-12	3.2	5	6.85	1936	10.2	<5	6	9	
	6-Jun-13	3.2	<1	6.66	1455	10.8	<5	<4	6	
	4-Nov-13	3.0	1	6.74	1750	11.8	<5	<4	5	
	23-Jun-14	3.2	1	6.87	1369	12.3	<5	<4	<5	
	18-Nov-14	2.7	3	7.05	1656	7.1	<5	<4	13	
	25-Jun-15	3.0	<1	7.07	1513	13.4	<5	5	11	
	17-Nov-15	2.6	3	6.76	1635	11.7	<5	<5	9	
	21-Jun-16	2.7	<3	6.89	1176	13.7	<5	<5	<5	
	28-Nov-16	2.2	<3	6.78	1654	11.3	<5	<5	<5	
	19-Jun-17	2.5	<3	6.80	1110	11.6	<5	<5	<5	
	6-Nov-17	2.6	<3	6.28	1450	12.0	<5	<5	7	

See notes on page 7.



**TABLE 1**  
**RACER Trust - Coldwater Road Landfill Facility**  
**Landfill Leak Detection Vaults - Historical Analytical Results**  
**Inorganics and Metals**

Vault	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)			
		TOC (mg/L)	TSS (mg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn
		<i>MDEQ Residential Drinking Water Criteria &amp; RBLS</i>					<i>100 (A)</i>	<i>1,000 (E)</i>	<i>100 (A)</i>	<i>2,400</i>
	23-Mar-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-95	4.4	<1	7.40	530	--	25	25	<30	60
	30-Aug-95	3.7	<1	7.40	340	--	<20	<20	<40	74
	28-Nov-95	7.6	<1	7.00	2200	--	29	37	67	36
	27-Mar-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Jun-96	7.7	<10	6.90	2000	--	<20	<20	<20	<20
	20-Aug-96	8.3	<5	6.90	1900	--	<20	<20	<20	40
	11-Nov-96	16.0	9.0	7.00	2100	--	<20	<20	<20	80
	19-Feb-97	7.0	1.0	7.60	1610	9.0	<10	<10	45	30
	7-May-97	6.0	10.0	6.57	1730	12.5	<10	100	66	20
	8-Aug-97	4.0	13.0	6.34	1610	24.1	<10	<10	79	20
	15-Nov-97	6.0	4.0	6.70	2000	12.0	<10	<10	122	50
	9-Feb-98	8.0	4.0	6.50	1720	12.2	<10	<10	64	50
	14-May-98	6.0	3.0	6.90	1600	12.1	<10	<10	23	40
	14-Aug-98	6.0	5.0	6.80	--	--	<10	<10	23	40
	13-Nov-98	6.0	12.0	6.30	1760	21.4	<10	<10	21	30
	13-Nov-98	6.0	10.0	--	--	--	<10	<10	21	30
	19-Mar-99	6.3	2.0	7.00	1300	15.6	<10	<10	19	20
	6-May-99	6.1	8.0	6.90	1600	26.6	<10	10	20	20
	23-Jul-99	6.5	0.0	6.70	1370	17.3	<5	12	20	20
	22-Oct-99	6.4	5.0	6.57	1160	11.0	<10	<10	18	10
	14-Mar-00	6.5	1.0	7.80	1350	12.6	<10	<10	17	10
	20-Jun-00	6.0	4.0	6.90	1280	18.3	<10	140	19	170
	13-Sep-00	6.1	<1	7.60	1430	14.9	<5	<10	16	20
	10-Nov-00	10.6	4.0	6.80	1210	12.1	<10	<10	17	40
	12-Mar-01	6.3	4.0	7.69	1380	12.1	<10	<10	8	<10
	24-May-01	9.2	8.0	7.54	1410	13.3	<10	<10	17	30
	31-Aug-01	5.4	4.0	7.44	1530	13.1	<5	<10	16	20
	16-Nov-01	6.0	2.0	6.79	1170	13.2	<10	<10	15	60
	8-Mar-02	4.0	1.0	7.09	1680	11.3	<10	10	<5	20
	31-May-02	5.1	7.0	7.17	1280	14.2	<10	<10	14	40
	5-Sep-02	5.0	7.0	6.69	--	--	<5	<5	14	39
	12-Dec-02	4.2	7.0	6.90	1330	12.1	<5	<5	12	53
	18-Mar-03	5.7	4.0	6.80	1260	10.7	<5	<5	10	37
	4-Jun-03	4.4	6.0	6.92	1150	11.0	<5	<5	8	<5
	5-Oct-03	4.4	4.0	6.99	1230	13.6	<5	<5	14	28
	8-Dec-03	3.8	6.0	7.14	1520	11.6	<5	11	14	63
	27-Feb-04	4.6	1.0	7.39	1410	12.1	<5	<5	12	36
	30-Jun-04	3.7	14.0	6.96	1008	12.2	<5	<5	12	8
	19-Nov-04	4.3	4.0	6.90	1090	11.7	<5	<5	20	6
	15-Jun-05	5.0	6.0	6.26	1460	12.5	<5	<5	15	39
	1-Dec-05	5.9	2.0	6.92	1620	11.1	<5	<5	18	15
	29-Jun-06	2.6	5.0	6.90	2260	15.2	5	<4	10	11
	28-Nov-06	11.6	44.0	7.04	1430	13.4	<5	5	15	<5
	6-Jun-07	4.9	6.0	6.54	1510	12.2	9	5	11	6
	12-Nov-07	4.3	1.0	6.90	1490	13.2	2	5	16	12
	24-Jun-08	4.2	49.0	6.91	1620	13.4	<5	<1	9	<5
	17-Nov-08	4.4	6.0	6.79	1600	9.4	<5	<1	10	11
	23-Jun-09	4.6	9.0	7.16	1660	13.7	<5	<1	8	6
	17-Nov-09	5	15	7.11	1650	11.5	<5	<4	9	6
Duplicate	17-Nov-09	5	20	7.11	1650	11.5	<5	<4	9	6
	14-Jun-10	5	4	7.01	1710	12.4	7	<4	7	7
	8-Nov-10	6	7	7.16	1670	12.7	16	<4	11	<5
	20-Jun-11	5.4	5	7.28	1686	12.9	25	<4	15	22
Duplicate	20-Jun-11	5.9	5	7.28	1688	12.9	24	<4	14	21
Re-sample	14-Jul-11	--	--	--	--	--	<5	--	--	--
	14-Nov-11	5.0	5	6.97	1699	12.4	<5	<4	10	<5
	25-Jun-12	5.0	7	6.83	1748	13.0	<5	<4	6	<5
	5-Dec-12	5.4	1	6.91	1713	11.1	<5	11	16	9
	6-Jun-13	5.4	22	6.66	1744	12.2	<5	<4	10	6
	4-Nov-13	5.3	1	6.84	1703	11.8	<5	<4	8	<5
	23-Jun-14	5.7	4	7.01	1759	12.3	<5	5	10	<5
	18-Nov-14	4.6	4	7.09	1724	7.4	<5	<4	18	5
	25-Jun-15	5.1	6	6.87	1788	12.4	<5	6	14	8
	17-Nov-15	4.4	0	6.84	1706	12.1	<5	<5	17	<5
	21-Jun-16	5.0	6	6.82	1795	14.5	<5	<5	11	6
	28-Nov-16	4.9	4	6.89	1808	11.1	<5	<5	9	<5
	19-Jun-17	5.0	3	6.88	1805	12.2	<5	<5	11	<5
	6-Nov-17	4.9	3	6.36	1764	11.7	<5	<5	10	<5
Duplicate	6-Nov-17	4.9	<3	6.36	1761	11.7	<5	<5	10	<5

See notes on page 7.



**TABLE 1**  
**RACER Trust - Coldwater Road Landfill Facility**  
**Landfill Leak Detection Vaults - Historical Analytical Results**  
**Inorganics and Metals**

Vault	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)			
		TOC (mg/L)	TSS (mg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn
		MDEQ Residential Drinking Water Criteria & RBSLs					100 (A)	1,000 (E)	100 (A)	2,400
	23-Mar-95	8.9	83.0	7.30	2200		13	<20	44	<20
	20-Jun-95	NS	NS	NS	NS		NS	NS	NS	NS
	30-Aug-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	28-Nov-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Mar-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
Vault D	18-Jun-96	11.0	150.0	6.90	1800	--	<20	<20	<20	20
	20-Aug-96	40.0	<5	7.20	1600	--	<20	<20	<20	40
	11-Nov-96	23.0	9.0	7.00	1700	--	<20	<20	40	70
	19-Feb-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-May-97	23.0	76.0	6.69	1580	8.8	<10	<10	58	70
	8-Aug-97	11.0	44.0	6.48	1540	28.5	<10	<10	79	20
	15-Nov-97	12.0	6.0	6.60	1800	11.0	<10	<10	114	30
	9-Feb-98	12.0	52.0	6.50	1655	12.5	<10	<10	66	40
	14-May-98	10.0	40.0	7.00	1700	16.3	<10	30	23	50
	14-Aug-98	11.0	57.0	6.60	--	--	<10	<10	23	40
	13-Nov-98	11.0	22.0	6.70	1790	15.2	<10	<10	20	30
	19-Mar-99	6.3	2.0	7.00	1302	14.8	<10	30	20	40
	6-May-99	12.4	28.0	6.90	1510	25.2	<10	30	15	30
	23-Jul-99	11.0	40.0	7.00	1231	21.0	<5	9	21	19
	22-Oct-99	10.6	13.0	6.76	1384	10.3	<10	<10	23	20
	14-Mar-00	10.7	57.0	7.80	1460	13.0	<10	<10	15	20
	20-Jun-00	10.1	23.0	6.80	1410	18.7	<10	60	21	70
	13-Sep-00	10.7	7.0	7.60	1370	16.1	<5	<10	21	20
	10-Nov-00	7.0	10.0	7.20	1630	12.2	<10	<10	23	20
	12-Mar-01	5.6	33.0	7.84	1710	12.9	<10	<10	11	10
	24-May-01	12.0	16.0	7.48	1760	13.1	<10	10	18	30
	31-Aug-01	9.8	8.0	7.66	1420	12.8	5	<10	24	20
	16-Nov-01	7.4	20.0	7.58	1270	12.9	<10	10	17	50
8-Mar-02	8.4	3.0	7.18	1430	10.9	<10	10	<5	10	
31-May-02	NS	NS	NS	NS	NS	NS	NS	NS	NS	
5-Sep-02	NS	NS	NS	NS	NS	NS	NS	NS	NS	
12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS	
18-Mar-03	8.9	15.0	6.77	1380	11.6	<5	5.0	10.0	19	
4-Jun-03	9.6	5.0	6.91	1430	11.0	<5	<5	8	<5	
5-Oct-03	NS	NS	NS	NS	NS	NS	NS	NS	NS	
8-Dec-03	6.1	4.0	6.92	1330	11.0	8	17	14	63	
27-Feb-04	NS	NS	NS	NS	NS	NS	NS	NS	NS	
30-Jun-04	6.5	5.0	6.96	1050	12.1	<5	<5	30	9	
19-Nov-04	NS	NS	NS	NS	NS	NS	NS	NS	NS	
15-Jun-05	6.0	6.0	5.90	1540	12.9	<5	<5	25	17	
17-Jan-06	6.2	8.0	7.34	1600	7.9	6	14	37	<5	
14-Feb-06	--	--	7.96	1520	9.2	--	--	--	--	
29-Jun-06	5.9	51.0	6.98	1570	13.9	6	<4	26	14	
28-Nov-06	7.2	13.0	7.18	1590	13.1	<5	<4	17	7	
6-Jun-07	6.9	7.0	7.30	1530	14.2	9	5	34	8	
12-Nov-07	7.3	5.0	6.91	1580	12.3	3	5	23	12	
Duplicate	12-Nov-07	6.0	7.0	6.91	1570	12.3	3	5	23	9
	24-Jun-08	4.1	4.0	6.87	1570	15.4	<5	<1	35	<5
17-Nov-08	5.6	10.0	7.42	1580	8.0	<5	1	17	6	
23-Jun-09	7.0	20.0	7.17	1570	13.7	<5	<1	34	5	
17-Nov-09	6.0	7	7.28	1610	11.5	<5	<4	16	7	
Duplicate	14-Jun-10	7.0	35	7.10	1550	11.9	8	<4	32	11
	14-Jun-10	7.0	1	7.10	1550	11.9	7	<4	33	11
8-Nov-10	9.0	31	7.41	1555	13.4	19	<4	18	<5	
14-Jul-11	--	--	7.23	--	18.0	<5	<4	40	<5	
14-Nov-11	9.0	5	7.04	1513	11.8	<5	<4	25	<5	
25-Jun-12	5.0	3	5.70	1367	14.5	<5	<5	29	15	
5-Dec-12	7.3	3	7.11	1471	10.4	<5	11	33	22	
6-Jun-13	7.5	3	6.76	1534	11.5	<5	5	18	75	
4-Nov-13	7.2	<1	7.03	1565	11.8	<5	4	13	7	
Duplicate	4-Nov-13	7.6	<1	7.03	1562	11.8	<5	<4	13	9
	23-Jun-14	8.0	7	7.10	1592	12.2	<5	4	15	9
Duplicate	23-Jun-14	7.9	2	7.10	1591	12.2	<5	<4	16	8
	18-Nov-14	6.2	2	7.02	1635	7.6	<5	10	20	11
Duplicate	18-Nov-14	6.0	<1	7.02	1640	7.6	<5	5	21	12
	25-Jun-15	6.9	3	6.93	1643	11.8	<5	8	23	17
17-Nov-15	5.7	3	6.84	1729	12.2	<5	<5	17	10	
21-Jun-16	6.9	3	7.04	1656	14.7	<5	6	13	10	
28-Nov-16	5.2	<3	6.91	1659	10.7	<5	6	17	9	
19-Jun-17	7.3	<3	6.83	1655	16.7	<5	<5	15	10	
6-Nov-17	5.9	<3	6.44	1650	11.7	<5	<5	12	6	

See notes on page 7.



**TABLE 1**  
**RACER Trust - Coldwater Road Landfill Facility**  
**Landfill Leak Detection Vaults - Historical Analytical Results**  
**Inorganics and Metals**

Vault	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)			
		TOC (mg/L)	TSS (mg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn
		<i>MDEQ Residential Drinking Water Criteria &amp; RBLS</i>					<i>100 (A)</i>	<i>1,000 (E)</i>	<i>100 (A)</i>	<i>2,400</i>
	23-Mar-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	30-Aug-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	28-Nov-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
Vault E	27-Mar-96	110.0	<10	7.20	2000	--	<20	<20	46	<20
	18-Jun-96	9.0	76.0	7.00	2400	--	<20	<20	NS	<20
	4-Oct-96	5.9	19.0	6.90	2000	--	<20	<20	<20	20
	11-Nov-96	12.0	11.0	7.00	1800	--	<20	<20	<20	30
	19-Feb-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7-May-97	7.0	2.0	6.33	2120	15.6	<10	<10	35	30
	12-Aug-97	5.0	27.0	6.70	1840	14.9	<10	<10	64	40
	15-Nov-97	5.0	12.0	6.50	2100	11.0	<10	<10	116	40
	9-Feb-98	6.0	4.0	6.60	1950	12.6	<10	<10	54	50
	14-May-98	6.0	32.0	7.10	1850	13.5	<10	<10	7	60
	14-Aug-98	4.0	8.0	6.70	--	--	<10	<10	8	40
	30-Nov-98	3.0	14.0	--	--	--	10	<10	46	60
	19-Mar-99	4.8	20.0	6.50	1302	14.3	<10	20	6	30
	6-May-99	8.2	14.0	6.90	1720	27.4	<10	<10	5	20
	23-Jul-99	4.6	9.0	6.50	1468	21.8	<5	11	6	19
	22-Oct-99	3.5	6.0	6.33	1382	11.0	<10	<10	6	20
	14-Mar-00	5.6	48.0	8.00	1500	13.9	<10	<10	5	10
	20-Jun-00	6.3	22.0	6.90	1430	19.6	<10	30	<5	30
	13-Sep-00	4.1	5.0	7.70	1360	15.7	<5	<10	5	20
	10-Nov-00	4.3	4.0	7.50	1290	11.8	<10	40	5	60
	12-Mar-01	5.4	9.0	7.33	--	12.7	<10	<10	5	10
	24-May-01	8.6	10.0	7.52	1900	13.6	<10	10	6	40
	31-Aug-01	5.7	5.3	7.58	1810	13.2	<5	10	6	70
	16-Nov-01	3.6	<1.0	7.46	1630	12.8	<10	10	6	60
	8-Mar-02	6.0	<1.0	7.01	1570	9.8	<10	10	6	90
	31-May-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5-Sep-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4-Jun-03	5.1	6.0	6.92	1470	11.0	<5	6.0	<5	50
	5-Oct-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8-Dec-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Feb-04	5.4	4.0	7.61	1190	12.1	<5	6	7	43
30-Jun-04	4.9	390	6.91	1337	12.7	<5	<5	6	43	
19-Nov-04	4.3	3	7.06	1230	11.4	<5	7	22	11	
15-Jun-05	7.0	3	6.77	1790	12.6	<5	<5	12	31	
1-Dec-05	3.7	<1	7.10	1630	10.9	<5	66	<5	73	
29-Jun-06	5.8	8.0	6.94	1790	14.0	5	4	6	13	
28-Nov-06	6.3	134.0	7.51	1680	13.1	5	5	<5	10	
6-Jun-07	4.6	3.0	6.48	1820	12.7	9	7	<5	9	
Duplicate	6-Jun-07	4.8	3.0	--	1820	--	10	5	<5	8
	12-Nov-07	3.9	4.0	6.80	1740	12.0	2	4	11	13
	24-Jun-08	6.0	2.0	6.76	1860	13.9	<5	2	<5	6
	17-Nov-08	4.1	1.0	7.43	1630	10.3	<5	2	<5	19
	23-Jun-09	3.2	10.0	6.79	1950	14.0	<5	2	<5	15
Duplicate	23-Jun-09	3.0	17.0	6.79	1960	14.0	<5	2	<5	14
	17-Nov-09	5.0	9	6.89	1780	11.2	<5	<4	<5	14
	14-Jun-10	4.0	21	6.85	1910	12.5	9	<4	<5	13
	8-Nov-10	5.0	<1	7.02	1714	12.4	24	<4	<5	7
Duplicate	8-Nov-10	5.0	3	7.02	1715	12.4	20	<4	<5	7
	20-Jun-11	3.4	5	6.91	1711	13.0	29	<4	10	15
Re-sample	14-Jul-11	--	--	--	--	--	<5	--	--	--
	14-Nov-11	4.0	9	6.89	1637	11.7	<5	<4	<5	<5
Duplicate	14-Nov-11	3.0	5	6.89	1635	11.7	<5	<4	<5	<5
	25-Jun-12	3.0	3	6.00	1792	12.9	<5	<4	<5	7
	5-Dec-12	3.4	0	6.77	1776	10.4	<5	<4	6	11
	6-Jun-13	3.3	8	6.54	1397	10.6	<5	6	<5	<5
	4-Nov-13	3.0	2	6.74	1741	12.0	<5	4	12	9
	23-Jun-14	3.3	<1	6.88	1677	11.7	<5	<4	<5	<5
	18-Nov-14	3.0	2	7.08	1747	7.5	<5	<4	10	6
	25-Jun-15	2.9	4	6.88	1456	12.6	<5	<5	7	8
Duplicate	25-Jun-15	2.9	3	6.88	1460	12.6	<5	<5	7	7
	17-Nov-15	2.7	2	6.80	1435	12.9	<5	<5	5	<5
	21-Jun-16	2.6	<3	6.75	1408	13.9	<5	<5	<5	5
	28-Nov-16	2.3	<3	6.88	1502	11.3	<5	<5	<5	<5
	19-Jun-17	2.6	3	6.79	1431	11.9	<5	<5	<5	<5
	19-Jun-17	2.7	<3	6.79	1430	11.9	<5	<5	<5	<5
	6-Nov-17	2.5	<3	6.37	1465	11.8	<5	<5	<5	<5

See notes on page 7.



**TABLE 1**  
**RACER Trust - Coldwater Road Landfill Facility**  
**Landfill Leak Detection Vaults - Historical Analytical Results**  
**Inorganics and Metals**

Vault	Sample Date	Indicator Parameters					Dissolved Metals (µg/L)			
		TOC (mg/L)	TSS (mg/L)	pH	SpC	Temp	Cr	Cu	Ni	Zn
		MDEQ Residential Drinking Water Criteria & RBLS					100 (A)	1,000 (E)	100 (A)	2,400
	23-Mar-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	20-Jun-95	8.2	<1	6.80	1400	--	<20	<20	<30	190
	30-Aug-95	6.1	<1	6.80	1100	NS	<20	<20	<40	220
	28-Nov-95	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Mar-96	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Jun-96	6.2	77.0	6.80	1600	--	<20	<20	<20	<20
	20-Aug-96	4.8	1500.0	7.10	1500	--	<20	20	<20	50
	11-Nov-96	14.0	7100.0	7.00	1600	--	<20	<20	<20	30
	19-Feb-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-May-97	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8-Aug-97	3.0	21.0	6.14	1530	20.6	<10	<10	64	20
	15-Nov-97	7.0	56.0	6.70	1800	13.0	<10	<10	93	130
	9-Feb-98	5.0	30.0	6.50	1750	13.5	<10	<10	49	160
	14-May-98	5.0	16.0	7.07	1400	25.4	<10	20	7	130
	14-Aug-98	3.0	25.0	6.60	--	--	<10	<10	7	40
	30-Nov-98	4.0	38.0	--	--	--	10	<10	47	30
	19-Mar-99	4.2	52.0	6.80	982	14.4	<10	20	9	20
	6-May-99	4.6	50.0	7.00	1460	28.0	<10	10	5	30
	23-Jul-99	3.7	95.0	6.30	1262	21.2	6	17	6	26
	22-Oct-99	3.7	12.0	6.29	1116	12.3	<10	<10	6	20
	14-Mar-00	5.4	81.0	8.00	1250	14.9	<10	<10	6	30
	20-Jun-00	4.4	66.0	7.10	1310	20.1	<10	40	<5	80
	13-Sep-00	3.0	11.0	7.40	1440	15.6	<5	<10	6	20
	10-Nov-00	3.9	41.0	6.80	1040	11.6	<10	60	5	100
	12-Mar-01	5.5	24.0	7.12	1110	12.3	<10	<10	5	10
	24-May-01	7.4	16.0	7.44	1470	12.8	<10	60	5	100
	31-Aug-01	NS	NS	NS	NS	NS	NS	NS	NS	NS
	16-Nov-01	4.2	68.0	7.26	1110	12.9	<10	40	<5	100
	8-Mar-02	4.4	11.0	6.92	1290	10.4	<10	10	<5	60
	31-May-02	2.4	45.0	7.17	1200	14.3	<10	<10	6	20
	5-Sep-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12-Dec-02	NS	NS	NS	NS	NS	NS	NS	NS	NS
	18-Mar-03	3.7	7.0	6.78	1270	12.4	<5	19	<5	119
	4-Jun-03	2.5	4.0	6.92	1300	10.9	<5	<5	<5	<5
	5-Oct-03	3.9	5.0	6.88	1040	13.5	<5	11	5	66
	8-Dec-03	NS	NS	NS	NS	NS	NS	NS	NS	NS
	27-Feb-04	3.9	7.0	7.11	1920	12.2	<5	5	<5	30
	30-Jun-04	3.5	1.0	6.89	1300	12.0	<5	5	<5	10
	30-Jun-04	3.5	1.0	6.89	1300	12.0	<5	5	<5	10
	19-Nov-04	3.2	4.0	7.07	1160	11.0	<5	<5	15	8
	15-Jun-05	4.0	8.0	5.47	1780	12.3	<5	<5	9	17
	1-Dec-05	3.7	3.0	6.92	1640	10.7	<5	83	<5	62
Duplicate	7-Dec-05	4.7	5.0	--	1540	--	<5	31	19	<10
Re-sample	14-Feb-06	--	--	7.90	1710	7.2	--	<4	--	--
	29-Jun-06	2.9	90.0	6.72	1710	15.3	7	<4	<5	9
	28-Nov-06	4.4	3.0	7.04	1610	13.9	5	<4	<5	10
	6-Jun-07	3.9	2.0	6.44	1640	15.5	10	3	<5	8
	12-Nov-07	2.2	53.0	6.84	1600	12.2	2	3	9	11
	24-Jun-08	2.3	5.0	6.86	1510	14.5	<5	<1	<5	<5
Duplicate	24-Jun-08	2.8	3.0	6.86	1500	14.5	<5	<1	<5	<5
	17-Nov-08	1.8	9.0	7.20	1510	9.5	<5	<1	<5	15
	23-Jun-09	2.9	29.0	7.08	1530	13.1	<5	<1	<5	10
	17-Nov-09	3	16	7.03	1550	11.0	<5	<4	<5	11
	14-Jun-10	3	14	7.02	1540	12.1	6	<4	<5	17
	8-Nov-10	3	2	7.00	1590	12.3	16	<4	<5	14
	20-Jun-11	2.5	47	7.03	1642	14.6	23	<4	9	20
Re-sample	14-Jul-11	--	--	--	--	--	<5	--	--	--
	14-Nov-11	2.0	29	6.93	1651	11.4	<5	<4	<5	<5
	25-Jun-12	--	--	--	--	--	--	--	--	--
	5-Dec-12	2.8	7	6.69	1729	9.9	<5	<4	6	12
	6-Jun-13	2.7	2	6.78	1761	10.8	<5	<4	6	6
Duplicate	6-Jun-13	2.9	<1	6.78	1759	10.8	<5	<4	<5	6
	4-Nov-13	2.6	1	6.83	1736	11.6	<5	<4	<5	<5
	23-Jun-14	2.6	3	7.15	1710	13.3	<5	<4	<5	<5
	18-Nov-14	2.4	2	7.13	1724	7.4	<5	<4	10	8
	25-Jun-15	2.3	3	7.08	1669	14.0	<5	<5	7	9
	17-Nov-15	2.1	1	6.95	1686	13.5	<5	<5	6	6
Duplicate	17-Nov-15	2.1	1	6.95	1686	13.5	<5	<5	6	6
	21-Jun-16	2.4	<3	7.03	1640	14.2	<5	<5	<5	6
	28-Nov-16	1.9	3	6.84	1641	11.1	<5	<5	<5	<5
Duplicate	28-Nov-16	1.9	<3	6.84	1640	11.1	<5	<5	<5	6
	19-Jun-17	2.4	<3	6.89	1675	11.8	<5	<5	<5	<5
	6-Nov-17	2.2	<3	6.47	1626	11.0	<5	<5	<5	<5

See notes on page 7.

- Notes: "<" - Not detected above specified detection limit.
- "NS" - Not sampled - no liquid.
- "SpC" - Specific conductivity in micro siemens (µS).
- "Temp" - Temperature in degrees celsius.
- "-" - Physical parameter not measured (instrument failure or duplicate sample).
- Exceeds MDEQ Residential Drinking Water Criteria
- "A" - Criterion is the state of Michigan drinking water standard established pursuant to Section 5 of 1976 PA 399, MCL 325.1005.
- "E" - Criterion is the aesthetic drinking water value, as required by Section 20120a(5) of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (NREPA)



TABLE 2						
RACER Trust - Coldwater Road Landfill Facility						
Landfill Leak Detection Sump and Vault Field Data						
<i>Name</i>	<i>DTW</i>	<i>Color</i>	<i>Temp</i>	<i>Spc (mS/cm)</i>	<i>pH</i>	<i>Sample Time</i>
Sump A	20.80	--	--	--	--	--
Sump B	13.78	--	--	--	--	--
Sump C	17.05	--	--	--	--	--
Sump D	19.95	--	--	--	--	--
Sump E	20.30	--	--	--	--	--
Sump F	19.12	--	--	--	--	--
<i>Name</i>	<i>DTW</i>	<i>Color</i>	<i>Temp</i>	<i>Spc (mS/cm)</i>	<i>pH</i>	<i>Sample Time</i>
Vault A	--	clear	11.8	1.29	6.16	9:55
Vault B	--	clear	12.0	1.31	6.28	10:10
Vault C	--	clear	11.7	1.58	6.36	10:25
Vault D	--	clear	11.7	1.50	6.44	10:45
Vault E	--	clear	11.8	1.33	6.37	11:05
Vault F	--	clear	11.0	1.48	6.47	11:25


Notes:

DUP-1 collected at Vault C

Samples collected on 11/6/2017



**FIGURES**



PLOTDATE: 08/22/11 3:19:42 PM schmekb

I:\Racer-Trust\_15388\64737\_Coldwater-Rd-L-1\Docs\Reports\LD\Semi-Annual - Jun-17\Figures\001 - Site\_Location A Rpts (2016-11).mxd




RACER TRUST  
 COLDWATER ROAD LANDFILL FACILITY  
 FLINT, MICHIGAN

**SITE LOCATION MAP**





PLOTDATE: 02/10/15 1:31:49 PM schneikb

I:\Racer-Trust-1538864737-Coldwater-Rd-LIDocs\Reports\LDS\Semi-Annual - Jun-17\Figures\002 - Site\_Layout 2016 A Rpts (LDS-Rpt) (2016-11).mxd




**LEGEND**

-  LEACHATE COLLECTION SUMP
-  ACCESS PORT FOR LEAK DETECTION VAULT

RACER TRUST  
COLDWATER ROAD  
LANDFILL FACILITY  
FLINT, MICHIGAN

**SITE LAYOUT**



15388/64737-002  
JULY 2017



O'BRIEN & GERE ENGINEERS, INC.



**APPENDIX A**  
**Analytical Laboratory**  
**Reports**



# Analytical Laboratory Report

Report ID: S84970.01(01)  
Generated on 11/16/2017

Report to

Attention: Clifford Yantz  
O'Brien & Gere Engineers, Inc.  
37000 Grand River Ave.  
Suite 260  
Farmington, MI 48335

Phone: 248-477-5701 FAX:  
Email: Clifford.Yantz@obg.com

Report produced by

Merit Laboratories, Inc.  
2680 East Lansing Drive  
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:  
John Lavery (johnlavery@meritlabs.com)  
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S84970.01-S84970.07  
Project: RACER Coldwater Rd Landfill Annual Sampling  
Collected Date: 11/06/2017  
Submitted Date/Time: 11/06/2017 16:40  
Sampled by: Kevin Schneider  
P.O. #: 11700139

Table of Contents

- Cover Page (Page 1)
- General Report Notes (Page 2)
- Report Narrative (Page 2)
- Laboratory Certifications (Page 3)
- Qualifier Descriptions (Page 3)
- Glossary of Abbreviations (Page 3)
- Method Summary (Page 4)
- Sample Summary (Page 5)

Maya Murshak  
Technical Director



# Analytical Laboratory Report

## **General Report Notes**

---

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (\*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

## **Report Narrative**

---

There is no additional narrative for this analytical report



# Analytical Laboratory Report

## Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001

## Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

## Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods



# Analytical Laboratory Report

## Method Summary

Method	Version
E120.1	EPA Method 120.1 Revision 1982
E200.8	EPA Method 200.8 Revision 5.4
SM2540D	Standard Method 2540 D 20th Edition
SM5310C	Standard Method 5310C 20th Edition
SW3015A	SW 846 Method 3015A Revision 1 February 2007



# Analytical Laboratory Report

## Sample Summary (7 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S84970.01	Vault A	Wastewater	11/06/17 09:55
S84970.02	Vault B	Wastewater	11/06/17 10:10
S84970.03	Vault C	Wastewater	11/06/17 10:25
S84970.04	Vault D	Wastewater	11/06/17 10:45
S84970.05	Vault E	Wastewater	11/06/17 11:05
S84970.06	Vault F	Wastewater	11/06/17 11:25
S84970.07	Dup-1	Wastewater	11/06/17 00:01



# Analytical Laboratory Report

**Lab Sample ID: S84970.01**

Sample Tag: Vault A

Collected Date/Time: 11/06/2017 09:55

Matrix: Wastewater

COC Reference: 108779

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.6	IR
1	125ml Plastic	HNO3	Yes	5.6	IR
2	40ml Glass	H2SO4	Yes	5.6	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
<b>Extraction / Prep.</b>								
Metal Digestion	Completed			SW3015A	11/07/17 14:00	CCM		
<b>Inorganics</b>								
Conductivity	1,363	umhos/cm		E120.1	11/08/17 16:10	JKB		
TOC	3.6	mg/L	1	SM5310C	11/09/17 13:48	JKB		
Total Suspended Solids	Not detected	mg/L	3	SM2540D	11/13/17 11:50	ASB		
<b>Metals</b>								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:39	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:39	CCM	7440-50-8	
Nickel, Dissolved	0.017	mg/L	0.005	E200.8	11/07/17 15:39	CCM	7440-02-0	
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:39	CCM	7440-66-6	



# Analytical Laboratory Report

**Lab Sample ID: S84970.02**

Sample Tag: Vault B

Collected Date/Time: 11/06/2017 10:10

Matrix: Wastewater

COC Reference: 108779

**Sample Containers**

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.6	IR
1	125ml Plastic	HNO3	Yes	5.6	IR
2	40ml Glass	H2SO4	Yes	5.6	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
<b>Extraction / Prep.</b>								
Metal Digestion	Completed			SW3015A	11/07/17 14:00	CCM		
<b>Inorganics</b>								
Conductivity	1,450	umhos/cm		E120.1	11/08/17 16:14	JKB		
TOC	2.6	mg/L	1	SM5310C	11/09/17 14:34	JKB		
Total Suspended Solids	Not detected	mg/L	3	SM2540D	11/13/17 11:50	ASB		
<b>Metals</b>								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:42	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:42	CCM	7440-50-8	
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:42	CCM	7440-02-0	
Zinc, Dissolved	0.007	mg/L	0.005	E200.8	11/07/17 15:42	CCM	7440-66-6	



# Analytical Laboratory Report

**Lab Sample ID: S84970.03**

Sample Tag: Vault C

Collected Date/Time: 11/06/2017 10:25

Matrix: Wastewater

COC Reference: 108779

**Sample Containers**

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.6	IR
1	125ml Plastic	HNO3	Yes	5.6	IR
2	40ml Glass	H2SO4	Yes	5.6	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
<b>Extraction / Prep.</b>								
Metal Digestion	Completed			SW3015A	11/07/17 14:00	CCM		
<b>Inorganics</b>								
Conductivity	1,764	umhos/cm		E120.1	11/08/17 16:16	JKB		
TOC	4.9	mg/L	1	SM5310C	11/09/17 13:43	JKB		
Total Suspended Solids	3	mg/L	3	SM2540D	11/13/17 11:50	ASB		
<b>Metals</b>								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:45	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:45	CCM	7440-50-8	
Nickel, Dissolved	0.010	mg/L	0.005	E200.8	11/07/17 15:45	CCM	7440-02-0	
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:45	CCM	7440-66-6	



# Analytical Laboratory Report

**Lab Sample ID: S84970.04**

Sample Tag: Vault D

Collected Date/Time: 11/06/2017 10:45

Matrix: Wastewater

COC Reference: 108779

**Sample Containers**

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.6	IR
1	125ml Plastic	HNO3	Yes	5.6	IR
2	40ml Glass	H2SO4	Yes	5.6	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
<b>Extraction / Prep.</b>								
Metal Digestion	Completed			SW3015A	11/07/17 14:00	CCM		
<b>Inorganics</b>								
Conductivity	1,650	umhos/cm		E120.1	11/08/17 16:18	JKB		
TOC	5.9	mg/L	1	SM5310C	11/09/17 16:06	JKB		
Total Suspended Solids	Not detected	mg/L	3	SM2540D	11/13/17 11:50	ASB		
<b>Metals</b>								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:47	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:47	CCM	7440-50-8	
Nickel, Dissolved	0.012	mg/L	0.005	E200.8	11/07/17 15:47	CCM	7440-02-0	
Zinc, Dissolved	0.006	mg/L	0.005	E200.8	11/07/17 15:47	CCM	7440-66-6	



# Analytical Laboratory Report

**Lab Sample ID: S84970.05**

Sample Tag: Vault E

Collected Date/Time: 11/06/2017 11:05

Matrix: Wastewater

COC Reference: 108779

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.6	IR
1	125ml Plastic	HNO3	Yes	5.6	IR
2	40ml Glass	H2SO4	Yes	5.6	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
<b>Extraction / Prep.</b>								
Metal Digestion	Completed			SW3015A	11/07/17 14:00	CCM		
<b>Inorganics</b>								
Conductivity	1,465	umhos/cm		E120.1	11/08/17 16:20	JKB		
TOC	2.5	mg/L	1	SM5310C	11/09/17 16:30	JKB		
Total Suspended Solids	Not detected	mg/L	3	SM2540D	11/13/17 11:50	ASB		
<b>Metals</b>								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:50	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:50	CCM	7440-50-8	
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:50	CCM	7440-02-0	
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 15:50	CCM	7440-66-6	



# Analytical Laboratory Report

**Lab Sample ID: S84970.06**

Sample Tag: Vault F

Collected Date/Time: 11/06/2017 11:25

Matrix: Wastewater

COC Reference: 108779

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.6	IR
1	125ml Plastic	HNO3	Yes	5.6	IR
2	40ml Glass	H2SO4	Yes	5.6	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
<b>Extraction / Prep.</b>								
Metal Digestion	Completed			SW3015A	11/07/17 14:00	CCM		
<b>Inorganics</b>								
Conductivity	1,626	umhos/cm		E120.1	11/08/17 16:22	JKB		
TOC	2.2	mg/L	1	SM5310C	11/09/17 16:53	JKB		
Total Suspended Solids	Not detected	mg/L	3	SM2540D	11/13/17 11:50	ASB		
<b>Metals</b>								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 16:04	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 16:04	CCM	7440-50-8	
Nickel, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 16:04	CCM	7440-02-0	
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 16:04	CCM	7440-66-6	



# Analytical Laboratory Report

**Lab Sample ID: S84970.07**

Sample Tag: Dup-1

Collected Date/Time: 11/06/2017 00:01

Matrix: Wastewater

COC Reference: 108779

**Sample Containers**

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	500ml Plastic	None	Yes	5.6	IR
1	125ml Plastic	HNO3	Yes	5.6	IR
2	40ml Glass	H2SO4	Yes	5.6	IR

Analysis	Results	Units	RL	Method	Run Date/Time	Tech	CAS #	Flags
<b>Extraction / Prep.</b>								
Metal Digestion	Completed			SW3015A	11/07/17 14:00	CCM		
<b>Inorganics</b>								
Conductivity	1,761	umhos/cm		E120.1	11/08/17 16:24	JKB		
TOC	4.9	mg/L	1	SM5310C	11/09/17 17:16	JKB		
Total Suspended Solids	Not detected	mg/L	3	SM2540D	11/13/17 11:50	ASB		
<b>Metals</b>								
Chromium, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 16:06	CCM	7440-47-3	
Copper, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 16:06	CCM	7440-50-8	
Nickel, Dissolved	0.010	mg/L	0.005	E200.8	11/07/17 16:06	CCM	7440-02-0	
Zinc, Dissolved	Not detected	mg/L	0.005	E200.8	11/07/17 16:06	CCM	7440-66-6	



**Merit**  
Laboratories, Inc.

2680 East Lansing Dr., East Lansing, MI 48823  
Phone (517) 332-0167 Fax (517) 332-4034  
www.meritlabs.com

C.O.C. PAGE # 1 OF 1

108779

**REPORT TO**

**CHAIN OF CUSTODY RECORD**

**INVOICE TO**

CONTACT NAME Clifford Yantz  
 COMPANY O'Brien & Gere  
 ADDRESS 3700 Grand River  
 CITY Farmington Hills STATE Mi ZIP CODE 48335  
 PHONE NO. 248-477-5701 FAX NO. 248-477-5962 P.O. NO. 11700139  
 E-MAIL ADDRESS clifford.yantz@obg.com QUOTE NO.

CONTACT NAME  SAME  
 COMPANY  
 ADDRESS  
 CITY STATE ZIP CODE  
 PHONE NO. E-MAIL ADDRESS

**ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)**

PROJECT NO./NAME RACER Coldwater Rd Landfill Annual sampling SAMPLER(S) - PLEASE PRINT/SIGN NAME Kevin Schneider KSK  
 TURNAROUND TIME REQUIRED  1 DAY  2 DAYS  3 DAYS  STANDARD  OTHER  
 DELIVERABLES REQUIRED  STD  LEVEL II  LEVEL III  LEVEL IV  EDD  OTHER

MATRIX CODE: GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID  
 SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIFE A=AIR W=WASTE

# Containers & Preservatives

MERIT LAB NO. <small>FOR LAB USE ONLY</small>	YEAR		SAMPLE TAG IDENTIFICATION-DESCRIPTION	MATRIX	# OF BOTTLES	NONE	HCl	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH	MeOH	OTHER	Dissolved Metals	TOC	Specific Conductivity	TSS	Certifications		Project Locations		Special Instructions
	DATE	TIME															<input type="checkbox"/> OHIO VAP	<input type="checkbox"/> Drinking Water	<input type="checkbox"/> DoD	<input type="checkbox"/> NPDES	
<u>84110.01</u>	<u>11/6/17</u>	<u>955</u>	<u>Vault A</u>	<u>ww</u>	<u>4</u>	<u>1</u>		<u>1</u>	<u>2</u>				<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>		<input type="checkbox"/>	<input type="checkbox"/>		<u>Dissolved Metals were field Filtered</u>
<u>.02</u>		<u>1010</u>	<u>Vault B</u>										<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>					
<u>.03</u>		<u>1025</u>	<u>Vault C</u>										<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>					
<u>.04</u>		<u>1045</u>	<u>Vault D</u>										<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>					<u>Metals Are: Cu, Cr, Ni, Zn</u>
<u>.05</u>		<u>1105</u>	<u>Vault E</u>										<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>					
<u>.06</u>		<u>1125</u>	<u>Vault F</u>										<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>					
<u>.07</u>		<u>-</u>	<u>DUP-1</u>										<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>					

RELINQUISHED BY: [Signature]  Sampler OBG DATE 11/6/17 TIME 1315  
 RECEIVED BY: [Signature] DATE 11/6/17 TIME 1315  
 RELINQUISHED BY: [Signature] DATE 11/6/17 TIME 1640  
 RECEIVED BY: [Signature] DATE 11/6/17 TIME 1640

RELINQUISHED BY: \_\_\_\_\_ DATE \_\_\_\_\_ TIME \_\_\_\_\_  
 RECEIVED BY: \_\_\_\_\_ DATE \_\_\_\_\_ TIME \_\_\_\_\_  
 SEAL NO. SEAL INTACT YES  NO  INITIALS \_\_\_\_\_  
 SEAL NO. SEAL INTACT YES  NO  INITIALS \_\_\_\_\_  
 NOTES: TEMP. ON ARRIVAL 4.3

PLEASE NOTE: SIGNING ACKNOWLEDGES ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE


**APPENDIX B**  
**Leak Detection Vault**  
**Control Charts**

**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault A - Chromium**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	10	13.38	6.25
2	Jun-95	24		
3	Aug-95	10		
4	Nov-95	23		
5	Mar-96	10		
6	Jun-96	10		
7	Aug-96	10		
8	Nov-96	10		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	5	-1.34	46	Nov-11	4.5	2.5	-1.74
10	Aug-97	4.5	5	-1.34	47	Jun-12	4.5	2.5	-1.74
11	Nov-97	4.5	5	-1.34	48	Dec-12	4.5	2.5	-1.74
12	Feb-98	4.5	5	-1.34	49	Jun-13	4.5	2.5	-1.74
13	May-98	4.5	5	-1.34	50	Nov-13	4.5	2.5	-1.74
14	Aug-98	4.5	5	-1.34	51	Jun-14	4.5	2.5	-1.74
15	Nov-98	4.5	5	-1.34	52	Nov-14	4.5	2.5	-1.74
16	Mar-99	4.5	5	-1.34	53	Jun-15	4.5	2.5	-1.74
17	May-99	4.5	5	-1.34	54	Nov-15	4.5	2.5	-1.74
18	Jul-99	4.5	2.5	-1.74	55	Jun-16	4.5	2.5	-1.74
19	Oct-99	4.5	5	-1.34	56	Jul-16	4.5	2.5	-1.74
20	Mar-00	4.5	5	-1.34	57	Nov-16	4.5	2.5	-1.74
21	Jun-00	4.5	5	-1.34	58	Jun-17	4.5	2.5	-1.74
22	Sep-00	4.5	2.5	-1.74	59	Nov-17	4.5	2.5	-1.74
23	Nov-00	4.5	5	-1.34					
24	Mar-01	4.5	5	-1.34					
25	May-01	4.5	5	-1.34					
26	Aug-01	4.5	2.5	-1.74					
27	Aug-01	4.5	5	-1.34					
28	May-02	4.5	5	-1.34					
29	Sep-02	4.5	2.5	-1.74					
30	Mar-03	4.5	2.5	-1.74					
31	Jun-03	4.5	2.5	-1.74					
32	Jun-04	4.5	2.5	-1.74					
33	Nov-04	4.5	6	-1.18					
34	Jun-05	4.5	2.5	-1.74					
35	Jan-06	4.5	2.5	-1.74					
36	Nov-06	4.5	2.5	-1.74					
37	Jun-07	4.5	13	-0.06					
38	Nov-07	4.5	4	-1.50					
39	Jun-08	4.5	2.5	-1.74					
40	Nov-08	4.5	2.5	-1.74					
41	Jun-09	4.5	2.5	-1.74					
42	Nov-09	4.5	2.5	-1.74					
43	Jun-10	4.5	8	-0.86					
44	Jun-11	4.5	30	2.66					
45	Jul-11	4.5	2.5	-1.74					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault A - Copper**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	10	14	7.87
2	Jun-95	21		
3	Aug-95	10		
4	Nov-95	31		
5	Mar-96	10		
6	Jun-96	10		
7	Aug-96	10		
8	Nov-96	10		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	5	-1.14	45	Nov-11	4.5	2	-1.52
10	Aug-97	4.5	5	-1.14	46	Jun-12	4.5	4	-1.27
11	Nov-97	4.5	10	-0.51	47	Dec-12	4.5	2	-1.52
12	Feb-98	4.5	5	-1.14	48	Jun-13	4.5	2	-1.52
13	May-98	4.5	20	0.76	49	Nov-13	4.5	2	-1.52
14	Aug-98	4.5	5	-1.14	50	Jun-14	4.5	2	-1.52
15	Nov-98	4.5	5	-1.14	51	Nov-14	4.5	2	-1.52
16	Mar-99	4.5	10	-0.51	52	Jun-15	4.5	6	-1.02
17	May-99	4.5	5	-1.14	53	Nov-15	4.5	2.5	-1.46
18	Jul-99	4.5	9	-0.64	54	Jun-16	4.5	2.5	-1.46
19	Oct-99	4.5	5	-1.14	55	Nov-16	4.5	2.5	-1.46
20	Mar-00	4.5	5	-1.14	56	Jun-17	4.5	2.5	-1.46
21	Jun-00	4.5	5	-1.14	57	Nov-17	4.5	2.5	-1.46
22	Sep-00	4.5	5	-1.14					
23	Nov-00	4.5	100	10.92					
24	Mar-01	4.5	5	-1.14					
25	May-01	4.5	5	-1.14					
26	Aug-01	4.5	5	-1.14					
27	Aug-01	4.5	5	-1.14					
28	May-02	4.5	5	-1.14					
29	Sep-02	4.5	2.5	-1.46					
30	Mar-03	4.5	2.5	-1.46					
31	Jun-03	4.5	2.5	-1.46					
32	Jun-04	4.5	2.5	-1.46					
33	Nov-04	4.5	2.5	-1.46					
34	Jun-05	4.5	2.5	-1.46					
35	Jan-06	4.5	2.5	-1.46					
36	Nov-06	4.5	2	-1.52					
37	Jun-07	4.5	4	-1.27					
38	Nov-07	4.5	5	-1.14					
39	Jun-08	4.5	0.5	-1.71					
40	Nov-08	4.5	0.5	-1.71					
41	Jun-09	4.5	11	-0.38					
42	Nov-09	4.5	2	-1.52					
43	Jun-10	4.5	2	-1.52					
44	Jun-11	4.5	2	-1.52					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault A - Nickel**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	20	<b>24.25</b>	<b>14.07</b>
2	Jun-95	15		
3	Aug-95	20		
4	Nov-95	43		
5	Mar-96	46		
6	Jun-96	10		
7	Aug-96	10		
8	Nov-96	30		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	71	3.32	46	Nov-11	4.5	20	-0.30
10	Aug-97	4.5	88	4.53	47	Jun-12	4.5	25	0.05
11	Nov-97	4.5	125	7.16	48	Dec-12	4.5	24	-0.02
12	Feb-98	4.5	73	3.47	49	Jun-13	4.5	22	-0.16
13	May-98	4.5	15	-0.66	50	Nov-13	4.5	18	-0.44
14	Aug-98	4.5	13	-0.80	51	Jun-14	4.5	18	-0.44
15	Nov-98	4.5	20	-0.30	52	Nov-14	4.5	25	0.05
16	Mar-99	4.5	14	-0.73	53	Jun-15	4.5	21	-0.23
17	May-99	4.5	15	-0.66	54	Nov-15	4.5	20	-0.30
18	Jul-99	4.5	13	-0.80	55	Jun-16	4.5	14	-0.73
19	Oct-99	4.5	16	-0.59	56	Nov-16	4.5	15	-0.66
20	Mar-00	4.5	15	-0.66	57	Jun-17	4.5	15	-0.66
21	Jun-00	4.5	12	-0.87	58	Nov-17	4.5	17	-0.52
22	Sep-00	4.5	14	-0.73					
23	Nov-00	4.5	10	-1.01					
24	Mar-01	4.5	7	-1.23					
25	May-01	4.5	10	-1.01					
26	Aug-01	4.5	14	-0.73					
27	Aug-01	4.5	15	-0.66					
28	May-02	4.5	2.5	-1.55					
29	Sep-02	4.5	14	-0.73					
30	Mar-03	4.5	9	-1.08					
31	Jun-03	4.5	10	-1.01					
32	Jun-04	4.5	8	-1.16					
33	Nov-04	4.5	15	-0.66					
34	Jun-05	4.5	13	-0.80					
35	Jan-06	4.5	13	-0.80					
36	Feb-06	4.5	14	-0.73					
37	Nov-06	4.5	13	-0.80					
38	Jun-07	4.5	20	-0.30					
39	Nov-07	4.5	21	-0.23					
40	Jun-08	4.5	25	0.05					
41	Nov-08	4.5	22	-0.16					
42	Jun-09	4.5	27	0.20					
43	Nov-09	4.5	22	-0.16					
44	Jun-10	4.5	16	-0.59					
45	Jun-11	4.5	27	0.20					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault A - Zinc**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	180	<b>41.75</b>	<b>58.47</b>
2	Jun-95	10		
3	Aug-95	10		
4	Nov-95	24		
5	Mar-96	10		
6	Jun-96	10		
7	Aug-96	30		
8	Nov-96	60		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	90	0.83	45	Nov-11	4.5	2.5	-0.67
10	Aug-97	4.5	60	0.31	46	Jun-12	4.5	2.5	-0.67
11	Nov-97	4.5	100	1.00	47	Dec-12	4.5	10	-0.54
12	Feb-98	4.5	60	0.31	48	Jun-13	4.5	2.5	-0.67
13	May-98	4.5	200	2.71	49	Nov-13	4.5	2.5	-0.67
14	Aug-98	4.5	160	2.02	50	Jun-14	4.5	2.5	-0.67
15	Nov-98	4.5	220	3.05	51	Nov-14	4.5	20	-0.37
16	Mar-99	4.5	60	0.31	52	Jun-15	4.5	10	-0.54
17	May-99	4.5	20	-0.37	53	Nov-15	4.5	5	-0.63
18	Jul-99	4.5	19	-0.39	54	Jun-16	4.5	2.5	-0.67
19	Oct-99	4.5	30	-0.20	55	Nov-16	4.5	2.5	-0.67
20	Mar-00	4.5	20	-0.37	56	Jun-17	4.5	2.5	-0.67
21	Jun-00	4.5	20	-0.37	57	Nov-17	4.5	2.5	-0.67
22	Sep-00	4.5	20	-0.37					
23	Nov-00	4.5	150	1.85					
24	Mar-01	4.5	10	-0.54					
25	May-01	4.5	20	-0.37					
26	Aug-01	4.5	9	-0.56					
27	Aug-01	4.5	50	0.14					
28	May-02	4.5	40	-0.03					
29	Sep-02	4.5	140	1.68					
30	Mar-03	4.5	99	0.98					
31	Jun-03	4.5	2.5	-0.67					
32	Jun-04	4.5	2.5	-0.67					
33	Nov-04	4.5	14	-0.47					
34	Jun-05	4.5	21	-0.35					
35	Jan-06	4.5	8	-0.58					
36	Nov-06	4.5	6	-0.61					
37	Jun-07	4.5	8	-0.58					
38	Nov-07	4.5	11	-0.53					
39	Jun-08	4.5	5	-0.63					
40	Nov-08	4.5	2.5	-0.67					
41	Jun-09	4.5	36	-0.10					
42	Nov-09	4.5	7	-0.59					
43	Jun-10	4.5	6	-0.61					
44	Jun-11	4.5	39	-0.05					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault A - pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	7.5	7.06	0.22
2	Jun-95	6.8		
3	Aug-95	6.9		
4	Nov-95	7		
5	Mar-96	7.2		
6	Jun-96	6.9		
7	Aug-96	7.1		
8	Nov-96	7.1		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	6.70	-1.65	45	Nov-11	4.5	6.93	-0.60
10	Aug-97	4.5	6.00	-4.83	46	Jun-12	4.5	5.75	-5.97
11	Nov-97	4.5	6.50	-2.56	47	Dec-12	4.5	6.76	-1.38
12	Feb-98	4.5	6.40	-3.01	48	Jun-13	4.5	6.7	-1.65
13	May-98	4.5	6.90	-0.74	49	Nov-13	4.5	6.71	-1.60
14	Aug-98	4.5	6.70	-1.65	50	Jun-14	4.5	6.82	-1.10
15	Nov-98	4.5	6.50	-2.56	51	Nov-14	4.5	6.27	-3.60
16	Mar-99	4.5	6.80	-1.19	52	Jun-15	4.5	6.64	-1.92
17	May-99	4.5	6.90	-0.74	53	Nov-15	4.5	6.64	-1.92
18	Jul-99	4.5	6.30	-3.47	54	Jun-16	4.5	6.93	-0.60
19	Oct-99	4.5	5.90	-5.28	55	Nov-16	4.5	6.82	-1.10
20	Mar-00	4.5	7.60	2.44	56	Jun-17	4.5	6.9	-0.74
21	Jun-00	4.5	6.90	-0.74	57	Nov-17	4.5	6.16	-4.10
22	Sep-00	4.5	7.50	1.99					
23	Nov-00	4.5	7.20	0.63					
24	Mar-01	4.5	7.40	1.53					
25	May-01	4.5	7.60	2.44					
26	Aug-01	4.5	7.50	1.99					
27	Aug-01	4.5	6.80	-1.19					
28	May-02	4.5	7.20	0.63					
29	Sep-02	4.5	6.60	-2.10					
30	Mar-03	4.5	6.80	-1.19					
31	Jun-03	4.5	6.80	-1.19					
32	Jun-04	4.5	7.00	-0.28					
33	Nov-04	4.5	6.90	-0.74					
34	Jun-05	4.5	6.00	-4.83					
35	Jan-06	4.5	10.01	13.40					
36	Nov-06	4.5	7.73	3.03					
37	Jun-07	4.5	6.76	-1.38					
38	Nov-07	4.5	6.76	-1.38					
39	Jun-08	4.5	6.89	-0.78					
40	Nov-08	4.5	6.06	-4.56					
41	Jun-09	4.5	7.01	-0.24					
42	Nov-09	4.5	7.07	0.03					
43	Jun-10	4.5	7.05	-0.06					
44	Jun-11	4.5	7.33	1.22					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY**  
**RCRA LANDFILL LEAK DETECTION SYSTEM**  
**SHEWART CONTROL CHART**  
**Vault A - SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	690	1,798.75	450.73
2	Jun-95	1900		
3	Aug-95	2000		
4	Nov-95	1900		
5	Mar-96	2000		
6	Jun-96	2000		
7	Aug-96	1900		
8	Nov-96	2000		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-97	4.5	1940	0.31	43	Nov-11	4.5	2080	0.62
10	Aug-97	4.5	1810	0.02	44	Jun-12	4.5	1870	0.16
11	Nov-97	4.5	2000	0.45	45	Dec-12	4.5	1820	0.05
12	Feb-98	4.5	1960	0.36	46	Jun-13	4.5	1882	0.18
13	May-98	4.5	1760	-0.09	47	Nov-13	4.5	1630	-0.37
14	Nov-98	4.5	1990	0.42	48	Jun-14	4.5	1579	-0.49
15	Mar-99	4.5	1334	-1.03	49	Nov-14	4.5	1525	-0.61
16	May-99	4.5	3250	3.22	50	Jun-15	4.5	1507	-0.65
17	Jul-99	4.5	1470	-0.73	51	Nov-15	4.5	1423	-0.83
18	Oct-99	4.5	1750	-0.11	52	Jun-16	4.5	1364	-0.96
19	Mar-00	4.5	1410	-0.86	53	Nov-16	4.5	1378	-0.93
20	Jun-00	4.5	1410	-0.86	54	Jun-17	4.5	1450	-0.77
21	Sep-00	4.5	1650	-0.33	55	Nov-17	4.5	1363	-0.97
22	Nov-00	4.5	1470	-0.73					
23	Mar-01	4.5	1530	-0.60					
24	May-01	4.5	1380	-0.93					
25	Aug-01	4.5	1450	-0.77					
26	Aug-01	4.5	1300	-1.11					
27	May-02	4.5	1470	-0.73					
28	Mar-03	4.5	1290	-1.13					
29	Jun-03	4.5	1370	-0.95					
30	Jun-04	4.5	1318	-1.07					
31	Nov-04	4.5	1120	-1.51					
32	Jun-05	4.5	1640	-0.35					
33	Jan-06	4.5	1630	-0.37					
34	Nov-06	4.5	1940	0.31					
35	Jun-07	4.5	1990	0.42					
36	Nov-07	4.5	1690	-0.24					
37	Jun-08	4.5	2060	0.58					
38	Nov-08	4.5	2060	0.58					
39	Jun-09	4.5	2050	0.56					
40	Nov-09	4.5	2090	0.65					
41	Jun-10	4.5	2070	0.60					
42	Jun-11	4.5	2010	0.47					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault B - Chromium**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	10	6.25	2.31
2	Nov-96	10		
3	Feb-97	5		
4	May-97	5		
5	Aug-97	5		
6	Nov-97	5		
7	Feb-98	5		
8	May-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	5	-0.54	45	Nov-11	4.5	2.5	-1.62
10	Nov-98	4.5	5	-0.54	46	Jun-12	4.5	2.5	-1.62
11	Mar-99	4.5	5	-0.54	47	Dec-12	4.5	2.5	-1.62
12	May-99	4.5	5	-0.54	48	Jun-13	4.5	2.5	-1.62
13	Jul-99	4.5	2.5	-1.62	49	Nov-13	4.5	2.5	-1.62
14	Oct-99	4.5	5	-0.54	50	Jun-14	4.5	2.5	-1.62
15	Mar-00	4.5	5	-0.54	51	Nov-14	4.5	2.5	-1.62
16	Jun-00	4.5	5	-0.54	52	Jun-15	4.5	2.5	-1.62
17	Sep-00	4.5	2.5	-1.62	53	Nov-15	4.5	2.5	-1.62
18	Nov-00	4.5	2.5	-1.62	54	Jun-16	4.5	2.5	-1.62
19	Mar-01	4.5	5	-0.54	55	Nov-16	4.5	2.5	-1.62
20	May-01	4.5	5	-0.54	56	Jun-17	4.5	2.5	-1.62
21	Aug-01	4.5	2.5	-1.62	57	Nov-17	4.5	2.5	-1.62
22	Nov-01	4.5	5	-0.54					
23	Mar-02	4.5	5	-0.54					
24	May-02	4.5	5	-0.54					
25	Sep-02	4.5	2.5	-1.62					
26	Jun-03	4.5	2.5	-1.62					
27	Dec-03	4.5	2.5	-1.62					
28	Feb-04	4.5	2.5	-1.62					
29	Jun-04	4.5	2.5	-1.62					
30	Jun-05	4.5	2.5	-1.62					
31	Dec-05	4.5	2.5	-1.62					
32	Jun-06	4.5	2.5	-1.62					
33	Nov-06	4.5	2.5	-1.62					
34	Jun-07	4.5	9	1.19					
35	Nov-07	4.5	2	-1.84					
36	Jun-08	4.5	2.5	-1.62					
37	Nov-08	4.5	2.5	-1.62					
38	Jun-09	4.5	2.5	-1.62					
39	Nov-09	4.5	2.5	-1.62					
40	Jun-10	4.5	8	0.76					
41	Nov-10	4.5	21	6.37					
42	Dec-10	4.5	6	-0.11					
43	Jun-11	4.5	28	9.40					
44	Jul-11	4.5	2.5	-1.62					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault B - Copper**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	10	6.25	2.31
2	Nov-96	10		
3	Feb-97	5		
4	May-97	5		
5	Aug-97	5		
6	Nov-97	5		
7	Feb-98	5		
8	May-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	5	-0.54	44	Nov-11	4.5	2	-1.84
10	Nov-98	4.5	10	1.62	45	Jun-12	4.5	2	-1.84
11	Mar-99	4.5	5	-0.54	46	Dec-12	4.5	6	-0.11
12	May-99	4.5	10	1.62	47	Jun-13	4.5	2	-1.84
13	Jul-99	4.5	13	2.92	48	Nov-13	4.5	2	-1.84
14	Oct-99	4.5	5	-0.54	49	Jun-14	4.5	2	-1.84
15	Mar-00	4.5	5	-0.54	50	Nov-14	4.5	2	-1.84
16	Jun-00	4.5	30	10.26	51	Jun-15	4.5	5	-0.54
17	Sep-00	4.5	10	1.62	52	Nov-15	4.5	2.5	-1.62
18	Nov-00	4.5	40	14.58	53	Jun-16	4.5	2.5	-1.62
19	Mar-01	4.5	5	-0.54	54	Nov-16	4.5	2.5	-1.62
20	May-01	4.5	20	5.94	55	Jun-17	4.5	2.5	-1.62
21	Aug-01	4.5	5	-0.54	56	Nov-17	4.5	2.5	-1.62
22	Nov-01	4.5	10	1.62					
23	Mar-02	4.5	10	1.62					
24	May-02	4.5	5	-0.54					
25	Sep-02	4.5	2.5	-1.62					
26	Jun-03	4.5	2.5	-1.62					
27	Dec-03	4.5	6	-0.11					
28	Feb-04	4.5	5	-0.54					
29	Jun-04	4.5	12	2.48					
30	Jun-05	4.5	2.5	-1.62					
31	Dec-05	4.5	2.5	-1.62					
32	Feb-06	4.5	2	-1.84					
33	Jun-06	4.5	2	-1.84					
34	Nov-06	4.5	2	-1.84					
35	Jun-07	4.5	6	-0.11					
36	Nov-07	4.5	5	-0.54					
37	Jun-08	4.5	2	-1.84					
38	Nov-08	4.5	2	-1.84					
39	Jun-09	4.5	1	-2.27					
40	Nov-09	4.5	2	-1.84					
41	Jun-10	4.5	2	-1.84					
42	Nov-10	4.5	2	-1.84					
43	Jun-11	4.5	2	-1.84					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault B - Nickel**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	10	38.88	28.34
2	Nov-96	20		
3	Feb-97	43		
4	May-97	45		
5	Aug-97	26		
6	Nov-97	96		
7	Feb-98	57		
8	May-98	14		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	10	-1.02	43	Nov-11	4.5	7	-1.12
10	Nov-98	4.5	17	-0.77	44	Jun-12	4.5	2.5	-1.28
11	Mar-99	4.5	5	-1.20	45	Dec-12	4.5	9	-1.05
12	May-99	4.5	6	-1.16	46	Jun-13	4.5	6	-1.16
13	Jul-99	4.5	10	-1.02	47	Nov-13	4.5	5	-1.20
14	Oct-99	4.5	16	-0.81	48	Jun-14	4.5	2.5	-1.28
15	Mar-00	4.5	8	-1.09	49	Nov-14	4.5	13	-0.91
16	Jun-00	4.5	9	-1.05	50	Jun-15	4.5	11	-0.98
17	Sep-00	4.5	8	-1.09	51	Nov-15	4.5	9	-1.05
18	Nov-00	4.5	14	-0.88	52	Jun-16	4.5	2.5	-1.28
19	Mar-01	4.5	7	-1.12	53	Nov-16	4.5	2.5	-1.28
20	May-01	4.5	12	-0.95	54	Jun-17	4.5	2.5	-1.28
21	Aug-01	4.5	11	-0.98	55	Nov-17	4.5	2.5	-1.28
22	Nov-01	4.5	8	-1.09					
23	Mar-02	4.5	2.5	-1.28					
24	May-02	4.5	2.5	-1.28					
25	Sep-02	4.5	8	-1.09					
26	Jun-03	4.5	7	-1.12					
27	Dec-03	4.5	5	-1.20					
28	Feb-04	4.5	2.5	-1.28					
29	Jun-04	4.5	7	-1.12					
30	Jun-05	4.5	14	-0.88					
31	Dec-05	4.5	8	-1.09					
32	Jun-06	4.5	5	-1.20					
33	Nov-06	4.5	8	-1.09					
34	Jun-07	4.5	13	-0.91					
35	Nov-07	4.5	16	-0.81					
36	Jun-08	4.5	8	-1.09					
37	Nov-08	4.5	8	-1.09					
38	Jun-09	4.5	6	-1.16					
39	Nov-09	4.5	9	-1.05					
40	Jun-10	4.5	5	-1.20					
41	Nov-10	4.5	11	-0.98					
42	Jun-11	4.5	11	-0.98					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault B - Zinc**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	10	31.25	17.27
2	Nov-96	40		
3	Feb-97	20		
4	May-97	20		
5	Aug-97	60		
6	Nov-97	50		
7	Feb-98	20		
8	May-98	30		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	14	-1.00	43	Nov-11	4.5	9	-1.29
10	Nov-98	4.5	80	2.82	44	Jun-12	4.5	8	-1.35
11	Mar-99	4.5	5	-1.52	45	Dec-12	4.5	15	-0.94
12	May-99	4.5	20	-0.65	46	Jun-13	4.5	7	-1.40
13	Jul-99	4.5	18	-0.77	47	Nov-13	4.5	14	-1.00
14	Oct-99	4.5	20	-0.65	48	Jun-14	4.5	7	-1.40
15	Mar-00	4.5	20	-0.65	49	Nov-14	4.5	10	-1.23
16	Jun-00	4.5	30	-0.07	50	Jun-15	4.5	12	-1.11
17	Sep-00	4.5	20	-0.65	51	Nov-15	4.5	10	-1.23
18	Nov-00	4.5	90	3.40	52	Jun-16	4.5	6	-1.46
19	Mar-01	4.5	20	-0.65	53	Nov-16	4.5	5	-1.52
20	May-01	4.5	40	0.51	54	Jun-17	4.5	2.5	-1.66
21	Aug-01	4.5	20	-0.65	55	Nov-17	4.5	7	-1.40
22	Nov-01	4.5	60	1.66					
23	Mar-02	4.5	70	2.24					
24	May-02	4.5	20	-0.65					
25	Sep-02	4.5	84	3.05					
26	Jun-03	4.5	2.5	-1.66					
27	Dec-03	4.5	35	0.22					
28	Feb-04	4.5	16	-0.88					
29	Jun-04	4.5	2.5	-1.66					
30	Jun-05	4.5	20	-0.65					
31	Dec-05	4.5	50	1.09					
32	Jun-06	4.5	8	-1.35					
33	Nov-06	4.5	11	-1.17					
34	Jun-07	4.5	16	-0.88					
35	Nov-07	4.5	14	-1.00					
36	Jun-08	4.5	9	-1.29					
37	Nov-08	4.5	15	-0.94					
38	Jun-09	4.5	17	-0.83					
39	Nov-09	4.5	17	-0.83					
40	Jun-10	4.5	20	-0.65					
41	Nov-10	4.5	17	-0.83					
42	Jun-11	4.5	16	-0.88					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault B - pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	6.9	6.79	0.23
2	Nov-96	7		
3	Feb-97	7.1		
4	May-97	6.5		
5	Aug-97	6.5		
6	Nov-97	6.8		
7	Feb-98	6.6		
8	May-98	6.9		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-98	4.5	6.60	-0.82	44	Nov-11	4.5	6.93	0.62
10	Nov-98	4.5	6.30	-2.12	45	Jun-12	4.5	6.16	-2.73
11	Mar-99	4.5	6.50	-1.25	46	Dec-12	4.5	6.85	0.27
12	May-99	4.5	7.00	0.93	47	Jun-13	4.5	6.7	-0.38
13	Jul-99	4.5	6.50	-1.25	48	Nov-13	4.5	6.74	-0.21
14	Oct-99	4.5	6.20	-2.56	49	Jun-14	4.5	6.87	0.36
15	Mar-00	4.5	8.00	5.28	50	Nov-14	4.5	7.05	1.14
16	Jun-00	4.5	6.80	0.05	51	Jun-15	4.5	7.07	1.23
17	Sep-00	4.5	7.40	2.67	52	Nov-15	4.5	6.76	-0.12
18	Nov-00	4.5	7.10	1.36	53	Jun-16	4.5	6.89	0.45
19	Mar-01	4.5	7.40	2.67	54	Nov-16	4.5	6.78	-0.03
20	May-01	4.5	7.60	3.54	55	Jun-17	4.5	6.8	0.05
21	Aug-01	4.5	7.80	4.41	56	Nov-17	4.5	6.28	-2.21
22	Nov-01	4.5	7.10	1.36					
23	Mar-02	4.5	7.00	0.93					
24	May-02	4.5	7.20	1.80					
25	Sep-02	4.5	6.70	-0.38					
26	Jun-03	4.5	7.00	0.93					
27	Dec-03	4.5	7.10	1.36					
28	Feb-04	4.5	7.40	2.67					
29	Jun-04	4.5	7.40	2.67					
30	Jun-05	4.5	6.10	-3.00					
31	Dec-05	4.5	6.90	0.49					
32	Feb-06	4.5	7.70	3.98					
33	Jun-06	4.5	7.04	1.10					
34	Nov-06	4.5	7.46	2.93					
35	Jun-07	4.5	6.34	-1.95					
36	Nov-07	4.5	6.93	0.62					
37	Jun-08	4.5	6.95	0.71					
38	Nov-08	4.5	6.89	0.45					
39	Jun-09	4.5	7.13	1.49					
40	Nov-09	4.5	6.99	0.88					
41	Jun-10	4.5	6.90	0.49					
42	Nov-10	4.5	6.93	0.62					
43	Jun-11	4.5	7.03	1.06					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault B - SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-96	1900	1,516.63	391.89
2	Nov-96	1600		
3	Feb-97	1590		
4	May-97	1930		
5	Aug-97	663		
6	Nov-97	1400		
7	Feb-98	1560		
8	May-98	1490		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Nov-98	4.5	1940	1.08	42	Nov-11	4.5	1948	1.10
10	Mar-99	4.5	817	-1.79	43	Jun-12	4.5	1781	0.67
11	May-99	4.5	1330	-0.48	44	Dec-12	4.5	1936	1.07
12	Jul-99	4.5	1070	-1.14	45	Jun-13	4.5	1455	-0.16
13	Oct-99	4.5	1440	-0.20	46	Nov-13	4.5	1750	0.60
14	Mar-00	4.5	900	-1.57	47	Jun-14	4.5	1369	-0.38
15	Jun-00	4.5	1120	-1.01	48	Nov-14	4.5	1656	0.36
16	Sep-00	4.5	1560	0.11	49	Jun-15	4.5	1513	-0.01
17	Nov-00	4.5	1280	-0.60	50	Nov-15	4.5	1635	0.30
18	Mar-01	4.5	1460	-0.14	51	Jun-16	4.5	1176	-0.87
19	May-01	4.5	1280	-0.60	52	Nov-16	4.5	1654	0.35
20	Aug-01	4.5	1370	-0.37	53	Jun-17	4.5	1110	-1.04
21	Nov-01	4.5	1230	-0.73	54	Nov-17	4.5	1450	-0.17
22	Mar-02	4.5	2400	2.25					
23	May-02	4.5	1070	-1.14					
24	Jun-03	4.5	1530	0.03					
25	Dec-03	4.5	1490	-0.07					
26	Feb-04	4.5	1380	-0.35					
27	Jun-04	4.5	1210	-0.78					
28	Jun-05	4.5	1560	0.11					
29	Dec-05	4.5	1310	-0.53					
30	Feb-06	4.5	1520	0.01					
31	Jun-06	4.5	1050	-1.19					
32	Nov-06	4.5	1380	-0.35					
33	Jun-07	4.5	1670	0.39					
34	Nov-07	4.5	1690	0.44					
35	Jun-08	4.5	1880	0.93					
36	Nov-08	4.5	1818	0.77					
37	Jun-09	4.5	1780	0.67					
38	Nov-09	4.5	1970	1.16					
39	Jun-10	4.5	1810	0.75					
40	Nov-10	4.5	1911	1.01					
41	Jun-11	4.5	1496	-0.05					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault C - Chromium**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	25	13.00	8.98
2	Aug-95	10		
3	Nov-95	29		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	Feb-97	5		
8	May-97	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	5	-0.89	53	Nov-11	4.5	2.5	-1.17
10	Nov-97	4.5	5	-0.89	54	Jun-12	4.5	2.5	-1.17
11	Feb-98	4.5	5	-0.89	55	Dec-12	4.5	2.5	-1.17
12	May-98	4.5	5	-0.89	56	Jun-13	4.5	2.5	-1.17
14	Aug-98	4.5	5	-0.89	57	Nov-13	4.5	2.5	-1.17
15	Nov-98	4.5	5	-0.89	58	Jun-14	4.5	2.5	-1.17
16	Mar-99	4.5	5	-0.89	59	Nov-14	4.5	2.5	-1.17
17	May-99	4.5	5	-0.89	60	Jun-15	4.5	2.5	-1.17
18	Jul-99	4.5	2.5	-1.17	61	Nov-15	4.5	2.5	-1.17
19	Oct-99	4.5	5	-0.89	62	Jun-16	4.5	2.5	-1.17
20	Mar-00	4.5	5	-0.89	63	Nov-16	4.5	2.5	-1.17
21	Jun-00	4.5	5	-0.89	64	Jun-17	4.5	2.5	-1.17
22	Sep-00	4.5	2.5	-1.17	65	Nov-17	4.5	2.5	-1.17
23	Nov-00	4.5	5	-0.89					
24	Mar-01	4.5	5	-0.89					
25	May-01	4.5	5	-0.89					
26	Aug-01	4.5	2.5	-1.17					
27	Nov-01	4.5	5	-0.89					
28	Mar-02	4.5	5	-0.89					
29	May-02	4.5	5	-0.89					
30	Sep-02	4.5	2.5	-1.17					
31	Dec-02	4.5	2.5	-1.17					
32	Mar-03	4.5	2.5	-1.17					
33	Jun-03	4.5	2.5	-1.17					
34	Oct-03	4.5	2.5	-1.17					
35	Dec-03	4.5	2.5	-1.17					
36	Feb-04	4.5	2.5	-1.17					
37	Jun-04	4.5	2.5	-1.17					
38	Nov-04	4.5	2.5	-1.17					
39	Jun-05	4.5	2.5	-1.17					
40	Dec-05	4.5	2.5	-1.17					
41	Jun-06	4.5	5	-0.89					
42	Nov-06	4.5	2.5	-1.17					
43	Jun-07	4.5	9	-0.45					
44	Nov-07	4.5	2	-1.23					
45	Jun-08	4.5	2.5	-1.17					
46	Nov-08	4.5	2.5	-1.17					
47	Jun-09	4.5	2.5	-1.17					
48	Nov-09	4.5	2.5	-1.17					
49	Jun-10	4.5	7	-0.67					
50	Nov-10	4.5	16	0.33					
51	Jun-11	4.5	25	1.34					
52	Jul-11	4.5	2.5	-1.17					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault C - Copper**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	25	<b>25.88</b>	<b>31.76</b>
2	Aug-95	10		
3	Nov-95	37		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	Feb-97	5		
8	May-97	100		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	5	-0.66	52	Nov-11	4.5	2	-0.75
10	Nov-97	4.5	5	-0.66	53	Jun-12	4.5	2	-0.75
11	Feb-98	4.5	5	-0.66	54	Dec-12	4.5	11	-0.47
12	May-98	4.5	5	-0.66	55	Jun-13	4.5	2	-0.75
14	Aug-98	4.5	5	-0.66	56	Nov-13	4.5	2	-0.75
15	Nov-98	4.5	5	-0.66	57	Jun-14	4.5	5	-0.66
16	Mar-99	4.5	5	-0.66	58	Nov-14	4.5	2	-0.75
17	May-99	4.5	10	-0.50	59	Jun-15	4.5	6	-0.63
18	Jul-99	4.5	12	-0.44	60	Nov-15	4.5	2.5	-0.74
19	Oct-99	4.5	5	-0.66	61	Jun-16	4.5	2.5	-0.74
20	Mar-00	4.5	5	-0.66	62	Nov-16	4.5	2.5	-0.74
21	Jun-00	4.5	140	3.59	63	Jun-17	4.5	2.5	-0.74
22	Sep-00	4.5	5	-0.66	64	Nov-17	4.5	2.5	-0.74
23	Nov-00	4.5	5	-0.66					
24	Mar-01	4.5	5	-0.66					
25	May-01	4.5	5	-0.66					
26	Aug-01	4.5	5	-0.66					
27	Nov-01	4.5	5	-0.66					
28	Mar-02	4.5	10	-0.50					
29	May-02	4.5	5	-0.66					
30	Sep-02	4.5	2.5	-0.74					
31	Dec-02	4.5	2.5	-0.74					
32	Mar-03	4.5	2.5	-0.74					
33	Jun-03	4.5	2.5	-0.74					
34	Oct-03	4.5	2.5	-0.74					
35	Dec-03	4.5	11	-0.47					
36	Feb-04	4.5	2.5	-0.74					
37	Jun-04	4.5	2.5	-0.74					
38	Nov-04	4.5	2.5	-0.74					
39	Jun-05	4.5	2.5	-0.74					
40	Dec-05	4.5	2.5	-0.74					
41	Jun-06	4.5	2	-0.75					
42	Nov-06	4.5	5	-0.66					
43	Jun-07	4.5	5	-0.66					
44	Nov-07	4.5	5	-0.66					
45	Jun-08	4.5	0.5	-0.80					
46	Nov-08	4.5	0.5	-0.80					
47	Jun-09	4.5	0.5	-0.80					
48	Nov-09	4.5	2	-0.75					
49	Jun-10	4.5	2	-0.75					
50	Nov-10	4.5	2	-0.75					
51	Jun-11	4.5	2	-0.75					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault C - Nickel**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15	30.38	25.11
2	Aug-95	20		
3	Nov-95	67		
4	Jun-96	10		
5	Aug-96	10		
6	Nov-96	10		
7	Feb-97	45		
8	May-97	66		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	79	1.94	52	Nov-11	4.5	10	-0.81
10	Nov-97	4.5	122	3.65	53	Jun-12	4.5	6	-0.97
11	Feb-98	4.5	64	1.34	54	Dec-12	4.5	16	-0.57
12	May-98	4.5	23	-0.29	55	Jun-13	4.5	10	-0.81
14	Aug-98	4.5	23	-0.29	56	Nov-13	4.5	8	-0.89
15	Nov-98	4.5	21	-0.37	57	Jun-14	4.5	10	-0.81
16	Mar-99	4.5	19	-0.45	58	Nov-14	4.5	18	-0.49
17	May-99	4.5	20	-0.41	59	Jun-15	4.5	14	-0.65
18	Jul-99	4.5	20	-0.41	60	Nov-15	4.5	17	-0.53
19	Oct-99	4.5	18	-0.49	61	Jun-16	4.5	11	-0.77
20	Mar-00	4.5	17	-0.53	62	Nov-16	4.5	9	-0.85
21	Jun-00	4.5	19	-0.45	63	Jun-17	4.5	11	-0.77
22	Sep-00	4.5	16	-0.57	64	Nov-17	4.5	10	-0.81
23	Nov-00	4.5	17	-0.53					
24	Mar-01	4.5	8	-0.89					
25	May-01	4.5	17	-0.53					
26	Aug-01	4.5	16	-0.57					
27	Nov-01	4.5	15	-0.61					
28	Mar-02	4.5	2.5	-1.11					
29	May-02	4.5	14	-0.65					
30	Sep-02	4.5	14	-0.65					
31	Dec-02	4.5	12	-0.73					
32	Mar-03	4.5	10	-0.81					
33	Jun-03	4.5	8	-0.89					
34	Oct-03	4.5	14	-0.65					
35	Dec-03	4.5	14	-0.65					
36	Feb-04	4.5	12	-0.73					
37	Jun-04	4.5	12	-0.73					
38	Nov-04	4.5	20	-0.41					
39	Jun-05	4.5	15	-0.61					
40	Dec-05	4.5	18	-0.49					
41	Jun-06	4.5	10	-0.81					
42	Nov-06	4.5	15	-0.61					
43	Jun-07	4.5	11	-0.77					
44	Nov-07	4.5	16	-0.57					
45	Jun-08	4.5	9	-0.85					
46	Nov-08	4.5	10	-0.81					
47	Jun-09	4.5	8	-0.89					
48	Nov-09	4.5	9	-0.85					
49	Jun-10	4.5	7	-0.93					
50	Nov-10	4.5	11	-0.77					
51	Jun-11	4.5	15	-0.61					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault C - Zinc**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	60	43.75	25.24
2	Aug-95	74		
3	Nov-95	36		
4	Jun-96	10		
5	Aug-96	40		
6	Nov-96	80		
7	Feb-97	30		
8	May-97	20		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	20	-0.94	52	Nov-11	4.5	2.5	-1.63
10	Nov-97	4.5	50	0.25	53	Jun-12	4.5	2.5	-1.63
11	Feb-98	4.5	50	0.25	54	Dec-12	4.5	9	-1.38
12	May-98	4.5	40	-0.15	55	Jun-13	4.5	6	-1.50
14	Aug-98	4.5	40	-0.15	56	Nov-13	4.5	2.5	-1.63
15	Nov-98	4.5	30	-0.54	57	Jun-14	4.5	2.5	-1.63
16	Mar-99	4.5	20	-0.94	58	Nov-14	4.5	5	-1.54
17	May-99	4.5	20	-0.94	59	Jun-15	4.5	8	-1.42
18	Jul-99	4.5	20	-0.94	60	Nov-15	4.5	2.5	-1.63
19	Oct-99	4.5	10	-1.34	61	Jun-16	4.5	6	-1.50
20	Mar-00	4.5	10	-1.34	62	Nov-16	4.5	2.5	-1.63
21	Jun-00	4.5	170	5.00	63	Jun-17	4.5	2.5	-1.63
22	Sep-00	4.5	20	-0.94	64	Nov-17	4.5	2.5	-1.63
23	Nov-00	4.5	40	-0.15					
24	Mar-01	4.5	5	-1.54					
25	May-01	4.5	30	-0.54					
26	Aug-01	4.5	20	-0.94					
27	Nov-01	4.5	60	0.64					
28	Mar-02	4.5	20	-0.94					
29	May-02	4.5	40	-0.15					
30	Sep-02	4.5	39	-0.19					
31	Dec-02	4.5	53	0.37					
32	Mar-03	4.5	37	-0.27					
33	Jun-03	4.5	2.5	-1.63					
34	Oct-03	4.5	28	-0.62					
35	Dec-03	4.5	63	0.76					
36	Feb-04	4.5	36	-0.31					
37	Jun-04	4.5	8	-1.42					
38	Nov-04	4.5	6	-1.50					
39	Jun-05	4.5	39	-0.19					
40	Dec-05	4.5	15	-1.14					
41	Jun-06	4.5	11	-1.30					
42	Nov-06	4.5	2.5	-1.63					
43	Jun-07	4.5	6	-1.50					
44	Nov-07	4.5	12	-1.26					
45	Jun-08	4.5	2.5	-1.63					
46	Nov-08	4.5	11	-1.30					
47	Jun-09	4.5	6	-1.50					
48	Nov-09	4.5	6	-1.50					
49	Jun-10	4.5	7	-1.46					
50	Nov-10	4.5	2.5	-1.63					
51	Jun-11	4.5	22	-0.86					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault C - pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	7.4	7.10	0.33
2	Aug-95	7.4		
3	Nov-95	7		
4	Jun-96	6.9		
5	Aug-96	6.9		
6	Nov-96	7		
7	Feb-97	7.6		
8	May-97	6.6		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	6.3	-2.40	52	Nov-11	4.5	7.0	-0.39
10	Nov-97	4.5	6.7	-1.20	53	Jun-12	4.5	6.83	-0.81
11	Feb-98	4.5	6.5	-1.80	54	Dec-12	4.5	6.91	-0.57
12	May-98	4.5	6.9	-0.60	55	Jun-13	4.5	6.7	-1.20
14	Aug-98	4.5	6.8	-0.90	56	Nov-13	4.5	6.84	-0.78
15	Nov-98	4.5	6.3	-2.40	57	Jun-14	4.5	7.01	-0.27
16	Mar-99	4.5	7	-0.30	58	Nov-14	4.5	7.09	-0.03
17	May-99	4.5	6.9	-0.60	59	Jun-15	4.5	6.87	-0.69
18	Jul-99	4.5	6.7	-1.20	60	Nov-15	4.5	6.84	-0.78
19	Oct-99	4.5	6.6	-1.50	61	Jun-16	4.5	6.82	-0.84
20	Mar-00	4.5	7.8	2.10	62	Nov-16	4.5	6.89	-0.63
21	Jun-00	4.5	6.9	-0.60	63	Jun-17	4.5	6.88	-0.66
22	Sep-00	4.5	7.6	1.50	64	Nov-17	4.5	6.36	-2.22
23	Nov-00	4.5	6.8	-0.90					
24	Mar-01	4.5	7.7	1.80					
25	May-01	4.5	7.5	1.20					
26	Aug-01	4.5	7.4	0.90					
27	Nov-01	4.5	6.8	-0.90					
28	Mar-02	4.5	7.1	0.00					
29	May-02	4.5	7.2	0.30					
30	Sep-02	4.5	6.7	-1.20					
31	Dec-02	4.5	6.9	-0.60					
32	Mar-03	4.5	6.8	-0.90					
33	Jun-03	4.5	6.9	-0.60					
34	Oct-03	4.5	7	-0.30					
35	Dec-03	4.5	7.1	0.00					
36	Feb-04	4.5	7.4	0.90					
37	Jun-04	4.5	7	-0.30					
38	Nov-04	4.5	6.9	-0.60					
39	Jun-05	4.5	6.3	-2.40					
40	Dec-05	4.5	6.3	-2.40					
41	Jun-06	4.5	6.9	-0.60					
42	Nov-06	4.5	7.0	-0.18					
43	Jun-07	4.5	6.5	-1.68					
44	Nov-07	4.5	6.9	-0.60					
45	Jun-08	4.5	6.9	-0.57					
46	Nov-08	4.5	6.8	-0.93					
47	Jun-09	4.5	7.2	0.18					
48	Nov-09	4.5	7.1	0.03					
49	Jun-10	4.5	7.0	-0.27					
50	Nov-10	4.5	7.2	0.18					
51	Jun-11	4.5	7.3	0.54					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault C - SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	530	<b>1,551.25</b>	<b>716.19</b>
2	Aug-95	340		
3	Nov-95	2200		
4	Jun-96	2000		
5	Aug-96	1900		
6	Nov-96	2100		
7	Feb-97	1610		
8	May-97	1730		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	Aug-97	4.5	1610	0.08	52	Nov-11	4.5	1699	0.21
10	Nov-97	4.5	2000	0.63	53	Jun-12	4.5	1748	0.27
11	Feb-98	4.5	1720	0.24	54	Dec-12	4.5	1713	0.23
12	May-98	4.5	1600	0.07	55	Jun-13	4.5	1744	0.27
14	Nov-98	4.5	1760	0.29	56	Nov-13	4.5	1703	0.21
15	Mar-99	4.5	1300	-0.35	57	Jun-14	4.5	1759	0.29
16	May-99	4.5	1600	0.07	58	Nov-14	4.5	1724	0.24
17	Jul-99	4.5	1370	-0.25	59	Jun-15	4.5	1788	0.33
18	Oct-99	4.5	1160	-0.55	60	Nov-15	4.5	1706	0.22
19	Mar-00	4.5	1350	-0.28	61	Jun-16	4.5	1795	0.34
20	Jun-00	4.5	1280	-0.38	62	Nov-16	4.5	1808	0.36
21	Sep-00	4.5	1430	-0.17	63	Jun-17	4.5	1805	0.35
22	Nov-00	4.5	1210	-0.48	64	Nov-17	4.5	1764	0.30
23	Mar-01	4.5	1380	-0.24					
24	May-01	4.5	1410	-0.20					
25	Aug-01	4.5	1530	-0.03					
26	Nov-01	4.5	1170	-0.53					
27	Mar-02	4.5	1680	0.18					
28	May-02	4.5	1280	-0.38					
29	Dec-02	4.5	1330	-0.31					
30	Mar-03	4.5	1260	-0.41					
31	Jun-03	4.5	1150	-0.56					
32	Oct-03	4.5	1230	-0.45					
33	Dec-03	4.5	1520	-0.04					
34	Feb-04	4.5	1410	-0.20					
35	Jun-04	4.5	1008	-0.76					
36	Nov-04	4.5	1090	-0.64					
37	Jun-05	4.5	1460	-0.13					
38	Dec-05	4.5	1620	0.10					
39	Jun-06	4.5	977	-0.80					
40	Nov-06	4.5	1430	-0.17					
41	Jun-07	4.5	1510	-0.06					
42	Nov-07	4.5	1490	-0.09					
43	Jun-08	4.5	1620	0.10					
44	Nov-08	4.5	1600	0.07					
45	Jun-09	4.5	1660	0.15					
46	Nov-09	4.5	1650	0.14					
47	Jun-10	4.5	1710	0.22					
50	Nov-10	4.5	1670	0.17					
51	Jun-11	4.5	1686	0.19					
52	Nov-11	4.5	1699	0.21					
53	Jun-12	4.5	1748	0.27					
54	Dec-12	4.5	1713	0.23					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault D - Chromium**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	13	7.86	5.11
2	Jun-96	10		
3	Aug-96	10		
4	Nov-96	10		
5	May-97	5		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.56	41	Jul-11	4.5	2.5	-1.05
10	Aug-98	4.5	5	-0.56	42	Jun-12	4.5	2.5	-1.05
11	Nov-98	4.5	5	-0.56	43	Dec-12	4.5	2.5	-1.05
12	Mar-99	4.5	5	-0.56	44	Jun-13	4.5	2.5	-1.05
13	May-99	4.5	5	-0.56	45	Nov-13	4.5	2.5	-1.05
14	Jul-99	4.5	2.5	-1.05	46	Jun-14	4.5	2.5	-1.05
15	Oct-99	4.5	5	-0.56	47	Nov-14	4.5	2.5	-1.05
16	Mar-00	4.5	5	-0.56	48	Jun-15	4.5	2.5	-1.05
17	Jun-00	4.5	5	-0.56	49	Nov-15	4.5	2.5	-1.05
18	Sep-00	4.5	2.5	-1.05	50	Jun-16	4.5	2.5	-1.05
19	Nov-00	4.5	5	-0.56	51	Nov-16	4.5	2.5	-1.05
20	Mar-01	4.5	5	-0.56	52	Jun-17	4.5	2.5	-1.05
21	May-01	4.5	5	-0.56	53	Nov-17	4.5	2.5	-1.05
22	Aug-01	4.5	5	-0.56					
23	Nov-01	4.5	5	-0.56					
24	Mar-02	4.5	5	-0.56					
25	Mar-03	4.5	2.5	-1.05					
26	Jun-03	4.5	2.5	-1.05					
27	Dec-03	4.5	8	0.03					
28	Jun-04	4.5	2.5	-1.05					
29	Jun-05	4.5	2.5	-1.05					
30	Jan-06	4.5	6	-0.36					
31	Jun-06	4.5	6	-0.36					
32	Nov-06	4.5	2.5	-1.05					
33	Jun-07	4.5	9	0.22					
34	Nov-07	4.5	3	-0.95					
35	Jun-08	4.5	2.5	-1.05					
36	Nov-08	4.5	2.5	-1.05					
37	Jun-09	4.5	2.5	-1.05					
38	Nov-09	4.5	2.5	-1.05					
39	Jun-10	4.5	8	0.03					
40	Nov-10	4.5	19	2.18					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault D - Copper**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	10	7.48	5.13
2	Jun-96	10		
3	Aug-96	10		
4	Nov-96	10		
5	May-97	5		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	30	4.39	41	Nov-10	4.5	2	-1.07
10	Aug-98	4.5	5	-0.48	42	Jul-11	4.5	2	-1.07
11	Nov-98	4.5	5	-0.48	43	Nov-11	4.5	2	-1.07
12	Mar-99	4.5	30	4.39	44	Jun-12	4.5	16	1.66
13	May-99	4.5	30	4.39	45	Dec-12	4.5	11	0.69
14	Jul-99	4.5	9	0.30	46	Jun-13	4.5	5	-0.48
15	Oct-99	4.5	5	-0.48	47	Nov-13	4.5	4	-0.68
16	Mar-00	4.5	5	-0.48	48	Jun-14	4.5	4	-0.68
17	Jun-00	4.5	60	10.24	49	Nov-14	4.5	10	0.49
18	Sep-00	4.5	5	-0.48	50	Jun-15	4.5	8	0.10
19	Nov-00	4.5	5	-0.48	51	Nov-15	4.5	2.5	-0.97
20	Mar-01	4.5	5	-0.48	52	Jun-16	4.5	6	-0.29
21	May-01	4.5	10	0.49	53	Nov-16	4.5	6	-0.29
22	Aug-01	4.5	5	-0.48	54	Jun-17	4.5	2.5	-0.97
23	Nov-01	4.5	10	0.49	55	Nov-17	4.5	2.5	-0.97
24	Mar-02	4.5	10	0.49					
25	Mar-03	4.5	5	-0.48					
26	Jun-03	4.5	2.5	-0.97					
27	Dec-03	4.5	17	1.86					
28	Jun-04	4.5	2.5	-0.97					
29	Jun-05	4.5	2.5	-0.97					
30	Jan-06	4.5	14	1.27					
31	Feb-06	4.5	5	-0.48					
32	Jun-06	4.5	2	-1.07					
33	Nov-06	4.5	2	-1.07					
34	Jun-07	4.5	5	-0.48					
35	Nov-07	4.5	5	-0.48					
36	Jun-08	4.5	0.5	-1.36					
37	Nov-08	4.5	1	-1.26					
38	Jun-09	4.5	0.5	-1.36					
39	Nov-09	4.5	2	-1.07					
40	Jun-10	4.5	2	-1.07					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault D - Nickel**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	44	52.63	35.01
2	Jun-96	10		
3	Aug-96	10		
4	Nov-96	40		
5	May-97	58		
6	Aug-97	79		
7	Nov-97	114		
8	Feb-98	66		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	23	-0.85	41	Jul-11	4.5	40	-0.36
10	Aug-98	4.5	23	-0.85	42	Nov-11	4.5	25	-0.79
11	Nov-98	4.5	20	-0.93	43	Jun-12	4.5	29	-0.67
12	Mar-99	4.5	20	-0.93	44	Dec-12	4.5	33	-0.56
13	May-99	4.5	15	-1.07	45	Jun-13	4.5	18	-0.99
14	Jul-99	4.5	21	-0.90	46	Nov-13	4.5	13	-1.13
15	Oct-99	4.5	23	-0.85	47	Jun-14	4.5	15	-1.07
16	Mar-00	4.5	15	-1.07	48	Nov-14	4.5	20	-0.93
17	Jun-00	4.5	21	-0.90	49	Jun-15	4.5	23	-0.85
18	Sep-00	4.5	21	-0.90	50	Nov-15	4.5	17	-1.02
19	Nov-00	4.5	23	-0.85	51	Jun-16	4.5	13	-1.13
20	Mar-01	4.5	11	-1.19	52	Nov-16	4.5	17	-1.02
21	May-01	4.5	18	-0.99	53	Jun-17	4.5	15	-1.07
22	Aug-01	4.5	24	-0.82	54	Nov-17	4.5	12	-1.16
23	Nov-01	4.5	17	-1.02					
24	Mar-02	4.5	2.5	-1.43					
25	Mar-03	4.5	10	-1.22					
26	Jun-03	4.5	8	-1.27					
27	Dec-03	4.5	14	-1.10					
28	Jun-04	4.5	30	-0.65					
29	Jun-05	4.5	25	-0.79					
30	Jan-06	4.5	37	-0.45					
31	Jun-06	4.5	26	-0.76					
32	Nov-06	4.5	17	-1.02					
33	Jun-07	4.5	34	-0.53					
34	Nov-07	4.5	23	-0.85					
35	Jun-08	4.5	35	-0.50					
36	Nov-08	4.5	17	-1.02					
37	Jun-09	4.5	34	-0.53					
38	Nov-09	4.5	16	-1.05					
39	Jun-10	4.5	32	-0.59					
40	Nov-10	4.5	18	-0.99					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART**

Vault D - Zinc

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	20	37.49	22.59
2	Jun-96	10		
3	Aug-96	40		
4	Nov-96	70		
5	May-97	70		
6	Aug-97	20		
7	Nov-97	30		
8	Feb-98	40		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	50	0.55	42	Nov-11	4.5	2.5	-1.55
10	Aug-98	4.5	40	0.11	43	Jun-12	4.5	15	-1.00
11	Nov-98	4.5	30	-0.33	44	Dec-12	4.5	22	-0.69
12	Mar-99	4.5	40	0.11	45	Jun-13	4.5	75	1.66
13	May-99	4.5	30	-0.33	46	Nov-13	4.5	7	-1.35
14	Jul-99	4.5	19	-0.82	47	Jun-14	4.5	9	-1.26
15	Oct-99	4.5	20	-0.77	48	Nov-14	4.5	11	-1.17
16	Mar-00	4.5	20	-0.77	49	Jun-15	4.5	17	-0.91
17	Jun-00	4.5	70	1.44	50	Nov-15	4.5	10	-1.22
18	Sep-00	4.5	20	-0.77	51	Jun-16	4.5	10	-1.22
19	Nov-00	4.5	20	-0.77	52	Nov-16	4.5	9	-1.26
20	Mar-01	4.5	10	-1.22	53	Jun-17	4.5	10	-1.22
21	May-01	4.5	30	-0.33	54	Nov-17	4.5	6	-1.39
22	Aug-01	4.5	20	-0.77					
23	Nov-01	4.5	50	0.55					
24	Mar-02	4.5	10	-1.22					
25	Mar-03	4.5	19	-0.82					
26	Jun-03	4.5	2.5	-1.55					
27	Dec-03	4.5	63	1.13					
28	Jun-04	4.5	9	-1.26					
29	Jun-05	4.5	17	-0.91					
30	Jan-06	4.5	2.5	-1.55					
31	Jun-06	4.5	14	-1.04					
32	Nov-06	4.5	7	-1.35					
33	Jun-07	4.5	8	-1.31					
34	Nov-07	4.5	12	-1.13					
35	Jun-08	4.5	2.5	-1.55					
36	Nov-08	4.5	6	-1.39					
37	Jun-09	4.5	5	-1.44					
38	Nov-09	4.5	7	-1.35					
39	Jun-10	4.5	11	-1.17					
40	Nov-10	4.5	2.5	-1.55					
41	Jul-11	4.5	2.5	-1.55					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault D - pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	7.3	6.84	0.31
2	Jun-96	6.9		
3	Aug-96	7.2		
4	Nov-96	7		
5	May-97	6.7		
6	Aug-97	6.5		
7	Nov-97	6.6		
8	Feb-98	6.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7.00	0.52	42	Nov-11	4.5	7.0	0.65
10	Aug-98	4.5	6.60	-0.76	43	Jun-12	4.5	5.7	-3.65
11	Nov-98	4.5	6.70	-0.44	44	Dec-12	4.5	7.11	0.88
12	Mar-99	4.5	7.00	0.52	45	Jun-13	4.5	7.11	0.88
13	May-99	4.5	6.90	0.20	46	Nov-13	4.5	7.03	0.62
14	Jul-99	4.5	7.00	0.52	47	Jun-14	4.5	7.1	0.84
15	Oct-99	4.5	6.80	-0.12	48	Nov-14	4.5	7.02	0.59
16	Mar-00	4.5	7.80	3.09	49	Jun-15	4.5	6.93	0.30
17	Jun-00	4.5	6.80	-0.12	50	Nov-15	4.5	6.84	0.01
18	Sep-00	4.5	7.60	2.45	51	Jun-16	4.5	7.04	0.65
19	Nov-00	4.5	7.20	1.16	52	Nov-16	4.5	6.91	0.23
20	Mar-01	4.5	7.80	3.09	53	Jun-17	4.5	6.83	-0.02
21	May-01	4.5	7.50	2.13	54	Nov-17	4.5	6.44	-1.28
22	Aug-01	4.5	7.70	2.77					
23	Nov-01	4.5	7.60	2.45					
24	Mar-02	4.5	7.20	1.16					
25	Mar-03	4.5	6.80	-0.12					
26	Jun-03	4.5	6.90	0.20					
27	Dec-03	4.5	6.90	0.20					
28	Jun-04	4.5	7.00	0.52					
29	Jun-05	4.5	5.90	-3.01					
30	Jan-06	4.5	7.34	1.61					
31	Jun-06	4.5	6.98	0.46					
32	Nov-06	4.5	7.18	1.10					
33	Jun-07	4.5	7.30	1.49					
34	Nov-07	4.5	6.91	0.23					
35	Jun-08	4.5	6.87	0.10					
36	Nov-08	4.5	7.42	1.87					
37	Jun-09	4.5	7.17	1.07					
38	Nov-09	4.5	7.28	1.42					
39	Jun-10	4.5	7.10	0.84					
40	Nov-10	4.5	7.41	1.84					
41	Jul-11	4.5	7.23	1.26					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault D - SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-95	2200	1,734.38	211.31
2	Jun-96	1800		
3	Aug-96	1600		
4	Nov-96	1700		
5	May-97	1580		
6	Aug-97	1540		
7	Nov-97	1800		
8	Feb-98	1655		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	1700	-0.16	41	Nov-11	4.5	1513	-1.05
11	Nov-98	4.5	1790	0.26	42	Jun-12	4.5	1367	-1.74
12	Mar-99	4.5	1302	-2.05	43	Dec-12	4.5	1471	-1.25
13	May-99	4.5	1510	-1.06	44	Jun-13	4.5	1534	-0.95
14	Jul-99	4.5	1231	-2.38	45	Nov-13	4.5	1565	-0.80
15	Oct-99	4.5	1384	-1.66	46	Jun-14	4.5	1592	-0.67
16	Mar-00	4.5	1460	-1.30	47	Nov-14	4.5	1635	-0.47
17	Jun-00	4.5	1410	-1.54	48	Jun-15	4.5	1643	-0.43
18	Sep-00	4.5	1370	-1.72	49	Nov-15	4.5	1729	-0.03
19	Nov-00	4.5	1630	-0.49	50	Jun-16	4.5	1656	-0.37
20	Mar-01	4.5	1710	-0.12	51	Nov-16	4.5	1659	-0.36
21	May-01	4.5	1760	0.12	52	Jun-17	4.5	1655	-0.38
22	Aug-01	4.5	1420	-1.49	53	Nov-17	4.5	1650	-0.40
23	Nov-01	4.5	1270	-2.20					
24	Mar-02	4.5	1430	-1.44					
25	Mar-03	4.5	1380	-1.68					
26	Jun-03	4.5	1430	-1.44					
27	Dec-03	4.5	1330	-1.91					
28	Jun-04	4.5	1050	-3.24					
29	Jun-05	4.5	1540	-0.92					
30	Jan-06	4.5	1600	-0.64					
31	Jun-06	4.5	1195	-2.55					
32	Nov-06	4.5	1590	-0.68					
33	Jun-07	4.5	1530	-0.97					
34	Nov-07	4.5	1580	-0.73					
35	Jun-08	4.5	1570	-0.78					
36	Nov-08	4.5	1580	-0.73					
37	Jun-09	4.5	1570	-0.78					
38	Nov-09	4.5	1610	-0.59					
39	Jun-10	4.5	1550	-0.87					
40	Nov-10	4.5	1555	-0.85					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault E - Chromium**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	10	7.48	5.13
2	Jun-96	10		
3	Oct-96	10		
4	Nov-96	10		
5	May-97	5		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.48	43	Nov-11	4.5	2.5	-0.97
10	Aug-98	4.5	5	-0.48	44	Jun-12	4.5	2.5	-0.97
11	Nov-98	4.5	10	0.49	45	Dec-12	4.5	2.5	-0.97
12	Mar-99	4.5	5	-0.48	46	Jun-13	4.5	2.5	-0.97
13	May-99	4.5	5	-0.48	47	Nov-13	4.5	2.5	-0.97
14	Jul-99	4.5	2.5	-0.97	48	Jun-14	4.5	2.5	-0.97
15	Oct-99	4.5	5	-0.48	49	Nov-14	4.5	2.5	-0.97
16	Mar-00	4.5	5	-0.48	50	Jun-15	4.5	2.5	-0.97
17	Jun-00	4.5	5	-0.48	51	Nov-15	4.5	2.5	-0.97
18	Sep-00	4.5	2.5	-0.97	52	Jun-16	4.5	2.5	-0.97
19	Nov-00	4.5	5	-0.48	53	Nov-16	4.5	2.5	-0.97
20	Mar-01	4.5	5	-0.48	54	Jun-17	4.5	2.5	-0.97
21	May-01	4.5	5	-0.48	55	Nov-17	4.5	2.5	-0.97
22	Aug-01	4.5	2.5	-0.97					
23	Nov-01	4.5	5	-0.48					
24	Mar-02	4.5	5	-0.48					
25	Jun-03	4.5	2.5	-0.97					
26	Feb-04	4.5	2.5	-0.97					
27	Jun-04	4.5	2.5	-0.97					
28	Nov-04	4.5	2.5	-0.97					
29	Jun-05	4.5	2.5	-0.97					
30	Dec-05	4.5	2.5	-0.97					
31	Jun-06	4.5	5	-0.48					
32	Nov-06	4.5	5	-0.48					
33	Jun-07	4.5	9	0.30					
34	Nov-07	4.5	2	-1.07					
35	Jun-08	4.5	2.5	-0.97					
36	Nov-08	4.5	2.5	-0.97					
37	Jun-09	4.5	2.5	-0.97					
38	Nov-09	4.5	2.5	-0.97					
39	Jun-10	4.5	9	0.30					
40	Nov-10	4.5	24	3.22					
41	Jun-11	4.5	29	4.19					
42	Jul-11	4.5	2.5	-0.97					
43	Nov-11	4.5	2.5	-0.97					
44	Jun-12	4.5	2.5	-0.97					
45	Dec-12	4.5	2.5	-0.97					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY**  
**RCRA LANDFILL LEAK DETECTION SYSTEM**  
**SHEWART CONTROL CHART**  
**Vault E - Copper**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	10	7.50	5.17
2	Jun-96	10		
3	Oct-96	10		
4	Nov-96	10		
5	May-97	5		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.48	42	Nov-11	4.5	2	-1.06
10	Aug-98	4.5	5	-0.48	43	Jun-12	4.5	2	-1.06
11	Nov-98	4.5	10	0.48	44	Dec-12	4.5	2	-1.06
12	Mar-99	4.5	20	2.42	45	Jun-13	4.5	6	-0.29
13	May-99	4.5	5	-0.48	46	Nov-13	4.5	4	-0.68
14	Jul-99	4.5	11	0.68	47	Jun-14	4.5	2	-1.06
15	Oct-99	4.5	5	-0.48	48	Nov-14	4.5	2	-1.06
16	Mar-00	4.5	5	-0.48	49	Jun-15	4.5	2.5	-0.97
17	Jun-00	4.5	30	4.35	50	Nov-15	4.5	2.5	-0.97
18	Sep-00	4.5	2.5	-0.97	51	Jun-16	4.5	2.5	-0.97
19	Nov-00	4.5	40	6.29	52	Nov-16	4.5	2.5	-0.97
20	Mar-01	4.5	5	-0.48	53	Jun-17	4.5	2.5	-0.97
21	May-01	4.5	10	0.48	54	Nov-17	4.5	2.5	-0.97
22	Aug-01	4.5	10	0.48					
23	Nov-01	4.5	10	0.48					
24	Mar-02	4.5	10	0.48					
25	Jun-03	4.5	6	-0.29					
26	Feb-04	4.5	6	-0.29					
27	Jun-04	4.5	2.5	-0.97					
28	Nov-04	4.5	7	-0.10					
29	Jun-05	4.5	2.5	-0.97					
30	Dec-05	4.5	66	11.32					
31	Jun-06	4.5	4	-0.68					
32	Nov-06	4.5	5	-0.48					
33	Jun-07	4.5	7	-0.10					
34	Nov-07	4.5	4	-0.68					
35	Jun-08	4.5	2	-1.06					
36	Nov-08	4.5	2	-1.06					
37	Jun-09	4.5	2	-1.06					
38	Nov-09	4.5	2	-1.06					
39	Jun-10	4.5	2	-1.06					
40	Nov-10	4.5	2	-1.06					
41	Jun-11	4.5	2	-1.06					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault E - Nickel**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	46	43.13	36.46
2	Jun-96	10		
3	Oct-96	10		
4	Nov-96	10		
5	May-97	35		
6	Aug-97	64		
7	Nov-97	116		
8	Feb-98	54		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7	-0.99	42	Nov-11	4.5	2.5	-1.11
10	Aug-98	4.5	8	-0.96	43	Jun-12	4.5	2.5	-1.11
11	Nov-98	4.5	46	0.08	44	Dec-12	4.5	6	-1.02
12	Mar-99	4.5	6	-1.02	45	Jun-13	4.5	2.5	-1.11
13	May-99	4.5	5	-1.05	46	Nov-13	4.5	12	-0.85
14	Jul-99	4.5	6	-1.02	47	Jun-14	4.5	2.5	-1.11
15	Oct-99	4.5	6	-1.02	48	Nov-14	4.5	10	-0.91
16	Mar-00	4.5	5	-1.05	49	Jun-15	4.5	7	-0.99
17	Jun-00	4.5	2.5	-1.11	50	Nov-15	4.5	5	-1.05
18	Sep-00	4.5	5	-1.05	51	Jun-16	4.5	2.5	-1.11
19	Nov-00	4.5	5	-1.05	52	Nov-16	4.5	2.5	-1.11
20	Mar-01	4.5	5	-1.05	53	Jun-17	4.5	2.5	-1.11
21	May-01	4.5	6	-1.02	54	Nov-17	4.5	2.5	-1.11
22	Aug-01	4.5	6	-1.02					
23	Nov-01	4.5	6	-1.02					
24	Mar-02	4.5	6	-1.02					
25	Jun-03	4.5	2.5	-1.11					
26	Feb-04	4.5	7	-0.99					
27	Jun-04	4.5	6	-1.02					
28	Nov-04	4.5	22	-0.58					
29	Jun-05	4.5	12	-0.85					
30	Dec-05	4.5	2.5	-1.11					
31	Jun-06	4.5	6	-1.02					
32	Nov-06	4.5	2.5	-1.11					
33	Jun-07	4.5	2.5	-1.11					
34	Nov-07	4.5	11	-0.88					
35	Jun-08	4.5	2.5	-1.11					
36	Nov-08	4.5	2.5	-1.11					
37	Jun-09	4.5	2.5	-1.11					
38	Nov-09	4.5	2.5	-1.11					
39	Jun-10	4.5	2.5	-1.11					
40	Nov-10	4.5	2.5	-1.11					
41	Jun-11	4.5	10	-0.91					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault E - Zinc**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	10	28.75	14.79
2	Jun-96	10		
3	Oct-96	20		
4	Nov-96	30		
5	May-97	30		
6	Aug-97	40		
7	Nov-97	40		
8	Feb-98	50		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	60	2.11	42	Nov-11	4.5	2.5	-1.77
10	Aug-98	4.5	40	0.76	43	Jun-12	4.5	7	-1.47
11	Nov-98	4.5	60	2.11	44	Dec-12	4.5	11	-1.20
12	Mar-99	4.5	30	0.08	45	Jun-13	4.5	2.5	-1.77
13	May-99	4.5	20	-0.59	46	Nov-13	4.5	9	-1.34
14	Jul-99	4.5	19	-0.66	47	Jun-14	4.5	2.5	-1.77
15	Oct-99	4.5	20	-0.59	48	Nov-14	4.5	6	-1.54
16	Mar-00	4.5	10	-1.27	49	Jun-15	4.5	8	-1.40
17	Jun-00	4.5	30	0.08	50	Nov-15	4.5	2.5	-1.77
18	Sep-00	4.5	20	-0.59	51	Jun-16	4.5	5	-1.61
19	Nov-00	4.5	60	2.11	52	Nov-16	4.5	2.5	-1.77
20	Mar-01	4.5	10	-1.27	53	Jun-17	4.5	2.5	-1.77
21	May-01	4.5	40	0.76	54	Nov-17	4.5	2.5	-1.77
22	Aug-01	4.5	70	2.79					
23	Nov-01	4.5	60	2.11					
24	Mar-02	4.5	90	4.14					
25	Jun-03	4.5	50	1.44					
26	Feb-04	4.5	43	0.96					
27	Jun-04	4.5	43	0.96					
28	Nov-04	4.5	11	-1.20					
29	Jun-05	4.5	31	0.15					
30	Dec-05	4.5	73	2.99					
31	Jun-06	4.5	13	-1.06					
32	Nov-06	4.5	10	-1.27					
33	Jun-07	4.5	9	-1.34					
34	Nov-07	4.5	13	-1.06					
35	Jun-08	4.5	6	-1.54					
36	Nov-08	4.5	19	-0.66					
37	Jun-09	4.5	15	-0.93					
38	Nov-09	4.5	14	-1.00					
39	Jun-10	4.5	13	-1.06					
40	Nov-10	4.5	7	-1.47					
41	Jun-11	4.5	10	-1.27					
42	Nov-11	4.5	2.5	-1.77					
43	Jun-12	4.5	7	-1.47					
44	Dec-12	4.5	11	-1.20					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault E - pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	7.2	6.78	0.30
2	Jun-96	7		
3	Oct-96	6.9		
4	Nov-96	7		
5	May-97	6.3		
6	Aug-97	6.7		
7	Nov-97	6.5		
8	Feb-98	6.6		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7.10	1.08	41	Nov-11	4.5	6.9	0.38
10	Aug-98	4.5	6.70	-0.25	42	Jun-12	4.5	6	-2.57
11	Mar-99	4.5	6.50	-0.91	43	Dec-12	4.5	6.77	-0.02
12	May-99	4.5	6.90	0.42	44	Jun-13	4.5	6.5	-0.91
13	Jul-99	4.5	6.50	-0.91	45	Nov-13	4.5	6.74	-0.12
14	Oct-99	4.5	6.30	-1.58	46	Jun-14	4.5	6.88	0.35
15	Mar-00	4.5	8.00	4.07	47	Nov-14	4.5	7.08	1.01
16	Jun-00	4.5	6.90	0.42	48	Jun-15	4.5	4.9	-6.23
17	Sep-00	4.5	7.70	3.07	49	Nov-15	4.5	6.8	0.08
18	Nov-00	4.5	7.50	2.41	50	Jun-16	4.5	6.75	-0.08
19	Mar-01	4.5	7.30	1.74	51	Nov-16	4.5	6.88	0.35
20	May-01	4.5	7.50	2.41	52	Jun-17	4.5	6.79	0.05
21	Aug-01	4.5	7.60	2.74	53	Nov-17	4.5	6.37	-1.34
22	Nov-01	4.5	7.50	2.41					
23	Mar-02	4.5	7.00	0.75					
24	Jun-03	4.5	6.90	0.42					
25	Feb-04	4.5	7.60	2.74					
26	Jun-04	4.5	6.90	0.42					
27	Nov-04	4.5	7.10	1.08					
28	Jun-05	4.5	6.80	0.08					
29	Dec-05	4.5	7.10	1.08					
30	Jun-06	4.5	6.94	0.55					
31	Nov-06	4.5	7.51	2.44					
32	Jun-07	4.5	6.48	-0.98					
33	Nov-07	4.5	6.80	0.08					
34	Jun-08	4.5	6.76	-0.05					
35	Nov-08	4.5	7.43	2.17					
35	Nov-08	4.5	6.79	0.05					
36	Jun-09	4.5	6.79	0.05					
37	Nov-09	4.5	6.89	0.38					
38	Jun-10	4.5	6.85	0.25					
39	Nov-10	4.5	7.02	0.81					
40	Jun-11	4.5	6.91	0.45					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY**  
**RCRA LANDFILL LEAK DETECTION SYSTEM**  
**SHEWART CONTROL CHART**  
**Vault E - SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Mar-96	2000	<b>2,026.25</b>	<b>187.84</b>
2	Jun-96	2400		
3	Oct-96	2000		
4	Nov-96	1800		
5	May-97	2120		
6	Aug-97	1840		
7	Nov-97	2100		
8	Feb-98	1950		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	1850	-0.94	39	Nov-11	4.5	1637	-2.07
10	Mar-99	4.5	1302	-3.86	40	Jun-12	4.5	1792	-1.25
11	May-99	4.5	1720	-1.63	41	Dec-12	4.5	1776	-1.33
12	Jul-99	4.5	1468	-2.97	42	Jun-13	4.5	1397	-3.35
13	Oct-99	4.5	1382	-3.43	43	Nov-13	4.5	1741	-1.52
14	Mar-00	4.5	1500	-2.80	44	Jun-14	4.5	1677	-1.86
15	Jun-00	4.5	1430	-3.17	45	Nov-14	4.5	1747	-1.49
16	Sep-00	4.5	1360	-3.55	46	Jun-15	4.5	1456	-3.04
17	Nov-00	4.5	1290	-3.92	47	Nov-15	4.5	1435	-3.15
18	May-01	4.5	1900	-0.67	48	Jun-16	4.5	1408	-3.29
19	Aug-01	4.5	1810	-1.15	49	Nov-16	4.5	1502	-2.79
20	Nov-01	4.5	1630	-2.11	50	Jun-17	4.5	1431	-3.17
21	Mar-02	4.5	1570	-2.43	51	Nov-17	4.5	1465	-2.99
22	Jun-03	4.5	1470	-2.96					
23	Feb-04	4.5	1190	-4.45					
24	Jun-04	4.5	1337	-3.67					
25	Nov-04	4.5	1230	-4.24					
26	Jun-05	4.5	1790	-1.26					
27	Dec-05	4.5	1630	-2.11					
28	Jun-06	4.5	1376	-3.46					
29	Nov-06	4.5	1680	-1.84					
30	Jun-07	4.5	1820	-1.10					
31	Nov-07	4.5	1740	-1.52					
32	Jun-08	4.5	1860	-0.89					
33	Nov-08	4.5	1630	-2.11					
34	Jun-09	4.5	1950	-0.41					
35	Nov-09	4.5	1780	-1.31					
36	Jun-10	4.5	1910	-0.62					
37	Nov-10	4.5	1714	-1.66					
38	Jun-11	4.5	1711	-1.68					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault F - Chromium**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	8.13	5.40
2	Aug-95	10		
3	Jun-96	10		
4	Aug-96	10		
5	Nov-96	10		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	5	-0.58	44	Jul-11	4.5	2.5	-1.04
10	Aug-98	4.5	5	-0.58	45	Nov-11	4.5	2.5	-1.04
11	Nov-98	4.5	10	0.35	46	Dec-12	4.5	2.5	-1.04
12	Mar-99	4.5	5	-0.58	47	Jun-13	4.5	2.5	-1.04
13	May-99	4.5	5	-0.58	48	Nov-13	4.5	2.5	-1.04
14	Jul-99	4.5	6	-0.39	49	Jun-14	4.5	2.5	-1.04
15	Oct-99	4.5	5	-0.58	50	Nov-14	4.5	2.5	-1.04
16	Mar-00	4.5	5	-0.58	51	Jun-15	4.5	2.5	-1.04
17	Jun-00	4.5	5	-0.58	52	Nov-15	4.5	2.5	-1.04
18	Sep-00	4.5	2.5	-1.04	53	Jun-16	4.5	2.5	-1.04
19	Nov-00	4.5	5	-0.58	54	Nov-16	4.5	2.5	-1.04
20	Mar-01	4.5	5	-0.58	55	Jun-17	4.5	2.5	-1.04
21	May-01	4.5	5	-0.58	56	Nov-17	4.5	2.5	-1.04
22	Nov-01	4.5	5	-0.58					
23	Mar-02	4.5	5	-0.58					
24	May-02	4.5	5	-0.58					
25	Mar-03	4.5	2.5	-1.04					
26	Jun-03	4.5	2.5	-1.04					
27	Oct-03	4.5	2.5	-1.04					
28	Feb-04	4.5	2.5	-1.04					
29	Jun-04	4.5	2.5	-1.04					
30	Nov-04	4.5	2.5	-1.04					
31	Jun-05	4.5	2.5	-1.04					
32	Dec-05	4.5	2.5	-1.04					
33	Jun-06	4.5	7	-0.21					
34	Nov-06	4.5	5	-0.58					
35	Jun-07	4.5	10	0.35					
36	Nov-07	4.5	2	-1.14					
37	Jun-08	4.5	2.5	-1.04					
38	Nov-08	4.5	2.5	-1.04					
39	Jun-09	4.5	2.5	-1.04					
40	Nov-09	4.5	2.5	-1.04					
41	Jun-10	4.5	6	-0.39					
42	Nov-10	4.5	16	1.46					
43	Jun-11	4.5	23	2.75					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault F - Copper**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	10	<b>9.38</b>	<b>6.61</b>
2	Aug-95	10		
3	Jun-96	10		
4	Aug-96	20		
5	Nov-96	10		
6	Aug-97	5		
7	Nov-97	5		
8	Feb-98	5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	20	1.61	44	Jun-11	4.5	2	-1.12
10	Aug-98	4.5	5	-0.66	45	Nov-11	4.5	2	-1.12
11	Nov-98	4.5	5	-0.66	46	Dec-12	4.5	2	-1.12
12	Mar-99	4.5	20	1.61	47	Jun-13	4.5	2	-1.12
13	May-99	4.5	10	0.09	48	Nov-13	4.5	2	-1.12
14	Jul-99	4.5	17	1.15	49	Jun-14	4.5	2	-1.12
15	Oct-99	4.5	5	-0.66	50	Nov-14	4.5	2	-1.12
16	Mar-00	4.5	5	-0.66	51	Jun-15	4.5	2.5	-1.04
17	Jun-00	4.5	40	4.63	52	Nov-15	4.5	2.5	-1.04
18	Sep-00	4.5	5	-0.66	53	Jun-16	4.5	2.5	-1.04
19	Nov-00	4.5	60	7.66	54	Nov-16	4.5	2.5	-1.04
20	Mar-01	4.5	5	-0.66	55	Jun-17	4.5	2.5	-1.04
21	May-01	4.5	60	7.66	56	Nov-17	4.5	2.5	-1.04
22	Nov-01	4.5	40	4.63					
23	Mar-02	4.5	10	0.09					
24	May-02	4.5	5	-0.66					
25	Mar-03	4.5	19	1.46					
26	Jun-03	4.5	2.5	-1.04					
27	Oct-03	4.5	11	0.25					
28	Feb-04	4.5	5	-0.66					
29	Jun-04	4.5	5	-0.66					
30	Nov-04	4.5	2.5	-1.04					
31	Jun-05	4.5	2.5	-1.04					
32	Dec-05	4.5	83	11.14					
33	Feb-06	4.5	2	-1.12					
34	Jun-06	4.5	2	-1.12					
35	Nov-06	4.5	2	-1.12					
36	Jun-07	4.5	3	-0.97					
37	Nov-07	4.5	3	-0.97					
38	Jun-08	4.5	0.5	-1.34					
39	Nov-08	4.5	0.5	-1.34					
40	Jun-09	4.5	0.5	-1.34					
41	Nov-09	4.5	2	-1.12					
42	Jun-10	4.5	2	-1.12					
43	Nov-10	4.5	2	-1.12					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault F - Nickel**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	15	33.88	31.96
2	Aug-95	20		
3	Jun-96	10		
4	Aug-96	10		
5	Nov-96	10		
6	Aug-97	64		
7	Nov-97	93		
8	Feb-98	49		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7	-0.84	43	Jun-11	4.5	9	-0.78
10	Aug-98	4.5	7	-0.84	44	Nov-11	4.5	2.5	-0.98
11	Nov-98	4.5	47	0.41	45	Dec-12	4.5	6	-0.87
12	Mar-99	4.5	9	-0.78	46	Jun-13	4.5	2.5	-0.98
13	May-99	4.5	5	-0.90	47	Nov-13	4.5	2.5	-0.98
14	Jul-99	4.5	6	-0.87	48	Jun-14	4.5	2.5	-0.98
15	Oct-99	4.5	6	-0.87	49	Nov-14	4.5	10	-0.75
16	Mar-00	4.5	6	-0.87	50	Jun-15	4.5	7	-0.84
17	Jun-00	4.5	2.5	-0.98	51	Nov-15	4.5	6	-0.87
18	Sep-00	4.5	6	-0.87	52	Jun-16	4.5	2.5	-0.98
19	Nov-00	4.5	5	-0.90	53	Nov-16	4.5	2.5	-0.98
20	Mar-01	4.5	5	-0.90	54	Jun-17	4.5	2.5	-0.98
21	May-01	4.5	5	-0.90	55	Nov-17	4.5	2.5	-0.98
22	Nov-01	4.5	2.5	-0.98					
23	Mar-02	4.5	2.5	-0.98					
24	May-02	4.5	6	-0.87					
25	Mar-03	4.5	2.5	-0.98					
26	Jun-03	4.5	2.5	-0.98					
27	Oct-03	4.5	5	-0.90					
28	Feb-04	4.5	2.5	-0.98					
29	Jun-04	4.5	2.5	-0.98					
30	Nov-04	4.5	15	-0.59					
31	Jun-05	4.5	9	-0.78					
32	Dec-05	4.5	2.5	-0.98					
33	Jun-06	4.5	2.5	-0.98					
34	Nov-06	4.5	2.5	-0.98					
35	Jun-07	4.5	2.5	-0.98					
36	Nov-07	4.5	9	-0.78					
37	Jun-08	4.5	2.5	-0.98					
38	Nov-08	4.5	2.5	-0.98					
39	Jun-09	4.5	2.5	-0.98					
40	Nov-09	4.5	2.5	-0.98					
41	Jun-10	4.5	2.5	-0.98					
42	Nov-10	4.5	2.5	-0.98					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY**  
**RCRA LANDFILL LEAK DETECTION SYSTEM**  
**SHEWART CONTROL CHART**  
**Vault F - Zinc**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	190	<b>101.24</b>	<b>83.60</b>
2	Aug-95	220		
3	Jun-96	10		
4	Aug-96	50		
5	Nov-96	30		
6	Aug-97	20		
7	Nov-97	130		
8	Feb-98	160		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	130	0.34	43	Jun-11	4.5	20	-0.97
10	Aug-98	4.5	40	-0.73	44	Nov-11	4.5	2.5	-1.18
11	Nov-98	4.5	30	-0.85	45	Dec-12	4.5	12	-1.07
12	Mar-99	4.5	20	-0.97	46	Jun-13	4.5	6	-1.14
13	May-99	4.5	30	-0.85	47	Nov-13	4.5	2.5	-1.18
14	Jul-99	4.5	26	-0.90	48	Jun-14	4.5	2.5	-1.18
15	Oct-99	4.5	20	-0.97	49	Nov-14	4.5	8	-1.12
16	Mar-00	4.5	30	-0.85	50	Jun-15	4.5	9	-1.10
17	Jun-00	4.5	80	-0.25	51	Nov-15	4.5	6	-1.14
18	Sep-00	4.5	20	-0.97	52	Jun-16	4.5	6	-1.14
19	Nov-00	4.5	100	-0.01	53	Nov-16	4.5	2.5	-1.18
20	Mar-01	4.5	10	-1.09	54	Jun-17	4.5	2.5	-1.18
21	May-01	4.5	100	-0.01	55	Nov-17	4.5	2.5	-1.18
22	Nov-01	4.5	100	-0.01					
23	Mar-02	4.5	60	-0.49					
24	May-02	4.5	20	-0.97					
25	Mar-03	4.5	119	0.21					
26	Jun-03	4.5	2.5	-1.18					
27	Oct-03	4.5	66	-0.42					
28	Feb-04	4.5	30	-0.85					
29	Jun-04	4.5	10	-1.09					
30	Nov-04	4.5	8	-1.12					
31	Jun-05	4.5	17	-1.01					
32	Dec-05	4.5	62	-0.47					
33	Jun-06	4.5	9	-1.10					
34	Nov-06	4.5	10	-1.09					
35	Jun-07	4.5	8	-1.12					
36	Nov-07	4.5	11	-1.08					
37	Jun-08	4.5	2.5	-1.18					
38	Nov-08	4.5	15	-1.03					
39	Jun-09	4.5	10	-1.09					
40	Nov-09	4.5	11	-1.08					
41	Jun-10	4.5	17	-1.01					
42	Nov-10	4.5	14	-1.04					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault F - pH**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	6.8	6.73	0.31
2	Aug-95	6.8		
3	Jun-96	6.8		
4	Aug-96	7.1		
5	Nov-96	7		
6	Aug-97	6.1		
7	Nov-97	6.7		
8	Feb-98	6.5		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	7.10	1.21	42	Jun-11	4.5	7.0	0.98
10	Aug-98	4.5	6.60	-0.40	43	Nov-11	4.5	6.93	0.66
11	Mar-99	4.5	6.80	0.24	44	Dec-12	4.5	6.69	-0.11
12	May-99	4.5	7.00	0.89	45	Jun-13	4.5	6.8	0.24
13	Jul-99	4.5	6.30	-1.37	46	Nov-13	4.5	6.83	0.34
14	Oct-99	4.5	6.30	-1.37	47	Jun-14	4.5	7.15	1.37
15	Mar-00	4.5	8.00	4.11	48	Nov-14	4.5	7.13	1.30
16	Jun-00	4.5	7.10	1.21	49	Jun-15	4.5	7.08	1.14
17	Sep-00	4.5	7.40	2.17	50	Nov-15	4.5	6.95	0.72
18	Nov-00	4.5	6.80	0.24	51	Jun-16	4.5	7.03	0.98
19	Mar-01	4.5	7.10	1.21	52	Nov-16	4.5	6.84	0.37
20	May-01	4.5	7.40	2.17	53	Jun-17	4.5	6.89	0.53
21	Nov-01	4.5	7.30	1.85	54	Nov-17	4.5	6.47	-0.82
22	Mar-02	4.5	6.90	0.56					
23	May-02	4.5	7.20	1.53					
24	Mar-03	4.5	6.80	0.24					
25	Jun-03	4.5	6.90	0.56					
26	Oct-03	4.5	6.90	0.56					
27	Feb-04	4.5	7.10	1.21					
28	Jun-04	4.5	6.90	0.56					
29	Nov-04	4.5	7.10	1.21					
30	Jun-05	4.5	5.50	-3.94					
31	Dec-05	4.5	6.90	0.56					
32	Jun-06	4.5	6.72	-0.02					
33	Nov-06	4.5	7.04	1.01					
34	Jun-07	4.5	6.44	-0.92					
35	Nov-07	4.5	6.84	0.37					
36	Jun-08	4.5	6.86	0.43					
37	Nov-08	4.5	7.20	1.53					
38	Jun-09	4.5	7.08	1.14					
39	Nov-09	4.5	7.03	0.98					
40	Jun-10	4.5	7.02	0.95					
41	Nov-10	4.5	7.00	0.89					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean




**COLDWATER ROAD LANDFILL FACILITY  
RCRA LANDFILL LEAK DETECTION SYSTEM  
SHEWART CONTROL CHART  
Vault F - SpC**

Baseline Data				
Ti	Date	Conc.	Mean	Std. Dev
1	Jun-95	1400	1,535.00	218.31
2	Aug-95	1100		
3	Jun-96	1600		
4	Aug-96	1500		
5	Nov-96	1600		
6	Aug-97	1530		
7	Nov-97	1800		
8	Feb-98	1750		

Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)	Ti	Date	SCL	Conc. (Xi)	Standardized Conc. (Zi)
9	May-98	4.5	1400	-0.62	41	Jun-11	4.5	1642	0.49
10	Mar-99	4.5	982	-2.53	42	Nov-11	4.5	1651	0.53
11	May-99	4.5	1460	-0.34	43	Dec-12	4.5	1729	0.89
12	Jul-99	4.5	1262	-1.25	44	Jun-13	4.5	1759	1.03
13	Oct-99	4.5	1116	-1.92	45	Nov-13	4.5	1736	0.92
14	Mar-00	4.5	1250	-1.31	46	Jun-14	4.5	1710	0.80
15	Jun-00	4.5	1310	-1.03	47	Nov-14	4.5	1724	0.87
16	Sep-00	4.5	1440	-0.44	48	Jun-15	4.5	1669	0.61
17	Nov-00	4.5	1040	-2.27	49	Nov-15	4.5	1686	0.69
18	Mar-01	4.5	1110	-1.95	50	Jun-16	4.5	1640	0.48
19	May-01	4.5	1470	-0.30	51	Nov-16	4.5	1641	0.49
20	Nov-01	4.5	1110	-1.95	52	Jun-17	4.5	1675	0.64
21	Mar-02	4.5	1290	-1.12	53	Nov-17	4.5	1626	0.42
22	May-02	4.5	1200	-1.53					
23	Mar-03	4.5	1270	-1.21					
24	Jun-03	4.5	1300	-1.08					
25	Oct-03	4.5	1040	-2.27					
26	Feb-04	4.5	1920	1.76					
27	Jun-04	4.5	1300	-1.08					
28	Nov-04	4.5	1160	-1.72					
29	Jun-05	4.5	1780	1.12					
30	Dec-05	4.5	1640	0.48					
31	Jun-06	4.5	1355	-0.82					
32	Nov-06	4.5	1610	0.34					
33	Jun-07	4.5	1640	0.48					
34	Nov-07	4.5	1600	0.30					
35	Jun-08	4.5	1510	-0.11					
36	Nov-08	4.5	1510	-0.11					
37	Jun-09	4.5	1530	-0.02					
38	Nov-09	4.5	1550	0.07					
39	Jun-10	4.5	1540	0.02					
40	Nov-10	4.5	1590	0.25					

h = Decision Value for CUSUM, SCL = Shewart Control Limit, k = Standard Error Shift Detection Parameter, Zi = Standardized Mean



**OBG**

THERE'S A WAY

